MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-012	**Product Name**	ENTRY COMPONENT	**Size**	M20	**Drawing No.**	313001M-01s	**Date:**	06-11-2026
Wo No.	26100111	**Total Quantity**	1400	**Lot Quantity**	1400	**Sample Size-**	5	Variable & Gauging	5PCS

Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	3	4	5			
1	Visual	Surface	Fine, Clean		FINE	FINE	FINE	FINE	FINE		Measuring Instruments ID No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	11	11	11	11	11	11		(1) DV-55	
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	NA	NA		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	NA	NA	NA			
		Marking	WO Ref. No.	OK	OK	OK	OK	OK	OK		ASM No :- CSEX261105-01	
		Assembly Perfection	As per Drg.		OK	OK	OK	OK	OK			
		Inner Packing	Labeling & Printing		OK	OK	OK	OK	OK			
		Outer Packing	Printing & Stamping		OK	OK	OK	OK	OK			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	-	+	1	2	3	4	5			
		A/F	25.00	24.87	25.00	24.91	24.90	24.89	24.90	24.91			
		A/C	27.50	27.00	28.00	27.49	27.48	27.49	27.48	27.47			
		T.L	32.00	32.00	32.50	32.25	32.24	32.26	32.25	32.28			
		TH.L	13.00	12.50	13.50	13.03	13.05	13.04	13.06	13.05			
		LENGTH	17.00	17.00	17.50	17.23	17.25	17.24	17.25	17.26			
		GR.OD	18.00	17.50	18.50	18.00	17.99	18.01	18.00	17.99			
		GR.LE	2.50	2.30	2.70	2.53	2.55	2.54	2.56	2.55			
		O.D	24.50	24.00	25.00	24.45	24.44	24.46	24.45	24.48			
		O.D.L	9.00	8.50	9.50	8.99	8.94	8.98	8.94	8.97			
		H.L	6.00	5.70	6.30	6.03	6.05	6.04	6.06	6.05			
		I.D	12.00	11.50	12.50	12.03	12.05	12.04	12.03	12.05			
		DEPTH	11.50	11.00	12.00	11.55	11.54	11.56	11.55	11.54			
		THREAD	M20x1.5 AS PER T.R.G GO NOT GO			OK	OK	OK	OK	OK			
		INT.THREAD	M20x1.5 AS PER P.G GO NOT GO			OK	OK	OK	OK	OK			
		CH.ANGLE	0.5x45° AS PER PP FOUND			OK	OK	OK	OK	OK			
		CH.ANGLE	1.5x45° AS PER PP FOUND			OK	OK	OK	OK	OK			
		CH.ANGLE	20° AS PER PP FOUND			OK	OK	OK	OK	OK			
		ANGLE	90° AS PER PP FOUND			OK	OK	OK	OK	OK			

INSPECTED BY:	*Jay Hadiyal*	*APPROVED BY:*	*Shreekant*

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METAL MECH ENGINEERING CA PASSED

METAL MECA
THE SAFEST CONNECTIONS

MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-012	**Product Name**	INTERMIDIATE BODY	**Size**	M20	**Drawing No.**	313002U-01s	**Date:**	06-11-2026
Wo No.	26100111	**Total Quantity**	1400	**Lot Quantity**	1400	**Sample Size-**	5	Variable & Gauging	5PCS

Sr. No.	**Checking Parameter**	**REQUIRED PARAMETER**			**OBSERVED RESULTS**					**REJECTION REWORK DETAIL**	**REMARK**	**CHECKED BY**
		PARAMETER	**CRITERIA**		**1**	**2**	**3**	**4**	**5**			
1	Visual	Surface	Fine, Clean		FINE	FINE	FINE	FINE	FINE		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	11	11	11	11	11	11		**(1) DV-55**	
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	NA	NA		**(2) PP-01**	
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	NA	NA	NA			
		Marking	WO Ref. No.	NA	NA	NA	NA	NA	NA		**ASM No :- CSEX261105-01**	
		Assembly Perfection	As per Drg.		OK	OK	OK	OK	OK			
		Inner Packing	Labeling & Printing		OK	OK	OK	OK	OK			
		Outer Packing	Printing & Stamping		OK	OK	OK	OK	OK			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	-	+	1	2	3	4	5			
		A/F	25.00	24.87	25.00	24.88	24.90	24.89	24.90	24.89			
		A/C	27.50	27.00	28.00	27.45	27.47	27.46	27.46	27.48			
		T.L	22.00	21.50	22.50	22.01	22.00	22.02	22.01	22.00			
		TH.L	10.00	9.50	10.50	10.02	10.01	10.03	10.02	10.01			
		GR.OD	18.00	17.50	18.50	18.03	18.05	18.04	18.04	18.03			
		GR.LE	1.00	0.80	1.20	1.01	1.00	1.00	1.00	1.01			
		H.L	4.00	3.70	4.30	4.05	4.04	4.06	4.05	4.04			
		TH.L	8.00	7.70	8.30	8.01	8.03	8.02	8.01	8.02			
		GR.OD	20.00	19.50	20.50	20.02	20.01	20.03	20.05	20.03			
		GR.LE	1.00	0.80	1.20	1.01	1.00	1.00	1.00	1.02			
		I.D	16.00	15.50	16.50	15.95	15.94	15.96	15.95	15.94			
		I.D	18.00	17.50	18.50	17.93	17.95	17.94	17.93	17.95			
		DEPTH	7.00	6.70	7.30	6.96	6.98	6.97	6.99	6.98			
		I.D	17.00	16.50	17.50	16.98	16.96	16.97	16.94	16.98			
		I.D.LE	4.50	4.20	4.80	4.50	4.51	4.49	4.49	4.47			
		DEPTH	11.50	11.00	12.00	11.51	11.53	11.52	11.51	11.51			
		THREAD	M20x1.5 AS PER T.R.G GO NOT GO			OK	OK	OK	OK	OK			
		THREAD	M22x1.5 AS PER T.R.G GO NOT GO			OK	OK	OK	OK	OK			
		CH.ANGLE	1.5x45° AS PER PP FOUND			OK	OK	OK	OK	OK			
		CH.ANGLE	0.5x45° AS PER PP FOUND			OK	OK	OK	OK	OK			
		CH.ANGLE	20° AS PER PP FOUND			OK	OK	OK	OK	OK			

INSPECTED BY:	*Jay Hadiyal*	*APPROVED BY:*	*Shreekant*

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALTECH ENGINEERS CA PASSED

MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-012	**Product Name**	MIDDLE BODY	**Size**	M20	**Drawing No.**	313002-018	**Date:**	06-11-2026
Wo No.	26100111	**Total Quantity**	1400	**Lot Quantity**	1400	**Sample Size-**	5	Variable & Gauging	5PCS

Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	3	4	5			
1	Visual	Surface	Fine, Clean		FINE	FINE	FINE	FINE	FINE		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	11	11	11	11	11	11		(1) DV-55	
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	NA	NA		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	NA	NA	NA			
		Marking	WO Ref. No.	NA	NA	NA	NA	NA	NA		ASM No :- CSEX261105-01	
		Assembly Perfection	As per Drg.		OK	OK	OK	OK	OK			
		Inner Packing	Labeling & Printing		OK	OK	OK	OK	OK			
		Outer Packing	Printing & Stamping		OK	OK	OK	OK	OK			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	-	+	1	2	3	4	5			
		A/F	25.00	24.87	25.00	24.89	24.91	24.90	24.88	24.90			
		A/C	27.50	27.00	28.00	27.45	27.44	27.46	27.45	27.47			
		T.L	28.00	27.50	28.50	28.01	28.00	27.99	28.00	27.99			
		TH.L	12.00	11.50	12.50	12.02	12.01	12.01	12.03	12.02			
		GR.OD	20.50	20.00	21.00	20.55	20.54	20.53	20.56	20.55			
		GR.LE	1.00	0.80	1.20	1.01	1.00	1.00	1.01	1.00			
		O.D	24.50	24.00	25.00	24.43	24.45	24.44	24.44	24.46			
		O.D.L	8.00	7.70	8.30	8.02	8.01	8.03	8.05	8.04			
		H.L	8.00	7.70	8.30	8.05	8.04	8.03	8.06	8.05			
		I.D	16.00	15.50	16.50	16.01	16.00	15.99	15.98	16.00			
		I.D	17.00	16.50	17.50	17.02	17.04	17.05	17.04	17.06			
		I.D.LE	4.00	3.70	4.30	4.01	4.03	4.02	4.05	4.03			
		INT.THL	9.50	9.00	10.00	9.50	9.49	9.50	9.50	9.49			
		I.D	20.00	19.50	20.50	19.97	19.96	19.98	19.97	19.99			
		DEPTH	14.00	13.50	14.50	14.00	13.99	13.98	14.00	13.99			
		THREAD	M22x1 AS PER T.R.G GO NOT GO			OK	OK	OK	OK	OK			
		INT.THREAD	M22x1.5 AS PER P.G GO NOT GO			OK	OK	OK	OK	OK			
		CH.ANGLE	0.5x45° AS PER PP FOUND			OK	OK	OK	OK	OK			
		CH.ANGLE	1x45° AS PER PP FOUND			OK	OK	OK	OK	OK			
		CH.ANGLE	1.5x45° AS PER PP FOUND			OK	OK	OK	OK	OK			
		CH.ANGLE	30° AS PER PP FOUND			OK	OK	OK	OK	OK			

INSPECTED BY:	*Jay Hadiyal*	*APPROVED BY:*	*Shreekant*

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALTECH ENGINEERS CA PASSED

METAL MECA
THE SAFEST CONNECTIONS

MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-012	**Product Name**	BACK NUT	**Size**	M20	**Drawing No.**	313003-018	**Date:**	06-11-2026
Wo No.	26100111	**Total Quantity**	1400	**Lot Quantity**	1400	**Sample Size-**	5	Variable & Gauging	5PCS

Sr. No.	Checking Parameter	REQUIRED PARAMETER		OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA	1	2	3	4	5			
1	Visual	Surface	Fine, Clean	FINE	FINE	FINE	FINE	FINE		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts 11	11	11	11	11	11		(1) DV-55	
		Washing & Plating	Surface Finishing NA	NA	NA	NA	NA	NA		(2) PP-01	
		RUBBER MARKING	AS PER DRG. NA	NA	NA	NA	NA	NA			
		Marking	WO Ref. No. NA	NA	NA	NA	NA	NA		ASM No :- CSEX261105-01	
		Assembly Perfection	As per Drg.	OK	OK	OK	OK	OK			
		Inner Packing	Labeling & Printing	OK	OK	OK	OK	OK			
		Outer Packing	Printing & Stamping	OK	OK	OK	OK	OK			
		All Dimensions Are In MM									
2	DIMENSION		VALUE - +	1	2	3	4	5			
		A/F	25.00 24.87 25.00	24.90	24.89	24.90	24.91	24.90			
		A/C	27.50 27.00 28.00	27.46	27.49	27.48	27.49	27.49			
		T.L	17.00 16.50 17.50	16.95	16.94	16.97	16.96	16.98			
		O.D	24.00 23.50 24.50	23.98	23.97	23.99	23.98	24.00			
		O.D.L	8.00 7.70 8.30	8.02	8.01	8.03	8.05	8.04			
		H.L	9.00 8.50 9.50	8.96	8.95	8.95	8.96	8.95			
		I.D	19.00 18.50 19.50	18.97	18.96	18.98	18.96	18.98			
		INT.THL	3.00 2.80 3.20	3.02	3.01	3.03	3.02	3.01			
		GR.ID	22.20 21.70 22.70	22.25	22.24	22.26	22.25	22.24			
		GR.LE	10.50 10.00 11.00	10.51	10.53	10.52	10.53	10.52			
		DEPTH	13.50 13.00 14.00	13.52	13.51	13.53	13.56	13.55			
		GR.ID	21.00 20.50 21.50	21.03	21.02	21.05	21.04	21.06			
		GR.LE	2.50 2.30 2.70	2.52	2.50	2.51	2.53	2.52			
		DEPTH	16.00 15.50 16.50	16.01	16.03	16.02	16.01	16.02			
		INT.THREAD	M22x1 AS PER P.G GO NOT GO	OK	OK	OK	OK	OK			
		CH.ANGLE	1x45° AS PER PP FOUND	OK	OK	OK	OK	OK			
		CH.ANGLE	0.5x45° AS PER PP FOUND	OK	OK	OK	OK	OK			
		CH.ANGLE	45° AS PER PP FOUND	OK	OK	OK	OK	OK			

INSPECTED BY:	*Jay Hadiyal*	*APPROVED BY:*	*Shreekant*

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METAL MECH ENGINEERS PVT. LTD. CA PASSED

METAL MECA®
THE SAFEST CONNECTIONS

MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-012	Product Name	UNIVERSAL CLAMPING CONE	Size	M20	Drawing No.	313005-018	Date:	06-11-2026
Wo No.	26100111	Total Quantity	1400	Lot Quantity	1400	Sample Size-	5	Variable & Gauging	5PCS

Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA			1	2	3	4	5			
1	Visual	Surface	Fine, Clean			FINE	FINE	FINE	FINE	FINE		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	11		11	11	11	11	11		(1) DV-55	
		Washing & Plating	Surface Finishing	NA		NA	NA	NA	NA	NA		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA		NA	NA	NA	NA	NA			
		Marking	WO Ref. No.	NA		NA	NA	NA	NA	NA		ASM No :- CSEX261105-01	
		Assembly Perfection	As per Drg.			OK	OK	OK	OK	OK			
		Inner Packing	Labeling & Printing			OK	OK	OK	OK	OK			
		Outer Packing	Printing & Stamping			OK	OK	OK	OK	OK			
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	3	4	5			
		T.L	22.00	21.50	22.50	22.00	21.99	22.01	22.00	21.99			
		O.D	14.00	13.50	14.50	14.05	14.04	14.03	14.05	14.04			
		O.D.L	3.50	3.20	3.80	3.55	3.54	3.54	3.58	3.55			
		GR.OD	15.50	15.00	16.00	15.51	15.49	15.47	15.46	15.48			
		GR.LE	2.50	2.30	2.70	2.52	2.51	2.53	2.55	2.54			
		O.D	16.20	15.70	16.70	16.20	16.19	16.18	16.17	16.19			
		O.D.L	7.50	7.20	7.80	7.50	7.49	7.50	7.49	7.48			
		O.D	17.50	17.00	18.00	17.50	17.49	17.51	17.50	17.49			
		O.D.L	7.00	6.70	7.30	7.02	7.04	7.02	7.01	7.03			
		O.D	14.00	13.50	14.50	14.00	13.99	14.01	14.00	13.98			
		O.D.L	4.50	4.20	4.80	4.51	4.50	4.50	4.51	4.52			
		O.D	14.50	14.00	15.00	14.52	14.51	14.53	14.56	14.55			
		O.D	15.00	14.50	15.50	14.97	14.99	14.98	14.97	14.99			
		O.D	15.50	15.00	16.00	15.48	15.50	15.49	15.48	15.49			
		O.D.L	7.50	7.20	7.80	7.49	7.51	7.50	7.50	7.49			
		I.D	12.00	11.50	12.50	12.05	12.04	12.03	12.05	12.04			
		GROOVE.STEP.LE	0.50	0.30	0.70	0.50	0.49	0.51	0.49	0.48			
		RADIUS	0.5 MM AS PER PP FOUND			OK	OK	OK	OK	OK			
		RADIUS	0.3 AS PER PP FOUND			OK	OK	OK	OK	OK			

INSPECTED BY:	Jay Hadiyal	APPROVED BY:	Shreekant

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METAL MECH ENGINEERING CA PASSED

MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-012	**Product Name**	REVERSIBLE ARMOUR RING	**Size**	M20	**Drawing No.**	313004-01s	**Date:**	06-11-2026
Wo No.	26100111	**Total Quantity**	1400	**Lot Quantity**	1400	**Sample Size-**	5	**Variable & Gauging**	5PCS

Sr. No.	**Checking Parameter**	**REQUIRED PARAMETER**			**OBSERVED RESULTS**					**REJECTION REWORK DETAIL**	**REMARK**	**CHECKED BY**
		PARAMETER	**CRITERIA**		**1**	**2**	**3**	**4**	**5**			
1	Visual	Surface	Fine, Clean		FINE	FINE	FINE	FINE	FINE		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	11	11	11	11	11	11		**(1) DV-55**	
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	NA	NA		**(2) PP-01**	
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	NA	NA	NA			
		Marking	WO Ref. No.	NA	NA	NA	NA	NA	NA		**ASM No :- CSEX261105-01**	
		Assembly Perfection	As per Drg.		OK	OK	OK	OK	OK			
		Inner Packing	Labeling & Printing		OK	OK	OK	OK	OK			
		Outer Packing	Printing & Stamping		OK	OK	OK	OK	OK			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	-	+	1	2	3	4	5			
		T.L	6.00	5.70	6.30	6.00	5.99	6.01	6.00	5.99			
		O.D	19.00	18.50	19.50	18.73	18.75	18.76	18.75	18.73			
		I.D	16.00	15.50	16.50	16.01	16.00	15.95	15.99	15.98			
		I.D	16.50	16.00	17.00	16.50	16.49	16.48	16.47	16.49			

INSPECTED BY:	*Jay Hadiyal*	*APPROVED BY:*	*Shreekant*

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERING QA PASSED

METAL MECH®
THE SAFEST CONNECTIONS

MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-012	Product Name	O-RING	Size	M20	Drawing No.	OR-1M	Date:	06-11-2026
Wo No.	26100111	Total Quantity	1400	Lot Quantity	1400	Sample Size-	5	Variable & Gauging	5PCS

Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	3	4	5			
1	Visual	Surface	Fine, Clean		FINE	FINE	FINE	FINE	FINE		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	11	11	11	11	11	11		(1) DV-55	
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	NA	NA		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	NA	NA	NA			
		Marking	WO Ref. No.	NA	NA	NA	NA	NA	NA		ASM No :- CSEX261105-01	
		Assembly Perfection	As per Drg.		OK	OK	OK	OK	OK			
		Inner Packing	Labeling & Printing		OK	OK	OK	OK	OK			
		Outer Packing	Printing & Stamping		OK	OK	OK	OK	OK			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	-	+	1	2	3	4	5			
		THICKNESS	2.50	2.00	2.50	2.05	2.04	2.04	2.05	2.04		
		I.D	16.00	15.50	16.50	16.05	16.04	16.03	16.04	16.06		

INSPECTED BY:	Jay Hadiyal	APPROVED BY:	Shreekant

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERING CA PASSED

MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-012	Product Name	COMPRESSIBLE INNER SEAL	Size	M20	Drawing No.	GI-01s	Date:	06-11-2026
Wo No.	26100111	Total Quantity	1400	Lot Quantity	1400	Sample Size-	5	Variable & Gauging	5PCS

Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	3	4	5			
1	Visual	Surface	Fine, Clean		FINE	FINE	FINE	FINE	FINE		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	11	11	11	11	11	11		(1) DV-55	
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	NA	NA		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	OK	OK	OK	OK	OK	OK			
		Marking	WO Ref. No.	NA	NA	NA	NA	NA	NA		ASM No :- CSEX261105-01	
		Assembly Perfection	As per Drg.		OK	OK	OK	OK	OK			
		Inner Packing	Labeling & Printing		OK	OK	OK	OK	OK			
		Outer Packing	Printing & Stamping		OK	OK	OK	OK	OK			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	-	+	1	2	3	4	5		
		T.L	9.50	9.00	10.00	9.49	9.51	9.53	9.51	9.50		
		O.D.L	3.00	2.70	3.30	3.01	3.03	3.02	3.03	3.05		
		O.D	18.50	18.30	18.50	18.43	18.45	18.46	18.45	18.48		
		O.D.L	6.50	6.20	6.80	6.53	6.55	6.54	6.55	6.54		
		I.D	11.70	11.70	11.90	11.77	11.76	11.74	11.76	11.75		

INSPECTED BY:	*Jay Hadiyal*	*APPROVED BY:*	*Shreekant*

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERING QA PASSED

MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-012	**Product Name**	COMPRESSIBLE OUTER SEAL	**Size**	M20	**Drawing No.**	GE-01s	**Date:**	06-11-2026
Wo No.	26100111	**Total Quantity**	1400	**Lot Quantity**	1400	**Sample Size-**	5	Variable & Gauging	5PCS

Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	3	4	5			
1	Visual	Surface	Fine, Clean		FINE	FINE	FINE	FINE	FINE		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	11	11	11	11	11	11		(1) DV-55	
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	NA	NA		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	OK	OK	OK	OK	OK	OK			
		Marking	WO Ref. No.	NA	NA	NA	NA	NA	NA		ASM No :- CSEX261105-01	
		Assembly Perfection	As per Drg.		OK	OK	OK	OK	OK			
		Inner Packing	Labeling & Printing		OK	OK	OK	OK	OK			
		Outer Packing	Printing & Stamping		OK	OK	OK	OK	OK			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	-	+	1	2	3	4	5		
		T.L	10.00	9.50	10.50	10.01	10.00	10.01	10.03	10.02		
		O.D	22.20	22.00	22.20	22.12	22.11	22.13	22.12	22.11		
		GR.LENGTH	3.50	3.20	3.80	3.49	3.51	3.50	3.50	3.49		
		I.D	15.70	15.70	15.80	15.75	15.74	15.76	15.75	15.74		

INSPECTED BY:	*Jay Hadiyal*	*APPROVED BY:*	*Shreekant*

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERING QA PASSED

MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-012	Product Name	INNER SKID WASHER	Size	M20	Drawing No.	IW-01s	Date:	06-11-2026
Wo No.	26100111	Total Quantity	1400	Lot Quantity	1400	Sample Size-	5	Variable & Gauging	5PCS

Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	3	4	5			
1	Visual	Surface	Fine, Clean		FINE	FINE	FINE	FINE	FINE		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	11	11	11	11	11	11		(1) DV-55	
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	NA	NA		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	OK	OK	OK	OK	OK	OK			
		Marking	WO Ref. No.	NA	NA	NA	NA	NA	NA		ASM No :- CSEX261105-01	
		Assembly Perfection	As per Drg.		OK	OK	OK	OK	OK			
		Inner Packing	Labeling & Printing		OK	OK	OK	OK	OK			
		Outer Packing	Printing & Stamping		OK	OK	OK	OK	OK			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	-	+	1	2	3	4	5		
		T.L	4.50	4.20	4.80	4.53	4.51	4.52	4.55	4.54		
		O.D	18.00	17.80	18.00	17.90	17.92	17.91	17.90	17.92		
		O.D	15.50	15.30	15.50	15.42	15.40	15.41	15.43	15.42		
		O.D.L	2.50	2.50	2.70	2.52	2.54	2.54	2.55	2.54		
		I.D	12.00	12.00	12.20	12.05	12.04	12.03	12.05	12.03		

INSPECTED BY:	*Jay Hadiyal*	*APPROVED BY:*	*Shreekant*

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERING QA PASSED

MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-012	Product Name	OUTER SKID WASHER	Size	M20	Drawing No.	OW-01S	Date:	06-11-2026
Wo No.	26100111	Total Quantity	1400	Lot Quantity	1400	Sample Size-	5	Variable & Gauging	5PCS

Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	3	4	5			
1	Visual	Surface	Fine, Clean		FINE	FINE	FINE	FINE	FINE		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	11	11	11	11	11	11		(1) DV-55	
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	NA	NA		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	NA	NA	NA			
		Marking	WO Ref. No.	NA	NA	NA	NA	NA	NA		ASM No :- CSEX261105-01	
		Assembly Perfection	As per Drg.		OK	OK	OK	OK	OK			
		Inner Packing	Labeling & Printing		OK	OK	OK	OK	OK			
		Outer Packing	Printing & Stamping		OK	OK	OK	OK	OK			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	-	+	1	2	3	4	5		
		T.L	6.50	6.20	6.80	6.52	6.54	6.53	6.55	6.54		
		O.D	20.50	20.50	20.60	20.52	20.55	20.54	20.54	20.56		
		O.D	18.50	18.30	18.50	18.40	18.39	18.41	18.45	18.41		
		O.D.L	4.00	4.00	4.10	4.02	4.01	4.05	4.04	4.03		
		I.D	16.00	16.00	16.20	16.03	16.05	16.04	16.05	16.04		

INSPECTED BY:	*Jay Hadiyal*	*APPROVED BY:*	*Shreekant*

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERING QA PASSED