



MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-06	Product Name	LOCK NUT		Size	3/4" NPT		Drawing No.	DL2NS	Date:	23-08-2026		
Wo No.	26000214	Total Quantity	51		Lot Quantity	51		Sample Size-	3	Variable & Gauging	3PCS		
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS				REJECTION REWORK DETAIL	REMARK	CHECKED BY	
		PARAMETER	CRITERIA			1	2	3	-				-
1	Visual	Surface	Fine, Clean			FINE	FINE	FINE	-	-			
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	3	3	3	3	-	-		Measuring Instruments I.D No-		
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	-	-		(1) DV-55		
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	NA	-	-		(2) PP-01		
		Marking	WO Ref. No.	NA	NA	NA	NA	-	-		ASM No :- CSEX260809-02		
		Assembly Perfection	As per Drg.			OK	OK	OK	-	-			
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-				
		Outer Packing	Printing & Stamping			OK	OK	OK	-	-			
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	3	-	-			
		A/F	30.00	29.87	30.00	29.95	29.94	29.93	-	-			
		A/C	33.00	32.20	33.80	33.03	33.02	33.01	-	-			
		T.L	4.00	3.70	4.30	3.97	3.99	3.98	-	-			
		THREAD	3/4" NPT AS PER P.G GO NOT GO			OK	OK	OK	-	-			
		CH.ANGLE	30° AS PER PP FOUND			OK	OK	OK	-	-			
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant				

Conclusion : ☒ Accept ☐ Reject ☐ Hold



MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-06	Product Name	PLUG		Size	3/4" NPT		Drawing No.	PLG2N		Date:	23-08-2026	
Wo No.	26000214	Total Quantity	51		Lot Quantity	51		Sample Size-	3		Variable & Gauging	3PCS	
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS				REJECTION REWORK DETAIL	REMARK	CHECKED BY	
		PARAMETER	CRITERIA			1	2	3	-				-
1	Visual	Surface	Fine, Clean			FINE	FINE	FINE	-	-			
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	3		3	3	3	-	-			Measuring Instruments I.D. No-
		Washing & Plating	Surface Finishing	NA		NA	NA	NA	-	-			(1) DV-55
		RUBBER MARKING	AS PER DRG.	NA		NA	NA	NA	-	-			(2) PP-01
		Marking	WO Ref. No.	Metalmech Logo MM-EX-PLG2NX6 2026 CE Logo 2460 Ex Logo II 2 GD Ex db IIC Gb, Ex eb		OK	OK	OK	-	-			ASM No :- CSEX260809-02
		Assembly Perfection	As per Drg.			OK	OK	OK	-	-			
		Inner Packing	Labeling & Printing			OK	OK	OK	-	-			
		Outer Packing	Printing & Stamping			OK	OK	OK	-	-			
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	3	-	-			
		T.L	15.00	14.50	15.50	15.03	15.05	15.04	-	-			
		GR.ID	13.50	13.00	14.00	13.53	13.55	13.54	-	-			
		GR.LE	3.00	2.80	3.20	3.02	3.03	3.06	-	-			
		INT-(A/F)	10.00	10.00	10.20	10.11	10.12	10.13	-	-			
		INT-(A/F)-LENGTH	8.00	7.70	8.30	8.02	8.04	8.06	-	-			
		DEPTH	11.00	10.50	11.50	11.03	11.05	11.04	-	-			
		CH.DIA	13 MM AS PER PP FOUND			OK	OK	OK	-	-			
		THREAD	3/4' NPT AS PER T.R.G GO NOT GO			OK	OK	OK	-	-			
		CH.ANGLE	1.6x45° AS PER PP FOUND			OK	OK	OK	-	-			
INSPECTED BY:		<i>Jay Hadiyal</i>			APPROVED BY:				<i>Shreekant</i>				

Conclusion :

☒ Accept

☐ Reject

☐ Hold





MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-06	Product Name	NYLON WASHER		Size		3/4" NPT		Drawing No.		-	Date:	23-08-2026
Wo No.	26000214	Total Quantity	51		Lot Quantity		51		Sample Size-		3	Variable & Gauging	3PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA			1	2	3	-	-			
1	Visual	Surface	Fine, Clean			FINE	FINE	FINE	-	-		Measuring Instruments LD No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	3	3	3	3	-	-		(1) DV-55		
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	-	-		(2) PP-01		
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	NA	-	-				
		Marking	WO Ref. No.	NA	NA	NA	NA	-	-		ASM No :- CSEX260809-02		
		Assembly Perfection	As per Drg.			OK	OK	OK	-	-			
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-				
		Outer Packing	Printing & Stamping			OK	OK	OK	-	-			
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	3	-	-			
		THICKNESS	1.50	1.30	1.70	1.45	1.47	1.46	-	-			
		I.D	27.00	26.50	27.50	27.17	27.16	27.15	-	-			
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant				

Conclusion :



Accept



Reject



Hold

