# MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

| INSP. No. | FIR-03 | Product Name | ENTRY COMPONENT | Size | M32 | Drawing No. | 313001M-03 | Date: | 04-11-2026 |
|---|---|---|---|---|---|---|---|---|---|
| Wo No. | 26000343 | Total Quantity | 15 | Lot Quantity | 15 | Sample Size- | 2 | Variable & Gauging | 2PCS |

| Sr. No. | Checking Parameter | REQUIRED PARAMETER | | OBSERVED RESULTS | | | | | REJECTION REWORK DETAIL | REMARK | CHECKED BY |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | | PARAMETER | CRITERIA | 1 | 2 | - | - | - | | | |
| 1 | Visual | Surface | Fine, Clean | FINE | FINE | - | - | - | | Measuring Instruments I.D No- | |
| | | Sizewise No of Pcs. With Internal Parts | As per Drg. No. of Parts 12 | 12 | 12 | - | - | - | | (1) DV-55 | |
| | | Washing & Plating | Surface Finishing NA | NA | NA | - | - | - | | (2) PP-01 | |
| | | RUBBER MARKING | AS PER DRG. NA | NA | NA | - | - | - | | | |
| | | Marking | WO Ref. No. Metalmech Logo MM-EX-E1FUNV323MX6 2026 CE Logo 2460 Ex Logo II 2 GD Ex db IIC Gb, Ex eb IIC Gb, Ex tb IIIC Db, IP66/68 -55°C ≤ Ta ≤ +160°C Presafe 20 ATEX 48906X IECEx PRE 20.0124X | | | - | - | - | | ASM No :- CSEX261101-05 | |
| | | Assembly Perfection | As per Drg. | OK | OK | - | - | - | | | |
| | | Inner Packing | Labeling & Printing | OK | OK | - | - | - | | | |
| | | Outer Packing | Printing & Stamping | OK | OK | - | - | - | | | |
| | | All Dimensions Are In MM | | | | | | | | | |
| 2 | DIMENSION | | VALUE - + | 1 | 2 | - | - | - | | | |
| | | A/F | 42.00 41.84 42.00 | 40.88 | 40.90 | - | - | - | | Deviation Confirmed With Gaurav Sir | |
| | | A/C | 46.00 45.20 46.80 | 45.36 | 45.33 | - | - | - | | | |
| | | T.L | 38.00 38.00 38.50 | 38.27 | 38.29 | - | - | - | | | |
| | | TH.L | 13.00 12.50 13.50 | 12.97 | 12.99 | - | - | - | | | |
| | | LENGTH | 17.00 17.00 17.50 | 17.23 | 17.21 | - | - | - | | | |
| | | GR.OD | 30.00 29.50 30.50 | 29.93 | 29.95 | - | - | - | | | |
| | | GR.LE | 2.50 2.30 2.70 | 2.53 | 2.55 | - | - | - | | | |
| | | O.D | 41.00 40.20 41.80 | 40.38 | 40.37 | - | - | - | | | |
| | | O.D.L | 12.00 11.50 12.50 | 12.02 | 12.04 | - | - | - | | | |
| | | H.L | 9.00 8.50 9.50 | 9.01 | 9.03 | - | - | - | | | |
| | | I.D | 26.50 26.00 27.00 | 26.58 | 26.56 | | | | | | |
| | | INT.THL | 14.50 14.00 15.00 | 14.55 | 14.53 | | | | | | |
| | | THREAD | M32x1.5 AS PER T.R.G GO NOT GO | OK | OK | | | | | | |
| | | INT.THREAD | M38x1.5 AS PER P.G GO NOT GO | OK | OK | | | | | | |
| | | CH.ANGLE | 1.5x45° AS PER PP FOUND | OK | OK | - | - | - | | | |
| | | CH.ANGLE | 0.5x45° AS PER PP FOUND | OK | OK | - | - | - | | | |
| | | CH.ANGLE | 20° AS PER PP FOUND | OK | OK | - | - | - | | | |
| | | ANGLE | 90° AS PER PP FOUND | OK | OK | - | - | - | | | |
| | | | | | | | | | | | |

| INSPECTED BY: | Jay Hadiyal | APPROVED BY: | Shreekant |
|---|---|---|---|

**Conclusion :**

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERING PVT. LTD. QA PASSED

# MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

| INSP. No. | FIR-03 | Product Name | INTERMIDIATE BODY | Size | M32 | Drawing No. | 313002U-03 | Date: | 04-11-2026 |
|---|---|---|---|---|---|---|---|---|---|
| Wo No. | 26000343 | Total Quantity | 15 | Lot Quantity | 15 | Sample Size- | 2 | Variable & Gauging | 2PCS |

| Sr. No. | Checking Parameter | REQUIRED PARAMETER | | | OBSERVED RESULTS | | | | | REJECTION REWORK DETAIL | REMARK | CHECKED BY |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | PARAMETER | CRITERIA | | 1 | 2 | - | - | - | | | |
| 1 | Visual | Surface | Fine, Clean | | FINE | FINE | - | - | - | | Measuring Instruments LD No- | |
| | | Sizewise No of Pcs. With Internal Parts | As per Drg. No. of Parts | 12 | 12 | 12 | - | - | - | | (1) DV-55 | |
| | | Washing & Plating | Surface Finishing | NA | NA | NA | - | - | - | | (2) PP-01 | |
| | | RUBBER MARKING | AS PER DRG. | NA | NA | NA | - | - | - | | | |
| | | Marking | WO Ref. No. | NA | NA | NA | - | - | - | | ASM No :- CSEX261101-05 | |
| | | Assembly Perfection | As per Drg. | | OK | OK | - | - | - | | | |
| | | Inner Packing | Labeling & Printing | | OK | OK | - | - | - | | | |
| | | Outer Packing | Printing & Stamping | | OK | OK | - | - | - | | | |
| | | All Dimensions Are In MM | | | | | | | | | | |
| 2 | DIMENSION | | VALUE | - | + | 1 | 2 | - | - | - | | | |
| | | A/F | 42.00 | 41.84 | 42.00 | 40.90 | 40.89 | - | - | - | | Deviation Confirmed With Gaurav Sir | |
| | | A/C | 46.00 | 45.20 | 46.80 | 45.66 | 45.61 | - | - | - | | | |
| | | T.L | 29.00 | 28.50 | 29.50 | 29.04 | 29.06 | - | - | - | | | |
| | | TH.L | 13.50 | 13.00 | 14.00 | 13.50 | 13.49 | - | - | - | | | |
| | | GR.OD | 36.00 | 35.20 | 36.80 | 35.82 | 35.85 | - | - | - | | | |
| | | GR.LE | 1.00 | 0.80 | 1.20 | 1.01 | 1.03 | - | - | - | | | |
| | | H.L | 6.00 | 5.70 | 6.30 | 6.05 | 6.04 | - | - | - | | | |
| | | TH.L | 9.50 | 9.00 | 10.00 | 9.47 | 9.46 | - | - | - | | | |
| | | GR.OD | 38.00 | 37.20 | 38.80 | 37.90 | 37.89 | - | - | - | | | |
| | | GR.LE | 1.50 | 1.30 | 1.70 | 1.53 | 1.55 | - | - | - | | | |
| | | I.D | 32.50 | 31.70 | 33.30 | 32.55 | 32.54 | - | - | - | | | |
| | | I.D | 35.00 | 34.20 | 35.80 | 35.06 | 35.05 | - | - | - | | | |
| | | DEPTH | 8.00 | 7.50 | 8.50 | 8.04 | 8.06 | - | - | - | | | |
| | | I.D | 33.20 | 32.40 | 34.00 | 33.25 | 33.24 | - | - | - | | | |
| | | I.D.LE | 10.00 | 9.50 | 10.50 | 10.03 | 10.05 | - | - | - | | | |
| | | THREAD | M38x1.5 AS PER T.R.G GO NOT GO | | | OK | OK | - | - | - | | | |
| | | THREAD | M40x1.5 AS PER T.R G GO NOT GO | | | OK | OK | - | - | - | | | |
| | | CH.ANGLE | 1x45° AS PER PP FOUND | | | OK | OK | - | - | - | | | |
| | | CH.ANGLE | 20° AS PER PP FOUND | | | OK | OK | - | - | - | | | |
| | | CH.ANGLE | 0.5x45° AS PER PP FOUND | | | OK | OK | - | - | - | | | |
| | | | | | | | | | | | | | |

| INSPECTED BY: | Jay Hadiyal | APPROVED BY: | Shreekant |
|---|---|---|---|

**Conclusion :**

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALTECH ENGINEERING CA PASSED

# MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

| INSP. No. | FIR-03 | Product Name | MIDDLE BODY | Size | M32 | Drawing No. | 313002-03 | Date: | 04-11-2026 |
|---|---|---|---|---|---|---|---|---|---|
| Wo No. | 26000343 | Total Quantity | 15 | Lot Quantity | 15 | Sample Size- | 2 | Variable & Gauging | 2PCS |

| Sr. No. | Checking Parameter | REQUIRED PARAMETER | | OBSERVED RESULTS | | | | | REJECTION REWORK DETAIL | REMARK | CHECKED BY |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | | PARAMETER | CRITERIA | 1 | 2 | - | - | - | | | |
| 1 | Visual | Surface | Fine, Clean | FINE | FINE | - | - | - | | Measuring Instruments LD No- | |
| | | Sizewise No of Pcs. With Internal Parts | As per Drg. No. of Parts 12 | 12 | 12 | - | - | - | | (1) DV-55 | |
| | | Washing & Plating | Surface Finishing NA | NA | NA | - | - | - | | (2) PP-01 | |
| | | RUBBER MARKING | AS PER DRG. NA | NA | NA | - | - | - | | | |
| | | Marking | WO Ref. No. NA | NA | NA | - | - | - | | ASM No :- CSEX261101-05 | |
| | | Assembly Perfection | As per Drg. | OK | OK | - | - | - | | | |
| | | Inner Packing | Labeling & Printing | OK | OK | - | - | - | | | |
| | | Outer Packing | Printing & Stamping | OK | OK | - | - | - | | | |
| | | All Dimensions Are In MM | | | | | | | | | |
| 2 | DIMENSION | | VALUE - + | 1 | 2 | - | - | - | | | |
| | | A/F | 46.00 45.84 46.00 | 45.95 | 45.91 | - | - | - | | | |
| | | A/C | 51.00 50.20 51.80 | 51.05 | 51.03 | - | - | - | | | |
| | | T.L | 30.00 29.50 30.50 | 30.01 | 30.00 | - | - | - | | | |
| | | TH.L | 15.00 14.50 15.50 | 15.00 | 14.99 | - | - | - | | | |
| | | GR.OD | 41.00 40.20 41.80 | 40.92 | 40.91 | - | - | - | | | |
| | | GR.LE | 1.50 1.30 1.70 | 1.53 | 1.55 | - | - | - | | | |
| | | O.D | 44.00 43.20 44.80 | 44.02 | 44.01 | - | - | - | | | |
| | | O.D.L | 7.00 6.70 7.30 | 7.04 | 7.06 | - | - | - | | | |
| | | H.L | 8.00 7.50 8.50 | 7.99 | 8.00 | - | - | - | | | |
| | | I.D | 34.00 33.20 34.80 | 34.06 | 34.05 | - | - | - | | | |
| | | I.D | 35.00 34.20 35.80 | 35.04 | 35.06 | - | - | - | | | |
| | | I.D.LE | 5.00 4.70 5.30 | 5.05 | 5.04 | - | - | - | | | |
| | | INT.THL | 11.50 11.00 12.00 | 11.55 | 11.54 | - | - | - | | | |
| | | GR.ID | 38.00 37.20 38.80 | 38.04 | 38.03 | - | - | - | | | |
| | | GR.LE | 7.00 6.70 7.30 | 7.04 | 7.03 | - | - | - | | | |
| | | DEPTH | 18.50 18.00 19.00 | 18.55 | 18.54 | - | - | - | | | |
| | | THREAD | M43x1.5 AS PER T.R.G GO NOT GO | OK | OK | - | - | - | | | |
| | | INT.THREAD | M40x1.5 AS PER P.G GO NOT GO | OK | OK | - | - | - | | | |
| | | CH.ANGLE | 1x45° AS PER PP FOUND | OK | OK | - | - | - | | | |
| | | CH.ANGLE | 30° AS PER PP FOUND | OK | OK | - | - | - | | | |
| | | | | | | | | | | | |

| INSPECTED BY: | Jay Hadiyal | APPROVED BY: | Shreekant |
|---|---|---|---|

**Conclusion :**

☑ **Accept** ☐ **Reject** ☐ **Hold**

METAMECH ENGINEERING QA PASSED

METAL MECA
THE SAFEST CONNECTIONS

# MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

| INSP. No. | FIR-03 | Product Name | BACK NUT | Size | M32 | Drawing No. | 313003-03 | Date: | 04-11-2026 |
|---|---|---|---|---|---|---|---|---|---|
| Wo No. | 26000343 | Total Quantity | 15 | Lot Quantity | 15 | Sample Size- | 2 | Variable & Gauging | 2PCS |

| Sr. No. | Checking Parameter | REQUIRED PARAMETER | | OBSERVED RESULTS | | | | | REJECTION REWORK DETAIL | REMARK | CHECKED BY |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | | PARAMETER | CRITERIA | 1 | 2 | - | - | - | | | |
| 1 | Visual | Surface | Fine, Clean | FINE | FINE | - | - | - | | Measuring Instruments LD No- | |
| | | Sizewise No of Pcs. With Internal Parts | As per Drg. No. of Parts 12 | 12 | 12 | - | - | - | | (1) DV-55 | |
| | | Washing & Plating | Surface Finishing NA | NA | NA | - | - | - | | (2) PP-01 | |
| | | RUBBER MARKING | AS PER DRG. NA | NA | NA | - | - | - | | | |
| | | Marking | WO Ref. No. NA | NA | NA | - | - | - | | ASM No :- CSEX261101-05 | |
| | | Assembly Perfection | As per Drg. | OK | OK | - | - | - | | | |
| | | Inner Packing | Labeling & Printing | OK | OK | - | - | - | | | |
| | | Outer Packing | Printing & Stamping | OK | OK | - | - | - | | | |
| | | All Dimensions Are In MM | | | | | | | | | |

| 2 | DIMENSION | | VALUE | - | + | 1 | 2 | - | - | - | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | A/F | 46.00 | 45.84 | 46.00 | 45.89 | 45.91 | - | - | - | | | |
| | | A/C | 51.00 | 50.20 | 51.80 | 50.98 | 50.99 | - | - | - | | | |
| | | T.L | 23.00 | 22.50 | 23.50 | 23.05 | 23.04 | - | - | - | | | |
| | | O.D | 45.20 | 44.40 | 46.00 | 45.25 | 45.23 | - | - | - | | | |
| | | O.D.L | 10.00 | 9.50 | 10.50 | 10.03 | 10.05 | - | - | - | | | |
| | | H.L | 13.00 | 12.50 | 13.50 | 13.02 | 13.01 | - | - | - | | | |
| | | I.D | 38.50 | 37.70 | 39.30 | 38.50 | 38.49 | - | - | - | | | |
| | | INT.THL | 4.00 | 3.70 | 4.30 | 4.04 | 4.06 | - | - | - | | | |
| | | GR.ID | 43.20 | 42.40 | 44.00 | 43.25 | 43.24 | - | - | - | | | |
| | | GR.LE | 14.50 | 14.00 | 15.00 | 14.55 | 14.53 | - | - | - | | | |
| | | DEPTH | 18.00 | 17.50 | 18.50 | 18.04 | 18.06 | - | - | - | | | |
| | | GR.ID | 41.50 | 40.70 | 42.30 | 41.53 | 41.55 | - | - | - | | | |
| | | GR.LE | 3.00 | 2.80 | 3.20 | 3.05 | 3.04 | - | - | - | | | |
| | | DEPTH | 21.00 | 20.50 | 21.50 | 20.98 | 20.99 | - | - | - | | | |
| | | INT.THREAD | M43x1.5 AS PER P.G GO NOT GO | | | OK | OK | - | - | - | | | |
| | | CH.ANGLE | 0.5x45° AS PER PP FOUND | | | OK | OK | - | - | - | | | |
| | | CH.ANGLE | 1x45° AS PER PP FOUND | | | OK | OK | - | - | - | | | |
| | | CH.ANGLE | 45° AS PER PP FOUND | | | OK | OK | - | - | - | | | |

| *INSPECTED BY:* | *Jay Hadiyal* | *APPROVED BY:* | *Shreekant* |
|---|---|---|---|

**Conclusion :**

☑ **Accept** ☐ **Reject** ☐ **Hold**

METAL MECH ENGINEERING CA PASSED

METAL MECH®
THE SAFEST CONNECTIONS

# MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

| INSP. No. | FIR-03 | Product Name | UNIVERSAL CLAMPING CONE | Size | M32 | Drawing No. | 313005-03 | Date: | 04-11-2026 |
|---|---|---|---|---|---|---|---|---|---|
| Wo No. | 26000343 | Total Quantity | 15 | Lot Quantity | 15 | Sample Size- | 2 | Variable & Gauging | 2PCS |

| Sr. No. | Checking Parameter | REQUIRED PARAMETER | | | | OBSERVED RESULTS | | | | | REJECTION REWORK DETAIL | REMARK | CHECKED BY |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | PARAMETER | CRITERIA | | | 1 | 2 | - | - | - | | | |
| 1 | Visual | Surface | Fine, Clean | | | FINE | FINE | - | - | - | | Measuring Instruments LD No- | |
| | | Sizewise No of Pcs. With Internal Parts | As per Drg. No. of Parts | 12 | | 12 | 12 | - | - | - | | (1) DV-55 | |
| | | Washing & Plating | Surface Finishing | NA | | NA | NA | - | - | - | | (2) PP-01 | |
| | | RUBBER MARKING | AS PER DRG. | NA | | NA | NA | - | - | - | | | |
| | | Marking | WO Ref. No. | NA | | NA | NA | - | - | - | | ASM No :- CSEX261101-05 | |
| | | Assembly Perfection | As per Drg. | | | OK | OK | - | - | - | | | |
| | | Inner Packing | Labeling & Printing | | | OK | OK | - | - | - | | | |
| | | Outer Packing | Printing & Stamping | | | OK | OK | - | - | - | | | |
| | | All Dimensions Are In MM | | | | | | | | | | | |
| 2 | DIMENSION | | VALUE | - | + | 1 | 2 | - | - | - | | | |
| | | T.L | 30.00 | 29.50 | 30.50 | 30.03 | 30.05 | - | - | - | | | |
| | | O.D | 29.70 | 29.20 | 30.20 | 29.68 | 29.70 | - | - | - | | | |
| | | O.D.L | 5.50 | 5.20 | 5.80 | 5.53 | 5.55 | - | - | - | | | |
| | | O.D | 31.50 | 30.70 | 32.30 | 31.48 | 31.50 | - | - | - | | | |
| | | O.D.L | 2.50 | 2.30 | 2.70 | 2.53 | 2.55 | - | - | - | | | |
| | | GR.LENGTH | 0.50 | 0.30 | 0.70 | 0.47 | 0.49 | - | - | - | | | |
| | | O.D | 33.00 | 32.20 | 33.80 | 32.98 | 33.00 | - | - | - | | | |
| | | O.D.L | 11.00 | 10.50 | 11.50 | 11.04 | 11.03 | - | - | - | | | |
| | | O.D | 34.50 | 33.70 | 35.30 | 34.49 | 34.48 | - | - | - | | | |
| | | O.D.L | 8.00 | 7.70 | 8.30 | 8.04 | 8.06 | - | - | - | | | |
| | | O.D | 29.00 | 28.50 | 29.50 | 28.98 | 28.97 | - | - | - | | | |
| | | O.D.L | 6.50 | 6.20 | 6.80 | 6.53 | 6.55 | - | - | - | | | |
| | | O.D | 29.50 | 29.00 | 30.00 | 29.47 | 29.49 | - | - | - | | | |
| | | O.D | 30.00 | 29.50 | 30.50 | 29.98 | 29.97 | - | - | - | | | |
| | | O.D | 31.00 | 30.20 | 31.80 | 30.99 | 31.00 | - | - | - | | | |
| | | O.D.L | 11.00 | 10.50 | 11.50 | 11.02 | 11.04 | - | - | - | | | |
| | | I.D | 26.50 | 26.00 | 27.00 | 26.56 | 26.54 | - | - | - | | | |
| | | RADIUS | 0.50 MM AS PER PP FOUND | | | OK | OK | - | - | - | | | |
| | | RADIUS | 0.3 MM AS PER PP FOUND | | | OK | OK | - | - | - | | | |
| | | | | | | | | | | | | | |

| INSPECTED BY: | Jay Hadiyal | APPROVED BY: | Shreekant |
|---|---|---|---|

**Conclusion :**

☑ **Accept** ☐ **Reject** ☐ **Hold**

METAL MECH ENGINEERING CA PASSED

# MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

| | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| **INSP. No.** | FIR-03 | **Product Name** | REVERSIBLE ARMOUR RING | **Size** | M32 | **Drawing No.** | 313004-03 | **Date:** | 04-11-2026 |
| **Wo No.** | 26000343 | **Total Quantity** | 15 | **Lot Quantity** | 15 | **Sample Size-** | 2 | **Variable & Gauging** | 2PCS |

| **Sr. No.** | **Checking Parameter** | **REQUIRED PARAMETER** | | | **OBSERVED RESULTS** | | | | | **REJECTION REWORK DETAIL** | **REMARK** | **CHECKED BY** |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | **PARAMETER** | **CRITERIA** | | **1** | **2** | **-** | **-** | **-** | | | |
| 1 | Visual | Surface | Fine, Clean | | FINE | FINE | - | - | - | | Measuring Instruments I.D No- | |
| | | Sizewise No of Pcs. With Internal Parts | As per Drg. No. of Parts | 12 | 12 | 12 | - | - | - | | **(1) DV-55** | |
| | | Washing & Plating | Surface Finishing | NA | NA | NA | - | - | - | | **(2) PP-01** | |
| | | RUBBER MARKING | AS PER DRG. | NA | NA | NA | - | - | - | | | |
| | | Marking | WO Ref. No. | NA | NA | NA | - | - | - | | **ASM No :- CSEX261101-05** | |
| | | Assembly Perfection | As per Drg. | | OK | OK | - | - | - | | | |
| | | Inner Packing | Labeling & Printing | | OK | OK | - | - | - | | | |
| | | Outer Packing | Printing & Stamping | | OK | OK | - | - | - | | | |
| | | **All Dimensions Are In MM** | | | | | | | | | | |

| | | | VALUE | - | + | 1 | 2 | - | - | - | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2 | DIMENSION | T.L | 9.00 | 8.50 | 9.50 | 9.00 | 8.99 | - | - | - | | | |
| | | O.D | 37.00 | 36.20 | 37.80 | 37.03 | 37.04 | - | - | - | | | |
| | | I.D | 32.50 | 31.70 | 33.30 | 32.54 | 32.56 | - | - | - | | | |
| | | I.D | 33.50 | 32.70 | 34.30 | 33.55 | 33.54 | - | - | - | | | |
| | | | | | | | | | | | | | |

| *INSPECTED BY:* | *Jay Hadiyal* | *APPROVED BY:* | *Shreekant* |
|---|---|---|---|

**Conclusion :**

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERING QA PASSED

# MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

| INSP. No. | FIR-03 | Product Name | COMPRESSIBLE INNER SEAL | Size | M32 | Drawing No. | GI-03 | Date: | 04-11-2026 |
|---|---|---|---|---|---|---|---|---|---|
| Wo No. | 26000343 | Total Quantity | 15 | Lot Quantity | 15 | Sample Size- | 2 | Variable & Gauging | 2PCS |

| Sr. No. | Checking Parameter | REQUIRED PARAMETER | | | OBSERVED RESULTS | | | | | REJECTION REWORK DETAIL | REMARK | CHECKED BY |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | PARAMETER | CRITERIA | | 1 | 2 | - | - | - | | | |
| 1 | Visual | Surface | Fine, Clean | | FINE | FINE | - | - | - | | Measuring Instruments I.D No- | |
| | | Sizewise No of Pcs. With Internal Parts | As per Drg. No. of Parts | 12 | 12 | 12 | - | - | - | | (1) DV-55 | |
| | | Washing & Plating | Surface Finishing | NA | NA | NA | - | - | - | | (2) PP-01 | |
| | | RUBBER MARKING | AS PER DRG. | OK | OK | OK | - | - | - | | | |
| | | Marking | WO Ref. No. | NA | NA | NA | - | - | - | | ASM No :- CSEX261101-05 | |
| | | Assembly Perfection | As per Drg. | | OK | OK | - | - | - | | | |
| | | Inner Packing | Labeling & Printing | | OK | OK | - | - | - | | | |
| | | Outer Packing | Printing & Stamping | | OK | OK | - | - | - | | | |
| | | All Dimensions Are In MM | | | | | | | | | | |
| 2 | DIMENSION | | VALUE | - | + | 1 | 2 | - | - | - | | | |
| | | T.L | 14.00 | 13.50 | 14.50 | 14.04 | 14.06 | - | - | - | | |
| | | O.D.L | 5.00 | 4.70 | 5.30 | 5.05 | 5.04 | - | - | - | | |
| | | O.D | 36.50 | 36.30 | 36.50 | 36.40 | 36.39 | - | - | - | | |
| | | O.D.L | 9.00 | 8.50 | 9.50 | 9.04 | 9.06 | - | - | - | | |
| | | I.D | 26.30 | 26.30 | 26.50 | 26.35 | 26.34 | - | - | - | | |
| | | | | | | | | | | | | |

| INSPECTED BY: | Jay Hadiyal | APPROVED BY: | Shreekant |
|---|---|---|---|

**Conclusion :**

☑ **Accept** ☐ **Reject** ☐ **Hold**



METAL MECH®
THE SAFEST CONNECTIONS

# MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

| INSP. No. | FIR-03 | Product Name | COMPRESSIBLE OUTER SEAL | Size | M32 | Drawing No. | GE-03 | Date: | 04-11-2026 |
|---|---|---|---|---|---|---|---|---|---|
| Wo No. | 26000343 | Total Quantity | 15 | Lot Quantity | 15 | Sample Size- | 2 | Variable & Gauging | 2PCS |

| Sr. No. | Checking Parameter | REQUIRED PARAMETER | | | OBSERVED RESULTS | | | | | REJECTION REWORK DETAIL | REMARK | CHECKED BY |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | PARAMETER | CRITERIA | | 1 | 2 | - | - | - | | | |
| 1 | Visual | Surface | Fine, Clean | | FINE | FINE | - | - | - | | Measuring Instruments I.D No- | |
| | | Sizewise No of Pcs. With Internal Parts | As per Drg. No. of Parts | 12 | 12 | 12 | - | - | - | | (1) DV-55 | |
| | | Washing & Plating | Surface Finishing | NA | NA | NA | - | - | - | | (2) PP-01 | |
| | | RUBBER MARKING | AS PER DRG. | OK | OK | OK | - | - | - | | | |
| | | Marking | WO Ref. No. | NA | NA | NA | - | - | - | | ASM No :- CSEX261101-05 | |
| | | Assembly Perfection | As per Drg. | | OK | OK | - | - | - | | | |
| | | Inner Packing | Labeling & Printing | | OK | OK | - | - | - | | | |
| | | Outer Packing | Printing & Stamping | | OK | OK | - | - | - | | | |
| | | All Dimensions Are In MM | | | | | | | | | | |

| | | | VALUE | - | + | 1 | 2 | - | - | - | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2 | DIMENSION | T.L | 15.00 | 14.50 | 15.50 | 15.04 | 15.06 | - | - | - | | | |
| | | O.D | 43.20 | 43.00 | 43.20 | 43.11 | 43.13 | - | - | - | | | |
| | | GR.LENGTH | 3.50 | 3.20 | 3.80 | 3.53 | 3.55 | - | - | - | | | |
| | | I.D | 33.70 | 33.60 | 33.80 | 33.74 | 33.76 | - | - | - | | | |
| | | | | | | | | | | | | | |

| *INSPECTED BY:* | *Jay Hadiyal* | *APPROVED BY:* | *Shreekant* |
|---|---|---|---|

**Conclusion :**

☑ **Accept** ☐ **Reject** ☐ **Hold**

METAL MECH ENGINEERING QA PASSED

METAL MECA®
THE SAFEST CONNECTIONS

# MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

| INSP. No. | FIR-03 | Product Name | INNER SKID WASHER | Size | M32 | Drawing No. | IW-03 | Date: | 04-11-2026 |
|---|---|---|---|---|---|---|---|---|---|
| Wo No. | 26000343 | Total Quantity | 15 | Lot Quantity | 15 | Sample Size- | 2 | Variable & Gauging | 2PCS |

| Sr. No. | Checking Parameter | REQUIRED PARAMETER | | | OBSERVED RESULTS | | | | | REJECTION REWORK DETAIL | REMARK | CHECKED BY |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | PARAMETER | CRITERIA | | 1 | 2 | - | - | - | | | |
| 1 | Visual | Surface | Fine, Clean | | FINE | FINE | - | - | - | | Measuring Instruments I.D No- | |
| | | Sizewise No of Pcs. With Internal Parts | As per Drg. No. of Parts | 12 | 12 | 12 | - | - | - | | (1) DV-55 | |
| | | Washing & Plating | Surface Finishing | NA | NA | NA | - | - | - | | (2) PP-01 | |
| | | RUBBER MARKING | AS PER DRG. | OK | OK | OK | - | - | - | | | |
| | | Marking | WO Ref. No. | NA | NA | NA | - | - | - | | ASM No :- CSEX261101-05 | |
| | | Assembly Perfection | As per Drg. | | OK | OK | - | - | - | | | |
| | | Inner Packing | Labeling & Printing | | OK | OK | - | - | - | | | |
| | | Outer Packing | Printing & Stamping | | OK | OK | - | - | - | | | |
| | | All Dimensions Are In MM | | | | | | | | | | |
| 2 | DIMENSION | | VALUE | - | + | 1 | 2 | - | - | - | | | |
| | | T.L | 5.00 | 4.70 | 5.30 | 5.04 | 5.06 | - | - | - | | |
| | | O.D | 35.50 | 35.30 | 35.50 | 35.40 | 35.39 | - | - | - | | |
| | | O.D | 32.00 | 31.80 | 32.00 | 31.93 | 31.95 | - | - | - | | |
| | | O.D.L | 3.00 | 3.00 | 3.20 | 3.02 | 3.01 | - | - | - | | |
| | | I.D | 26.20 | 26.20 | 26.40 | 26.24 | 26.26 | - | - | - | | |
| | | | | | | | | | | | | |

| INSPECTED BY: | Jay Hadiyal | APPROVED BY: | Shreekant |
|---|---|---|---|

**Conclusion :**

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERING CA PASSED

METAL MECA®
THE SAFEST CONNECTIONS

# MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

| INSP. No. | FIR-03 | Product Name | OUTER SKID WASHER | Size | M32 | Drawing No. | OW-03 | Date: | 04-11-2026 |
|---|---|---|---|---|---|---|---|---|---|
| Wo No. | 26000343 | Total Quantity | 15 | Lot Quantity | 15 | Sample Size- | 2 | Variable & Gauging | 2PCS |

| Sr. No. | Checking Parameter | REQUIRED PARAMETER | | | OBSERVED RESULTS | | | | | REJECTION REWORK DETAIL | REMARK | CHECKED BY |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | PARAMETER | CRITERIA | | 1 | 2 | - | - | - | | | |
| 1 | Visual | Surface | Fine, Clean | | FINE | FINE | - | - | - | | Measuring Instruments I.D No- | |
| | | Sizewise No of Pcs. With Internal Parts | As per Drg. No. of Parts | 12 | 12 | 12 | - | - | - | | (1) DV-55 | |
| | | Washing & Plating | Surface Finishing | NA | NA | NA | - | - | - | | (2) PP-01 | |
| | | RUBBER MARKING | AS PER DRG. | OK | OK | OK | - | - | - | | | |
| | | Marking | WO Ref. No. | NA | NA | NA | - | - | - | | ASM No :- CSEX261101-05 | |
| | | Assembly Perfection | As per Drg. | | OK | OK | - | - | - | | | |
| | | Inner Packing | Labeling & Printing | | OK | OK | - | - | - | | | |
| | | Outer Packing | Printing & Stamping | | OK | OK | - | - | - | | | |
| | | All Dimensions Are In MM | | | | | | | | | | |
| 2 | DIMENSION | | VALUE | - | + | 1 | 2 | - | - | - | | | |
| | | T.L | 6.00 | 5.70 | 6.30 | 6.04 | 6.06 | - | - | - | | |
| | | O.D | 41.00 | 41.00 | 41.10 | 41.05 | 41.04 | - | - | - | | |
| | | O.D | 37.50 | 37.30 | 37.50 | 37.45 | 37.47 | - | - | - | | |
| | | O.D.L | 4.00 | 4.00 | 4.10 | 4.03 | 4.05 | - | - | - | | |
| | | I.D | 34.00 | 34.00 | 34.20 | 34.06 | 34.05 | - | - | - | | |
| | | | | | | | | | | | | |

| INSPECTED BY: | Jay Hadiyal | APPROVED BY: | Shreekant |
|---|---|---|---|

**Conclusion :**

☑ **Accept** ☐ **Reject** ☐ **Hold**



# MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

| INSP. No. | FIR-03 | Product Name | EARTH TAG | Size | M32 | Drawing No. | | Date: | 04-11-2026 |
|---|---|---|---|---|---|---|---|---|---|
| Wo No. | 26000343 | Total Quantity | 15 | Lot Quantity | 15 | Sample Size- | 2 | Variable & Gauging | 2PCS |

| Sr. No. | Checking Parameter | REQUIRED PARAMETER | | | OBSERVED RESULTS | | | | | REJECTION REWORK DETAIL | REMARK | CHECKED BY |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | PARAMETER | CRITERIA | | 1 | 2 | - | - | - | | | |
| 1 | Visual | Surface | Fine, Clean | | FINE | FINE | - | - | - | | Measuring Instruments I.D No- | |
| | | Sizewise No of Pcs. With Internal Parts | As per Drg. No. of Parts | 12 | 12 | 12 | - | - | - | | (1) DV-55 | |
| | | Washing & Plating | Surface Finishing | NA | NA | NA | - | - | - | | (2) PP-01 | |
| | | RUBBER MARKING | AS PER DRG. | OK | OK | OK | - | - | - | | | |
| | | Marking | WO Ref. No. | NA | NA | NA | - | - | - | | ASM No :- CSEX261101-05 | |
| | | Assembly Perfection | As per Drg. | | OK | OK | - | - | - | | | |
| | | Inner Packing | Labeling & Printing | | OK | OK | - | - | - | | | |
| | | Outer Packing | Printing & Stamping | | OK | OK | - | - | - | | | |
| | | All Dimensions Are In MM | | | | | | | | | | |
| 2 | DIMENSION | | VALUE | - | + | 1 | 2 | - | - | - | | | |
| | | THICKNESS | 1.50 | 1.30 | 1.70 | 1.55 | 1.54 | - | - | - | | |
| | | O.D | 44.50 | 43.70 | 45.30 | 44.54 | 44.56 | - | - | - | | |
| | | O.D | 16.20 | 15.70 | 16.70 | 16.25 | 16.23 | - | - | - | | |
| | | I.D | 34.00 | 33.20 | 34.80 | 34.04 | 34.07 | - | - | - | | |
| | | I.D | 6.35 | 6.05 | 6.65 | 6.38 | 6.34 | - | - | - | | |
| | | | | | | | | | | | | |

| *INSPECTED BY:* | *Jay Hadiyal* | *APPROVED BY:* | *Shreekant* |
|---|---|---|---|

**Conclusion :**

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERING CA PASSED

# MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

| | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| **INSP. No.** | FIR-03 | **Product Name** | SHROUD | **Size** | M32 | **Drawing No.** | | **Date:** | 04-11-2026 |
| **Wo No.** | 26000343 | **Total Quantity** | 15 | **Lot Quantity** | 15 | **Sample Size-** | 2 | Variable & Gauging | 2PCS |

| Sr. No. | Checking Parameter | REQUIRED PARAMETER | | | OBSERVED RESULTS | | | | | REJECTION REWORK DETAIL | REMARK | CHECKED BY |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | PARAMETER | CRITERIA | | 1 | 2 | - | - | - | | | |
| 1 | Visual | Surface | Fine, Clean | | FINE | FINE | - | - | - | | Measuring Instruments I.D No- | |
| | | Sizewise No of Pcs. With Internal Parts | As per Drg. No. of Parts | 12 | 12 | 12 | - | - | - | | (1) DV-55 | |
| | | Washing & Plating | Surface Finishing | NA | NA | NA | - | - | - | | (2) PP-01 | |
| | | RUBBER MARKING | AS PER DRG. | NA | NA | NA | - | - | - | | | |
| | | Marking | WO Ref. No. | NA | NA | NA | - | - | - | | ASM No :- CSEX261101-05 | |
| | | Assembly Perfection | As per Drg. | | OK | OK | - | - | - | | | |
| | | Inner Packing | Labeling & Printing | | OK | OK | - | - | - | | | |
| | | Outer Packing | Printing & Stamping | | OK | OK | - | - | - | | | |
| | | **All Dimensions Are In MM** | | | | | | | | | | |
| 2 | DIMENSION | | VALUE | - | + | 1 | 2 | - | - | - | | |
| | | T.L | 145.00 | 144.20 | 145.80 | 145.19 | 145.15 | - | - | - | | |
| | | I.D | 51.00 | 50.20 | 51.80 | 51.22 | 51.25 | - | - | - | | |
| | | | | | | | | | | | | |

| | | | |
|---|---|---|---|
| *INSPECTED BY:* | *Jay Hadiyal* | *APPROVED BY:* | *Shreekant* |

**Conclusion :**

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERING QA PASSED