

MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-03	Product Name	LOCK NUT	Size	1/2" NPT		Drawing No.	DLINS	Date:	23-09-2026			
Wo No.	26000227	Total Quantity	151	Lot Quantity	151		Sample Size-	3	Variable & Gauging	3PCS			
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS				REJECTION REWORK DETAIL	REMARK	CHECKED BY	
		PARAMETER	CRITERIA			1	2	3	-				-
1	Visual	Surface	Fine, Clean			FINE	FINE	FINE	-	-			
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	15	15	15	15	-	-				
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	-	-				
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	NA	-	-				
		Marking	WO Ref. No.	NA	NA	NA	NA	-	-				
		Assembly Perfection	As per Drg.			OK	OK	OK	-	-			
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-				
		Outer Packing	Printing & Stamping			OK	OK	OK	-	-			
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	3	-	-			
		A/F	24.00	23.87	24.00	23.89	23.90	23.91	-	-			
		A/C	26.00	25.50	26.50	25.99	26.00	25.98	-	-			
		T.L	4.00	3.70	4.30	4.00	4.01	4.00	-	-			
		THREAD	1/2" NPT AS PER P.G GO NOT GO			OK	OK	OK	-	-			
		CH.ANGLE	30° AS PER PP FOUND			OK	OK	OK	-	-			
INSPECTED BY:		<i>Jay Hadiyal</i>			APPROVED BY:			<i>Shreekant</i>					

Conclusion :



Accept



Reject



Hold





MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-03	Product Name	ENTRY COMPONENT		Size	1/2" NPT		Drawing No.	313001M-01s	Date:	23-09-2026		
Wo No.	26000227	Total Quantity	151		Lot Quantity	151		Sample Size-	3	Variable & Gauging	3PCS		
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS				REJECTION Rework Detail	REMARK	CHECKED BY	
		PARAMETER	CRITERIA		1	2	3	-	-				
		Surface	Fine, Clean		FINE	FINE	FINE	-	-				
		Size wise No of Pcs. With Internal Parts	As per Drg. No. of Parts	15	15	15	15	-	-				
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	-	-				
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	NA	-	-				
		Marking	WO Ref. No.	MetalMech Logo MM-EX- E1FUNV2081NKG 2026 CE Logo 2460 Ex Logo II 2 GD Ex db IIC Gb, Ex eb	OK	OK	OK	-	-				
		Assembly Perfection	As per Drg.		OK	OK	OK	-	-				
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-				
		Outer Packing	Printing & Stamping		OK	OK	OK	-	-				
		All Dimensions Are In MM											
			VALUE	-	+	1	2	3	-	-			
		A/F	25.00	24.87	25.00	24.93	24.91	24.92	-	-			
		A/C	27.50	27.00	28.00	27.50	27.49	27.48	-	-			
		T.L	35.00	35.00	35.50	35.05	35.04	35.03	-	-			
		LENGTH	20.00	20.00	20.50	20.05	20.04	20.03	-	-			
		O.D	24.50	24.00	25.00	24.51	24.50	24.49	-	-			
		O.D.L	9.00	8.50	9.50	9.04	9.06	9.08	-	-			
		H.L	6.00	5.70	6.30	6.03	6.05	6.04	-	-			
		LD	12.00	11.50	12.50	12.06	12.05	12.03	-	-			
		DEPTH	11.50	11.00	12.00	11.54	11.56	11.55	-	-			
		THREAD	1/2" NPT AS PER T.R.G GO NOT GO		OK	OK	OK	-	-				
		INT.THREAD	M20x1.5 AS PER P.G GO NOT GO		OK	OK	OK	-	-				
		CH.ANGLE	0.5x45° AS PER PP FOUND		OK	OK	OK	-	-				
		CH.ANGLE	1.6x45° AS PER PP FOUND		OK	OK	OK	-	-				
		CH.ANGLE	1.5x45° AS PER PP FOUND		OK	OK	OK	-	-				
		CH.ANGLE	20° AS PER PP FOUND		OK	OK	OK	-	-				
		ANGLE	90° AS PER PP FOUND		OK	OK	OK	-	-				
INSPECTED BY:		Jay Hadiyal				APPROVED BY:				Shreekant			

Conclusion :



Accept



Reject



Hold





MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.		FIR-03		Product Name		INTERMEDIATE BODY		Size		1/2" NPT		Drawing No.		313002U-018		Date:		23-09-2026	
Wo No.		26000227		Total Quantity		151		Lot Quantity		151		Sample Size-		3		Variable & Gauging		3PCS	
Sr. No.		Checking Parameter		REQUIRED PARAMETER				OBSERVED RESULTS				REJECTION REWORK DETAIL		REMARK		CHECKED BY			
				PARAMETER		CRITERIA		1		2		3							
				Surface		Fine, Clean		FINE		FINE		FINE						Measuring Instruments ID No.	
				Sizewise No of Pcs. With Internal Parts		As per Drg. No. of Parts		15		15		15						(1) DV-55	
				Washing & Plating		Surface Finishing		NA		NA		NA						(2) PP-01	
				RUBBER MARKING		AS PER DRG.		NA		NA		NA							
				Marking		WO Ref. No.		NA		NA		NA						ASM No :- CSEX260914-06	
				Assembly Perfection		As per Drg.		OK		OK		OK							
				Inner Packing		Labeling & Printing		OK		OK		OK							
				Outer Packing		Printing & Stamping		OK		OK		OK							
				All Dimensions Are In MM															
				VALUE		-		+		1		2		3		-		-	
				A/F		25.00		24.87		25.00		24.93		24.95		24.94		-	
				A/C		27.50		27.00		28.00		27.45		27.47		27.49		-	
				T.L		22.00		21.50		22.50		22.03		22.02		22.04		-	
				TH.L		10.00		9.50		10.50		9.98		9.97		9.99		-	
				GR.OD		18.00		17.50		18.50		18.03		18.05		18.04		-	
				GR.LE		1.00		0.80		1.20		1.01		1.00		1.00		-	
				H.L		4.00		3.70		4.30		4.05		4.04		4.06		-	
				TH.L		8.00		7.70		8.30		8.04		8.06		8.08		-	
				GR.OD		20.00		19.50		20.50		20.02		20.01		20.03		-	
				GR.LE		1.00		0.80		1.20		1.01		1.00		1.00		-	
				I.D		16.00		15.50		16.50		15.95		15.94		15.96		-	
				I.D		18.00		17.50		18.50		17.93		17.95		17.94		-	
				DEPTH		7.00		6.70		7.30		7.00		6.99		7.01		-	
				I.D		17.00		16.50		17.50		17.03		17.02		17.04		-	
				I.D.LE		4.50		4.20		4.80		4.50		4.51		4.49		-	
				DEPTH		11.50		11.00		12.00		11.51		11.53		11.54		-	
				THREAD		M20x1.5 AS PER T.R.G GO NOT GO		OK		OK		OK		-		-			
				THREAD		M22x1.5 AS PER T.R.G GO NOT GO		OK		OK		OK		-		-			
				CH.ANGLE		1.5x45° AS PER PP FOUND		OK		OK		OK		-		-			
				CH.ANGLE		0.5x45° AS PER PP FOUND		OK		OK		OK		-		-			
				CH.ANGLE		20° AS PER PP FOUND		OK		OK		-		-		-			
INSPECTED BY:		Jay Hadiyal				APPROVED BY:				Shreekant									

Conclusion :



Accept



Reiect



Hold





MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-03	Product Name	MIDDLE BODY	Size	1/2" NPT	Drawing No.	313002-018	Date:	23-09-2026				
Wo No.	26000227	Total Quantity	151	Lot Quantity	151	Sample Size-	3	Variable & Gauging	3PCS				
Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY	
		PARAMETER	CRITERIA	1	2	3	-	-					
1	Visual	Surface	Fine, Clean	FINE	FINE	FINE	-	-			Measuring Instruments I.D No.		
		Size/wise No of Pcs. With Internal Parts	As per Drg. No. of Parts	15	15	15	15	-	-			(1) DV-55	
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	-	-			(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	NA	-	-				
		Marking	WO Ref. No.	NA	NA	NA	NA	-	-			ASM No :- CSEX260914-06	
		Assembly Perfection	As per Drg.	OK	OK	OK	-	-					
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-				
		Outer Packing	Printing & Stamping		OK	OK	OK	-	-				
		All Dimensions Are In MM											
			VALUE	-	+	1	2	3	-	-			
2	DIMENSION	A/F	25.00	24.87	25.00	24.89	24.91	24.90	-	-			
		A/C	27.50	27.00	28.00	27.49	27.48	27.47	-	-			
		T.L	28.00	27.50	28.50	28.01	28.00	27.99	-	-			
		TH.L	12.00	11.50	12.50	12.02	12.01	12.03	-	-			
		GR.OD	20.50	20.00	21.00	20.55	20.54	20.53	-	-			
		GR.LE	1.00	0.80	1.20	1.01	1.00	1.02	-	-			
		O.D	24.50	24.00	25.00	24.43	24.45	24.47	-	-			
		O.D.L	8.00	7.70	8.30	8.02	8.01	8.03	-	-			
		H.L	8.00	7.70	8.30	8.05	8.04	8.05	-	-			
		LD	16.00	15.50	16.50	16.01	16.00	16.02	-	-			
		LD	17.00	16.50	17.50	17.02	17.04	17.03	-	-			
		LD.LE	4.00	3.70	4.30	4.01	4.03	4.05	-	-			
		INT.TH.L	9.50	9.00	10.00	9.50	9.49	9.51	-	-			
		LD	20.00	19.50	20.50	19.97	19.96	19.94	-	-			
		DEPTH	14.00	13.50	14.50	14.04	14.06	14.05	-	-			
		THREAD	M22x1 AS PER T.R.G GO NOT GO		OK	OK	OK	-	-				
		INT.THREAD	M22x1.5 AS PER P.G GO NOT GO		OK	OK	OK	-	-				
		CH.ANGLE	0.5x45° AS PER PP FOUND		OK	OK	OK	-	-				
		CH.ANGLE	1x45° AS PER PP FOUND		OK	OK	OK	-	-				
		CH.ANGLE	1.5x45° AS PER PP FOUND		OK	OK	OK	-	-				
CH.ANGLE	30° AS PER PP FOUND		OK	OK	OK	-	-						
INSPECTED BY: Jay Hadiyal													
APPROVED BY: Shreekant													

Conclusion :



Accept



Reject



Hold





MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-03	Product Name	BACK NUT		Size	1/2" NPT		Drawing No.	313003-018		Date:	23-09-2026	
Wo No.	26000227	Total Quantity	151		Lot Quantity	151		Sample Size-	3		Variable & Gauging	3PCS	
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS				REJECTION REWORK DETAIL	REMARK	CHECKED BY	
		PARAMETER	CRITERIA		1	2	3	-	-				
		Surface	Fine, Clean		FINE	FINE	FINE	-	-		Measuring Instruments I.D No-		
		Size wise No of Pcs. With Internal Parts	As per Drg. No. of Parts	15	15	15	15	-	-		(1) DV-55		
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	-	-		(2) PP-01		
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	NA	-	-				
		Marking	WO Ref. No.	NA	NA	NA	NA	-	-		ASM No :- CSEX260914-06		
		Assembly Perfection	As per Drg.		OK	OK	OK	-	-				
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-				
		Outer Packing	Printing & Stamping		OK	OK	OK	-	-				
		All Dimensions Are In MM											
			VALUE	-	+	1	2	3	-	-			
		A/F	25.00	24.87	25.00	24.90	24.89	24.89	-	-			
		A/C	27.50	27.00	28.00	27.46	27.49	27.48	-	-			
		T.L	17.00	16.50	17.50	17.00	16.99	16.98	-	-			
		O.D	24.00	23.50	24.50	23.98	23.97	23.96	-	-			
		O.D.L	8.00	7.70	8.30	8.02	8.01	8.03	-	-			
		H.L	9.00	8.50	9.50	8.96	8.95	8.97	-	-			
		LD	19.00	18.50	19.50	19.00	18.99	19.01	-	-			
		INT.THLL	3.00	2.80	3.20	3.02	3.01	3.03	-	-			
		GR.ID	22.20	21.70	22.70	22.25	22.24	22.26	-	-			
		GR.LE	10.50	10.00	11.00	10.51	10.53	10.52	-	-			
		DEPTH	13.50	13.00	14.00	13.52	13.51	13.53	-	-			
		GR.ID	21.00	20.50	21.50	21.03	21.02	21.05	-	-			
		GR.LE	2.50	2.30	2.70	2.52	2.50	2.51	-	-			
		DEPTH	16.00	15.50	16.50	15.95	15.98	15.97	-	-			
		INT.THREAD	M22x1 AS PER P.G GO NOT GO		OK	OK	OK	-	-				
		CH.ANGLE	1x45° AS PER PP FOUND		OK	OK	OK	-	-				
		CH.ANGLE	0.5x45° AS PER PP FOUND		OK	OK	OK	-	-				
		CH.ANGLE	45° AS PER PP FOUND		OK	OK	OK	-	-				
INSPECTED BY:		Jay Hadiyal			APPROVED BY:			Shreekant					

Conclusion :



Accept



Reject



Hold



		MetalMech-08500-FR-QX-08-Final Inspection Report-EX										
INSP. No.	FIR-03	Product Name	UNIVERSAL CLAMPING CONE		Size	1/2" NPT		Drawing No.	313005-018		Date:	23-09-2026
Wo No.	26000227	Total Quantity	151		Lot Quantity	151		Sample Size-	3		Variable & Gauging	3PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS				REJECTION Rework Detail	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	3	-	-			
1	Visual	Surface	Fine, Clean		FINE	FINE	FINE	-	-			
		Size wise No of Pcs. With Internal Parts	As per Drg. No. of Parts	15	15	15	15	-	-			
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	-	-			
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	NA	-	-			
		Marking	WO Ref. No.	NA	NA	NA	NA	-	-			
		Assembly Perfection	As per Drg.		OK	OK	OK	-	-			
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-			
		Outer Packing	Printing & Stamping		OK	OK	OK	-	-			
		All Dimensions Are In MM										
		2	DIMENSION		VALUE	-	+	1	2	3	-	-
T.L	22.00			21.50	22.50	22.03	22.02	22.01	-	-		
O.D	14.00			13.50	14.50	14.05	14.04	14.03	-	-		
O.D.L	3.50			3.20	3.80	3.52	3.51	3.53	-	-		
GR.OD	15.50			15.00	16.00	15.51	15.49	15.47	-	-		
GR.LE	2.50			2.30	2.70	2.52	2.51	2.53	-	-		
O.D	16.20			15.70	16.70	16.20	16.19	16.21	-	-		
O.D.L	7.50			7.20	7.80	7.52	7.49	7.51	-	-		
O.D	17.50			17.00	18.00	17.52	17.53	17.55	-	-		
O.D.L	7.00			6.70	7.30	7.07	7.05	7.03	-	-		
O.D	14.00			13.50	14.50	14.00	13.99	14.01	-	-		
O.D.L	4.50			4.20	4.80	4.51	4.50	4.52	-	-		
O.D	14.50			14.00	15.00	14.52	14.51	14.53	-	-		
O.D	15.00			14.50	15.50	15.02	15.01	15.05	-	-		
O.D	15.50			15.00	16.00	15.51	15.49	15.48	-	-		
O.D.L	7.50			7.20	7.80	7.49	7.51	7.50	-	-		
LD	12.00			11.50	12.50	12.05	12.04	12.03	-	-		
GROOVE.STEP.LE	0.50			0.30	0.70	0.50	0.49	0.49	-	-		
RADIUS	0.5 MM AS PER PP FOUND			OK	OK	OK	-	-				
RADIUS	0.3 AS PER PP FOUND			OK	OK	OK	-	-				
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant			

Conclusion :



Accept



Reject



Hold





MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-03	Product Name	REVERSIBLE ARMOUR RING		Size		1/2" NPT		Drawing No.		313004-01S	Date:	23-09-2026
Wo No.	26000227	Total Quantity	151		Lot Quantity		151		Sample Size-		3	Variable & Gauging	3PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA			1	2	3	-	-			
1	Visual	Surface	Fine, Clean			FINE	FINE	FINE	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	15		15	15	15	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NA		NA	NA	NA	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA		NA	NA	NA	-	-			
		Marking	WO Ref. No.	NA		NA	NA	NA	-	-		ASM No :- CSEX260914-06	
		Assembly Perfection	As per Drg.			OK	OK	OK	-	-			
		Inner Packing	Labeling & Printing			OK	OK	OK	-	-			
		Outer Packing	Printing & Stamping			OK	OK	OK	-	-			
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	3	-	-			
		T.L	6.00	5.70	6.30	6.01	6.01	6.03	-	-			
		O.D	19.00	18.50	19.50	18.73	18.75	18.76	-	-			
		I.D	16.00	15.50	16.50	16.01	16.00	16.00	-	-			
		I.D	16.50	16.00	17.00	16.50	16.49	16.49	-	-			
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant				

Conclusion :



Accept



Reject



Hold





MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-03	Product Name	COMPRESSIBLE INNER SEAL		Size		1/2" NPT		Drawing No.		GI-01s	Date:	23-09-2026
Wo No.	26000227	Total Quantity	151		Lot Quantity		151		Sample Size-		3	Variable & Gauging	3PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS				REJECTION REWORK DETAIL	REMARK	CHECKED BY	
		PARAMETER	CRITERIA			1	2	3	-				-
1	Visual	Surface	Fine, Clean			FINE	FINE	FINE	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	15		15	15	15	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NA		NA	NA	NA	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	OK		OK	OK	OK	-	-			
		Marking	WO Ref. No.	NA		NA	NA	NA	-	-		ASM No :- CSEX260914-06	
		Assembly Perfection	As per Drg.			OK	OK	OK	-	-			
		Inner Packing	Labeling & Printing			OK	OK	OK	-	-			
		Outer Packing	Printing & Stamping			OK	OK	OK	-	-			
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	3	-	-			
		T.L	9.50	9.00	10.00	9.49	9.51	9.50	-	-			
		O.D.L	3.00	2.70	3.30	3.01	3.03	3.02	-	-			
		O.D	18.50	18.30	18.50	18.43	18.45	18.47	-	-			
		O.D.L	6.50	6.20	6.80	6.53	6.55	6.54	-	-			
		I.D	11.70	11.70	11.90	11.77	11.76	11.75	-	-			
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant				

Conclusion :



Accept



Reject



Hold





MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-03	Product Name	COMPRESSIBLE OUTER SEAL		Size		1/2" NPT		Drawing No.		GE-01S	Date:	23-09-2026
Wo No.	26000227	Total Quantity	151		Lot Quantity		151		Sample Size-		3	Variable & Gauging	3PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	3	-	-				
1	Visual	Surface	Fine, Clean		FINE	FINE	FINE	-	-				
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	15	15	15	15	-	-			Measuring Instruments I.D No-	
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	-	-			(1) DV-55	
		RUBBER MARKING	AS PER DRG.	OK	OK	OK	OK	-	-			(2) PP-01	
		Marking	WO Ref. No.	NA	NA	NA	NA	-	-			ASM No :- CSEX260914-06	
		Assembly Perfection	As per Drg.		OK	OK	OK	-	-				
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-				
		Outer Packing	Printing & Stamping		OK	OK	OK	-	-				
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	3	-	-			
		T.L	10.00	9.50	10.50	10.01	10.00	10.02	-	-			
		O.D	22.20	22.00	22.20	22.12	22.11	22.13	-	-			
		GR.LENGTH	3.50	3.20	3.80	3.49	3.51	3.50	-	-			
		I.D	15.70	15.70	15.80	15.75	15.74	15.76	-	-			
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant				

Conclusion :



Accept



Reject



Hold



MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-03	Product Name	INNER SKID WASHER		Size		1/2" NPT		Drawing No.		IW-01S	Date:	23-09-2026
Wo No.	26000227	Total Quantity	151		Lot Quantity		151		Sample Size-		3	Variable & Gauging	3PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA			1	2	3	-	-			
1	Visual	Surface	Fine, Clean			FINE	FINE	FINE	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	15	15	15	15	-	-		(1) DV-55		
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	-	-		(2) PP-01		
		RUBBER MARKING	AS PER DRG.	OK	OK	OK	OK	-	-				
		Marking	WO Ref. No.	NA	NA	NA	NA	-	-		ASM No :- CSEX260914-06		
		Assembly Perfection	As per Drg.			OK	OK	OK	-	-			
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-				
		Outer Packing	Printing & Stamping			OK	OK	OK	-	-			
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	3	-	-			
		T.L	4.50	4.20	4.80	4.53	4.51	4.52	-	-			
		O.D	18.00	17.80	18.00	17.90	17.92	17.91	-	-			
		O.D	15.50	15.30	15.50	15.42	15.40	15.42	-	-			
		O.D.L	2.50	2.50	2.70	2.52	2.54	2.55	-	-			
		I.D	12.00	12.00	12.20	12.05	12.04	12.03	-	-			
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant				

Conclusion :



Accept



Reject



Hold



MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-03	Product Name	OUTER SKID WASHER		Size		1/2" NPT		Drawing No.		OW-01s	Date:	23-09-2026
Wo No.	26000227	Total Quantity	151		Lot Quantity		151		Sample Size-		3	Variable & Gauging	3PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA			1	2	3	-	-			
1	Visual	Surface	Fine, Clean			FINE	FINE	FINE	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	15	15	15	15	-	-		(1) DV-55		
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	-	-		(2) PP-01		
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	NA	-	-				
		Marking	WO Ref. No.	NA	NA	NA	NA	-	-		ASM No :- CSEX260914-06		
		Assembly Perfection	As per Drg.			OK	OK	OK	-	-			
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-				
		Outer Packing	Printing & Stamping			OK	OK	OK	-	-			
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	3	-	-			
		T.L	6.50	6.20	6.80	6.52	6.54	6.53	-	-			
		O.D	20.50	20.50	20.60	20.52	20.55	20.58	-	-			
		O.D	18.50	18.30	18.50	18.40	18.39	18.41	-	-			
		O.D.L	4.00	4.00	4.10	4.02	4.01	4.05	-	-			
		I.D	16.00	16.00	16.20	16.03	16.05	16.04	-	-			
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant				

Conclusion :



Accept



Reject



Hold



MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-03	Product Name	EARTH TAG		Size		1/2" NPT		Drawing No.		-	Date:	23-09-2026
Wo No.	26000227	Total Quantity	151		Lot Quantity		151		Sample Size-		3	Variable & Gauging	3PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA			1	2	3	-	-			
1	Visual	Surface	Fine, Clean			FINE	FINE	FINE	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	15	15	15	15	-	-		(1) DV-55		
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	-	-		(2) PP-01		
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	NA	-	-				
		Marking	WO Ref. No.	NA	NA	NA	NA	-	-		ASM No :- CSEX260914-06		
		Assembly Perfection	As per Drg.			OK	OK	OK	-	-			
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-				
		Outer Packing	Printing & Stamping			OK	OK	OK	-	-			
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	3	-	-			
		THICKNESS	1.50	1.30	1.70	1.45	1.44	1.43	-	-			
		O.D	30.20	29.40	31.00	30.19	30.20	30.21	-	-			
		O.D	13.20	12.70	13.70	13.25	13.22	13.23	-	-			
		I.D	22.00	21.50	22.50	22.08	22.09	22.07	-	-			
		I.D	6.50	6.20	6.80	6.54	6.56	6.58	-	-			
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant				

Conclusion :



Accept



Reject



Hold





MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-03	Product Name	SHROUD		Size	C-2027		Drawing No.	-	Date:	23-09-2026		
Wo No.	26000227	Total Quantity	151		Lot Quantity	151		Sample Size-	3	Variable & Gauging	3PCS		
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA			1	2	3	-	-			
1	Visual	Surface	Fine, Clean			FINE	FINE	FINE	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	15	15	15	15	-	-		(1) DV-55		
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	-	-		(2) PP-01		
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	NA	-	-				
		Marking	WO Ref. No.	NA	NA	NA	NA	-	-		ASM No :- CSEX260914-06		
		Assembly Perfection	As per Drg.			OK	OK	OK	-	-			
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-				
		Outer Packing	Printing & Stamping			OK	OK	OK	-	-			
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	3	-	-			
		T.L	125.00	124.20	125.80	125.19	125.12	125.16	-	-			
		I.D	27.00	26.50	27.50	27.05	27.09	27.08	-	-			
INSPECTED BY:		Jay Hadiyal			APPROVED BY:			Shreekant					

Conclusion : ☒ Accept ☐ Reject ☐ Hold





MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-03	Product Name	NYLON WASHER		Size	M20		Drawing No.	-	Date:	23-09-2026		
Wo No.	26000227	Total Quantity	151		Lot Quantity	151		Sample Size-	3	Variable & Gauging	3PCS		
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA			1	2	3	-	-			
1	Visual	Surface	Fine, Clean			FINE	FINE	FINE	-	-			
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	15	15	15	15	-	-		Measuring Instruments I.D No-		
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	-	-		(1) DV-55		
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	NA	-	-		(2) PP-01		
		Marking	WO Ref. No.	NA	NA	NA	NA	-	-		ASM No :- CSEX260914-06		
		Assembly Perfection	As per Drg.			OK	OK	OK	-	-			
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-				
		Outer Packing	Printing & Stamping			OK	OK	OK	-	-			
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	3	-	-			
		THICKNESS	1.50	1.30	1.70	1.45	1.49	1.48	-	-			
		I.D	22.20	22.00	22.40	22.33	22.32	22.36	-	-			
INSPECTED BY:		Jay Hadiyal			APPROVED BY:			Shreekant					

Conclusion : ☒ Accept ☐ Reject ☐ Hold





MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-03	Product Name	STAR WASHER	Size	1/2" NPT	Drawing No.	-	Date:	23-09-2026			
Wo No.	26000227	Total Quantity	151	Lot Quantity	151	Sample Size-	3	Variable & Gauging	3PCS			
Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	3	-	-			
1	Visual	Surface	Fine, Clean		FINE	FINE	FINE	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	15	15	15	15	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	NA	-	-			
		Marking	WO Ref. No.	NA	NA	NA	NA	-	-		ASM No :- CSEX260914-06	
		Assembly Perfection	As per Drg.		OK	OK	OK	-	-			
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-			
		Outer Packing	Printing & Stamping		OK	OK	OK	-	-			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	-	+	1	2	3	-	-		
		O.D	33.00	32.70	33.30	33.06	33.05	33.04	-	-		
		I.D	21.50	21.00	22.00	21.59	21.60	21.59	-	-		
		T.L	4.00	3.70	4.30	4.06	4.05	4.08	-	-		
INSPECTED BY:		Jay Hadiyal			APPROVED BY:			Shreekant				

Conclusion :



Accept



Reject



Hold

