# MetalMech-08500-FR-QX-08-Final Inspection Report-EX

| | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| **INSP. No.** | FIR-01 | **Product Name** | LOCK NUT | **Size** | 3/4" NPT | **Drawing No.** | DL2NB | **Date:** | 07-10-2026 |
| **Wo No.** | 26100069 | **Total Quantity** | 500 | **Lot Quantity** | 500 | **Sample Size-** | 3 | **Variable & Gauging** | 3PCS |

| Sr. No. | Checking Parameter | REQUIRED PARAMETER | | | OBSERVED RESULTS | | | | | REJECTION REWORK DETAIL | REMARK | CHECKED BY |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | PARAMETER | CRITERIA | | 1 | 2 | 3 | - | - | | | |
| 1 | Visual | Surface | Fine, Clean | | FINE | FINE | FINE | - | - | | Measuring Instruments I.D No- | |
| | | Sizewise No of Pcs. With Internal Parts | As per Drg. No. of Parts | 16 | 16 | 16 | 16 | - | - | | (1) DV-55 | |
| | | Washing & Plating | Surface Finishing | NA | NA | NA | NA | - | - | | (2) PP-01 | |
| | | RUBBER MARKING | AS PER DRG. | NA | NA | NA | NA | - | - | | | |
| | | Marking | WO Ref. No. | NA | NA | NA | NA | - | - | | ASM No :- CSEX260927-23 | |
| | | Assembly Perfection | As per Drg. | | OK | OK | OK | - | - | | | |
| | | Inner Packing | Labeling & Printing | | OK | OK | OK | - | - | | | |
| | | Outer Packing | Printing & Stamping | | OK | OK | OK | - | - | | | |
| | | **All Dimensions Are In MM** | | | | | | | | | | |
| 2 | DIMENSION | | VALUE | - | + | 1 | 2 | 3 | - | - | | | |
| | | A/F | 30.00 | 29.87 | 30.00 | 29.93 | 29.95 | 29.94 | - | - | | | |
| | | A/C | 33.00 | 32.20 | 33.80 | 33.03 | 33.05 | 33.02 | - | - | | | |
| | | T.L | 4.00 | 3.70 | 4.30 | 4.03 | 4.05 | 4.04 | - | - | | | |
| | | THREAD | 3/4" NPT AS PER P.G GO NOT GO | | | OK | OK | OK | - | - | | | |
| | | CH.ANGLE | 30° AS PER PP FOUND | | | OK | OK | OK | - | - | | | |
| | | | | | | | | | | | | | |

| | | | |
|---|---|---|---|
| *INSPECTED BY:* | *Jay Hadiyal* | *APPROVED BY:* | *Shreekant* |

**Conclusion :**

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERING QA PASSED

# MetalMech-08500-FR-QX-08-Final Inspection Report-EX

| INSP. No. | FIR-01 | Product Name | IP WASHER | Size | 3/4" NPT | Drawing No. | - | Date: | 07-10-2026 |
|---|---|---|---|---|---|---|---|---|---|
| Wo No. | 26100069 | Total Quantity | 500 | Lot Quantity | 500 | Sample Size- | 3 | Variable & Gauging | 3PCS |

| Sr. No. | Checking Parameter | REQUIRED PARAMETER | | | | OBSERVED RESULTS | | | | | REJECTION REWORK DETAIL | REMARK | CHECKED BY |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | PARAMETER | CRITERIA | | | 1 | 2 | 3 | - | - | | | |
| 1 | Visual | Surface | Fine, Clean | | | FINE | FINE | FINE | - | - | | Measuring Instruments I.D No- | |
| | | Sizewise No of Pcs. With Internal Parts | As per Drg. No. of Parts | 16 | | 16 | 16 | 16 | - | - | | (1) DV-55 | |
| | | Washing & Plating | Surface Finishing | NA | | NA | NA | NA | - | - | | (2) PP-01 | |
| | | RUBBER MARKING | AS PER DRG. | NA | | NA | NA | NA | - | - | | | |
| | | Marking | WO Ref. No. | NA | | NA | NA | NA | - | - | | ASM No :- CSEX260927-23 | |
| | | Assembly Perfection | As per Drg. | | | OK | OK | OK | - | - | | | |
| | | Inner Packing | Labeling & Printing | | | OK | OK | OK | - | - | | | |
| | | Outer Packing | Printing & Stamping | | | OK | OK | OK | - | - | | | |
| | | All Dimensions Are In MM | | | | | | | | | | | |
| 2 | DIMENSION | | VALUE | - | + | 1 | 2 | 3 | - | - | | | |
| | | O.D | 33.00 | 32.80 | 33.20 | 33.03 | 33.05 | 33.04 | - | - | | | |
| | | I.D | 27.00 | 26.90 | 27.10 | 27.00 | 26.99 | 26.98 | - | - | | | |
| | | THICKNESS | 2.00 | 1.90 | 2.10 | 2.03 | 2.05 | 2.03 | - | - | | | |
| | | | | | | | | | | | | | |

| INSPECTED BY: | Jay Hadiyal | APPROVED BY: | Shreekant |
|---|---|---|---|

**Conclusion :**

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERING QA PASSED

# MetalMech-08500-FR-QX-08-Final Inspection Report-EX

METAL MECH® THE SAFEST CONNECTIONS

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| **INSP. No.** | FIR-01 | **Product Name** | ENTRY COMPONENT | **Size** | 3/4" NPT | **Drawing No.** | 413001-02 | **Date:** | 07-10-2026 |
| **Wo No.** | 26100069 | **Total Quantity** | 500 | **Lot Quantity** | 500 | **Sample Size-** | 3 | Variable & Gauging | 3PCS |

| Sr. No. | Checking Parameter | REQUIRED PARAMETER | | | OBSERVED RESULTS | | | | | REJECTION REWORK DETAIL | REMARK | CHECKED BY |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | PARAMETER | CRITERIA | | 1 | 2 | 3 | - | - | | | |
| 1 | Visual | Surface | Fine, Clean | | FINE | FINE | FINE | - | - | | Measuring Instruments I.D No- | |
| | | Sizewise No of Pcs. With Internal Parts | As per Drg. No. of Parts | 16 | 16 | 16 | 16 | - | - | | (1) DV-55 | |
| | | Washing & Plating | Surface Finishing | NA | NA | NA | NA | - | - | | (2) PP-01 | |
| | | RUBBER MARKING | AS PER DRG. | NA | NA | NA | NA | - | - | | | |
| | | Marking | WO Ref. No. | NA | NA | NA | NA | - | - | | ASM No :- CSEX260927-23 | |
| | | Assembly Perfection | As per Drg. | | OK | OK | OK | - | - | | | |
| | | Inner Packing | Labeling & Printing | | OK | OK | OK | - | - | | | |
| | | Outer Packing | Printing & Stamping | | OK | OK | OK | - | - | | | |
| | | **All Dimensions Are In MM** | | | | | | | | | | |

| | | | VALUE | - | + | 1 | 2 | 3 | - | - | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2 | DIMENSION | A/F | 38.00 | 37.84 | 38.00 | 37.97 | 37.96 | 37.95 | - | - | | | |
| | | A/C | 42.00 | 41.70 | 42.30 | 42.00 | 41.99 | 42.01 | - | - | | | |
| | | T.L | 56.00 | 55.70 | 56.30 | 56.04 | 56.03 | 56.05 | - | - | | | |
| | | LENGTH-1 | 21.00 | 21.00 | 21.20 | 21.12 | 21.11 | 21.15 | - | - | | | |
| | | LENGTH-2 | 29.00 | 28.70 | 29.30 | 29.08 | 29.07 | 29.05 | - | - | | | |
| | | LENGTH-3 | 21.00 | 20.70 | 21.30 | 21.06 | 21.05 | 21.04 | - | - | | | |
| | | LENGTH-4 | 19.00 | 18.70 | 19.30 | 19.09 | 19.08 | 19.05 | - | - | | | |
| | | LENGTH-5 | 18.00 | 17.70 | 18.30 | 17.95 | 17.94 | 17.96 | - | - | | | |
| | | GR.DIA | 32.50 | 32.20 | 32.80 | 32.55 | 32.53 | 32.56 | - | - | | | |
| | | O.D | 34.50 | 34.20 | 34.80 | 34.49 | 34.47 | 34.49 | - | - | | | |
| | | I.D-1 | 20.00 | 20.00 | 20.05 | 20.03 | 20.02 | 20.04 | - | - | | | |
| | | I.D-2 | 30.50 | 30.20 | 30.80 | 30.55 | 30.54 | 30.53 | - | - | | | |
| | | DEPTH | 18.00 | 17.80 | 18.20 | 18.08 | 18.06 | 18.04 | - | - | | | |
| | | THREAD | 3/4" NPT AS PER T.R.G GO NOT GO | | | OK | OK | OK | - | - | | | |
| | | THREAD | M34x1.5 AS PER T.R.G GO NOT GO | | | OK | OK | OK | - | - | | | |
| | | | | | | | | | | | | | |

| *INSPECTED BY:* | *Jay Hadiyal* | *APPROVED BY:* | *Shreekant* |
|---|---|---|---|

**Conclusion :**

☑ **Accept** ☐ **Reject** ☐ **Hold**

METAMECH ENGINEERING GROUP CA PASSED

# MetalMech-08500-FR-QX-08-Final Inspection Report-EX

| | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| **INSP. No.** | FIR-01 | **Product Name** | SEALING POT SEAL | **Size** | M25 | **Drawing No.** | GRSP-02 | **Date:** | 07-10-2026 |
| **Wo No.** | 26100069 | **Total Quantity** | 500 | **Lot Quantity** | 500 | **Sample Size-** | 3 | **Variable & Gauging** | 3PCS |

| Sr. No. | Checking Parameter | REQUIRED PARAMETER | | | | OBSERVED RESULTS | | | | | REJECTION REWORK DETAIL | REMARK | CHECKED BY |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | PARAMETER | CRITERIA | | | 1 | 2 | 3 | - | - | | | |
| 1 | Visual | Surface | Fine, Clean | | | FINE | FINE | FINE | - | - | | Measuring Instruments I.D No- | |
| | | Sizewise No of Pcs. With Internal Parts | As per Drg. No. of Parts | 16 | | 16 | 16 | 16 | - | - | | (1) DV-55 | |
| | | Washing & Plating | Surface Finishing | NA | | NA | NA | NA | - | - | | (2) PP-01 | |
| | | RUBBER MARKING | AS PER DRG. | NA | | NA | NA | NA | - | - | | | |
| | | Marking | WO Ref. No. | NA | | NA | NA | NA | - | - | | ASM No :- CSEX260927-23 | |
| | | Assembly Perfection | As per Drg. | | | OK | OK | OK | - | - | | | |
| | | Inner Packing | Labeling & Printing | | | OK | OK | OK | - | - | | | |
| | | Outer Packing | Printing & Stamping | | | OK | OK | OK | - | - | | | |
| | | **All Dimensions Are In MM** | | | | | | | | | | | |
| 2 | DIMENSION | | VALUE | - | + | 1 | 2 | 3 | - | - | | | |
| | | T.L | 9.00 | 8.80 | 9.20 | 9.09 | 9.10 | 9.08 | - | - | | | |
| | | O.D | 30.50 | 30.20 | 30.80 | 29.87 | 29.89 | 29.90 | - | - | | | |
| | | I.D | 20.50 | 20.30 | 20.70 | 20.53 | 20.55 | 20.54 | - | - | | | |
| | | I.D | 27.50 | 27.20 | 27.80 | 27.55 | 27.54 | 27.53 | - | - | | | |
| | | LENGTH | 3.00 | 2.90 | 3.10 | 3.05 | 3.03 | 3.03 | - | - | | | |
| | | | | | | | | | | | | | |

| | | | |
|---|---|---|---|
| *INSPECTED BY:* | *Jay Hadiyal* | *APPROVED BY:* | *Shreekant* |

**Conclusion :**

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERING QA PASSED

METAL MECH®
THE SAFEST CONNECTIONS

# MetalMech-08500-FR-QX-08-Final Inspection Report-EX

| | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| **INSP. No.** | FIR-01 | **Product Name** | SEALING POT | **Size** | M25 | **Drawing No.** | 4130003-02 | **Date:** | 07-10-2026 |
| **Wo No.** | 26100069 | **Total Quantity** | 500 | **Lot Quantity** | 500 | **Sample Size-** | 3 | Variable & Gauging | 3PCS |

| Sr. No. | Checking Parameter | REQUIRED PARAMETER | | | OBSERVED RESULTS | | | | | REJECTION REWORK DETAIL | REMARK | CHECKED BY |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | PARAMETER | CRITERIA | | 1 | 2 | 3 | - | - | | | |
| 1 | Visual | Surface | Fine, Clean | | FINE | FINE | FINE | - | - | | Measuring Instruments I.D No- | |
| | | Sizewise No of Pcs. With Internal Parts | As per Drg. No. of Parts | 16 | 16 | 16 | 16 | - | - | | (1) DV-55 | |
| | | Washing & Plating | Surface Finishing | NA | NA | NA | NA | - | - | | (2) PP-01 | |
| | | RUBBER MARKING | AS PER DRG. | NA | NA | NA | NA | - | - | | | |
| | | Marking | WO Ref. No. | NA | NA | NA | NA | - | - | | ASM No :- CSEX260927-23 | |
| | | Assembly Perfection | As per Drg. | | OK | OK | OK | - | - | | | |
| | | Inner Packing | Labeling & Printing | | OK | OK | OK | - | - | | | |
| | | Outer Packing | Printing & Stamping | | OK | OK | OK | - | - | | | |
| | | **All Dimensions Are In MM** | | | | | | | | | | |
| 2 | DIMENSION | | VALUE | - | + | 1 | 2 | 3 | - | - | | |
| | | T.L | 41.00 | 40.70 | 41.30 | 41.06 | 41.05 | 41.04 | - | - | | |
| | | O.D | 27.50 | 27.20 | 27.80 | 27.50 | 27.49 | 27.50 | - | - | | |
| | | O.D.L | 35.00 | 34.70 | 35.30 | 34.95 | 34.94 | 34.96 | - | - | | |
| | | O.D | 20.00 | 19.95 | 20.00 | 19.95 | 19.96 | 19.96 | - | - | | |
| | | I.D-1 | 24.00 | 23.70 | 24.30 | 24.04 | 24.06 | 24.05 | - | - | | |
| | | DEPTH | 5.00 | 4.80 | 5.20 | 4.98 | 4.97 | 4.99 | - | - | | |
| | | I.D-2 | 18.00 | 17.80 | 18.20 | 18.04 | 18.03 | 18.06 | - | - | | |
| | | I.D-3 | 17.00 | 16.80 | 17.20 | 17.04 | 17.06 | 17.08 | - | - | | |
| | | LENGTH | 2.00 | 1.90 | 2.10 | 2.03 | 2.09 | 2.05 | - | - | | |
| | | | | | | | | | | | | |

| *INSPECTED BY:* | *Jay Hadiyal* | *APPROVED BY:* | *Shreekant* |
|---|---|---|---|

**Conclusion :**

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERING QA PASSED

# MetalMech-08500-FR-QX-08-Final Inspection Report-EX

| INSP. No. | FIR-01 | Product Name | INNER RETAINING RING | Size | M25 | Drawing No. | IW-02 | Date: | 07-10-2026 |
|---|---|---|---|---|---|---|---|---|---|
| Wo No. | 26100069 | Total Quantity | 500 | Lot Quantity | 500 | Sample Size- | 3 | Variable & Gauging | 3PCS |

| Sr. No. | Checking Parameter | REQUIRED PARAMETER | | | OBSERVED RESULTS | | | | | REJECTION REWORK DETAIL | REMARK | CHECKED BY |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | PARAMETER | CRITERIA | | 1 | 2 | 3 | - | - | | | |
| 1 | Visual | Surface | Fine, Clean | | FINE | FINE | FINE | - | - | | Measuring Instruments I.D No- | |
| | | Sizewise No of Pcs. With Internal Parts | As per Drg. No. of Parts | 16 | 16 | 16 | 16 | - | - | | (1) DV-55 | |
| | | Washing & Plating | Surface Finishing | NA | NA | NA | NA | - | - | | (2) PP-01 | |
| | | RUBBER MARKING | AS PER DRG. | OK | OK | OK | OK | - | - | | | |
| | | Marking | WO Ref. No. | NA | NA | NA | NA | - | - | | ASM No :- CSEX260927-23 | |
| | | Assembly Perfection | As per Drg. | | OK | OK | OK | - | - | | | |
| | | Inner Packing | Labeling & Printing | | OK | OK | OK | - | - | | | |
| | | Outer Packing | Printing & Stamping | | OK | OK | OK | - | - | | | |
| | | All Dimensions Are In MM | | | | | | | | | | |
| 2 | DIMENSION | | VALUE | - | + | 1 | 2 | 3 | - | - | | | |
| | | T.L | 5.00 | 4.70 | 5.30 | 5.05 | 5.04 | 5.03 | - | - | | | |
| | | O.D | 30.00 | 29.80 | 30.00 | 29.90 | 29.89 | 29.91 | - | - | | | |
| | | O.D | 26.00 | 25.80 | 26.00 | 25.93 | 25.95 | 25.94 | - | - | | | |
| | | O.D.L | 3.00 | 3.00 | 3.20 | 3.04 | 3.03 | 3.03 | - | - | | | |
| | | I.D | 19.90 | 19.90 | 20.10 | 19.95 | 19.94 | 19.95 | - | - | | | |
| | | | | | | | | | | | | |

| INSPECTED BY: | Jay Hadiyal | APPROVED BY: | Shreekant |
|---|---|---|---|

**Conclusion :**

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERING QA PASSED

# MetalMech-08500-FR-QX-08-Final Inspection Report-EX

| INSP. No. | FIR-01 | Product Name | DELUGE SEAL | Size | M25 | Drawing No. | DLS-02 | Date: | 07-10-2026 |
|---|---|---|---|---|---|---|---|---|---|
| Wo No. | 26100069 | Total Quantity | 500 | Lot Quantity | 500 | Sample Size- | 3 | Variable & Gauging | 3PCS |

| Sr. No. | Checking Parameter | REQUIRED PARAMETER | | | OBSERVED RESULTS | | | | | REJECTION REWORK DETAIL | REMARK | CHECKED BY |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | PARAMETER | CRITERIA | | 1 | 2 | 3 | - | - | | | |
| 1 | Visual | Surface | Fine, Clean | | FINE | FINE | FINE | - | - | | Measuring Instruments I.D No- | |
| | | Sizewise No of Pcs. With Internal Parts | As per Drg. No. of Parts | 16 | 16 | 16 | 16 | - | - | | (1) DV-55 | |
| | | Washing & Plating | Surface Finishing | NA | NA | NA | NA | - | - | | (2) PP-01 | |
| | | RUBBER MARKING | AS PER DRG. | NA | NA | NA | NA | - | - | | | |
| | | Marking | WO Ref. No. | NA | NA | NA | NA | - | - | | ASM No :- CSEX260927-23 | |
| | | Assembly Perfection | As per Drg. | | OK | OK | OK | - | - | | | |
| | | Inner Packing | Labeling & Printing | | OK | OK | OK | - | - | | | |
| | | Outer Packing | Printing & Stamping | | OK | OK | OK | - | - | | | |
| | | All Dimensions Are In MM | | | | | | | | | | |
| 2 | DIMENSION | | VALUE | - | + | 1 | 2 | 3 | - | - | | | |
| | | THICKNESS | 2.00 | 1.90 | 2.10 | 2.03 | 2.05 | 2.04 | - | - | | |
| | | O.D | 30.00 | 29.70 | 30.30 | 30.04 | 30.06 | 30.05 | - | - | | |
| | | I.D | 26.00 | 25.70 | 26.30 | 26.05 | 26.09 | 26.04 | - | - | | |
| | | | | | | | | | | | | |

| *INSPECTED BY:* | *Jay Hadiyal* | *APPROVED BY:* | *Shreekant* |
|---|---|---|---|

**Conclusion :**

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERING QA PASSED

METAL MECA
THE SAFEST CONNECTIONS

# MetalMech-08500-FR-QX-08-Final Inspection Report-EX

| INSP. No. | FIR-01 | Product Name | ARMOUR CONE | Size | M25 | Drawing No. | 414005-02 | Date: | 07-10-2026 |
|---|---|---|---|---|---|---|---|---|---|
| Wo No. | 26100069 | Total Quantity | 500 | Lot Quantity | 500 | Sample Size- | 3 | Variable & Gauging | 3PCS |

| Sr. No. | Checking Parameter | REQUIRED PARAMETER | | | | OBSERVED RESULTS | | | | | REJECTION REWORK DETAIL | REMARK | CHECKED BY |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | PARAMETER | CRITERIA | | | 1 | 2 | 3 | - | - | | | |
| 1 | Visual | Surface | Fine, Clean | | | FINE | FINE | FINE | - | - | | Measuring Instruments I.D No- | |
| | | Sizewise No of Pcs. With Internal Parts | As per Drg. No. of Parts | 16 | | 16 | 16 | 16 | - | - | | (1) DV-55 | |
| | | Washing & Plating | Surface Finishing | NA | | NA | NA | NA | - | - | | (2) PP-01 | |
| | | RUBBER MARKING | AS PER DRG. | NA | | NA | NA | NA | - | - | | | |
| | | Marking | WO Ref. No. | NA | | NA | NA | NA | - | - | | ASM No :- CSEX260927-23 | |
| | | Assembly Perfection | As per Drg. | | | OK | OK | OK | - | - | | | |
| | | Inner Packing | Labeling & Printing | | | OK | OK | OK | - | - | | | |
| | | Outer Packing | Printing & Stamping | | | OK | OK | OK | - | - | | | |
| | | All Dimensions Are In MM | | | | | | | | | | | |
| 2 | DIMENSION | | VALUE | - | + | 1 | 2 | 3 | - | - | | | |
| | | T.L | 20.50 | 20.20 | 20.80 | 20.63 | 20.65 | 20.64 | - | - | | | |
| | | O.D | 23.00 | 22.70 | 23.30 | 23.07 | 23.06 | 23.05 | - | - | | | |
| | | O.D | 25.00 | 24.70 | 25.30 | 25.08 | 25.06 | 25.04 | - | - | | | |
| | | O.D.L | 10.00 | 9.80 | 10.20 | 10.11 | 10.16 | 10.13 | - | - | | | |
| | | O.D | 32.00 | 31.70 | 32.30 | 32.00 | 31.99 | 31.98 | - | - | | | |
| | | O.D | 30.00 | 29.70 | 30.30 | 30.01 | 30.03 | 30.02 | - | - | | | |
| | | O.D.L | 9.00 | 8.80 | 9.20 | 9.03 | 9.05 | 9.04 | - | - | | | |
| | | I.D | 26.50 | 26.20 | 26.80 | 26.53 | 26.55 | 26.54 | - | - | | | |
| | | DEPTH | 3.00 | 2.90 | 3.10 | 3.02 | 3.01 | 3.03 | - | - | | | |
| | | I.D | 20.00 | 19.80 | 20.20 | 20.04 | 20.06 | 20.05 | - | - | | | |
| | | STEP.LE | 1.75 | 1.65 | 1.85 | 1.80 | 1.79 | 1.81 | - | - | | | |
| | | LENGTH-1 | 3.00 | 2.90 | 3.10 | 3.03 | 3.05 | 3.04 | - | - | | | |
| | | LENGTH-2 | 0.25 MM AS PER PP FOUND | | | OK | OK | OK | - | - | | | |
| | | | | | | | | | | | | | |

| *INSPECTED BY:* | *Jay Hadiyal* | *APPROVED BY:* | *Shreekant* |
|---|---|---|---|

**Conclusion :**

☑ **Accept** ☐ **Reject** ☐ **Hold**

METAL MECH ENGINEERING QA PASSED

# MetalMech-08500-FR-QX-08-Final Inspection Report-EX

| INSP. No. | FIR-01 | Product Name | REVERSIBLE ARMOUR RING | Size | M25 | Drawing No. | 414004-02 | Date: | 07-10-2026 |
|---|---|---|---|---|---|---|---|---|---|
| Wo No. | 26100069 | Total Quantity | 500 | Lot Quantity | 500 | Sample Size- | 3 | Variable & Gauging | 3PCS |

| Sr. No. | Checking Parameter | REQUIRED PARAMETER | | | OBSERVED RESULTS | | | | | REJECTION REWORK DETAIL | REMARK | CHECKED BY |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | PARAMETER | CRITERIA | | 1 | 2 | 3 | - | - | | | |
| 1 | Visual | Surface | Fine, Clean | | FINE | FINE | FINE | - | - | | Measuring Instruments I.D No- | |
| | | Sizewise No of Pcs. With Internal Parts | As per Drg. No. of Parts | 16 | 16 | 16 | 16 | - | - | | (1) DV-55 | |
| | | Washing & Plating | Surface Finishing | NA | NA | NA | NA | - | - | | (2) PP-01 | |
| | | RUBBER MARKING | AS PER DRG. | NA | NA | NA | NA | - | - | | | |
| | | Marking | WO Ref. No. | NA | NA | NA | NA | - | - | | ASM No :- CSEX260927-23 | |
| | | Assembly Perfection | As per Drg. | | OK | OK | OK | - | - | | | |
| | | Inner Packing | Labeling & Printing | | OK | OK | OK | - | - | | | |
| | | Outer Packing | Printing & Stamping | | OK | OK | OK | - | - | | | |
| | | All Dimensions Are In MM | | | | | | | | | | |
| 2 | DIMENSION | | VALUE | - | + | 1 | 2 | 3 | - | - | | | |
| | | T.L | 10.00 | 9.80 | 10.20 | 10.12 | 10.11 | 10.12 | - | - | | | |
| | | O.D | 29.50 | 29.20 | 29.80 | 29.47 | 29.49 | 29.48 | - | - | | | |
| | | GR.DIA | 29.00 | 28.70 | 29.30 | 29.05 | 29.04 | 29.04 | - | - | | | |
| | | I.D-1 | 25.50 | 25.20 | 25.80 | 25.55 | 25.54 | 25.53 | - | - | | | |
| | | I.D-2 | 25.80 | 25.50 | 26.10 | 25.83 | 25.85 | 25.86 | - | - | | | |
| | | I.D-3 | 27.20 | 26.90 | 27.50 | 27.25 | 27.24 | 27.23 | - | - | | | |
| | | GR.LE | 1.00 | 0.90 | 1.10 | 1.06 | 1.05 | 1.02 | - | - | | | |
| | | LENGTH | 8.00 | 7.80 | 8.20 | 8.05 | 8.04 | 8.03 | - | - | | | |
| | | | | | | | | | | | | | |

| *INSPECTED BY:* | *Jay Hadiyal* | *APPROVED BY:* | *Shreekant* |
|---|---|---|---|

**Conclusion :**

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERING QA PASSED

# MetalMech-08500-FR-QX-08-Final Inspection Report-EX

| INSP. No. | FIR-01 | Product Name | MIDDLE NUT | Size | M25 | Drawing No. | 414002-02 | Date: | 07-10-2026 |
|---|---|---|---|---|---|---|---|---|---|
| Wo No. | 26100069 | Total Quantity | 500 | Lot Quantity | 500 | Sample Size- | 3 | Variable & Gauging | 3PCS |

| Sr. No. | Checking Parameter | REQUIRED PARAMETER | | | OBSERVED RESULTS | | | | | REJECTION REWORK DETAIL | REMARK | CHECKED BY |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | PARAMETER | CRITERIA | | 1 | 2 | 3 | - | - | | | |
| 1 | Visual | Surface | Fine, Clean | | FINE | FINE | FINE | - | - | | Measuring Instruments I.D No- | |
| | | Sizewise No of Pcs. With Internal Parts | As per Drg. No. of Parts | 16 | 16 | 16 | 16 | - | - | | (1) DV-55 | |
| | | Washing & Plating | Surface Finishing | NA | NA | NA | NA | - | - | | (2) PP-01 | |
| | | RUBBER MARKING | AS PER DRG. | NA | NA | NA | NA | - | - | | | |
| | | Marking | WO Ref. No. | NA | NA | NA | NA | - | - | | ASM No :- CSEX260927-23 | |
| | | Assembly Perfection | As per Drg. | | OK | OK | OK | - | - | | | |
| | | Inner Packing | Labeling & Printing | | OK | OK | OK | - | - | | | |
| | | Outer Packing | Printing & Stamping | | OK | OK | OK | - | - | | | |
| | | All Dimensions Are In MM | | | | | | | | | | |
| 2 | DIMENSION | | VALUE | - | + | 1 | 2 | 3 | - | - | | | |
| | | A/F | 38.00 | 37.84 | 38.00 | 37.93 | 37.96 | 37.95 | - | - | | | |
| | | A/C | 42.00 | 41.70 | 42.30 | 42.02 | 42.01 | 42.03 | - | - | | | |
| | | T.L | 48.00 | 47.70 | 48.30 | 48.05 | 48.04 | 48.06 | - | - | | | |
| | | LENGTH | 14.00 | 13.80 | 14.20 | 13.94 | 13.96 | 13.95 | - | - | | | |
| | | O.D | 37.50 | 37.20 | 37.80 | 37.43 | 37.45 | 37.47 | - | - | | | |
| | | O.D.L | 21.00 | 20.80 | 21.20 | 21.09 | 21.10 | 21.08 | - | - | | | |
| | | I.D-1 | 26.50 | 26.20 | 26.80 | 26.50 | 26.50 | 26.49 | - | - | | | |
| | | I.D-2 | 30.00 | 29.70 | 30.30 | 30.03 | 30.06 | 30.08 | - | - | | | |
| | | I.D-3 | 35.50 | 35.20 | 35.80 | 35.54 | 35.53 | 35.56 | - | - | | | |
| | | DEPTH-1 | 11.00 | 10.80 | 11.20 | 10.95 | 10.94 | 10.96 | - | - | | | |
| | | DEPTH-2 | 40.00 | 39.70 | 40.30 | 40.06 | 40.05 | 40.04 | - | - | | | |
| | | DEPTH-3 | 31.00 | 30.70 | 31.30 | 31.10 | 31.09 | 31.08 | - | - | | | |
| | | THREAD | M35x1.5 AS PER T.R.G GO NOT GO | | | OK | OK | OK | - | - | | | |
| | | INT.THREAD | M34x1.5 AS PER P.G GO NOT GO | | | OK | OK | OK | - | - | | | |
| | | | | | | | | | | | | | |

| *INSPECTED BY:* | *Jay Hadiyal* | *APPROVED BY:* | *Shreekant* |
|---|---|---|---|

**Conclusion :**

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERS CONTROL QA PASSED

METAL MECH
THE SAFEST CONNECTIONS

# MetalMech-08500-FR-QX-08-Final Inspection Report-EX

| INSP. No. | FIR-01 | Product Name | BACK NUT | Size | M25 | Drawing No. | 313003-02 | Date: | 07-10-2026 |
|---|---|---|---|---|---|---|---|---|---|
| Wo No. | 26100069 | Total Quantity | 500 | Lot Quantity | 500 | Sample Size- | 3 | Variable & Gauging | 3PCS |

| Sr. No. | Checking Parameter | REQUIRED PARAMETER | | OBSERVED RESULTS | | | | | REJECTION REWORK DETAIL | REMARK | CHECKED BY |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | | PARAMETER | CRITERIA | 1 | 2 | 3 | - | - | | | |
| 1 | Visual | Surface | Fine, Clean | FINE | FINE | FINE | - | - | | Measuring Instruments I.D No- | |
| | | Sizewise No of Pcs. With Internal Parts | As per Drg. No. of Parts 16 | 16 | 16 | 16 | - | - | | (1) DV-55 | |
| | | Washing & Plating | Surface Finishing NA | NA | NA | NA | - | - | | (2) PP-01 | |
| | | RUBBER MARKING | AS PER DRG. NA | NA | NA | NA | - | - | | | |
| | | Marking | WO Ref. No. NA | NA | NA | NA | - | - | | ASM No :- CSEX260927-23 | |
| | | Assembly Perfection | As per Drg. | OK | OK | OK | - | - | | | |
| | | Inner Packing | Labeling & Printing | OK | OK | OK | - | - | | | |
| | | Outer Packing | Printing & Stamping | OK | OK | OK | - | - | | | |
| | | All Dimensions Are In MM | | | | | | | | | |
| 2 | DIMENSION | | VALUE - + | 1 | 2 | 3 | - | - | | | |
| | | A/F | 38.00 37.84 38.00 | 37.91 | 37.93 | 37.92 | - | - | | | |
| | | A/C | 42.00 41.20 42.80 | 41.98 | 42.00 | 41.99 | - | - | | | |
| | | T.L | 23.00 22.50 23.50 | 23.06 | 23.09 | 23.05 | - | - | | | |
| | | O.D | 37.50 36.70 38.30 | 37.33 | 37.35 | 37.34 | - | - | | | |
| | | O.D.L | 10.00 9.50 10.50 | 10.07 | 10.06 | 10.04 | - | - | | | |
| | | H.L | 13.00 12.50 13.50 | 13.05 | 13.04 | 13.03 | - | - | | | |
| | | I.D | 30.50 29.70 31.30 | 30.55 | 30.54 | 30.53 | - | - | | | |
| | | INT.THL | 4.00 3.70 4.30 | 4.04 | 4.06 | 4.08 | - | - | | | |
| | | GR.ID | 35.20 34.40 36.00 | 35.23 | 35.25 | 35.26 | - | - | | | |
| | | GR.LE | 14.50 14.00 15.00 | 14.55 | 14.54 | 14.53 | - | - | | | |
| | | DEPTH | 18.50 18.00 19.00 | 18.53 | 18.56 | 18.55 | - | - | | | |
| | | GR.ID | 33.50 32.70 34.30 | 33.54 | 33.53 | 33.56 | - | - | | | |
| | | GR.LE | 3.00 2.80 3.20 | 3.03 | 3.02 | 3.04 | - | - | | | |
| | | DEPTH | 21.00 20.50 21.50 | 21.04 | 21.06 | 21.08 | - | - | | | |
| | | INT.THREAD | M35x1.5 AS PER P.G GO NOT GO | OK | OK | OK | - | - | | | |
| | | CH.ANGLE | 0.5x45° AS PER PP FOUND | OK | OK | OK | - | - | | | |
| | | CH.ANGLE | 1x45° AS PER PP FOUND | OK | OK | OK | - | - | | | |
| | | CH.ANGLE | 30° AS PER PP FOUND | OK | OK | OK | - | - | | | |
| | | CH.ANGLE | 45° AS PER PP FOUND | OK | OK | OK | - | - | | | |

| *INSPECTED BY:* | *Jay Hadiyal* | *APPROVED BY:* | *Shreekant* |
|---|---|---|---|

**Conclusion :**

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERING QA PASSED

# MetalMech-08500-FR-QX-08-Final Inspection Report-EX

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| **INSP. No.** | FIR-01 | **Product Name** | OUTER SEAL | **Size** | M25 | **Drawing No.** | GE-02 | **Date:** | 07-10-2026 |
| **Wo No.** | 26100069 | **Total Quantity** | 500 | **Lot Quantity** | 500 | **Sample Size-** | 3 | **Variable & Gauging** | 3PCS |

| **Sr. No.** | **Checking Parameter** | **REQUIRED PARAMETER** | | | **OBSERVED RESULTS** | | | | | **REJECTION REWORK DETAIL** | **REMARK** | **CHECKED BY** |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | **PARAMETER** | **CRITERIA** | | **1** | **2** | **3** | **-** | **-** | | | |
| 1 | Visual | Surface | Fine, Clean | | FINE | FINE | FINE | - | - | | Measuring Instruments I.D No- | |
| | | Sizewise No of Pcs. With Internal Parts | As per Drg. No. of Parts | 16 | 16 | 16 | 16 | - | - | | **(1) DV-55** | |
| | | Washing & Plating | Surface Finishing | NA | NA | NA | NA | - | - | | **(2) PP-01** | |
| | | RUBBER MARKING | AS PER DRG. | OK | OK | OK | OK | - | - | | | |
| | | Marking | WO Ref. No. | NA | NA | NA | NA | - | - | | **ASM No :- CSEX260927-23** | |
| | | Assembly Perfection | As per Drg. | | OK | OK | OK | - | - | | | |
| | | Inner Packing | Labeling & Printing | | OK | OK | OK | - | - | | | |
| | | Outer Packing | Printing & Stamping | | OK | OK | OK | - | - | | | |
| | | **All Dimensions Are In MM** | | | | | | | | | | |
| 2 | DIMENSION | | VALUE | - | + | 1 | 2 | 3 | - | - | | | |
| | | T.L | 15.00 | 14.50 | 15.50 | 15.05 | 15.03 | 15.04 | - | - | | |
| | | O.D | 35.20 | 35.00 | 35.20 | 35.12 | 35.11 | 35.13 | - | - | | |
| | | GR.LENGTH | 3.50 | 3.20 | 3.80 | 3.53 | 3.55 | 3.55 | - | - | | |
| | | I.D | 26.00 | 25.90 | 26.10 | 26.03 | 26.05 | 26.04 | - | - | | |
| | | | | | | | | | | | | |

| | | | |
|---|---|---|---|
| *INSPECTED BY:* | *Jay Hadiyal* | *APPROVED BY:* | *Shreekant* |

**Conclusion :**

☑ **Accept** ☐ **Reject** ☐ **Hold**



# MetalMech-08500-FR-QX-08-Final Inspection Report-EX

| INSP. No. | FIR-01 | Product Name | OUTER RETAINING RING | Size | M25 | Drawing No. | OW-02 | Date: | 07-10-2026 |
|---|---|---|---|---|---|---|---|---|---|
| Wo No. | 26100069 | Total Quantity | 500 | Lot Quantity | 500 | Sample Size- | 3 | Variable & Gauging | 3PCS |

| Sr. No. | Checking Parameter | REQUIRED PARAMETER | | | OBSERVED RESULTS | | | | | REJECTION REWORK DETAIL | REMARK | CHECKED BY |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | PARAMETER | CRITERIA | | 1 | 2 | 3 | - | - | | | |
| 1 | Visual | Surface | Fine, Clean | | FINE | FINE | FINE | - | - | | Measuring Instruments I.D No- | |
| | | Sizewise No of Pcs. With Internal Parts | As per Drg. No. of Parts | 16 | 16 | 16 | 16 | - | - | | (1) DV-55 | |
| | | Washing & Plating | Surface Finishing | NA | NA | NA | NA | - | - | | (2) PP-01 | |
| | | RUBBER MARKING | AS PER DRG. | NA | NA | NA | NA | - | - | | | |
| | | Marking | WO Ref. No. | NA | NA | NA | NA | - | - | | ASM No :- CSEX260927-23 | |
| | | Assembly Perfection | As per Drg. | | OK | OK | OK | - | - | | | |
| | | Inner Packing | Labeling & Printing | | OK | OK | OK | - | - | | | |
| | | Outer Packing | Printing & Stamping | | OK | OK | OK | - | - | | | |
| | | All Dimensions Are In MM | | | | | | | | | | |
| 2 | DIMENSION | | VALUE | - | + | 1 | 2 | 3 | - | - | | | |
| | | T.L | 6.00 | 5.70 | 6.30 | 6.04 | 6.06 | 6.08 | - | - | | | |
| | | O.D | 33.00 | 33.00 | 33.10 | 33.03 | 33.05 | 33.04 | - | - | | | |
| | | O.D | 30.00 | 29.80 | 30.00 | 29.93 | 29.96 | 29.95 | - | - | | | |
| | | O.D.L | 4.00 | 4.00 | 4.10 | 4.03 | 4.05 | 4.04 | - | - | | | |
| | | I.D | 26.20 | 26.20 | 26.40 | 26.25 | 26.24 | 26.26 | - | - | | | |
| | | | | | | | | | | | | |

| INSPECTED BY: | Jay Hadiyal | APPROVED BY: | Shreekant |
|---|---|---|---|

**Conclusion :**

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERING QA PASSED

# MetalMech-08500-FR-QX-08-Final Inspection Report-EX

| INSP. No. | FIR-01 | Product Name | EARTH TAG | Size | 3/4" NPT | Drawing No. | - | Date: | 07-10-2026 |
|---|---|---|---|---|---|---|---|---|---|
| Wo No. | 26100069 | Total Quantity | 500 | Lot Quantity | 500 | Sample Size- | 3 | Variable & Gauging | 3PCS |

| Sr. No. | Checking Parameter | REQUIRED PARAMETER | | | OBSERVED RESULTS | | | | | REJECTION REWORK DETAIL | REMARK | CHECKED BY |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | PARAMETER | CRITERIA | | 1 | 2 | 3 | - | - | | | |
| 1 | Visual | Surface | Fine, Clean | | FINE | FINE | FINE | - | - | | Measuring Instruments I.D No- | |
| | | Sizewise No of Pcs. With Internal Parts | As per Drg. No. of Parts | 16 | 16 | 16 | 16 | - | - | | (1) DV-55 | |
| | | Washing & Plating | Surface Finishing | NA | NA | NA | NA | - | - | | (2) PP-01 | |
| | | RUBBER MARKING | AS PER DRG. | NA | NA | NA | NA | - | - | | | |
| | | Marking | WO Ref. No. | NA | NA | NA | NA | - | - | | ASM No :- CSEX260927-23 | |
| | | Assembly Perfection | As per Drg. | | OK | OK | OK | - | - | | | |
| | | Inner Packing | Labeling & Printing | | OK | OK | OK | - | - | | | |
| | | Outer Packing | Printing & Stamping | | OK | OK | OK | - | - | | | |
| | | All Dimensions Are In MM | | | | | | | | | | |
| 2 | DIMENSION | | VALUE | - | + | 1 | 2 | 3 | - | - | | | |
| | | THICKNESS | 1.00 | 0.80 | 1.20 | 1.02 | 1.01 | 1.02 | - | - | | | |
| | | O.D | 37.00 | 36.20 | 37.80 | 37.04 | 37.06 | 37.05 | - | - | | | |
| | | O.D | 13.20 | 12.70 | 13.70 | 13.23 | 13.22 | 13.25 | - | - | | | |
| | | I.D | 27.00 | 26.50 | 27.50 | 27.14 | 27.19 | 27.16 | - | - | | | |
| | | I.D | 6.50 | 6.20 | 6.80 | 6.55 | 6.54 | 6.53 | - | - | | | |
| | | | | | | | | | | | | |

| INSPECTED BY: | Jay Hadiyal | APPROVED BY: | Shreekant |
|---|---|---|---|

**Conclusion :**

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERING QA PASSED

# MetalMech-08500-FR-QX-08-Final Inspection Report-EX

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| **INSP. No.** | FIR-01 | **Product Name** | SHROUD | **Size** | C-41MM | **Drawing No.** | - | **Date:** | 07-10-2026 |
| **Wo No.** | 26100069 | **Total Quantity** | 500 | **Lot Quantity** | 500 | **Sample Size-** | 3 | Variable & Gauging | 3PCS |

| **Sr. No.** | **Checking Parameter** | **REQUIRED PARAMETER** | | | **OBSERVED RESULTS** | | | | | **REJECTION REWORK DETAIL** | **REMARK** | **CHECKED BY** |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | **PARAMETER** | **CRITERIA** | | **1** | **2** | **3** | **-** | **-** | | | |
| 1 | Visual | Surface | Fine, Clean | | FINE | FINE | FINE | - | - | | Measuring Instruments I.D No- | |
| | | Sizewise No of Pcs. With Internal Parts | As per Drg. No. of Parts | 16 | 16 | 16 | 16 | - | - | | (1) DV-55 | |
| | | Washing & Plating | Surface Finishing | NA | NA | NA | NA | - | - | | (2) PP-01 | |
| | | RUBBER MARKING | AS PER DRG. | NA | NA | NA | NA | - | - | | | |
| | | Marking | WO Ref. No. | NA | NA | NA | NA | - | - | | ASM No :- CSEX260927-23 | |
| | | Assembly Perfection | As per Drg. | | OK | OK | OK | - | - | | | |
| | | Inner Packing | Labeling & Printing | | OK | OK | OK | - | - | | | |
| | | Outer Packing | Printing & Stamping | | OK | OK | OK | - | - | | | |
| | | **All Dimensions Are In MM** | | | | | | | | | | |
| 2 | DIMENSION | | VALUE | - | + | 1 | 2 | 3 | - | - | | | |
| | | T.L | 105.00 | 104.20 | 105.80 | 105.15 | 105.18 | 105.16 | - | - | | |
| | | I.D | 41.00 | 40.20 | 41.80 | 41.55 | 41.58 | 41.56 | - | - | | |
| | | | | | | | | | | | | |

| *INSPECTED BY:* | *Jay Hadiyal* | *APPROVED BY:* | *Shreekant* |
|---|---|---|---|

**Conclusion :**

☑ **Accept** ☐ **Reject** ☐ **Hold**



# MetalMech-08500-FR-QX-08-Final Inspection Report-EX

| INSP. No. | FIR-01 | Product Name | STAR WASHER | Size | 3/4" NPT | Drawing No. | - | Date: | 07-10-2026 |
|---|---|---|---|---|---|---|---|---|---|
| Wo No. | 26100069 | Total Quantity | 500 | Lot Quantity | 500 | Sample Size- | 3 | Variable & Gauging | 3PCS |

| Sr. No. | Checking Parameter | REQUIRED PARAMETER | | | OBSERVED RESULTS | | | | | REJECTION REWORK DETAIL | REMARK | CHECKED BY |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | PARAMETER | CRITERIA | | 1 | 2 | 3 | - | - | | | |
| 1 | Visual | Surface | Fine, Clean | | FINE | FINE | FINE | - | - | | Measuring Instruments I.D No- | |
| | | Sizewise No of Pcs. With Internal Parts | As per Drg. No. of Parts | 16 | 16 | 16 | 16 | - | - | | (1) DV-55 | |
| | | Washing & Plating | Surface Finishing | NA | NA | NA | NA | - | - | | (2) PP-01 | |
| | | RUBBER MARKING | AS PER DRG. | NA | NA | NA | NA | - | - | | | |
| | | Marking | WO Ref. No. | NA | NA | NA | NA | - | - | | ASM No :- CSEX260927-23 | |
| | | Assembly Perfection | As per Drg. | | OK | OK | OK | - | - | | | |
| | | Inner Packing | Labeling & Printing | | OK | OK | OK | - | - | | | |
| | | Outer Packing | Printing & Stamping | | OK | OK | OK | - | - | | | |
| | | All Dimensions Are In MM | | | | | | | | | | |
| 2 | DIMENSION | | VALUE | - | + | 1 | 2 | 3 | - | - | | | |
| | | O.D | 38.00 | 37.20 | 38.80 | 38.06 | 38.08 | 38.05 | - | - | | |
| | | I.D | 27.00 | 26.50 | 27.50 | 27.15 | 27.13 | 27.12 | - | - | | |
| | | T.L | 4.00 | 3.70 | 4.30 | 4.06 | 4.08 | 4.07 | - | - | | |
| | | | | | | | | | | | | |

| *INSPECTED BY:* | *Jay Hadiyal* | *APPROVED BY:* | *Shreekant* |
|---|---|---|---|

**Conclusion :**

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERING QA PASSED