



MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-04	Product Name	ENTRY COMPONENT		Size	M63		Drawing No	313001M-06	Date:	14-09-2026		
Wo No.	26000258	Total Quantity	8		Lot Quantity	8		Sample Size-	2	Variable & Gauging	2PCS		
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS				REJECTION REWORK DETAIL	REMARK	CHECKED BY	
		PARAMETER	CRITERIA		1	2	-	-	-				
		Surface	Fine, Clean		FINE	FINE	-	-	-		Measuring Instrument ID No.		
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	11	11	11	-	-	-		(1) DV-55		
		Washing & Plating	Surface Finishing	NA	NA	NA	-	-	-		(2) PP-01		
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	-	-	-				
		Marking	WO Ref. No.	Metalmech Logo MMCEX- E1FUNV636MMx6 2026 CE Logo 2460 Ex Logo II 2 GD Ex db IIC	OK	OK	-	-	-		ASM No :- CSEX260826-05		
		Assembly Perfection	As per Drg.		OK	OK	-	-	-				
		Inner Packing	Labeling & Printing		OK	OK	-	-	-				
		Outer Packing	Printing & Stamping		OK	OK	-	-	-				
		All Dimensions Are In MM											
			VALUE	-	+	1	2	-	-	-			
		A/F	74.00	73.81	74.00	73.97	73.99	-	-	-			
		A/C	81.00	80.20	81.80	80.99	80.98	-	-	-			
		T.L	37.00	37.00	37.50	37.05	37.04	-	-	-			
		TH.L	13.00	12.50	13.50	13.03	13.05	-	-	-			
		LENGTH	17.00	17.00	17.50	17.02	17.01	-	-	-			
		GR.OD	61.00	60.20	61.80	60.91	60.90	-	-	-			
		GR.LE	2.50	2.30	2.70	2.53	2.55	-	-	-			
		O.D	73.00	72.20	73.80	72.99	73.00	-	-	-			
		O.D.L	11.00	10.70	11.30	11.02	11.05	-	-	-			
		H.L	9.00	8.50	9.50	9.02	9.05	-	-	-			
		I.D	56.50	55.70	57.30	56.52	56.51	-	-	-			
		DEPTH	15.00	14.50	15.50	15.06	15.08	-	-	-			
		THREAD	M63x1.5 AS PER T.R.G GO NOT GO		OK	OK	-	-	-				
		INT.THREAD	M68x1.5 AS PER P.G GO NOT GO		OK	OK	-	-	-				
		CH.ANGLE	1x45° AS PER PP FOUND		OK	OK	-	-	-				
		CH.ANGLE	1.5x45° AS PER PP FOUND		OK	OK	-	-	-				
		CH.ANGLE	20° AS PER PP FOUND		OK	OK	-	-	-				
		ANGLE	90° AS PER PP FOUND		OK	OK	-	-	-				
INSPECTED BY:		Jay Hadiyal				APPROVED BY:				Shreekant			

Conclusion :



Accept



Reject



Hold



		MetalMech-08500-FR-QX-08-Final Inspection Report-EX											
INSP. No.	FIR-04	Product Name	INTERMEDIATE BODY		Size	M63		Drawing No	313002U-06		Date:	14-09-2025	
Wo No.	26000258	Total Quantity	8		Lot Quantity	8		Sample Size-	2		Variable & Gauging	2PCS	
Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY	
		PARAMETER	CRITERIA		1	2	-	-	-				
1	Visual	Surface	Fine, Clean		FINE	FINE	-	-	-				
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	11	11	11	-	-	-				
		Washing & Plating	Surface Finishing	NA	NA	NA	-	-	-				
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	-	-	-				
		Marking	WO Ref. No.	NA	NA	NA	-	-	-				
		Assembly Perfection	As per Drg.	OK	OK	-	-	-					
		Inner Packing	Labeling & Printing	OK	OK	-	-	-					
		Outer Packing	Printing & Stamping	OK	OK	-	-	-					
All Dimensions Are In MM													
2	DIMENSION		VALUE	-	+	1	2	-	-	-			
		A/F	76.00	75.81	76.00	76.15	76.18	-	-	-			
		A/C	83.00	82.20	83.80	82.95	82.94	-	-	-			
		T.L	38.00	37.20	38.80	38.00	37.99	-	-	-			
		TH.L	14.00	13.50	14.50	14.02	14.01	-	-	-			
		GR.OD	66.00	65.20	66.80	65.93	65.92	-	-	-			
		GR.LE	1.00	0.80	1.20	1.01	1.03	-	-	-			
		H.L	8.00	7.70	8.30	7.95	7.94	-	-	-			
		TH.L	16.00	15.50	16.50	15.99	15.98	-	-	-			
		GR.OD	73.00	72.20	73.80	72.92	72.91	-	-	-			
		GR.LE	1.00	0.80	1.20	1.01	1.03	-	-	-			
		LD	60.00	59.20	60.80	59.97	59.99	-	-	-			
		LD	67.50	66.70	68.30	67.51	67.50	-	-	-			
		DEPTH	7.00	6.70	7.30	7.02	7.05	-	-	-			
		LD	64.00	63.20	64.80	64.06	64.04	-	-	-			
		I.D.LE	14.00	13.50	14.50	14.04	14.06	-	-	-			
		DEPTH	21.00	20.50	21.50	21.03	21.05	-	-	-			
		THREAD	M68x1.5 AS PER T.R.G GO NOT GO			OK	OK	-	-	-			
		THREAD	M75x1.5 AS PER T.R.G GO NOT GO			OK	OK	-	-	-			
		CH.ANGLE	1.5x45° AS PER PP FOUND			OK	OK	-	-	-			
		CH.ANGLE	20° AS PER PP FOUND			OK	OK	-	-	-			
		CH.ANGLE	0.5x45° AS PER PP FOUND			OK	OK	-	-	-			
INSPECTED BY: Jay Hadiyal APPROVED BY: Shreekant													

Conclusion :



Accept



Reject



Hold



		MetalMech-08500-FR-QX-08-Final Inspection Report-EX											
INSP. No.	FIR-04	Product Name	MIDDLE BODY		Size	M63		Drawing No	313002-06		Date:	14-09-2025	
Wo No.	26000258	Total Quantity	8		Lot Quantity	8		Sample Size:	2		Variable & Gauging	2PCS	
Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY	
		PARAMETER	CRITERIA		1	2	-	-	-				
1	Visual	Surface	Fine, Clean		FINE	FINE	-	-	-				
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	11	11	-	-	-			(1) DV-55		
		Washing & Plating	Surface Finishing	NA	NA	-	-	-			(2) PP-01		
		RUBBER MARKING	AS PER DRG.	NA	NA	-	-	-					
		Marking	WO Ref. No.	NA	NA	-	-	-			ASM No :- CSEX260826-05		
		Assembly Perfection	As per Drg.	OK	OK	-	-	-					
		Inner Packing	Labeling & Printing		OK	OK	-	-	-				
		Outer Packing	Printing & Stamping		OK	OK	-	-	-				
All Dimensions Are In MM													
2	DIMENSION		VALUE	-	+	1	2	-	-	-			
		A/F	80.00	79.81	80.00	80.08	80.09	-	-	-			
		A/C	89.00	88.20	89.80	89.08	89.07	-	-	-			
		T.L	46.00	45.20	46.80	46.05	46.06	-	-	-			
		TH.L	17.00	16.50	17.50	16.99	16.98	-	-	-			
		GR.OD	74.00	73.20	74.80	73.40	73.39	-	-	-			
		GR.LE	1.50	1.30	1.70	1.53	1.55	-	-	-			
		H.L	17.00	16.50	17.50	17.01	17.03	-	-	-			
		O.D	79.00	78.20	79.80	79.02	79.01	-	-	-			
		O.D.L	12.00	11.70	12.30	12.03	12.05	-	-	-			
		I.D	66.00	65.20	66.80	65.98	65.99	-	-	-			
		I.D	68.00	67.20	68.80	68.05	68.04	-	-	-			
		I.D.LE	10.00	9.80	10.20	10.03	10.05	-	-	-			
		INT.TH.L	18.00	17.50	18.50	18.05	18.04	-	-	-			
		GR.ID	72.00	71.20	72.80	72.03	72.05	-	-	-			
		GR.LE	10.00	9.70	10.30	10.01	10.03	-	-	-			
		DEPTH	28.00	27.50	28.50	28.05	28.04	-	-	-			
		THREAD	M75x1.5 AS PER T.R.G GO NOT GO			OK	OK	-	-	-			
		INT.THREAD	M76x2 AS PER P.G GO NOT GO			OK	OK	-	-	-			
		CH.ANGLE	1.5x45° AS PER PP FOUND			OK	OK	-	-	-			
		CH.ANGLE	2x45° AS PER PP FOUND			OK	OK	-	-	-			
		CH.ANGLE	30° AS PER PP FOUND			OK	OK	-	-	-			
INSPECTED BY: Jay Hadiyal APPROVED BY: Shreekant													

Conclusion :



Accept



Reject



Hold





MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-04	Product Name	BACK NUT		Size	M63		Drawing No	313003-06	Date:	14-09-2026		
Wo No.	26000258	Total Quantity	8		Lot Quantity	8		Sample Size-	2	Variable & Gauging	2PCS		
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS				REJECTION REWORK DETAIL	REMARK	CHECKED BY	
		PARAMETER	CRITERIA		1	2	-	-	-				
		Surface	Fine, Clean		FINE	FINE	-	-	-		Measuring Instruments I.D No.		
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	11	11	11	-	-	-		(1) DV-55		
		Washing & Plating	Surface Finishing	NA	NA	NA	-	-	-		(2) PP-01		
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	-	-	-				
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		ASM No :- CSEX260826-05		
		Assembly Perfection	As per Drg.		OK	OK	-	-	-				
		Inner Packing	Labeling & Printing		OK	OK	-	-	-				
		Outer Packing	Printing & Stamping		OK	OK	-	-	-				
		All Dimensions Are In MM											
			VALUE	-	+	1	2	-	-	-			
		A/F	80.00	79.81	80.00	79.97	79.99	-	-	-			
		A/C	89.00	88.20	89.80	88.97	88.99	-	-	-			
		T.L	24.00	23.50	24.50	24.01	24.00	-	-	-			
		O.D	79.00	78.20	79.80	78.99	79.00	-	-	-			
		O.D.L	12.00	11.50	12.50	12.02	12.05	-	-	-			
		H.L	12.00	11.50	12.50	12.05	12.08	-	-	-			
		I.D	71.00	70.20	71.80	71.00	70.99	-	-	-			
		INT.THIL	5.00	4.70	5.30	5.01	5.03	-	-	-			
		GR.ID	76.20	75.40	77.00	76.23	76.25	-	-	-			
		GR.LE	14.50	14.00	15.00	14.53	14.58	-	-	-			
		DEPTH	19.50	19.00	20.00	19.55	19.57	-	-	-			
		GR.ID	76.20	75.40	77.00	76.24	76.26	-	-	-			
		GR.LE	2.50	2.30	2.70	2.53	2.55	-	-	-			
		DEPTH	22.00	21.50	22.50	22.05	22.04	-	-	-			
		INT.THREAD	M76x2 AS PER P.G GO NOT GO			OK	OK	-	-	-			
		CH.ANGLE	0.5x45° AS PER PP FOUND			OK	OK	-	-	-			
		CH.ANGLE	1.5x45° AS PER PP FOUND			OK	OK	-	-	-			
		CH.ANGLE	45° AS PER PP FOUND			OK	OK	-	-	-			
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant				

Conclusion :



Accept



Reject



Hold





MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-04	Product Name	UNIVERSAL CLAMPING CONE		Size	M63		Drawing No	313005-06	Date:	14-09-2026	
Wo No.	26000258	Total Quantity	8		Lot Quantity	8		Sample Size-	2	Variable & Gauging	2PCS	
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS				REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	-	-	-			
		Surface	Fine, Clean		FINE	FINE	-	-	-			
		Size wise No of Pcs. With Internal Parts	As per Drg. No. of Parts	11	11	11	-	-	-		Measuring Instruments ID No. (1) DV-55	
		Washing & Plating	Surface Finishing	NA	NA	NA	-	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	-	-	-			
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		ASM No :- CSEX260826-05	
		Assembly Perfection	As per Drg.		OK	OK	-	-	-			
		Inner Packing	Labeling & Printing		OK	OK	-	-	-			
		Outer Packing	Printing & Stamping		OK	OK	-	-	-			
		All Dimensions Are In MM										
			VALUE	-	+	1	2	-	-	-		
		T.L	35.00	34.20	35.80	35.05	35.04	-	-	-		
		O.D	59.50	58.70	60.30	59.48	59.46	-	-	-		
		O.D.L	7.50	7.00	8.00	7.53	7.55	-	-	-		
		O.D	62.00	61.20	62.80	61.97	61.96	-	-	-		
		O.D	63.50	62.70	64.30	63.53	63.55	-	-	-		
		GR.LE	2.50	2.30	2.70	2.53	2.55	-	-	-		
		O.D.L	14.00	13.50	14.50	14.03	14.06	-	-	-		
		O.D	58.50	57.70	59.30	58.47	58.46	-	-	-		
		O.D.L	8.00	7.70	8.30	8.01	8.03	-	-	-		
		O.D	59.00	58.20	59.80	58.98	58.97	-	-	-		
		O.D	59.50	58.70	60.30	59.49	59.47	-	-	-		
		O.D	61.00	60.20	61.80	61.01	61.03	-	-	-		
		O.D	67.00	66.20	67.80	66.99	66.98	-	-	-		
		O.D.L	7.00	6.50	7.50	7.02	7.05	-	-	-		
		O.D.L	14.00	13.50	14.50	14.03	14.06	-	-	-		
		LD	56.50	55.70	57.30	56.50	56.49	-	-	-		
		GROOVE,STEP,LE	0.5 MM AS PER PP FOUND		OK	OK	-	-	-			
		RADIUS	0.50 MM AS PER PP FOUND		OK	OK	-	-	-			
		RADIUS	0.3 MM AS PER PP FOUND		OK	OK	-	-	-			
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant			

Conclusion :



Accept



Reject



Hold





MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-04	Product Name	REVERSIBLE ARMoured RING		Size		M63		Drawing No		313004-06	Date:	14-09-2026
Wo No.	26000258	Total Quantity	8		Lot Quantity		8		Sample Size-		2	Variable & Gauging	2PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	-	-	-				
1	Visual	Surface	Fine, Clean		FINE	FINE	-	-	-		Measuring Instruments I.D No-		
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	11	11	11	-	-	-		(1) DV-55		
		Washing & Plating	Surface Finishing	NA	NA	NA	-	-	-		(2) PP-01		
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	-	-	-				
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		ASM No :- CSEX260826-05		
		Assembly Perfection	As per Drg.		OK	OK	-	-	-				
		Inner Packing	Labeling & Printing		OK	OK	-	-	-				
		Outer Packing	Printing & Stamping		OK	OK	-	-	-				
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	-	-	-			
		T.L	12.00	11.50	12.50	12.00	11.99	-	-	-			
		O.D	70.00	69.20	70.80	69.95	69.93	-	-	-			
		I.D	63.00	62.20	63.80	63.04	63.06	-	-	-			
		I.D	64.50	63.70	65.30	64.53	64.56	-	-	-			
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant				

Conclusion :



Accept



Reject



Hold





MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-04	Product Name	COMPRESSIBLE INNER SEAL		Size		M63		Drawing No		GI-06s	Date:	14-09-2026
Wo No.	26000258	Total Quantity	8		Lot Quantity		8		Sample Size-		2	Variable & Gauging	2PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	-	-	-				
1	Visual	Surface	Fine, Clean		FINE	FINE	-	-	-		Measuring Instruments LD No-		
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	11	11	11	-	-	-		(1) DV-55		
		Washing & Plating	Surface Finishing	NA	NA	NA	-	-	-		(2) PP-01		
		RUBBER MARKING	AS PER DRG.	OK	OK	OK	-	-	-				
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		ASM No :- CSEX260826-05		
		Assembly Perfection	As per Drg.		OK	OK	-	-	-				
		Inner Packing	Labeling & Printing		OK	OK	-	-	-				
		Outer Packing	Printing & Stamping		OK	OK	-	-	-				
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	-	-	-			
		T.L	15.50	15.00	16.00	15.52	15.55	-	-	-			
		O.D.L	5.50	5.20	5.80	5.55	5.58	-	-	-			
		O.D	66.50	66.30	66.50	66.43	66.46	-	-	-			
		O.D.L	10.00	9.50	10.50	10.02	10.05	-	-	-			
		I.D	56.20	56.20	56.40	56.23	56.28	-	-	-			
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant				

Conclusion : ☒ Accept ☐ Reject ☐ Hold





MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-04	Product Name	O-RING	Size	M63	Drawing No	OR-6M	Date:	14-09-2026			
Wo No.	26000258	Total Quantity	8	Lot Quantity	8	Sample Size-	2	Variable & Gauging	2PCS			
Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	-	-	-			
1	Visual	Surface	Fine, Clean		FINE	FINE	-	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	11	11	11	-	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NA	NA	NA	-	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	-	-	-			
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		ASM No :- CSEX260826-05	
		Assembly Perfection	As per Drg.		OK	OK	-	-	-			
		Inner Packing	Labeling & Printing		OK	OK	-	-	-			
		Outer Packing	Printing & Stamping		OK	OK	-	-	-			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	-	+	1	2	-	-	-		
		THICKNESS	2.50	2.00	2.50	2.04	2.06	-	-	-		
		I.D	55.00	54.20	55.80	55.08	55.07	-	-	-		
INSPECTED BY:		Jay Hadiyal			APPROVED BY:			Shreekant				

Conclusion :



Accept



Reject



Hold





MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-04	Product Name	COMPRESSIBLE OUTER SEAL		Size		M63		Drawing No			GE-06	Date:	14-09-2026
Wo No.	26000258	Total Quantity	8		Lot Quantity		8		Sample Size-			2	Variable & Gauging	2PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS						REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA			1	2	-	-	-				
1	Visual	Surface	Fine, Clean			FINE	FINE	-	-	-		Measuring Instruments I.D No-		
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	11		11	11	-	-	-		(1) DV-55		
		Washing & Plating	Surface Finishing	NA		NA	NA	-	-	-		(2) PP-01		
		RUBBER MARKING	AS PER DRG.	OK		OK	OK	-	-	-				
		Marking	WO Ref. No.	NA		NA	NA	-	-	-		ASM No :- CSEX260826-05		
		Assembly Perfection	As per Drg.			OK	OK	-	-	-				
		Inner Packing	Labeling & Printing			OK	OK	-	-	-				
		Outer Packing	Printing & Stamping			OK	OK	-	-	-				
		All Dimensions Are In MM												
2	DIMENSION		VALUE	-	+	1	2	-	-	-				
		T.L	15.00	14.50	15.50	15.02	15.05	-	-	-				
		O.D	76.20	76.00	76.20	76.14	76.13	-	-	-				
		GR.LENGTH	5.50	5.20	5.80	5.53	5.55	-	-	-				
		I.D	65.60	65.50	65.70	65.65	65.67	-	-	-				
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant					

Conclusion :



Accept



Reject



Hold





MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-04	Product Name	INNER SKID WASHER		Size		M63		Drawing No		IW-06	Date:	14-09-2026
Wo No.	26000258	Total Quantity	8		Lot Quantity		8		Sample Size-		2	Variable & Gauging	2PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS				REJECTION REWORK DETAIL	REMARK	CHECKED BY	
		PARAMETER	CRITERIA		1	2	-	-	-				
1	Visual	Surface	Fine, Clean		FINE	FINE	-	-	-		Measuring Instruments LD No-		
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	11	11	11	-	-	-		(1) DV-55		
		Washing & Plating	Surface Finishing	NA	NA	NA	-	-	-		(2) PP-01		
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	-	-	-				
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		ASM No :- CSEX260826-05		
		Assembly Perfection	As per Drg.		OK	OK	-	-	-				
		Inner Packing	Labeling & Printing		OK	OK	-	-	-				
		Outer Packing	Printing & Stamping		OK	OK	-	-	-				
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	-	-	-			
		T.L	5.50	5.20	5.80	5.52	5.55	-	-	-			
		O.D	65.00	64.80	65.00	64.90	64.93	-	-	-			
		O.D	59.50	59.30	59.50	59.45	59.48	-	-	-			
		O.D.L	4.00	4.00	4.20	4.02	4.05	-	-	-			
		I.D	56.50	56.50	56.70	56.53	56.56	-	-	-			
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant				

Conclusion : ☒ Accept ☐ Reject ☐ Hold





MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-04	Product Name	OUTER SKID WASHER		Size		M63		Drawing No		OW-06	Date:	14-09-2026
Wo No.	26000258	Total Quantity	8		Lot Quantity		8		Sample Size-		2	Variable & Gauging	2PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS				REJECTION REWORK DETAIL	REMARK	CHECKED BY	
		PARAMETER	CRITERIA		1	2	-	-	-				
1	Visual	Surface	Fine, Clean		FINE	FINE	-	-	-		Measuring Instruments LD No-		
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	11	11	11	-	-	-		(1) DV-55		
		Washing & Plating	Surface Finishing	NA	NA	NA	-	-	-		(2) PP-01		
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	-	-	-				
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		ASM No :- CSEX260826-05		
		Assembly Perfection	As per Drg.		OK	OK	-	-	-				
		Inner Packing	Labeling & Printing		OK	OK	-	-	-				
		Outer Packing	Printing & Stamping		OK	OK	-	-	-				
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	-	-	-			
		T.L	7.00	6.70	7.30	7.01	7.03	-	-	-			
		O.D	73.00	73.00	73.10	73.02	73.06	-	-	-			
		O.D	69.50	69.30	69.50	69.43	69.48	-	-	-			
		O.D.L	4.50	4.50	4.60	4.55	4.54	-	-	-			
		I.D	66.00	66.00	66.20	66.04	66.08	-	-	-			
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant				

Conclusion : ☒ Accept ☐ Reject ☐ Hold

