



MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-04	Product Name	LOCK NUT		Size		1/2" NPT		Drawing No.		DL1NS	Date:	23-09-2026
Wo No.	26000227	Total Quantity	225		Lot Quantity		225		Sample Size-		3	Variable & Gauging	3PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	3	-	-				
1	Visual	Surface	Fine, Clean		FINE	FINE	FINE	-	-				
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	15	15	15	15	-	-		Measuring Instruments I.D No-		
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	-	-		(1) DV-55		
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	NA	-	-		(2) PP-01		
		Marking	WO Ref. No.	NA	NA	NA	NA	-	-		ASM No :- CSEX260914-05		
		Assembly Perfection	As per Drg.		OK	OK	OK	-	-				
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-				
		Outer Packing	Printing & Stamping		OK	OK	OK	-	-				
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	3	-	-			
		A/F	24.00	23.87	24.00	23.89	23.90	23.91	-	-			
		A/C	26.00	25.50	26.50	25.99	26.00	25.98	-	-			
		T.L	4.00	3.70	4.30	4.00	4.01	4.00	-	-			
		THREAD	1/2" NPT AS PER P.G GO NOT GO			OK	OK	OK	-	-			
		CH.ANGLE	30° AS PER PP FOUND			OK	OK	OK	-	-			
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant				

Conclusion :



Accept



Reject



Hold





MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-04	Product Name	ENTRY COMPONENT		Size		1/2" NPT		Drawing No.		313001M-01	Date:	23-09-2026		
Wo No.	26000227	Total Quantity	225		Lot Quantity		225		Sample Size-		3	Variable & Gaging	3PCS		
Sr. No.	Checking Parameter	REQUIRED PARAMETER					OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY	
		PARAMETER	CRITERIA		1	2	3	-	-						
1	Visual	Surface	Fine, Clean		FINE	FINE	FINE	-	-						
		Size wise No of Pcs. With Internal Parts	As per Drg. No. of Parts	15	15	15	-	-							
		Washing & Plating	Surface Finishing	NA	NA	NA	-	-							
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	-	-							
		Marking	WO Ref. No.	Metalmech Logo MM-EX- E1FUVN201NX6 2026 CE Logo 2460 Ex Logo II 2 GD Ex db IIC	OK	OK	OK	-	-						
		Assembly Perfection	As per Drg.	OK	OK	OK	-	-							
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-						
		Outer Packing	Printing & Stamping	OK	OK	OK	-	-							
		All Dimensions Are In MM													
		2	DIMENSION	VALUE	-	+	1	2	3	-	-				
A/F	27.00			26.87	27.20	26.93	26.95	26.94	-	-					
A/C	30.00			29.50	30.50	29.55	29.54	29.53	-	-					
T.L	36.00			36.00	36.50	36.06	36.05	36.04	-	-					
TH.L	20.00			20.00	20.50	20.04	20.03	20.05	-	-					
O.D	26.50			26.00	27.00	26.34	26.36	26.35	-	-					
O.D.L	9.00			8.50	9.50	9.03	9.02	9.05	-	-					
H.L	7.00			6.70	7.30	7.05	7.04	7.03	-	-					
I.D	14.10			13.60	14.60	14.13	14.14	14.15	-	-					
DEPTH	11.50			11.00	12.00	11.55	11.53	11.56	-	-					
THREAD	1/2" NPT AS PER T.R.G GO NOT GO			OK	OK	OK	-	-							
INT.THREAD	M24x1.5 AS PER P.G GO NOT GO			OK	OK	OK	-	-							
CH.ANGLE	1x45° AS PER PP FOUND			OK	OK	OK	-	-							
CH.ANGLE	1.6x45° AS PER PP FOUND			OK	OK	OK	-	-							
CH.ANGLE	0.5x45° AS PER PP FOUND			OK	OK	OK	-	-							
CH.ANGLE	20° AS PER PP FOUND			OK	OK	OK	-	-							
ANGLE	90° AS PER PP FOUND			OK	OK	OK	-	-							

INSPECTED BY:

Jay Hadiyal

APPROVED BY:

Shreekant

Conclusion :

☒ Accept ☐ Reject ☐ Hold





MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-04	Product Name	INTERMEDIATE BODY		Size	1/2" NPT		Drawing No.		313002U-01	Date:	23-09-2026	
Wo No.	26000227	Total Quantity	225		Lot Quantity	225		Sample Size-		3	Variable & Gauging	3PCS	
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS				REJECTION REWORK DETAIL	REMARK	CHECKED BY	
		PARAMETER	CRITERIA		1	2	3	-	-				
1	Visual	Surface	Fine, Clean		FINE	FINE	FINE	-	-		Measuring Instruments LO No.		
		Size wise No of Pcs. With Internal Parts	As per Drg. No. of Parts	15	15	15	15	-	-		(1) DV-55		
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	-	-		(2) PP-01		
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	NA	-	-				
		Marking	WO Ref. No.	NA	NA	NA	NA	-	-		ASM No :- CSEX260914-05		
		Assembly Perfection	As per Drg.		OK	OK	OK	-	-				
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-				
		Outer Packing	Printing & Stamping		OK	OK	OK	-	-				
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	3	-	-			
		A/F	31.00	30.84	31.00	31.93	31.92	31.95	-	-		DEVIATION CONFIRMED WITH GAURAV SIR	
		A/C	34.00	33.20	34.80	35.00	34.99	34.98	-	-		DEVIATION CONFIRMED WITH GAURAV SIR	
		T.L	25.00	24.50	25.50	25.02	25.01	25.02	-	-			
		TH.L	10.50	10.00	11.00	10.53	10.52	10.55	-	-			
		GR.OD	22.00	21.50	22.50	21.89	21.90	21.92	-	-			
		GR.LE	1.00	0.80	1.20	1.00	0.99	1.00	-	-			
		H.L	5.00	4.70	5.30	4.93	4.95	4.96	-	-			
		TH.L	9.50	9.00	10.00	9.55	9.54	9.53	-	-			
		GR.OD	26.00	25.50	26.50	25.89	25.90	25.88	-	-			
		GR.LE	1.00	0.80	1.20	1.00	1.01	1.02	-	-			
		I.D	20.00	19.50	20.50	20.06	20.05	20.04	-	-			
		I.D	22.50	22.00	23.00	22.55	22.54	22.53	-	-			
		DEPTH	7.00	6.70	7.30	6.98	6.99	6.98	-	-			
		I.D	20.50	20.00	21.00	20.56	20.54	20.56	-	-			
		I.D.LE	6.00	5.70	6.30	6.01	5.99	6.01	-	-			
		DEPTH	13.00	12.50	13.50	13.06	13.05	13.05	-	-			
		THREAD	M24x1.5 AS PER T.R.G GO NOT GO			OK	OK	OK	-	-			
		THREAD	M28x1.5 AS PER T.R.G GO NOT GO			OK	OK	OK	-	-			
		CH.ANGLE	1x45° AS PER PP FOUND			OK	OK	OK	-	-			
		CH.ANGLE	20° AS PER PP FOUND			OK	OK	OK	-	-			
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant				

Conclusion :



Accept



Reject



Hold





MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-04	Product Name	MIDDLE BODY		Size	1/2" NPT		Drawing No.	313002-01	Date:	23-09-2026		
Wo No.	26000227	Total Quantity	225		Lot Quantity	225		Sample Size-	3	Variable & Gauging	3PCS		
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS				REJECTION REWORK DETAIL	REMARK	CHECKED BY	
		PARAMETER	CRITERIA		1	2	3	-	-				
1	Visual	Surface	Fine, Clean		FINE	FINE	FINE	-	-		Measuring Instruments I.D No.		
		Size wise No of Pcs. With Internal Parts	As per Drg. No. of Parts	15	15	15	15	-	-		(1) DV-55		
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	-	-		(2) PP-01		
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	NA	-	-				
		Marking	WO Ref. No.	NA	NA	NA	NA	-	-		ASM No :- CSEX260914-05		
		Assembly Perfection	As per Drg.		OK	OK	OK	-	-				
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-				
		Outer Packing	Printing & Stamping		OK	OK	OK	-	-				
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	3	-	-			
		A/F	31.00	30.84	31.00	31.93	31.95	31.94	-	-		DEVIATION CONFIRMED WITH GAURAV SIR	
		A/C	34.00	33.20	34.80	34.97	34.99	34.98	-	-		DEVIATION CONFIRMED WITH GAURAV SIR	
		T.L	27.00	26.50	27.50	26.98	27.00	26.99	-	-			
		TH.L	14.00	13.50	14.50	14.01	14.00	14.02	-	-			
		GROD	27.00	26.50	27.50	26.91	26.92	26.95	-	-			
		GR.LE	1.00	0.80	1.20	1.00	0.99	1.00	-	-			
		O.D	30.00	29.50	30.50	30.02	30.01	30.03	-	-			
		O.D.L	6.00	5.70	6.30	5.97	5.98	5.98	-	-			
		H.L	7.00	6.70	7.30	7.04	7.03	7.03	-	-			
		I.D	21.00	20.50	21.50	21.03	21.01	21.03	-	-			
		INT.THL	11.50	11.00	12.00	11.55	11.54	11.55	-	-			
		I.D	24.50	24.00	25.00	24.53	24.55	24.54	-	-			
		DEPTH	15.50	15.00	16.00	15.55	15.58	15.56	-	-			
		THREAD	M29x1.5 AS PER T.R.G GO NOT GO			OK	OK	OK	-	-			
		INT.THREAD	M28x1.5 AS PER P.G GO NOT GO			OK	OK	OK	-	-			
		CH.ANGLE	1x45° AS PER PP FOUND			OK	OK	OK	-	-			
		CH.ANGLE	20° AS PER PP FOUND			OK	OK	OK	-	-			
		INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant		

INSPECTED BY:

Jay Hadiyal

APPROVED BY:

Shreekant

Conclusion :



Accept



Reject



Hold



MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-04	Product Name	BACK NUT		Size		1/2" NPT		Drawing No.		313003-01	Date:	23-09-2026	
Wo No.	26000227	Total Quantity	225		Lot Quantity		225		Sample Size-		3	Variable & Gauging	3PCS	
Sr. No.	Checking Parameter	REQUIRED PARAMETER					OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA			1	2	3	-	-				
1	Visual	Surface	Fine, Clean			FINE	FINE	FINE	-	-				
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	15	15	15	15	-	-		(1) DV-55			
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	-	-		(2) PP-01			
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	NA	-	-					
		Marking	WO Ref. No.	NA	NA	NA	NA	-	-		ASM No :- CSEX260914-05			
		Assembly Perfection	As per Drg.			OK	OK	OK	-	-				
		Inner Packing	Labeling & Printing				OK	OK	OK	-	-			
		Outer Packing	Printing & Stamping			OK	OK	OK	-	-				
All Dimensions Are In MM														
2	DIMENSION		VALUE	-	+	1	2	3	-	-				
		A/F	31.00	30.84	31.00	31.90	31.89	31.91	-	-		DEVIATION CONFIRMED WITH GAURAV SR		
		A/C	34.00	33.20	34.80	35.01	35.00	34.99	-	-		DEVIATION CONFIRMED WITH GAURAV SR		
		T.L	20.00	19.50	20.50	20.01	20.00	20.02	-	-				
		O.D	30.50	29.70	31.30	30.53	30.55	30.54	-	-				
		O.D.L	8.00	7.70	8.30	8.01	7.99	8.00	-	-				
		H.L	12.00	11.50	12.50	12.02	12.01	12.03	-	-				
		I.D	24.50	24.00	25.00	24.51	24.50	24.49	-	-				
		INT.TH.L	4.00	3.70	4.30	4.01	3.99	4.01	-	-				
		GR.ID	29.20	28.70	29.70	29.22	29.24	29.26	-	-				
		GR.LE	12.50	12.00	13.00	12.52	12.49	12.51	-	-				
		DEPTH	16.50	16.00	17.00	16.51	16.50	16.50	-	-				
		GR.ID	27.50	27.00	28.00	27.52	27.51	27.53	-	-				
		GR.LE	2.00	1.80	2.20	2.01	1.99	2.01	-	-				
		DEPTH	18.50	18.00	19.00	18.52	18.54	18.54	-	-				
		INT.THREAD	M29x1.5 AS PER P.G GO NOT GO			OK	OK	OK	-	-				
		CH.ANGLE	1x45° AS PER PP FOUND			OK	OK	OK	-	-				
		CH.ANGLE	0.5x45° AS PER PP FOUND			OK	OK	OK	-	-				
		CH.ANGLE	30° AS PER PP FOUND			OK	OK	OK	-	-				
		CH.ANGLE	45° AS PER PP FOUND			OK	OK	OK	-	-				
		INSPECTED BY:		Jay Hadiyal			APPROVED BY:					Shreekant		

Conclusion :

☒ Accept

☐ Reject

☐ Hold





MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-04	Product Name	UNIVERSAL CLAMPING CONE		Size	1/2" NPT		Drawing No.	313005-01		Date:	23-09-2026	
Wo No.	26000227	Total Quantity	225		Lot Quantity	225		Sample Size-	3		Variable & Gauging	3PCS	
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS				REJECTION REWORK DETAIL	REMARK	CHECKED BY	
		PARAMETER	CRITERIA		1	2	3	-	-				
		Surface	Fine, Clean		FINE	FINE	FINE	-	-		Measuring Instruments ID No.		
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	15	15	15	15	-	-		(1) DV-55		
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	-	-		(2) PP-01		
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	NA	-	-				
		Marking	WO Ref. No.	NA	NA	NA	NA	-	-		ASM No :- CSEX260914-05		
		Assembly Perfection	As per Drg.		OK	OK	OK	-	-				
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-				
		Outer Packing	Printing & Stamping		OK	OK	OK	-	-				
		All Dimensions Are In MM											
			VALUE	-	+	1	2	3	-	-			
		T.L	22.00	21.50	22.50	22.00	22.01	22.01	-	-			
		O.D	16.50	16.00	17.00	16.56	16.55	16.54	-	-			
		O.D.L	4.00	3.70	4.30	4.01	3.99	4.00	-	-			
		O.D	17.80	17.30	18.30	17.79	17.78	17.79	-	-			
		O.D.L	2.50	2.30	2.70	2.52	2.50	2.51	-	-			
		GR.LENGTH	0.50	0.30	0.70	0.50	0.49	0.50	-	-			
		O.D	18.80	18.30	19.30	18.79	18.80	18.78	-	-			
		O.D.L	7.50	7.20	7.80	7.52	7.50	7.51	-	-			
		O.D	22.00	21.50	22.50	21.91	21.93	21.94	-	-			
		O.D.L	7.00	6.70	7.30	7.00	7.00	7.01	-	-			
		O.D	16.50	16.00	17.00	16.55	16.54	16.53	-	-			
		O.D.L	4.50	4.20	4.80	4.52	4.50	4.51	-	-			
		O.D	17.00	16.50	17.50	17.03	17.00	17.04	-	-			
		O.D	17.50	17.00	18.00	17.52	17.53	17.56	-	-			
		O.D	18.00	17.50	18.50	18.03	18.01	18.02	-	-			
		O.D.L	7.50	7.20	7.80	7.52	7.51	7.53	-	-			
		LD	14.00	13.50	14.50	14.05	14.04	14.06	-	-			
		RADIUS	0.5 MM AS PER PP FOUND			OK	OK	OK	-	-			
		RADIUS	0.3 AS PER PP FOUND			OK	OK	OK	-	-			
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant				

Conclusion :



Accept



Reject



Hold



MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-04	Product Name	REVERSIBLE ARMOUR RING		Size		1/2" NPT		Drawing No.		313004-01	Date:	23-09-2026
Wo No.	26000227	Total Quantity	225		Lot Quantity		225		Sample Size-		3	Variable & Gauging	3PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA			1	2	3	-	-			
1	Visual	Surface	Fine, Clean			FINE	FINE	FINE	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	15	15	15	15	-	-		(1) DV-55		
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	-	-		(2) PP-01		
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	NA	-	-				
		Marking	WO Ref. No.	NA	NA	NA	NA	-	-		ASM No :- CSEX260914-05		
		Assembly Perfection	As per Drg.		OK	OK	OK	-	-				
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-				
		Outer Packing	Printing & Stamping			OK	OK	OK	-	-			
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	3	-	-			
		T.L	6.00	5.70	6.30	6.00	6.00	6.01	-	-			
		O.D	23.50	23.00	24.00	23.49	23.48	23.48	-	-			
		I.D	18.50	18.00	19.00	18.55	18.54	18.53	-	-			
		I.D	19.50	19.00	20.00	19.56	19.59	19.55	-	-			
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant				

Conclusion :



Accept



Reject



Hold



MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-04	Product Name	COMPRESSIBLE INNER SEAL		Size	1/2" NPT		Drawing No.	GI-01		Date:	23-09-2026
Wo No.	26000227	Total Quantity	225		Lot Quantity	225		Sample Size-	3		Variable & Gauging	3PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS				REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA			1	2	3	-			
1	Visual	Surface	Fine, Clean			FINE	FINE	FINE	-	-		
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	15	15	15	15	-	-		Measuring Instruments I.D No-	
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	-	-		(1) DV-55	
		RUBBER MARKING	AS PER DRG.	OK	OK	OK	OK	-	-		(2) PP-01	
		Marking	WO Ref. No.	NA	NA	NA	NA	-	-		ASM No :- CSEX260914-05	
		Assembly Perfection	As per Drg.			OK	OK	OK	-	-		
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-			
		Outer Packing	Printing & Stamping			OK	OK	OK	-	-		
		All Dimensions Are In MM										
2	DIMENSION		VALUE	-	+	1	2	3	-	-		
		T.L	10.50	10.00	11.00	10.54	10.56	10.58	-	-		
		O.D.L	4.00	3.70	4.30	3.94	3.96	3.95	-	-		
		O.D	22.50	22.30	22.50	22.41	22.39	22.42	-	-		
		O.D.L	6.50	6.20	6.80	6.48	6.50	6.49	-	-		
		I.D	14.00	14.00	14.20	14.07	14.09	14.06	-	-		
INSPECTED BY:		<i>Jay Hadiyal</i>			APPROVED BY:				<i>Shreekant</i>			

Conclusion :



Accept



Reject



Hold





MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-04	Product Name	COMPRESSIBLE OUTER SEAL		Size		1/2" NPT		Drawing No.		GE-01	Date:	23-09-2026
Wo No.	26000227	Total Quantity	225		Lot Quantity		225		Sample Size-		3	Variable & Gauging	3PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS				REJECTION REWORK DETAIL	REMARK	CHECKED BY	
		PARAMETER	CRITERIA			1	2	3	-				-
1	Visual	Surface	Fine, Clean			FINE	FINE	FINE	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	15	15	15	15	-	-		(1) DV-55		
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	-	-		(2) PP-01		
		RUBBER MARKING	AS PER DRG.	OK	OK	OK	OK	-	-				
		Marking	WO Ref. No.	NA	NA	NA	NA	-	-		ASM No :- CSEX260914-05		
		Assembly Perfection	As per Drg.			OK	OK	OK	-	-			
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-				
		Outer Packing	Printing & Stamping			OK	OK	OK	-	-			
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	3	-	-			
		T.L	11.00	10.50	11.50	11.01	11.03	11.02	-	-			
		O.D	28.50	28.30	28.50	28.41	28.43	28.46	-	-			
		GR.LENGTH	3.50	3.20	3.80	3.50	3.48	3.49	-	-			
		I.D	20.90	20.90	21.00	20.92	20.93	20.95	-	-			
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant				

Conclusion :



Accept



Reject



Hold



MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-04	Product Name	INNER SKID WASHER		Size	1/2" NPT		Drawing No.	IW-01	Date:	23-09-2026	
Wo No.	26000227	Total Quantity	225		Lot Quantity	225		Sample Size-	3	Variable & Gauging	3PCS	
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS				REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA			1	2	3	-			
1	Visual	Surface	Fine, Clean			FINE	FINE	FINE	-	-		
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	15	15	15	15	-	-		Measuring Instruments I.D No-	
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	-	-		(1) DV-55	
		RUBBER MARKING	AS PER DRG.	OK	OK	OK	OK	-	-		(2) PP-01	
		Marking	WO Ref. No.	NA	NA	NA	NA	-	-		ASM No :- CSEX260914-05	
		Assembly Perfection	As per Drg.			OK	OK	OK	-	-		
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-			
		Outer Packing	Printing & Stamping			OK	OK	OK	-	-		
		All Dimensions Are In MM										
2	DIMENSION		VALUE	-	+	1	2	3	-	-		
		T.L	5.00	4.70	5.30	5.03	5.02	5.03	-	-		
		O.D	22.00	21.80	22.00	21.90	21.89	21.91	-	-		
		O.D	19.50	19.30	19.50	19.42	19.39	19.42	-	-		
		O.D.L	3.00	3.00	3.20	3.02	3.00	3.01	-	-		
		I.D	14.00	14.00	14.20	14.10	14.09	14.08	-	-		
INSPECTED BY:		<i>Jay Hadiyal</i>			APPROVED BY:			<i>Shreekant</i>				

Conclusion :



Accept



Reject



Hold



MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-04	Product Name	OUTER SKID WASHER		Size	1/2" NPT		Drawing No.	OW-01	Date:	23-09-2026		
Wo No.	26000227	Total Quantity	225		Lot Quantity	225		Sample Size-	3	Variable & Gauging	3PCS		
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS				REJECTION REWORK DETAIL	REMARK	CHECKED BY	
		PARAMETER	CRITERIA			1	2	3	-				-
1	Visual	Surface	Fine, Clean			FINE	FINE	FINE	-	-			
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	15	15	15	15	-	-				
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	-	-				
		RUBBER MARKING	AS PER DRG.	OK	OK	OK	OK	-	-				
		Marking	WO Ref. No.	NA	NA	NA	NA	-	-				
		Assembly Perfection	As per Drg.			OK	OK	OK	-	-			
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-				
		Outer Packing	Printing & Stamping			OK	OK	OK	-	-			
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	3	-	-			
		T.L	6.50	6.20	6.80	6.50	6.49	6.51	-	-			
		O.D	27.00	27.00	27.10	27.00	27.01	27.00	-	-			
		O.D	24.50	24.30	24.50	24.39	24.38	24.40	-	-			
		O.D.L	4.00	4.00	4.10	4.02	4.01	4.03	-	-			
		I.D	6.50	6.50	6.60	6.52	6.54	6.55	-	-			
INSPECTED BY:		<i>Jay Hadiyal</i>			APPROVED BY:				<i>Shreekant</i>				

Conclusion :



Accept



Reject



Hold



MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-04	Product Name	EARTH TAG	Size	1/2" NPT		Drawing No.	-	Date:	23-09-2026			
Wo No.	26000227	Total Quantity	225	Lot Quantity	225		Sample Size-	3	Variable & Gauging	3PCS			
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS				REJECTION REWORK DETAIL	REMARK	CHECKED BY	
		PARAMETER	CRITERIA			1	2	3	-				-
1	Visual	Surface	Fine, Clean			FINE	FINE	FINE	-	-			
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	15	15	15	15	-	-				
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	-	-				
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	NA	-	-				
		Marking	WO Ref. No.	NA	NA	NA	NA	-	-				
		Assembly Perfection	As per Drg.			OK	OK	OK	-	-			
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-				
		Outer Packing	Printing & Stamping			OK	OK	OK	-	-			
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	3	-	-			
		THICKNESS	1.50	1.30	1.70	1.45	1.44	1.43	-	-			
		O.D	30.20	29.40	31.00	30.19	30.20	30.21	-	-			
		O.D	13.20	12.70	13.70	13.25	13.22	13.23	-	-			
		I.D	22.00	21.50	22.50	22.08	22.09	22.07	-	-			
		I.D	6.50	6.20	6.80	6.54	6.56	6.58	-	-			
INSPECTED BY:		<i>Jay Hadiyal</i>			APPROVED BY:			<i>Shreekant</i>					

Conclusion :



Accept



Reject



Hold





MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-04	Product Name	SHROUD		Size	C-2032		Drawing No.	-	Date:	23-09-2026	
Wo No.	26000227	Total Quantity	225		Lot Quantity	225		Sample Size-	3	Variable & Gauging	3PCS	
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS				REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	3	-	-			
1	Visual	Surface	Fine, Clean		FINE	FINE	FINE	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	15	15	15	15	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	NA	-	-			
		Marking	WO Ref. No.	NA	NA	NA	NA	-	-		ASM No :- CSEX260914-05	
		Assembly Perfection	As per Drg.		OK	OK	OK	-	-			
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-			
		Outer Packing	Printing & Stamping		OK	OK	OK	-	-			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	-	+	1	2	3	-	-		
		T.L	130.00	129.20	130.80	130.11	130.16	130.13	-	-		
		I.D	32.00	31.20	32.80	32.05	32.09	32.06	-	-		
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant			

Conclusion : ☒ Accept ☐ Reject ☐ Hold





MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-04	Product Name	NYLON WASHER	Size	1/2" NPT	Drawing No.	-	Date:	23-09-2026			
Wo No.	26000227	Total Quantity	225	Lot Quantity	225	Sample Size-	3	Variable & Gauging	3PCS			
Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	3	-	-			
1	Visual	Surface	Fine, Clean		FINE	FINE	FINE	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	15	15	15	15	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	NA	-	-			
		Marking	WO Ref. No.	NA	NA	NA	NA	-	-		ASM No :- CSEX260914-05	
		Assembly Perfection	As per Drg.		OK	OK	OK	-	-			
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-			
		Outer Packing	Printing & Stamping		OK	OK	OK	-	-			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	-	+	1	2	3	-	-		
		THICKNESS	1.50	1.30	1.70	1.45	1.48	1.47	-	-		
		I.D	22.00	21.50	22.50	22.25	22.24	22.26	-	-		
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant			

Conclusion :



Accept



Reject



Hold





MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-04	Product Name	STAR WASHER		Size	1/2" NPT		Drawing No.	-	Date:	23-09-2026		
Wo No.	26000227	Total Quantity	225		Lot Quantity	225		Sample Size-	3	Variable & Gauging	3PCS		
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS				REJECTION REWORK DETAIL	REMARK	CHECKED BY	
		PARAMETER	CRITERIA			1	2	3	-				-
1	Visual	Surface	Fine, Clean			FINE	FINE	FINE	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	15	15	15	15	-	-		(1) DV-55		
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	-	-		(2) PP-01		
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	NA	-	-				
		Marking	WO Ref. No.	NA	NA	NA	NA	-	-		ASM No :- CSEX260914-05		
		Assembly Perfection	As per Drg.			OK	OK	OK	-	-			
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-				
		Outer Packing	Printing & Stamping			OK	OK	OK	-	-			
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	3	-	-			
		O.D	33.00	32.70	33.30	33.06	33.05	33.04	-	-			
		I.D	21.50	21.00	22.00	21.59	21.60	21.58	-	-			
		T.L	4.00	3.70	4.30	4.06	4.05	4.03	-	-			
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant				

Conclusion : ☒ Accept ☐ Reject ☐ Hold

