

		MetalMech-08500-FR-QX-08-Final Inspection Report-EX											
INSP. No.	FIR-07	Product Name	LOCK NUT			Size	M20			Drawing No.	DL1M	Date:	26-08-2026
Wo No.	26100080	Total Quantity	75			Lot Quantity	75			Sample Size-	3	Variable & Gauging	3PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA			1	2	3	-	-			
1	Visual	Surface	Fine, Clean			FINE	FINE	FINE	-	-			
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	16	16	16	16	-	-				
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	-	-				
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	NA	-	-				
		Marking	WO Ref. No.	NA	NA	NA	NA	-	-				
		Assembly Perfection	As per Drg.			OK	OK	OK	-	-			
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-				
		Outer Packing	Printing & Stamping			OK	OK	OK	-	-			
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	3	-	-			
		A/F	24.00	23.87	24.00	23.97	23.94	23.95	-	-			
		A/C	26.00	25.50	26.50	26.00	25.99	25.98	-	-			
		T.L	3.50	3.20	3.80	3.49	3.51	3.50	-	-			
		THREAD	M20x1.5 AS PER P.G GO NOT GO			OK	OK	OK	-	-			
		CH.ANGLE	30° AS PER PP FOUND			OK	OK	OK	-	-			
INSPECTED BY:		Jay Hadiyal				APPROVED BY:				Shreekant			

Conclusion :

☒

Accept

☐

Reject

☐

Hold





MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-07	Product Name	ENTRY COMPONENT		Size		M20		Drawing No.		313001M-00	Date:	26-08-2026
Wo No.	26100080	Total Quantity	75		Lot Quantity		75		Sample Size-		3	Variable & Gauging	3PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	3	-	-				
1	Visual	Surface	Fine, Clean		FINE	FINE	FINE	-	-		Measuring Instruments I2 No.		
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	16	16	16	16	-	-		(1) DV-55		
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	-	-		(2) PP-01		
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	NA	-	-				
		Marking	WO Ref. No.	Metalmech Logo MM-EX- EIFUNV20s1616IMX6 2026 CE Logo 2460 Ex Logo II 2 GD Ex db IIC		OK	OK	OK	-	-	ASM No :- CSEX260810-02		
		Assembly Perfection	As per Drg.		OK	OK	OK	-	-				
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-				
		Outer Packing	Printing & Stamping		OK	OK	OK	-	-				
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	3	-	-			
		A/F	25.00	24.87	25.00	25.40	25.39	25.38	-	-		Deviation Confirmed With Gaurav Sir	
		A/C	27.50	27.00	28.00	27.50	27.49	27.50	-	-			
		T.L	32.00	32.00	32.50	32.05	32.04	32.03	-	-			
		TH.L	13.00	12.50	13.50	12.99	13.00	13.01	-	-			
		LENGTH	17.00	17.00	17.50	17.05	17.04	17.06	-	-			
		GR.OD	18.00	18.00	18.50	17.92	17.91	17.90	-	-			
		GR.LE	2.50	2.30	2.70	2.52	2.50	2.51	-	-			
		O.D	24.50	24.00	25.00	24.50	24.49	24.50	-	-			
		O.D.L	9.00	8.50	9.50	9.02	9.01	9.03	-	-			
		H.L	6.00	5.70	6.30	6.06	6.09	6.08	-	-			
		I.D	9.00	8.50	9.50	9.06	9.05	9.03	-	-			
		DEPTH	11.50	11.00	12.00	11.53	11.52	11.55	-	-			
		THREAD	M20x1.5 AS PER T.R.G GO NOT GO		OK	OK	OK	-	-				
		INT.THREAD	M20x1.5 AS PER P.G GO NOT GO		OK	OK	OK	-	-				
		CH.ANGLE	0.5x45° AS PER PP FOUND		OK	OK	OK	-	-				
		CH.ANGLE	1.5x45° AS PER PP FOUND		OK	OK	OK	-	-				
		CH.ANGLE	20° AS PER PP FOUND		OK	OK	OK	-	-				
		ANGLE	90° AS PER PP FOUND		OK	OK	OK	-	-				
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant				

Conclusion :



Accept



Reject



Hold





MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-07	Product Name	INTERMEDIATE BODY		Size		M20		Drawing No.		313002U-00	Date:	26-08-2026
Wo No.	26100080	Total Quantity	75		Lot Quantity		75		Sample Size-		3	Variable & Gauging	3PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS				REJECTION REWORK DETAIL	REMARK	CHECKED BY	
		PARAMETER	CRITERIA		1	2	3	-	-				
1	Visual	Surface	Fine, Clean		FINE	FINE	FINE	-	-		Measuring Instruments I.D No:-		
		Size/wise No of Pcs. With Internal Parts	As per Drg. No. of Parts	16	16	16	16	-	-		(1) DV-55		
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	-	-		(2) PP-01		
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	NA	-	-				
		Marking	WO Ref. No.	NA	NA	NA	NA	-	-		ASM No :- CSEX260810-02		
		Assembly Perfection	As per Drg.		OK	OK	OK	-	-				
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-				
		Outer Packing	Printing & Stamping		OK	OK	OK	-	-				
All Dimensions Are In MM													
2	DIMENSION		VALUE	-	+	1	2	3	-	-			
		A/F	25.00	24.87	25.00	25.33	25.32	25.34	-	-		Deviation Confirmed With Gauge & Sr	
		A/C	27.50	27.00	28.00	27.51	27.50	27.49	-	-			
		T.L	22.00	21.50	22.50	22.03	22.02	22.06	-	-			
		TH.L	10.00	9.50	10.50	10.02	10.01	10.03	-	-			
		GR.OD	18.00	17.50	18.50	17.97	17.99	17.98	-	-			
		GR.LE	1.00	0.80	1.20	1.01	1.00	1.00	-	-			
		H.L	4.00	3.70	4.30	4.02	4.01	4.03	-	-			
		TH.L	8.00	7.70	8.30	8.01	8.00	8.02	-	-			
		GR.OD	20.00	19.50	20.50	20.00	19.98	19.99	-	-			
		GR.LE	1.00	0.80	1.20	1.01	1.00	1.00	-	-			
		LD	16.00	15.50	16.50	16.04	16.03	16.05	-	-			
		LD	18.00	17.50	18.50	18.05	18.04	18.06	-	-			
		DEPTH	7.00	6.70	7.30	7.00	6.99	7.01	-	-			
		LD	17.00	16.50	17.50	17.03	17.02	17.04	-	-			
		LD.LE	4.50	4.20	4.80	4.49	4.51	4.50	-	-			
		DEPTH	11.50	11.00	12.00	11.51	11.53	11.52	-	-			
		THREAD	M20x1.5 AS PER T.R.G GO NOT GO		OK	OK	OK	-	-				
		THREAD	M22x1.5 AS PER T.R.G GO NOT GO		OK	OK	OK	-	-				
		CH.ANGLE	1.5x45° AS PER PP FOUND		OK	OK	OK	-	-				
		CH.ANGLE	0.5x45° AS PER PP FOUND		OK	OK	OK	-	-				
		CH.ANGLE	20° AS PER PP FOUND		OK	OK	OK	-	-				
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant				

Conclusion :



Accept



Reject



Hold





MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-07	Product Name		MIDDLE BODY		Size		M20		Drawing No.		313002-00	Date:	26-08-2026
Wo No.	26100080	Total Quantity		75		Lot Quantity		75		Sample Size-		3	Variable & Gauging	3PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY	
		PARAMETER	CRITERIA			1	2	3	-	-				
1	Visual	Surface	Fine, Clean			FINE	FINE	FINE	-	-		Measuring Instruments I.D No.		
		Size/wise No of Pcs. With Internal Parts	As per Drg. No. of Parts	16	16	16	16	-	-		(1) DV-55			
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	-	-		(2) PP-01			
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	NA	-	-					
		Marking	WO Ref. No.	NA	NA	NA	NA	-	-		ASM No :- CSEX260810-02			
		Assembly Perfection	As per Drg.			OK	OK	OK	-	-				
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-					
		Outer Packing	Printing & Stamping			OK	OK	OK	-	-				
All Dimensions Are In MM														
2	DIMENSION		VALUE	-	+	1	2	3	-	-				
		A/F	25.00	24.87	25.00	25.33	25.35	25.34	-	-		Deviation Confirmed With Gauge & S/R		
		A/C	27.50	27.00	28.00	27.50	27.49	27.48	-	-				
		T.L	28.00	27.50	28.50	28.02	28.01	28.03	-	-				
		TH.L	12.00	11.50	12.50	12.03	12.03	12.04	-	-				
		GR.OD	20.50	20.00	21.00	20.49	20.48	20.48	-	-				
		GR.LE	1.00	0.80	1.20	1.01	1.00	1.00	-	-				
		O.D	24.50	24.00	25.00	24.50	24.49	24.48	-	-				
		O.D.L	8.00	7.70	8.30	8.02	8.01	8.04	-	-				
		H.L	8.00	7.70	8.30	7.99	8.00	7.80	-	-				
		I.D	16.00	15.50	16.50	16.03	16.02	16.04	-	-				
		I.D	17.00	16.50	17.50	17.02	17.04	17.03	-	-				
		I.D.LE	4.00	3.70	4.30	4.01	4.03	4.04	-	-				
		INT.TH.L	9.50	9.00	10.00	9.51	9.49	9.50	-	-				
		I.D	20.00	19.50	20.50	20.03	20.02	20.04	-	-				
		DEPTH	14.00	13.50	14.50	14.01	13.99	14.00	-	-				
		THREAD	M22x1 AS PER T.R.G GO NOT GO			OK	OK	OK	-	-				
		INT.THREAD	M22x1.5 AS PER P.G GO NOT GO			OK	OK	OK	-	-				
		CH.ANGLE	0.5x45° AS PER PP FOUND			OK	OK	OK	-	-				
		CH.ANGLE	1x45° AS PER PP FOUND			OK	OK	OK	-	-				
		CH.ANGLE	1.5x45° AS PER PP FOUND			OK	OK	OK	-	-				
CH.ANGLE	30° AS PER PP FOUND			OK	OK	OK	-	-						
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant					

Conclusion :



Accept



Reject



Hold





MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-07	Product Name	BACK NUT		Size		M20		Drawing No.		313003-00	Date:	26-08-2026
Wo No.	26100080	Total Quantity	75		Lot Quantity		75		Sample Size-		3	Variable & Gauging	3PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER					OBSERVED RESULTS			REJECTION REWORK DETAIL	REMARK	CHECKED BY	
		PARAMETER	CRITERIA		1	2	3	-	-				
1	Visual	Surface	Fine, Clean		FINE	FINE	FINE	-	-		Measuring Instruments LG No-		
		Size wise No of Pcs. With Internal Parts	As per Drg. No. of Parts	16	16	16	16	-	-		(1) DV-55		
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	-	-		(2) PP-01		
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	NA	-	-				
		Marking	WO Ref. No.	NA	NA	NA	NA	-	-		ASM No :- CSEX260810-02		
		Assembly Perfection	As per Drg.		OK	OK	OK	-	-				
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-				
		Outer Packing	Printing & Stamping		OK	OK	OK	-	-				
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	3	-	-			
		A/F	25.00	24.87	25.00	25.32	25.31	25.33	-	-		Deviation Confirmed With Gaurav Sir	
		A/C	27.50	27.00	28.00	27.51	27.50	27.49	-	-			
		T.L	17.00	16.50	17.50	17.03	17.02	17.03	-	-			
		O.D	24.00	23.50	24.50	23.99	23.98	23.97	-	-			
		O.D.L	8.00	7.70	8.30	8.02	8.01	8.03	-	-			
		H.L	9.00	8.50	9.50	9.01	9.03	9.02	-	-			
		I.D	19.00	18.50	19.50	19.03	19.02	19.01	-	-			
		INT.THL	3.00	2.80	3.20	3.02	3.01	3.03	-	-			
		GR.ID	22.20	21.70	22.70	22.25	22.24	22.26	-	-			
		GR.LE	10.50	10.00	11.00	10.51	10.53	10.52	-	-			
		DEPTH	13.50	13.00	14.00	13.52	13.51	13.53	-	-			
		GR.ID	21.00	20.50	21.50	21.03	21.02	21.04	-	-			
		GR.LE	2.50	2.30	2.70	2.52	2.49	2.50	-	-			
		DEPTH	16.00	15.50	16.50	16.03	16.02	16.01	-	-			
		INT.THREAD	M22x1 AS PER P.G GO NOT GO			OK	OK	OK	-	-			
		CH.ANGLE	1x45° AS PER PP FOUND			OK	OK	OK	-	-			
		CH.ANGLE	0.5x45° AS PER PP FOUND			OK	OK	OK	-	-			
		CH.ANGLE	45° AS PER PP FOUND			OK	OK	OK	-	-			
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant				

Conclusion :



Accept



Reject



Hold



		MetalMech-08500-FR-QX-08-Final Inspection Report-EX												
INSP. No.	FIR-07	Product Name	UNIVERSAL CLAMPING CONE		Size		Mao		Drawing No.		313005-00	Date:	26-08-2026	
Wo No.	26100080	Total Quantity	75		Lot Quantity		75		Sample Size-		3	Variable & Gangline	3PCS	
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY	
		PARAMETER	CRITERIA			1	2	3	-	-				
1	Visual	Surface	Fine, Clean			FINE	FINE	FINE	-	-				
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	16		16		16		-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NA		NA		NA		-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA		NA		NA		-	-			
		Marking	WO Ref. No.	NA		NA		NA		-	-		ASM No :- CSEX260810-02	
		Assembly Perfection	As per Drg.			OK	OK	OK		-	-			
		Inner Packing	Labeling & Printing			OK	OK	OK		-	-			
		Outer Packing	Printing & Stamping			OK	OK	OK		-	-			
		All Dimensions Are In MM												
		2	DIMENSION	VALUE	-	+	1	2	3	-	-			
T.L	22.00			21.50	22.50	22.01	21.99	22.00	-	-				
O.D	14.00			13.50	14.50	14.00	13.99	13.98	-	-				
O.D.L	3.50			3.20	3.80	3.52	3.51	3.53	-	-				
GR.OD	15.50			15.00	16.00	15.51	15.49	15.50	-	-				
GR.LE	2.50			2.30	2.70	2.52	2.51	2.53	-	-				
O.D	16.20			15.70	16.70	16.20	16.19	16.18	-	-				
O.D.L	7.50			7.20	7.80	7.50	7.49	7.50	-	-				
O.D	17.50			17.00	18.00	17.52	17.49	17.50	-	-				
O.D.L	7.00			6.70	7.30	7.02	7.01	7.03	-	-				
O.D	14.00			13.50	14.50	14.00	13.99	14.01	-	-				
O.D.L	4.50			4.20	4.80	4.51	4.50	4.50	-	-				
O.D	14.50			14.00	15.00	14.52	14.51	14.53	-	-				
O.D	15.00			14.50	15.50	15.02	15.01	15.02	-	-				
O.D	15.50			15.00	16.00	15.51	15.49	15.50	-	-				
O.D.L	7.50			7.20	7.80	7.49	7.51	7.50	-	-				
I.D	12.00			11.50	12.50	12.03	12.05	12.04	-	-				
GROOVE,STEP,LE	0.50			0.30	0.70	0.50	0.49	0.50	-	-				
RADIUS	0.5 MM AS PER PP FOUND				OK	OK	OK	-	-					
RADIUS	0.3 AS PER PP FOUND				OK	OK	OK	-	-					
INSPECTED BY:		Jay Hadiyal				APPROVED BY:				Shreekant				

Conclusion :



Accept



Reject



Hold



 THE SAFEST CONNECTIONS		MetalMech-08500-FR-QX-08-Final Inspection Report-EX											
INSP. No.	FIR-07	Product Name	REVERSIBLE ARMOUR RING		Size	M20		Drawing No.	313004-00		Date:	26-08-2026	
Wo No.	26100080	Total Quantity	75		Lot Quantity	75		Sample Size-	3		Variable & Gauging	3PCS	
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	3	-	-				
1	Visual	Surface	Fine, Clean		FINE	FINE	FINE	-	-				
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	16	16	16	16	-	-			Measuring Instruments I.D No-	
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	-	-			(1) DV-55	
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	NA	-	-			(2) PP-01	
		Marking	WO Ref. No.	NA	NA	NA	NA	-	-			ASM No :- CSEX260810-02	
		Assembly Perfection	As per Drg.		OK	OK	OK	-	-				
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-				
		Outer Packing	Printing & Stamping		OK	OK	OK	-	-				
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	3	-	-			
		T.L	6.00	5.70	6.30	6.02	6.01	6.03	-	-			
		O.D	18.50	18.00	19.00	18.53	18.53	18.55	-	-			
		I.D	16.00	15.50	16.50	16.03	16.05	16.04	-	-			
		I.D	16.50	16.00	17.00	16.52	16.54	16.53	-	-			
INSPECTED BY:		Jay Hadiyal			APPROVED BY:			Shreekant					

Conclusion :



Accept



Reject



Hold



		MetalMech-08500-FR-QX-08-Final Inspection Report-EX										
INSP. No.	FIR-07	Product Name	O-RING		Size	M20		Drawing No.	OR-1M		Date:	26-08-2026
Wo No.	26100080	Total Quantity	75		Lot Quantity	75		Sample Size-	3		Variable & Gauging	3PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	3	-	-			
1	Visual	Surface	Fine, Clean		FINE	FINE	FINE	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	16	16	16	16	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	NA	-	-			
		Marking	WO Ref. No.	NA	NA	NA	NA	-	-		ASM No :- CSEX260810-02	
		Assembly Perfection	As per Drg.		OK	OK	OK	-	-			
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-			
		Outer Packing	Printing & Stamping		OK	OK	OK	-	-			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	-	+	1	2	3	-	-		
		THICKNESS	2.50	2.00	2.50	2.06	2.05	2.04	-	-		
		I.D	16.00	15.50	16.50	16.03	16.02	16.03	-	-		
INSPECTED BY:		Jay Hadiyal			APPROVED BY:			Shreekant				

Conclusion :



Accept



Reject



Hold



		MetalMech-08500-FR-QX-08-Final Inspection Report-EX												
INSP. No.	FIR-07	Product Name	COMPRESSIBLE INNER SEAL			Size		M20		Drawing No.		GI-00	Date:	26-08-2026
Wo No.	26100080	Total Quantity	75			Lot Quantity		75		Sample Size-		3	Variable & Gauging	3PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY	
		PARAMETER	CRITERIA			1	2	3	-	-				
1	Visual	Surface	Fine, Clean			FINE	FINE	FINE	-	-				
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	16	16	16	16	-	-					
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	-	-					
		RUBBER MARKING	AS PER DRG.	OK	OK	OK	OK	-	-					
		Marking	WO Ref. No.	NA	NA	NA	NA	-	-					
		Assembly Perfection	As per Drg.			OK	OK	OK	-	-				
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-					
		Outer Packing	Printing & Stamping			OK	OK	OK	-	-				
		All Dimensions Are In MM												
2	DIMENSION		VALUE	-	+	1	2	3	-	-				
		T.L	9.50	9.00	10.00	9.54	9.56	9.58	-	-				
		O.D.L	6.50	6.20	6.80	6.52	6.51	6.53	-	-				
		O.D	18.50	18.30	18.50	18.45	18.43	18.44	-	-				
		O.D.L	3.00	2.80	3.20	3.02	3.01	3.03	-	-				
		I.D	8.70	8.70	8.90	8.75	8.77	8.74	-	-				
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant					

Conclusion :

☒

Accept

☐

Reject

☐

Hold





MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-07	Product Name	COMPRESSIBLE OUTER SEAL		Size		M20		Drawing No.		GE-00	Date:	26-08-2026	
Wo No.	26100080	Total Quantity	75		Lot Quantity		75		Sample Size-		3	Variable & Gauging	3PCS	
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS				REJECTION REWORK DETAIL	REMARK	CHECKED BY		
		PARAMETER	CRITERIA		1	2	3	-	-					
1	Visual	Surface	Fine, Clean		FINE	FINE	FINE	-	-		Measuring Instruments I.D No-			
		Size wise No of Pcs. With Internal Parts	As per Drg. No. of Parts	16	16	16	16	-	-		(1) DV-55			
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	-	-		(2) PP-01			
		RUBBER MARKING	AS PER DRG.	OK	OK	OK	OK	-	-					
		Marking	WO Ref. No.	NA	NA	NA	NA	-	-		ASM No :- CSEX260810-02			
		Assembly Perfection	As per Drg.		OK	OK	OK	-	-					
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-					
		Outer Packing	Printing & Stamping		OK	OK	OK	-	-					
All Dimensions Are In MM														
2	DIMENSION		VALUE	-	+	1	2	3	-	-				
		T.L	10.00	9.50	10.50	10.03	10.05	10.04	-	-				
		O.D	22.20	22.00	22.20	22.14	22.13	22.11	-	-				
		GR.LENGTH	3.00	2.70	3.30	3.02	3.04	3.05	-	-				
		I.D	13.10	13.10	13.20	13.15	13.17	13.12	-	-				
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant					

Conclusion :



Accept



Reject



Hold



		MetalMech-08500-FR-QX-08-Final Inspection Report-EX											
INSP. No.	FIR-07	Product Name	INNER SKID WASHER			Size	M20			Drawing No.	IW-00	Date:	26-08-2026
Wo No.	26100080	Total Quantity	75			Lot Quantity	75			Sample Size-	3	Variable & Gauging	3PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA			1	2	3	-	-			
1	Visual	Surface	Fine, Clean			FINE	FINE	FINE	-	-			
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	16	16	16	16	-	-			Measuring Instruments I.D No-	
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	-	-			(1) DV-55	
		RUBBER MARKING	AS PER DRG.	OK	OK	OK	OK	-	-			(2) PP-01	
		Marking	WO Ref. No.	NA	NA	NA	NA	-	-			ASM No :- CSEX260810-02	
		Assembly Perfection	As per Drg.			OK	OK	OK	-	-			
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-				
		Outer Packing	Printing & Stamping			OK	OK	OK	-	-			
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	3	-	-			
		T.L	4.50	4.20	4.80	4.52	4.54	4.53	-	-			
		O.D	18.00	17.80	18.00	17.92	17.94	17.97	-	-			
		O.D	15.50	15.30	15.50	15.42	15.44	15.44	-	-			
		O.D.L	2.50	2.50	2.70	2.52	2.51	2.53	-	-			
		I.D	9.30	9.30	9.50	9.35	9.37	9.36	-	-			
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant				

Conclusion :



Accept



Reject



Hold



		MetalMech-08500-FR-QX-08-Final Inspection Report-EX														
INSP. No.	FIR-07	Product Name	OUTER SKID WASHER			Size	M20			Drawing No.	OW-00			Date:	26-08-2026	
Wo No.	26100080	Total Quantity	75			Lot Quantity	75			Sample Size-	3			Variable & Gauging	3PCS	
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY			
		PARAMETER	CRITERIA			1	2	3	-	-						
1	Visual	Surface	Fine, Clean			FINE	FINE	FINE	-	-						
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	16	16	16	16	-	-			Measuring Instruments I.D No-				
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	-	-			(1) DV-55				
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	NA	-	-			(2) PP-01				
		Marking	WO Ref. No.	NA	NA	NA	NA	-	-			ASM No :- CSEX260810-02				
		Assembly Perfection	As per Drg.			OK	OK	OK	-	-						
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-							
		Outer Packing	Printing & Stamping			OK	OK	OK	-	-						
		All Dimensions Are In MM														
2	DIMENSION		VALUE	-	+	1	2	3	-	-						
		T.L	6.50	6.20	6.80	6.52	6.51	6.53	-	-						
		O.D	20.50	20.50	20.60	20.54	20.56	20.55	-	-						
		O.D	18.50	18.30	18.50	18.43	18.42	18.46	-	-						
		O.D.L	4.00	4.00	4.10	4.02	4.01	4.03	-	-						
		I.D	13.50	13.50	13.70	13.52	13.54	13.55	-	-						
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant							

Conclusion :

☒

Accept

☐

Reject

☐

Hold



		MetalMech-08500-FR-QX-08-Final Inspection Report-EX												
INSP. No.	FIR-07	Product Name	EARTH TAG			Size		M20		Drawing No.		-	Date:	26-08-2026
Wo No.	26100080	Total Quantity	75			Lot Quantity		75		Sample Size-		3	Variable & Gauging	3PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY	
		PARAMETER	CRITERIA			1	2	3	-	-				
1	Visual	Surface	Fine, Clean			FINE	FINE	FINE	-	-				
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	16	16	16	16	-	-			Measuring Instruments I.D No-		
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	-	-			(1) DV-55		
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	NA	-	-			(2) PP-01		
		Marking	WO Ref. No.	NA	NA	NA	NA	-	-			ASM No :- CSEX260810-02		
		Assembly Perfection	As per Drg.			OK	OK	OK	-	-				
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-					
		Outer Packing	Printing & Stamping			OK	OK	OK	-	-				
		All Dimensions Are In MM												
2	DIMENSION		VALUE	-	+	1	2	3	-	-				
		THICKNESS	1.50	1.30	1.70	1.45	1.47	1.46	-	-				
		O.D	29.20	28.70	29.70	29.18	29.20	29.19	-	-				
		O.D	13.00	12.50	13.50	13.02	13.01	13.03	-	-				
		I.D	20.20	19.70	20.70	20.23	20.25	20.24	-	-				
		I.D	6.20	5.90	6.50	6.25	6.24	6.26	-	-				
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant					

Conclusion :

☒

Accept

☐

Reject

☐

Hold





MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-07	Product Name	SHROUD		Size	C-2027		Drawing No.		Date:	26-08-2026	
Wo No.	26100080	Total Quantity	75		Lot Quantity	75		Sample Size-	3	Variable & Gauging	3PCS	
Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	3	-	-			
1	Visual	Surface	Fine, Clean		FINE	FINE	FINE	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	16	16	16	16	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	NA	-	-			
		Marking	WO Ref. No.	NA	NA	NA	NA	-	-		ASM No :- CSEX260810-02	
		Assembly Perfection	As per Drg.		OK	OK	OK	-	-			
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-			
		Outer Packing	Printing & Stamping		OK	OK	OK	-	-			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	-	+	1	2	3	-	-		
		T.L	125.00	124.20	125.80	125.19	125.17	125.18	-	-		
		I.D	27.00	26.50	27.50	27.33	27.38	27.35	-	-		
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant			

Conclusion :



Accept



Reject



Hold



		MetalMech-08500-FR-QX-08-Final Inspection Report-EX											
INSP. No.	FIR-07	Product Name	NYLON WASHER		Size	M20		Drawing No.			Date:	26-08-2026	
Wo No.	26100080	Total Quantity	75		Lot Quantity	75		Sample Size-			3	Variable & Gauging	3PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA			1	2	3	-	-			
1	Visual	Surface	Fine, Clean			FINE	FINE	FINE	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	16	16	16	16	-	-		(1) DV-55		
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	-	-		(2) PP-01		
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	NA	-	-				
		Marking	WO Ref. No.	NA	NA	NA	NA	-	-		ASM No :- CSEX260810-02		
		Assembly Perfection	As per Drg.			OK	OK	OK	-	-			
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-				
		Outer Packing	Printing & Stamping			OK	OK	OK	-	-			
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	3	-	-			
		THICKNESS	1.50	1.30	1.70	1.45	1.43	1.44	-	-			
		I.D	20.20	19.70	20.70	20.15	20.13	20.12	-	-			
INSPECTED BY:		Jay Hadiyal			APPROVED BY:			Shreekant					

Conclusion :



Accept



Reject



Hold



		MetalMech-08500-FR-QX-08-Final Inspection Report-EX											
INSP. No.	FIR-07	Product Name	STAR WASHER		Size		M20		Drawing No.		-	Date:	26-08-2026
Wo No.	26100080	Total Quantity	75		Lot Quantity		75		Sample Size-		3	Variable & Gauging	3PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY	
		PARAMETER	CRITERIA		1	2	3	-	-				
1	Visual	Surface	Fine, Clean		FINE	FINE	FINE	-	-		Measuring Instruments I.D No-		
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	16	16	16	16	-	-		(1) DV-55		
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	-	-		(2) PP-01		
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	NA	-	-				
		Marking	WO Ref. No.	NA	NA	NA	NA	-	-		ASM No :- CSEX260810-02		
		Assembly Perfection	As per Drg.		OK	OK	OK	-	-				
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-				
		Outer Packing	Printing & Stamping		OK	OK	OK	-	-				
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	3	-	-			
		O.D	33.00	32.70	33.30	33.06	33.05	33.04	-	-			
		I.D	20.00	20.00	20.50	20.29	20.28	20.28	-	-			
		T.L	4.00	3.70	4.30	4.06	4.05	4.05	-	-			
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant				

Conclusion :



Accept



Reject



Hold

