MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-09	**Product Name**	LOCK NUT	**Size**	M20	**Drawing No.**	DL1M	**Date:**	15-10-2026
Wo No.	26100105	**Total Quantity**	65	**Lot Quantity**	65	**Sample Size-**	3	**Variable & Gauging**	3PCS

Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	3	-	-			
1	Visual	Surface	Fine, Clean		FINE	FINE	FINE	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	16	16	16	16	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	NA	-	-			
		Marking	WO Ref. No.	NA	NA	NA	NA	-	-		ASM No :- CSEX260927-13	
		Assembly Perfection	As per Drg.		OK	OK	OK	-	-			
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-			
		Outer Packing	Printing & Stamping		OK	OK	OK	-	-			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	- / +	1	2	3	-	-			
		A/F	24.00	23.87 / 24.00	23.97	23.94	23.95	-	-			
		A/C	26.00	25.50 / 26.50	26.00	25.99	25.98	-	-			
		T.L	3.50	3.20 / 3.80	3.49	3.51	3.50	-	-			
		THREAD	M20x1.5 AS PER P.G GO NOT GO		OK	OK	OK	-	-			
		CH.ANGLE	30° AS PER PP FOUND		OK	OK	OK	-	-			

INSPECTED BY:	*Jay Hadiyal*	*APPROVED BY:*	*Shreekant*

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERING QA PASSED

MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-09	Product Name	ENTRY COMPONENT	Size	M20	Drawing No.	313001M-01	Date:	15-10-2026
Wo No.	26100105	Total Quantity	65	Lot Quantity	65	Sample Size-	3	Variable & Gauging	3PCS

Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	3	-	-			
1	Visual	Surface	Fine, Clean		FINE	FINE	FINE	-	-		Measuring Instruments LD No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	16	16	16	16	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	NA	-	-			
		Marking	WO Ref. No.	Metalmech Logo MM-EX-E1FUNV201MX6 2026 CE Logo 2460 Ex Logo II 2 GD Ex db IIC Gb, Ex eb IIC Gb, Ex tb IIIC Db, IP66/68 -55°C ≤ Ta ≤ +160°C Presafe 20 ATEX 48906X IECEx PRE 20.0124X			-	-		ASM No :- CSEX260927-13	
		Assembly Perfection	As per Drg.		OK	OK	OK	-	-			
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-			
		Outer Packing	Printing & Stamping		OK	OK	OK	-	-			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	-	+	1	2	3	-	-			
		A/F	27.00	26.87	27.00	26.89	26.90	26.88	-	-			
		A/C	30.00	29.50	30.50	29.95	29.94	29.93	-	-			
		T.L	33.00	33.00	33.50	33.25	33.24	33.23	-	-			
		TH.L	13.00	12.50	13.50	13.06	13.09	13.05	-	-			
		LENGTH	17.00	17.00	17.50	17.24	17.26	17.25	-	-			
		GR.OD	18.00	17.50	18.50	18.05	18.03	18.02	-	-			
		GR.LE	2.50	2.30	2.70	2.55	2.54	2.53	-	-			
		O.D	26.50	26.00	27.00	26.50	26.51	26.49	-	-			
		O.D.L	9.00	8.50	9.50	9.01	9.00	9.01	-	-			
		H.L	7.00	6.70	7.30	7.05	7.07	7.09	-	-			
		I.D	14.10	13.60	14.60	14.08	14.07	14.09	-	-			
		INT.THL	11.50	11.00	12.00	11.54	11.56	11.58	-	-			
		THREAD	M20x1.5 AS PER T.R.G GO NOT GO			OK	OK	OK	-	-			
		INT.THREAD	M24x1.5 AS PER P.G GO NOT GO			OK	OK	OK	-	-			
		CH.ANGLE	1.5x45° AS PER PP FOUND			OK	OK	OK	-	-			
		CH.ANGLE	0.5x45° AS PER PP FOUND			OK	OK	OK	-	-			
		CH.ANGLE	20° AS PER PP FOUND			OK	OK	OK	-	-			
		ANGLE	90° AS PER PP FOUND			OK	OK	OK	-	-			

INSPECTED BY:	*Jay Hadiyal*	*APPROVED BY:*	*Shreekant*

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERS QA PASSED

METAL MECH®
THE SAFEST CONNECTIONS

MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-09	Product Name	INTERMIDIATE BODY	Size	M20	Drawing No.	313002U-01	Date:	15-10-2026
Wo No.	26100105	Total Quantity	65	Lot Quantity	65	Sample Size-	3	Variable & Gauging	3PCS

Sr. No.	Checking Parameter	REQUIRED PARAMETER		OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA	1	2	3	-	-			
1	Visual	Surface	Fine, Clean	FINE	FINE	FINE	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts: 16	16	16	16	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing: NA	NA	NA	NA	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG. NA	NA	NA	NA	-	-			
		Marking	WO Ref. No. NA	NA	NA	NA	-	-		ASM No :- CSEX260927-13	
		Assembly Perfection	As per Drg.	OK	OK	OK	-	-			
		Inner Packing	Labeling & Printing	OK	OK	OK	-	-			
		Outer Packing	Printing & Stamping	OK	OK	OK	-	-			
		All Dimensions Are In MM									
2	DIMENSION		VALUE - +	1	2	3	-	-			
		A/F	31.00 30.84 31.00	31.92	31.91	31.94	-	-		DEVIATION CONFIRMED WITH GAURAV SIR	
		A/C	34.00 33.20 34.80	35.00	34.99	34.98	-	-		DEVIATION CONFIRMED WITH GAURAV SIR	
		T.L	25.00 24.50 25.50	24.99	25.01	25.00	-	-			
		TH.L	10.50 10.00 11.00	10.53	10.55	10.54	-	-			
		GR.OD	22.00 21.50 22.50	22.06	22.05	22.03	-	-			
		GR.LE	1.00 0.80 1.20	1.00	0.99	1.01	-	-			
		H.L	5.00 4.70 5.30	5.05	5.04	5.03	-	-			
		TH.L	9.50 9.00 10.00	9.48	9.50	9.49	-	-			
		GR.OD	26.00 25.50 26.50	26.03	26.05	26.04	-	-			
		GR.LE	1.00 0.80 1.20	1.00	1.02	1.03	-	-			
		I.D	20.00 19.50 20.50	20.05	20.06	20.04	-	-			
		I.D	22.50 22.00 23.00	22.47	22.49	22.48	-	-			
		DEPTH	7.00 6.70 7.30	7.00	7.00	7.02	-	-			
		I.D	20.50 20.00 21.00	20.46	20.49	20.49	-	-			
		I.D.LE	6.00 5.70 6.30	6.01	5.99	6.00	-	-			
		DEPTH	13.00 12.50 13.50	13.02	13.01	13.03	-	-			
		THREAD	M24x1.5 AS PER T.R.G GO NOT GO	OK	OK	OK	-	-			
		THREAD	M28x1.5 AS PER T.R.G GO NOT GO	OK	OK	OK	-	-			
		CH.ANGLE	1x45° AS PER PP FOUND	OK	OK	OK	-	-			
		CH.ANGLE	20° AS PER PP FOUND	OK	OK	OK	-	-			

INSPECTED BY:	Jay Hadiyal	APPROVED BY:	Shreekant

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METAL MECH ENGINEERING CA PASSED

MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-09	Product Name	MIDDLE BODY	Size	M20	Drawing No.	313002-01	Date:	15-10-2026
Wo No.	26100105	Total Quantity	65	Lot Quantity	65	Sample Size-	3	Variable & Gauging	3PCS

Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	3	-	-			
1	Visual	Surface	Fine, Clean		FINE	FINE	FINE	-	-		Measuring Instruments LD No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	16	16	16	16	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	NA	-	-			
		Marking	WO Ref. No.	NA	NA	NA	NA	-	-		ASM No :- CSEX260927-13	
		Assembly Perfection	As per Drg.		OK	OK	OK	-	-			
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-			
		Outer Packing	Printing & Stamping		OK	OK	OK	-	-			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	- / +	1	2	3	-	-			
		A/F	31.00	30.84 / 31.00	31.95	31.94	31.93	-	-		DEVIATION CONFIRMED WITH GAURAV SIR	
		A/C	34.00	33.20 / 34.80	34.97	34.99	34.98	-	-		DEVIATION CONFIRMED WITH GAURAV SIR	
		T.L	27.00	26.50 / 27.50	27.00	27.01	27.00	-	-			
		TH.L	14.00	13.50 / 14.50	13.97	13.99	13.98	-	-			
		GR.OD	27.00	26.50 / 27.50	26.95	26.94	26.93	-	-			
		GR.LE	1.00	0.80 / 1.20	1.00	0.99	1.01	-	-			
		O.D	30.00	29.50 / 30.50	29.98	29.97	29.97	-	-			
		O.D.L	6.00	5.70 / 6.30	6.03	6.02	6.01	-	-			
		H.L	7.00	6.70 / 7.30	7.05	7.04	7.03	-	-			
		I.D	21.00	20.50 / 21.50	21.04	21.03	21.05	-	-			
		INT.THL	11.50	11.00 / 12.00	11.52	11.50	11.51	-	-			
		I.D	24.50	24.00 / 25.00	24.46	24.45	24.46	-	-			
		DEPTH	15.50	15.00 / 16.00	15.49	15.48	15.47	-	-			
		THREAD	M29x1.5 AS PER T.R.G GO NOT GO		OK	OK	OK	-	-			
		INT.THREAD	M28x1.5 AS PER P.G GO NOT GO		OK	OK	OK	-	-			
		CH.ANGLE	1x45° AS PER PP FOUND		OK	OK	OK	-	-			
		CH.ANGLE	20° AS PER PP FOUND		OK	OK	OK	-	-			

INSPECTED BY:	*Jay Hadiyal*	*APPROVED BY:*	*Shreekant*

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METAL MECH ENGINEERING LIMITED CA PASSED

MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-09	Product Name	BACK NUT	Size	M20	Drawing No.	313003-01	Date:	15-10-2026
Wo No.	26100105	Total Quantity	65	Lot Quantity	65	Sample Size-	3	Variable & Gauging	3PCS

Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	3	-	-			
1	Visual	Surface	Fine, Clean		FINE	FINE	FINE	-	-		Measuring Instruments I.D No.	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	16	16	16	16	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	NA	-	-			
		Marking	WO Ref. No.	NA	NA	NA	NA	-	-		ASM No :- CSEX260927-13	
		Assembly Perfection	As per Drg.		OK	OK	OK	-	-			
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-			
		Outer Packing	Printing & Stamping		OK	OK	OK	-	-			
		All Dimensions Are In MM										

			VALUE	-	+	1	2	3	-	-			
2	DIMENSION	A/F	31.00	30.84	31.00	31.95	31.94	31.93	-	-		DEVIATION CONFIRMED WITH GAURAV SIR	
		A/C	34.00	33.20	34.80	34.98	34.99	34.97	-	-		DEVIATION CONFIRMED WITH GAURAV SIR	
		T.L	20.00	19.50	20.50	20.00	19.99	20.01	-	-			
		O.D	30.50	29.70	31.30	30.49	30.50	30.48	-	-			
		O.D.L	8.00	7.70	8.30	8.05	8.03	8.04	-	-			
		H.L	12.00	11.50	12.50	11.97	11.96	11.95	-	-			
		I.D	24.50	24.00	25.00	24.47	24.49	24.48	-	-			
		INT.THL	4.00	3.70	4.30	4.01	3.99	4.01	-	-			
		GR.ID	29.20	28.70	29.70	29.22	29.24	29.26	-	-			
		GR.LE	12.50	12.00	13.00	12.52	12.49	12.51	-	-			
		DEPTH	16.50	16.00	17.00	16.51	16.50	16.51	-	-			
		GR.ID	27.50	27.00	28.00	27.55	27.54	27.53	-	-			
		GR.LE	2.00	1.80	2.20	2.01	2.01	2.03	-	-			
		DEPTH	18.50	18.00	19.00	18.52	18.54	18.55	-	-			
		INT.THREAD	M29x1.5 AS PER P.G GO NOT GO			OK	OK	OK	-	-			
		CH.ANGLE	1x45° AS PER PP FOUND			OK	OK	OK	-	-			
		CH.ANGLE	0.5x45° AS PER PP FOUND			OK	OK	OK	-	-			
		CH.ANGLE	30° AS PER PP FOUND			OK	OK	OK	-	-			
		CH.ANGLE	45° AS PER PP FOUND			OK	OK	OK	-	-			

INSPECTED BY:	Jay Hadiyal	APPROVED BY:	Shreekant

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALTECH ENGINEERS CA PASSED

METAL MECH
THE SAFEST CONNECTIONS

MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-09	Product Name	UNIVERSAL CLAMPING CONE	Size	M20	Drawing No.	313005-01	Date:	15-10-2026
Wo No.	26100105	Total Quantity	65	Lot Quantity	65	Sample Size-	3	Variable & Gauging	3PCS

Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	3	-	-			
1	Visual	Surface	Fine, Clean		FINE	FINE	FINE	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	16	16	16	16	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	NA	-	-			
		Marking	WO Ref. No.	NA	NA	NA	NA	-	-		ASM No :- CSEX260927-13	
		Assembly Perfection	As per Drg.		OK	OK	OK	-	-			
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-			
		Outer Packing	Printing & Stamping		OK	OK	OK	-	-			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	- +	1	2	3	-	-			
		T.L	22.00	21.50 22.50	21.99	22.00	22.01	-	-			
		O.D	16.50	16.00 17.00	16.55	16.54	16.53	-	-			
		O.D.L	4.00	3.70 4.30	4.01	3.99	4.00	-	-			
		O.D	17.80	17.30 18.30	17.79	17.78	17.79	-	-			
		O.D.L	2.50	2.30 2.70	2.55	2.54	2.53	-	-			
		GR.LENGTH	0.50	0.30 0.70	0.55	0.53	0.56	-	-			
		O.D	18.80	18.30 19.30	18.79	18.80	18.77	-	-			
		O.D.L	7.50	7.20 7.80	7.53	7.56	7.58	-	-			
		O.D	22.00	21.50 22.50	22.00	21.99	21.98	-	-			
		O.D.L	7.00	6.70 7.30	7.00	7.00	7.02	-	-			
		O.D	16.50	16.00 17.00	16.55	16.54	16.53	-	-			
		O.D.L	4.50	4.20 4.80	4.55	4.56	4.55	-	-			
		O.D	17.00	16.50 17.50	17.03	17.00	17.02	-	-			
		O.D	17.50	17.00 18.00	17.52	17.55	17.59	-	-			
		O.D	18.00	17.50 18.50	17.97	17.96	17.95	-	-			
		O.D.L	7.50	7.20 7.80	7.55	7.54	7.53	-	-			
		I.D	14.00	13.50 14.50	14.06	14.05	14.04	-	-			
		RADIUS	0.5 MM AS PER PP FOUND		OK	OK	OK	-	-			
		RADIUS	0.3 AS PER PP FOUND		OK	OK	OK	-	-			

INSPECTED BY:	Jay Hadiyal	APPROVED BY:	Shreekant

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METAL MECH ENGINEERING CA PASSED

MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-09	**Product Name**	REVERSIBLE ARMOUR RING	**Size**	M20	**Drawing No.**	313004-01	**Date:**	15-10-2026
Wo No.	26100105	**Total Quantity**	65	**Lot Quantity**	65	**Sample Size-**	3	**Variable & Gauging**	3PCS

Sr. No.	**Checking Parameter**	**REQUIRED PARAMETER**			**OBSERVED RESULTS**					**REJECTION REWORK DETAIL**	**REMARK**	**CHECKED BY**
		PARAMETER	**CRITERIA**		**1**	**2**	**3**	**-**	**-**			
1	Visual	Surface	Fine, Clean		FINE	FINE	FINE	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	16	16	16	16	-	-		**(1) DV-55**	
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	-	-		**(2) PP-01**	
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	NA	-	-			
		Marking	WO Ref. No.	NA	NA	NA	NA	-	-		**ASM No :- CSEX260927-13**	
		Assembly Perfection	As per Drg.		OK	OK	OK	-	-			
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-			
		Outer Packing	Printing & Stamping		OK	OK	OK	-	-			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	-	+	1	2	3	-	-			
		T.L	6.00	5.70	6.30	6.00	5.99	6.01	-	-		
		O.D	23.50	23.00	24.00	23.46	23.48	23.47	-	-		
		I.D	18.50	18.00	19.00	18.53	18.55	18.55	-	-		
		I.D	19.50	19.00	20.00	19.53	19.55	19.54	-	-		

INSPECTED BY:	*Jay Hadiyal*	*APPROVED BY:*	*Shreekant*

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERING CA PASSED

METAL MECH®
THE SAFEST CONNECTIONS

MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-09	Product Name	O-RING	Size	M20	Drawing No.	OR-1M	Date:	15-10-2026
Wo No.	26100105	Total Quantity	65	Lot Quantity	65	Sample Size-	3	Variable & Gauging	3PCS

Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	3	-	-			
1	Visual	Surface	Fine, Clean		FINE	FINE	FINE	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	16	16	16	16	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	NA	-	-			
		Marking	WO Ref. No.	NA	NA	NA	NA	-	-		ASM No :- CSEX260927-13	
		Assembly Perfection	As per Drg.		OK	OK	OK	-	-			
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-			
		Outer Packing	Printing & Stamping		OK	OK	OK	-	-			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	-	+	1	2	3	-	-			
		THICKNESS	2.50	2.00	2.50	2.06	2.05	2.08	-	-		
		I.D	16.00	15.50	16.50	16.02	16.01	16.03	-	-		

INSPECTED BY:	*Jay Hadiyal*	*APPROVED BY:*	*Shreekant*

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERING CA PASSED

METAL MECA®
THE SAFEST CONNECTIONS

MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-09	Product Name	COMPRESSIBLE INNER SEAL	Size	M20	Drawing No.	GI-01	Date:	15-10-2026
Wo No.	26100105	Total Quantity	65	Lot Quantity	65	Sample Size-	3	Variable & Gauging	3PCS

Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	3	-	-			
1	Visual	Surface	Fine, Clean		FINE	FINE	FINE	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	16	16	16	16	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	OK	OK	OK	OK	-	-			
		Marking	WO Ref. No.	NA	NA	NA	NA	-	-		ASM No :- CSEX260927-13	
		Assembly Perfection	As per Drg.		OK	OK	OK	-	-			
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-			
		Outer Packing	Printing & Stamping		OK	OK	OK	-	-			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	- / +	1	2	3	-	-			
		T.L	10.50	10.00 / 11.00	10.50	10.51	10.49	-	-			
		O.D.L	4.00	3.70 / 4.30	3.94	3.96	3.97	-	-			
		O.D	22.50	22.30 / 22.50	22.41	22.39	22.40	-	-			
		O.D.L	6.50	6.20 / 6.80	6.48	6.52	6.50	-	-			
		I.D	14.00	14.00 / 14.20	14.07	14.09	14.06	-	-			

INSPECTED BY:	Jay Hadiyal	APPROVED BY:	Shreekant

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERING QA PASSED

MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-09	**Product Name**	COMPRESSIBLE OUTER SEAL	**Size**	M20	**Drawing No.**	GE-01	**Date:**	15-10-2026
Wo No.	26100105	**Total Quantity**	65	**Lot Quantity**	65	**Sample Size-**	3	Variable & Gauging	3PCS

Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	3	-	-			
1	Visual	Surface	Fine, Clean		FINE	FINE	FINE	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	16	16	16	16	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	OK	OK	OK	OK	-	-			
		Marking	WO Ref. No.	NA	NA	NA	NA	-	-		ASM No :- CSEX260927-13	
		Assembly Perfection	As per Drg.		OK	OK	OK	-	-			
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-			
		Outer Packing	Printing & Stamping		OK	OK	OK	-	-			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	-	+	1	2	3	-	-			
		T.L	11.00	10.50	11.50	11.01	11.03	11.02	-	-			
		O.D	28.50	28.30	28.50	28.41	28.43	28.43	-	-			
		GR.LENGTH	3.50	3.20	3.80	3.50	3.48	3.50	-	-			
		I.D	20.90	20.90	21.00	20.92	20.93	20.95	-	-			

INSPECTED BY:	*Jay Hadiyal*	*APPROVED BY:*	*Shreekant*

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERING CA PASSED

METAL MECA®
THE SAFEST CONNECTIONS

MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-09	Product Name	INNER SKID WASHER	Size	M20	Drawing No.	IW-01	Date:	15-10-2026
Wo No.	26100105	Total Quantity	65	Lot Quantity	65	Sample Size-	3	Variable & Gauging	3PCS

Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	3	-	-			
1	Visual	Surface	Fine, Clean		FINE	FINE	FINE	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	16	16	16	16	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	OK	OK	OK	OK	-	-			
		Marking	WO Ref. No.	NA	NA	NA	NA	-	-		ASM No :- CSEX260927-13	
		Assembly Perfection	As per Drg.		OK	OK	OK	-	-			
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-			
		Outer Packing	Printing & Stamping		OK	OK	OK	-	-			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	-	+	1	2	3	-	-			
		T.L	5.00	4.70	5.30	5.03	5.02	5.01	-	-			
		O.D	22.00	21.80	22.00	21.90	21.89	21.91	-	-			
		O.D	19.50	19.30	19.50	19.42	19.39	19.43	-	-			
		O.D.L	3.00	3.00	3.20	3.02	3.00	3.01	-	-			
		I.D	14.00	14.00	14.20	14.10	14.09	14.08	-	-			

INSPECTED BY:	Jay Hadiyal	APPROVED BY:	Shreekant

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**



METAL MECA
THE SAFEST CONNECTIONS

MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-09	**Product Name**	OUTER SKID WASHER	**Size**	M20	**Drawing No.**	OW-01	**Date:**	15-10-2026
Wo No.	26100105	**Total Quantity**	65	**Lot Quantity**	65	**Sample Size-**	3	**Variable & Gauging**	3PCS

Sr. No.	**Checking Parameter**	**REQUIRED PARAMETER**			**OBSERVED RESULTS**					**REJECTION REWORK DETAIL**	**REMARK**	**CHECKED BY**
		PARAMETER	**CRITERIA**		**1**	**2**	**3**	**-**	**-**			
1	Visual	Surface	Fine, Clean		FINE	FINE	FINE	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	16	16	16	16	-	-		**(1) DV-55**	
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	-	-		**(2) PP-01**	
		RUBBER MARKING	AS PER DRG.	OK	OK	OK	OK	-	-			
		Marking	WO Ref. No.	NA	NA	NA	NA	-	-		**ASM No :- CSEX260927-13**	
		Assembly Perfection	As per Drg.		OK	OK	OK	-	-			
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-			
		Outer Packing	Printing & Stamping		OK	OK	OK	-	-			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	-	+	1	2	3	-	-			
		T.L	6.50	6.20	6.80	6.50	6.49	6.51	-	-		
		O.D	27.00	27.00	27.10	27.00	27.01	27.02	-	-		
		O.D	24.50	24.30	24.50	24.39	24.38	24.40	-	-		
		O.D.L	4.00	4.00	4.10	4.02	4.01	4.03	-	-		
		I.D	6.50	6.50	6.60	6.52	6.54	6.52	-	-		

INSPECTED BY:	*Jay Hadiyal*	*APPROVED BY:*	*Shreekant*

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERING QA PASSED

METAL MECH®
THE SAFEST CONNECTIONS

MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-09	**Product Name**	NYLON WASHER	**Size**	M20	**Drawing No.**		**Date:**	15-10-2026
Wo No.	26100105	**Total Quantity**	65	**Lot Quantity**	65	**Sample Size-**	3	Variable & Gauging	3PCS

Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	3	-	-			
1	Visual	Surface	Fine, Clean		FINE	FINE	FINE	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	16	16	16	16	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	OK	OK	OK	OK	-	-			
		Marking	WO Ref. No.	NA	NA	NA	NA	-	-		ASM No :- CSEX260927-13	
		Assembly Perfection	As per Drg.		OK	OK	OK	-	-			
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-			
		Outer Packing	Printing & Stamping		OK	OK	OK	-	-			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	-	+	1	2	3	-	-			
		THICKNESS	1.50	1.30	1.70	1.48	1.45	1.47	-	-		
		I.D	20.20	19.70	20.70	20.15	20.18	20.16	-	-		

INSPECTED BY:	*Jay Hadiyal*	*APPROVED BY:*	*Shreekant*

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERING CA PASSED

METAL MECH®
THE SAFEST CONNECTIONS

MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-09	**Product Name**	SHROUD	**Size**	C-2032	**Drawing No.**		**Date:**	15-10-2026
Wo No.	26100105	**Total Quantity**	65	**Lot Quantity**	65	**Sample Size-**	3	Variable & Gauging	3PCS

Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	3	-	-			
1	Visual	Surface	Fine, Clean		FINE	FINE	FINE	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	16	16	16	16	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	OK	OK	OK	OK	-	-			
		Marking	WO Ref. No.	NA	NA	NA	NA	-	-		ASM No :- CSEX260927-13	
		Assembly Perfection	As per Drg.		OK	OK	OK	-	-			
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-			
		Outer Packing	Printing & Stamping		OK	OK	OK	-	-			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	-	+	1	2	3	-	-			
		T.L	130.00	129.20	130.80	130.15	130.16	130.13	-	-		
		I.D	32.00	31.20	32.80	32.06	32.09	32.08	-	-		

INSPECTED BY:	*Jay Hadiyal*	*APPROVED BY:*	*Shreekant*

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERING CA PASSED

METAL MECA®
THE SAFEST CONNECTIONS

MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-09	Product Name	EARTH TAG	Size	M20	Drawing No.	-	Date:	15-10-2026
Wo No.	26100105	Total Quantity	65	Lot Quantity	65	Sample Size-	3	Variable & Gauging	3PCS

Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	3	-	-			
1	Visual	Surface	Fine, Clean		FINE	FINE	FINE	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	16	16	16	16	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	NA	-	-			
		Marking	WO Ref. No.	NA	NA	NA	NA	-	-		ASM No :- CSEX260927-13	
		Assembly Perfection	As per Drg.		OK	OK	OK	-	-			
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-			
		Outer Packing	Printing & Stamping		OK	OK	OK	-	-			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	-	+	1	2	3	-	-			
		THICKNESS	1.50	1.30	1.70	1.45	1.48	1.49	-	-		
		O.D	30.20	29.40	31.00	30.19	30.21	30.21	-	-		
		O.D	13.20	12.70	13.70	13.25	13.23	13.25	-	-		
		I.D	22.00	21.50	22.50	22.08	22.07	22.08	-	-		
		I.D	6.50	6.20	6.80	6.54	6.56	6.58	-	-		

INSPECTED BY:	Jay Hadiyal	APPROVED BY:	Shreekant

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERING QA PASSED

MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-09	**Product Name**	STAR WASHER	**Size**	M20	**Drawing No.**	-	**Date:**	15-10-2026
Wo No.	26100105	**Total Quantity**	65	**Lot Quantity**	65	**Sample Size-**	3	Variable & Gauging	3PCS

Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	3	-	-			
1	Visual	Surface	Fine, Clean		FINE	FINE	FINE	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	16	16	16	16	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	NA	-	-			
		Marking	WO Ref. No.	NA	NA	NA	NA	-	-		ASM No :- CSEX260927-13	
		Assembly Perfection	As per Drg.		OK	OK	OK	-	-			
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-			
		Outer Packing	Printing & Stamping		OK	OK	OK	-	-			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	-	+	1	2	3	-	-			
		O.D	33.00	32.70	33.30	33.06	33.05	33.04	-	-		
		I.D	21.00	20.50	21.50	21.34	21.36	21.35	-	-		
		T.L	4.00	3.70	4.30	4.06	4.05	4.04	-	-		

INSPECTED BY:	*Jay Hadiyal*	*APPROVED BY:*	*Shreekant*

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERING QA PASSED