METAL MECA
THE SAFEST CONNECTIONS

MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-05	**Product Name**	ENTRY COMPONENT	**Size**	M20	**Drawing No.**	313001M-018	**Date:**	26-10-2026
Wo No.	26100102	**Total Quantity**	120	**Lot Quantity**	120	**Sample Size-**	3	Variable & Gauging	3PCS

Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA			1	2	3	-	-			
1	Visual	Surface	Fine, Clean			FINE	FINE	FINE	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	5		5	5	5	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NA		NA	NA	NA	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA		NA	NA	NA	-	-			
		Marking	WO Ref. No.	OK		OK	OK	OK	-	-		ASM No :- CSEX261021-07	
		Assembly Perfection	As per Drg.			OK	OK	OK	-	-			
		Inner Packing	Labeling & Printing			OK	OK	OK	-	-			
		Outer Packing	Printing & Stamping			OK	OK	OK	-	-			
			VALUE	-	+	1	2	3	-	-			
		A/F	25.00	24.87	25.00	24.93	24.95	24.94	-	-			
		A/C	27.50	27.00	28.00	27.50	27.49	27.48	-	-			
		T.L	32.00	32.00	32.50	32.25	32.24	32.26	-	-			
		TH.L	13.00	12.50	13.50	13.03	13.05	13.04	-	-			
		LENGTH	17.00	17.00	17.50	17.25	17.24	17.26	-	-			
		GR.OD	18.00	18.00	18.50	17.95	17.94	17.96	-	-			
		GR.LE	2.50	2.30	2.70	2.52	2.51	2.53	-	-			
		O.D	24.50	24.00	25.00	24.50	24.49	24.50	-	-			
		O.D.L	9.00	8.50	9.50	9.02	9.01	9.03	-	-			
		H.L	6.00	5.70	6.30	6.03	6.05	6.04	-	-			
		I.D	12.00	11.50	12.50	12.05	12.04	12.05	-	-			
		DEPTH	11.50	11.00	12.00	11.53	11.55	11.54	-	-			
		THREAD	M20x1.5 AS PER T.R.G GO NOT GO			OK	OK	OK	-	-			
		INT.THREAD	M20x1.5 AS PER P.G GO NOT GO			OK	OK	OK	-	-			
		CH.ANGLE	0.5x45° AS PER PP FOUND			OK	OK	OK	-	-			
		CH.ANGLE	1.5x45° AS PER PP FOUND			OK	OK	OK	-	-			
		CH.ANGLE	20° AS PER PP FOUND			OK	OK	OK	-	-			
		ANGLE	90° AS PER PP FOUND			OK	OK	OK	-	-			

INSPECTED BY:	*Jay Hadiyal*	*APPROVED BY:*	*Shreekant*

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METAMECH ENGINEERING QA PASSED

METAL MECA
THE SAFEST CONNECTIONS

MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-05	**Product Name**	BACK NUT	**Size**	M20	**Drawing No.**	314006-00	**Date:**	26-10-2026
Wo No.	26100102	**Total Quantity**	120	**Lot Quantity**	120	**Sample Size-**	3	**Variable & Gauging**	3PCS

Sr. No.	**Checking Parameter**	**REQUIRED PARAMETER**				**OBSERVED RESULTS**					**REJECTION REWORK DETAIL**	**REMARK**	**CHECKED BY**
		PARAMETER	**CRITERIA**			**1**	**2**	**3**	**-**	**-**			
1	Visual	Surface	Fine, Clean			FINE	FINE	FINE	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	5		5	5	5	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NA		NA	NA	NA	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA		NA	NA	NA	-	-			
		Marking	WO Ref. No.	NA		NA	NA	NA	-	-		ASM No :- CSEX261021-07	
		Assembly Perfection	As per Drg.			OK	OK	OK	-	-			
		Inner Packing	Labeling & Printing			OK	OK	OK	-	-			
		Outer Packing	Printing & Stamping			OK	OK	OK	-	-			
			VALUE	-	+	1	2	3	-	-			
		A/F	25.00	24.87	25.00	24.93	24.95	24.94	-	-			
		A/C	27.50	27.00	28.00	27.50	27.49	27.48	-	-			
		T.L	14.00	13.50	14.50	14.00	13.99	14.00	-	-			
		TH.L	10.00	9.50	10.50	10.00	9.99	10.01	-	-			
		GR.DIA	18.00	17.50	18.50	17.88	17.89	17.90	-	-			
		GR.LE	1.50	1.30	1.70	1.53	1.55	1.54	-	-			
		H.L	4.00	3.70	4.30	4.05	4.04	4.03	-	-			
		I.D	16.00	15.50	16.50	16.03	16.02	16.05	-	-			
		THREAD	M20x1.5 AS PER T.R.G GO NOT GO			OK	OK	OK	-	-			
		CH.ANGLE	0.5x45° AS PER PP FOUND			OK	OK	OK	-	-			
		CH.ANGLE	1.5x45° AS PER PP FOUND			OK	OK	OK	-	-			
		CH.ANGLE	20° AS PER PP FOUND			OK	OK	OK	-	-			
		RADIUS	3 MM AS PER PP FOUND			OK	OK	OK	-	-			

INSPECTED BY:	*Jay Hadiyal*	*APPROVED BY:*	*Shreekant*

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METAL MECH ENGINEERING
QA PASSED

MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-05	**Product Name**	COMPRESSIBLE SEALING RING	**Size**	M20	**Drawing No.**	GI-01s	**Date:**	26-10-2026
Wo No.	26100102	**Total Quantity**	120	**Lot Quantity**	120	**Sample Size-**	3	Variable & Gauging	3PCS

Sr. No.	**Checking Parameter**	**REQUIRED PARAMETER**				**OBSERVED RESULTS**					**REJECTION REWORK DETAIL**	**REMARK**	**CHECKED BY**
		PARAMETER	**CRITERIA**			**1**	**2**	**3**	**-**	**-**			
1	Visual	Surface	Fine, Clean			FINE	FINE	FINE	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	5		5	5	5	-	-		**(1) DV-55**	
		Washing & Plating	Surface Finishing	NA		NA	NA	NA	-	-		**(2) PP-01**	
		RUBBER MARKING	AS PER DRG.	OK		OK	OK	OK	-	-			
		Marking	WO Ref. No.	NA		NA	NA	NA	-	-		**ASM No :- CSEX261021-07**	
		Assembly Perfection	As per Drg.			OK	OK	OK	-	-			
		Inner Packing	Labeling & Printing			OK	OK	OK	-	-			
		Outer Packing	Printing & Stamping			OK	OK	OK	-	-			
			VALUE	-	+	1	2	3	-	-			
		T.L	9.50	9.30	9.70	9.55	9.54	9.56	-	-			
		O.D	18.50	18.30	18.70	18.43	18.45	18.44	-	-			
		O.D.L	6.50	6.30	6.70	6.55	6.54	6.53	-	-			
		O.D.L	3.00	2.80	3.20	3.04	3.06	3.08	-	-			
		I.D	11.70	11.50	11.90	11.75	11.74	11.76	-	-			

INSPECTED BY:	*Jay Hadiyal*	*APPROVED BY:*	*Shreekant*

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERING QA PASSED

METAL MECH®
THE SAFEST CONNECTIONS

MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-05	**Product Name**	SKID WASHER	**Size**	M20	**Drawing No.**	IW-01s	**Date:**	26-10-2026
Wo No.	26100102	**Total Quantity**	120	**Lot Quantity**	120	**Sample Size-**	3	Variable & Gauging	3PCS

Sr. No.	**Checking Parameter**	**REQUIRED PARAMETER**				**OBSERVED RESULTS**					**REJECTION REWORK DETAIL**	**REMARK**	**CHECKED BY**
		PARAMETER	**CRITERIA**			**1**	**2**	**3**	**-**	**-**			
1	Visual	Surface	Fine, Clean			FINE	FINE	FINE	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	5		5	5	5	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NA		NA	NA	NA	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA		NA	NA	NA	-	-			
		Marking	WO Ref. No.	NA		NA	NA	NA	-	-		ASM No :- CSEX261021-07	
		Assembly Perfection	As per Drg.			OK	OK	OK	-	-			
		Inner Packing	Labeling & Printing			OK	OK	OK	-	-			
		Outer Packing	Printing & Stamping			OK	OK	OK	-	-			
			VALUE	-	+	1	2	3	-	-			
		T.L	4.50	4.30	4.70	4.55	4.54	4.53	-	-			
		O.D	15.50	15.30	15.70	15.42	15.44	15.46	-	-			
		O.D.L	2.50	2.30	2.70	2.55	2.54	2.53	-	-			
		O.D	18.00	17.80	18.20	17.93	17.95	17.94	-	-			
		I.D	12.00	11.80	12.20	12.14	12.13	12.12	-	-			

INSPECTED BY:	*Jay Hadiyal*	*APPROVED BY:*	*Shreekant*

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERING QA PASSED

METAL MECH®
THE SAFEST CONNECTIONS

MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-05	Product Name	O-RING	Size	M20	Drawing No.	OR-1M	Date:	26-10-2026
Wo No.	26100102	Total Quantity	120	Lot Quantity	120	Sample Size-	3	Variable & Gauging	3PCS

Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA			1	2	3	-	-			
1	Visual	Surface	Fine, Clean			FINE	FINE	FINE	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	5		5	5	5	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NA		NA	NA	NA	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA		NA	NA	NA	-	-			
		Marking	WO Ref. No.	NA		NA	NA	NA	-	-		ASM No :- CSEX261021-07	
		Assembly Perfection	As per Drg.			OK	OK	OK	-	-			
		Inner Packing	Labeling & Printing			OK	OK	OK	-	-			
		Outer Packing	Printing & Stamping			OK	OK	OK	-	-			
			VALUE	-	+	1	2	3	-	-			
		THICKNESS	2.00	1.80	2.20	2.05	2.04	2.06	-	-			
		I.D	16.00	15.80	16.20	16.06	16.05	16.04	-	-			

INSPECTED BY:	*Jay Hadiyal*	*APPROVED BY:*	*Shreekant*

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERING CA PASSED