

MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-02	Product Name	LOCK NUT		Size	1/2" NPT		Drawing No.	DL1NS	Date:	30-08-2026	
Wo No.	26000212	Total Quantity	5		Lot Quantity	5		Sample Size-	2	Variable & Gauging	2PCS	
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS				REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA			1	2	-	-			
1	Visual	Surface	Fine, Clean			FINE	FINE	-	-	-		Measuring Instruments I.D No-
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	14	14	14	-	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NA	NA	NA	-	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	-	-	-			
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		ASM No :- CSEX260818-02	
		Assembly Perfection	As per Drg.			OK	OK	-	-	-		
		Inner Packing	Labeling & Printing		OK	OK	-	-	-			
		Outer Packing	Printing & Stamping			OK	OK	-	-	-		
		All Dimensions Are In MM										
2	DIMENSION		VALUE	-	+	1	2	-	-	-		
		A/F	24.00	23.87	24.00	23.92	23.89	-	-	-		
		A/C	26.00	25.50	26.50	25.99	26.00	-	-	-		
		T.L	4.00	3.70	4.30	4.00	4.01	-	-	-		
		THREAD	1/2" NPT AS PER P.G GO NOT GO			OK	OK	-	-	-		
		CH.ANGLE	30° AS PER PP FOUND			OK	OK	-	-	-		
INSPECTED BY:		Jay Hadiyal			APPROVED BY:			Shreekant				

Conclusion :



Accept



Reject



Hold





MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-02	Product Name	ENTRY COMPONENT		Size		1/2" NPT		Drawing No.		313001M-00	Date:	30-08-2026
Wo No.	26000212	Total Quantity	5		Lot Quantity		5		Sample Size-		2	Variable & Gauging	2PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS				REJECTION Rework Detail	REMARK	CHECKED BY	
		PARAMETER	CRITERIA		1	2	-	-	-				
1	Visual	Surface	Fine, Clean		FINE	FINE	-	-	-				
		Size wise No of Pcs. With Internal Parts	As per Drg. No. of Parts	14	14	14	-	-	-			(1) DV-55	
		Washing & Plating	Surface Finishing	NA	NA	NA	-	-	-			(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	-	-	-				
		Marking	WO Ref. No.	Metalmech Logo MM-EX- E1FUNV205161NX6 2026 CE Logo 2460 Ex Logo II 2 GD Ex db-BC Gb,		OK	OK	-	-	-		ASM No :- CSEX260818-02	
		Assembly Perfection	As per Drg.		OK	OK	-	-	-				
		Inner Packing	Labeling & Printing		OK	OK	-	-	-				
		Outer Packing	Printing & Stamping		OK	OK	-	-	-				
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	-	-	-			
		A/F	25.00	24.87	25.00	25.35	25.38	-	-	-		Deviation Confirmed With Gaurav Sir	
		A/C	27.50	27.00	28.00	27.51	27.50	-	-	-			
		T.L	35.00	35.00	35.50	35.03	35.02	-	-	-			
		LENGTH	20.00	20.00	20.50	20.02	20.03	-	-	-			
		O.D	24.50	24.00	25.00	24.53	24.55	-	-	-			
		O.D.L	9.00	8.50	9.50	9.02	9.01	-	-	-			
		H.L	6.00	5.70	6.30	6.03	6.02	-	-	-			
		I.D	9.00	8.50	9.50	9.05	9.04	-	-	-			
		DEPTH	11.50	11.00	12.00	11.52	11.51	-	-	-			
		THREAD	1/2" NPT AS PER T.R.G GO NOT GO			OK	OK	-	-	-			
		INT.THREAD	M20x1.5 AS PER P.G GO NOT GO			OK	OK	-	-	-			
		CH.ANGLE	0.5x45° AS PER PP FOUND			OK	OK	-	-	-			
		CH.ANGLE	1.6x45° AS PER PP FOUND			OK	OK	-	-	-			
		CH.ANGLE	20° AS PER PP FOUND			OK	OK	-	-	-			
		ANGLE	90° AS PER PP FOUND			OK	OK	-	-	-			
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant				

Conclusion :



Accept



Reject



Hold





MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-02	Product Name	INTERMEDIATE BODY		Size		M20		Drawing No.		313002U-00	Date:	30-08-2026	
Wo No.	26000212	Total Quantity	5		Lot Quantity		5		Sample Size-		2	Variable & Gauging	2PCS	
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY	
		PARAMETER	CRITERIA		1	2	-	-	-					
1	Visual	Surface	Fine, Clean		FINE	FINE	-	-	-					
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	14	14	14	-	-	-		Measuring instruments I.D.No.			
		Washing & Plating	Surface Finishing	NA	NA	NA	-	-	-		(1) DV-55			
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	-	-	-		(2) PP-01			
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		ASM No :- CSEX260818-02			
		Assembly Perfection	As per Drg.		OK	OK	-	-	-					
		Inner Packing	Labeling & Printing		OK	OK	-	-	-					
		Outer Packing	Printing & Stamping		OK	OK	-	-	-					
		All Dimensions Are In MM												
				VALUE	-	+	1	2	-	-	-			
2	DIMENSION	A/F	25.00	24.87	25.00	25.33	25.38	-	-	-		Deviation Confirmed With Gaurav Sir		
		A/C	27.50	27.00	28.00	27.50	27.49	-	-	-				
		T.L	22.00	21.50	22.50	22.06	22.05	-	-	-				
		THLL	10.00	9.50	10.50	9.95	9.98	-	-	-				
		GR.OD	18.00	17.50	18.50	17.94	17.96	-	-	-				
		GR.LE	1.00	0.80	1.20	1.01	1.00	-	-	-				
		H.L	4.00	3.70	4.30	4.01	4.00	-	-	-				
		THLL	8.00	7.70	8.30	8.07	8.06	-	-	-				
		GR.OD	20.00	19.50	20.50	19.98	19.97	-	-	-				
		GR.LE	1.00	0.80	1.20	1.01	1.00	-	-	-				
		I.D	16.00	15.50	16.50	16.05	16.04	-	-	-				
		I.D	18.00	17.50	18.50	18.05	18.04	-	-	-				
		DEPTH	7.00	6.70	7.30	7.00	6.99	-	-	-				
		I.D	17.00	16.50	17.50	17.03	17.02	-	-	-				
		I.D.LE	4.50	4.20	4.80	4.50	4.51	-	-	-				
		DEPTH	11.50	11.00	12.00	11.51	11.53	-	-	-				
		THREAD	M20x1.5 AS PER T.R.G GO NOT GO			OK	OK	-	-	-				
		THREAD	M22x1.5 AS PER T.R.G GO NOT GO			OK	OK	-	-	-				
		CHANGLE	1.5x45° AS PER PP FOUND			OK	OK	-	-	-				
		CHANGLE	0.5x45° AS PER PP FOUND			OK	OK	-	-	-				
		CHANGLE	20° AS PER PP FOUND			OK	OK	-	-	-				
INSPECTED BY:		Jay Hadiyal			APPROVED BY:					Shreekant				

Conclusion :

☒ Accept

☐ Reject

☐ Hold





MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-02	Product Name		MIDDLE BODY		Size		M20		Drawing No.		313002-00	Date:	30-08-2026
Wo No.	26000212	Total Quantity		5		Lot Quantity		5		Sample Size-		2	Variable & Gauging	2PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS				REJECTION REWORK DETAIL	REMARK	CHECKED BY		
		PARAMETER	CRITERIA		1	2	-	-	-					
1	Visual	Surface	Fine, Clean		FINE	FINE	-	-	-		Measuring Instruments I.P.M.			
		Size/wise No of Pcs. With Internal Parts	As per Drg. No. of Parts	14	14	14	-	-	-		(1) DV-55			
		Washing & Plating	Surface Finishing	NA	NA	NA	-	-	-		(2) PP-01			
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	-	-	-					
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		ASM No :- CSEX260818-02			
		Assembly Perfection	As per Drg.		OK	OK	-	-	-					
		Inner Packing	Labeling & Printing		OK	OK	-	-	-					
		Outer Packing	Printing & Stamping		OK	OK	-	-	-					
		All Dimensions Are In MM												
2	DIMENSION		VALUE	-	+	1	2	-	-	-				
		A/F	25.00	24.87	25.00	25.33	25.35	-	-	-		Deviation Confirmed With Gauge & Mic		
		A/C	27.50	27.00	28.00	27.52	27.51	-	-	-				
		T.L	28.00	27.50	28.50	28.00	27.99	-	-	-				
		THL	12.00	11.50	12.50	12.01	12.00	-	-	-				
		GR.OD	20.50	20.00	21.00	20.60	20.59	-	-	-				
		GR.LE	1.00	0.80	1.20	1.01	1.00	-	-	-				
		O.D	24.50	24.00	25.00	24.50	24.49	-	-	-				
		O.D.L	8.00	7.70	8.30	8.02	8.01	-	-	-				
		H.L	8.00	7.70	8.30	7.93	7.95	-	-	-				
		I.D	16.00	15.50	16.50	16.06	16.05	-	-	-				
		I.D	17.00	16.50	17.50	17.02	17.04	-	-	-				
		I.D.LE	4.00	3.70	4.30	4.01	4.03	-	-	-				
		INT.THLL	9.50	9.00	10.00	9.51	9.49	-	-	-				
		I.D	20.00	19.50	20.50	20.06	20.04	-	-	-				
		DEPTH	14.00	13.50	14.50	14.02	14.01	-	-	-				
		THREAD	M22x1 AS PER T.R.G GO NOT GO			OK	OK	-	-	-				
		INT.THREAD	M22x1.5 AS PER P.G GO NOT GO			OK	OK	-	-	-				
		CHANGLE	0.5x45° AS PER PP FOUND			OK	OK	-	-	-				
		CHANGLE	1x45° AS PER PP FOUND			OK	OK	-	-	-				
		CHANGLE	1.5x45° AS PER PP FOUND			OK	OK	-	-	-				
		CHANGLE	30° AS PER PP FOUND			OK	OK	-	-	-				
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant					

Conclusion :



Accept



Reject



Hold



		MetalMech-08500-FR-QX-08-Final Inspection Report-EX											
INSP. No.	FIR-02	Product Name	BACK NUT		Size		M20		Drawing No.		313003-00	Date:	30-08-2026
Wo No.	26000212	Total Quantity	5		Lot Quantity		5		Sample Size-		2	Variable & Gauging	2PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY	
		PARAMETER	CRITERIA		1	2	-	-	-				
1	Visual	Surface	Fine, Clean		FINE	FINE	-	-	-		Measuring Instrument ID No.		
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	14	14	14	-	-	-		(1) DV-55		
		Washing & Plating	Surface Finishing	NA	NA	NA	-	-	-		(2) PP-01		
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	-	-	-				
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		ASM No :- CSEX260818-02		
		Assembly Perfection	As per Drg.		OK	OK	-	-	-				
		Inner Packing	Labeling & Printing		OK	OK	-	-	-				
		Outer Packing	Printing & Stamping		OK	OK	-	-	-				
All Dimensions Are In MM													
2	DIMENSION		VALUE	-	+	1	2	-	-	-			
		A/P	25.00	24.87	25.00	25.35	25.38	-	-	-		Deviation Confirmed With Gaurav Sir	
		A/C	27.50	27.00	28.00	27.49	27.50	-	-	-			
		T.L	17.00	16.50	17.50	17.02	17.03	-	-	-			
		O.D	24.00	23.50	24.50	24.01	24.03	-	-	-			
		O.D.L	8.00	7.70	8.30	8.02	8.01	-	-	-			
		H.L	9.00	8.50	9.50	9.01	9.03	-	-	-			
		I.D	19.00	18.50	19.50	19.03	19.02	-	-	-			
		INT.THL	3.00	2.80	3.20	3.02	3.01	-	-	-			
		GR.ID	22.20	21.70	22.70	22.25	22.24	-	-	-			
		GR.LE	10.50	10.00	11.00	10.51	10.53	-	-	-			
		DEPTH	13.50	13.00	14.00	13.52	13.51	-	-	-			
		GR.ID	21.00	20.50	21.50	21.03	21.02	-	-	-			
		GR.LE	2.50	2.30	2.70	2.52	2.50	-	-	-			
		DEPTH	16.00	15.50	16.50	16.03	16.02	-	-	-			
		INT.THREAD	M22x1 AS PER P.G GO NOT GO			OK	OK	-	-	-			
		CH.ANGLE	1x45° AS PER PP FOUND			OK	OK	-	-	-			
		CH.ANGLE	0.5x45° AS PER PP FOUND			OK	OK	-	-	-			
CH.ANGLE	45° AS PER PP FOUND			OK	OK	-	-	-					
INSPECTED BY:		Jay Hadiyal			APPROVED BY:			Shreekant					

Conclusion :



Accept



Reject



Hold



		MetalMech-08500-FR-QX-08-Final Inspection Report-EX												
INSP. No.	FIR-02	Product Name	UNIVERSAL CLAMPING CONE		Size		M20		Drawing No.		313005-00	Date:	30-08-2026	
Wo No.	26000212	Total Quantity	5		Lot Quantity		5		Sample Size-		2	Variable & Gauging	2PCS	
Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS					REJECTION RENEWORK DETAIL	REMARK	CHECKED BY		
		PARAMETER	CRITERIA		1	2	-	-	-					
1	Visual	Surface	Fine, Clean		FINE	FINE	-	-	-					
		Size wise No of Pcs. With Internal Parts	As per Drg. No. of Parts	14	14	-	-	-						
		Washing & Plating	Surface Finishing	NA	NA	-	-	-						
		RUBBER MARKING	AS PER DRG.	NA	NA	-	-	-						
		Marking	WO Ref. No.	NA	NA	-	-	-						
		Assembly Perfection	As per Drg.		OK	OK	-	-	-					
		Inner Packing	Labeling & Printing	OK	OK	-	-	-						
		Outer Packing	Printing & Stamping		OK	OK	-	-	-					
		All Dimensions Are In MM												
		2	DIMENSION		VALUE	-	+	1	2	-	-	-		
T.L	22.00			21.50	22.50	22.05	22.04	-	-	-				
O.D	14.00			13.50	14.50	14.00	13.99	-	-	-				
O.D.L	3.50			3.20	3.80	3.52	3.51	-	-	-				
GR.OD	15.50			15.00	16.00	15.51	15.49	-	-	-				
GR.LE	2.50			2.30	2.70	2.52	2.51	-	-	-				
O.D	16.20			15.70	16.70	16.20	16.19	-	-	-				
O.D.L	7.50			7.20	7.80	7.51	7.50	-	-	-				
O.D	17.50			17.00	18.00	17.52	17.53	-	-	-				
O.D.L	7.00			6.70	7.30	7.02	7.00	-	-	-				
O.D	14.00			13.50	14.50	14.00	13.99	-	-	-				
O.D.L	4.50			4.20	4.80	4.51	4.50	-	-	-				
O.D	14.50			14.00	15.00	14.52	14.51	-	-	-				
O.D	15.00			14.50	15.50	15.02	15.01	-	-	-				
O.D	15.50			15.00	16.00	15.51	15.49	-	-	-				
O.D.L	7.50			7.20	7.80	7.49	7.51	-	-	-				
I.D	12.00			11.50	12.50	12.07	12.06	-	-	-				
GROOVE STEP L.E	0.50			0.30	0.70	0.50	0.49	-	-	-				
RADIUS	0.5 MM AS PER PP FOUND			OK	OK	-	-	-						
RADIUS	0.3 AS PER PP FOUND			OK	OK	-	-	-						

INSPECTED BY: Jay Hadiyal

APPROVED BY: Shreekant

Conclusion :



Accept



Reject



Hold





MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-02	Product Name	REVERSIBLE ARMOUR RING		Size		M20		Drawing No.		313004-00	Date:	30-08-2026
Wo No.	26000212	Total Quantity	5		Lot Quantity		5		Sample Size-		2	Variable & Gauging	2PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA			1	2	-	-	-			
1	Visual	Surface	Fine, Clean			FINE	FINE	-	-	-		Measuring Instruments ID No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	14	14	14	-	-	-		(1) DV-55		
		Washing & Plating	Surface Finishing	NA	NA	NA	-	-	-		(2) PP-01		
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	-	-	-				
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		ASM No :- CSEX260818-02		
		Assembly Perfection	As per Drg.			OK	OK	-	-	-			
		Inner Packing	Labeling & Printing		OK	OK	-	-	-				
		Outer Packing	Printing & Stamping			OK	OK	-	-	-			
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	-	-	-			
		T.L	6.00	5.70	6.30	6.00	5.99	-	-	-			
		O.D	18.50	18.00	19.00	18.77	18.75	-	-	-			
		I.D	16.00	15.50	16.50	16.04	16.06	-	-	-			
		I.D	16.50	16.00	17.00	16.52	16.54	-	-	-			
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant				

Conclusion :



Accept



Reject



Hold



MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-02	Product Name	COMPRESSIBLE INNER SEAL		Size	M20		Drawing No.	GI-00	Date:	30-08-2026	
Wo No.	26000212	Total Quantity	5		Lot Quantity	5		Sample Size-	2	Variable & Gauging	2PCS	
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS				REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	-	-	-			
1	Visual	Surface	Fine, Clean		FINE	FINE	-	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	14	14	14	-	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NA	NA	NA	-	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	OK	OK	OK	-	-	-			
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		ASM No :- CSEX260818-02	
		Assembly Perfection	As per Drg.		OK	OK	-	-	-			
		Inner Packing	Labeling & Printing		OK	OK	-	-	-			
		Outer Packing	Printing & Stamping		OK	OK	-	-	-			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	-	+	1	2	-	-	-		
		T.L	9.50	9.00	10.00	9.54	9.56	-	-	-		
		O.D.L	6.50	6.20	6.80	6.52	6.54	-	-	-		
		O.D	18.50	18.30	18.50	18.45	18.47	-	-	-		
		O.D.L	3.00	2.80	3.20	3.02	3.05	-	-	-		
		I.D	8.70	8.70	8.90	8.75	8.73	-	-	-		
INSPECTED BY:		Jay Hadiyal			APPROVED BY:			Shreekant				

Conclusion :



Accept



Reject



Hold





MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-02	Product Name	COMPRESSIBLE OUTER SEAL		Size		M20		Drawing No.		GE-00	Date:	30-08-2026
Wo No.	26000212	Total Quantity	5		Lot Quantity		5		Sample Size-		2	Variable & Gauging	2PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA			1	2	-	-	-			
1	Visual	Surface	Fine, Clean			FINE	FINE	-	-	-		Measuring Instruments ID No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	14		14	14	-	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NA		NA	NA	-	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	OK		OK	OK	-	-	-			
		Marking	WO Ref. No.	NA		NA	NA	-	-	-		ASM No :- CSEX260818-02	
		Assembly Perfection	As per Drg.			OK	OK	-	-	-			
		Inner Packing	Labeling & Printing			OK	OK	-	-	-			
		Outer Packing	Printing & Stamping			OK	OK	-	-	-			
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	-	-	-			
		T.L	10.00	9.50	10.50	10.03	10.06	-	-	-			
		O.D	22.20	22.00	22.20	22.14	22.15	-	-	-			
		GR.LENGTH	3.00	2.70	3.30	3.02	3.04	-	-	-			
		I.D	13.10	13.10	13.20	13.15	13.13	-	-	-			
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant				

Conclusion :



Accept



Reject



Hold



MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-02	Product Name	INNER SKID WASHER		Size	M20		Drawing No.	IW-00	Date:	30-08-2026	
Wo No.	26000212	Total Quantity	5		Lot Quantity	5		Sample Size-	2	Variable & Gauging	2PCS	
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS				REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	-	-	-			
1	Visual	Surface	Fine, Clean		FINE	FINE	-	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	14	14	14	-	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NA	NA	NA	-	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	OK	OK	OK	-	-	-			
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		ASM No :- CSEX260818-02	
		Assembly Perfection	As per Drg.		OK	OK	-	-	-			
		Inner Packing	Labeling & Printing		OK	OK	-	-	-			
		Outer Packing	Printing & Stamping		OK	OK	-	-	-			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	-	+	1	2	-	-	-		
		T.L	4.50	4.20	4.80	4.52	4.55	-	-	-		
		O.D	18.00	17.80	18.00	17.92	17.94	-	-	-		
		O.D	15.50	15.30	15.50	15.42	15.45	-	-	-		
		O.D.L	2.50	2.50	2.70	2.52	2.54	-	-	-		
		I.D	9.30	9.30	9.50	9.35	9.33	-	-	-		
INSPECTED BY:		Jay Hadiyal			APPROVED BY:			Shreekant				

Conclusion :



Accept



Reject



Hold



MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-02	Product Name	OUTER SKID WASHER		Size	M20		Drawing No.	OW-00	Date:	30-08-2026	
Wo No.	26000212	Total Quantity	5		Lot Quantity	5		Sample Size-	2	Variable & Gauging	2PCS	
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS				REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA			1	2	-	-			
1	Visual	Surface	Fine, Clean			FINE	FINE	-	-	-		
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	14	14	14	-	-	-		Measuring Instruments I.D No-	
		Washing & Plating	Surface Finishing	NA	NA	NA	-	-	-		(1) DV-55	
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	-	-	-		(2) PP-01	
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		ASM No :- CSEX260818-02	
		Assembly Perfection	As per Drg.			OK	OK	-	-	-		
		Inner Packing	Labeling & Printing		OK	OK	-	-	-			
		Outer Packing	Printing & Stamping			OK	OK	-	-	-		
		All Dimensions Are In MM										
2	DIMENSION		VALUE	-	+	1	2	-	-	-		
		T.L	6.50	6.20	6.80	6.52	6.54	-	-	-		
		O.D	20.50	20.50	20.60	20.54	20.56	-	-	-		
		O.D	18.50	18.30	18.50	18.43	18.45	-	-	-		
		O.D.L	4.00	4.00	4.10	4.02	4.04	-	-	-		
		I.D	13.50	13.50	13.70	13.52	13.55	-	-	-		
INSPECTED BY:		Jay Hadiyal			APPROVED BY:			Shreekant				

Conclusion :



Accept



Reject



Hold



MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-02	Product Name	EARTH TAG		Size	1/2" NPT		Drawing No.	-	Date:	30-08-2026		
Wo No.	26000212	Total Quantity	5		Lot Quantity	5		Sample Size-	2	Variable & Gauging	2PCS		
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS				REJECTION REWORK DETAIL	REMARK	CHECKED BY	
		PARAMETER	CRITERIA			1	2	-	-				-
1	Visual	Surface	Fine, Clean			FINE	FINE	-	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	14		14	14	-	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NA		NA	NA	-	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA		NA	NA	-	-	-			
		Marking	WO Ref. No.	NA		NA	NA	-	-	-		ASM No :- CSEX260818-02	
		Assembly Perfection	As per Drg.			OK	OK	-	-	-			
		Inner Packing	Labeling & Printing			OK	OK	-	-	-			
		Outer Packing	Printing & Stamping			OK	OK	-	-	-			
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	-	-	-			
		THICKNESS	1.50	1.30	1.70	1.45	1.44	-	-	-			
		O.D	30.20	29.40	31.00	30.19	30.20	-	-	-			
		O.D	13.20	12.70	13.70	13.25	13.22	-	-	-			
		I.D	22.00	21.50	22.50	22.08	22.09	-	-	-			
		I.D	6.50	6.20	6.80	6.54	6.56	-	-	-			
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant				

Conclusion :



Accept



Reject



Hold





MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-02	Product Name	SHROUD		Size	C-2027		Drawing No.	-	Date:	30-08-2026		
Wo No.	26000212	Total Quantity	5		Lot Quantity	5		Sample Size-	2	Variable & Gauging	2PCS		
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	-	-	-				
1	Visual	Surface	Fine, Clean		FINE	FINE	-	-	-		Measuring Instruments I.D No-		
		Size wise No of Pcs. With Internal Parts	As per Drg. No. of Parts	14	14	14	-	-	-		(1) DV-55		
		Washing & Plating	Surface Finishing	NA	NA	NA	-	-	-		(2) PP-01		
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	-	-	-				
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		ASM No :- CSEX260818-02		
		Assembly Perfection	As per Drg.		OK	OK	-	-	-				
		Inner Packing	Labeling & Printing		OK	OK	-	-	-				
		Outer Packing	Printing & Stamping		OK	OK	-	-	-				
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	-	-	-			
		T.L	125.00	124.20	125.80	125.19	125.12	-	-	-			
		I.D	27.00	26.50	27.50	27.22	27.25	-	-	-			
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant				

Conclusion :



Accept



Reject



Hold





MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-02	Product Name	NYLON WASHER		Size		1/2" NPT		Drawing No.		-	Date:	30-08-2026
Wo No.	26000212	Total Quantity	5		Lot Quantity		5		Sample Size-		2	Variable & Gauging	2PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA			1	2	-	-	-			
1	Visual	Surface	Fine, Clean			FINE	FINE	-	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	14	14	14	-	-	-		(1) DV-55		
		Washing & Plating	Surface Finishing	NA	NA	NA	-	-	-		(2) PP-01		
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	-	-	-				
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		ASM No :- CSEX260818-02		
		Assembly Perfection	As per Drg.			OK	OK	-	-	-			
		Inner Packing	Labeling & Printing		OK	OK	-	-	-				
		Outer Packing	Printing & Stamping			OK	OK	-	-	-			
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	-	-	-			
		THICKNESS	1.50	0.70	2.30	1.45	1.49	-	-	-			
		I.D	22.00	21.50	22.50	22.15	22.13	-	-	-			
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant				

Conclusion : ☒ Accept ☐ Reject ☐ Hold





MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-02	Product Name	STAR WASHER		Size		1/2" NPT		Drawing No.		-	Date:	30-08-2026
Wo No.	26000212	Total Quantity	5		Lot Quantity		5		Sample Size-		2	Variable & Gauging	2PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA			1	2	-	-	-			
1	Visual	Surface	Fine, Clean			FINE	FINE	-	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	14	14	14	-	-	-		(1) DV-55		
		Washing & Plating	Surface Finishing	NA	NA	NA	-	-	-		(2) PP-01		
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	-	-	-				
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		ASM No :- CSEX260818-02		
		Assembly Perfection	As per Drg.			OK	OK	-	-	-			
		Inner Packing	Labeling & Printing		OK	OK	-	-	-				
		Outer Packing	Printing & Stamping			OK	OK	-	-	-			
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	-	-	-			
		O.D	33.00	32.70	33.30	33.06	33.05	-	-	-			
		I.D	21.50	21.00	22.00	21.59	21.60	-	-	-			
		T.L	4.00	3.70	4.30	4.06	4.05	-	-	-			
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant				

Conclusion : ☒ Accept ☐ Reject ☐ Hold

