MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-04	Product Name	ENTRY COMPONENT	Size	M40	Drawing No.	313001M-04	Date:	04-11-2026
Wo No.	26000343	Total Quantity	10	Lot Quantity	10	Sample Size-	2	Variable & Gauging	2PCS

Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	-	-	-			
1	Visual	Surface	Fine, Clean		FINE	FINE	-	-	-		Measuring Instruments LD No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	12	12	12	-	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NA	NA	NA	-	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	-	-	-			
		Marking	WO Ref. No.	Metalmech Logo MM-EX-E1FUNV404MX6 2026 CE Logo 2460 Ex Logo II 2 GD Ex db IIC Gb, Ex eb IIC Gb, Ex tb IIIC Db, IP66/68 -55°C ≤ Ta ≤ +160°C Presafe 20 ATEX 48906X IECEx PRE 20.0124X	-	-	-		ASM No:- CSEX261101-06/07	
		Assembly Perfection	As per Drg.		OK	OK	-	-	-			
		Inner Packing	Labeling & Printing		OK	OK	-	-	-			
		Outer Packing	Printing & Stamping		OK	OK	-	-	-			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	-	+	1	2	-	-	-			
		A/F	50.00	49.81	50.00	49.92	49.91	-	-	-		
		A/C	55.00	54.20	55.80	54.95	54.93	-	-	-		
		T.L	37.00	37.00	37.50	37.25	37.23	-	-	-		
		TH.L	13.00	12.50	13.50	13.06	13.09	-	-	-		
		LENGTH	17.00	17.00	17.50	17.23	17.22	-	-	-		
		GR.OD	38.00	37.20	38.80	38.00	37.99	-	-	-		
		GR.LE	2.50	2.30	2.70	2.52	2.54	-	-	-		
		O.D	49.00	48.20	49.80	48.99	49.00	-	-	-		
		O.D.L	11.00	10.50	11.50	11.03	11.02	-	-	-		
		H.L	9.00	8.50	9.50	9.07	9.06	-	-	-		
		I.D	32.50	31.70	33.30	32.51	32.50	-	-	-		
		INT.THL	15.00	14.50	15.50	15.06	15.09	-	-	-		
		THREAD	M40x1.5 AS PER T.R.G GO NOT GO			OK	OK	-	-	-		
		INT.THREAD	M45x1.5 AS PER P.G GO NOT GO			OK	OK	-	-	-		
		CH.ANGLE	1.5x45° AS PER PP FOUND			OK	OK	-	-	-		
		CH.ANGLE	0.5x45° AS PER PP FOUND			OK	OK	-	-	-		
		CH.ANGLE	20° AS PER PP FOUND			OK	OK	-	-	-		
		ANGLE	90° AS PER PP FOUND			OK	OK	-	-	-		

INSPECTED BY:	*Jay Hadiyal*	*APPROVED BY:*	*Shreekant*

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERING CA PASSED

MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-04	**Product Name**	INTERMIDIATE BODY	**Size**	M40	**Drawing No.**	313002U-04	**Date:**	04-11-2026		
Wo No.	26000343	**Total Quantity**	10	**Lot Quantity**	10	**Sample Size-**	2	**Variable & Gauging**	2PCS		

Sr. No.	**Checking Parameter**	**REQUIRED PARAMETER**				**OBSERVED RESULTS**					**REJECTION REWORK DETAIL**	**REMARK**	**CHECKED BY**
		PARAMETER	**CRITERIA**			**1**	**2**	-	-	-			
1	Visual	Surface	Fine, Clean			FINE	FINE	-	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	12		12	12	-	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NA		NA	NA	-	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA		NA	NA	-	-	-			
		Marking	WO Ref. No.	NA		NA	NA	-	-	-		ASM No:- CSEX261101-06/07	
		Assembly Perfection	As per Drg.			OK	OK	-	-	-			
		Inner Packing	Labeling & Printing			OK	OK	-	-	-			
		Outer Packing	Printing & Stamping			OK	OK	-	-	-			
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	-	-	-			
		A/F	50.00	49.81	50.00	50.75	50.74	-	-	-		Deviation Confirmed With Gaurav Sir	
		A/C	55.00	54.20	55.80	54.93	54.95	-	-	-			
		T.L	29.00	28.50	29.50	29.01	29.00	-	-	-			
		TH.L	13.50	13.00	14.00	13.46	13.44	-	-	-			
		GR.OD	43.00	42.20	43.80	43.04	43.06	-	-	-			
		GR.LE	1.00	0.80	1.20	1.01	1.00	-	-	-			
		H.L	6.00	5.70	6.30	6.06	6.09	-	-	-			
		TH.L	9.50	9.00	10.00	9.47	9.49	-	-	-			
		GR.OD	46.00	45.20	46.80	46.00	45.99	-	-	-			
		GR.LE	1.00	0.80	1.20	1.00	1.01	-	-	-			
		I.D	40.00	39.20	40.80	40.02	40.01	-	-	-			
		I.D	42.50	41.70	43.30	42.52	42.50	-	-	-			
		DEPTH	8.00	7.70	8.30	8.03	8.05	-	-	-			
		THREAD	M45x1.5 AS PER T.R.G GO NOT GO			OK	OK	-	-	-			
		THREAD	M48x1.5 AS PER T.R.G GO NOT GO			OK	OK	-	-	-			
		CH.ANGLE	1x45° AS PER PP FOUND			OK	OK	-	-	-			
		CH.ANGLE	20° AS PER PP FOUND			OK	OK	-	-	-			
		CH.ANGLE	0.5x45° AS PER PP FOUND			OK	OK	-	-	-			

INSPECTED BY:	*Jay Hadiyal*	*APPROVED BY:*	*Shreekant*

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METAL MECH ENGINEERS PVT. LTD. QA PASSED

MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-04	Product Name	MIDDLE BODY	Size	M40	Drawing No.	313002-04	Date:	04-11-2026
Wo No.	26000343	Total Quantity	10	Lot Quantity	10	Sample Size-	2	Variable & Gauging	2PCS

Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	-	-	-			
1	Visual	Surface	Fine, Clean		FINE	FINE	-	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	12	12	12	-	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NA	NA	NA	-	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	-	-	-			
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		ASM No:- CSEN261101-06/07	
		Assembly Perfection	As per Drg.		OK	OK	-	-	-			
		Inner Packing	Labeling & Printing		OK	OK	-	-	-			
		Outer Packing	Printing & Stamping		OK	OK	-	-	-			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	-	+	1	2	-	-	-			
		A/F	55.00	54.81	55.00	54.88	54.90	-	-	-		
		A/C	60.00	59.20	60.80	59.98	60.00	-	-	-		
		T.L	32.00	31.20	32.80	32.00	32.01	-	-	-		
		TH.L	15.00	14.50	15.50	14.99	14.98	-	-	-		
		GR.OD	50.00	49.20	50.80	50.03	50.02	-	-	-		
		GR.LE	1.00	0.80	1.20	1.00	0.99	-	-	-		
		H.L	9.00	8.50	9.50	9.03	9.05	-	-	-		
		O.D	53.00	52.20	53.80	53.01	53.00	-	-	-		
		O.D.L	8.00	7.70	8.30	8.02	7.99	-	-	-		
		I.D	40.50	39.70	41.30	40.58	40.59	-	-	-		
		I.D	41.50	40.70	42.30	41.53	41.52	-	-	-		
		I.D.LE	5.00	4.70	5.30	5.02	4.99	-	-	-		
		INT.THL	11.50	11.00	12.00	11.49	11.51	-	-	-		
		GR.ID	46.00	45.20	46.80	46.08	46.07	-	-	-		
		GR.LE	7.00	6.70	7.30	7.01	6.99	-	-	-		
		DEPTH	18.50	18.00	19.00	18.49	18.48	-	-	-		
		THREAD	M48x1.5 AS PER T.R.G GO NOT GO			OK	OK	-	-	-		
		INT.THREAD	M52x1.5 AS PER P.G GO NOT GO			OK	OK	-	-	-		
		CH.ANGLE	1x45° AS PER PP FOUND			OK	OK	-	-	-		
		CH.ANGLE	30° AS PER PP FOUND			OK	OK	-	-	-		

INSPECTED BY:	Jay Hadiyal	APPROVED BY:	Shreekant

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METAMECH ENGINEERS PVT. LTD. QA PASSED

METAL MECA
THE SAFEST CONNECTIONS

MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-04	Product Name	BACK NUT	Size	M40	Drawing No.	313003-04	Date:	04-11-2026
Wo No.	26000343	Total Quantity	10	Lot Quantity	10	Sample Size-	2	Variable & Gauging	2PCS

Sr. No.	Checking Parameter	REQUIRED PARAMETER		OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA	1	2	-	-	-			
1	Visual	Surface	Fine, Clean	FINE	FINE	-	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts 12	12	12	-	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing NA	NA	NA	-	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG. NA	NA	NA	-	-	-			
		Marking	WO Ref. No. NA	NA	NA	-	-	-		ASM No:- CSEX261101-06/07	
		Assembly Perfection	As per Drg.	OK	OK	-	-	-			
		Inner Packing	Labeling & Printing	OK	OK	-	-	-			
		Outer Packing	Printing & Stamping	OK	OK	-	-	-			
		All Dimensions Are In MM									
2	DIMENSION		VALUE - +	1	2	-	-	-			
		A/F	55.00 54.81 55.00	54.86	54.85	-	-	-			
		A/C	60.00 59.20 60.80	59.77	59.79	-	-	-			
		T.L	23.00 22.50 23.50	23.03	23.05	-	-	-			
		O.D	54.50 53.70 55.30	54.42	54.41	-	-	-			
		O.D.L	10.00 9.50 10.50	10.02	10.00	-	-	-			
		H.L	13.00 12.50 13.50	13.03	13.05	-	-	-			
		I.D	45.50 44.70 46.30	45.45	45.48	-	-	-			
		INT.THL	4.00 3.70 4.30	4.02	4.01	-	-	-			
		GR.ID	52.20 51.40 53.00	52.25	52.23	-	-	-			
		GR.LE	14.50 14.00 15.00	14.52	14.54	-	-	-			
		DEPTH	18.50 18.00 19.00	18.52	18.55	-	-	-			
		GR.ID	50.50 49.70 51.30	50.51	50.53	-	-	-			
		GR.LE	2.50 2.30 2.70	2.52	2.54	-	-	-			
		DEPTH	21.00 20.50 21.50	21.04	21.03	-	-	-			
		INT.THREAD	M52x1.5 AS PER P.G GO NOT GO	OK	OK	-	-	-			
		CH.ANGLE	0.5x45° AS PER PP FOUND	OK	OK	-	-	-			
		CH.ANGLE	1x45° AS PER PP FOUND	OK	OK	-	-	-			
		CH.ANGLE	45° AS PER PP FOUND	OK	OK	-	-	-			

INSPECTED BY:	*Jay Hadiyal*	*APPROVED BY:*	*Shreekant*

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERS PVT. LTD. QA PASSED

MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-04	**Product Name**	UNIVERSAL CLAMPING CONE		**Size**	M40		**Drawing No.**	313005-04	**Date:**	04-11-2026
Wo No.	26000343	**Total Quantity**	10		**Lot Quantity**	10		**Sample Size-**	2	Variable & Gauging	2PCS

Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	-	-	-			
1	Visual	Surface	Fine, Clean		FINE	FINE	-	-	-		Measuring Instruments LD No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	12	12	12	-	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NA	NA	NA	-	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	-	-	-			
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		ASM No:- CSEX261101-06/07	
		Assembly Perfection	As per Drg.		OK	OK	-	-	-			
		Inner Packing	Labeling & Printing		OK	OK	-	-	-			
		Outer Packing	Printing & Stamping		OK	OK	-	-	-			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	- +	1	2	-	-	-			
		T.L	30.00	29.50 30.50	30.00	29.99	-	-	-			
		O.D	36.00	35.20 36.80	36.13	36.16	-	-	-			
		O.D.L	5.50	5.20 5.80	5.52	5.54	-	-	-			
		O.D	38.50	37.70 39.30	38.55	38.59	-	-	-			
		O.D.L	2.50	2.30 2.70	2.52	2.54	-	-	-			
		GR.LENGTH	0.50	0.30 0.70	0.50	0.49	-	-	-			
		O.D	39.80	39.00 40.60	39.80	39.77	-	-	-			
		O.D.L	11.00	10.50 11.50	11.05	11.04	-	-	-			
		O.D	42.00	41.20 42.80	42.05	42.06	-	-	-			
		O.D.L	8.00	7.70 8.30	8.04	8.06	-	-	-			
		O.D	34.50	33.70 35.30	34.48	34.49	-	-	-			
		O.D.L	6.50	6.20 6.80	6.55	6.54	-	-	-			
		O.D	36.00	35.20 36.80	35.99	35.98	-	-	-			
		O.D	36.50	35.70 37.30	36.52	36.49	-	-	-			
		O.D	37.50	36.70 38.30	37.51	37.53	-	-	-			
		O.D.L	11.00	10.70 11.30	11.01	11.00	-	-	-			
		I.D	32.50	31.70 33.30	32.51	32.50	-	-	-			
		RADIUS	0.50 MM AS PER PP FOUND		OK	OK	-	-	-			
		RADIUS	0.3 MM AS PER PP FOUND		OK	OK	-	-	-			

INSPECTED BY:	*Jay Hadiyal*	*APPROVED BY:*	*Shreekant*

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERING CA PASSED

MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-04	**Product Name**	REVERSIBLE ARMOURED RING	**Size**	M40	**Drawing No.**	313004-04	**Date:**	04-11-2026
Wo No.	26000343	**Total Quantity**	10	**Lot Quantity**	10	**Sample Size-**	2	**Variable & Gauging**	2PCS

Sr. No.	**Checking Parameter**	**REQUIRED PARAMETER**			**OBSERVED RESULTS**					**REJECTION REWORK DETAIL**	**REMARK**	**CHECKED BY**
		PARAMETER	**CRITERIA**		**1**	**2**	**-**	**-**	**-**			
1	Visual	Surface	Fine, Clean		FINE	FINE	-	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	12	12	12	-	-	-		**(1) DV-55**	
		Washing & Plating	Surface Finishing	NA	NA	NA	-	-	-		**(2) PP-01**	
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	-	-	-			
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		ASM No:- CSEX261101-06/07	
		Assembly Perfection	As per Drg.		OK	OK	-	-	-			
		Inner Packing	Labeling & Printing		OK	OK	-	-	-			
		Outer Packing	Printing & Stamping		OK	OK	-	-	-			
		All Dimensions Are In MM										

			VALUE	-	+	1	2	-	-	-			
2	DIMENSION	T.L	9.00	8.50	9.50	8.99	9.00	-	-	-			
		O.D	44.00	43.20	44.80	44.03	44.05	-	-	-			
		I.D	39.50	38.70	40.30	39.55	39.54	-	-	-			
		I.D	40.30	39.50	41.10	40.38	40.37	-	-	-			

INSPECTED BY:	*Jay Hadiyal*	*APPROVED BY:*	*Shreekant*

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERING CA PASSED

METAL MECH®
THE SAFEST CONNECTIONS

MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-04	Product Name	O-RING	Size	M40	Drawing No.	OR-4M	Date:	04-11-2026
Wo No.	26000343	Total Quantity	10	Lot Quantity	10	Sample Size-	2	Variable & Gauging	2PCS

Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	-	-	-			
1	Visual	Surface	Fine, Clean		FINE	FINE	-	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	12	12	12	-	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NA	NA	NA	-	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	-	-	-			
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		ASM No:- CSEX261101-06/07	
		Assembly Perfection	As per Drg.		OK	OK	-	-	-			
		Inner Packing	Labeling & Printing		OK	OK	-	-	-			
		Outer Packing	Printing & Stamping		OK	OK	-	-	-			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	-	+	1	2	-	-	-		
		THICKNESS	2.50	2.00	2.50	2.06	2.05	-	-	-		
		I.D	30.00	29.50	30.50	30.03	30.05	-	-	-		

INSPECTED BY:	*Jay Hadiyal*	*APPROVED BY:*	*Shreekant*

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERING QA PASSED

METAL MECA®
THE SAFEST CONNECTIONS

MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-04	Product Name	COMPRESSIBLE INNER SEAL	Size	M40	Drawing No.	GI-04	Date:	04-11-2026
Wo No.	26000343	Total Quantity	10	Lot Quantity	10	Sample Size-	2	Variable & Gauging	2PCS

Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	-	-	-			
1	Visual	Surface	Fine, Clean		FINE	FINE	-	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	12	12	12	-	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NA	NA	NA	-	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	OK	OK	OK	-	-	-			
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		ASM No:- CSEX261101-06/07	
		Assembly Perfection	As per Drg.		OK	OK	-	-	-			
		Inner Packing	Labeling & Printing		OK	OK	-	-	-			
		Outer Packing	Printing & Stamping		OK	OK	-	-	-			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	-	+	1	2	-	-	-			
		T.L	15.50	15.00	16.00	15.49	15.50	-	-	-			
		O.D.L	6.00	5.70	6.30	6.02	5.99	-	-	-			
		O.D	43.50	43.30	43.50	43.39	43.41	-	-	-			
		O.D.L	9.50	9.00	10.00	9.52	9.54	-	-	-			
		I.D	32.10	32.10	32.30	32.15	32.12	-	-	-			

INSPECTED BY:	Jay Hadiyal	APPROVED BY:	Shreekant

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERING QA PASSED

MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-04	**Product Name**	COMPRESSIBLE OUTER SEAL	**Size**	M40	**Drawing No.**	GE-04	**Date:**	04-11-2026
Wo No.	26000343	**Total Quantity**	10	**Lot Quantity**	10	**Sample Size-**	2	**Variable & Gauging**	2PCS

Sr. No.	**Checking Parameter**	**REQUIRED PARAMETER**			**OBSERVED RESULTS**					**REJECTION REWORK DETAIL**	**REMARK**	**CHECKED BY**
		PARAMETER	**CRITERIA**		**1**	**2**	**-**	**-**	**-**			
1	Visual	Surface	Fine, Clean		FINE	FINE	-	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	12	12	12	-	-	-		**(1) DV-55**	
		Washing & Plating	Surface Finishing	NA	NA	NA	-	-	-		**(2) PP-01**	
		RUBBER MARKING	AS PER DRG.	OK	OK	OK	-	-	-			
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		ASM No:- CSEX261101-06/07	
		Assembly Perfection	As per Drg.		OK	OK	-	-	-			
		Inner Packing	Labeling & Printing		OK	OK	-	-	-			
		Outer Packing	Printing & Stamping		OK	OK	-	-	-			
		All Dimensions Are In MM										

			VALUE	-	+	1	2	-	-	-			
2	DIMENSION	T.L	15.00	14.50	15.50	15.03	15.02	-	-	-			
		O.D	52.20	52.00	52.20	52.01	52.00	-	-	-			
		GR.LENGTH	5.00	4.70	5.30	5.02	4.99	-	-	-			
		I.D	40.00	39.90	40.10	40.04	40.06	-	-	-			

INSPECTED BY:	*Jay Hadiyal*	*APPROVED BY:*	*Shreekant*

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERING CA PASSED

METAL MECA®
THE SAFEST CONNECTIONS

MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-04	Product Name	INNER SKID WASHER	Size	M40	Drawing No.	IW-04	Date:	04-11-2026
Wo No.	26000343	Total Quantity	10	Lot Quantity	10	Sample Size-	2	Variable & Gauging	2PCS

Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	-	-	-			
1	Visual	Surface	Fine, Clean		FINE	FINE	-	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	12	12	12	-	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NA	NA	NA	-	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	OK	OK	OK	-	-	-			
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		ASM No:- CSEX261101-06/07	
		Assembly Perfection	As per Drg.		OK	OK	-	-	-			
		Inner Packing	Labeling & Printing		OK	OK	-	-	-			
		Outer Packing	Printing & Stamping		OK	OK	-	-	-			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	-	+	1	2	-	-	-			
		T.L	5.00	4.70	5.30	5.00	4.99	-	-	-		
		O.D	42.50	42.30	42.50	42.39	42.41	-	-	-		
		O.D	39.50	39.30	39.50	39.50	39.49	-	-	-		
		O.D.L	3.00	3.00	3.20	3.02	3.01	-	-	-		
		I.D	32.20	32.20	32.40	32.25	32.23	-	-	-		

INSPECTED BY:	Jay Hadiyal	APPROVED BY:	Shreekant

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERING QA PASSED

METAL MECA®
THE SAFEST CONNECTIONS

MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-04	Product Name	OUTER SKID WASHER	Size	M40	Drawing No.	OW-04	Date:	04-11-2026
Wo No.	26000343	Total Quantity	10	Lot Quantity	10	Sample Size-	2	Variable & Gauging	2PCS

Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	-	-	-			
1	Visual	Surface	Fine, Clean		FINE	FINE	-	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	12	12	12	-	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NA	NA	NA	-	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	OK	OK	OK	-	-	-			
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		ASM No:- CSEX261101-06/07	
		Assembly Perfection	As per Drg.		OK	OK	-	-	-			
		Inner Packing	Labeling & Printing		OK	OK	-	-	-			
		Outer Packing	Printing & Stamping		OK	OK	-	-	-			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	-	+	1	2	-	-	-			
		T.L	6.50	6.20	6.80	6.48	6.50	-	-	-		
		O.D	50.00	50.00	50.10	50.01	50.03	-	-	-		
		O.D	44.50	44.30	44.50	44.39	44.41	-	-	-		
		O.D.L	4.50	4.50	4.60	4.54	4.52	-	-	-		
		I.D	40.50	40.50	40.70	40.52	40.54	-	-	-		

INSPECTED BY:	Jay Hadiyal	APPROVED BY:	Shreekant

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**



METAL MECH®
THE SAFEST CONNECTIONS

MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-04	Product Name	SHROUD	Size	M40	Drawing No.		Date:	04-11-2026
Wo No.	26000343	Total Quantity	10	Lot Quantity	10	Sample Size-	2	Variable & Gauging	2PCS

Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	-	-	-			
1	Visual	Surface	Fine, Clean		FINE	FINE	-	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	12	12	12	-	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NA	NA	NA	-	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	OK	OK	OK	-	-	-			
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		ASM No:- CSEX261101-06/07	
		Assembly Perfection	As per Drg.		OK	OK	-	-	-			
		Inner Packing	Labeling & Printing		OK	OK	-	-	-			
		Outer Packing	Printing & Stamping		OK	OK	-	-	-			
		All Dimensions Are In MM										

			VALUE	-	+	1	2	-	-	-			
2	DIMENSION	T.L	160.00	159.20	160.80	160.03	160.05	-	-	-			
		I.D	58.00	57.20	58.80	58.05	58.04	-	-	-			

INSPECTED BY:	Jay Hadiyal	APPROVED BY:	Shreekant

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERING QA PASSED

MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-04	**Product Name**	EARTH TAG	**Size**	M40	**Drawing No.**		**Date:**	04-11-2026
Wo No.	26000343	**Total Quantity**	10	**Lot Quantity**	10	**Sample Size-**	2	**Variable & Gauging**	2PCS

Sr. No.	**Checking Parameter**	**REQUIRED PARAMETER**			**OBSERVED RESULTS**					**REJECTION REWORK DETAIL**	**REMARK**	**CHECKED BY**
		PARAMETER	**CRITERIA**		**1**	**2**	**-**	**-**	**-**			
1	Visual	Surface	Fine, Clean		FINE	FINE	-	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	12	12	12	-	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NA	NA	NA	-	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	-	-	-			
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		ASM No:- CSEX261101-06/07	
		Assembly Perfection	As per Drg.		OK	OK	-	-	-			
		Inner Packing	Labeling & Printing		OK	OK	-	-	-			
		Outer Packing	Printing & Stamping		OK	OK	-	-	-			
		All Dimensions Are In MM										

			VALUE	-	+	1	2	-	-	-			
2	DIMENSION	THICKNESS	1.50	1.30	1.70	1.45	1.49	-	-	-			
		O.D	52.20	51.40	53.00	52.22	52.25	-	-	-			
		O.D	16.00	15.50	16.50	16.05	16.09	-	-	-			
		I.D	43.00	42.20	43.80	43.04	43.08	-	-	-			
		I.D	6.50	6.20	6.80	6.54	6.56	-	-	-			

INSPECTED BY:	*Jay Hadiyal*	*APPROVED BY:*	*Shreekant*

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERING QA PASSED