# MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| **INSP. No.** | FIR-01 | **Product Name** | LOCK NUT | **Size** | 1/2" NPT | **Drawing No.** | DL1NS | **Date:** | 24-10-2026 |
| **Wo No.** | 26000332 | **Total Quantity** | 6 | **Lot Quantity** | 6 | **Sample Size-** | 2 | **Variable & Gauging** | 2PCS |

| Sr. No. | Checking Parameter | REQUIRED PARAMETER | | | OBSERVED RESULTS | | | | | REJECTION REWORK DETAIL | REMARK | CHECKED BY |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | PARAMETER | CRITERIA | | 1 | 2 | - | - | - | | | |
| 1 | Visual | Surface | Fine, Clean | | FINE | FINE | - | - | - | | Measuring Instruments I.D No- | |
| | | Sizewise No of Pcs. With Internal Parts | As per Drg. No. of Parts | 15 | 15 | 15 | - | - | - | | (1) DV-55 | |
| | | Washing & Plating | Surface Finishing | NA | NA | NA | - | - | - | | (2) PP-01 | |
| | | RUBBER MARKING | AS PER DRG. | NA | NA | NA | - | - | - | | | |
| | | Marking | WO Ref. No. | NA | NA | NA | - | - | - | | ASM No :- CSEX261017-01 | |
| | | Assembly Perfection | As per Drg. | | OK | OK | - | - | - | | | |
| | | Inner Packing | Labeling & Printing | | OK | OK | - | - | - | | | |
| | | Outer Packing | Printing & Stamping | | OK | OK | - | - | - | | | |
| | | **All Dimensions Are In MM** | | | | | | | | | | |
| 2 | DIMENSION | | VALUE | - | + | 1 | 2 | - | - | - | | |
| | | A/F | 24.00 | 23.87 | 24.00 | 23.89 | 23.90 | - | - | - | | |
| | | A/C | 26.00 | 25.50 | 26.50 | 25.99 | 26.00 | - | - | - | | |
| | | T.L | 4.00 | 3.70 | 4.30 | 4.00 | 4.01 | - | - | - | | |
| | | THREAD | 1/2" NPT AS PER P.G GO NOT GO | | | OK | OK | - | - | - | | |
| | | CH.ANGLE | 30° AS PER PP FOUND | | | OK | OK | - | - | - | | |
| | | | | | | | | | | | | |

| | | | |
|---|---|---|---|
| *INSPECTED BY:* | *Jay Hadiyal* | *APPROVED BY:* | *Shreekant* |

**Conclusion :**

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERING QA PASSED

METAL MECA
THE SAFEST CONNECTIONS

# MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

| INSP. No. | FIR-01 | Product Name | ENTRY COMPONENT | Size | 1/2" NPT | Drawing No. | 313001M-01s | Date: | 24-10-2026 |
|---|---|---|---|---|---|---|---|---|---|
| Wo No. | 26000332 | Total Quantity | 6 | Lot Quantity | 6 | Sample Size- | 2 | Variable & Gauging | 2PCS |

| Sr. No. | Checking Parameter | REQUIRED PARAMETER | | OBSERVED RESULTS | | | | | REJECTION REWORK DETAIL | REMARK | CHECKED BY |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | | PARAMETER | CRITERIA | 1 | 2 | - | - | - | | | |
| 1 | Visual | Surface | Fine, Clean | FINE | FINE | - | - | - | | Measuring Instruments I.D No- | |
| | | Sizewise No of Pcs. With Internal Parts | As per Drg. No. of Parts: 15 | 15 | 15 | - | - | - | | (1) DV-55 | |
| | | Washing & Plating | Surface Finishing: NA | NA | NA | - | - | - | | (2) PP-01 | |
| | | RUBBER MARKING | AS PER DRG. / NA | NA | NA | - | - | - | | | |
| | | Marking | WO Ref. No. / Metalmech Logo MM-EX-E1FUNV20s1NX6 2026 CE Logo 2460 Ex Logo II 2 GD Ex db IIC Gb, Ex eb IIC Gb, Ex tb IIIC Db, IP66/68 -55°C ≤ Ta ≤ +160°C Presafe 20 ATEX 48906X IECEx PRE 20.0124X | | | - | - | - | | ASM No :- CSEX261017-01 | |
| | | Assembly Perfection | As per Drg. | OK | OK | - | - | - | | | |
| | | Inner Packing | Labeling & Printing | OK | OK | - | - | - | | | |
| | | Outer Packing | Printing & Stamping | OK | OK | - | - | - | | | |
| | | All Dimensions Are In MM | | | | | | | | | |
| 2 | DIMENSION | | VALUE / - / + | 1 | 2 | - | - | - | | | |
| | | A/F | 25.00 / 24.87 / 25.00 | 24.93 | 24.91 | - | - | - | | | |
| | | A/C | 27.50 / 27.00 / 28.00 | 27.50 | 27.49 | - | - | - | | | |
| | | T.L | 35.00 / 35.00 / 35.50 | 35.05 | 35.04 | - | - | - | | | |
| | | LENGTH | 20.00 / 20.00 / 20.50 | 20.05 | 20.04 | - | - | - | | | |
| | | O.D | 24.50 / 24.00 / 25.00 | 24.51 | 24.50 | - | - | - | | | |
| | | O.D.L | 9.00 / 8.50 / 9.50 | 9.04 | 9.06 | - | - | - | | | |
| | | H.L | 6.00 / 5.70 / 6.30 | 6.03 | 6.05 | - | - | - | | | |
| | | I.D | 12.00 / 11.50 / 12.50 | 12.06 | 12.05 | - | - | - | | | |
| | | DEPTH | 11.50 / 11.00 / 12.00 | 11.54 | 11.56 | - | - | - | | | |
| | | THREAD | 1/2" NPT AS PER T.R.G GO NOT GO | OK | OK | - | - | - | | | |
| | | INT.THREAD | M20x1.5 AS PER P.G GO NOT GO | OK | OK | - | - | - | | | |
| | | CH.ANGLE | 0.5x45° AS PER PP FOUND | OK | OK | - | - | - | | | |
| | | CH.ANGLE | 1.6x45° AS PER PP FOUND | OK | OK | - | - | - | | | |
| | | CH.ANGLE | 1.5x45° AS PER PP FOUND | OK | OK | - | - | - | | | |
| | | CH.ANGLE | 20° AS PER PP FOUND | OK | OK | - | - | - | | | |
| | | ANGLE | 90° AS PER PP FOUND | OK | OK | - | - | - | | | |
| | | | | | | | | | | | |

| *INSPECTED BY:* | *Jay Hadiyal* | *APPROVED BY:* | *Shreekant* |
|---|---|---|---|

**Conclusion :**

☑ **Accept** ☐ **Reject** ☐ **Hold**

METAMECH ENGINEERING QA PASSED

# MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

| INSP. No. | FIR-01 | Product Name | INTERMIDIATE BODY | Size | 1/2" NPT | Drawing No. | 313002U-01s | Date: | 24-10-2026 |
|---|---|---|---|---|---|---|---|---|---|
| Wo No. | 26000332 | Total Quantity | 6 | Lot Quantity | 6 | Sample Size- | 2 | Variable & Gauging | 2PCS |

| Sr. No. | Checking Parameter | REQUIRED PARAMETER | | | OBSERVED RESULTS | | | | | REJECTION REWORK DETAIL | REMARK | CHECKED BY |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | PARAMETER | CRITERIA | | 1 | 2 | - | - | - | | | |
| 1 | Visual | Surface | Fine, Clean | | FINE | FINE | - | - | - | | Measuring Instruments I.D No- | |
| | | Sizewise No of Pcs. With Internal Parts | As per Drg. No. of Parts | 15 | 15 | 15 | - | - | - | | (1) DV-55 | |
| | | Washing & Plating | Surface Finishing | NA | NA | NA | - | - | - | | (2) PP-01 | |
| | | RUBBER MARKING | AS PER DRG. | NA | NA | NA | - | - | - | | | |
| | | Marking | WO Ref. No. | NA | NA | NA | - | - | - | | ASM No :- CSEX261017-01 | |
| | | Assembly Perfection | As per Drg. | | OK | OK | - | - | - | | | |
| | | Inner Packing | Labeling & Printing | | OK | OK | - | - | - | | | |
| | | Outer Packing | Printing & Stamping | | OK | OK | - | - | - | | | |
| | | All Dimensions Are In MM | | | | | | | | | | |
| 2 | DIMENSION | | VALUE | - | + | 1 | 2 | - | - | - | | |
| | | A/F | 25.00 | 24.87 | 25.00 | 24.93 | 24.95 | - | - | - | | |
| | | A/C | 27.50 | 27.00 | 28.00 | 27.45 | 27.47 | - | - | - | | |
| | | T.L | 22.00 | 21.50 | 22.50 | 22.03 | 22.02 | - | - | - | | |
| | | TH.L | 10.00 | 9.50 | 10.50 | 9.98 | 9.97 | - | - | - | | |
| | | GR.OD | 18.00 | 17.50 | 18.50 | 18.03 | 18.05 | - | - | - | | |
| | | GR.LE | 1.00 | 0.80 | 1.20 | 1.01 | 1.00 | - | - | - | | |
| | | H.L | 4.00 | 3.70 | 4.30 | 4.05 | 4.04 | - | - | - | | |
| | | TH.L | 8.00 | 7.70 | 8.30 | 8.04 | 8.06 | - | - | - | | |
| | | GR.OD | 20.00 | 19.50 | 20.50 | 20.02 | 20.01 | - | - | - | | |
| | | GR.LE | 1.00 | 0.80 | 1.20 | 1.01 | 1.00 | - | - | - | | |
| | | I.D | 16.00 | 15.50 | 16.50 | 15.95 | 15.94 | - | - | - | | |
| | | I.D | 18.00 | 17.50 | 18.50 | 17.93 | 17.95 | - | - | - | | |
| | | DEPTH | 7.00 | 6.70 | 7.30 | 7.00 | 6.99 | - | - | - | | |
| | | I.D | 17.00 | 16.50 | 17.50 | 17.03 | 17.02 | - | - | - | | |
| | | I.D.LE | 4.50 | 4.20 | 4.80 | 4.50 | 4.51 | - | - | - | | |
| | | DEPTH | 11.50 | 11.00 | 12.00 | 11.51 | 11.53 | - | - | - | | |
| | | THREAD | M20x1.5 AS PER T.R.G GO NOT GO | | | OK | OK | - | - | - | | |
| | | THREAD | M22x1.5 AS PER T.R.G GO NOT GO | | | OK | OK | - | - | - | | |
| | | CH.ANGLE | 1.5x45° AS PER PP FOUND | | | OK | OK | - | - | - | | |
| | | CH.ANGLE | 0.5x45° AS PER PP FOUND | | | OK | OK | - | - | - | | |
| | | CH.ANGLE | 20° AS PER PP FOUND | | | OK | OK | - | - | - | | |

| *INSPECTED BY:* | *Jay Hadiyal* | *APPROVED BY:* | *Shreekant* |
|---|---|---|---|

**Conclusion :**

☑ **Accept** ☐ **Reject** ☐ **Hold**



METAL MECA
THE SAFEST CONNECTIONS

# MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

| | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| **INSP. No.** | FIR-01 | **Product Name** | MIDDLE BODY | **Size** | 1/2" NPT | **Drawing No.** | 313002-018 | **Date:** | 24-10-2026 |
| **Wo No.** | 26000332 | **Total Quantity** | 6 | **Lot Quantity** | 6 | **Sample Size-** | 2 | Variable & Gauging | 2PCS |

| Sr. No. | Checking Parameter | REQUIRED PARAMETER | | OBSERVED RESULTS | | | | | REJECTION REWORK DETAIL | REMARK | CHECKED BY |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | | PARAMETER | CRITERIA | 1 | 2 | - | - | - | | | |
| 1 | Visual | Surface | Fine, Clean | FINE | FINE | - | - | - | | Measuring Instruments I.D No- | |
| | | Sizewise No of Pcs. With Internal Parts | As per Drg. No. of Parts: 15 | 15 | 15 | - | - | - | | (1) DV-55 | |
| | | Washing & Plating | Surface Finishing: NA | NA | NA | - | - | - | | (2) PP-01 | |
| | | RUBBER MARKING | AS PER DRG.: NA | NA | NA | - | - | - | | | |
| | | Marking | WO Ref. No.: NA | NA | NA | - | - | - | | ASM No :- CSEX261017-01 | |
| | | Assembly Perfection | As per Drg. | OK | OK | - | - | - | | | |
| | | Inner Packing | Labeling & Printing | OK | OK | - | - | - | | | |
| | | Outer Packing | Printing & Stamping | OK | OK | - | - | - | | | |
| | | **All Dimensions Are In MM** | | | | | | | | | |

| | | | VALUE | - | + | 1 | 2 | - | - | - | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2 | DIMENSION | A/F | 25.00 | 24.87 | 25.00 | 24.89 | 24.91 | - | - | - | | | |
| | | A/C | 27.50 | 27.00 | 28.00 | 27.49 | 27.48 | - | - | - | | | |
| | | T.L | 28.00 | 27.50 | 28.50 | 28.01 | 28.00 | - | - | - | | | |
| | | TH.L | 12.00 | 11.50 | 12.50 | 12.02 | 12.01 | - | - | - | | | |
| | | GR.OD | 20.50 | 20.00 | 21.00 | 20.55 | 20.54 | - | - | - | | | |
| | | GR.LE | 1.00 | 0.80 | 1.20 | 1.01 | 1.00 | - | - | - | | | |
| | | O.D | 24.50 | 24.00 | 25.00 | 24.43 | 24.45 | - | - | - | | | |
| | | O.D.L | 8.00 | 7.70 | 8.30 | 8.02 | 8.01 | - | - | - | | | |
| | | H.L | 8.00 | 7.70 | 8.30 | 8.05 | 8.04 | - | - | - | | | |
| | | I.D | 16.00 | 15.50 | 16.50 | 16.01 | 16.00 | - | - | - | | | |
| | | I.D | 17.00 | 16.50 | 17.50 | 17.02 | 17.04 | - | - | - | | | |
| | | I.D.LE | 4.00 | 3.70 | 4.30 | 4.01 | 4.03 | - | - | - | | | |
| | | INT.THL | 9.50 | 9.00 | 10.00 | 9.50 | 9.49 | - | - | - | | | |
| | | I.D | 20.00 | 19.50 | 20.50 | 19.97 | 19.96 | - | - | - | | | |
| | | DEPTH | 14.00 | 13.50 | 14.50 | 14.04 | 14.06 | - | - | - | | | |
| | | THREAD | M22x1 AS PER T.R.G GO NOT GO | | | OK | OK | - | - | - | | | |
| | | INT.THREAD | M22x1.5 AS PER P.G GO NOT GO | | | OK | OK | - | - | - | | | |
| | | CH.ANGLE | 0.5x45° AS PER PP FOUND | | | OK | OK | - | - | - | | | |
| | | CH.ANGLE | 1x45° AS PER PP FOUND | | | OK | OK | - | - | - | | | |
| | | CH.ANGLE | 1.5x45° AS PER PP FOUND | | | OK | OK | - | - | - | | | |
| | | CH.ANGLE | 30° AS PER PP FOUND | | | OK | OK | - | - | - | | | |

| *INSPECTED BY:* | *Jay Hadiyal* | *APPROVED BY:* | *Shreekant* |
|---|---|---|---|

**Conclusion :**

☑ **Accept** ☐ **Reject** ☐ **Hold**

METAL MECH ENGINEERS (I) PVT. LTD. CA PASSED

METAL MECA
THE SAFEST CONNECTIONS

# MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

| | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| **INSP. No.** | FIR-01 | **Product Name** | BACK NUT | **Size** | 1/2" NPT | | **Drawing No.** | 313003-018 | **Date:** | 24-10-2026 | |
| **Wo No.** | 26000332 | **Total Quantity** | 6 | **Lot Quantity** | 6 | | **Sample Size-** | 2 | Variable & Gauging | 2PCS | |

| Sr. No. | Checking Parameter | REQUIRED PARAMETER | | | OBSERVED RESULTS | | | | | REJECTION REWORK DETAIL | REMARK | CHECKED BY |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | PARAMETER | CRITERIA | | 1 | 2 | - | - | - | | | |
| 1 | Visual | Surface | Fine, Clean | | FINE | FINE | - | - | - | | Measuring Instruments I.D No- | |
| | | Sizewise No of Pcs. With Internal Parts | As per Drg. No. of Parts | 15 | 15 | 15 | - | - | - | | (1) DV-55 | |
| | | Washing & Plating | Surface Finishing | NA | NA | NA | - | - | - | | (2) PP-01 | |
| | | RUBBER MARKING | AS PER DRG. | NA | NA | NA | - | - | - | | | |
| | | Marking | WO Ref. No. | NA | NA | NA | - | - | - | | ASM No :- CSEX261017-01 | |
| | | Assembly Perfection | As per Drg. | | OK | OK | - | - | - | | | |
| | | Inner Packing | Labeling & Printing | | OK | OK | - | - | - | | | |
| | | Outer Packing | Printing & Stamping | | OK | OK | - | - | - | | | |
| | | **All Dimensions Are In MM** | | | | | | | | | | |
| 2 | DIMENSION | | VALUE | - | + | 1 | 2 | - | - | - | | | |
| | | A/F | 25.00 | 24.87 | 25.00 | 24.90 | 24.89 | - | - | - | | |
| | | A/C | 27.50 | 27.00 | 28.00 | 27.46 | 27.49 | - | - | - | | |
| | | T.L | 17.00 | 16.50 | 17.50 | 17.00 | 16.99 | - | - | - | | |
| | | O.D | 24.00 | 23.50 | 24.50 | 23.98 | 23.97 | - | - | - | | |
| | | O.D.L | 8.00 | 7.70 | 8.30 | 8.02 | 8.01 | - | - | - | | |
| | | H.L | 9.00 | 8.50 | 9.50 | 8.96 | 8.95 | - | - | - | | |
| | | I.D | 19.00 | 18.50 | 19.50 | 19.00 | 18.99 | - | - | - | | |
| | | INT.THL | 3.00 | 2.80 | 3.20 | 3.02 | 3.01 | - | - | - | | |
| | | GR.ID | 22.20 | 21.70 | 22.70 | 22.25 | 22.24 | - | - | - | | |
| | | GR.LE | 10.50 | 10.00 | 11.00 | 10.51 | 10.53 | - | - | - | | |
| | | DEPTH | 13.50 | 13.00 | 14.00 | 13.52 | 13.51 | - | - | - | | |
| | | GR.ID | 21.00 | 20.50 | 21.50 | 21.03 | 21.02 | - | - | - | | |
| | | GR.LE | 2.50 | 2.30 | 2.70 | 2.52 | 2.50 | - | - | - | | |
| | | DEPTH | 16.00 | 15.50 | 16.50 | 15.95 | 15.98 | - | - | - | | |
| | | INT.THREAD | M22x1 AS PER P.G GO NOT GO | | | OK | OK | - | - | - | | |
| | | CH.ANGLE | 1x45° AS PER PP FOUND | | | OK | OK | - | - | - | | |
| | | CH.ANGLE | 0.5x45° AS PER PP FOUND | | | OK | OK | - | - | - | | |
| | | CH.ANGLE | 45° AS PER PP FOUND | | | OK | OK | - | - | - | | |
| | | | | | | | | | | | | |

| *INSPECTED BY:* | *Jay Hadiyal* | *APPROVED BY:* | *Shreekant* |
|---|---|---|---|

**Conclusion :**

☑ **Accept** ☐ **Reject** ☐ **Hold**

METAL MECH ENGINEERS PVT. LTD. CA PASSED

METAL MECA®
THE SAFEST CONNECTIONS

# MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

| | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| **INSP. No.** | FIR-01 | **Product Name** | UNIVERSAL CLAMPING CONE | **Size** | 1/2" NPT | **Drawing No.** | 313005-01s | **Date:** | 24-10-2026 |
| **Wo No.** | 26000332 | **Total Quantity** | 6 | **Lot Quantity** | 6 | **Sample Size-** | 2 | Variable & Gauging | 2PCS |

| Sr. No. | Checking Parameter | REQUIRED PARAMETER | | | | OBSERVED RESULTS | | | | | REJECTION REWORK DETAIL | REMARK | CHECKED BY |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | PARAMETER | CRITERIA | | | 1 | 2 | - | - | - | | | |
| 1 | Visual | Surface | Fine, Clean | | | FINE | FINE | - | - | - | | Measuring Instruments I.D No- | |
| | | Sizewise No of Pcs. With Internal Parts | As per Drg. No. of Parts | 15 | | 15 | 15 | - | - | - | | (1) DV-55 | |
| | | Washing & Plating | Surface Finishing | NA | | NA | NA | - | - | - | | (2) PP-01 | |
| | | RUBBER MARKING | AS PER DRG. | NA | | NA | NA | - | - | - | | | |
| | | Marking | WO Ref. No. | NA | | NA | NA | - | - | - | | ASM No :- CSEX261017-01 | |
| | | Assembly Perfection | As per Drg. | | | OK | OK | - | - | - | | | |
| | | Inner Packing | Labeling & Printing | | | OK | OK | - | - | - | | | |
| | | Outer Packing | Printing & Stamping | | | OK | OK | - | - | - | | | |
| | | **All Dimensions Are In MM** | | | | | | | | | | | |
| 2 | DIMENSION | | VALUE | - | + | 1 | 2 | - | - | - | | | |
| | | T.L | 22.00 | 21.50 | 22.50 | 22.03 | 22.02 | - | - | - | | | |
| | | O.D | 14.00 | 13.50 | 14.50 | 14.05 | 14.04 | - | - | - | | | |
| | | O.D.L | 3.50 | 3.20 | 3.80 | 3.52 | 3.51 | - | - | - | | | |
| | | GR.OD | 15.50 | 15.00 | 16.00 | 15.51 | 15.49 | - | - | - | | | |
| | | GR.LE | 2.50 | 2.30 | 2.70 | 2.52 | 2.51 | - | - | - | | | |
| | | O.D | 16.20 | 15.70 | 16.70 | 16.20 | 16.19 | - | - | - | | | |
| | | O.D.L | 7.50 | 7.20 | 7.80 | 7.52 | 7.49 | - | - | - | | | |
| | | O.D | 17.50 | 17.00 | 18.00 | 17.52 | 17.53 | - | - | - | | | |
| | | O.D.L | 7.00 | 6.70 | 7.30 | 7.07 | 7.05 | - | - | - | | | |
| | | O.D | 14.00 | 13.50 | 14.50 | 14.00 | 13.99 | - | - | - | | | |
| | | O.D.L | 4.50 | 4.20 | 4.80 | 4.51 | 4.50 | - | - | - | | | |
| | | O.D | 14.50 | 14.00 | 15.00 | 14.52 | 14.51 | - | - | - | | | |
| | | O.D | 15.00 | 14.50 | 15.50 | 15.02 | 15.01 | - | - | - | | | |
| | | O.D | 15.50 | 15.00 | 16.00 | 15.51 | 15.49 | - | - | - | | | |
| | | O.D.L | 7.50 | 7.20 | 7.80 | 7.49 | 7.51 | - | - | - | | | |
| | | I.D | 12.00 | 11.50 | 12.50 | 12.05 | 12.04 | - | - | - | | | |
| | | GROOVE.STEP.LE | 0.50 | 0.30 | 0.70 | 0.50 | 0.49 | - | - | - | | | |
| | | RADIUS | 0.5 MM AS PER PP FOUND | | | OK | OK | - | - | - | | | |
| | | RADIUS | 0.3 AS PER PP FOUND | | | OK | OK | - | - | - | | | |
| | | | | | | | | | | | | | |

| *INSPECTED BY:* | *Jay Hadiyal* | *APPROVED BY:* | *Shreekant* |
|---|---|---|---|

**Conclusion :**

☑ **Accept** ☐ **Reject** ☐ **Hold**

METAL MECH ENGINEERING CA PASSED

# MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

| | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| **INSP. No.** | FIR-01 | **Product Name** | REVERSIBLE ARMOUR RING | **Size** | 1/2" NPT | **Drawing No.** | 313004-01s | **Date:** | 24-10-2026 |
| **Wo No.** | 26000332 | **Total Quantity** | 6 | **Lot Quantity** | 6 | **Sample Size-** | 2 | Variable & Gauging | 2PCS |

| **Sr. No.** | **Checking Parameter** | **REQUIRED PARAMETER** | | | **OBSERVED RESULTS** | | | | | **REJECTION REWORK DETAIL** | **REMARK** | **CHECKED BY** |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | **PARAMETER** | **CRITERIA** | | **1** | **2** | **-** | **-** | **-** | | | |
| 1 | Visual | Surface | Fine, Clean | | FINE | FINE | - | - | - | | Measuring Instruments I.D No- | |
| | | Sizewise No of Pcs. With Internal Parts | As per Drg. No. of Parts | 15 | 15 | 15 | - | - | - | | **(1) DV-55** | |
| | | Washing & Plating | Surface Finishing | NA | NA | NA | - | - | - | | **(2) PP-01** | |
| | | RUBBER MARKING | AS PER DRG. | NA | NA | NA | - | - | - | | | |
| | | Marking | WO Ref. No. | NA | NA | NA | - | - | - | | **ASM No :- CSEX261017-01** | |
| | | Assembly Perfection | As per Drg. | | OK | OK | - | - | - | | | |
| | | Inner Packing | Labeling & Printing | | OK | OK | - | - | - | | | |
| | | Outer Packing | Printing & Stamping | | OK | OK | - | - | - | | | |
| | | **All Dimensions Are In MM** | | | | | | | | | | |

| | | | VALUE | - | + | 1 | 2 | - | - | - | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2 | DIMENSION | T.L | 6.00 | 5.70 | 6.30 | 6.01 | 6.01 | - | - | - | | | |
| | | O.D | 19.00 | 18.50 | 19.50 | 18.73 | 18.75 | - | - | - | | | |
| | | I.D | 16.00 | 15.50 | 16.50 | 16.01 | 16.00 | - | - | - | | | |
| | | I.D | 16.50 | 16.00 | 17.00 | 16.50 | 16.49 | - | - | - | | | |
| | | | | | | | | | | | | | |

| *INSPECTED BY:* | *Jay Hadiyal* | *APPROVED BY:* | *Shreekant* |
|---|---|---|---|

**Conclusion :**

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERING QA PASSED

# MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

| INSP. No. | FIR-01 | Product Name | COMPRESSIBLE INNER SEAL | Size | 1/2" NPT | Drawing No. | GI-01s | Date: | 24-10-2026 |
|---|---|---|---|---|---|---|---|---|---|
| Wo No. | 26000332 | Total Quantity | 6 | Lot Quantity | 6 | Sample Size- | 2 | Variable & Gauging | 2PCS |

| Sr. No. | Checking Parameter | REQUIRED PARAMETER | | | OBSERVED RESULTS | | | | | REJECTION REWORK DETAIL | REMARK | CHECKED BY |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | PARAMETER | CRITERIA | | 1 | 2 | - | - | - | | | |
| 1 | Visual | Surface | Fine, Clean | | FINE | FINE | - | - | - | | Measuring Instruments I.D No- | |
| | | Sizewise No of Pcs. With Internal Parts | As per Drg. No. of Parts | 15 | 15 | 15 | - | - | - | | (1) DV-55 | |
| | | Washing & Plating | Surface Finishing | NA | NA | NA | - | - | - | | (2) PP-01 | |
| | | RUBBER MARKING | AS PER DRG. | OK | OK | OK | - | - | - | | | |
| | | Marking | WO Ref. No. | NA | NA | NA | - | - | - | | ASM No :- CSEX261017-01 | |
| | | Assembly Perfection | As per Drg. | | OK | OK | - | - | - | | | |
| | | Inner Packing | Labeling & Printing | | OK | OK | - | - | - | | | |
| | | Outer Packing | Printing & Stamping | | OK | OK | - | - | - | | | |
| | | All Dimensions Are In MM | | | | | | | | | | |
| 2 | DIMENSION | | VALUE | - | + | 1 | 2 | - | - | - | | | |
| | | T.L | 9.50 | 9.00 | 10.00 | 9.49 | 9.51 | - | - | - | | |
| | | O.D.L | 3.00 | 2.70 | 3.30 | 3.01 | 3.03 | - | - | - | | |
| | | O.D | 18.50 | 18.30 | 18.50 | 18.43 | 18.45 | - | - | - | | |
| | | O.D.L | 6.50 | 6.20 | 6.80 | 6.53 | 6.55 | - | - | - | | |
| | | I.D | 11.70 | 11.70 | 11.90 | 11.77 | 11.76 | - | - | - | | |
| | | | | | | | | | | | | |

| INSPECTED BY: | Jay Hadiyal | APPROVED BY: | Shreekant |
|---|---|---|---|

**Conclusion :**

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERING QA PASSED

METAL MECH®
THE SAFEST CONNECTIONS

# MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

| INSP. No. | FIR-01 | Product Name | COMPRESSIBLE OUTER SEAL | Size | 1/2" NPT | Drawing No. | GE-01s | Date: | 24-10-2026 |
|---|---|---|---|---|---|---|---|---|---|
| Wo No. | 26000332 | Total Quantity | 6 | Lot Quantity | 6 | Sample Size- | 2 | Variable & Gauging | 2PCS |

| Sr. No. | Checking Parameter | REQUIRED PARAMETER | | | OBSERVED RESULTS | | | | | REJECTION REWORK DETAIL | REMARK | CHECKED BY |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | PARAMETER | CRITERIA | | 1 | 2 | - | - | - | | | |
| 1 | Visual | Surface | Fine, Clean | | FINE | FINE | - | - | - | | Measuring Instruments I.D No- | |
| | | Sizewise No of Pcs. With Internal Parts | As per Drg. No. of Parts | 15 | 15 | 15 | - | - | - | | (1) DV-55 | |
| | | Washing & Plating | Surface Finishing | NA | NA | NA | - | - | - | | (2) PP-01 | |
| | | RUBBER MARKING | AS PER DRG. | OK | OK | OK | - | - | - | | | |
| | | Marking | WO Ref. No. | NA | NA | NA | - | - | - | | ASM No :- CSEX261017-01 | |
| | | Assembly Perfection | As per Drg. | | OK | OK | - | - | - | | | |
| | | Inner Packing | Labeling & Printing | | OK | OK | - | - | - | | | |
| | | Outer Packing | Printing & Stamping | | OK | OK | - | - | - | | | |
| | | All Dimensions Are In MM | | | | | | | | | | |

| | | | VALUE | - | + | 1 | 2 | - | - | - | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2 | DIMENSION | T.L | 10.00 | 9.50 | 10.50 | 10.01 | 10.00 | - | - | - | | | |
| | | O.D | 22.20 | 22.00 | 22.20 | 22.12 | 22.11 | - | - | - | | | |
| | | GR.LENGTH | 3.50 | 3.20 | 3.80 | 3.49 | 3.51 | - | - | - | | | |
| | | I.D | 15.70 | 15.70 | 15.80 | 15.75 | 15.74 | - | - | - | | | |
| | | | | | | | | | | | | | |

| *INSPECTED BY:* | *Jay Hadiyal* | *APPROVED BY:* | *Shreekant* |
|---|---|---|---|

**Conclusion :**

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERING QA PASSED

# MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

| INSP. No. | FIR-01 | Product Name | INNER SKID WASHER | Size | 1/2" NPT | Drawing No. | IW-01s | Date: | 24-10-2026 |
|---|---|---|---|---|---|---|---|---|---|
| Wo No. | 26000332 | Total Quantity | 6 | Lot Quantity | 6 | Sample Size- | 2 | Variable & Gauging | 2PCS |

| Sr. No. | Checking Parameter | REQUIRED PARAMETER | | | OBSERVED RESULTS | | | | | REJECTION REWORK DETAIL | REMARK | CHECKED BY |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | PARAMETER | CRITERIA | | 1 | 2 | - | - | - | | | |
| 1 | Visual | Surface | Fine, Clean | | FINE | FINE | - | - | - | | Measuring Instruments I.D No- | |
| | | Sizewise No of Pcs. With Internal Parts | As per Drg. No. of Parts | 15 | 15 | 15 | - | - | - | | (1) DV-55 | |
| | | Washing & Plating | Surface Finishing | NA | NA | NA | - | - | - | | (2) PP-01 | |
| | | RUBBER MARKING | AS PER DRG. | OK | OK | OK | - | - | - | | | |
| | | Marking | WO Ref. No. | NA | NA | NA | - | - | - | | ASM No :- CSEX261017-01 | |
| | | Assembly Perfection | As per Drg. | | OK | OK | - | - | - | | | |
| | | Inner Packing | Labeling & Printing | | OK | OK | - | - | - | | | |
| | | Outer Packing | Printing & Stamping | | OK | OK | - | - | - | | | |
| | | All Dimensions Are In MM | | | | | | | | | | |
| 2 | DIMENSION | | VALUE | - | + | 1 | 2 | - | - | - | | |
| | | T.L | 4.50 | 4.20 | 4.80 | 4.53 | 4.51 | - | - | - | | |
| | | O.D | 18.00 | 17.80 | 18.00 | 17.90 | 17.92 | - | - | - | | |
| | | O.D | 15.50 | 15.30 | 15.50 | 15.42 | 15.40 | - | - | - | | |
| | | O.D.L | 2.50 | 2.50 | 2.70 | 2.52 | 2.54 | - | - | - | | |
| | | I.D | 12.00 | 12.00 | 12.20 | 12.05 | 12.04 | - | - | - | | |
| | | | | | | | | | | | | |

| INSPECTED BY: | Jay Hadiyal | APPROVED BY: | Shreekant |
|---|---|---|---|

**Conclusion :**

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERING QA PASSED

# MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

| | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| **INSP. No.** | FIR-01 | **Product Name** | OUTER SKID WASHER | **Size** | 1/2" NPT | **Drawing No.** | OW-01s | **Date:** | 24-10-2026 |
| **Wo No.** | 26000332 | **Total Quantity** | 6 | **Lot Quantity** | 6 | **Sample Size-** | 2 | **Variable & Gauging** | 2PCS |

| **Sr. No.** | **Checking Parameter** | **REQUIRED PARAMETER** | | | **OBSERVED RESULTS** | | | | | **REJECTION REWORK DETAIL** | **REMARK** | **CHECKED BY** |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | **PARAMETER** | **CRITERIA** | | **1** | **2** | **-** | **-** | **-** | | | |
| 1 | Visual | Surface | Fine, Clean | | FINE | FINE | - | - | - | | Measuring Instruments I.D No- | |
| | | Sizewise No of Pcs. With Internal Parts | As per Drg. No. of Parts | 15 | 15 | 15 | - | - | - | | (1) DV-55 | |
| | | Washing & Plating | Surface Finishing | NA | NA | NA | - | - | - | | (2) PP-01 | |
| | | RUBBER MARKING | AS PER DRG. | NA | NA | NA | - | - | - | | | |
| | | Marking | WO Ref. No. | NA | NA | NA | - | - | - | | ASM No :- CSEX261017-01 | |
| | | Assembly Perfection | As per Drg. | | OK | OK | - | - | - | | | |
| | | Inner Packing | Labeling & Printing | | OK | OK | - | - | - | | | |
| | | Outer Packing | Printing & Stamping | | OK | OK | - | - | - | | | |
| | | **All Dimensions Are In MM** | | | | | | | | | | |
| 2 | DIMENSION | | VALUE | - | + | 1 | 2 | - | - | - | | | |
| | | T.L | 6.50 | 6.20 | 6.80 | 6.52 | 6.54 | - | - | - | | |
| | | O.D | 20.50 | 20.50 | 20.60 | 20.52 | 20.55 | - | - | - | | |
| | | O.D | 18.50 | 18.30 | 18.50 | 18.40 | 18.39 | - | - | - | | |
| | | O.D.L | 4.00 | 4.00 | 4.10 | 4.02 | 4.01 | - | - | - | | |
| | | I.D | 16.00 | 16.00 | 16.20 | 16.03 | 16.05 | - | - | - | | |
| | | | | | | | | | | | | |

| *INSPECTED BY:* | *Jay Hadiyal* | *APPROVED BY:* | *Shreekant* |
|---|---|---|---|

**Conclusion :**

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERING QA PASSED

# MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

| INSP. No. | FIR-01 | Product Name | EARTH TAG | Size | 1/2" NPT | Drawing No. | - | Date: | 24-10-2026 |
|---|---|---|---|---|---|---|---|---|---|
| Wo No. | 26000332 | Total Quantity | 6 | Lot Quantity | 6 | Sample Size- | 2 | Variable & Gauging | 2PCS |

| Sr. No. | Checking Parameter | REQUIRED PARAMETER | | | OBSERVED RESULTS | | | | | REJECTION REWORK DETAIL | REMARK | CHECKED BY |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | PARAMETER | CRITERIA | | 1 | 2 | - | - | - | | | |
| 1 | Visual | Surface | Fine, Clean | | FINE | FINE | - | - | - | | Measuring Instruments I.D No- | |
| | | Sizewise No of Pcs. With Internal Parts | As per Drg. No. of Parts | 15 | 15 | 15 | - | - | - | | (1) DV-55 | |
| | | Washing & Plating | Surface Finishing | NA | NA | NA | - | - | - | | (2) PP-01 | |
| | | RUBBER MARKING | AS PER DRG. | NA | NA | NA | - | - | - | | | |
| | | Marking | WO Ref. No. | NA | NA | NA | - | - | - | | ASM No :- CSEX261017-01 | |
| | | Assembly Perfection | As per Drg. | | OK | OK | - | - | - | | | |
| | | Inner Packing | Labeling & Printing | | OK | OK | - | - | - | | | |
| | | Outer Packing | Printing & Stamping | | OK | OK | - | - | - | | | |
| | | All Dimensions Are In MM | | | | | | | | | | |
| 2 | DIMENSION | | VALUE | - | + | 1 | 2 | - | - | - | | | |
| | | THICKNESS | 1.50 | 1.30 | 1.70 | 1.45 | 1.44 | - | - | - | | |
| | | O.D | 30.20 | 29.40 | 31.00 | 30.19 | 30.20 | - | - | - | | |
| | | O.D | 13.20 | 12.70 | 13.70 | 13.25 | 13.22 | - | - | - | | |
| | | I.D | 22.00 | 21.50 | 22.50 | 22.08 | 22.09 | - | - | - | | |
| | | I.D | 6.50 | 6.20 | 6.80 | 6.54 | 6.56 | - | - | - | | |
| | | | | | | | | | | | | |

| INSPECTED BY: | Jay Hadiyal | APPROVED BY: | Shreekant |
|---|---|---|---|

**Conclusion :**

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERING QA PASSED

# MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| **INSP. No.** | FIR-01 | **Product Name** | SHROUD | **Size** | C-2027 | **Drawing No.** | - | **Date:** | 24-10-2026 |
| **Wo No.** | 26000332 | **Total Quantity** | 6 | **Lot Quantity** | 6 | **Sample Size-** | 2 | **Variable & Gauging** | 2PCS |

| **Sr. No.** | **Checking Parameter** | **REQUIRED PARAMETER** | | | **OBSERVED RESULTS** | | | | | **REJECTION REWORK DETAIL** | **REMARK** | **CHECKED BY** |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | **PARAMETER** | **CRITERIA** | | **1** | **2** | **-** | **-** | **-** | | | |
| 1 | Visual | Surface | Fine, Clean | | FINE | FINE | - | - | - | | Measuring Instruments I.D No- | |
| | | Sizewise No of Pcs. With Internal Parts | As per Drg. No. of Parts | 15 | 15 | 15 | - | - | - | | **(1) DV-55** | |
| | | Washing & Plating | Surface Finishing | NA | NA | NA | - | - | - | | **(2) PP-01** | |
| | | RUBBER MARKING | AS PER DRG. | NA | NA | NA | - | - | - | | | |
| | | Marking | WO Ref. No. | NA | NA | NA | - | - | - | | **ASM No :- CSEX261017-01** | |
| | | Assembly Perfection | As per Drg. | | OK | OK | - | - | - | | | |
| | | Inner Packing | Labeling & Printing | | OK | OK | - | - | - | | | |
| | | Outer Packing | Printing & Stamping | | OK | OK | - | - | - | | | |
| | | **All Dimensions Are In MM** | | | | | | | | | | |

| | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2 | DIMENSION | | VALUE | - | + | 1 | 2 | - | - | - | | | |
| | | T.L | 125.00 | 124.20 | 125.80 | 125.19 | 125.12 | - | - | - | | | |
| | | I.D | 27.00 | 26.50 | 27.50 | 27.05 | 27.09 | - | - | - | | | |
| | | | | | | | | | | | | | |

| *INSPECTED BY:* | *Jay Hadiyal* | *APPROVED BY:* | *Shreekant* |
|---|---|---|---|

**Conclusion :**

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERING QA PASSED

# MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

| | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| **INSP. No.** | FIR-01 | **Product Name** | NYLON WASHER | **Size** | 1/2" NPT | **Drawing No.** | - | **Date:** | 24-10-2026 |
| **Wo No.** | 26000332 | **Total Quantity** | 6 | **Lot Quantity** | 6 | **Sample Size-** | 2 | **Variable & Gauging** | 2PCS |

| **Sr. No.** | **Checking Parameter** | **REQUIRED PARAMETER** | | | **OBSERVED RESULTS** | | | | | **REJECTION REWORK DETAIL** | **REMARK** | **CHECKED BY** |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | **PARAMETER** | **CRITERIA** | | **1** | **2** | **-** | **-** | **-** | | | |
| 1 | Visual | Surface | Fine, Clean | | FINE | FINE | - | - | - | | Measuring Instruments I.D No- | |
| | | Sizewise No of Pcs. With Internal Parts | As per Drg. No. of Parts | 15 | 15 | 15 | - | - | - | | (1) DV-55 | |
| | | Washing & Plating | Surface Finishing | NA | NA | NA | - | - | - | | (2) PP-01 | |
| | | RUBBER MARKING | AS PER DRG. | NA | NA | NA | - | - | - | | | |
| | | Marking | WO Ref. No. | NA | NA | NA | - | - | - | | ASM No :- CSEX261017-01 | |
| | | Assembly Perfection | As per Drg. | | OK | OK | - | - | - | | | |
| | | Inner Packing | Labeling & Printing | | OK | OK | - | - | - | | | |
| | | Outer Packing | Printing & Stamping | | OK | OK | - | - | - | | | |
| | | **All Dimensions Are In MM** | | | | | | | | | | |
| 2 | DIMENSION | | VALUE | - | + | 1 | 2 | - | - | - | | | |
| | | THICKNESS | 1.50 | 1.30 | 1.70 | 1.45 | 1.49 | - | - | - | | |
| | | I.D | 22.20 | 22.00 | 22.40 | 22.33 | 22.32 | - | - | - | | |
| | | | | | | | | | | | | |

| *INSPECTED BY:* | *Jay Hadiyal* | *APPROVED BY:* | *Shreekant* |
|---|---|---|---|

**Conclusion :**

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERING QA PASSED

# MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| **INSP. No.** | FIR-01 | **Product Name** | STAR WASHER | **Size** | 1/2" NPT | **Drawing No.** | - | **Date:** | 24-10-2026 |
| **Wo No.** | 26000332 | **Total Quantity** | 6 | **Lot Quantity** | 6 | **Sample Size-** | 2 | Variable & Gauging | 2PCS |

| **Sr. No.** | **Checking Parameter** | **REQUIRED PARAMETER** | | | **OBSERVED RESULTS** | | | | | **REJECTION REWORK DETAIL** | **REMARK** | **CHECKED BY** |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | **PARAMETER** | **CRITERIA** | | **1** | **2** | **-** | **-** | **-** | | | |
| 1 | Visual | Surface | Fine, Clean | | FINE | FINE | - | - | - | | Measuring Instruments I.D No- | |
| | | Sizewise No of Pcs. With Internal Parts | As per Drg. No. of Parts | 15 | 15 | 15 | - | - | - | | **(1) DV-55** | |
| | | Washing & Plating | Surface Finishing | NA | NA | NA | - | - | - | | **(2) PP-01** | |
| | | RUBBER MARKING | AS PER DRG. | NA | NA | NA | - | - | - | | | |
| | | Marking | WO Ref. No. | NA | NA | NA | - | - | - | | **ASM No :- CSEX261017-01** | |
| | | Assembly Perfection | As per Drg. | | OK | OK | - | - | - | | | |
| | | Inner Packing | Labeling & Printing | | OK | OK | - | - | - | | | |
| | | Outer Packing | Printing & Stamping | | OK | OK | - | - | - | | | |
| | | **All Dimensions Are In MM** | | | | | | | | | | |
| 2 | DIMENSION | | VALUE | - | + | 1 | 2 | - | - | - | | | |
| | | O.D | 33.00 | 32.70 | 33.30 | 33.06 | 33.05 | - | - | - | | |
| | | I.D | 21.50 | 20.85 | 21.85 | 21.59 | 21.58 | - | - | - | | |
| | | T.L | 4.00 | 3.70 | 4.30 | 4.06 | 4.05 | - | - | - | | |
| | | | | | | | | | | | | |

| | | | |
|---|---|---|---|
| *INSPECTED BY:* | *Jay Hadiyal* | *APPROVED BY:* | *Shreekant* |

**Conclusion :**

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERING QA PASSED