



MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-03	Product Name	LOCK NUT		Size		M25		Drawing No.		DL2IS	Date:	13-08-2026
Wo No.	26000215	Total Quantity	5		Lot Quantity		5		Sample Size-		2	Variable & Gauging	2PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA			1	2	-	-	-			
1	Visual	Surface	Fine, Clean			FINE	FINE	-	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	3		3	3	-	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NA		NA	NA	-	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA		NA	NA	-	-	-			
		Marking	WO Ref. No.	NA		NA	NA	-	-	-		ASM No :- CSEX260810-10	
		Assembly Perfection	As per Drg.			OK	OK	-	-	-			
		Inner Packing	Labeling & Printing			OK	OK	-	-	-			
		Outer Packing	Printing & Stamping			OK	OK	-	-	-			
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	-	-	-			
		A/F	30.00	29.84	30.00	29.95	29.94	-	-	-			
		A/C	33.00	32.20	33.80	33.01	33.03	-	-	-			
		T.L	4.00	3.70	4.30	4.04	4.06	-	-	-			
		THREAD	M25x1.5 AS PER P.G GO NOT GO			OK	OK	-	-	-			
		CH.ANGLE	30° AS PER PP FOUND			OK	OK	-	-	-			
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant				

Conclusion :



Accept



Reject



Hold



		MetalMech-08500-FR-QX-08-Final Inspection Report-EX											
INSP. No.	FIR-03	Product Name	PLUG		Size		M25		Drawing No.		PLG2M	Date:	13-08-2026
Wo No.	26000215	Total Quantity	5		Lot Quantity		5		Sample Size-		2	Variable & Gauging	2PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA			1	2	-	-	-			
1	Visual	Surface	Fine, Clean			FINE	FINE	-	-	-			
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	3	3	3	-	-	-				
		Washing & Plating	Surface Finishing	NA	NA	NA	-	-	-				
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	-	-	-				
		Marking	WO Ref. No.	Metalmech Logo MM-EX-PLG2MX6 2026 CE Logo 2460 Ex Logo II 2 GD Ex db IIC Gb, Ex	OK	OK	-	-	-				
		Assembly Perfection	As per Drg.			OK	OK	-	-	-			
		Inner Packing	Labeling & Printing		OK	OK	-	-	-				
		Outer Packing	Printing & Stamping			OK	OK	-	-	-			
All Dimensions Are In MM													
2	DIMENSION		VALUE	-	+	1	2	-	-	-			
		T.L	22.00	21.50	22.50	22.00	22.01	-	-	-			
		TH.L	13.00	12.50	13.50	13.02	13.01	-	-	-			
		LENGTH	16.00	15.50	16.50	16.05	16.04	-	-	-			
		GR.OD	23.00	22.50	23.50	23.03	23.02	-	-	-			
		GR.LE	1.50	1.30	1.70	1.55	1.54	-	-	-			
		O.D	30.00	29.50	30.50	30.00	29.99	-	-	-			
		O.D.L	6.00	5.70	6.30	5.87	5.90	-	-	-			
		GR.ID	13.50	13.00	14.00	13.55	13.54	-	-	-			
		GR.LE	4.00	3.70	4.30	4.05	4.03	-	-	-			
		INT-(A/F)	10.00	10.00	10.20	10.06	10.05	-	-	-			
		INT-(A/F)-LENGTH	10.00	9.50	10.50	10.09	10.03	-	-	-			
		DEPTH	14.00	13.50	14.50	14.16	14.15	-	-	-			
		THREAD	M25x1.5 AS PER T.R.G GO NOT GO			OK	OK	-	-	-			
		CH.ANGLE	1.5x45° AS PER PP FOUND			OK	OK	-	-	-			
		CH.ANGLE	2x45° AS PER PP FOUND			OK	OK	-	-	-			
		GR.ANGLE	67° AS PER PP FOUND			OK	OK	-	-	-			
		INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant		

Conclusion :



Accept



Reject



Hold





MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-03	Product Name	O-RING		Size		M25		Drawing No.		OR-2M	Date:	13-08-2026
Wo No.	26000215	Total Quantity	5		Lot Quantity		5		Sample Size-		2	Variable & Gauging	2PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA			1	2	-	-	-			
1	Visual	Surface	Fine, Clean			FINE	FINE	-	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	3	3	3	-	-	-		(1) DV-55		
		Washing & Plating	Surface Finishing	NA	NA	NA	-	-	-		(2) PP-01		
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	-	-	-				
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		ASM No :- CSEX260810-10		
		Assembly Perfection	As per Drg.			OK	OK	-	-	-			
		Inner Packing	Labeling & Printing		OK	OK	-	-	-				
		Outer Packing	Printing & Stamping			OK	OK	-	-	-			
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	-	-	-			
		THICKNESS	2.50	2.00	2.50	2.31	2.33	-	-	-			
		I.D	20.00	19.50	20.50	20.03	20.02	-	-	-			
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant				

Conclusion :



Accept



Reject



Hold

