METAL MECA®
THE SAFEST CONNECTIONS

MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-010	Product Name	LOCK NUT	Size	M25	Drawing No.	DL2M	Date:	15-10-2026
Wo No.	26100105	Total Quantity	50	Lot Quantity	50	Sample Size-	2	Variable & Gauging	2PCS

Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	-	-	-			
1	Visual	Surface	Fine, Clean		FINE	FINE	-	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	10	10	10	-	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NA	NA	NA	-	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	-	-	-			
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		ASM No :- CSEX260927-07	
		Assembly Perfection	As per Drg.		OK	OK	-	-	-			
		Inner Packing	Labeling & Printing		OK	OK	-	-	-			
		Outer Packing	Printing & Stamping		OK	OK	-	-	-			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	-	+	1	2	-	-	-		
		A/F	30.00	29.84	30.00	29.93	29.95	-	-	-		
		A/C	33.00	32.20	33.80	33.03	33.02	-	-	-		
		T.L	4.00	3.70	4.30	4.06	4.05	-	-	-		
		THREAD	M25x1.5 AS PER P.G GO NOT GO			OK	OK	-	-	-		
		CH.ANGLE	30° AS PER PP FOUND			OK	OK	-	-	-		

INSPECTED BY:	Jay Hadiyal	APPROVED BY:	Shreekant

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**



MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-010	**Product Name**	ENTRY COMPONENT	**Size**	M25	**Drawing No.**	313001M-02	**Date:**	15-10-2026
Wo No.	26100105	**Total Quantity**	50	**Lot Quantity**	50	**Sample Size-**	2	Variable & Gauging	2PCS

Sr. No.	Checking Parameter	REQUIRED PARAMETER		OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA	1	2	-	-	-			
1	Visual	Surface	Fine, Clean	FINE	FINE	-	-	-		Measuring Instruments I.D No.	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts 10	10	10	-	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing NA	NA	NA	-	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG. NA	NA	NA	-	-	-			
		Marking	WO Ref. No. Metalmech Logo MM-EX-A2F252MX6 2026 CE Logo 2460 Ex Logo II 2 GD Ex db IIC Gb, Ex eb IIC Gb, Ex tb IIIC Db, IP66/68 -55°C ≤ Ta ≤ +160°C Presafe 20 ATEX 48906X IECEx PRE 20.0124X			-	-	-		ASM No :- CSEX260927-07	
		Assembly Perfection	As per Drg.	OK	OK	-	-	-			
		Inner Packing	Labeling & Printing	OK	OK	-	-	-			
		Outer Packing	Printing & Stamping	OK	OK	-	-	-			
		All Dimensions Are In MM									
2	DIMENSION		VALUE - +	1	2	-	-	-			
		A/F	36.00 35.84 36.00	35.87	35.90	-	-	-			
		A/C	40.00 39.20 40.80	39.95	39.98	-	-	-			
		T.L	37.00 37.00 37.50	37.25	37.28	-	-	-			
		TH.L	13.00 12.50 13.50	13.05	13.04	-	-	-			
		LENGTH	17.00 17.00 17.50	17.22	17.21	-	-	-			
		GR.OD	23.00 22.50 23.50	22.97	22.96	-	-	-			
		GR.LE	2.50 2.30 2.70	2.52	2.51	-	-	-			
		O.D	35.00 34.20 35.80	34.95	34.94	-	-	-			
		O.D.L	11.00 10.50 11.50	11.01	11.03	-	-	-			
		H.L	9.00 8.50 9.50	9.05	9.03	-	-	-			
		I.D	20.00 19.50 20.50	20.04	20.03	-	-	-			
		INT.THL	14.50 14.00 15.00	14.54	14.56	-	-	-			
		THREAD	M25x1.5 AS PER T.R.G GO NOT GO	OK	OK	-	-	-			
		INT.THREAD	M32x1.5 AS PER P.G GO NOT GO	OK	OK	-	-	-			
		CH.ANGLE	0.5x45° AS PER PP FOUND	OK	OK	-	-	-			
		CH.ANGLE	1.5x45° AS PER PP FOUND	OK	OK	-	-	-			
		CH.ANGLE	20° AS PER PP FOUND	OK	OK	-	-	-			
		ANGLE	90° AS PER PP FOUND	OK	OK	-	-	-			

INSPECTED BY:	*Jay Hadiyal*	*APPROVED BY:*	*Shreekant*

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METAL MECH ENGINEERS PVT. LTD. QA PASSED

METAL MECA®
THE SAFEST CONNECTIONS

MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-010	Product Name	BACK NUT	Size	M25	Drawing No.	314006-02	Date:	15-10-2026
Wo No.	26100105	Total Quantity	50	Lot Quantity	50	Sample Size-	2	Variable & Gauging	2PCS

Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	-	-	-			
1	Visual	Surface	Fine, Clean		FINE	FINE	-	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	10	10	10	-	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NA	NA	NA	-	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	-	-	-			
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		ASM No :- CSEX260927-07	
		Assembly Perfection	As per Drg.		OK	OK	-	-	-			
		Inner Packing	Labeling & Printing		OK	OK	-	-	-			
		Outer Packing	Printing & Stamping		OK	OK	-	-	-			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	-	+	1	2	-	-	-			
		A/F	36.00	35.84	36.00	35.93	35.92	-	-	-		
		A/C	40.00	39.50	40.50	39.99	40.00	-	-	-		
		T.L	18.00	17.50	18.50	18.01	18.03	-	-	-		
		TH.L	13.50	13.00	14.00	13.55	13.58	-	-	-		
		GR.DIA	30.00	29.50	30.50	30.03	30.05	-	-	-		
		GR.LE	1.50	1.30	1.70	1.53	1.55	-	-	-		
		H.L	4.50	4.20	4.80	4.55	4.53	-	-	-		
		I.D	26.50	26.00	27.00	26.52	26.51	-	-	-		
		THREAD	M32x1.5 AS PER T.R.G GO NOT GO			OK	OK	-	-	-		
		CH.ANGLE	0.5x45° AS PER PP FOUND			OK	OK	-	-	-		
		CH.ANGLE	1.5x45° AS PER PP FOUND			OK	OK	-	-	-		
		CH.ANGLE	20° AS PER PP FOUND			OK	OK	-	-	-		
		RADIUS	3 MM AS PER PP FOUND			OK	OK	-	-	-		

INSPECTED BY:	Jay Hadiyal	APPROVED BY:	Shreekant

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERS CA PASSED

METAL MECA®
THE SAFEST CONNECTIONS

MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-010	Product Name	COMPRESSIBLE SEALING RING	Size	M25	Drawing No.	GI-02	Date:	15-10-2026
Wo No.	26100105	Total Quantity	50	Lot Quantity	50	Sample Size-	2	Variable & Gauging	2PCS

Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	-	-	-			
1	Visual	Surface	Fine, Clean		FINE	FINE	-	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	10	10	10	-	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NA	NA	NA	-	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	OK	OK	OK	-	-	-			
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		ASM No :- CSEX260927-07	
		Assembly Perfection	As per Drg.		OK	OK	-	-	-			
		Inner Packing	Labeling & Printing		OK	OK	-	-	-			
		Outer Packing	Printing & Stamping		OK	OK	-	-	-			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	-	+	1	2	-	-	-			
		T.L	14.00	13.50	14.50	13.55	13.58	-	-	-		
		O.D	30.50	30.30	30.50	30.36	30.39	-	-	-		
		O.D.L	9.00	8.50	9.50	8.59	8.54	-	-	-		
		O.D.L	5.00	4.70	5.30	5.05	5.04	-	-	-		
		I.D	19.80	19.80	20.00	19.88	19.90	-	-	-		

INSPECTED BY:	Jay Hadiyal	APPROVED BY:	Shreekant

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERING CA PASSED

METAL MECA®
THE SAFEST CONNECTIONS

MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-010	Product Name	SKID WASHER	Size	M25	Drawing No.	IW-02	Date:	15-10-2026
Wo No.	26100105	Total Quantity	50	Lot Quantity	50	Sample Size-	2	Variable & Gauging	2PCS

Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	-	-	-			
1	Visual	Surface	Fine, Clean		FINE	FINE	-	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	10	10	10	-	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NA	NA	NA	-	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	-	-	-			
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		ASM No :- CSEX260927-07	
		Assembly Perfection	As per Drg.		OK	OK	-	-	-			
		Inner Packing	Labeling & Printing		OK	OK	-	-	-			
		Outer Packing	Printing & Stamping		OK	OK	-	-	-			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	-	+	1	2	-	-	-			
		T.L	5.00	4.70	5.30	5.02	5.04	-	-	-		
		O.D	30.00	29.80	30.00	29.95	29.93	-	-	-		
		O.D.L	3.00	3.00	3.20	3.03	3.05	-	-	-		
		O.D	26.00	25.80	26.00	25.96	25.95	-	-	-		
		I.D	19.90	19.90	20.10	19.94	19.96	-	-	-		

INSPECTED BY:	Jay Hadiyal	APPROVED BY:	Shreekant

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERING CA PASSED

METAL MECH®
THE SAFEST CONNECTIONS

MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-010	Product Name	O-RING	Size	M25	Drawing No.	OR-2M	Date:	15-10-2026
Wo No.	26100105	Total Quantity	50	Lot Quantity	50	Sample Size-	2	Variable & Gauging	2PCS

Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	-	-	-			
1	Visual	Surface	Fine, Clean		FINE	FINE	-	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	10	10	10	-	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NA	NA	NA	-	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	-	-	-			
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		ASM No :- CSEX260927-07	
		Assembly Perfection	As per Drg.		OK	OK	-	-	-			
		Inner Packing	Labeling & Printing		OK	OK	-	-	-			
		Outer Packing	Printing & Stamping		OK	OK	-	-	-			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	-	+	1	2	-	-	-		
		THICKNESS	2.50	2.00	2.50	2.05	2.04	-	-	-		
		I.D	20.00	19.50	20.50	20.04	20.06	-	-	-		

INSPECTED BY:	*Jay Hadiyal*	*APPROVED BY:*	*Shreekant*

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERING QA PASSED

METAL MECH®
THE SAFEST CONNECTIONS

MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-010	Product Name	EARTH TAG	Size	M25	Drawing No.	-	Date:	15-10-2026
Wo No.	26100105	Total Quantity	50	Lot Quantity	50	Sample Size-	2	Variable & Gauging	2PCS

Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	-	-	-			
1	Visual	Surface	Fine, Clean		FINE	FINE	-	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	10	10	10	-	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NA	NA	NA	-	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	-	-	-			
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		ASM No :- CSEX260927-07	
		Assembly Perfection	As per Drg.		OK	OK	-	-	-			
		Inner Packing	Labeling & Printing		OK	OK	-	-	-			
		Outer Packing	Printing & Stamping		OK	OK	-	-	-			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	-	+	1	2	-	-	-			
		THICKNESS	1.50	1.30	1.70	1.54	1.56	-	-	-		
		O.D	37.00	36.20	37.80	37.25	37.23	-	-	-		
		O.D	13.20	12.70	13.70	13.38	13.36	-	-	-		
		I.D	27.00	26.50	27.50	27.05	27.07	-	-	-		
		I.D	6.50	6.20	6.80	6.54	6.56	-	-	-		

INSPECTED BY:	*Jay Hadiyal*	*APPROVED BY:*	*Shreekant*

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**



METAL MECA®
THE SAFEST CONNECTIONS

MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-010	Product Name	SHROUD	Size	M25	Drawing No.	-	Date:	15-10-2026
Wo No.	26100105	Total Quantity	50	Lot Quantity	50	Sample Size-	2	Variable & Gauging	2PCS

Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	-	-	-			
1	Visual	Surface	Fine, Clean		FINE	FINE	-	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	10	10	10	-	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NA	NA	NA	-	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	-	-	-			
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		ASM No :- CSEX260927-07	
		Assembly Perfection	As per Drg.		OK	OK	-	-	-			
		Inner Packing	Labeling & Printing		OK	OK	-	-	-			
		Outer Packing	Printing & Stamping		OK	OK	-	-	-			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	-	+	1	2	-	-	-		
		T.L	95.00	94.20	95.80	95.11	95.10	-	-	-		
		I.D	38.00	37.20	38.80	38.05	38.04	-	-	-		

INSPECTED BY:	*Jay Hadiyal*	*APPROVED BY:*	*Shreekant*

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERING QA PASSED

METAL MECH®
THE SAFEST CONNECTIONS

MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-010	Product Name	NYLON WASHER	Size	M25	Drawing No.	-	Date:	15-10-2026
Wo No.	26100105	Total Quantity	50	Lot Quantity	50	Sample Size-	2	Variable & Gauging	2PCS

Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA			1	2	-	-	-			
1	Visual	Surface	Fine, Clean			FINE	FINE	-	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	10		10	10	-	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NA		NA	NA	-	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA		NA	NA	-	-	-			
		Marking	WO Ref. No.	NA		NA	NA	-	-	-		ASM No :- CSEX260927-07	
		Assembly Perfection	As per Drg.			OK	OK	-	-	-			
		Inner Packing	Labeling & Printing			OK	OK	-	-	-			
		Outer Packing	Printing & Stamping			OK	OK	-	-	-			
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	-	-	-			
		THICKNESS	1.50	1.30	1.70	1.44	1.46	-	-	-			
		I.D	25.00	24.50	25.50	25.29	25.28	-	-	-			

INSPECTED BY:	*Jay Hadiyal*	*APPROVED BY:*	*Shreekant*

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERING QA PASSED

MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-010	**Product Name**	STAR WASHER	**Size**	M25	**Drawing No.**	-	**Date:**	15-10-2026
Wo No.	26100105	**Total Quantity**	50	**Lot Quantity**	50	**Sample Size-**	2	Variable & Gauging	2PCS

Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	-	-	-			
1	Visual	Surface	Fine, Clean		FINE	FINE	-	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	10	10	10	-	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NA	NA	NA	-	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	-	-	-			
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		ASM No :- CSEX260927-07	
		Assembly Perfection	As per Drg.		OK	OK	-	-	-			
		Inner Packing	Labeling & Printing		OK	OK	-	-	-			
		Outer Packing	Printing & Stamping		OK	OK	-	-	-			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	-	+	1	2	-	-	-		
		O.D	38.00	37.20	38.80	38.06	38.08	-	-	-		
		I.D	25.00	24.50	25.50	25.25	25.24	-	-	-		
		T.L	4.00	3.70	4.30	4.06	4.08	-	-	-		

INSPECTED BY:	*Jay Hadiyal*	*APPROVED BY:*	*Shreekant*

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERING QA PASSED