MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-01	Product Name	ENTRY COMPONENT	Size	M32	Drawing No.	313001M-03	Date:	26-10-2026
Wo No.	26100111	Total Quantity	55	Lot Quantity	55	Sample Size-	3	Variable & Gauging	3PCS

Sr. No.	Checking Parameter	REQUIRED PARAMETER		OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA	1	2	3	-	-			
1	Visual	Surface	Fine, Clean	FINE	FINE	FINE	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts 11	11	11	11	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing NA	NA	NA	NA	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG. NA	NA	NA	NA	-	-			
		Marking	WO Ref. No. OK	OK	OK	OK	-	-		ASM No :- CSEX261021-03	
		Assembly Perfection	As per Drg.	OK	OK	OK	-	-			
		Inner Packing	Labeling & Printing	OK	OK	OK	-	-			
		Outer Packing	Printing & Stamping	OK	OK	OK	-	-			
		All Dimensions Are In MM									

			VALUE	-	+	1	2	3	-	-			
2	DIMENSION	A/F	42.00	41.84	42.00	40.88	40.90	40.89	-	-		Deviation Confirmed With Gaurav Sir	
		A/C	46.00	45.20	46.80	45.36	45.33	45.35	-	-			
		T.L	38.00	38.00	38.50	38.27	38.29	38.26	-	-			
		TH.L	13.00	12.50	13.50	12.97	12.99	12.98	-	-			
		LENGTH	17.00	17.00	17.50	17.23	17.21	17.23	-	-			
		GR.OD	30.00	29.50	30.50	29.93	29.95	29.94	-	-			
		GR.LE	2.50	2.30	2.70	2.53	2.55	2.54	-	-			
		O.D	41.00	40.20	41.80	40.38	40.37	40.35	-	-			
		O.D.L	12.00	11.50	12.50	12.02	12.04	12.06	-	-			
		H.L	9.00	8.50	9.50	9.01	9.03	9.02	-	-			
		I.D	26.50	26.00	27.00	26.58	26.56	26.54					
		INT.THL	14.50	14.00	15.00	14.55	14.53	14.56					
		THREAD	M32x1.5 AS PER T.R.G GO NOT GO			OK	OK	OK					
		INT.THREAD	M38x1.5 AS PER P.G GO NOT GO			OK	OK	OK					
		CH.ANGLE	1.5x45° AS PER PP FOUND			OK	OK	OK	-	-			
		CH.ANGLE	0.5x45° AS PER PP FOUND			OK	OK	OK	-	-			
		CH.ANGLE	20° AS PER PP FOUND			OK	OK	OK	-	-			
		ANGLE	90° AS PER PP FOUND			OK	OK	OK	-	-			

INSPECTED BY:	*Jay Hadiyal*	*APPROVED BY:*	*Shreekant*

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERING QA PASSED

MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-01	Product Name	INTERMIDIATE BODY	Size	M32	Drawing No.	313002U-03	Date:	26-10-2026
Wo No.	26100111	Total Quantity	55	Lot Quantity	55	Sample Size-	3	Variable & Gauging	3PCS

Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	3	-	-			
1	Visual	Surface	Fine, Clean		FINE	FINE	FINE	-	-		Measuring Instruments LD No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	11	11	11	11	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	NA	-	-			
		Marking	WO Ref. No.	NA	NA	NA	NA	-	-		ASM No :- CSEX261021-03	
		Assembly Perfection	As per Drg.		OK	OK	OK	-	-			
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-			
		Outer Packing	Printing & Stamping		OK	OK	OK	-	-			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	-	+	1	2	3	-	-			
		A/F	42.00	41.84	42.00	40.90	40.89	40.88	-	-		Deviation Confirmed With Gaurav Sir	
		A/C	46.00	45.20	46.80	45.66	45.61	45.62	-	-			
		T.L	29.00	28.50	29.50	29.04	29.05	29.04	-	-			
		TH.L	13.50	13.00	14.00	13.50	13.49	13.47	-	-			
		GR.OD	36.00	35.20	36.80	35.82	35.85	35.86	-	-			
		GR.LE	1.00	0.80	1.20	1.01	1.03	1.02	-	-			
		H.L	6.00	5.70	6.30	6.05	6.04	6.03	-	-			
		TH.L	9.50	9.00	10.00	9.47	9.46	9.45	-	-			
		GR.OD	38.00	37.20	38.80	37.90	37.89	37.88	-	-			
		GR.LE	1.50	1.30	1.70	1.53	1.55	1.54	-	-			
		I.D	32.50	31.70	33.30	32.55	32.54	32.56	-	-			
		I.D	35.00	34.20	35.80	35.06	35.05	35.04	-	-			
		DEPTH	8.00	7.50	8.50	8.04	8.06	8.08	-	-			
		I.D	33.20	32.40	34.00	33.25	33.24	33.26	-	-			
		I.D.LE	10.00	9.50	10.50	10.03	10.05	10.04	-	-			
		THREAD	M38x1.5 AS PER T.R.G GO NOT GO			OK	OK	OK	-	-			
		THREAD	M40x1.5 AS PER T.R G GO NOT GO			OK	OK	OK	-	-			
		CH.ANGLE	1x45° AS PER PP FOUND			OK	OK	OK	-	-			
		CH.ANGLE	20° AS PER PP FOUND			OK	OK	OK	-	-			
		CH.ANGLE	0.5x45° AS PER PP FOUND			OK	OK	OK	-	-			

INSPECTED BY:	Jay Hadiyal	APPROVED BY:	Shreekant

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALTECH ENGINEERING CA PASSED

MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-01	Product Name	MIDDLE BODY	Size	M32	Drawing No.	313002-03	Date:	26-10-2026
Wo No.	26100111	Total Quantity	55	Lot Quantity	55	Sample Size-	3	Variable & Gauging	3PCS

Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	3	-	-			
1	Visual	Surface	Fine, Clean		FINE	FINE	FINE	-	-		Measuring Instruments LD No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	11	11	11	11	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	NA	-	-			
		Marking	WO Ref. No.	NA	NA	NA	NA	-	-		ASM No :- CSEX261021-03	
		Assembly Perfection	As per Drg.		OK	OK	OK	-	-			
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-			
		Outer Packing	Printing & Stamping		OK	OK	OK	-	-			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	-	+	1	2	3	-	-			
		A/F	46.00	45.84	46.00	45.95	45.91	45.93	-	-			
		A/C	51.00	50.20	51.80	51.05	51.03	51.04	-	-			
		T.L	30.00	29.50	30.50	30.01	30.00	30.02	-	-			
		TH.L	15.00	14.50	15.50	15.00	14.99	14.98	-	-			
		GR.OD	41.00	40.20	41.80	40.92	40.91	40.93	-	-			
		GR.LE	1.50	1.30	1.70	1.53	1.55	1.54	-	-			
		O.D	44.00	43.20	44.80	44.02	44.01	44.05	-	-			
		O.D.L	7.00	6.70	7.30	7.04	7.06	7.08	-	-			
		H.L	8.00	7.50	8.50	7.99	8.00	7.98	-	-			
		I.D	34.00	33.20	34.80	34.06	34.05	34.04	-	-			
		I.D	35.00	34.20	35.80	35.04	35.06	35.05	-	-			
		I.D.LE	5.00	4.70	5.30	5.05	5.04	5.03	-	-			
		INT.THL	11.50	11.00	12.00	11.55	11.54	11.56	-	-			
		GR.ID	38.00	37.20	38.80	38.04	38.03	38.05	-	-			
		GR.LE	7.00	6.70	7.30	7.04	7.03	7.05	-	-			
		DEPTH	18.50	18.00	19.00	18.55	18.54	18.56	-	-			
		THREAD	M43x1.5 AS PER T.R.G GO NOT GO			OK	OK	OK	-	-			
		INT.THREAD	M40x1.5 AS PER P.G GO NOT GO			OK	OK	OK	-	-			
		CH.ANGLE	1x45° AS PER PP FOUND			OK	OK	OK	-	-			
		CH.ANGLE	30° AS PER PP FOUND			OK	OK	OK	-	-			

INSPECTED BY:	*Jay Hadiyal*	*APPROVED BY:*	*Shreekant*

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METAMECH ENGINEERING QA PASSED

METAL MECA®
THE SAFEST CONNECTIONS

MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-01	Product Name	BACK NUT	Size	M32	Drawing No.	313003-03	Date:	26-10-2026
Wo No.	26100111	Total Quantity	55	Lot Quantity	55	Sample Size-	3	Variable & Gauging	3PCS

Sr. No.	Checking Parameter	REQUIRED PARAMETER		OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA	1	2	3	-	-			
1	Visual	Surface	Fine, Clean	FINE	FINE	FINE	-	-		Measuring Instruments LD No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts 11	11	11	11	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing NA	NA	NA	NA	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG. NA	NA	NA	NA	-	-			
		Marking	WO Ref. No. NA	NA	NA	NA	-	-		ASM No :- CSEX261021-03	
		Assembly Perfection	As per Drg.	OK	OK	OK	-	-			
		Inner Packing	Labeling & Printing	OK	OK	OK	-	-			
		Outer Packing	Printing & Stamping	OK	OK	OK	-	-			
		All Dimensions Are In MM									
2	DIMENSION		VALUE - +	1	2	3	-	-			
		A/F	46.00 45.84 46.00	45.89	45.91	45.90	-	-			
		A/C	51.00 50.20 51.80	50.98	50.99	51.00	-	-			
		T.L	23.00 22.50 23.50	23.05	23.04	23.03	-	-			
		O.D	45.20 44.40 46.00	45.25	45.23	45.26	-	-			
		O.D.L	10.00 9.50 10.50	10.03	10.05	10.04	-	-			
		H.L	13.00 12.50 13.50	13.02	13.01	13.03	-	-			
		I.D	38.50 37.70 39.30	38.50	38.49	38.48	-	-			
		INT.THL	4.00 3.70 4.30	4.04	4.06	4.08	-	-			
		GR.ID	43.20 42.40 44.00	43.25	43.24	43.26	-	-			
		GR.LE	14.50 14.00 15.00	14.55	14.53	14.56	-	-			
		DEPTH	18.00 17.50 18.50	18.04	18.06	18.08	-	-			
		GR.ID	41.50 40.70 42.30	41.53	41.55	41.54	-	-			
		GR.LE	3.00 2.80 3.20	3.05	3.04	3.03	-	-			
		DEPTH	21.00 20.50 21.50	20.98	20.99	20.97	-	-			
		INT.THREAD	M43x1.5 AS PER P.G GO NOT GO	OK	OK	OK	-	-			
		CH.ANGLE	0.5x45° AS PER PP FOUND	OK	OK	OK	-	-			
		CH.ANGLE	1x45° AS PER PP FOUND	OK	OK	OK	-	-			
		CH.ANGLE	45° AS PER PP FOUND	OK	OK	OK	-	-			

INSPECTED BY:	*Jay Hadiyal*	*APPROVED BY:*	*Shreekant*

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METAL MECH ENGINEERING CA PASSED

METAL MECH®
THE SAFEST CONNECTIONS

MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-01	Product Name	UNIVERSAL CLAMPING CONE	Size	M32	Drawing No.	313005-03	Date:	26-10-2026
Wo No.	26100111	Total Quantity	55	Lot Quantity	55	Sample Size-	3	Variable & Gauging	3PCS

Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	3	-	-			
1	Visual	Surface	Fine, Clean		FINE	FINE	FINE	-	-		Measuring Instruments LD No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	11	11	11	11	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	NA	-	-			
		Marking	WO Ref. No.	NA	NA	NA	NA	-	-		ASM No :- CSEX261021-03	
		Assembly Perfection	As per Drg.		OK	OK	OK	-	-			
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-			
		Outer Packing	Printing & Stamping		OK	OK	OK	-	-			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	-	+	1	2	3	-	-			
		T.L	30.00	29.50	30.50	30.03	30.05	30.04	-	-			
		O.D	29.70	29.20	30.20	29.68	29.70	29.69	-	-			
		O.D.L	5.50	5.20	5.80	5.53	5.55	5.54	-	-			
		O.D	31.50	30.70	32.30	31.48	31.50	31.49	-	-			
		O.D.L	2.50	2.30	2.70	2.53	2.55	2.54	-	-			
		GR.LENGTH	0.50	0.30	0.70	0.47	0.49	0.48	-	-			
		O.D	33.00	32.20	33.80	32.98	33.00	32.99	-	-			
		O.D.L	11.00	10.50	11.50	11.04	11.03	11.03	-	-			
		O.D	34.50	33.70	35.30	34.49	34.48	34.48	-	-			
		O.D.L	8.00	7.70	8.30	8.04	8.06	8.08	-	-			
		O.D	29.00	28.50	29.50	28.98	28.97	28.99	-	-			
		O.D.L	6.50	6.20	6.80	6.53	6.55	6.54	-	-			
		O.D	29.50	29.00	30.00	29.47	29.49	29.48	-	-			
		O.D	30.00	29.50	30.50	29.98	29.97	29.95	-	-			
		O.D	31.00	30.20	31.80	30.99	31.00	30.98	-	-			
		O.D.L	11.00	10.50	11.50	11.02	11.04	11.03	-	-			
		I.D	26.50	26.00	27.00	26.56	26.54	26.55	-	-			
		RADIUS	0.50 MM AS PER PP FOUND			OK	OK	OK	-	-			
		RADIUS	0.3 MM AS PER PP FOUND			OK	OK	OK	-	-			

INSPECTED BY:	Jay Hadiyal	APPROVED BY:	Shreekant

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METAL MECH ENGINEERING CA PASSED

MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-01	**Product Name**	REVERSIBLE ARMOUR RING	**Size**	M32	**Drawing No.**	313004-03	**Date:**	26-10-2026
Wo No.	26100111	**Total Quantity**	55	**Lot Quantity**	55	**Sample Size-**	3	**Variable & Gauging**	3PCS

Sr. No.	**Checking Parameter**	**REQUIRED PARAMETER**			**OBSERVED RESULTS**					**REJECTION REWORK DETAIL**	**REMARK**	**CHECKED BY**
		PARAMETER	**CRITERIA**		**1**	**2**	**3**	**-**	**-**			
1	Visual	Surface	Fine, Clean		FINE	FINE	FINE	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	11	11	11	11	-	-		**(1) DV-55**	
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	-	-		**(2) PP-01**	
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	NA	-	-			
		Marking	WO Ref. No.	NA	NA	NA	NA	-	-		**ASM No :- CSEX261021-03**	
		Assembly Perfection	As per Drg.		OK	OK	OK	-	-			
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-			
		Outer Packing	Printing & Stamping		OK	OK	OK	-	-			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	-	+	1	2	3	-	-			
		T.L	9.00	8.50	9.50	9.00	8.99	9.00	-	-		
		O.D	37.00	36.20	37.80	37.03	37.04	37.05	-	-		
		I.D	32.50	31.70	33.30	32.54	32.56	32.55	-	-		
		I.D	33.50	32.70	34.30	33.55	33.54	33.53	-	-		

INSPECTED BY:	*Jay Hadiyal*	*APPROVED BY:*	*Shreekant*

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERING QA PASSED

MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-01	Product Name	COMPRESSIBLE INNER SEAL	Size	M32	Drawing No.	GI-03	Date:	26-10-2026
Wo No.	26100111	Total Quantity	55	Lot Quantity	55	Sample Size-	3	Variable & Gauging	3PCS

Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	3	-	-			
1	Visual	Surface	Fine, Clean		FINE	FINE	FINE	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	11	11	11	11	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	OK	OK	OK	OK	-	-			
		Marking	WO Ref. No.	NA	NA	NA	NA	-	-		ASM No :- CSEX261021-03	
		Assembly Perfection	As per Drg.		OK	OK	OK	-	-			
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-			
		Outer Packing	Printing & Stamping		OK	OK	OK	-	-			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	- / +	1	2	3	-	-			
		T.L	14.00	13.50 / 14.50	14.04	14.06	14.08	-	-			
		O.D.L	5.00	4.70 / 5.30	5.05	5.04	5.03	-	-			
		O.D	36.50	36.30 / 36.50	36.40	36.39	36.41	-	-			
		O.D.L	9.00	8.50 / 9.50	9.04	9.06	9.08	-	-			
		I.D	26.30	26.30 / 26.50	26.35	26.34	26.36	-	-			

INSPECTED BY:	Jay Hadiyal	APPROVED BY:	Shreekant

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERING CA PASSED

METAL MECH®
THE SAFEST CONNECTIONS

MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-01	Product Name	COMPRESSIBLE OUTER SEAL	Size	M32	Drawing No.	GE-03	Date:	26-10-2026
Wo No.	26100111	Total Quantity	55	Lot Quantity	55	Sample Size-	3	Variable & Gauging	3PCS

Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	3	-	-			
1	Visual	Surface	Fine, Clean		FINE	FINE	FINE	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	11	11	11	11	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	OK	OK	OK	OK	-	-			
		Marking	WO Ref. No.	NA	NA	NA	NA	-	-		ASM No :- CSEX261021-03	
		Assembly Perfection	As per Drg.		OK	OK	OK	-	-			
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-			
		Outer Packing	Printing & Stamping		OK	OK	OK	-	-			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	-	+	1	2	3	-	-			
		T.L	15.00	14.50	15.50	15.04	15.06	15.08	-	-			
		O.D	43.20	43.00	43.20	43.11	43.13	43.12	-	-			
		GR.LENGTH	3.50	3.20	3.80	3.53	3.55	3.54	-	-			
		I.D	33.70	33.60	33.80	33.74	33.76	33.75	-	-			

INSPECTED BY:	*Jay Hadiyal*	*APPROVED BY:*	*Shreekant*

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERING QA PASSED

METAL MECA®
THE SAFEST CONNECTIONS

MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-01	Product Name	INNER SKID WASHER	Size	M32	Drawing No.	IW-03	Date:	26-10-2026
Wo No.	26100111	Total Quantity	55	Lot Quantity	55	Sample Size-	3	Variable & Gauging	3PCS

Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	3	-	-			
1	Visual	Surface	Fine, Clean		FINE	FINE	FINE	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	11	11	11	11	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	OK	OK	OK	OK	-	-			
		Marking	WO Ref. No.	NA	NA	NA	NA	-	-		ASM No :- CSEX261021-03	
		Assembly Perfection	As per Drg.		OK	OK	OK	-	-			
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-			
		Outer Packing	Printing & Stamping		OK	OK	OK	-	-			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	-	+	1	2	3	-	-			
		T.L	5.00	4.70	5.30	5.04	5.06	5.08	-	-			
		O.D	35.50	35.30	35.50	35.40	35.39	35.41	-	-			
		O.D	32.00	31.80	32.00	31.93	31.95	31.94	-	-			
		O.D.L	3.00	3.00	3.20	3.02	3.01	3.03	-	-			
		I.D	26.20	26.20	26.40	26.24	26.26	26.26	-	-			

INSPECTED BY:	Jay Hadiyal	APPROVED BY:	Shreekant

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERING CA PASSED

METAL MECA®
THE SAFEST CONNECTIONS

MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-01	Product Name	OUTER SKID WASHER	Size	M32	Drawing No.	OW-03	Date:	26-10-2026
Wo No.	26100111	Total Quantity	55	Lot Quantity	55	Sample Size-	3	Variable & Gauging	3PCS

Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	3	-	-			
1	Visual	Surface	Fine, Clean		FINE	FINE	FINE	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	11	11	11	11	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	OK	OK	OK	OK	-	-			
		Marking	WO Ref. No.	NA	NA	NA	NA	-	-		ASM No :- CSEX261021-03	
		Assembly Perfection	As per Drg.		OK	OK	OK	-	-			
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-			
		Outer Packing	Printing & Stamping		OK	OK	OK	-	-			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	-	+	1	2	3	-	-			
		T.L	6.00	5.70	6.30	6.04	6.06	6.05	-	-			
		O.D	41.00	41.00	41.10	41.05	41.04	41.04	-	-			
		O.D	37.50	37.30	37.50	37.45	37.47	37.45	-	-			
		O.D.L	4.00	4.00	4.10	4.03	4.05	4.04	-	-			
		I.D	34.00	34.00	34.20	34.06	34.05	34.06	-	-			

INSPECTED BY:	Jay Hadiyal	APPROVED BY:	Shreekant

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERING CA PASSED