

		MetalMech-08500-FR-QX-08-Final Inspection Report-EX											
INSP. No.	FIR-01	Product Name	LOCK NUT		Size		M20		Drawing No.		DL1M	Date:	10-08-2026
Wo No.	26200025	Total Quantity	550		Lot Quantity		550		Sample Size-		5	Variable & Gauging	5PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA			1	2	3	4	5			
1	Visual	Surface	Fine, Clean			FINE	FINE	FINE	FINE	FINE		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	16	16	16	16	16	16		(1) DV-55		
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	NA	NA		(2) PP-01		
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	NA	NA	NA				
		Marking	WO Ref. No.	NA	NA	NA	NA	NA	NA		ASM No :- CSEX260808-02		
		Assembly Perfection	As per Drg.			OK	OK	OK	OK	OK			
		Inner Packing	Labeling & Printing		OK	OK	OK	OK	OK				
		Outer Packing	Printing & Stamping			OK	OK	OK	OK	OK			
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	3	4	5			
		A/F	24.00	23.87	24.00	23.97	23.94	23.95	23.94	23.96			
		A/C	26.00	25.50	26.50	26.00	25.99	25.98	26.00	25.99			
		T.L	3.50	3.20	3.80	3.49	3.51	3.50	3.50	3.49			
		THREAD	M20x1.5 AS PER P.G GO NOT GO			OK	OK	OK	OK	OK			
		CH.ANGLE	30° AS PER PP FOUND			OK	OK	OK	OK	OK			
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant				

Conclusion : ☒ Accept ☐ Reject ☐ Hold



		MetalMech-08500-FR-QX-08-Final Inspection Report-EX												
INSP. No.	FIR-01	Product Name	ENTRY COMPONENT			Size		M20		Drawing No.		313001M-01	Date:	10-08-2026
Wo No.	26200025	Total Quantity	550			Lot Quantity		550		Sample Size-		5	Variable & Gauging	5PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY		
		PARAMETER	CRITERIA		1	2	3	4	5					
1	Visual	Surface	Fine, Clean		FINE	FINE	FINE	FINE	FINE					
		Sizewise No of Pes. With Internal Parts	As per Drg. No. of Parts	16	16	16	16	16	16					
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	NA	NA			(1) DV-55		
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	NA	NA	NA			(2) PP-01		
		Marking	WO Ref. No.	Metalmech Logo MM-EX-EIFUNV201MX6 2026 CE Logo 2460 Ex Logo II 2 GD Ex db HC		OK	OK	OK	OK	OK		ASM No :- CSEX260808-02		
		Assembly Perfection	As per Drg.		OK	OK	OK	OK	OK					
		Inner Packing	Labeling & Printing		OK	OK	OK	OK	OK					
		Outer Packing	Printing & Stamping		OK	OK	OK	OK	OK					
2	DIMENSION	All Dimensions Are In MM												
			VALUE	-	+	1	2	3	4	5				
		A/F	27.00	26.87	27.00	26.89	26.90	26.91	26.93	26.91				
		A/C	30.00	29.50	30.50	29.95	29.94	29.93	29.95	29.94				
		T.L	33.00	33.00	33.50	33.25	33.24	33.23	33.24	33.26				
		TH.L	13.00	12.50	13.50	13.06	13.09	13.05	13.05	13.04				
		LENGTH	17.00	17.00	17.50	17.24	17.26	17.25	17.24	17.26				
		GR.OD	18.00	17.50	18.50	18.05	18.03	18.05	18.04	18.06				
		GR.LE	2.50	2.30	2.70	2.55	2.54	2.53	2.53	2.55				
		O.D	26.50	26.00	27.00	26.50	26.51	26.49	26.50	26.49				
		O.D.L	9.00	8.50	9.50	9.01	9.00	9.01	9.02	9.01				
		H.L	7.00	6.70	7.30	7.05	7.07	7.04	7.05	7.04				
		I.D	14.10	13.60	14.60	14.08	14.07	14.08	14.08	14.07				
		INT.THL	11.50	11.00	12.00	11.54	11.56	11.55	11.54	11.56				
		THREAD	M20x1.5 AS PER T.R.G GO NOT GO			OK	OK	OK	OK	OK				
		INT.THREAD	M24x1.5 AS PER P.G GO NOT GO			OK	OK	OK	OK	OK				
		CHANGLE	1.5x45° AS PER PP FOUND			OK	OK	OK	OK	OK				
		CHANGLE	0.5x45° AS PER PP FOUND			OK	OK	OK	OK	OK				
		CHANGLE	20° AS PER PP FOUND			OK	OK	OK	OK	OK				
		ANGLE	90° AS PER PP FOUND			OK	OK	OK	OK	OK				
INSPECTED BY:		Jay Hadiyal			APPROVED BY:			Shreekant						

Conclusion :



Accept



Reject



Hold



		MetalMech-08500-FR-QX-08-Final Inspection Report-EX												
INSP. No.	FIR-01	Product Name	INTERMEDIATE BODY			Size		M20		Drawing No.		313002U-01	Date:	10-08-2026
Wo No.	26200025	Total Quantity	550			Lot Quantity		550		Sample Size-		5	Variable & Gangline	5PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY		
		PARAMETER	CRITERIA		1	2	3	4	5					
1	Visual	Surface	Fine, Clean		FINE	FINE	FINE	FINE	FINE					
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts		16	16	16	16	16	16		Measuring Instruments ID No.		
		Washing & Plating	Surface Finishing		NA	NA	NA	NA	NA	NA		(1) DV-55		
		RUBBER MARKING	AS PER DRG.		NA	NA	NA	NA	NA	NA		(2) PP-01		
		Marking	WO Ref. No.		NA	NA	NA	NA	NA	NA		ASM No :- CSEX260808-02		
		Assembly Perfection	As per Drg.		OK	OK	OK	OK	OK	OK				
		Inner Packing	Labeling & Printing		OK	OK	OK	OK	OK	OK				
		Outer Packing	Printing & Stamping		OK	OK	OK	OK	OK	OK				
		All Dimensions Are In MM												
		2	DIMENSION		VALUE	-	+	1	2	3	4	5		
A/F	31.00			30.84	31.00	31.92	31.91	31.93	31.95	31.94		DEVIATION CONFIRMED WITH GAURAV SIR		
A/C	34.00			33.20	34.80	35.00	34.99	34.98	34.97	34.96		DEVIATION CONFIRMED WITH GAURAV SIR		
T.L	25.00			24.50	25.50	24.99	25.01	25.00	24.99	25.01				
TH.L	10.50			10.00	11.00	10.53	10.55	10.54	10.55	10.54				
GR.OD	22.00			21.50	22.50	22.06	22.05	22.04	22.06	22.05				
GR.LE	1.00			0.80	1.20	1.00	0.99	1.00	1.01	1.00				
H.L	5.00			4.70	5.30	5.05	5.04	5.03	5.05	5.04				
TH.L	9.50			9.00	10.00	9.48	9.50	9.49	9.49	9.50				
GR.OD	26.00			25.50	26.50	26.03	26.05	26.04	26.06	26.05				
GR.LE	1.00			0.80	1.20	1.00	1.02	1.01	1.02	1.01				
I.D	20.00			19.50	20.50	20.05	20.06	20.04	20.05	20.04				
I.D	22.50			22.00	23.00	22.47	22.49	22.48	22.49	22.48				
DEPTH	7.00			6.70	7.30	7.00	7.00	7.01	7.02	7.01				
I.D	20.50			20.00	21.00	20.46	20.49	20.48	20.47	20.49				
I.D.LE	6.00			5.70	6.30	6.01	5.99	6.00	6.00	6.01				
DEPTH	13.00			12.50	13.50	13.02	13.01	13.00	13.01	13.00				
THREAD	M24x1.5 AS PER T.R.G GO NOT GO			OK	OK	OK	OK	OK						
THREAD	M28x1.5 AS PER T.R.G GO NOT GO			OK	OK	OK	OK	OK						
CH.ANGLE	1x45° AS PER PP FOUND			OK	OK	OK	OK	OK						
CH.ANGLE	20° AS PER PP FOUND			OK	OK	OK	OK	OK						
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant					

Conclusion :



Accept



Reject



Hold





MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-01	Product Name		MIDDLE BODY		Size		M20		Drawing No.		313002-01	Date:	10-08-2026
Wo No.	26200025	Total Quantity		550		Lot Quantity		550		Sample Size-		5	Variable & Gauging	5PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY	
		PARAMETER	CRITERIA			1	2	3	4	5				
1	Visual	Surface	Fine, Clean			FINE	FINE	FINE	FINE	FINE			Measuring Instruments ID No.	
		Size wise No of Pcs. With Internal Parts	As per Drg. No. of Parts	16		16	16	16	16	16			(1) DV-55	
		Washing & Plating	Surface Finishing	NA		NA	NA	NA	NA	NA			(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA		NA	NA	NA	NA	NA				
		Marking	WO Ref. No.	NA		NA	NA	NA	NA	NA			ASM No :- CSEN260008-02	
		Assembly Perfection	As per Drg.			OK	OK	OK	OK	OK				
		Inner Packing	Labeling & Printing			OK	OK	OK	OK	OK				
		Outer Packing	Printing & Stamping			OK	OK	OK	OK	OK				
		All Dimensions Are In MM												
2	DIMENSION		VALUE	-	+	1	2	3	4	5				
		A/F	31.00	30.84	31.00	31.95	31.94	31.93	31.95	31.94			DEVIATION CONFIRMED WITH GAURAV SIR	
		A/C	34.00	33.20	34.80	34.97	34.99	34.98	35.00	34.99			DEVIATION CONFIRMED WITH GAURAV SIR	
		T.L	27.00	26.50	27.50	27.00	27.01	27.00	27.02	27.01				
		TH.L	14.00	13.50	14.50	13.97	13.99	13.98	14.00	13.99				
		GR.OD	27.00	26.50	27.50	26.95	26.94	26.96	26.95	26.95				
		GR.LE	1.00	0.80	1.20	1.00	0.99	1.00	1.02	1.01				
		O.D	30.00	29.50	30.50	29.98	29.97	29.95	29.95	29.94				
		O.D.L	6.00	5.70	6.30	6.03	6.02	6.02	6.03	6.05				
		H.L	7.00	6.70	7.30	7.05	7.04	7.06	7.05	7.04				
		I.D	21.00	20.50	21.50	21.04	21.03	21.02	21.03	21.02				
		INT.TH.L	11.50	11.00	12.00	11.52	11.50	11.51	11.50	11.51				
		I.D	24.50	24.00	25.00	24.46	24.45	24.47	24.46	24.45				
		DEPTH	15.50	15.00	16.00	15.49	15.48	15.48	15.47	15.49				
		THREAD	M29x1.5 AS PER T.R.G GO NOT GO			OK	OK	OK	OK	OK				
		INT.THREAD	M28x1.5 AS PER P.G GO NOT GO			OK	OK	OK	OK	OK				
		CH.ANGLE	1x45° AS PER PP FOUND			OK	OK	OK	OK	OK				
		CH.ANGLE	20° AS PER PP FOUND			OK	OK	OK	OK	OK				
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant					

Conclusion :



Accept



Reject



Hold





MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-01	Product Name	BACK NUT		Size		M20		Drawing No.		313003-01	Date:	10-08-2026	
Wo No.	26200025	Total Quantity	550		Lot Quantity		550		Sample Size-		5	Variable & Gauging	5PCS	
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY	
		PARAMETER	CRITERIA		1	2	3	4	5					
1	Visual	Surface	Fine, Clean		FINE	FINE	FINE	FINE	FINE			Measuring Instruments ID No.		
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	16	16	16	16	16	16		(1) DV-55			
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	NA	NA		(2) PP-01			
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	NA	NA	NA					
		Marking	WO Ref. No.	NA	NA	NA	NA	NA	NA		ASM No :- CSEX260808-02			
		Assembly Perfection	As per Drg.		OK	OK	OK	OK	OK					
		Inner Packing	Labeling & Printing		OK	OK	OK	OK	OK					
		Outer Packing	Printing & Stamping		OK	OK	OK	OK	OK					
		All Dimensions Are In MM												
2	DIMENSION		VALUE	-	+	1	2	3	4	5				
		A/F	31.00	30.84	31.00	31.95	31.94	31.93	31.95	31.94		DEVIATION CONFIRMED WITH GAURAV SIR		
		A/C	34.00	33.20	34.80	34.98	34.99	34.98	34.99	34.98		DEVIATION CONFIRMED WITH GAURAV SIR		
		T.L	20.00	19.50	20.50	20.00	19.99	20.01	20.00	19.99				
		O.D	30.50	29.70	31.30	30.49	30.50	30.48	30.47	30.49				
		O.D.L	8.00	7.70	8.30	8.05	8.03	8.05	8.04	8.06				
		H.L	12.00	11.50	12.50	11.97	11.96	11.95	11.96	11.95				
		L.D	24.50	24.00	25.00	24.47	24.49	24.48	24.48	24.49				
		INT.THIL	4.00	3.70	4.30	4.01	3.99	4.01	4.00	4.01				
		GR.ID	29.20	28.70	29.70	29.22	29.24	29.25	29.24	29.26				
		GR.LE	12.50	12.00	13.00	12.52	12.49	12.51	12.50	12.51				
		DEPTH	16.50	16.00	17.00	16.51	16.50	16.50	16.50	16.49				
		GR.ID	27.50	27.00	28.00	27.55	27.54	27.53	27.55	27.54				
		GR.LE	2.00	1.80	2.20	2.01	2.01	2.00	2.02	2.01				
		DEPTH	18.50	18.00	19.00	18.52	18.54	18.55	18.54	18.56				
		INT.THREAD	M29x1.5 AS PER P.G GO NOT GO			OK	OK	OK	OK	OK				
		CH.ANGLE	1x45° AS PER PP FOUND			OK	OK	OK	OK	OK				
		CH.ANGLE	0.5x45° AS PER PP FOUND			OK	OK	OK	OK	OK				
		CH.ANGLE	30° AS PER PP FOUND			OK	OK	OK	OK	OK				
		CH.ANGLE	45° AS PER PP FOUND			OK	OK	OK	OK	OK				
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant					

Conclusion :



Accept



Reject



Hold



		MetalMech-08500-FR-QX-08-Final Inspection Report-EX													
INSP. No.	FIR-01	Product Name	UNIVERSAL CLAMPING CONE		Size		M20		Drawing No.		313005-01	Date:	10-08-2026		
Wo No.	26200025	Total Quantity	550		Lot Quantity		550		Sample Size-		5	Variable & Gauging	5PCS		
Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY			
		PARAMETER	CRITERIA		1	2	3	4	5						
1	Visual	Surface	Fine, Clean		FINE	FINE	FINE	FINE	FINE						
		Size/wise No of Pcs. With Internal Parts	As per Drg. No. of Parts	16	16	16	16	16	16	16		Measuring Instruments ID No.			
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	NA	NA	NA		(1) DV-55			
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	NA	NA	NA	NA		(2) PP-01			
		Marking	WO Ref. No.	NA	NA	NA	NA	NA	NA	NA		ASM No :- CSEX260808-02			
		Assembly Perfection	As per Drg.	OK	OK	OK	OK	OK	OK	OK					
		Inner Packing	Labeling & Printing	OK	OK	OK	OK	OK	OK	OK					
		Outer Packing	Printing & Stamping	OK	OK	OK	OK	OK	OK	OK					
		All Dimensions Are In MM													
		2	DIMENSION		VALUE	-	+	1	2	3	4	5			
T.L	22.00			21.50	22.50	21.99	22.00	22.01	22.03	22.02					
O.D	16.50			16.00	17.00	16.55	16.54	16.57	16.56	16.55					
O.D.L	4.00			3.70	4.30	4.01	3.99	3.98	3.97	4.00					
O.D	17.80			17.30	18.30	17.79	17.78	17.79	17.77	17.79					
O.D.L	2.50			2.30	2.70	2.55	2.54	2.58	2.56	2.55					
GR.LENGTH	0.50			0.30	0.70	0.55	0.53	0.56	0.55	0.54					
O.D	18.80			18.30	19.30	18.79	18.80	18.78	18.76	18.79					
O.D.L	7.50			7.20	7.80	7.53	7.56	7.54	7.55	7.54					
O.D	22.00			21.50	22.50	22.00	21.99	22.01	22.00	21.99					
O.D.L	7.00			6.70	7.30	7.00	7.00	7.01	7.02	7.01					
O.D	16.50			16.00	17.00	16.55	16.54	16.56	16.59	16.58					
O.D.L	4.50			4.20	4.80	4.55	4.56	4.55	4.54	4.56					
O.D	17.00			16.50	17.50	17.03	17.00	17.02	17.02	17.01					
O.D	17.50			17.00	18.00	17.52	17.55	17.54	17.53	17.55					
O.D	18.00			17.50	18.50	17.97	17.96	17.98	17.96	17.98					
O.D.L	7.50			7.20	7.80	7.55	7.54	7.58	7.56	7.59					
I.D	14.00			13.50	14.50	14.06	14.05	14.04	14.06	14.05					
RADIUS	0.5 MM AS PER PP FOUND			OK	OK	OK	OK	OK							
RADIUS	0.3 AS PER PP FOUND			OK	OK	OK	OK	OK							
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant						

Conclusion :



Accept



Reject



Hold





MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-01	Product Name	REVERSIBLE ARMOUR RING		Size		M20		Drawing No.		313004-01	Date:	10-08-2026
Wo No.	26200025	Total Quantity	550		Lot Quantity		550		Sample Size-		5	Variable & Gauging	5PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA			1	2	3	4	5			
1	Visual	Surface	Fine, Clean			FINE	FINE	FINE	FINE	FINE			
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	16	16	16	16	16	16	16		Measuring Instruments I.D No-	
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	NA	NA	NA		(1) DV-55	
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	NA	NA	NA	NA		(2) PP-01	
		Marking	WO Ref. No.	NA	NA	NA	NA	NA	NA	NA		ASM No :- CSEX260808-02	
		Assembly Perfection	As per Drg.			OK	OK	OK	OK	OK			
		Inner Packing	Labeling & Printing		OK	OK	OK	OK	OK	OK			
		Outer Packing	Printing & Stamping			OK	OK	OK	OK	OK			
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	3	4	5			
		T.L	6.00	5.70	6.30	6.00	5.99	6.01	6.02	6.01			
		O.D	23.50	23.00	24.00	23.46	23.48	23.47	23.48	23.47			
		I.D	18.50	18.00	19.00	18.53	18.55	18.54	18.54	18.55			
		I.D	19.50	19.00	20.00	19.53	19.55	19.54	19.55	19.54			
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant				

Conclusion :



Accept



Reject



Hold



		MetalMech-08500-FR-QX-08-Final Inspection Report-EX												
INSP. No.	FIR-01	Product Name	O-RING		Size	M20		Drawing No.	OR-1M		Date:	10-08-2026		
Wo No.	26200025	Total Quantity	550		Lot Quantity	550		Sample Size-	5		Variable & Gauging	5PCS		
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY	
		PARAMETER	CRITERIA			1	2	3	4	5				
1	Visual	Surface	Fine, Clean			FINE	FINE	FINE	FINE	FINE		Measuring Instruments I.D No-		
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	16	16	16	16	16	16	16		(1) DV-55		
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	NA	NA	NA		(2) PP-01		
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	NA	NA	NA	NA				
		Marking	WO Ref. No.	NA	NA	NA	NA	NA	NA	NA		ASM No :- CSEX260808-02		
		Assembly Perfection	As per Drg.			OK	OK	OK	OK	OK				
		Inner Packing	Labeling & Printing		OK	OK	OK	OK	OK	OK				
		Outer Packing	Printing & Stamping			OK	OK	OK	OK	OK	OK			
		All Dimensions Are In MM												
2	DIMENSION		VALUE	-	+	1	2	3	4	5				
		THICKNESS	2.50	2.00	2.50	2.06	2.05	2.04	2.06	2.05				
		I.D	16.00	15.50	16.50	16.02	16.01	16.04	16.05	16.04				
INSPECTED BY:		Jay Hadiyal				APPROVED BY:				Shreekant				

Conclusion :



Accept



Reject



Hold



		MetalMech-08500-FR-QX-08-Final Inspection Report-EX												
INSP. No.	FIR-01	Product Name	COMPRESSIBLE INNER SEAL			Size		M20		Drawing No.		GI-01	Date:	10-08-2026
Wo No.	26200025	Total Quantity	550			Lot Quantity		550		Sample Size-		5	Variable & Gauging	5PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY	
		PARAMETER	CRITERIA			1	2	3	4	5				
1	Visual	Surface	Fine, Clean			FINE	FINE	FINE	FINE	FINE				
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	16	16	16	16	16	16		Measuring Instruments I.D No-			
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	NA	NA		(1) DV-55			
		RUBBER MARKING	AS PER DRG.	OK	OK	OK	OK	OK	OK		(2) PP-01			
		Marking	WO Ref. No.	NA	NA	NA	NA	NA	NA		ASM No :- CSEX260808-02			
		Assembly Perfection	As per Drg.			OK	OK	OK	OK	OK				
		Inner Packing	Labeling & Printing		OK	OK	OK	OK	OK					
		Outer Packing	Printing & Stamping			OK	OK	OK	OK	OK				
		All Dimensions Are In MM												
2	DIMENSION		VALUE	-	+	1	2	3	4	5				
		T.L	10.50	10.00	11.00	10.50	10.51	10.52	10.55	10.54				
		O.D.L	4.00	3.70	4.30	3.94	3.96	3.98	3.98	3.97				
		O.D	22.50	22.30	22.50	22.41	22.39	22.42	22.45	22.42				
		O.D.L	6.50	6.20	6.80	6.48	6.52	6.50	6.51	6.50				
		I.D	14.00	14.00	14.20	14.07	14.09	14.08	14.08	14.07				
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant					

Conclusion : ☒ Accept ☐ Reject ☐ Hold



		MetalMech-08500-FR-QX-08-Final Inspection Report-EX												
INSP. No.	FIR-01	Product Name	COMPRESSIBLE OUTER SEAL			Size		M20		Drawing No.		GE-01	Date:	10-08-2026
Wo No.	26200025	Total Quantity	550			Lot Quantity		550		Sample Size-		5	Variable & Gauging	5PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY	
		PARAMETER	CRITERIA			1	2	3	4	5				
1	Visual	Surface	Fine, Clean			FINE	FINE	FINE	FINE	FINE		Measuring Instruments I.D No-		
		Size wise No of Pcs. With Internal Parts	As per Drg. No. of Parts	16	16	16	16	16	16	16		(1) DV-55		
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	NA	NA	NA		(2) PP-01		
		RUBBER MARKING	AS PER DRG.	OK	OK	OK	OK	OK	OK	OK				
		Marking	WO Ref. No.	NA	NA	NA	NA	NA	NA	NA		ASM No :- CSEX260808-02		
		Assembly Perfection	As per Drg.			OK	OK	OK	OK	OK	OK			
		Inner Packing	Labeling & Printing		OK	OK	OK	OK	OK	OK				
		Outer Packing	Printing & Stamping			OK	OK	OK	OK	OK	OK			
All Dimensions Are In MM														
2	DIMENSION		VALUE	-	+	1	2	3	4	5				
		T.L	11.00	10.50	11.50	11.01	11.03	11.02	11.02	11.01				
		O.D	28.50	28.30	28.50	28.41	28.43	28.42	28.45	28.44				
		GR.LENGTH	3.50	3.20	3.80	3.50	3.48	3.49	3.50	3.49				
		I.D	20.90	20.90	21.00	20.92	20.93	20.95	20.94	20.96				
INSPECTED BY:		Jay Hadiyal				APPROVED BY:				Shreekant				

Conclusion :



Accept



Reject



Hold



		MetalMech-08500-FR-QX-08-Final Inspection Report-EX												
INSP. No.	FIR-01	Product Name	INNER SKID WASHER			Size		M20		Drawing No.		IW-01	Date:	10-08-2026
Wo No.	26200025	Total Quantity	550			Lot Quantity		550		Sample Size-		5	Variable & Gauging	5PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY	
		PARAMETER	CRITERIA			1	2	3	4	5				
1	Visual	Surface	Fine, Clean			FINE	FINE	FINE	FINE	FINE				
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	16	16	16	16	16	16					
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	NA	NA					
		RUBBER MARKING	AS PER DRG.	OK	OK	OK	OK	OK	OK					
		Marking	WO Ref. No.	NA	NA	NA	NA	NA	NA		ASM No :- CSEX260808-02			
		Assembly Perfection	As per Drg.			OK	OK	OK	OK	OK				
		Inner Packing	Labeling & Printing		OK	OK	OK	OK	OK					
		Outer Packing	Printing & Stamping			OK	OK	OK	OK	OK				
		All Dimensions Are In MM												
2	DIMENSION		VALUE	-	+	1	2	3	4	5				
		T.L	5.00	4.70	5.30	5.03	5.02	5.01	5.02	5.01				
		O.D	22.00	21.80	22.00	21.90	21.89	21.90	21.89	21.91				
		O.D	19.50	19.30	19.50	19.42	19.39	19.41	19.43	19.41				
		O.D.L	3.00	3.00	3.20	3.02	3.00	3.01	3.02	3.01				
		I.D	14.00	14.00	14.20	14.10	14.09	14.08	14.07	14.09				
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant					

Conclusion :



Accept



Reject



Hold



		MetalMech-08500-FR-QX-08-Final Inspection Report-EX														
INSP. No.	FIR-01	Product Name	OUTER SKID WASHER			Size	M20			Drawing No.	OW-01			Date:	10-08-2026	
Wo No.	26200025	Total Quantity	550			Lot Quantity	550			Sample Size-	5			Variable & Gauging	5PCS	
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY			
		PARAMETER	CRITERIA			1	2	3	4	5						
1	Visual	Surface	Fine, Clean			FINE	FINE	FINE	FINE	FINE						
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	16	16	16	16	16	16	16		Measuring Instruments I.D No-				
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	NA	NA	NA		(1) DV-55				
		RUBBER MARKING	AS PER DRG.	OK	OK	OK	OK	OK	OK	OK		(2) PP-01				
		Marking	WO Ref. No.	NA	NA	NA	NA	NA	NA	NA		ASM No :- CSEX260808-02				
		Assembly Perfection	As per Drg.			OK	OK	OK	OK	OK	OK					
		Inner Packing	Labeling & Printing		OK	OK	OK	OK	OK	OK	OK					
		Outer Packing	Printing & Stamping			OK	OK	OK	OK	OK	OK	OK				
		All Dimensions Are In MM														
2	DIMENSION		VALUE	-	+	1	2	3	4	5						
		T.L	6.50	6.20	6.80	6.50	6.49	6.50	6.50	6.51						
		O.D	27.00	27.00	27.10	27.00	27.01	27.02	27.03	27.02						
		O.D	24.50	24.30	24.50	24.39	24.38	24.37	24.41	24.39						
		O.D.L	4.00	4.00	4.10	4.02	4.01	4.02	4.02	4.01						
		I.D	6.50	6.50	6.60	6.52	6.54	6.54	6.54	6.56						
INSPECTED BY:		Jay Hadiyal				APPROVED BY:				Shreekant						

Conclusion :



Accept



Reject



Hold



		MetalMech-08500-FR-QX-08-Final Inspection Report-EX											
INSP. No.	FIR-01	Product Name	NYLON WASHER			Size	M20			Drawing No.		Date:	10-08-2026
Wo No.	26200025	Total Quantity	550			Lot Quantity	550			Sample Size-	5	Variable & Gauging	5PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA			1	2	3	4	5			
1	Visual	Surface	Fine, Clean			FINE	FINE	FINE	FINE	FINE		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	16	16	16	16	16	16	16		(1) DV-55	
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	NA	NA	NA		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	OK	OK	OK	OK	OK	OK	OK			
		Marking	WO Ref. No.	NA	NA	NA	NA	NA	NA	NA		ASM No :- CSEX260808-02	
		Assembly Perfection	As per Drg.			OK	OK	OK	OK	OK	OK		
		Inner Packing	Labeling & Printing		OK	OK	OK	OK	OK	OK			
		Outer Packing	Printing & Stamping			OK	OK	OK	OK	OK	OK		
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	3	4	5			
		THICKNESS	1.50	1.30	1.70	1.48	1.45	1.46	1.45	1.44			
		I.D	20.20	19.70	20.70	20.15	20.18	20.16	20.12	20.11			
INSPECTED BY:		Jay Hadiyal				APPROVED BY:				Shreekant			

Conclusion :



Accept



Reject



Hold



 THE SAFEST CONNECTIONS		MetalMech-08500-FR-QX-08-Final Inspection Report-EX											
INSP. No.	FIR-01	Product Name	SHROUD			Size	M20			Drawing No.		Date:	10-08-2026
Wo No.	26200025	Total Quantity	550			Lot Quantity	550			Sample Size-	5	Variable & Gauging	5PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA			1	2	3	4	5			
1	Visual	Surface	Fine, Clean			FINE	FINE	FINE	FINE	FINE		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	16	16	16	16	16	16	16		(1) DV-55	
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	NA	NA	NA		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	OK	OK	OK	OK	OK	OK	OK			
		Marking	WO Ref. No.	NA	NA	NA	NA	NA	NA	NA		ASM No :- CSEX260808-02	
		Assembly Perfection	As per Drg.			OK	OK	OK	OK	OK	OK		
		Inner Packing	Labeling & Printing		OK	OK	OK	OK	OK	OK			
		Outer Packing	Printing & Stamping			OK	OK	OK	OK	OK	OK		
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	3	4	5			
		T.L	100.00	99.20	100.80	100.19	100.21	100.22	100.22	100.21			
		I.D	33.00	32.20	33.80	33.08	33.07	33.08	33.07	33.09			
INSPECTED BY:		Jay Hadiyal				APPROVED BY:				Shreekant			

Conclusion :



Accept



Reject



Hold



		MetalMech-08500-FR-QX-08-Final Inspection Report-EX												
INSP. No.	FIR-01	Product Name	EARTH TAG			Size		M20		Drawing No.		-	Date:	10-08-2026
Wo No.	26200025	Total Quantity	550			Lot Quantity		550		Sample Size-		5	Variable & Gauging	5PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY	
		PARAMETER	CRITERIA			1	2	3	4	5				
1	Visual	Surface	Fine, Clean			FINE	FINE	FINE	FINE	FINE				
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	16	16	16	16	16	16		Measuring Instruments I.D No-			
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	NA	NA		(1) DV-55			
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	NA	NA	NA		(2) PP-01			
		Marking	WO Ref. No.	NA	NA	NA	NA	NA	NA		ASM No :- CSEX260808-02			
		Assembly Perfection	As per Drg.			OK	OK	OK	OK	OK				
		Inner Packing	Labeling & Printing		OK	OK	OK	OK	OK					
		Outer Packing	Printing & Stamping			OK	OK	OK	OK	OK				
		All Dimensions Are In MM												
2	DIMENSION		VALUE	-	+	1	2	3	4	5				
		THICKNESS	1.50	1.30	1.70	1.45	1.48	1.46	1.48	1.47				
		O.D	30.20	29.40	31.00	30.19	30.21	30.23	30.23	30.22				
		O.D	13.20	12.70	13.70	13.25	13.23	13.22	13.25	13.24				
		I.D	22.00	21.50	22.50	22.08	22.07	22.06	22.04	22.06				
		I.D	6.50	6.20	6.80	6.54	6.56	6.55	6.54	6.56				
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant					

Conclusion : ☒ Accept ☐ Reject ☐ Hold



		MetalMech-08500-FR-QX-08-Final Inspection Report-EX											
INSP. No.	FIR-01	Product Name	STAR WASHER		Size	M20		Drawing No.	-		Date:	10-08-2026	
Wo No.	26200025	Total Quantity	550		Lot Quantity	550		Sample Size-	5		Variable & Gauging	5PCS	
Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY	
		PARAMETER	CRITERIA		1	2	3	4	5				
1	Visual	Surface	Fine, Clean		FINE	FINE	FINE	FINE	FINE		Measuring Instruments I.D No-		
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	16	16	16	16	16	16		(1) DV-55		
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	NA	NA		(2) PP-01		
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	NA	NA	NA				
		Marking	WO Ref. No.	NA	NA	NA	NA	NA	NA		ASM No :- CSEX260808-02		
		Assembly Perfection	As per Drg.		OK	OK	OK	OK	OK				
		Inner Packing	Labeling & Printing		OK	OK	OK	OK	OK				
		Outer Packing	Printing & Stamping		OK	OK	OK	OK	OK				
All Dimensions Are In MM													
2	DIMENSION		VALUE	-	+	1	2	3	4	5			
		O.D	33.00	32.70	33.30	33.06	33.05	33.07	33.03	33.09			
		I.D	21.00	20.50	21.50	21.34	21.36	21.35	21.33	21.36			
		T.L	4.00	3.70	4.30	4.06	4.05	4.07	4.05	4.08			
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant				

Conclusion :



Accept



Reject



Hold

