



MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-01	Product Name	ENTRY COMPONENT	Size	M20	Drawing No.	313001M-01	Date:	05-08-2026				
Wo No.	26000193	Total Quantity	51	Lot Quantity	51	Sample Size-	3	Variable & Gauging	3PCS				
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS				REJECTION REWORK DETAIL	REMARK	CHECKED BY	
		PARAMETER	CRITERIA		1	2	3	-	-				
		Surface	Fine, Clean		FINE	FINE	FINE	-	-				
		Size wise No of Pcs. With Internal Parts	As per Drg. No. of Parts	11	11	11	11	-	-				
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	-	-				
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	NA	-	-				
		Marking	WO Ref. No.	Metalmech Logo MM-EX- E1FUNV201MM6 2026 CE Logo 2460 Ex Logo II 2 GD Ex db BC	OK	OK	OK	-	-				
		Assembly Perfection	As per Drg.		OK	OK	OK	-	-				
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-				
		Outer Packing	Printing & Stamping		OK	OK	OK	-	-				
		All Dimensions Are In MM											
		VALUE	-	+	1	2	3	-	-				
		A/F	27.00	26.87	27.00	26.89	26.90	26.88	-	-			
		A/C	30.00	29.50	30.50	29.95	29.94	29.93	-	-			
		T.L	33.00	33.00	33.50	33.25	33.24	33.23	-	-			
		TH.L	13.00	12.50	13.50	13.06	13.09	13.08	-	-			
		LENGTH	17.00	17.00	17.50	17.24	17.26	17.25	-	-			
		GR.OD	18.00	17.50	18.50	18.05	18.03	18.04	-	-			
		GR.LE	2.50	2.30	2.70	2.55	2.54	2.53	-	-			
		O.D	26.50	26.00	27.00	26.50	26.51	26.49	-	-			
		O.D.L	9.00	8.50	9.50	9.01	9.00	9.01	-	-			
		H.L	7.00	6.70	7.30	7.05	7.07	7.08	-	-			
		L.D	14.10	13.60	14.60	14.08	14.07	14.06	-	-			
		INT.THL	11.50	11.00	12.00	11.54	11.56	11.55	-	-			
		THREAD	M20x1.5 AS PER T.R.G GO NOT GO		OK	OK	OK	-	-				
		INT.THREAD	M24x1.5 AS PER P.G GO NOT GO		OK	OK	OK	-	-				
		CH.ANGLE	1.5x45° AS PER PP FOUND		OK	OK	OK	-	-				
		CH.ANGLE	0.5x45° AS PER PP FOUND		OK	OK	OK	-	-				
		CH.ANGLE	20° AS PER PP FOUND		OK	OK	OK	-	-				
		ANGLE	90° AS PER PP FOUND		OK	OK	OK	-	-				
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant				

Conclusion :



Accept



Reject



Hold





MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-01	Product Name	INTERMEDIATE BODY		Size		M20		Drawing No.		313002U-01	Date:	05-08-2026	
Wo No.	26000193	Total Quantity	51		Lot Quantity		51		Sample Size-		3	Variable & Gauging	3PCS	
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION Rework Detail	REMARK	CHECKED BY	
		PARAMETER	CRITERIA		1	2	3	-	-					
1	Visual	Surface	Fine, Clean		FINE	FINE	FINE	-	-		Measuring Instruments ID No.			
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	11	11	11	11	-	-		(1) DV-55			
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	-	-		(2) PP-01			
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	NA	-	-					
		Marking	WO Ref. No.	NA	NA	NA	NA	-	-		ASM No :- CEN260803-03			
		Assembly Perfection	As per Drg.		OK	OK	OK	-	-					
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-					
		Outer Packing	Printing & Stamping		OK	OK	OK	-	-					
		All Dimensions Are In MM												
		2	DIMENSION	VALUE	-	+	1	2	3	-	-			
A/F	31.00			30.84	31.00	31.92	31.91	31.93	-	-		DEVIATION CONFIRMED WITH GAURAV SIR		
A/C	34.00			33.20	34.80	35.00	34.99	34.98	-	-		DEVIATION CONFIRMED WITH GAURAV SIR		
T.L	25.00			24.50	25.50	25.05	25.04	25.03	-	-				
TH.L	10.50			10.00	11.00	10.53	10.55	10.54	-	-				
GR.OD	22.00			21.50	22.50	21.91	21.90	21.89	-	-				
GR.LE	1.00			0.80	1.20	1.00	0.99	1.00	-	-				
H.L	5.00			4.70	5.30	5.05	5.04	5.03	-	-				
TH.L	9.50			9.00	10.00	9.48	9.50	9.49	-	-				
GR.OD	26.00			25.50	26.50	25.96	25.95	25.94	-	-				
GR.LE	1.00			0.80	1.20	1.00	1.02	1.02	-	-				
I.D	20.00			19.50	20.50	20.05	20.06	20.04	-	-				
I.D	22.50			22.00	23.00	22.54	22.56	22.55	-	-				
DEPTH	7.00			6.70	7.30	7.00	7.00	7.01	-	-				
I.D	20.50			20.00	21.00	20.55	20.54	20.53	-	-				
I.D.LE	6.00			5.70	6.30	6.01	5.99	6.00	-	-				
DEPTH	13.00			12.50	13.50	13.02	13.01	13.02	-	-				
THREAD	M24x1.5 AS PER T.R.G GO NOT GO			OK	OK	OK	-	-						
THREAD	M28x1.5 AS PER T.R.G GO NOT GO			OK	OK	OK	-	-						
CH.ANGLE	1x45° AS PER PP FOUND			OK	OK	OK	-	-						
CH.ANGLE	20° AS PER PP FOUND			OK	OK	OK	-	-						
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant					

Conclusion :

☒ Accept

☐ Reject

☐ Hold



		MetalMech-08500-FR-QX-08-Final Inspection Report-EX												
INSP. No.	FIR-01	Product Name		MIDDLE BODY		Size		M20		Drawing No.		313002-01	Date:	05-08-2026
Wo No.	26000193	Total Quantity		51		Lot Quantity		51		Sample Size-		3	Variable & Gauging	3PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS					REJECTION Rework Detail	REMARK	CHECKED BY		
		PARAMETER	CRITERIA		1	2	3	-	-					
1	Visual	Surface	Fine, Clean		FINE	FINE	FINE	-	-		Measuring Instruments ID No-			
		Size wise No of Pcs. With Internal Parts	As per Drg. No. of Parts	11	11	11	11	-	-		(1) DV-55			
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	-	-		(2) PP-01			
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	NA	-	-					
		Marking	WO Ref. No.	NA	NA	NA	NA	-	-		ASM No :- CEX260803-03			
		Assembly Perfection	As per Drg.		OK	OK	OK	-	-					
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-					
		Outer Packing	Printing & Stamping		OK	OK	OK	-	-					
All Dimensions Are In MM														
2	DIMENSION		VALUE	-	+	1	2	3	-	-				
		A/F	31.00	30.84	31.00	31.95	31.94	31.93	-	-		DEVIATION CONFIRMED WITH GAURAV S/R		
		A/C	34.00	33.20	34.80	34.97	34.99	34.98	-	-		DEVIATION CONFIRMED WITH GAURAV S/R		
		T.L	27.00	26.50	27.50	27.00	27.01	27.00	-	-				
		TH.L	14.00	13.50	14.50	13.97	13.99	13.98	-	-				
		GR.OD	27.00	26.50	27.50	26.95	26.94	26.96	-	-				
		GR.LE	1.00	0.80	1.20	1.00	0.99	1.00	-	-				
		O.D	30.00	29.50	30.50	29.98	29.97	29.95	-	-				
		O.D.L	6.00	5.70	6.30	6.03	6.02	6.02	-	-				
		H.L	7.00	6.70	7.30	7.00	7.03	7.04	-	-				
		LD	21.00	20.50	21.50	21.04	21.03	21.05	-	-				
		INT.TH.L	11.50	11.00	12.00	11.52	11.50	11.51	-	-				
		LD	24.50	24.00	25.00	24.53	24.55	24.55	-	-				
		DEPTH	15.50	15.00	16.00	15.50	15.51	15.50	-	-				
		THREAD	M29x1.5 AS PER T.R.G GO NOT GO			OK	OK	OK	-	-				
		INT.THREAD	M28x1.5 AS PER P.G GO NOT GO			OK	OK	OK	-	-				
		CH.ANGLE	1x45° AS PER PP FOUND			OK	OK	OK	-	-				
		CH.ANGLE	20° AS PER PP FOUND			OK	OK	OK	-	-				
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant					

Conclusion :



Accept



Reject



Hold





MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-01	Product Name	BACK NUT		Size		M20		Drawing No.		313003-01	Date:	05-08-2026	
Wo No.	26000193	Total Quantity	51		Lot Quantity		51		Sample Size-		3	Variable & Ganging	3PCS	
Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY		
		PARAMETER	CRITERIA		1	2	3	-	-					
		Surface	Fine, Clean		FINE	FINE	FINE	-	-					
		Size wise No of Pcs. With Internal Parts	As per Drg. No. of Parts	11	11	11	11	-	-			Measuring Instruments ID No.		
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	-	-			(1) DV-55		
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	NA	-	-			(2) PP-01		
		Marking	WO Ref. No.	NA	NA	NA	NA	-	-			ASM No :- CEX260803-03		
		Assembly Perfection	As per Drg.		OK	OK	OK	-	-					
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-					
		Outer Packing	Printing & Stamping		OK	OK	OK	-	-					
		All Dimensions Are In MM												
			VALUE	-	+	1	2	3	-	-				
		A/F	31.00	30.84	31.00	31.95	31.94	31.93	-	-		DEVIATION CONFIRMED WITH GAUKAV SIR		
		A/C	34.00	33.20	34.80	34.98	34.99	34.97	-	-		DEVIATION CONFIRMED WITH GAUKAV SIR		
		T.L	20.00	19.50	20.50	20.02	20.01	20.00	-	-				
		O.D	30.50	29.70	31.30	30.49	30.50	30.48	-	-				
		O.D.L	8.00	7.70	8.30	8.05	8.03	8.03	-	-				
		H.L	12.00	11.50	12.50	11.97	11.96	11.97	-	-				
		I.D	24.50	24.00	25.00	24.47	24.49	24.48	-	-				
		INT.THIL	4.00	3.70	4.30	4.01	3.99	4.00	-	-				
		GR.ID	29.20	28.70	29.70	29.22	29.24	29.23	-	-				
		GR.LE	12.50	12.00	13.00	12.52	12.49	12.51	-	-				
		DEPTH	16.50	16.00	17.00	16.51	16.50	16.50	-	-				
		GR.ID	27.50	27.00	28.00	27.55	27.54	27.53	-	-				
		GR.LE	2.00	1.80	2.20	2.01	2.02	2.03	-	-				
		DEPTH	18.50	18.00	19.00	18.52	18.54	18.55	-	-				
		INT.THREAD	M29x1.5 AS PER P.G GO NOT GO			OK	OK	OK	-	-				
		CH.ANGLE	1x45° AS PER PP FOUND			OK	OK	OK	-	-				
		CH.ANGLE	0.5x45° AS PER PP FOUND			OK	OK	OK	-	-				
		CH.ANGLE	30° AS PER PP FOUND			OK	OK	OK	-	-				
		CH.ANGLE	45° AS PER PP FOUND			OK	OK	OK	-	-				
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant					

Conclusion :



Accept



Reject



Hold





MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-01	Product Name	UNIVERSAL CLAMPING CONE		Size	M20		Drawing No.	313905-01	Date:	05-08-2026		
Wo No.	26000193	Total Quantity	51		Lot Quantity	51		Sample Size-	3	Variable & Gauging	3PCS		
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS				REJECTION Rework Detail	REMARK	CHECKED BY	
		PARAMETER	CRITERIA			1	2	3	-				-
1	Visual	Surface	Fine, Clean			FINE	FINE	FINE	-	-		Measuring Instruments ID No.	
		Size wise No of Pcs. With Internal Parts	As per Drg. No. of Parts	11		11	11	11	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NA		NA	NA	NA	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA		NA	NA	NA	-	-			
		Marking	WO Ref. No.	NA		NA	NA	NA	-	-		ASM No :- CEX260803-03	
		Assembly Perfection	As per Drg.			OK	OK	OK	-	-			
		Inner Packing	Labeling & Printing			OK	OK	OK	-	-			
		Outer Packing	Printing & Stamping			OK	OK	OK	-	-			
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	3	-	-			
		T.L	22.00	21.50	22.50	21.99	22.00	22.01	-	-			
		O.D	16.50	16.00	17.00	16.49	16.48	16.47	-	-			
		O.D.L	4.00	3.70	4.30	4.01	3.99	4.00	-	-			
		O.D	17.80	17.30	18.30	17.79	17.78	17.79	-	-			
		O.D.L	2.50	2.30	2.70	2.52	2.49	2.51	-	-			
		GR.LENGTH	0.50	0.30	0.70	0.50	0.49	0.48	-	-			
		O.D	18.80	18.30	19.30	18.79	18.80	18.78	-	-			
		O.D.L	7.50	7.20	7.80	7.52	7.49	7.51	-	-			
		O.D	22.00	21.50	22.50	21.95	21.97	21.95	-	-			
		O.D.L	7.00	6.70	7.30	7.00	7.00	7.01	-	-			
		O.D	16.50	16.00	17.00	16.52	16.49	16.51	-	-			
		O.D.L	4.50	4.20	4.80	4.52	4.50	4.51	-	-			
		O.D	17.00	16.50	17.50	17.03	17.00	17.02	-	-			
		O.D	17.50	17.00	18.00	17.52	17.49	17.50	-	-			
		O.D	18.00	17.50	18.50	17.98	17.98	17.99	-	-			
		O.D.L	7.50	7.20	7.80	7.50	7.49	7.50	-	-			
		I.D	14.00	13.50	14.50	14.03	14.02	14.03	-	-			
		RADIUS	0.5 MM AS PER PP FOUND			OK	OK	OK	-	-			
		RADIUS	0.3 AS PER PP FOUND			OK	OK	OK	-	-			

INSPECTED BY: Jay HadiyalAPPROVED BY: Shreekant

Conclusion :

☒ Accept ☐ Reject ☐ Hold





MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-01	Product Name	REVERSIBLE ARMOUR RING		Size		M20		Drawing No.		313004-01	Date:	05-08-2026
Wo No.	26000193	Total Quantity	51		Lot Quantity		51		Sample Size-		3	Variable & Gauging	3PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS				REJECTION REWORK DETAIL	REMARK	CHECKED BY	
		PARAMETER	CRITERIA			1	2	3	-				-
1	Visual	Surface	Fine, Clean			FINE	FINE	FINE	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	11	11	11	11	-	-		(1) DV-55		
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	-	-		(2) PP-01		
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	NA	-	-				
		Marking	WO Ref. No.	NA	NA	NA	NA	-	-		ASM No :- CEX260803-03		
		Assembly Perfection	As per Drg.			OK	OK	OK	-	-			
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-				
		Outer Packing	Printing & Stamping			OK	OK	OK	-	-			
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	3	-	-			
		T.L	6.00	5.70	6.30	6.00	5.99	6.01	-	-			
		O.D	23.50	23.00	24.00	23.46	23.48	23.47	-	-			
		I.D	18.50	18.00	19.00	18.48	18.47	18.45	-	-			
		I.D	19.50	19.00	20.00	19.53	19.55	19.54	-	-			
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant				

Conclusion : ☒ Accept ☐ Reject ☐ Hold





MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-01	Product Name	O-RING		Size	M20		Drawing No.	OR-1M	Date:	05-08-2026	
Wo No.	26000193	Total Quantity	51		Lot Quantity	51		Sample Size-	3	Variable & Gauging	3PCS	
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS				REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	3	-	-			
1	Visual	Surface	Fine, Clean		FINE	FINE	FINE	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	11	11	11	11	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	NA	-	-			
		Marking	WO Ref. No.	NA	NA	NA	NA	-	-		ASM No :- CEX260803-03	
		Assembly Perfection	As per Drg.		OK	OK	OK	-	-			
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-			
		Outer Packing	Printing & Stamping		OK	OK	OK	-	-			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	-	+	1	2	3	-	-		
		THICKNESS	2.50	2.00	2.50	2.11	2.10	2.12	-	-		
		I.D	16.00	15.50	16.50	16.02	16.01	16.04	-	-		
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant			

Conclusion :

☒

Accept

☐

Reject

☐

Hold





MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-01	Product Name	COMPRESSIBLE INNER SEAL		Size		M20		Drawing No.		GI-01	Date:	05-08-2026
Wo No.	26000193	Total Quantity	51		Lot Quantity		51		Sample Size-		3	Variable & Gauging	3PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS				REJECTION REWORK DETAIL	REMARK	CHECKED BY	
		PARAMETER	CRITERIA		1	2	3	-	-				
1	Visual	Surface	Fine, Clean		FINE	FINE	FINE	-	-		Measuring Instruments LD No-		
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	11	11	11	11	-	-		(1) DV-55		
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	-	-		(2) PP-01		
		RUBBER MARKING	AS PER DRG.	OK	OK	OK	OK	-	-				
		Marking	WO Ref. No.	NA	NA	NA	NA	-	-		ASM No :- CEX260803-03		
		Assembly Perfection	As per Drg.		OK	OK	OK	-	-				
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-				
		Outer Packing	Printing & Stamping		OK	OK	OK	-	-				
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	3	-	-			
		T.L	10.50	10.00	11.00	10.50	10.51	10.53	-	-			
		O.D.L	4.00	3.70	4.30	3.94	3.96	3.95	-	-			
		O.D	22.50	22.30	22.50	22.41	22.39	22.40	-	-			
		O.D.L	6.50	6.20	6.80	6.48	6.50	6.49	-	-			
		I.D	14.00	14.00	14.20	14.07	14.09	14.06	-	-			
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant				

Conclusion : ☒ Accept ☐ Reject ☐ Hold





MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-01	Product Name	COMPRESSIBLE OUTER SEAL		Size		M20		Drawing No.		GE-01	Date:	05-08-2026
Wo No.	26000193	Total Quantity	51		Lot Quantity		51		Sample Size-		3	Variable & Gauging	3PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS				REJECTION REWORK DETAIL	REMARK	CHECKED BY	
		PARAMETER	CRITERIA		1	2	3	-	-				
1	Visual	Surface	Fine, Clean		FINE	FINE	FINE	-	-			Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	11	11	11	11	-	-			(1) DV-55	
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	-	-			(2) PP-01	
		RUBBER MARKING	AS PER DRG.	OK	OK	OK	OK	-	-				
		Marking	WO Ref. No.	NA	NA	NA	NA	-	-			ASM No :- CEX260803-03	
		Assembly Perfection	As per Drg.		OK	OK	OK	-	-				
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-				
		Outer Packing	Printing & Stamping		OK	OK	OK	-	-				
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	3	-	-			
		T.L	11.00	10.50	11.50	11.01	11.03	11.02	-	-			
		O.D	28.50	28.30	28.50	28.41	28.43	28.43	-	-			
		GR.LENGTH	3.50	3.20	3.80	3.50	3.48	3.49	-	-			
		I.D	20.90	20.90	21.00	20.92	20.93	20.94	-	-			
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant				

Conclusion :



Accept



Reject



Hold





MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-01	Product Name	INNER SKID WASHER		Size		M20		Drawing No.		IW-01	Date:	05-08-2026
Wo No.	26000193	Total Quantity	51		Lot Quantity		51		Sample Size-		3	Variable & Gauging	3PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS				REJECTION REWORK DETAIL	REMARK	CHECKED BY	
		PARAMETER	CRITERIA		1	2	3	-	-				
1	Visual	Surface	Fine, Clean		FINE	FINE	FINE	-	-		Measuring Instruments I.D No-		
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	11	11	11	11	-	-		(1) DV-55		
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	-	-		(2) PP-01		
		RUBBER MARKING	AS PER DRG.	OK	OK	OK	OK	-	-				
		Marking	WO Ref. No.	NA	NA	NA	NA	-	-		ASM No :- CEX260803-03		
		Assembly Perfection	As per Drg.		OK	OK	OK	-	-				
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-				
		Outer Packing	Printing & Stamping		OK	OK	OK	-	-				
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	3	-	-			
		T.L	5.00	4.70	5.30	5.03	5.02	5.02	-	-			
		O.D	22.00	21.80	22.00	21.90	21.89	21.91	-	-			
		O.D	19.50	19.30	19.50	19.42	19.39	19.41	-	-			
		O.D.L	3.00	3.00	3.20	3.02	3.00	3.01	-	-			
		I.D	14.00	14.00	14.20	14.10	14.09	14.08	-	-			
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant				

Conclusion : ☒ Accept ☐ Reject ☐ Hold





MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-01	Product Name	OUTER SKID WASHER		Size		M20		Drawing No.		OW-01	Date:	05-08-2026
Wo No.	26000193	Total Quantity	51		Lot Quantity		51		Sample Size-		3	Variable & Gauging	3PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	3	-	-				
1	Visual	Surface	Fine, Clean		FINE	FINE	FINE	-	-		Measuring Instruments I.D No-		
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	11	11	11	11	-	-		(1) DV-55		
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	-	-		(2) PP-01		
		RUBBER MARKING	AS PER DRG.	OK	OK	OK	OK	-	-				
		Marking	WO Ref. No.	NA	NA	NA	NA	-	-		ASM No :- CEX260803-03		
		Assembly Perfection	As per Drg.		OK	OK	OK	-	-				
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-				
		Outer Packing	Printing & Stamping		OK	OK	OK	-	-				
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	3	-	-			
		T.L	6.50	6.20	6.80	6.50	6.49	6.51	-	-			
		O.D	27.00	27.00	27.10	27.00	27.01	27.02	-	-			
		O.D	24.50	24.30	24.50	24.39	24.38	24.41	-	-			
		O.D.L	4.00	4.00	4.10	4.02	4.01	4.03	-	-			
		I.D	6.50	6.50	6.60	6.52	6.54	6.55	-	-			
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant				

Conclusion :



Accept



Reject



Hold

