METAL MECA®
THE SAFEST CONNECTIONS

MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-011	Product Name	LOCK NUT	Size	1/2" NPT	Drawing No.	DL1NS	Date:	28-10-2026
Wo No.	26000315	Total Quantity	30	Lot Quantity	30	Sample Size-	2	Variable & Gauging	2PCS

Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	-	-	-			
1	Visual	Surface	Fine, Clean		FINE	FINE	-	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	3	3	3	-	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NA	NA	NA	-	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	-	-	-			
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		ASM No :- CSEX261027-04	
		Assembly Perfection	As per Drg.		OK	OK	-	-	-			
		Inner Packing	Labeling & Printing Matters		OK	OK	-	-	-			
		Outer Packing	Printing & Stamping		OK	OK	-	-	-			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	-	+	1	2	-	-	-		
		A/F	24.00	23.87	24.00	23.90	23.89	-	-	-		
		A/C	26.00	25.50	26.50	25.99	26.00	-	-	-		
		T.L	4.00	3.70	4.30	4.00	4.01	-	-	-		
		THREAD	1/2" NPT AS PER P.G GO NOT GO			OK	OK	-	-	-		
		CH.ANGLE	30° AS PER PP FOUND			OK	OK	-	-	-		

INSPECTED BY:	Jay Hadiyal	APPROVED BY:	Shreekant

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERING QA PASSED

MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-011	Product Name	PLUG	Size	1/2" NPT	Drawing No.	PLG1N	Date:	28-10-2026
Wo No.	26000315	Total Quantity	30	Lot Quantity	30	Sample Size-	2	Variable & Gauging	2PCS

Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	-	-	-			
1	Visual	Surface	Fine, Clean		FINE	FINE	-	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	3	3	3	-	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	NA	-	-			
		Marking	WO Ref. No.	Metalmech Logo MM-EX-PLG1NX6 2026 CE Logo 2460 Ex Logo II 2 GD Ex db IIC Gb, Ex eb IIC Gb, Ex tb IIIC Db, IP66/68 -55°C ≤ Ta ≤ +160°C Presafe 20 ATEX 24571X IECEx PRE 20.0123X			-	-		ASM No :- CSEX261027-04	
		Assembly Perfection	As per Drg.		OK	OK	OK	-	-			
		Inner Packing	Labeling & Printing Matters		OK	OK	OK	-	-			
		Outer Packing	Printing & Stamping		OK	OK	OK	-	-			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	-	+	1	2	-	-	-		
		T.L	14.00	13.50	14.50	14.01	14.00	-	-	-		
		GR.ID	13.50	13.00	14.00	13.53	13.55	-	-	-		
		GR.LE	3.00	2.80	3.20	3.05	3.04	-	-	-		
		INT-(A/F)	10.00	10.00	10.20	10.08	10.07	-	-	-		
		INT-(A/F)-LENGTH	8.00	7.70	8.30	8.05	8.07	-	-	-		
		DEPTH	11.00	10.50	11.50	11.06	11.05	-	-	-		
		CH.DIA	13 MM AS PER PP FOUND			OK	OK	-	-	-		
		THREAD	1/2" NPT AS PER T.R.G GO NOT GO			OK	OK	-	-	-		
		CH.ANGLE	1.6x45° AS PER PP FOUND			OK	OK	-	-	-		

INSPECTED BY:	Jay Hadiyal	APPROVED BY:	Shreekant

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERING QA PASSED

MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-011	**Product Name**	NYLON WASHER	**Size**	1/2" NPT	**Drawing No.**	-	**Date:**	28-10-2026
Wo No.	26000315	**Total Quantity**	30	**Lot Quantity**	30	**Sample Size-**	2	Variable & Gauging	2PCS

Sr. No.	**Checking Parameter**	**REQUIRED PARAMETER**			**OBSERVED RESULTS**					**REJECTION REWORK DETAIL**	**REMARK**	**CHECKED BY**
		PARAMETER	**CRITERIA**		**1**	**2**	**-**	**-**	**-**			
1	Visual	Surface	Fine, Clean		FINE	FINE	-	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	3	3	3	-	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NA	NA	NA	-	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	-	-	-			
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		ASM No :- CSEX261027-04	
		Assembly Perfection	As per Drg.		OK	OK	-	-	-			
		Inner Packing	Labeling & Printing Matters		OK	OK	-	-	-			
		Outer Packing	Printing & Stamping		OK	OK	-	-	-			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	-	+	1	2	-	-	-		
		THICKNESS	1.50	1.30	1.70	1.45	1.44	-	-	-		
		I.D	22.00	21.50	22.50	22.22	22.24	-	-	-		

INSPECTED BY:	*Jay Hadiyal*	*APPROVED BY:*	*Shreekant*

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERING CA PASSED