MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-09	**Product Name**	LOCK NUT	**Size**	1/2" NPT	**Drawing No.**	DL1NS	**Date:**	24-10-2026
Wo No.	26000315	**Total Quantity**	30	**Lot Quantity**	30	**Sample Size-**	2	Variable & Gauging	2PCS

Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	-	-	-			
1	Visual	Surface	Fine, Clean		FINE	FINE	-	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	14	14	14	-	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NA	NA	NA	-	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	-	-	-			
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		ASM No :- CSEX261011-03	
		Assembly Perfection	As per Drg.		OK	OK	-	-	-			
		Inner Packing	Labeling & Printing		OK	OK	-	-	-			
		Outer Packing	Printing & Stamping		OK	OK	-	-	-			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	-	+	1	2	-	-	-		
		A/F	24.00	23.87	24.00	23.89	23.90	-	-	-		
		A/C	26.00	25.50	26.50	25.99	26.00	-	-	-		
		T.L	4.00	3.70	4.30	4.00	4.01	-	-	-		
		THREAD	1/2" NPT AS PER P.G GO NOT GO			OK	OK	-	-	-		
		CH.ANGLE	30° AS PER PP FOUND			OK	OK	-	-	-		

INSPECTED BY:	*Jay Hadiyal*	*APPROVED BY:*	*Shreekant*

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERING QA PASSED

MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-09	Product Name	ENTRY COMPONENT	Size	1/2" NPT	Drawing No.	313001M-01s	Date:	24-10-2026
Wo No.	26000315	Total Quantity	30	Lot Quantity	30	Sample Size-	2	Variable & Gauging	2PCS

Sr. No.	Checking Parameter	REQUIRED PARAMETER		OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA	1	2	-	-	-			
1	Visual	Surface	Fine, Clean	FINE	FINE	-	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts: 14	14	14	-	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing: NA	NA	NA	-	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG. / NA	NA	NA	-	-	-			
		Marking	WO Ref. No. / Metalmech Logo MM-EX-E1FUNV20s1NX6 2026 CE Logo 2460 Ex Logo II 2 GD Ex db IIC Gb, Ex eb IIC Gb, Ex tb IIIC Db, IP66/68 -55°C ≤ Ta ≤ +160°C Presafe 20 ATEX 48906X IECEx PRE 20.0124X			-	-	-		ASM No :- CSEX261011-03	
		Assembly Perfection	As per Drg.	OK	OK	-	-	-			
		Inner Packing	Labeling & Printing	OK	OK	-	-	-			
		Outer Packing	Printing & Stamping	OK	OK	-	-	-			
		All Dimensions Are In MM									
2	DIMENSION		VALUE / - / +	1	2	-	-	-			
		A/F	25.00 / 24.87 / 25.00	24.93	24.91	-	-	-			
		A/C	27.50 / 27.00 / 28.00	27.50	27.49	-	-	-			
		T.L	35.00 / 35.00 / 35.50	35.05	35.04	-	-	-			
		LENGTH	20.00 / 20.00 / 20.50	20.05	20.04	-	-	-			
		O.D	24.50 / 24.00 / 25.00	24.51	24.50	-	-	-			
		O.D.L	9.00 / 8.50 / 9.50	9.04	9.06	-	-	-			
		H.L	6.00 / 5.70 / 6.30	6.03	6.05	-	-	-			
		I.D	12.00 / 11.50 / 12.50	12.06	12.05	-	-	-			
		DEPTH	11.50 / 11.00 / 12.00	11.54	11.56	-	-	-			
		THREAD	1/2" NPT AS PER T.R.G GO NOT GO	OK	OK	-	-	-			
		INT.THREAD	M20x1.5 AS PER P.G GO NOT GO	OK	OK	-	-	-			
		CH.ANGLE	0.5x45° AS PER PP FOUND	OK	OK	-	-	-			
		CH.ANGLE	1.6x45° AS PER PP FOUND	OK	OK	-	-	-			
		CH.ANGLE	1.5x45° AS PER PP FOUND	OK	OK	-	-	-			
		CH.ANGLE	20° AS PER PP FOUND	OK	OK	-	-	-			
		ANGLE	90° AS PER PP FOUND	OK	OK	-	-	-			

INSPECTED BY:	Jay Hadiyal	APPROVED BY:	Shreekant

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERING QA PASSED

MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-09	**Product Name**	INTERMIDIATE BODY	**Size**	1/2" NPT	**Drawing No.**	313002U-01s	**Date:**	24-10-2026	
Wo No.	26000315	**Total Quantity**	30	**Lot Quantity**	30	**Sample Size-**	2	Variable & Gauging	2PCS	

Sr. No.	**Checking Parameter**	**REQUIRED PARAMETER**			**OBSERVED RESULTS**					**REJECTION REWORK DETAIL**	**REMARK**	**CHECKED BY**
		PARAMETER	**CRITERIA**		**1**	**2**	-	-	-			
1	Visual	Surface	Fine, Clean		FINE	FINE	-	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	14	14	14	-	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NA	NA	NA	-	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	-	-	-			
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		ASM No :- CSEX261011-03	
		Assembly Perfection	As per Drg.		OK	OK	-	-	-			
		Inner Packing	Labeling & Printing		OK	OK	-	-	-			
		Outer Packing	Printing & Stamping		OK	OK	-	-	-			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	-	+	1	2	-	-	-		
		A/F	25.00	24.87	25.00	24.93	24.95	-	-	-		
		A/C	27.50	27.00	28.00	27.45	27.47	-	-	-		
		T.L	22.00	21.50	22.50	22.03	22.02	-	-	-		
		TH.L	10.00	9.50	10.50	9.98	9.97	-	-	-		
		GR.OD	18.00	17.50	18.50	18.03	18.05	-	-	-		
		GR.LE	1.00	0.80	1.20	1.01	1.00	-	-	-		
		H.L	4.00	3.70	4.30	4.05	4.04	-	-	-		
		TH.L	8.00	7.70	8.30	8.04	8.06	-	-	-		
		GR.OD	20.00	19.50	20.50	20.02	20.01	-	-	-		
		GR.LE	1.00	0.80	1.20	1.01	1.00	-	-	-		
		I.D	16.00	15.50	16.50	15.95	15.94	-	-	-		
		I.D	18.00	17.50	18.50	17.93	17.95	-	-	-		
		DEPTH	7.00	6.70	7.30	7.00	6.99	-	-	-		
		I.D	17.00	16.50	17.50	17.03	17.02	-	-	-		
		I.D.LE	4.50	4.20	4.80	4.50	4.51	-	-	-		
		DEPTH	11.50	11.00	12.00	11.51	11.53	-	-	-		
		THREAD	M20x1.5 AS PER T.R.G GO NOT GO			OK	OK	-	-	-		
		THREAD	M22x1.5 AS PER T.R.G GO NOT GO			OK	OK	-	-	-		
		CH.ANGLE	1.5x45° AS PER PP FOUND			OK	OK	-	-	-		
		CH.ANGLE	0.5x45° AS PER PP FOUND			OK	OK	-	-	-		
		CH.ANGLE	20° AS PER PP FOUND			OK	OK	-	-	-		

INSPECTED BY:	*Jay Hadiyal*	*APPROVED BY:*	*Shreekant*

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**



MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-09	**Product Name**	MIDDLE BODY	**Size**	1/2" NPT	**Drawing No.**	313002-018	**Date:**	24-10-2026
Wo No.	26000315	**Total Quantity**	30	**Lot Quantity**	30	**Sample Size-**	2	Variable & Gauging	2PCS

Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	-	-	-			
1	Visual	Surface	Fine, Clean		FINE	FINE	-	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	14	14	14	-	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NA	NA	NA	-	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	-	-	-			
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		ASM No :- CSEX261011-03	
		Assembly Perfection	As per Drg.		OK	OK	-	-	-			
		Inner Packing	Labeling & Printing		OK	OK	-	-	-			
		Outer Packing	Printing & Stamping		OK	OK	-	-	-			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	-	+	1	2	-	-	-			
		A/F	25.00	24.87	25.00	24.89	24.91	-	-	-		
		A/C	27.50	27.00	28.00	27.49	27.48	-	-	-		
		T.L	28.00	27.50	28.50	28.01	28.00	-	-	-		
		TH.L	12.00	11.50	12.50	12.02	12.01	-	-	-		
		GR.OD	20.50	20.00	21.00	20.55	20.54	-	-	-		
		GR.LE	1.00	0.80	1.20	1.01	1.00	-	-	-		
		O.D	24.50	24.00	25.00	24.43	24.45	-	-	-		
		O.D.L	8.00	7.70	8.30	8.02	8.01	-	-	-		
		H.L	8.00	7.70	8.30	8.05	8.04	-	-	-		
		I.D	16.00	15.50	16.50	16.01	16.00	-	-	-		
		I.D	17.00	16.50	17.50	17.02	17.04	-	-	-		
		I.D.LE	4.00	3.70	4.30	4.01	4.03	-	-	-		
		INT.THL	9.50	9.00	10.00	9.50	9.49	-	-	-		
		I.D	20.00	19.50	20.50	19.97	19.96	-	-	-		
		DEPTH	14.00	13.50	14.50	14.04	14.06	-	-	-		
		THREAD	M22x1 AS PER T.R.G GO NOT GO			OK	OK	-	-	-		
		INT.THREAD	M22x1.5 AS PER P.G GO NOT GO			OK	OK	-	-	-		
		CH.ANGLE	0.5x45° AS PER PP FOUND			OK	OK	-	-	-		
		CH.ANGLE	1x45° AS PER PP FOUND			OK	OK	-	-	-		
		CH.ANGLE	1.5x45° AS PER PP FOUND			OK	OK	-	-	-		
		CH.ANGLE	30° AS PER PP FOUND			OK	OK	-	-	-		

INSPECTED BY:	*Jay Hadiyal*	*APPROVED BY:*	*Shreekant*

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METAL MECH ENGINEERS CA PASSED

MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-09	**Product Name**	BACK NUT	**Size**	1/2" NPT	**Drawing No.**	313003-018	**Date:**	24-10-2026
Wo No.	26000315	**Total Quantity**	30	**Lot Quantity**	30	**Sample Size-**	2	Variable & Gauging	2PCS

Sr. No.	Checking Parameter	REQUIRED PARAMETER		OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA	1	2	-	-	-			
1	Visual	Surface	Fine, Clean	FINE	FINE	-	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts 14	14	14	-	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing NA	NA	NA	-	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG. NA	NA	NA	-	-	-			
		Marking	WO Ref. No. NA	NA	NA	-	-	-		ASM No :- CSEX261011-03	
		Assembly Perfection	As per Drg.	OK	OK	-	-	-			
		Inner Packing	Labeling & Printing	OK	OK	-	-	-			
		Outer Packing	Printing & Stamping	OK	OK	-	-	-			
		All Dimensions Are In MM									
2	DIMENSION		VALUE - +	1	2	-	-	-			
		A/F	25.00 24.87 25.00	24.90	24.89	-	-	-			
		A/C	27.50 27.00 28.00	27.46	27.49	-	-	-			
		T.L	17.00 16.50 17.50	17.00	16.99	-	-	-			
		O.D	24.00 23.50 24.50	23.98	23.97	-	-	-			
		O.D.L	8.00 7.70 8.30	8.02	8.01	-	-	-			
		H.L	9.00 8.50 9.50	8.96	8.95	-	-	-			
		I.D	19.00 18.50 19.50	19.00	18.99	-	-	-			
		INT.THL	3.00 2.80 3.20	3.02	3.01	-	-	-			
		GR.ID	22.20 21.70 22.70	22.25	22.24	-	-	-			
		GR.LE	10.50 10.00 11.00	10.51	10.53	-	-	-			
		DEPTH	13.50 13.00 14.00	13.52	13.51	-	-	-			
		GR.ID	21.00 20.50 21.50	21.03	21.02	-	-	-			
		GR.LE	2.50 2.30 2.70	2.52	2.50	-	-	-			
		DEPTH	16.00 15.50 16.50	15.95	15.98	-	-	-			
		INT.THREAD	M22x1 AS PER P.G GO NOT GO	OK	OK	-	-	-			
		CH.ANGLE	1x45° AS PER PP FOUND	OK	OK	-	-	-			
		CH.ANGLE	0.5x45° AS PER PP FOUND	OK	OK	-	-	-			
		CH.ANGLE	45° AS PER PP FOUND	OK	OK	-	-	-			

INSPECTED BY:	*Jay Hadiyal*	*APPROVED BY:*	*Shreekant*

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METAL MECH ENGINEERS QA PASSED

METAL MECA
THE SAFEST CONNECTIONS

MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-09	**Product Name**	UNIVERSAL CLAMPING CONE		**Size**	1/2" NPT		**Drawing No.**		313005-018	**Date:**	24-10-2026
Wo No.	26000315	**Total Quantity**	30		**Lot Quantity**	30		**Sample Size-**		2	Variable & Gauging	2PCS

Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA			1	2	-	-	-			
1	Visual	Surface	Fine, Clean			FINE	FINE	-	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	14		14	14	-	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NA		NA	NA	-	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA		NA	NA	-	-	-			
		Marking	WO Ref. No.	NA		NA	NA	-	-	-		ASM No :- CSEX261011-03	
		Assembly Perfection	As per Drg.			OK	OK	-	-	-			
		Inner Packing	Labeling & Printing			OK	OK	-	-	-			
		Outer Packing	Printing & Stamping			OK	OK	-	-	-			
		All Dimensions Are In MM											
			VALUE	-	+	1	2	-	-	-			
2	DIMENSION	T.L	22.00	21.50	22.50	22.03	22.02	-	-	-			
		O.D	14.00	13.50	14.50	14.05	14.04	-	-	-			
		O.D.L	3.50	3.20	3.80	3.52	3.51	-	-	-			
		GR.OD	15.50	15.00	16.00	15.51	15.49	-	-	-			
		GR.LE	2.50	2.30	2.70	2.52	2.51	-	-	-			
		O.D	16.20	15.70	16.70	16.20	16.19	-	-	-			
		O.D.L	7.50	7.20	7.80	7.52	7.49	-	-	-			
		O.D	17.50	17.00	18.00	17.52	17.53	-	-	-			
		O.D.L	7.00	6.70	7.30	7.07	7.05	-	-	-			
		O.D	14.00	13.50	14.50	14.00	13.99	-	-	-			
		O.D.L	4.50	4.20	4.80	4.51	4.50	-	-	-			
		O.D	14.50	14.00	15.00	14.52	14.51	-	-	-			
		O.D	15.00	14.50	15.50	15.02	15.01	-	-	-			
		O.D	15.50	15.00	16.00	15.51	15.49	-	-	-			
		O.D.L	7.50	7.20	7.80	7.49	7.51	-	-	-			
		I.D	12.00	11.50	12.50	12.05	12.04	-	-	-			
		GROOVE.STEP.LE	0.50	0.30	0.70	0.50	0.49	-	-	-			
		RADIUS	0.5 MM AS PER PP FOUND			OK	OK	-	-	-			
		RADIUS	0.3 AS PER PP FOUND			OK	OK	-	-	-			

INSPECTED BY:	*Jay Hadiyal*	*APPROVED BY:*	*Shreekant*

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METAL MECA ENGINEERING CA PASSED

MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-09	**Product Name**	REVERSIBLE ARMOUR RING	**Size**	1/2" NPT	**Drawing No.**	313004-01s	**Date:**	24-10-2026
Wo No.	26000315	**Total Quantity**	30	**Lot Quantity**	30	**Sample Size-**	2	Variable & Gauging	2PCS

Sr. No.	**Checking Parameter**	**REQUIRED PARAMETER**			**OBSERVED RESULTS**					**REJECTION REWORK DETAIL**	**REMARK**	**CHECKED BY**
		PARAMETER	**CRITERIA**		**1**	**2**	**-**	**-**	**-**			
1	Visual	Surface	Fine, Clean		FINE	FINE	-	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	14	14	14	-	-	-		**(1) DV-55**	
		Washing & Plating	Surface Finishing	NA	NA	NA	-	-	-		**(2) PP-01**	
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	-	-	-			
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		**ASM No :- CSEX261011-03**	
		Assembly Perfection	As per Drg.		OK	OK	-	-	-			
		Inner Packing	Labeling & Printing		OK	OK	-	-	-			
		Outer Packing	Printing & Stamping		OK	OK	-	-	-			
		All Dimensions Are In MM										

			VALUE	-	+	1	2	-	-	-			
2	DIMENSION	T.L	6.00	5.70	6.30	6.01	6.01	-	-	-			
		O.D	19.00	18.50	19.50	18.73	18.75	-	-	-			
		I.D	16.00	15.50	16.50	16.01	16.00	-	-	-			
		I.D	16.50	16.00	17.00	16.50	16.49	-	-	-			

INSPECTED BY:	*Jay Hadiyal*	*APPROVED BY:*	*Shreekant*

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERING QA PASSED

MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-09	Product Name	COMPRESSIBLE INNER SEAL	Size	1/2" NPT	Drawing No.	GI-01s	Date:	24-10-2026
Wo No.	26000315	Total Quantity	30	Lot Quantity	30	Sample Size-	2	Variable & Gauging	2PCS

Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	-	-	-			
1	Visual	Surface	Fine, Clean		FINE	FINE	-	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	14	14	14	-	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NA	NA	NA	-	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	OK	OK	OK	-	-	-			
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		ASM No :- CSEX261011-03	
		Assembly Perfection	As per Drg.		OK	OK	-	-	-			
		Inner Packing	Labeling & Printing		OK	OK	-	-	-			
		Outer Packing	Printing & Stamping		OK	OK	-	-	-			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	-	+	1	2	-	-	-			
		T.L	9.50	9.00	10.00	9.49	9.51	-	-	-		
		O.D.L	3.00	2.70	3.30	3.01	3.03	-	-	-		
		O.D	18.50	18.30	18.50	18.43	18.45	-	-	-		
		O.D.L	6.50	6.20	6.80	6.53	6.55	-	-	-		
		I.D	11.70	11.70	11.90	11.77	11.76	-	-	-		

INSPECTED BY:	*Jay Hadiyal*	*APPROVED BY:*	*Shreekant*

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERING QA PASSED

MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-09	**Product Name**	COMPRESSIBLE OUTER SEAL	**Size**	1/2" NPT	**Drawing No.**	GE-01s	**Date:**	24-10-2026
Wo No.	26000315	**Total Quantity**	30	**Lot Quantity**	30	**Sample Size-**	2	Variable & Gauging	2PCS

Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	-	-	-			
1	Visual	Surface	Fine, Clean		FINE	FINE	-	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	14	14	14	-	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NA	NA	NA	-	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	OK	OK	OK	-	-	-			
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		ASM No :- CSEX261011-03	
		Assembly Perfection	As per Drg.		OK	OK	-	-	-			
		Inner Packing	Labeling & Printing		OK	OK	-	-	-			
		Outer Packing	Printing & Stamping		OK	OK	-	-	-			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	-	+	1	2	-	-	-		
		T.L	10.00	9.50	10.50	10.01	10.00	-	-	-		
		O.D	22.20	22.00	22.20	22.12	22.11	-	-	-		
		GR.LENGTH	3.50	3.20	3.80	3.49	3.51	-	-	-		
		I.D	15.70	15.70	15.80	15.75	15.74	-	-	-		

INSPECTED BY:	*Jay Hadiyal*	*APPROVED BY:*	*Shreekant*

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERING QA PASSED

MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-09	Product Name	INNER SKID WASHER	Size	1/2" NPT	Drawing No.	IW-01s	Date:	24-10-2026
Wo No.	26000315	Total Quantity	30	Lot Quantity	30	Sample Size-	2	Variable & Gauging	2PCS

Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	-	-	-			
1	Visual	Surface	Fine, Clean		FINE	FINE	-	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	14	14	14	-	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NA	NA	NA	-	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	OK	OK	OK	-	-	-			
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		ASM No :- CSEX261011-03	
		Assembly Perfection	As per Drg.		OK	OK	-	-	-			
		Inner Packing	Labeling & Printing		OK	OK	-	-	-			
		Outer Packing	Printing & Stamping		OK	OK	-	-	-			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	-	+	1	2	-	-	-		
		T.L	4.50	4.20	4.80	4.53	4.51	-	-	-		
		O.D	18.00	17.80	18.00	17.90	17.92	-	-	-		
		O.D	15.50	15.30	15.50	15.42	15.40	-	-	-		
		O.D.L	2.50	2.50	2.70	2.52	2.54	-	-	-		
		I.D	12.00	12.00	12.20	12.05	12.04	-	-	-		

INSPECTED BY:	Jay Hadiyal	APPROVED BY:	Shreekant

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERING QA PASSED

MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-09	**Product Name**	OUTER SKID WASHER	**Size**	1/2" NPT	**Drawing No.**	OW-01s	**Date:**	24-10-2026
Wo No.	26000315	**Total Quantity**	30	**Lot Quantity**	30	**Sample Size-**	2	**Variable & Gauging**	2PCS

Sr. No.	**Checking Parameter**	**REQUIRED PARAMETER**			**OBSERVED RESULTS**					**REJECTION REWORK DETAIL**	**REMARK**	**CHECKED BY**
		PARAMETER	**CRITERIA**		**1**	**2**	**-**	**-**	**-**			
1	Visual	Surface	Fine, Clean		FINE	FINE	-	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	14	14	14	-	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NA	NA	NA	-	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	-	-	-			
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		ASM No :- CSEX261011-03	
		Assembly Perfection	As per Drg.		OK	OK	-	-	-			
		Inner Packing	Labeling & Printing		OK	OK	-	-	-			
		Outer Packing	Printing & Stamping		OK	OK	-	-	-			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	-	+	1	2	-	-	-		
		T.L	6.50	6.20	6.80	6.52	6.54	-	-	-		
		O.D	20.50	20.50	20.60	20.52	20.55	-	-	-		
		O.D	18.50	18.30	18.50	18.40	18.39	-	-	-		
		O.D.L	4.00	4.00	4.10	4.02	4.01	-	-	-		
		I.D	16.00	16.00	16.20	16.03	16.05	-	-	-		

INSPECTED BY:	*Jay Hadiyal*	*APPROVED BY:*	*Shreekant*

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERING QA PASSED

MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-09	Product Name	EARTH TAG	Size	1/2" NPT	Drawing No.	-	Date:	24-10-2026
Wo No.	26000315	Total Quantity	30	Lot Quantity	30	Sample Size-	2	Variable & Gauging	2PCS

Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	-	-	-			
1	Visual	Surface	Fine, Clean		FINE	FINE	-	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	14	14	14	-	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NA	NA	NA	-	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	-	-	-			
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		ASM No :- CSEX261011-03	
		Assembly Perfection	As per Drg.		OK	OK	-	-	-			
		Inner Packing	Labeling & Printing		OK	OK	-	-	-			
		Outer Packing	Printing & Stamping		OK	OK	-	-	-			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	-	+	1	2	-	-	-		
		THICKNESS	1.50	1.30	1.70	1.45	1.44	-	-	-		
		O.D	30.20	29.40	31.00	30.19	30.20	-	-	-		
		O.D	13.20	12.70	13.70	13.25	13.22	-	-	-		
		I.D	22.00	21.50	22.50	22.08	22.09	-	-	-		
		I.D	6.50	6.20	6.80	6.54	6.56	-	-	-		

INSPECTED BY:	*Jay Hadiyal*	*APPROVED BY:*	*Shreekant*

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERING QA PASSED

MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-09	**Product Name**	SHROUD	**Size**	C-2027	**Drawing No.**	-	**Date:**	24-10-2026
Wo No.	26000315	**Total Quantity**	30	**Lot Quantity**	30	**Sample Size-**	2	**Variable & Gauging**	2PCS

Sr. No.	**Checking Parameter**	**REQUIRED PARAMETER**			**OBSERVED RESULTS**					**REJECTION REWORK DETAIL**	**REMARK**	**CHECKED BY**
		PARAMETER	**CRITERIA**		**1**	**2**	**-**	**-**	**-**			
1	Visual	Surface	Fine, Clean		FINE	FINE	-	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	14	14	14	-	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NA	NA	NA	-	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	-	-	-			
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		ASM No :- CSEX261011-03	
		Assembly Perfection	As per Drg.		OK	OK	-	-	-			
		Inner Packing	Labeling & Printing		OK	OK	-	-	-			
		Outer Packing	Printing & Stamping		OK	OK	-	-	-			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	-	+	1	2	-	-	-		
		T.L	125.00	124.20	125.80	125.19	125.12	-	-	-		
		I.D	27.00	26.50	27.50	27.05	27.09	-	-	-		

INSPECTED BY:	*Jay Hadiyal*	*APPROVED BY:*	*Shreekant*

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERING QA PASSED

MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-09	**Product Name**	NYLON WASHER	**Size**	1/2" NPT	**Drawing No.**	-	**Date:**	24-10-2026
Wo No.	26000315	**Total Quantity**	30	**Lot Quantity**	30	**Sample Size-**	2	**Variable & Gauging**	2PCS

Sr. No.	**Checking Parameter**	**REQUIRED PARAMETER**			**OBSERVED RESULTS**					**REJECTION REWORK DETAIL**	**REMARK**	**CHECKED BY**
		PARAMETER	**CRITERIA**		**1**	**2**	**-**	**-**	**-**			
1	Visual	Surface	Fine, Clean		FINE	FINE	-	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	14	14	14	-	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NA	NA	NA	-	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	-	-	-			
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		ASM No :- CSEX261011-03	
		Assembly Perfection	As per Drg.		OK	OK	-	-	-			
		Inner Packing	Labeling & Printing		OK	OK	-	-	-			
		Outer Packing	Printing & Stamping		OK	OK	-	-	-			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	-	+	1	2	-	-	-			
		THICKNESS	1.50	1.30	1.70	1.45	1.49	-	-	-		
		I.D	22.20	22.00	22.40	22.33	22.32	-	-	-		

INSPECTED BY:	*Jay Hadiyal*	*APPROVED BY:*	*Shreekant*

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERING QA PASSED