

Bansidhar Metals

Plot No. 16, R.S. NO - 89, Near-G.I.D.C., Phase-III, Beside Mahavir Circle, Vi. kansumara, Jamnagar.-361004

GSTIN : 24AAUFB1285E1ZG

EMAIL : bansidharmetals16@gmail.com

MOB. No. 9824080410

Test Certificate

Customer :	MTC No.	114	Date :	29-04-2026
MetalMech Engineering Jamanagar GIDC Phase III Road E Plot No 4246 ,Jamnagar ,Gujrat,	Invoice No .	113/2026-27		
	Po.No	EX-PO26/26100044		
	Qty.Kgs	988.000		

Particular	As Required By Specification	Specification Of Supplied Material				
		Size	Size	Size	Size	Size
I. Chemical Composition	EN 12164 CW614N CuZn39Pb3	46.00 X 24.00 MM HEX	38.00 X 24.00 MM HEX	30.00 X 22.00 MM ROUND	28.50 X 15.00 MM ROUND	38.00 X 18.00 MM HEX
		HEAT NO.	HEAT NO.	HEAT NO.	HEAT NO.	HEAT NO.
		2	2	2	2	2
1. COPPER (Cu) %	57.00 - 59.00	57.78	57.78	57.78	57.78	57.78
2. LEAD (Pb) %	2.50 - 3.50	3.02	3.02	3.02	3.02	3.02
3. IRON (Fe)%	0.30 Max	0.27	0.27	0.27	0.27	0.27
4. ZINC (Zn) %	Remainder	38.34	38.34	38.34	38.34	38.34
5. ALUMINIUM (Al)%	0.05 Max	0	0	0	0	0
6. MANGANESE (Mn)%	-	-	-	-	-	-
7. NICKLE (Ni)%	0.30 Max	0.26	0.26	0.26	0.26	0.26
8. TIN (Sn)%	0.30 Max	0.23	0.23	0.23	0.23	0.23
9. SILICON (Si)%	-	-	-	-	-	-
10. PHOSPHORUS (P)%	-	-	-	-	-	-
11. SULPHAR (S) %	-	-	-	-	-	-
12. TOTAL IMPURITIES %	0.20 Max	0.10	0.10	0.10	0.10	0.10
1. UTS- MIIN (Mpa)	360 MIN	363	363	363	363	363
2. ELONGATION %	20 MIN	24	24	24	24	24
3. HARDNESS (HV5)	-	-	-	-	-	-
4. IZOD	-	-	-	-	-	-
5. 0.2% PROOF STRESS	350 MAX	337	337	337	337	337
1. CONDUCTIVITY	-	-	-	-	-	-



For Bansidhar Metal



Authorised Signature

Bansidhar Metals

Plot No. 16, R.S. NO - 89, Near-G.I.D.C., Phase-III, Beside Mahavir Circle, Vi. kansumara, Jamnagar.-361004

GSTIN : 24AAUFB1285E1ZG

EMAIL : bansidharmetals16@gmail.com

MOB. No. 9824080410


Test Certificate

Customer :	MTC No.	114	Date :	29-04-2026
MetalMech Engineering Jamanagar GIDC Phase III Road E Plot No 4246 ,Jamnagar ,Gujrat,	Invoice No .	113/2026-27		
	Po.No	EX-PO26/26100044		
	Qty.Kgs	365.350		

Particular	As Required By Specification	Specification Of Supplied Material				
I. Chemical Composition	EN 12164 CW614N CuZn39Pb3	Size	Size	Size	Size	Size
		33.00 X 18.00 MM ROUND	34.50 X 21.00 MM ROUND	31.00 X 19.00 MM HEX	38.50 X 30.00 MM ROUND	
		HEAT NO.	HEAT NO.	HEAT NO.	HEAT NO.	
		2	2	2	2	
1. COPPER (Cu) %	57.00 - 59.00	57.78	57.78	57.78	57.78	
2. LEAD (Pb) %	2.50 - 3.50	3.02	3.02	3.02	3.02	
3. IRON (Fe)%	0.30 Max	0.27	0.27	0.27	0.27	
4. ZINC (Zn) %	Remainder	38.34	38.34	38.34	38.34	
5. ALUMINIUM (Al)%	0.05 Max	0	0	0	0	
6. MANGANESE (Mn)%	-	-	-	-	-	
7. NICKLE (Ni)%	0.30 Max	0.26	0.26	0.26	0.26	
8. TIN (Sn)%	0.30 Max	0.23	0.23	0.23	0.23	
9. SILICON (Si)%	-	-	-	-	-	
10. PHOSPHORUS (P)%	-	-	-	-	-	
11. SULPHAR (S) %	-	-	-	-	-	
12. TOTAL IMPURITIES %	0.20 Max	0.10	0.10	0.10	0.10	

1. UTS- MIIN (Mpa)	360 MIN	363	363	363	363	
2. ELONGATION %	20 MIN	24	24	24	24	
3. HARDNESS (HV5)	-	-	-	-	-	
4. IZOD	-	-	-	-	-	
5. 0.2% PROOF STRESS	350 MAX	337	337	337	337	

1. CONDUCTIVITY	-					
-----------------	---	--	--	--	--	--



For Banshidhar Metal

26/4/2026

Authorised Signature

Bansidhar Metals

Plot No. 16, R.S. NO - 89, Near-G.I.D.C., Phase-III, Beside Mahavir Circle, Vi. kansumara, Jamnagar.-361004

GSTIN : 24AAUFB1285E1ZG

EMAIL : bansidharmetals16@gmail.com

MOB. No. 9824080410


Test Certificate

Customer :	MTC No.	114	Date :	29-04-2026
MetalMech Engineering Jamnagar GIDC Phase III Road E Plot No 4246, Jamnagar, Gujrat,	Invoice No .	113/2026-27		
	Po.No	EX-PO26/26100044		
	Qty.Kgs	497.850		

Particular	As Required By Specification	Specification Of Supplied Material				
I. Chemical Composition	EN 12164 CW614N CuZn39Pb3	Size	Size	Size	Size	Size
		17.50 MM ROUND	24.00 MM ROUND	20.00 MM ROUND	39.00 X 25.00 MM ROUND	46.00 X 32.00 MM HEX
		HEAT NO.	HEAT NO.	HEAT NO.	HEAT NO.	HEAT NO.
		2	2	2	2	2
1. COPPER (Cu) %	57.00 - 59.00	57.78	57.78	57.78	57.78	57.78
2. LEAD (Pb) %	2.50 - 3.50	3.02	3.02	3.02	3.02	3.02
3. IRON (Fe) %	0.30 Max	0.27	0.27	0.27	0.27	0.27
4. ZINC (Zn) %	Remainder	38.34	38.34	38.34	38.34	38.34
5. ALUMINIUM (Al) %	0.05 Max	0	0	0	0	0
6. MANGANESE (Mn) %	-	-	-	-	-	-
7. NICKLE (Ni) %	0.30 Max	0.26	0.26	0.26	0.26	0.26
8. TIN (Sn) %	0.30 Max	0.23	0.23	0.23	0.23	0.23
9. SILICON (Si) %	-	-	-	-	-	-
10. PHOSPHORUS (P) %	-	-	-	-	-	-
11. SULPHAR (S) %	-	-	-	-	-	-
12. TOTAL IMPURITIES %	0.20 Max	0.10	0.10	0.10	0.10	0.10

1. UTS- MIIN (Mpa)	360 MIN	363	363	363	363	363
2. ELONGATION %	20 MIN	24	24	24	24	24
3. HARDNESS (HV5)	-	-	-	-	-	-
4. IZOD	-	-	-	-	-	-
5. 0.2% PROOF STRESS	350 MAX	337	337	337	337	337

1. CONDUCTIVITY	-					
-----------------	---	--	--	--	--	--



For Banshidhar Metal



Authorised Signature