

### 3. 文字相關

星期二 2022年八月23日 上午 10:41

#### 1. 字型大小

與原本的html h1~h5規則一樣

bs將h1~h5定義為class="h1~h5"

```
<style>
  .demo{
    width: 50%;
    border: 2px solid black;
    padding: 24px;
    margin: 24px;
  }
</style>
<head>
<body>
  <div class="demo">
    <h1>電器決定三人下了專利也就是，美女寶寶重。</h1>
    <h2>電器決定三人下了專利也就是，美女寶寶重。</h2>
    <h3>電器決定三人下了專利也就是，美女寶寶重。</h3>
    <h4>電器決定三人下了專利也就是，美女寶寶重。</h4>
    <h5>電器決定三人下了專利也就是，美女寶寶重。</h5>
  </div>
  <div class="demo">
    <p class="h1">計劃本地下載，規律身材，為止轉載，他還。</p>
    <p class="h2">計劃本地下載，規律身材，為止轉載，他還。</p>
    <p class="h3">計劃本地下載，規律身材，為止轉載，他還。</p>
    <p class="h4">計劃本地下載，規律身材，為止轉載，他還。</p>
    <p class="h5">計劃本地下載，規律身材，為止轉載，他還。</p>
  </div>
```

← → ↺ 127.0.0.1:5500/bs5-1-3.html

電器決定三人下了專利也就是，美女寶寶重。

電器決定三人下了專利也就是，美女寶寶重。

電器決定三人下了專利也就是，美女寶寶重。

電器決定三人下了專利也就是，美女寶寶重。

電器決定三人下了專利也就是，美女寶寶重。

計劃本地下載，規律身材，為止轉載，他還。

計劃本地下載，規律身材，為止轉載，他還。

計劃本地下載，規律身材，為止轉載，他還。

電器決定三人下了專利也就是，美女寶寶重。

電器決定三人下了專利也就是，美女寶寶重。

電器決定三人下了專利也就是，美女寶寶重。

電器決定三人下了專利也就是，美女寶寶重。

電器決定三人下了專利也就是，美女寶寶重。

計劃本地下載，規律身材，為止轉載，他還。

計劃本地下載，規律身材，為止轉載，他還。

計劃本地下載，規律身材，為止轉載，他還。

計劃本地下載，規律身材，為止轉載，他還。

計劃本地下載，規律身材，為止轉載，他還。

## 2. 標題

```
<div class="demo">  
  <h1 class="display-1">崇拜計劃女孩子一週，現場依法。</h1>  
  <h1 class="display-2">崇拜計劃女孩子一週，現場依法。</h1>  
  <h1 class="display-3">崇拜計劃女孩子一週，現場依法。</h1>  
  <h1 class="display-4">崇拜計劃女孩子一週，現場依法。</h1>  
  <h1 class="display-5">崇拜計劃女孩子一週，現場依法。</h1>  
  <h1 class="display-6">崇拜計劃女孩子一週，現場依法。</h1>  
</div>
```

計劃本地下載，規律身材，為止轉載，他還。

計劃本地下載，規律身材，為止轉載，他還。

計劃本地下載，規律身材，為止轉載，他還。

計劃本地下載，規律身材，為止轉載，他還。

計劃本地下載，規律身材，為止轉載，他還。

崇拜計劃女孩子一週，現場依法。

崇拜計劃女孩子一週，現場依法。

崇拜計劃女孩子一週，現場依法。

崇拜計劃女孩子一週，現場依法。

崇拜計劃女孩子一週，現場依法。

崇拜計劃女孩子一週，現場依法。

## 3. 文本元素

```

<div class="demo">
  <p>You can use the mark tag to <mark>highlight</mark> text.</p>
  <p><del>This line of text is meant to be treated as deleted text.</del></p>
  <p><s>This line of text is meant to be treated as no longer accurate.</s></p>
  <p><ins>This line of text is meant to be treated as an addition to the document.</ins></p>
  <p><u>This line of text will render as underlined.</u></p>
  <p><small>This line of text is meant to be treated as fine print.</small></p>
  <p><strong>This line rendered as bold text.</strong></p>
  <p><em>This line rendered as italicized text.</em></p>
</div>

```

You can use the mark tag to highlight text.

This line of text is meant to be treated as deleted text.

This line of text is meant to be treated as no longer accurate.

This line of text is meant to be treated as an addition to the document.

This line of text will render as underlined.

This line of text is meant to be treated as fine print.

This line rendered as bold text.

*This line rendered as italicized text.*

#### 4. text-start, text-center, text-end

```

<div class="demo">
  <p class="text-start">成立廠商一口落實輕。</p>
</div>
<div class="demo">
  <p class="text-center">成立廠商一口落實輕。</p>
</div>
<div class="demo">
  <p class="text-end">成立廠商一口落實輕。</p>
</div>

```

成立廠商一口落實輕。

成立廠商一口落實輕。

成立廠商一口落實輕。

#### 5. list-unstyled

消除list前面原點標示，第二層ul沒有使用list-unstyled因此還是會有標示。

```

<div class="demo">
  <ul class="list-unstyled">
    <li>This is a list.</li>
    <li>It appears completely unstyled.</li>
    <li>Structurally, it's still a list.</li>
    <li>However, this style only applies to immediate child elements.</li>
    <li>Nested lists:
      <ul>
        <li>are unaffected by this style</li>
        <li>will still show a bullet</li>
        <li>and have appropriate left margin</li>
      </ul>
    </li>
    <li>This may still come in handy in some situations.</li>
  </ul>
</div>

```

This is a list.

It appears completely unstyled.

Structurally, it's still a list.

However, this style only applies to immediate child elements.

Nested lists:

- are unaffected by this style
- will still show a bullet
- and have appropriate left margin

This may still come in handy in some situations.

## 6. list-inline

```

<div class="demo">
  <ul>
    <li>This is a list item.</li>
    <li>And another one.</li>
    <li>But they're displayed inline.</li>
  </ul>
</div>

```

- This is a list item.
- And another one.
- But they're displayed inline.

加入list-inline

```
<div class="demo">
  <ul class="list-inline">
    <li class="list-inline-item">This is a list item.</li>
    <li class="list-inline-item">And another one.</li>
    <li class="list-inline-item">But they're displayed inline.</li>
  </ul>
</div>
```

This is a list item. And another one. But they're displayed inline.

## 7. Text truncation

```
<div style="width: 200px;
  border: 2px solid black;
  padding: 24px;
  margin: 24px;">
  <div class="text-truncate">
    This text is quite long, and will be truncated once displayed.
  </div>
</div>
```

This text is quite l...

## 8. float-start, float-end

```
<div class="my-3">
  
  <p>他不居然親自，而是豐富天天肌膚吸引這樣身體不說我有顯卡人們趨勢，付出自主歐美建議本論壇家人對我指數配合早上兒子，自身奧客，領域本文，眼光不知都不點點接觸，些什麼在此眼裡經營玩具規格雖然一批多多降價傳播格式供應，沒有動畫，這個禁止語文各級構成，圍繞那麼，對。</p>
</div>
```

200 x 200

他不居然親自，而是豐富天天肌膚吸引這樣身體不說我有顯卡人們趨勢，付出自主歐美建議本論壇家人對我指數配合早上兒子，自身奧客，領域本文，眼光不知都不點點接觸，些什麼在此眼裡經營玩具規格雖然一批多多降價傳播格式供應，沒有動畫，這個禁止語文各級構成，圍繞那麼，對。