mufa
CLINICS & DIAGNOSTICS

Mr. VADLAMUDI VENKATA TIRUMALA SESHU KUMAR
Age / Sex : 46 YRS / M
Referred by : Dr. TATA AIA
Reg. no. **: 2272**

2272
Registered on : 12/10/2026 01:12 PM
Collected on : 12/10/2026
Received on : 12/10/2026
Reported on : 12/10/2026

Scan to download

HAEMATOLOGY

CBC WITH ESR

TEST		VALUE	UNIT	REFERENCE
HEMOGLOBIN	**L**	**12.6**	**g/dl**	**13 - 17**
TOTAL LEUKOCYTE COUNT		8,600	cumm	4,800 - 10,800
DIFFERENTIAL LEUCOCYTE COUNT				
NEUTROPHILS		71	%	40 - 80
LYMPHOCYTE		20	%	20 - 40
EOSINOPHILS		05	%	1 - 6
MONOCYTES		04	%	2 - 10
BASOPHILS		00	%	< 2
PLATELET COUNT		2.47	lakhs/cumm	1.5 - 4.1
TOTAL RBC COUNT	**L**	**4.2**	**million/cumm**	**4.5 - 5.5**
HEMATOCRIT VALUE, HCT		42.8	%	40 - 50
MEAN CORPUSCULAR VOLUME, MCV	**H**	**101.9**	**fL**	**83 - 101**
MEAN CELL HAEMOGLOBIN, MCH		30.0	Pg	27 - 32
MEAN CELL HAEMOGLOBIN CON, MCHC	**L**	**29.4**	**%**	**31.5 - 34.5**
ERYTHROCYTE SEDIMENTATION RATE (WINTROBE)	**H**	**14**	**mm for 1st hour**	**0 - 9**

Bazia Fatima

Dr. BAZIA FATIMA
MBBS, MD, PATHOLOGIST
REGD NO. : 02119

mufa
CLINICS & DIAGNOSTICS

Mr. VADLAMUDI VENKATA TIRUMALA SESHU KUMAR
Age / Sex : 46 YRS / M
Referred by : Dr. TATA AIA
Reg. no. : **2272**

2272
Registered on : 12/10/2026 01:12 PM
Collected on : 12/10/2026
Received on : 12/10/2026
Reported on : 12/10/2026

Scan to download

LIPID PROFILE

TEST	VALUE	UNIT	REFERENCE
TOTAL CHOLESTEROL	158	mg/dl	125 - 200
TRIGLYCERIDES	128	mg/dl	25 - 200
HDL CHOLESTEROL	44	mg/dl	35 - 80
LDL CHOLESTEROL	88.40	mg/dl	85 - 130
VLDL CHOLESTEROL	25.60	mg/dl	5 - 40
LDL / HDL	2.01		1.5 - 3.5
TOTAL CHOLESTEROL / HDL	3.59		3.5 - 5
TG / HDL	2.91		
NON-HDL CHOLESTEROL	114.00		

Abnormalities of lipids are associated with increased risk of coronary artery disease (CAD) in patients with DM. This risk can be reduced by intensive treatment of lipid abnormalities. The usual pattern of lipid abnormalities in type 2 DM is elevated triglycerides, decreased HDL cholesterol and higher proportion of small, dense LDL particles. Cholesterol is a lipid found in all cell membranes and in blood plasma. It is an essential component of the cell membranes, and is necessary for synthesis of steroid hormones, and for the formation of bile acids. Cholesterol is synthesized by the liver and many other organs, and is also ingested in the diet. Triglycerides are lipids in which three long-chain fatty acids are attached to glycerol. They are present in dietary fat and also synthesized by liver and adipose tissue.

Newer treatment goals and statin initiation thresholds based on the risk categories proposed by Lipid Association of India in 2020.

Risk Category	Treatment Goal		Consider Therapy	
	LDL Cholesterol (LDL-C) (Mg/dl)	Non-HDL Cholesterol (Non HDL-C) (Mg/dl)	LDL cholesterol (LDL-C) (Mg/dl)	Non- HDL Cholesterol (Non HDL-C) (Mg/dl)
Extreme Risk Group Category A	< 50 (Optional Goal<=30)	<80 (Optional Goal<=60)	>=50	>=80
Extreme Risk Group Category A	<=30	<=60	>30	>60
Very High	<50	<80	>=50	>=80
High	<70	<100	>=70	>=100
Moderate	<100	<130	>=100	>=130
Low	<100	<130	>=130*	>=160*

*In low risk patient, consider therapy after an initial non-pharmacological intervention for at least 3 months.

TEST	VALUE	UNIT	REFERENCE
SERUM CREATININE	0.9	mg/dl	0.6-1.5

Creatinine is a waste product produced by muscles from the breakdown of a compound called creatine. It is removed from the body by

Bazia Fatima

Dr. BAZIA FATIMA
MBBS, MD, PATHOLOGIST
REGD NO. : 02119

DRLOGY PATHOLOGY LAB

Accurate | Caring | Instant

0123456789 | 0912345678

drlogypathlab@drlogy.com

105 -108, SMART VISION COMPLEX, HEALTHCARE ROAD, OPPOSITE HEALTHCARE COMPLEX. MUMBAI - 689578

www.drlogy.com

Yash M. Patel
Age : 21 Years
Sex : Male
PID : 555

Sample Collected At:
125, Shivam Bungalow, S G Road, Mumbai

Ref. By: **Dr. Hiren Shah**

Registered on: 02:31 PM 02 Dec, 2X
Collected on: 03:11 PM 02 Dec, 2X
Reported on: 04:35 PM 02 Dec, 2X

RANDOM BLOOD SUGAR (RBS)

Investigation	Result		Reference Value	Unit
GLUCOSE, RANDOM, PLASMA Hexokinase	245.00	Very High	70.00 - 140.00	mg/dL

Interpretation

The reference values for a "Normal" Random Glucose test in an average adult are 70–140 mg/dL (4.4–7.8 mmol/l), between 140-200 mg/dL (7.8–11.1 mmol/l) is considered pre-diabetes, and > 200 mg/dL is considered diabetes according to ADA guidelines (you should visit your doctor or a clinic for additional tests)

Thanks for Reference

****End of Report****

Smart Pathology Laboratory
Drlogy.com

Medical Lab Technician
(DMLT, BMLT)

Dr. Payal Shah
(MD, Pathologist)

Dr. Vimal Shah
(MD, Pathologist)

Sample Collection 0123456789