JAMES WYNNE

PORTFOLIO 2026

Senior Technical Writer | Documentation Automation Specialist

CORE CAPABILITIES & PILLARS

- **Docs-as-Code & Automation**
  Bespoke VBA & Python tools to automate QA proofing, STE checks, and DTP workflows.
- **Regulatory & Medical Compliance**
  Deep expertise in ISO 20607, IEC/IEEE 82079-1, GAMP 5, GxP, CAPA/RCA documentation.
- **Multi-Domain Mastery**
  20+ years bridging Healthcare Tech, Data Center Infrastructure, Cybersecurity, and Banking.
- **Controlled Vocabularies**
  Architecting STE (Simplified Technical English) & ITS dynamic dictionaries for global teams.

linkedin.com/in/james-wynne-2623886

ABOUT ME & CAREER IN NUMBERS

Crafting clarity, structure, and rhythm in complex technical communication

PHILOSOPHY & APPROACH


With over 20 years of experience as a technical writer and documentation architect, I've learned that writing isn't just about the order of information—it's about the flow of information. Crafting clear and engaging content requires a sense of rhythm, especially when explaining complex hardware, software, or medical devices.

Rather than overwhelming the reader with dense technical specifications, it's crucial to ease them in gradually with structured markers. My writing is specifically designed for international audiences where English serves as a lingua franca—leveraging Controlled Vocabularies and Simplified Technical English (STE) to eliminate ambiguity.


20+	Years Experience across FinTech, MedTech & CyberSecurity
78%	Documentation Output Increase Led as Team Leader
500+	Pages Flagship Acronis Suite Compiled & Delivered
3-4	Day Rapid Turnaround on Complex InDesign Manuals

CAREER BREAKDOWN IN NUMBERS

Experience by Industry Sector



Core Skill Breakdown



CONTENTS

User Guides & Manuals

Business English Course Book

App Development

DTP Samples

Word & PPT Automation

Life Sciences Writing

CAPAs & RCAs

Training Presentations

Online Help

User Guides & Manuals

Book Contribution (ISBN: 9781493906413) & Technical Writing

SECTION HIGHLIGHTS & KEY DELIVERABLES

- **Published Contributor**
  Author of core procedural writing chapters in Springer's 'User Guides, Manuals, and Technical Writing'.
- **Task-Oriented Procedures**
  Structuring subtasks, numbered step-by-step lists, and eliminating unnecessary assumptions.
- **Just-In-Time Information**
  Delivering essential instructions at the exact micro-moment required by frustrated users.
- **Chronological Clarity**
  Single-instruction sentence rules and colon introduction standards for global documentation.

J. WYNNE - PORTFOLIO - FOR INTENDED RECIPIENT ONLY

4 USING YOUR …. INSTRUCTIONS – PROCEDURES

4.1 Giving instructions and writing procedures

The most critical sections in a manual are those in which the reader is expected to follow a series of instructions (steps) in order to be able to carry out a task.

Writing procedures involves:

- identifying the major tasks and separating them into subtasks
- writing a series of steps that walk the user through each subtask (often presented as a list of bullets)
- not having two steps in the same sentence or bullet
- only giving the reader information at the exact moment that they need it (this is known as 'just in time' information)

Remember that users may be in a state of frustration as a result of having failed to carry out the task by themselves. So when they read your instructions, they need to be able to follow each step easily and clearly.

4.2 Don't make assumptions

Be very careful when making assumptions about what the user already knows and the level of their expertise. You are very familiar with the product or service that you are writing about. So you may forget to include certain steps. You may think that these steps are very obvious, but to many readers nothing will be obvious.

A. Wallwork, *User Guides, Manuals, and Technical Writing,*
Guides to Professional English, DOI 10.1007/978-1-4939-0641-3_4,
© Springer Science+Business Media New York 2014

CONFIDENTIAL

J. WYNNE - PORTFOLIO - FOR INTENDED RECIPIENT ONLY

4.3 Introduce procedures with a colon

When you introduce a procedure, simply use a colon (:).

Yes	No
To install the software:	To install the software, do the following:
1 blah	1 blah
2 blah	2 blah

4.4 Put everything in chronological order

If you were writing about how to defuse a bomb, it would not be a good idea to say: *Cut the green wire having first ensured that the red wire has been disconnected.* Instead, you need to say:

1. Ensure the red wire is disconnected.
2. Cut the green wire.

CONFIDENTIAL

J. WYNNE - PORTFOLIO - FOR INTENDED RECIPIENT ONLY

4.5 Only have one instruction in each sentence

The following sentence is difficult to absorb because it contains a series of instructions in one long sentence.

> **Removing a Favorite channel**
>
> To remove a channel from your list of favorites, highlight it on the *Favorite Channels* screen, then press the *Favorite* (yellow) button, the tick will disappear indicating that the channel has been removed from your list of favorites.

Revised Version 1: three short sentences in one paragraph

> **Removing a Favorite channel**
>
> To remove a channel from your list of favorites, highlight it on the *Favorite Channels* screen. Then press the *Favorite* (yellow) button. The tick will disappear. The channel is now no longer in your list of favorites.

Revised Version 2: numbered bullets

> **Removing a Favorite channel**
>
> To remove a channel from your list of favorites:
>
> 1. Highlight the channel on the *Favorite Channels* screen.
> 2. Press the *Favorite* (yellow) button.
>
> Outcome: The tick disappears. The channel is no longer in your list of favorites.

Revised Version 1 contains three short sentences, which are easy to follow. This solution uses a paragraph rather than a numbered list of instructions. It is suitable for when there are few instructions to follow, and for when the instructions themselves are quite intuitive and easy to apply.

Revised Version 2 is more appropriate for longer lists of instructions and when space is not an issue (e.g. on an online document).

CONFIDENTIAL

Business English Course Book

Pedagogical Content Development & Text Reduction

SECTION HIGHLIGHTS & KEY DELIVERABLES

- **Adult Language Acquisition**
  Designed contextual adult learning frameworks leveraging real-life corporate materials.
- **Text Editing & Reduction**
  Pioneered techniques for stripping unnecessary clutter (reducing spoken text by up to 70%).
- **Lingua Franca Accessibility**
  Crafted accessible modules avoiding confusing phrasal verbs for non-native professionals.
- **Interactive Exercises**
  Integrated context-based listening and reading strategy guides for business environments.

J. WYNNE - PORTFOLIO - FOR INTENDED RECIPIENT ONLY

About this Book

Welcome to the English Course for Adults Level 1 Book.

This book is a collection of real-life articles that provide examples of true English. The objective is for you to learn from real sources.

Learning English as adults requires a different approach compared to how we learn as children. As adults, we cannot learn a new language intrinsically. We must use our experience of life and our talents to understand from context. Whenever you see or hear a new word or a sentence, think about the context. Ask yourself:

- What is the situation?
- Who is the person speaking or writing?
- What do I already know?
- What do I *think* is being said / written?
- What can I deduce from the situation?
- If I don't understand something, why be afraid to ask?
- How can I use what I learn in a new situation? How can I use it every day?

It is true that, in everyday life, 70% of what we say is unnecessary.
Think about the following.

You meet a friend and he/she says:

"Hi, I'm really happy to see you. Sorry I'm late! You won't believe what just happened! I went to the bus stop to catch the bus but it was late too! I waited for hours! I was about to call you to say I would be 15 minutes late. Luckily, you are still here! Shall we go for a coffee?".

A perfectly normal conversation. But if you're not English, it might be hard to understand everything. Therefore, you need to learn the main things to listen for.

Let's look at the very same conversation and remove the unnecessary words.

CONFIDENTIAL

J. WYNNE - PORTFOLIO - FOR INTENDED RECIPIENT ONLY

*"~~Hi, I'm really happy to see you~~. **Sorry I'm late!** ~~You won't believe what just happened!~~ **I went** ~~to the bus stop~~ **to catch the bus** ~~but~~ **it was late too!** ~~I waited for hours~~! **I was about to call you** ~~to say I would be 15 minutes late~~. ~~Luckily, you are still here!~~ **Shall we go for a coffee?**"*.

Did you see that nearly all of the conversation was unnecessary to understand the basic information?

Again, ask yourself "*What did I hear?*".

We can be even more dramatic and cut the conversation to this:

*"**Hi**~~, I'm really happy to see you~~. **Sorry I'm late!** ~~You won't believe what just happened! I went to the bus stop to catch the bus but it was late too! I waited for hours! I was about to call you to say I would be 15 minutes late~~. ~~Luckily, you are still here!~~ **Shall we go for a coffee?**"*.

Or simply: ***Shall we go for a coffee?***

Or to be drastic: ***Coffee?***

The moral of the story is:

Don't focus on what you ***don't* understand –**
Focus on what you ***do* understand!**

Learn to do this when you read and listen. Apply it to yourself when you speak. Of course, in sensitive and serious situations – such as business meetings, you may need to pay more attention and ask questions (such as the ones mentioned on the previous page). Use your intelligence to understand all you can from the context.

We will look at this in more detail in the section *An Introduction to Understanding and Reading English*.

Enjoy the book and enjoy the course!

CONFIDENTIAL

App Development

Interactive Educational Web PWAs & Language Tools

SECTION HIGHLIGHTS & KEY DELIVERABLES

- **Time to Quiz Suite**
  PWA gamified learning platform featuring The Wall, Connections, Chronology, and Odd One Out.

- **Read All About It!**
  Vintage 1920s newspaper-styled classroom speaking hub with dual reading levels & TTS.

- **The Building Blocks of English**
  Interactive grammar compendium app & book ecosystem for self-paced learning.

- **Modern Web Tech Stack**
  Built with HTML5, Tailwind CSS, JavaScript, Web Audio API, and offline Service Workers.

APP DEVELOPMENT: TIME TO QUIZ & GRAMMAR

Gamified PWA Learning Suite for Language, Intuition, and Logic

TIME TO QUIZ ECOSYSTEM

Time to Quiz is an interactive Progressive Web Application (PWA) designed to transform classroom and self-paced language learning. Combining intuition, vocabulary building, and logical deduction, the app features five distinct game modules inspired by classic British quiz formats:


• **The Wall & Connections:** Find hidden thematic links across 16 clues.
• **Chronology:** Arrange historical and linguistic events in order.
• **Odd One Out & English Sayings:** Master idioms and nuanced definitions.
• **Fact or Fiction & Error Detection:** Grammar coaching and real-time feedback.

THE BUILDING BLOCKS OF ENGLISH

Complementing the web games, **The Building Blocks of English** serves as a comprehensive compendium of English grammar, syntax, and vocabulary structures.

Key Features:
• Step-by-step clear explanations paired with targeted exercises.
• Custom Grammar Hub with instant rule lookups.
• Dual EN/IT explanations optimized for Italian adult learners.
• Companion print edition and digital PDF workbook integration.







APP DEVELOPMENT: READ ALL ABOUT IT!

Vintage 1920s Newspaper Hub for ESL Speaking & Critical Thought

READ ALL ABOUT IT! — CLASSROOM SPEAKING HUB








Read All About It! is an interactive web-based classroom PWA designed to foster oral fluency, vocabulary acquisition, and critical reading skills through verified historical true stories styled as a 1920s newspaper.

Key Web Application Capabilities:

- **Dual Reading Levels:** Instant toggle between 'Standard' and 'Easy' simplified text versions for differentiated instruction.
- **20 Historical Stories:** Features curated historical accounts (e.g., The Great Molasses Flood, Wojtek the Bear, Dancing Plague of 1518).
- **Text-to-Speech (TTS):** Integrated Web Speech API for native audio playback with speed controls.
- **Interactive Speaking Lab:** Built-in flashcards, group discussion prompts, and instant-scoring comprehension quizzes.
- **PWA Offline Support:** Fully operable offline using custom Service Workers (`sw.js`) and Web Audio sound effects.

Vintage Newspaper Masthead & Story



Classroom Speaking Lab & Vocab Cards




DTP Samples

InDesign to PowerPoint Conversion & Brand Guidelines

SECTION HIGHLIGHTS & KEY DELIVERABLES

- **InDesign to PPT Workflow**
  Converting complex Adobe InDesign pagination layouts into editable PowerPoint decks.
- **Color Palette Studies**
  Establishing corporate RGB/CMYK color hierarchies and editorial standards for marketing.
- **Marketing Brochures**
  Designing high-impact bilingual promotional flyers for medical device and enterprise solutions.
- **Rapid Layout Turnaround**
  Delivering fully styled 50+ page corporate documents under strict 3-4 day deadlines.





Cardioline ECGWebApp è un sistema innovativo, basato sul web, per la gestione di tutte le modalità ECG (a riposo, sotto sforzo, secondo Holter)

ORIGINAL







elemedicina

- Tutti i dati vengono rilevati con tecnologia


ORIGINAL








2



3





5



6









11



12






14



15







Word & PPT Automation


Bespoke VBA Proofing, Formatting & Localization Tools

SECTION HIGHLIGHTS & KEY DELIVERABLES

- **Simplified Technical English (STE)**
  Built automated VBA checkers to identify non-approved terms and phrasal verbs.
- **Text Analysis & Redundancy**
  Developed macros for automated word-type analysis and instant redundancy checking.
- **Localization & Translation**
  Automated bilingual dictionary lookups and multi-language template generation.
- **Instant TOC & Formatting**
  Engineered custom ribbons for instant PowerPoint Table of Contents and Word formatting.

Advanced Technical Writing Tools for Word

https://www.youtube.com/watch?v=RB_WIeNjybw&t=293s



Automated Table of Contents in PowerPoint

https://www.youtube.com/watch?v=sxq2MhFvT-A



Life Sciences Writing

Lab Test Reporting & Medical Device Documentation

SECTION HIGHLIGHTS & KEY DELIVERABLES

- **MicroSeq DNA Sequencing**
  Authored rigorous lab test reports for bacterial genus and species identification.
- **Method Validation**
  Documented accuracy, repeatability, and robustness parameters for pharmaceutical cell banks.
- **Conformity & Acceptance Criteria**
  Detailed PCR amplification, capillary electrophoresis, and Specimen Score metrics.
- **GMP & Regulatory Audits**
  Ensured full compliance with ISO 13485, Medical Device Regulations (MDR), and FDA standards.

J. WYNNE - PORTFOLIO - FOR INTENDED RECIPIENT ONLY

- **Repeatability**
- **Accuracy**
- **Robustness**

For further information related to the parameters listed above, refer to the MA_ADNA_01_MAP and MA_ADNA_01_MAP_Addendum protocols.

The parameters evaluated and the results obtained during the development of the method are collected as reference documentation and are stored in the Body V Molecular Biology archive.

The part of the "MicroSeq" method specific for its use for the identification of bacterial cell banks consists of the culture of the bacterial bank to be identified, from the extraction of its DNA and its subsequent quantification. The following phases of the method are the same as those applied to the identification of microbiological samples from production sites: amplification of DNA by PCR, sequencing by capillary electrophoresis and identification through specific identification software (for more details, refer to procedure company1000803).

Given that the steps mentioned above have already been validated, the additional tests for the application of the method to the identification of the genus and species of bacterial banks used in the production of pharmaceuticals are as follows:

- Verification of the accuracy of the propagation process of bacterial cells, DNA extraction and the subsequent amplification and sequencing phases.
- Verification of the repeatability of the phases described above.
- Verification of the robustness of the phases described above.

Specifically, the tests were done taking into account the fact that bacteria may belong to the same genus and species, but different strains, to show that the method allows for the correct identification of bacteria in terms of genus and species, regardless of the strain.

CONFIDENTIAL

J. WYNNE - PORTFOLIO - FOR INTENDED RECIPIENT ONLY

CODE	VERSION	STATUS	ISSUED
MA_ADNA_02_TR	1.0	Final	19/12/2018

The definition of the methods and the general execution conditions were performed during the preliminary set-up activities, documented in the experimental register "Setup MicroSeq for bacterial banks", archived in the Body V Molecular Biology archive.

For the specific verification methods used for each of these parameters, refer to the following paragraphs.

2 METHOD DESCRIPTION

The "MicroSeq" method is used to identify the genus and species of the cells within the bacterial bank used for the production of biotechnological pharmaceuticals, to confirm their identity.

Microbial samples are cultured in liquid medium, the total DNA is extracted using the "QIAamp DNA mini kit" (Qiagen). The DNA is quantified and subjected to amplification by PCR using universal primers which can determine the amplification of a portion of 16s ribosomal DNA up to approximately 500bp.

For DNA amplification and sequencing, the "MicroSeq 500-16s rDNA Bacterial Identification kit" (Applied Biosystems), consisting of the "MicroSeq 500-16s rDNA PCR kit" and the "MicroSeq 500-16s rDNA sequencing kit", was used. The specific identification software is the "MicroSeq ID Analysis Software" (Applied Biosystems).

The result of the analysis consists of the genus and species of the specific microorganism, indicating a percentage ("match percentage") of the corresponding analysed sequence in terms of the reference sequence contained in the database that most closely matches that of the bacterial bank identity. The greater the match percentage, the greater the correspondence between the analysed sequence and the reference, thus increasing the probability of identification. For every identification, the analysis software also provides a numerical score ("Specimen Score") that refers to the nucleotide sequence and identification of the reference sample. Again, the greater the value of the Specimen Score, the greater the probability of identifying the microorganism in terms of genus and species.

The following controls are used within the method:

- Negative process control, consisting of the pure culture medium treated with samples.

CONFIDENTIAL

J. WYNNE - PORTFOLIO - FOR INTENDED RECIPIENT ONLY

CODE	VERSION	STATUS	ISSUED
MA_ADNA_02_TR	1.0	Final	19/12/2018

RESULT CONFORMITY CRITERIA	
Samples to be identified (*Escherichia Coli* K12 e *Escherichia Coli* W3110)	Identification of both samples in terms of genus and species ("*Escherichia Coli*") by the software "MicroSeq ID Analysis Software" with a match percentage ≥98.5% and a Specimen Score ≥30.

The results of the accuracy of the method are valid and comply with the acceptance criteria.

The results are as follows:

SAMPLE/CONTROL	AMPLIFICATION BAND	IDENTIFICATION RESULT	SPECIMEN SCORE	% MATCH
Culture medium	Absent	No identification	n.a.	n.a.
C- MicroSeq	Absent	No identification	n.a.	n.a.
C+ MicroSeq	Present	*Escherichia Coli*	42	100%
Escherichia Coli K12	Present	*Escherichia Coli*	42	99.92%
Escherichia Coli W3110	Present	*Escherichia Coli*	43	100%

Based on these results, the MicroSeq method for the identification of the genus and species of recombinant bacterial cell banks is ACCURATE.

See test #8.1 in MA_ADNA_02_TP protocol.

CONFIDENTIAL

CAPAs & RCAs

Corrective & Preventive Actions & Root Cause Analysis

SECTION HIGHLIGHTS & KEY DELIVERABLES

- **Biopharma Quality Systems**
  Authored Standard Operating Procedures (SOPs) for open deviation management.
- **TrackWise Workflow**
  Documented 5-step deviation reporting, QA risk assessments, and quarantine procedures.
- **GAMP 5 & GxP Compliance**
  Structured root cause analysis frameworks for Out-of-Specification (OOS) events.
- **Cross-Functional Alignment**
  Coordinated multi-timezone review cycles across Chicago, Mysore, and European sites.

1. Process for managing open diversions after September 4, 2020

As of 04 September 2020, to manage deviations, you must follow the workflow outlined in Annex 1 and described in Standard Procedure 20271619 issued by MBQ.

Compared to the standard MBQ procedure, minor changes have been made to adapt the process to [company] activities.

2. Objective

The new workflow ensures that a deviation is identified, assessed and investigated, and that appropriate measures are taken to:

- Safeguard the process and quality attributes of the affected material, drug substance, drug product, or finished product (including Investigational Medicinal Products - *IMPs* - and Medical Devices)
- Determine the root cause of the deviation
- Prevent recurrence
- Define rules for reporting, assessing, investigating, implementing actions, closing, and monitoring a deviation

Scope

This document applies to:

- Unexpected events or outcomes resulting from a GMP related activity
- All material and products, drug substances, drug products, finished products, IMPs and intermediate manufactured for which [company] is responsible

Note: Unless otherwise specified, the term “Product” is used herein to cover all types of products, as described above.

This document does not apply to:

- Changes (temporary or permanent) that fall under the Change Control Process
- Qualification activities of systems or equipment that are not yet used in the production environment
- Contemporaneous changes to a GMP document or entry made to correct previous entries

Definitions and Abbreviations

2.1 Definitions

Correction:
Action taken to eliminate a detected non-conformity.

Corrective Action:
Defined action to eliminate the cause of a non-conformity or other undesirable issue. Corrective action is taken to prevent recurrence.

Deviation:
An unexpected GMP / GDP event or result, such as a departure from an established process, system, procedure, specification, acceptance criteria, or other conformity standard, which impacts and is critically assessed through a deviation management system decision tree to determine whether it will be documented as an event / incident or investigation.

Event / Incident:
A situation with no risk of impact and with a detection system in place to detect recurrence: safety, quality, identity, potency, or purity (SQIPP) of the product process (including impact to validated state) or regulatory issues.

Immediate Action:
Action taken immediately after detection of the event to limit further damage.

Investigation:
A systematic inquiry to determine root cause(s), evaluate potential impact, trend, and identify corrective and / or preventive actions.

Preventive Action:
Action to eliminate the cause of a potential non-conformity or other potential undesirable situation.
A preventive action is taken to avert occurrence.

Repeat Deviation:
Deviation with a similar root cause to a previous deviation and that repeats itself before the CAPA plan(s) defined in the previous deviation are implemented.

Recurrent deviation:

- A deviation with a similar root cause that recurs after a corrective / preventive action
- A deviation with similar events without an identified root cause or a defined CAPA plan

The evaluation period for recurrence is typically a minimum of 12 months and increases for low frequency activities.

Unexpected Result:
Out-of-Specification (OOS) and Out-of-Trend (OOT) results.

2.2 Abbreviations

OOT Out-of-Trend

OOS Out-of-Specification

Rules and Regulations

Any unexpected GMP event or result must be documented and managed under the deviation process.

The deviation process consists of:

DRAFT

- Identification of an unexpected event or result
- Reporting the deviation
- QA Assessment
- Investigation of root cause and impact
- Implementation of corrective and preventive actions
- Close-out
- Monitoring and trending

Note: For more information, see the flowchart in Annex 1.

2.3 Step 1: Identifying a Deviation

When an unexpected GMP / GDP event or result is identified:

- Immediate measures must be taken to retain, record, and preserve all evidence for the investigation and that can help implement effective actions
- The Supervisor of the unit directly affected by the event must be informed immediately via the TrackWise Notify feature

2.4 Step 2: Reporting a Deviation

The deviation must be managed using the TrackWise system.

The Unit affected by the deviation must describe the:

- Event and conditions under which the deviation occurred
- Expected requirements or conditions
- Area, equipment, process steps, material, document, and affected product
- Immediate actions taken to preserve / protect product and personnel
- Assumed cause of the deviation, if available

To facilitate the recurrence assessment, the title must be**:**

- Preceded by the acronym “GMP”
- Written in English
- Defined using the TrackWise deviation categories

Note: For deviations linked to OOS, the title must be preceded by the acronym “GMP OOS”.

The description must contain facts and data. No attempt to draw conclusions regarding the cause should be made unless the apparent cause is clear.

DRAFT

Training Presentations

Corporate Enablement & Custom Add-in Workshops

SECTION HIGHLIGHTS & KEY DELIVERABLES

- **Add-in Installation Guides**
  Created visual step-by-step training decks for installing Word and PPT add-ins.
- **Template Standardisation**
  Trained global corporate teams on maintaining footer, layout, and master slide integrity.
- **Troubleshooting Quick Tips**
  Embedded instant macro security and troubleshooting guides into training decks.
- **Public Speaking & Workshops**
  Delivered engaging technical writing and presentation workshops across Europe.

Prerequisites for Templates and Add-ins

Microsoft Office 2007 Onwards

The following files to be stored in **C:\Data <company>**:

- **ID Tools 2012.dot**
- **ion_complete_addin_2012.ppam**
- **ion_template_2011.potx**
- **sales_template_2011.potx**

Store the following files in **C:\tmp**:

- **keywords.doc**
- **keywordsb.doc**

Store `normal.docm` in:

- For Windows XP:
  C:\Documents and Settings\<*username*>\Application Data\Microsoft\Templates
- For Windows Vista / 7:
  C:\Users\<*username*>\AppData\Roaming\Microsoft\Templates


J. WYNNE - PORTFOLIO - FOR INTENDED RECIPIENT ONLY


Opening the InfDev PPT Add-in


generic logo company

To open the InfDev PPT Add-in:

1. From the Office ribbon, select **Add-ins**
2. Click **InfDev PPT Add-in**







Troubleshooting Quick Tips:

- You need to enable the **Add-ins** tab in PowerPoint (how?)

J. WYNNE - PORTFOLIO - FOR INTENDED RECIPIENT ONLY

Installing the InfDev Word Add-in

generic logo company

Make Sure the Pre-requisites are in Place!

1. Click the Office button  and select **Word Options**
2. Select **Add-ins**
3. From the **Manage** drop-down box, select **Word Add-ins**
4. Click **Go**
5. From the **Add-ins** window, select **Add New**
6. Browse for `ID Tools 2012.dot`
7. Click **Ok**
8. Click **Close**

An InfDev custom toolbar is now displayed under the Office Ribbon **Add-Ins** tab.

Troubleshooting Quick Tips: 

- Ensure your macro security level is set to enable all macros (how?)
- If you already have an InfDev add-in installed, remove it (how?) and restart Word

J. WYNNE - PORTFOLIO - FOR INTENDED RECIPIENT ONLY

Online Help

Interactive Knowledge Bases & Ticketing Dashboards

SECTION HIGHLIGHTS & KEY DELIVERABLES

- **Ticketing System Analytics**
  Comprehensive online help & SLA breach analytics documentation for support teams.
- **MRR & Sales Item Tracking**
  Interactive guide detailing Net New MRR formulas, expansion, and churn analytics.
- **Service Desk Workflow**
  End-to-end ticketing overview, scheduling tools, and filter customization procedures.
- **Automated Billing Runs**
  Step-by-step documentation for generating invoice batches and Zapier/QuickBooks integration.

J. WYNNE - PORTFOLIO - FOR INTENDED RECIPIENT ONLY

8 Your Dashboard Analytics

8.1 Ticket statistics

Ticket statistics are displayed in a graph and show the total number of Closed Tickets (blue line) and Tickets with an SLA breach (red line). It shows the statistics for the current day, month, and year. The purpose of this graph is for you to see the performance of your team at a glance. This widget quickly identifies closed tickets versus breached tickets and if there is any improvement on the previous months.



8.2 Net new Monthly Recurring Revenue (MRR)

This displays graphs of your net MRR, MRR churn, and MRR expansion from all your customers. The values are derived from revenue billed in the previous month and allows you to quickly identify the new MRR of your new customers. In addition to your new net MRR, you can see a graph of your total MRR Expansion. This is either a consumption upgrade of your customers' current products or additional add-on services they acquired from your business. A graph of your churned MRR shows the cancellations or downgrades done by your customers. For example, when you deliver workstation support based on the number of deployed RMM workstation agents and two agents are removed, the monthly recurring revenue value of these two items will be displayed as churn.

Your new net MRR is calculated as follows:

Net New MRR = last month's MRR + expansion MRR - churned MRR

CONFIDENTIAL


J. WYNNE - PORTFOLIO - FOR INTENDED RECIPIENT ONLY

9 Service desk

9.1 Service desk overview

The Service desk allows you to create, update, and schedule your tickets.

To access Service desk, from the main menu, select **Settings > Servicedesk**.




9.2 Ticket overview

The ticket overview shows all tickets in the entire organization. The tickets and their statuses are listed and you can create new tickets.

Furthermore, in this section you can:

- Change or select a filter
- View tickets from co-workers
- View closed tickets, and so on

To access ticket overview, from the main menu, select **Servicedesk > Ticket Overview**.




CONFIDENTIAL

J. WYNNE - PORTFOLIO - FOR INTENDED RECIPIENT ONLY



8.3 All sales items revenue

This displays graphs of the revenues from the previous month for your new (red) and billed (blue) sales items. It also shows the amount of non-contract sales and how much is ready for billing.



8.4 Occupancy rate

The occupancy rate is your degree of utilization of the primary group of which you are a member or manager. This rate is computed using the following factors:

a. Working hours per day

b. Time registration activity types (client related or non-client related)

CONFIDENTIAL

J. WYNNE - PORTFOLIO - FOR INTENDED RECIPIENT ONLY

10 Billing


10.1 Billing overview

To generate an invoice or invoice batch, select **Billing** (as shown in the left-hand menu in the image below). Generating an invoice with Computicate is simple. In 6 steps, you can generate an invoice batch for your sales items and recurring contracts. You can also download an invoice or invoice batch as a CSV or XML file, allowing you to import invoices into other systems.

Using Zapier integration, you can exchange invoice data with external applications such as Xero, QuickBooks Online, and others.

Visit the Zapier homepage to see their current accounting integrations.

For more information about QuickBooks – Zapier Integration, refer to Zapier-QuickBooks Online Integration.



10.2 Generating a new invoice

To generate a new invoice:

1. From the main menu, select **Billing** > **New billing run**.

CONFIDENTIAL

LET'S BUILD CLARITY TOGETHER

Need a documentation expert who delivers precision, consistency, and speed?

Whether you require end-to-end user manual suites under strict regulatory standards (ISO, IEC, GAMP 5), custom VBA/Python workflow automation, or a robust Docs-as-Code architecture, I bring over two decades of international expertise to your team.

GET IN TOUCH

LOCATION	Ivrea / Monza, Italy (Open to Remote / Relocation)
EMAIL	james_wynne@hotmail.com
PHONE	+39 351 5316723
LINKEDIN	linkedin.com/in/james-wynne-2623886
GITHUB	github.com/jiwynne72-tech

© 2026 James Wynne | JW Consulting | All Rights Reserved