

Week 1 Progress Report — Frontend Lead

Project: ThreatShield AI — AI-Powered Unified Threat Detection and Analysis Platform

Role: Frontend Lead (React) | Student: Jiya Patel

Summary of Week 1 Work

- Created the React project using Vite (npm create vite@latest frontend), selecting React + JavaScript
- Ran into and resolved a folder-navigation issue (running commands from the wrong directory)
- Installed and configured Tailwind CSS, confirmed it was working
- Designed and styled a creative homepage for the project
- Installed React Router (react-router-dom)
- Created folder structure: src/pages/ with 7 page files — Login, Dashboard, UrlScan, EmailScan, FileScan, AiChat, Reports
- Wired up routing so all 7 pages are reachable and tested navigation
- Set up Git on the laptop, committed Week 1 work
- Connected the local repo to GitHub and pushed successfully

Tools used: Vite, React, Tailwind CSS, React Router, Git, GitHub, VS Code


Repository: ThreatShield-AI-5th-sem-SGP (GitHub)

Status: Week 1 complete

Step-by-Step Walkthrough with Screenshots

Step 1 — Creating the React project

Ran `npm create vite@latest frontend` and selected React as the framework and JavaScript as the variant, starting the project setup.



```
C:\WINDOWS\system32\cmd. X + v
Windows PowerShell
Copyright (C) Microsoft Corporation. All rights reserved.

C:\Users\Jiya\OneDrive\Desktop\Threatshield AI> npm create vite@latest frontend


jiya@1.0.0 npx
create-vite frontend

Select a framework:
React

Select a variant:
• TypeScript
  ○ TypeScript + React Compiler
  ○ JavaScript
  ○ JavaScript + React Compiler
  ○ RSC
  ○ React Router v7 / https://reactrouter.com
  ○ TanStack Router / https://tanstack.com/router
  ○ RedwoodSDK / https://rwsdk.com
  ○ Vike / https://vike.dev
↑/↓ to navigate • Enter: confirm
```

Step 2 — First dev server run

After dependencies installed, Vite started the local development server successfully at `http://localhost:5173/`.




```
C:\WINDOWS\system32\cmd. X + v
> Which linter to use?
  ESLint
> Install with npm and start now?
  Yes
> Scaffolding project in C:\Users\Jiya\OneDrive\Desktop\Threatshield AI\frontend...
> Installing dependencies with npm...
added 135 packages, and audited 136 packages in 24s
31 packages are looking for funding
  run 'npm fund' for details
found 0 vulnerabilities
> Starting dev server...
> frontend@0.0.0 dev
> vite

VITE v8.1.5 ready in 1168 ms
→ Local: http://localhost:5173/
→ Network: use --host to expose
→ press h + enter to show help
```

Step 3 — Verifying in the browser

Opened the local server URL in the browser and confirmed the default Vite + React starter page loaded correctly.



Step 4 — Fixing a directory issue and installing Tailwind CSS

Hit a 'missing script' error from running commands in the wrong folder; fixed it by navigating into the frontend folder, then installed Tailwind CSS successfully and restarted the dev server.

```
Windows PowerShell
VITE v8.1.5 ready in 1168 ms
  → Local:   http://localhost:5173/
  → Network: use --host to expose
  press h + enter to show help
PS C:\Users\Jiya\OneDrive\Desktop\Threatshield AI> npm run dev
npm error Missing script: "dev"
npm error
npm error To see a list of scripts, run:
npm error   npm run
npm error A complete log of this run can be found in: C:\Users\Jiya\AppData\Local\npm-cache\_logs\2026-07-24T12_57_57Z-debug-0.log
PS C:\Users\Jiya\OneDrive\Desktop\Threatshield AI> cd frontend
PS C:\Users\Jiya\OneDrive\Desktop\Threatshield AI\frontend> npm run dev
> frontend@0.0.0 dev
> vite

VITE v8.1.5 ready in 746 ms
  → Local:   http://localhost:5173/
  → Network: use --host to expose
  press h + enter to show help
PS C:\Users\Jiya\OneDrive\Desktop\Threatshield AI\frontend> npm install tailwindcss @tailwindcss/vite
added 12 packages, and audited 148 packages in 7s
34 packages are looking for funding
  run 'npm fund' for details
found 0 vulnerabilities
PS C:\Users\Jiya\OneDrive\Desktop\Threatshield AI\frontend> npm run dev
> frontend@0.0.0 dev
> vite

8:58:15 pm [vite] (client) Re-optimizing dependencies because lockfile has changed
VITE v8.1.5 ready in 1050 ms
  → Local:   http://localhost:5173/
```

Step 5 — Active development (hot reload)

Vite's hot module reload (HMR) logs while editing and saving App.jsx and index.css repeatedly, building out the homepage design.

```
Windows PowerShell
> frontend@0.0.0 dev
> vite


8:58:15 pm [vite] (client) Re-optimizing dependencies because lockfile has changed

VITE v8.1.5 ready in 1050 ms

  → Local:   http://localhost:5173/
  → Network: use --host to expose
  → press h + enter to show help
9:00:35 pm [vite] (client) hmr update /src/App.jsx, /src/index.css
9:00:38 pm [vite] (client) hmr update /src/App.jsx, /src/index.css (x2)
9:06:33 pm [vite] (client) hmr update /src/App.jsx, /src/index.css (x3)
9:06:35 pm [vite] (client) hmr update /src/App.jsx, /src/index.css (x4)
9:08:00 pm [vite] (client) hmr update /src/App.jsx, /src/index.css (x5)
9:08:02 pm [vite] (client) hmr update /src/App.jsx, /src/index.css (x6)
9:09:18 pm [vite] (client) hmr update /src/App.jsx, /src/index.css (x7)
9:09:20 pm [vite] (client) page reload src/App.jsx
9:09:21 pm [vite] (client) hmr update /src/App.jsx, /src/index.css
9:10:37 pm [vite] (client) hmr update /src/App.jsx, /src/index.css (x2)
9:10:38 pm [vite] (client) page reload src/App.jsx
9:10:39 pm [vite] (client) page reload src/App.jsx (x2)
9:13:02 pm [vite] (client) hmr update /src/App.jsx, /src/index.css
9:13:13 pm [vite] (client) hmr update /src/App.jsx, /src/index.css (x2)
9:14:41 pm [vite] (client) hmr update /src/App.jsx, /src/index.css (x3)
9:14:42 pm [vite] (client) hmr update /src/App.jsx, /src/index.css (x4)
PS C:\Users\Jiya\OneDrive\Desktop\ThreatShield AI\frontend>
```

Step 6 — Styled homepage result

The finished, creatively styled ThreatShield AI homepage rendering in the browser, confirming Tailwind CSS was fully working.



Step 7 — Installing React Router

Installed react-router-dom for page navigation. npm flagged a high-severity advisory in a sub-dependency (RSC mode only, not applicable to this project), so it was left as-is rather than force-fixing and risking a breaking downgrade.

```
Windows PowerShell
9:14:42 pm [vite] (client) hmr update /src/App.jsx, /src/index.css (x4)
PS C:\Users\Jiya\OneDrive\Desktop\Threatshield AI\frontend> npm install react-router-dom

added 4 packages, and audited 152 packages in 10s

35 packages are looking for funding
  run 'npm fund' for details

2 high severity vulnerabilities

To address all issues, run:
  npm audit fix

Run 'npm audit' for details.
PS C:\Users\Jiya\OneDrive\Desktop\Threatshield AI\frontend> npm audit
# npm audit report

react-router 7.12.0 - 8.2.0
Severity: high
React Router: RSC Mode CSRF Bypass Allows Action Execution Before 400 Response - https://github.com/advisories/GHSA-qwww-vcr4-c8h2
Fix available via `npm audit fix --force`
Will install react-router-dom@7.11.0, which is a breaking change
node_modules/react-router
  react-router-dom >=7.12.0-pre.0
    Depends on vulnerable versions of react-router
node_modules/react-router-dom

2 high severity vulnerabilities

To address all issues (including breaking changes), run:
  npm audit fix --force
PS C:\Users\Jiya\OneDrive\Desktop\Threatshield AI\frontend> |
```

Step 8 — Git setup and first commit

Initialized Git in the project folder, configured author identity, staged all files, and created the first commit: "Week 1: React setup, Tailwind, routing, 7 page shells".

```
Windows PowerShell
press q + enter to quit
PS C:\Users\Jiya\OneDrive\Desktop\Threatshield AI\frontend> cd "C:\Users\Jiya\OneDrive\Desktop\Threatshield AI"
PS C:\Users\Jiya\OneDrive\Desktop\Threatshield AI> git init
Initialized empty Git repository in C:\Users\Jiya\OneDrive\Desktop\Threatshield AI\.git\
PS C:\Users\Jiya\OneDrive\Desktop\Threatshield AI> git add
warning: in the working copy of 'frontend/.gitignore', LF will be replaced by CRLF the next time Git touches it
warning: in the working copy of 'frontend/eslint.config.js', LF will be replaced by CRLF the next time Git touches it
warning: in the working copy of 'frontend/index.html', LF will be replaced by CRLF the next time Git touches it
warning: in the working copy of 'frontend/package-lock.json', LF will be replaced by CRLF the next time Git touches it
warning: in the working copy of 'frontend/package.json', LF will be replaced by CRLF the next time Git touches it
warning: in the working copy of 'frontend/public/icons.svg', LF will be replaced by CRLF the next time Git touches it
warning: in the working copy of 'frontend/src/App.css', LF will be replaced by CRLF the next time Git touches it
warning: in the working copy of 'frontend/src/App.jsx', LF will be replaced by CRLF the next time Git touches it
warning: in the working copy of 'frontend/src/main.jsx', LF will be replaced by CRLF the next time Git touches it
warning: in the working copy of 'frontend/vite.config.js', LF will be replaced by CRLF the next time Git touches it
PS C:\Users\Jiya\OneDrive\Desktop\Threatshield AI> git commit -m "Week 1: React setup, Tailwind, routing, 7 page shells"
Author identity unknown

*** Please tell me who you are.

Run

  git config --global user.email "you@example.com"
  git config --global user.name "Your Name"

to set your account's default identity.
Omit --global to set the identity only in this repository.

fatal: unable to auto-detect email address (got 'Jiya@LAPTOP-AQHB88QUE.(none)')
PS C:\Users\Jiya\OneDrive\Desktop\Threatshield AI> git config --global user.email "24dit00@charusat.edu.in"
PS C:\Users\Jiya\OneDrive\Desktop\Threatshield AI> git config --global user.name "jiya19patel"
PS C:\Users\Jiya\OneDrive\Desktop\Threatshield AI> git commit -m "Week 1: React setup, Tailwind, routing, 7 page shells"
[main (root-commit) 74d5127] Week 1: React setup, Tailwind, routing, 7 page shells
23 files changed, 3076 insertions(+)
create mode 100644 frontend/.gitignore
create mode 100644 frontend/README.md
create mode 100644 frontend/eslint.config.js
create mode 100644 frontend/index.html
create mode 100644 frontend/package-lock.json
create mode 100644 frontend/package.json
create mode 100644 frontend/public/favicon.svg
create mode 100644 frontend/src/App.css
create mode 100644 frontend/src/App.jsx
create mode 100644 frontend/src/assets/hero.png
create mode 100644 frontend/src/assets/react.svg
create mode 100644 frontend/src/assets/vite.svg
```

Step 9 — Pushing to GitHub

Connected the local repository to GitHub (ThreatShield-AI-5th-sem-SGP) and pushed successfully — Week 1 work now backed up and visible on GitHub.

```
Windows PowerShell
Omit --global to set the identity only in this repository.

fatal: unable to auto-detect email address (got 'Jiya@LAPTOP-AQHB88QUE.(none)')
PS C:\Users\Jiya\OneDrive\Desktop\Threatshield AI> git config --global user.email "28018088@charusat.edu.in"
PS C:\Users\Jiya\OneDrive\Desktop\Threatshield AI> git config --global user.name "jiya18patel"
PS C:\Users\Jiya\OneDrive\Desktop\Threatshield AI> git commit -m "Week 1: React setup, Tailwind, routing, 7 page shells"
main (root-commit) 74d5127 Week 1: React setup, Tailwind, routing, 7 page shells
23 files changed, 3476 insertions(+)
create mode 100644 frontend/.gitignore
create mode 100644 frontend/README.md
create mode 100644 frontend/eslint.config.js
create mode 100644 frontend/index.html
create mode 100644 frontend/package-lock.json
create mode 100644 frontend/package.json
create mode 100644 frontend/public/favicon.svg
create mode 100644 frontend/public/icons.svg
create mode 100644 frontend/src/App.css
create mode 100644 frontend/src/App.jsx
create mode 100644 frontend/src/assets/hero.png
create mode 100644 frontend/src/assets/react.svg
create mode 100644 frontend/src/assets/vite.svg
create mode 100644 frontend/src/index.css
create mode 100644 frontend/src/main.jsx
create mode 100644 frontend/src/pages/aiChat.jsx
create mode 100644 frontend/src/pages/dashboard.jsx
create mode 100644 frontend/src/pages/emailscan.jsx
create mode 100644 frontend/src/pages/filescan.jsx
create mode 100644 frontend/src/pages/login.jsx
create mode 100644 frontend/src/pages/reports.jsx
create mode 100644 frontend/src/pages/uriscan.jsx
create mode 100644 frontend/vite.config.js
PS C:\Users\Jiya\OneDrive\Desktop\Threatshield AI> git remote add origin https://github.com/jiya18patel/ThreatShield-AI-5th-sem-SGP
PS C:\Users\Jiya\OneDrive\Desktop\Threatshield AI> git branch -M main
PS C:\Users\Jiya\OneDrive\Desktop\Threatshield AI> git push -u origin main
info: please complete authentication in your browser...
PS C:\Users\Jiya\OneDrive\Desktop\Threatshield AI> git push -u origin main
info: please complete authentication in your browser...
Enumerating objects: 30, done.
Counting objects: 100% (30/30), done.
Delta compression using up to 12 threads
Compressing objects: 100% (28/28), done.
Writing objects: 100% (30/30), 47.15 KiB | 1.63 MiB/s, done.
Total 30 (delta 7), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (7/7), done.
To https://github.com/jiya18patel/ThreatShield-AI-5th-sem-SGP
 * [new branch]    main -> main
branch 'main' set up to track 'origin/main'.
PS C:\Users\Jiya\OneDrive\Desktop\Threatshield AI> -|
```