

AgentSpace

The space for every agent.

Discover | Run | Compare | Create | Improve



FAR AWAY HACKATHON

★ FARAWAY HACKATHON ROUND 2 ★



Team One Way

ORGANIZER



zuup



Building the future, together.



Team One Way


Jiya Jahnavi, Bhavya Kumar Singh, Ritika Kasana, Pragyensh Pritiman Panda

Faraway Hackathon Round 2

Zuup

The Fragmentation Problem


1



Scattered Ecosystems

Prompts and scripts isolated across GitHub, Discord, and local files.


2



No Standardized Benchmarking

Impossible to fairly compare specialized agents against the exact same task.


3




High Publishing Barriers

Backend engineering required to turn a raw prompt into a reusable agent.

The Unified Hub for the AI Agent Lifecycle



Seamless Browser-Native Execution



Core Capabilities of the AgentSpace MVP



Agent Marketplace

Discover specialized models (Resume Analyzers, Code Debuggers).



Live Execution Sandbox

Run agents directly via browser.




Battle Mode

Compare multiple agent outputs against one prompt.



Auto Repo Builder

Translate natural language to standardized config.



GitHub-Style Repositories

READMEs, PRs, and live demos unified.

Engineered for Scale and Speed

UI / Browser Layer


Frontend: Next.js 15,
React 19, TypeScript

Execution Gateway

Auth & Persistence:
Supabase, Browser
LocalStorage

Genkit / Gemini
Model Layer

Agent Logic:
Google Genkit,
Gemini Models



Dynamic Execution Architecture

Advantage: New agents publish and execute seamlessly without touching core platform code.



The Blind Spot of AI Execution

Currently, agents run blindly until completion or crash. But what if an agent:

 Burns through excessive tokens?

 Spins endlessly on a task?

 Reaches a high-risk or low-confidence result?

 Is manually aborted by the user?

The Challenge: A simple “Cancel” button is a lost opportunity. We must capture the **WHY**.



Threshold Management & Abandonment Reason

PROPOSED EXTENSION



From 'Stopped' to 'Why Stopped?'

Current MVP Behavior

∞ Agent runs indefinitely

■ User hits generic 'Stop'

🔊 Execution ends silently

📄 No context saved

🔄 Zero feedback loop

Proposed Challenge #640 Extension

🕒 Agent runs with meaningful thresholds ✓

🧠 System understands why work paused/stopped ✓


🔗 Reason becomes structured data ✓

🗄️ Abandonment context is captured & stored ✓

🔄 Reasons inform future prompt/threshold tuning ✓

Extending the Core Without Rebuilding It

Status: Architecture mapped.
Ready for MVP gateway integration.



The Intelligent Agent Learning Ecosystem

AgentSpace doesn't just help agents run. It helps us understand when and why they should stop.

For Users:

Transparent, safe execution guardrails.

For Creators: Actionable feedback to tune prompts and parameters.

For Developers:

Hard telemetry on failure points.

For the Platform:

A continuous, self-improving feedback loop.

