```
#include <stdio.h>
int main() {
    int num = 7;
    for (int i = 0; i < 10; i++) {
        if (i % 2 == 0) {
            num++;
        } else {
            num--;
            num += 10;
        }
    }
    printf("Link NO %d", num);
    return 0;
}</pre>
```

Output: ????????

pigglywiggly pigglywiggly pigglywiggly pigglywiggly pigglywiggly pigglywiggly pigglywiggly pigglywiggly pigglywiggly pigglywiggly

- pigglywiggly
- pigglywiggly
- pigglywiggly
- pigglywiggly
- pigglywiggly
- pigglywiggly
- pigglywiggly
- pigglywiggly
- pigglywiggly
- pigglywiggly
- pigglywiggly
- pigglywiggly
- pigglywiggly
- pigglywiggly pigglywiggly
- pigglywiggly
- P-00-1 ---00-1
- pigglywiggly

- pigglywiggly
- pigglywiggly
- pigglywiggly
- pigglywiggly
- pigglywiggly
- pigglywiggly
- pigglywiggly
- pigglywiggly
- pigglywiggly
- pigglywiggly
- pigglywiggly
- 1-1-00-1 ---- 1
- pigglywiggly
- F-88-7 ----88-7
- pigglywiggly
- pigglywiggly