DSC 148: Homework 3

February 1, 2023

Instructions

Please submit your solution **by the beginning of the week 7 lecture (8:00 AM PT, Feb 21)**. Submissions should be made on **gradescope**. Please complete homework **individually**. Please include the code of your solutions in the submission with a write-up describing how to run the code.

You are allowed to use any third-party libraries.

You will need the following files for this Homework:

Iris.csv (available on canvas)

1. **DBSCAN Algorithm (10 points):**
Consider the following figure:



Figure 1: Points

There are 5 points: A, B, C, D, E. The distance matrix between these points is as follows:

	A	B	C	D	E
A	0	2	2	5	6
B	2	0	2	3	7
C	2	2	0	3	6
D	5	3	3	0	7
E	6	7	6	7	0

Table 1: Distance matrix

If we cluster the above points using the DBSCAN algorithm with $\epsilon = 4$ and `minimum points` $= 3$,

(a) (5 points) How many clusters are formed? Draw the outline of your clusters. Explain your reasoning.

(b) (5 points) With respect to the above figure, state one advantage of DBSCAN over k-means algorithm.

2. **Association Rule Mining (20 points):** Consider the following table:

Id	Movies watched
1	Titanic, A star is born, Crazy Rich Asians
2	Titanic, Inception, Crazy Rich Asians
3	Titanic, Crazy Rich Asians, Avatar, Iron Man
4	A star is born, Inception, Crazy Rich Asians, Avengers
5	A star is born, Inception, Crazy Rich Asians, Avatar, Avengers

Table 2: Movies

(a) (10 points) Find all frequent patterns (i.e., movie combinations) whose support ≥ 0.5.
Hint: A single movie is also considered a combination.

(b) (10 points) Find all the rules `(X -> Y) (s, c)` where `s` represents support and `c` represents confidence such that `s` ≥ 0.5, `c` ≥ 0.6.

3. **PCA (20 points):** Consider the following two plots. These are plots of training data points X in $\mathbb{R}^2$ belonging to 2 classes.



Figure 2: Dataset-1



Figure 3: Dataset-2

Answer the following questions for each dataset.

(a) (10 points) Draw all two principal components in the picture (you can take a screenshot). You are expected to draw the rough directions of the principal components instead of accurate computations. **Hint**: There are 2 principal components for each dataset.

(b) (10 points) After projecting all the points onto one of the principal components, is it possible to correctly classify all the points by just a threshold function? If yes, which principal component should we project onto and why? If no, please explain your reasoning.
Hint: Classifying with respect to a threshold function means you just need a threshold to classify them. For example,

if $x < 0.64$ **then**
predict label-1
else
predict label-0
end if

Here 0.64 is considered as the threshold.

4. **PCA, k-Means and GMM clustering (50 points):**

In this question, we will using the Iris dataset to predict `Species` of the iris plant. ('Iris.csv' in Canvas)

(a) (5 points) In the data preparation step do the following:

(i) Split data into features (X) and label (y). Our label is the column `Species` and features include all the other columns except `Species` and `Id`.

(ii) Standardize the features (X_standardized) by removing the mean (i.e mean=0) and scaling to unit variance. (Hint: use `sklearn.preprocessing.StandardScaler()`)

(b) (15 points) Project the 4-dimensional standardized data (X_standardized) onto 2 dimensions using PCA (`sklearn.decomposition.PCA()`). Visualize the scatterplot of the first two principal components of the data. In the scatterplot assign each data point a color based on its species with the following dictionary:

`{'Iris-setosa':'r', 'Iris-versicolor':'g', 'Iris-virginica':'b'}`.

(c) (10 points) Cluster the 4-dimensional standardized data (X_standardized) into 3 clusters using GMM clustering. Score the clustering accuracy with `sklearn.metrics.cluster.adjusted_rand_score()`. (Hint: use `sklearn.mixture.GaussianMixture()`)

(d) (10 points) Cluster the 4-dimensional standardized data (X_standardized) into 3 clusters using K-means clustering. Score the clustering accuracy with `sklearn.metrics.cluster.adjusted_rand_score()`. (Hint: use `sklearn.cluster.KMeans()`)

(e) (10 points) Briefly compare the result from part (c) and part (d). Explain why Gaussian Mixture algorithm performs better than k-Means algorithm.

Suggested reading: http://scikit-learn.org/stable/modules/generated/sklearn.metrics.adjusted_rand_score.html