OPUS – Health Quality of Life Index

The Orthotics and Prosthetics User's Survey (OPUS) is a subjective patient questionnaire that consists of five sections and is used to assess multiple facets of life for prosthesis or orthosis users. The Health Quality of Life Index will assess aspects pertaining to your quality of life and social perceptions as an individual with prostheses or orthoses.

Please select the response that most closely reflects your opinion.

		Not at all	A little	A fair amount	A great deal	Excessively
		4	3	2	3	0
1.	How much do you keep to yourself to avoid people's reactions to a missing body part or your need for a device?					
2.	To what extent do you find that people's attitudes toward your physical condition are insulting?					
3.	To what extent are you prevented from doing what you want to do because of social attitudes, the law, or environmental barriers?					

4.	How much does pain interfere with your activities (including both work outside the home and household duties)?			
5.	To what extent do you accomplish less than you would like because of your physical condition?			
6.	To what extent do you accomplish less than you would like because of emotional problems?			
7.	How much does your physical condition restrict your ability to run errands?			
8.	How much does your physical condition restrict your ability to pursue a hobby?			
9.	How much does your physical condition restrict your ability to do chores?			

10. How much does your physical condition restrict your ability to do paid work?								
11. To what extent have you cut down on work or other activities because of your physical condition?								
12. To what extent have you cut down on work or other activities because of emotional problems?								
During the past week, how often have you								
During the past week	, how often	have you						
During the past week	All of the time	Most of the time	Some of the time	A little of the time	None of the time			
During the past week	All of	Most of	Some of					
During the past week 13. felt full of life?	All of the time	Most of the time	Some of the time	the time	time			
	All of the time	Most of the time	Some of the time	the time	time			
13. felt full of life? 14. felt calm and	All of the time	Most of the time	Some of the time	the time	time			
13. felt full of life?14. felt calm and peaceful?15. had a lot of	All of the time	Most of the time	Some of the time	the time	time			
13. felt full of life?14. felt calm and peaceful?15. had a lot of energy?	All of the time	Most of the time	Some of the time	the time	time			
13. felt full of life?14. felt calm and peaceful?15. had a lot of energy?	All of the time 4 □ □ □	Most of the time 3 □ □	Some of the time 2 □ □ □	the time 1 □ □ □	time 0 □ □ □ □			

18. felt so down in the dumps that nothing could cheer you up?							
19. felt downhearted and depressed?							
20. felt worn out?							
21. felt tired?							
22. been easily bothered or upset?							
23. had difficulty concentrating or paying attention?							
Total Score:							
Interpretation							
The score is represented on a 0-100 scale where 100 represents the highest quality of life and 0 represents the lowest quality of life.							
Minimal Detectable Change (MDC)							
Upper and Lower Extremity Prosthesis, Lower Extremity Orthosis, Orthopedic Shoes: MDC = 7.4.							
Unilateral Lower Limb Amputation: MDC = 9.2.							
These are published values for specific populations and provide guidance if the patient does not have the listed condition.							

Selected References

- 1. Bettoni E, Ferriero G, Bakhsh H, et al. A systematic review of questionnaires to assess patient satisfaction with limb orthoses. *Prosthet Orthot Int.* 2016;40(2):158-169. doi:10.1177/0309364614556836
- 2. Burger H, Franchignoni F, Heinemann AW, et al. Validation of the orthotics and prosthetics user survey upper extremity functional status module in people with unilateral upper limb amputation. *J Rehabil Med.* 2008;40(5):393-399. doi:10.2340/16501977-0183
- Heinemann AW, Bode RK, O'Reilly C. Development and measurement properties of the Orthotics and Prosthetics Users' Survey (OPUS): a comprehensive set of clinical outcome instruments. *Prosthet Orthot Int.* 2003;27(3):191-206. doi:10.1080/03093640308726682
- 4. Jarl GM, Heinemann AW, Norling Hermansson LM. Validity evidence for a modified version of the Orthotics and Prosthetics Users' Survey. *Disabil Rehabil Assist Technol.* 2012;7(6):469-478. doi:10.3109/17483107.2012.667196
- 5. Resnik L, Borgia M. Reliability of outcome measures for people with lower-limb amputations: distinguishing true change from statistical error. *Phys Ther*. 2011;91(4):555-565. doi:10.2522/ptj.20100287