

IVRClaimsDataService

[Service and Endpoint Details](#)

[Field Mapping](#)

[Sample Requests](#)

[Sample Response](#)

[Query](#)

Service and Endpoint Details [↗](#)

Service Name	IVRClaimsDataService
Usage	Retrieve claims from Facets. Supports provider and member lookup
AIP Endpoint	http://<hostname>-localhost:8803/ivrclaimsdataservice/api/bsc/gateway/ivr/claims/details/v1
AIP Cluster	legacybusserv
Packaging	WAR
APICv10 Endpoint	/private/<env>/api/bsc/gateway/ivr/claims/details/v1
SLA	< 2s

Field Mapping [↗](#)

Field	Source Field (see query)
claimNumber	CLAIM_NUMBER
providerId	PROVIDER_ID
providerName	PROVIDER_NAME
billedAmount	BILL_AMT
statusDate	CLAIM_PROCESSED_DT
totalClaimPaidAmount	TOT_PAID_AMT
claimReceivedDate	CLAIM_RECEIVED_DT
claimLastUpdateDate	CLAIM_LAST_UP_DATE
payeeName	CHK_PAYEE_NAME
checkIssueDate	CHK_EFT_DT
checkAmount	CHK_EFT_AMT
checkNumber	CHECK_EFT_INFO

patientResponsibilityAmount	PA_RESP_AMT
allowedAmount	ALLOWED_AMT
deductibleAmount	DED_AMT
coPayAmount	COPAY_AMT
coInsurAmount	COINS_AMT
eobNumber	EOB_NUMBER
eobIssueDate	EOB_ISSUE_DT
status	CLAIM_STATUS
denialCode	DENIAL_CODE
statusCode	CLAIM_STATUS_CODE
isSummary	PAYMENT_SUMMARY_CHECK_IND
payeeType	PAYEE_TYPE <Member, Provider, Other>
isITSClaim	ITS_CLAIM
isPart2CSUD	<Logic based on CLAIM_EXCD_ID, CLAIM_STATUS_CODE>
isFEPDentalClaim	FEP_DENTAL_CLAIM
dateOfService	CLM_DT_OF_SERVICE
checkStatusCode	CHK_STATUS_CODE
providerNpi	PROVIDER_NPI
providerTaxId	PROVIDER_TAXID
subscriberId	SUB_ID
memberSuffix	SUFFIX
memberFirstName	MEM_FIRST_NAME
memberDateOfBirth	MEM_BIRTH_DT
checkAccountNumber	CLM_CHECK_ACCNO
claimTypeCode	CLAIM_TYPE_CD

Sample Requests [🔗](#)

Request for FEP:

```

1 {
2   "requestBody": {
3     "subscriberId": "R50012345",
4     "memberFirstName": "JAMES",
5     "memberDateOfBirth": "1951-01-01",
6     "dateOfServicesFrom": "2023-04-01",
7     "dateOfServicesTo": "2023-04-30"

```

```
8 }  
9 }
```

Sample Response [🔗](#)



ClaimsService... ne.json
09 Apr 2025, 06:34 PM

Query [🔗](#)

A screenshot of a SQL query in a code editor. The query is a complex SELECT statement with multiple joins and subqueries. It includes table names like 'fetchFacetsClai...', 'IVR.sql', and various column names. The query is wrapped in a large SQL block comment.

fetchFacetsClai... IVR.sql
09 Apr 2025, 06:36 PM