Routers Documentation

Response Format

- All API endpoints return data in **JSON**.
- Some routes render **views** (HTML pages), likely using a template engine like EJS.

Standard CRUD API Routes

Each of the following resources exposes a full set of RESTful routes:

Academic Houses

Method	Endpoint	Description
GET	`/academicHouse`	Get all academic houses
GET	`/academicHouse/:id`	Get a specific academic house
POST	`/academicHouse`	Create a new academic house
PUT	`/academicHouse/:id`	Update an academic house by ID
DELETE	`/academicHouse/:id`	Delete an academic house by ID

Students

Method	Endpoint	Description
GET	`/students`	Get all students
GET	`/students/:id`	Get a specific student
POST	`/students`	Create a new student

PUT	`/students/:id`	Update a student by ID
DELETE	`/students/:id`	Delete a student by ID

Subjects

Method	Endpoint	Description
GET	`/subjects`	Get all subjects
GET	`/subjects/:id`	Get a specific subject
POST	`/subjects`	Create a new subject
PUT	`/subjects/:id`	Update a subject by ID
DELETE	`/subjects/:id`	Delete a subject by ID

Teachers

Method	Endpoint	Description
GET	`/teachers`	Get all teachers
GET	`/teachers/:id`	Get a specific teacher
POST	`/teachers`	Create a new teacher
PUT	`/teachers/:id`	Update a teacher by ID
DELETE	`/teachers/:id`	Delete a teacher by ID

Tutors

Method	Endpoint	Description

GET	`/tutors`	Get all tutors
GET	`/tutors/:id`	Get a specific tutor
POST	`/tutors`	Create a new tutor
PUT	`/tutors/:id`	Update a tutor by ID
DELETE	`/tutors/:id`	Delete a tutor by ID

Events

Method	Endpoint	Description
GET	`/events`	Get all events
GET	`/events/:id`	Get a specific event
POST	`/events`	Create a new event
PUT	`/events/:id`	Update an event by ID
DELETE	`/events/:id`	Delete an event by ID

Reports

Method	Endpoint	Description
GET	`/reports`	Get all reports
GET	`/reports/:id`	Get a specific report
POST	`/reports`	Create a new report
PUT	`/reports/:id`	Update a report by ID

DELETE	`/reports/:id`	Delete a report by ID

Student-Subject Relationships

Method	Endpoint	Description
GET	`/student_subject`	Get all student-subject relationships
GET	`/student_subject/:id`	Get a specific relationship
POST	`/student_subject`	Create a new relationship
PUT	`/student_subject/:id`	Update a relationship by ID
DELETE	`/student_subject/:id`	Delete a relationship by ID

Year Codes

Method	Endpoint	Description
GET	`/year_code`	Get all year codes
GET	`/year_code/:id`	Get a specific year code
POST	`/year_code`	Create a new year code
PUT	`/year_code/:id`	Update a year code
DELETE	`/year_code/:id`	Delete a year code

User Routes + Rendered Pages

These routes are defined in `routes/index.js`.

Users (RESTful API)

Method	Endpoint	Description
GET	`/users`	Get all users
GET	`/users/:id`	Get a specific user
POST	`/users`	Create a new user
PUT	`/users/:id`	Update a user by ID
DELETE	`/users/:id`	Delete a user by ID

Rendered Pages

Route	Description
`/`	Root route: "API working!" message
`/assignments`	Render assignments page
`/customerservice`	Render customer service page
`/events`	Render events page
`/timetable`	Render timetable page
`/benes`	Render benefits page
`/login`	Render login page
`/profile`	Render profile page
`/reports`	Render reports page