



## **Methods of Cloud Computing**

### **Winter Term 2018/2019**

### *Practical Assignment No. 3*

**Due: 24.01.2019 23:59**

The primary goal of this assignment is to get familiar with container orchestration and the Infrastructure-as-code paradigm. Two major projects in this field are Kubernetes and Ansible, which you will use to set up and evaluate a small distributed infrastructure of two interdependent HTTP services.

## **0. Prepare Virtual Resources**

In this assignment you will set up a Kubernetes cluster consisting of 3 machines. Prepare 3 virtual machines for this task. The preferred method is to use one of the public cloud platforms you worked with in the previous assignments. If you don't have enough credits left for this, work with virtual machines on your personal computer. Please use an Ubuntu Server 18.04 image for the VMs.

When using VMs in a public cloud, we suggest you open all TCP and ICMP traffic to avoid errors due to firewall settings. If you prefer a restrictive firewall setup, the only ports that you will definitely have to open are 22 (SSH) and whatever port will be used for the frontend HTTP service that you deploy later.

Make sure you have password-less SSH access to the VMs and the SSH user has a password-less sudo prompt. You will need this to properly work with Ansible in the next steps.

# 1. Set up the Kubernetes Cluster

Deploy a [Kubernetes](#) cluster using Ansible. For this task, it is important to get familiar with [Ansible](#), especially how to use the command line tool [ansible-playbook](#) and [Ansible inventory files](#).

Follow these general steps and document the main commands that you use in a file `commands.txt`, which will be part of your solution:

- Make sure you have Ansible version 2.6 installed (which is not the latest version). The easiest way to do this is with the following pip command:
  - `pip install ansible==2.6`
- Clone the [Kubespray repository](#) and checkout the commit tagged as `v2.8.1`
- Create an Ansible inventory file named `hosts.ini`. Use the Ansible documentation and the hints in the README file of the Kubespray repository.
  - Make sure all three of your worker VMs are used as both Kubernetes master and worker nodes
- Run the main Kubespray playbook `cluster.yml` with your inventory file
  - Expect this to take at least 15-20 minutes
  - If the playbook keeps failing or timing out, try to completely re-create your VMs for a fresh start
- When the playbook succeeds, evaluate your Kubernetes cluster by logging into one of your VMs, becoming root, and running `kubectl cluster-info`.
  - Note: with the default Kubespray deployment, you can only access your Kubernetes cluster as the root user from within your VMs. Accessing the cluster directly from your personal computer would require a more advanced configuration.

## **Outputs:**

- `hosts.ini` (Ansible inventory file)
- `commands.txt` (Command listing file)

## 2. Prepare application containers

Now that the Kubernetes cluster is running, it is time to prepare the Docker images that will make up our web services.

Write two Dockerfiles called `frontend.Dockerfile` and `backend.Dockerfile`. Both resulting images should be based on the latest official `nginx` Docker image from Dockerhub and use the files `frontend.nginx.conf` and `backend.nginx.conf` files, respectively, as the Nginx configuration. These files are provided on the ISIS platform for the course.

The frontend Nginx server will be the entrypoint for our webservice. It plays the role of a reverse proxy and forwards requests to the root path (`/`) to a backend server. Besides this, it attaches the header `CC-Frontend-Server` to the HTTP reply, using the hostname as value. The backend Nginx server returns a simple Hello World text message and attaches the HTTP header `CC-Backend-Server` similar to the frontend. Using these two headers we can determine the path that incoming requests take through our deployment. Look at the provided `*.nginx.conf` files to understand their function in more detail.

After locally creating the Docker images, push the images to a public [Dockerhub](#) repository. You can use an existing repository, or create a new one.

Document the commands that you used for creating and uploading the Docker images in the `commands.txt` file from the first task.

### **Outputs:**

- `frontend.Dockerfile`
- `backend.Dockerfile`
- `Extended commands.txt` file (from task 1)

### 3. Deploy the application

The next task is to deploy the web service containers to Kubernetes. To make our deployment easily updateable and usable from the outside, we will use the Ansible module [k8s](#) (short for Kubernetes).

**Important:** To use the k8s module, you need to update your Ansible to the latest version (2.7.5). Do this with the following command:

```
pip install --upgrade ansible
```

This inconvenience is necessary, because Kubespray only works with Ansible version 2.6, while the k8s module only works correctly with the latest version.

Write one single, self-contained Ansible playbook named `cc-webapp.yml` to deploy the entire web application. Do not use any Ansible roles or external playbooks. Make sure the playbook works with the `hosts.ini` inventory file that you created earlier.

The web application deployment must fulfill the following requirements:

- Run in its own Kubernetes namespace (not the default namespace)
- Both the backend and the frontend service consist of one Kubernetes [Deployment](#) object and one [Service](#) object, each.
- Both Deployments should be replicated three-fold.
- Both Deployments should include a readiness probe and a liveness probe that probe the HTTP path `/ready` and check that the `CC-Ready` HTTP header matches the string `Backend` or `Frontend`, respectively.
- The Service object for the backend should be of type `ClusterIP`, while the Service object for the frontend should be of type `NodePort`. This ensures that the frontend service can be reached from the outside.

Hints:

- The tasks in the playbook should be executed only on the first Kubernetes master node (not all of them)
- To work with the k8s module, you need to install the Python module `openshift` on the target nodes. You can do this in your playbook using the Ansible [pip](#) module.
- The backend Service must be named in a way that the frontend service can reach it via DNS. This must match the hostname used in line 24 of the provided `frontend.nginx.conf` file. If you name your Service differently, you can modify the config file and re-create your containers.

Execute your playbook with the `ansible-playbook` command. Document this command inside the `commands.txt` file from the previous tasks.

You can verify and debug your deployment and service objects with the `kubectl` tool (e.g. `kubectl get deployment`). Remember to use the `--namespace` parameter. You can also query your web services with commands like `curl` and `wget`.

#### **Outputs:**

- `cc-webapp.yml` (Self-contained Ansible playbook)
- `Extended commands.txt` file (from previous tasks)

## 4. Scale up and Test the Deployment

After verifying that your deployment is running correctly, scale up the frontend and backend deployments manually using the `kubect1` tool. Document the commands used for this in the file `commands.txt`.

- Hint: Remember that the `kubect1` only works correctly as the root used on one of your VMs

Find out the node port chosen by Kubernetes to export your frontend services on the VMs. Document the command used for this in the file `commands.txt`.

Finally, test your deployment with the Python script `test-deployment.py`, which is provided on the ISIS platform of the course. The script should not be modified by you, and invoked with 3 parameters, which are the `host:port` pairs of your VMs, where the port is the node port chosen by Kubernetes to export your service. Document the command for starting the test script in the file `commands.txt`. When the tests succeed, store the output of the script in the file `test-output.txt`.

### **Outputs:**

- `test-output.txt` (Output of the `test-deployment.py` script)
- `Extended commands.txt` file (from previous tasks)

## 5. Submission Deliverables

Use the [OpenSubmit](http://wally175.cit.tu-berlin.de/) system running at <http://wally175.cit.tu-berlin.de/> to submit your solutions. Every group member must register on the OpenSubmit platform, but only one member should submit the final solution. **Select your co-authors when creating a new submission.** Your solution will be validated automatically, you can resubmit your solution multiple times until it passes the tests.

Expected contents of your solution zip file:

- `commands.txt`
  - **1 listing file, 20 points**
- `hosts.ini`
  - **1 Ansible inventory file, 10 points**
- `frontend.Dockerfile`
  - **1 Dockerfile, 3 points**
- `backend.Dockerfile`
  - **1 Dockerfile, 3 points**
- `cc-webapp.yml`
  - **1 Ansible playbook file, 25 points**
- `test-output.txt`
  - **1 text file, 4 points**

*Total points: 65*