Delivering Safety Food

☐ Initial ☐ Verification ☐ Follow-up

Objective: To ensure all employees follow food safety standards procedure that only the safest and highest-quality products are served.

☐ Food safety, Bacteria, and Viruses

- The way you handle any food product can affect both the safety and quality of the food.
- You can have a severe impact on customer health, satisfaction, and the sales of a restaurant though improper food handling.

☐ Food safety

What is food safety?

- Food safety is an effective way of handling, preparing, and storing food in a way that optimally reduces the risk of customers and employees becoming sick from foodborne illness.
- How does food become unsafe? Food can become unsafe to eat through contamination by:
  - **Harmful bacteria or viruses**
  - **Chemicals (if cleaning products are improperly used)**
  - **Foreign objects such as glass, etc.**

☐ Bacteria and viruses

List three ways you can prevent bacteria and viruses from getting on food.

- **Bacteria** are microscopic living organisms that have only one cell. It can be found all over the world including in your body, they're on your skin and in your airways, on food, in water, in the air, even in and on you. Not all bacteria are bad, but some can cause foodborne illness.
- **Viruses** are the smallest of the foodborne microscopic contaminants. Most experts believe that viruses are the most common cause of foodborne illness in the US. The most common foods involved are ready-to-eat foods, like salads, fruits, and contaminated water.

Bad Bacteria & Viruses can make you Ill.

☐ Food storage temperature

It is important for food to be maintained at the proper temperature and there are storage temperatures for frozen, refrigerated and hot products.

- Bacteria can grow on food or spoil food that is not kept at the proper temperature. That is why it is important to follow procedure when cooking and storing food.

- **Keep cold products cold and hot products hot to prevent or slow bacteria growth.**
  - **What is danger zone Temperature?**
    40ºF to 140ºF. Foods such as meat, chicken, eggs, lettuce, tomatoes, and onions have the potential to support the rapid growth of bacteria when held in this temperature zone. That is why it is important to follow secondary shelf life for products.

    Heat prevents the growth of bacteria. That is why cooked products are kept in the holding cabinets until they are used. They must be kept at an internal temperature of 140°F or above. Heat kills Bacteria.

    Acceptable temperature for:

    ***Chicken products* internal temperature 165ºF-185ºF**

    ***Meat Patties* internal temperature is 155ºF to 170ºF**

    Refrigerated products slow the growth of bacteria
    Refrigerated products must be kept at 34ºF to 38ºF. Never mix the raw products and cooked food. Products Receiving temperature is 40ºF or below.

    Freezer products stop the growth of bacteria.
    Products must be kept at temperatures of 0ºF to 10ºF or -18ºC to -23ºF. Products receiving temperature is 10ºF or 12ºC or below

Basic Hygiene

What health conditions must you report to your manager because they don't do hygiene practices

- **You must report certain health conditions that relate to the transmission of foodborne illness.**
  - When you are sick you are at a higher risk of transferring bacteria to food or others.
  - Call in sick and do not come to work if you are ill.
  - If you are at work and start to feel ill, tell your manager.
    - You cannot work if you are suffering from any of the following health conditions (unless they are caused by a medical condition that a medical provider has confirmed will Diarrhea
    - Vomiting
    - Fever accompanied by a sore throat
    - Cough and/or colds

Delivering Safety Food

☐ Initial ☐ Verification ☐ Follow-up

- **Do not touch or prepare food if you have cuts or sores on your hands.**
  - Open cuts or sores need to be covered with a bandage because they can easily become infected with bacteria, which might be then transferred to food.
  - There should be a hand inspection during or after briefing for each staff to ensure no cuts or sores. This is to avoid any Baladiya concern regarding food safety inside the kitchen.

- **Keep a clean appearance, don't wear any jewelry, and keep fingernails groomed, bath daily**

  - Make sure that your uniform is neat, clean and wrinkle-free, and that you are well-groomed. Means you're wearing uniform accordingly (Tucking in at all times to look more presentable).
  - Do not wear jewelry while at work.
  - Keep fingernails groomed. Long nails can hold bacteria between the nail and the skin, which could then be transferred to food when you touch it. They can also cause tears or cut holes in disposable gloves.
  - Wear armbands if your skin hair is long.
  - Ensure that you keep your beard always shaved to be more presentable to customers.

- **Keep hair short and restrained under your hat.**
  - Long hair that hangs loosely has the potential of getting into food during preparation. Though this is not a food safety issue, it can impact customer satisfaction.

☐ Hand washing

Demonstrate how to properly wash hands. List three instances when hands need to be washed.

- **The first step.**
  - When starting work wash hands for 20 seconds with KG8/KG8.1. This helps remove bacteria and viruses that may be on your hands.
  - If your hands become contaminated with harmful bacteria or viruses, you can pass the contamination on to any surface of food you touch. Safe food handling begins with clean hands.

- **Wash your hands at least once every hour.**

Proper and frequent hand washing is the key activity in promoting good food-handling procedures and serving safe food.

Hand washing is required:

1. At least once every half an hour (Store should provide a magnetic digital timer to help remind managers and staff in times of busy operation)
2. After using the restroom
3. Before starting work
4. If you leave and then return to work at a food preparation area
5. After taking a break
6. After handling garbage, mopping, or cleaning
7. After picking something up off the floor
8. After touching your face, your hair, or your clothes
9. Before going to a workstation and putting on disposable gloves
10. After handling money

Cross contamination

- Cross contamination occurs when a raw food product meets a cooked or ready-to-eat food product. Prevention of cross contamination is a fundamental part of ensuring food safety.



Do not use blue gloves that you used for laying raw beef patties or Raw Eggs, this will cause bacteria transfer.

- **You can prevent cross contamination by:**
  - Wearing blue disposable gloves when handling raw products at the grill or fried products stations.
  - Using dedicated tools (for example using the tweezer only to break the yolks or remove shell pieces on round eggs).
  - Wash your hands properly.
  - Change the liner of the beef patty every after lay.

Glove Procedures

☐ Using blue disposable gloves

When do blue disposable gloves need to be worn?

- Always wash your hands before going to work at the grill or fryer stations and putting on blue disposable gloves.
- Blue disposable gloves need to be worn when handling raw beef and poultry products (including shell eggs) in order to prevent cross contamination.
- Wear blue disposable gloves at the grill or fryer:
- Blue disposable gloves are only used at the grill or fryer station. You must remove and discard blue disposable gloves using your right thumb and slipped it off in your hands while making sure of no contact with your skin.

☐ Using clear or white disposable gloves

When do clear or white disposable gloves need to be worn?

- Always wash your hands before going to work at the assembly or salad prep areas and putting on clear or white disposable gloves.
- Clear or white gloves need to be worn for any food preparation activities where cooked or ready-to-eat food is touched with your hands. Ready-to-eat foods are foods that will be served to customers without any further cooking or heating.

Delivering Safety Food

☐ Initial ☐ Verification ☐ Follow-up

Table servers should also wear gloves.

- **Wear clear or white disposable gloves when working at the assembly or salad prep areas:**
  - When you are toasting buns, assembling and wrapping sandwiches, and packing food.
  - When you are preparing salads or presorting lettuce.
  - When doing back up for the on the side sauce like honey mustard or BBQ sauce.

- **Clear or white disposable gloves should only be worn at the assembly or salad prep areas. You must remove and discard clear or white disposable gloves:**
  - If, while working at the station, your gloves develop tears or holes or you touch your face or hair, or you must pick something up off of the floor.
  - When you leave the assembly or salad prep areas to do other tasks such as mopping or cleaning, handling garbage, or retrieving stock from the cooler or storage room.
  - When you leave the assembly or salad prep areas to take a break or use the restroom.

Removing and discarding gloves

- **Do not touch the outside of the glove with your bare hand when removing the glove.** When removing gloves follow the illustrations below to avoid cross contamination.



- One-time use disposable gloves: remove the glove by grabbing the glove(s) are the wrist and then tear the glove off so that it turns inside out.
- **If gloves are not available, notify your manager.**

Allergies, Contamination, and Secondary Shelf Life

☐ **Food allergies**

Describe how to avoid cross contact. What should you do if a customer has a question about food allergens?

If a customer has an allergic reaction, call your manager immediately.
Every year food allergies cause thousands of emergency room visits, sometimes resulting in death. As a restaurant employee you should know and follow food safety procedures when you handle, prepare, or serve food.

- **The only way to prevent an allergic reaction is to avoid even trace amounts of the allergy-causing food.**
  Although any food can cause a food allergy. There are 8 foods that cause most allergic reactions.

The eight foods most likely to cause allergic reactions are:
1 Milk
2 Tree nuts (like hazelnuts and walnuts)
3 Peanuts
4 Soy products
5 Eggs
6 Wheat
7. Fish
8. Crustacean Shellfish

You can avoid cross contact with food allergens by:
- Assembling sandwiches exactly as ordered and not removing an ingredient after it has already been placed on the sandwich.
- Cooking products in the correct frying vat.

☐ **If a customer has a question regarding food allergens immediately inform your manager.**

☐ **Chemical contamination**

Describe how to avoid chemical contamination.

- Food can become unsafe to eat through chemical contamination. By not properly using chemicals in the restaurant, or by improper storage of chemicals, you could cause food to become contaminated.
  - Never spray chemicals around food.
  - Store food at least 6 inches off the floor.
  - Follow instructions on cleaning products.
  - Keep chemicals in their designated storage areas, never around food storage areas.
  - Keep chemicals in properly labeled containers.
- As you gain experience, your trainer will teach you more about handling chemicals and proper cleaning procedures.



☐ **Physical (foreign object) contamination**

Describe how to avoid physical (foreign object) contamination.

- Food can become unsafe through contamination of foreign objects, which can cause injury if they accidentally get into food.
- Examples of foreign objects that can get into food include hair and jewelry. Keep your hair restrained under your hat and avoid wearing jewelry when working with food.
- Avoid creating situations where contamination might occur. For example, cover food properly before storing, keep food cases off the floor, and, if you are working the grill, do not remove carton flaps from meat cases when storing them in the grill-side freezer.

☐ **Secondary shelf life**

What is secondary shelf life?

- Secondary shelf life is the amount of time a product can be held after it is taken from the freezer or refrigerator and before it is used. Once a product has been opened, it stays fresh for a limited time.
- It is important to throw out and waste products that reach their secondary shelf life, because old product will not meet food safety and quality standards.

Delivering Safety Food

☐ Initial ☐ Verification ☐ Follow-up

TEST YOUR KNOWLEDGE

What is the danger zone temperature? (*3pts*.)

What do you mean by danger zone? (*3pts*.)

Below are the ways for preventions for Bacteria and Viruses. Explain how you can apply these in your restaurant. (*3pts. each*)

1. Maintain Cleanliness

2. Cook Food Thoroughly:

3. Avoid Cross-Contamination:

Give at least 5 examples of foods that can be most likely to cause allergic reactions.