HMRC Trader Dress Rehearsal (TDR) Master Requirements Document

Public-source audit pack generated from HMRC and GOV.UK publications reviewed on 2026-03-26.

This document consolidates the official HMRC publications governing the Trader Dress Rehearsal programme that were available in the reviewed public corpus. It includes rule extraction, source traceability, best-practice consolidation, a change-log summary, and an evidence-gap statement for items HMRC does not publish publicly.

Audit Summary

Metric	Value
Total checklist rows / rules	3131
Expanded field-level rules	2466
Cross-field derivation rules	645
Manual/global rules	20
Unique import field definitions	179
Unique export field definitions	147
Unique additional-message field definitions	15

Source-Scope Notes

Official publication inventory scope: The reviewed source set combines public GOV.UK guidance pages with the HMRC Developer Hub technical-documentation bundle that HMRC states is the latest issued pack for external software developers.

Historical-update coverage: The change-log document dated 20 March 2026 was used as the anchor for identifying documents updated since the TDR pilot period began. Individual internal files do not always expose a stand-alone public URL; the audit therefore cites the bundle URL plus the internal file path or worksheet/slide identifier.

Evidence gaps: HMRC does not publish a public consolidated validation-rule count for TDR, nor does it publish traders' zero-error confirmation emails or screenshots. Those quality-gate evidence items remain private-programme artifacts outside the public corpus.

Public-vs-gated documentation: The DSSD references API specifications and XSDs on the Developer Hub. Some API endpoints and example-message pages may require allow-listing or sign-in, but the reviewed public bundle still provides the core completion matrices, path definitions and validation semantics needed for this audit.

1. Mandatory Validation Rules

HMRC validation for TDR submissions is layered. The DSSD describes three gates: XSD schema validation at the API gateway, WAF validation over the whole XML document, and CDS business-rule validation that returns asynchronous DMSREJ notifications with validationResultType codes.

TDR-R-02467 [Cross-field integrity] Import procedure derivation: declaration type IM, additional declaration type A, and requested procedure 0100 must derive category H1. Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!4. Error pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052.

TDR-R-02468 [Cross-field integrity] Import procedure derivation: declaration type IM, additional declaration type A, and requested procedure 0121 must derive category H1. Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!4. Error pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052.

TDR-R-02469 [Cross-field integrity] Import procedure derivation: declaration type IM, additional declaration type A, and requested procedure 0151 must derive category H1. Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!4. Error pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052.

TDR-R-02470 [Cross-field integrity] Import procedure derivation: declaration type IM, additional declaration type A, and requested procedure 0153 must derive category H1. Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!4. Error pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052.

TDR-R-02471 [Cross-field integrity] Import procedure derivation: declaration type IM, additional declaration type A, and requested procedure 0154 must derive category H1. Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!4. Error pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052.

TDR-R-02472 [Cross-field integrity] Import procedure derivation: declaration type IM, additional declaration type A, and requested procedure 0171 must derive category H1. Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!4. Error pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052.

TDR-R-02473 [Cross-field integrity] Import procedure derivation: declaration type IM, additional declaration type A, and requested procedure 0178 must derive category H1. Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!4. Error pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052.

TDR-R-02474 [Cross-field integrity] Import procedure derivation: declaration type IM, additional declaration type A, and requested procedure 0700 must derive category H1. Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!4. Error pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052.

TDR-R-02475 [Cross-field integrity] Import procedure derivation: declaration type IM, additional declaration type A, and requested procedure 0721 must derive category H1. Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!4. Error pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052.

TDR-R-02476 [Cross-field integrity] Import procedure derivation: declaration type IM, additional declaration type A, and requested procedure 0751 must derive category H1. Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!4. Error pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052.

TDR-R-02477 [Cross-field integrity] Import procedure derivation: declaration type IM, additional declaration type A, and requested procedure 0753 must derive category H1. Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!4. Error pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052.

TDR-R-02478 [Cross-field integrity] Import procedure derivation: declaration type IM, additional declaration type A, and requested procedure 0754 must derive category H1. Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!4. Error pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052.

TDR-R-02479 [Cross-field integrity] Import procedure derivation: declaration type IM, additional declaration type A, and requested procedure 0771 must derive category H1. Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!4. Error pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052.

TDR-R-02480 [Cross-field integrity] Import procedure derivation: declaration type IM, additional declaration type A, and requested procedure 0778 must derive category H1. Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!4. Error pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052.

TDR-R-02481 [Cross-field integrity] Import procedure derivation: declaration type IM, additional declaration type A, and requested procedure 4000 must derive category H1. Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!4. Error pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052.

TDR-R-02482 [Cross-field integrity] Import procedure derivation: declaration type IM, additional declaration type A, and requested procedure 4051 must derive category H1. Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!4. Error pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052.

TDR-R-02483 [Cross-field integrity] Import procedure derivation: declaration type IM, additional declaration type A, and requested procedure 4053 must derive category H1. Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!4. Error pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052.

TDR-R-02484 [Cross-field integrity] Import procedure derivation: declaration type IM, additional declaration type A, and requested procedure 4054 must derive category H1. Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!4. Error pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052.

TDR-R-02485 [Cross-field integrity] Import procedure derivation: declaration type IM, additional declaration type A, and requested procedure 4071 must derive category H1. Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!4. Error pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052.

TDR-R-02486 [Cross-field integrity] Import procedure derivation: declaration type IM, additional declaration type A, and requested procedure 4078 must derive category H1. Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!4. Error pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052.

TDR-R-02487 [Cross-field integrity] Import procedure derivation: declaration type IM, additional declaration type A, and requested procedure 4200 must derive category H1. Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!4. Error pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052.

TDR-R-02488 [Cross-field integrity] Import procedure derivation: declaration type IM, additional declaration type A, and requested procedure 4221 must derive category H1. Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!4. Error pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052.

TDR-R-02489 [Cross-field integrity] Import procedure derivation: declaration type IM, additional declaration type A, and requested procedure 4251 must derive category H1. Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!4. Error pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052.

TDR-R-02490 [Cross-field integrity] Import procedure derivation: declaration type IM, additional declaration type A, and requested procedure 4253 must derive category H1. Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!4. Error pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052.

TDR-R-02491 [Cross-field integrity] Import procedure derivation: declaration type IM, additional declaration type A, and requested procedure 4254 must derive category H1. Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!4. Error pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052.

TDR-R-02492 [Cross-field integrity] Import procedure derivation: declaration type IM, additional declaration type A, and requested procedure 4271 must derive category H1. Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!4. Error pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052.

TDR-R-02493 [Cross-field integrity] Import procedure derivation: declaration type IM, additional declaration type A, and requested procedure 4278 must derive category H1. Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!4. Error pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052.

TDR-R-02494 [Cross-field integrity] Import procedure derivation: declaration type IM, additional declaration type A, and requested procedure 4400 must derive category H1. Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!4. Error pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052.

TDR-R-02495 [Cross-field integrity] Import procedure derivation: declaration type IM, additional declaration type A, and requested procedure 4421 must derive category H1. Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!4. Error pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052.

TDR-R-02496 [Cross-field integrity] Import procedure derivation: declaration type IM, additional declaration type A, and requested procedure 4422 must derive category H1. Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!4. Error pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052.

TDR-R-02497 [Cross-field integrity] Import procedure derivation: declaration type IM, additional declaration type A, and requested procedure 4451 must derive category H1. Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!4. Error pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052.

TDR-R-02498 [Cross-field integrity] Import procedure derivation: declaration type IM, additional declaration type A, and requested procedure 4453 must derive category H1. Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!4. Error pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052.

TDR-R-02499 [Cross-field integrity] Import procedure derivation: declaration type IM, additional declaration type A, and requested procedure 4454 must derive category H1. Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!4. Error pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052.

TDR-R-02500 [Cross-field integrity] Import procedure derivation: declaration type IM, additional declaration type A, and requested procedure 4471 must derive category H1. Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!4. Error pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052.

TDR-R-02501 [Cross-field integrity] Import procedure derivation: declaration type IM, additional declaration type A, and requested procedure 4478 must derive category H1. Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!4. Error pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052.

TDR-R-02502 [Cross-field integrity] Import procedure derivation: declaration type IM, additional declaration type A, and requested procedure 5100 must derive category H4. Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!4. Error pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052.

TDR-R-02503 [Cross-field integrity] Import procedure derivation: declaration type IM, additional declaration type A, and requested procedure 5111 must derive category H4. Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!4. Error pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052.

TDR-R-02504 [Cross-field integrity] Import procedure derivation: declaration type IM, additional declaration type A, and requested procedure 5121 must derive category H4. Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!4. Error pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052.

TDR-R-02505 [Cross-field integrity] Import procedure derivation: declaration type IM, additional declaration type A, and requested procedure 5151 must derive category H4. Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!4. Error pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052.

TDR-R-02506 [Cross-field integrity] Import procedure derivation: declaration type IM, additional declaration type A, and requested procedure 5153 must derive category H4. Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!4. Error pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052.

Recent Change-Log Highlights

CDS_Trade_Test_KEL_20260319

CDS TTM33.0 Scope Guidance 20260320

CDS 03 CDS Codelists and WCO References 5.1.0 v2.55

CDS 03 CDS Codelists & WCO References 5.1.0 v2.54

CDS 03 Declaration TCM for Imports v3.92

CDS TTM33.0 Scope Guidance

CDS_Trade_Test_KEL_20260212

CDS 03 CDS Codelists & WCO References 5.0.0.2 v2.53

Pre 5.0.0 Consolidated Workaround Document

CDS TTM32.0 Scope Guidance 20251204

CDS External TT TDR Scope Guidance

CDS 03 CDS Codelists and WCO References 5.0.0 v2.52

CDS TTM32.0 Scope Guidance 20251120

CDS External TT TDR Scope Guidance

CDS 03 CDS Codelists and WCO References 4.9.0.1 v2.51

CDS External TT TDR Scope Guidance

CDS TTM32.0 Scope Guidance 20251023

CDS 03 CDS Codelists and WCO References 4.9.0.1 v2.50

CDS 03 CDS Codelists and WCO

CDS TTM31.0 Scope Guidance 20250811

CDS 03 CDS Codelists and WCO References 4.8.0.2 v2.48

CDS External TT TDR Scope Guidance

An update is required in Slide 330 and Slide 378 in the Scope Guidance to update the name and location of the Payment Reference within the DMSTAX. Therefore, payment reference ID tag has been changed from <paymentreferenceNumber> to <ReferenceID> in TT TDR Scope guidance document.

CDS 03 CDS Codelists and WCO References 4.8.0.1 v2.47

CDS 03 CDS Codelists and WCO References Intra-release 4.8.0.1 v2.46

CDS External TT TDR Scope Guidance

CDS 03 CDS Codelists and WCO References 4.8.0 v2.45

CDS 03 CDS Codelists and WCO References 4.8.0 v2.44

CDS TTM30.0 Scope Guidance 20250501

CDS External TT TDR Scope Guidance

CDS TTM30.0 Scope Guidance 20250417

CDS 03 CDS Codelists and WCO References 4.8.0 v2.44

CDS 03 CDS Codelists and WCO References 4.6.3.1 v2.43

CDS External TT TDR Scope Guidance

CDS 03 CDS Codelists and WCO References

CDS 03 CDS Codelists and WCO References 4.7.0 v2.4.1

CDS TTM29.0 Scope Guidance 20241217

CDS 03 CDS Codelists and WCO References 4.6.1.1 v2.40

CDS TTM29.0 Scope Guidance 20241112

For the following features, amendments have been made into the scope guidance, although no new guidance or technical details has been changed. The said feature would be getting deployed into production only:

WAF Preventive Rules

GA1: Avoid using semi-colons (;). Replace with commas or spaces. Reason: These are a command and line separator in a number of web programming languages.. Added: v0.1a.

GA2: Avoid the use of the equals sign (=). Reason: Common operator, although not yet known why this is singled-out specifically.. Added: v0.1a.

GA3: Avoid use of forwards slash (/). Reason: Remove the use of / in <goodsDescription> elements. Added: v0.3.

GA4: Avoid the use of SQL Keywords(e.g select insert, delete, update,alter,drop,create,having, between, like and null). Reason: These are SQL keywords. Added: v0.4.

Known WAF Examples

EX1: VALVE - BODY ONLY (= 1/2") Recommendation: Remove the equals sign.. First seen: 2022-10-01.

EX2: ONLY = (Recommendation: Remove the equals sign.. First seen: 2022-10-01.

EX3: BEARING; SELECTOR; POTENTIOMETER Recommendation: Remove the semi-colon after BEARING or use a comma instead.. First seen: 2022-10-31.

EX4: ; DROP LEAF TABLES; Recommendation: Remove one of the semi-colons or use commas instead.. First seen: 2022-11-02.

EX5: ; LOAD TYPE Recommendation: Remove the initial semi-colon. First seen: 2022-11-07.

EX6: ; SELECT WINES OF THE DORDOGNE Recommendation: Remove the initial semi-colon. First seen: 2022-11-07.

EX7: ; LOAD BEARING RSJs Recommendation: Remove the initial semi-colon. First seen: 2022-11-09.

EX8: / Recommendation: Remove / from <goodsDescription> elements. First seen: 2024-06-10.

2. Data-Format Rules

The TCM workbooks, codelists workbook, secure-file-upload guide, WAF bulletin, authorisation guidance and MUCR format note collectively govern data-format constraints. The public HMRC corpus does not publish a single flat table of every format rule, so this section consolidates the formats and references used by the reviewed documents.

Codelist	Referenced fields in extracted
CountryTypes for these items	24
CurrencyTypes for these items	10
CommodityClassificationType for these items	9
SupervisingCustomsOffices for these items	4
nan	4
CountryRegionSubRoleTypes for these items	3
TransportMeansIdentificationTypes for these items	3
ProcedureCombinations for DE 1	3
Y	3
TradeMovementTypes for this item	2
DeclarationTypes for this item	2
MeasureUnitTypes and MeasureUnitQualifiers for these items	2
DeferredPaymentDocuments for these items	2
PartyRoleStatusTypes for these items	2
PartySubRoleTypes for these items	2
PartyRoleAuthorizationTypes for these items	2
VatPartySubRoleTypes for these items	2
ExchangeRateCurrencies for these items	2
LocationTypes for these items	2
LocationIdentificationTypes for these items	2

TDR-R-03123: The secure file-upload service accepts at most 10 files, each up to 10 MB, and only jpeg, pdf, doc, docx, xls, xlsx, or png formats. Reference: CDS Secure File Upload UI User Guide | v0.44 | Section 3.1.5 File Upload. Error pattern: HTTP 413 | BAD_REQUEST.

TDR-R-03124: Avoid %, ?, &, tabs, and other special characters in secure-file-upload filenames because the service may behave unexpectedly. Reference: CDS Secure File Upload UI User Guide | v0.44 | Section 3.1.5 File Upload. Error pattern: BAD_REQUEST | HTTP 403 PAYLOAD_FORBIDDEN | Unexpected file-read failure.

TDR-R-03125: Avoid semicolons, equals signs, slash characters in goods descriptions, and SQL-keyword patterns in free text because these combinations are known WAF triggers. Reference: WAF Trigger Examples | v0.4 | General Advice tab (GA1-GA4). Error pattern: HTTP 403 PAYLOAD_FORBIDDEN | HTTP 500 INTERNAL_SERVER_ERROR.

TDR-R-03126: MUCR values must match HMRC's published CDS MUCR formats, contain no more than one hyphen, and MRNs must not be submitted as export movements. Reference: CDS Guidance for Software Developers - MUCR Format | Baselined | Sections 2 and 4 Appendix. Error pattern: MUCR reference is invalid | DMSREJ / ILE NAK.

TDR-R-03127: Authorisation references declared in DE 2/3 and DE 3/39 must match HMRC-published CDS authorisation formats for the declared authorisation type. Reference: CDS Guidance for Software Developers - Validation of Authorisations | v1.9 | Authorisations Table. Error pattern: CDS12005 | CDS12006 | CDS12007.

TDR-R-03129: The Accept header must target the TDR API version for each subscribed CDS API, including Customs Declarations API v1.0 in TDR. Reference: Developer set up | Customs Declarations End-to-End Service Guide | Web page | API versioning. Error pattern: HTTP 406 Not Acceptable.

TDR-R-03130: TDR should be used for realistic, day-in-the-life declaration proving with real account data, not for performance or exploratory technical testing. Reference: CDS RunBook | v4.3 | Slide 17 Guidance / Slide 2 Connecting to TDR. Error pattern: Support escalation / misuse risk.

TDR-R-03131: Submission planning must account for HMRC's published service-availability notices, planned maintenance windows, and queued-processing warnings. Reference: Customs Declaration Service: service availability and issues | Web page | Current and historical update entries. Error pattern: Service queueing / delayed processing.

3. Field-Level Requirements

The following tables consolidate field metadata from the import, export and additional-message completion matrices. Each field retains its XML path, scope level, cardinality, data format, linked codelist (where identifiable from HMRC text), and conditional obligation matrix.

Import Field Catalog (sampled in PDF)

DE/Path	Field	XML path	Lvl	Card.	Fmt	Code list	Obligations
1/1	Declaration Type	Declaration/TypeCode	H	1x	a2	TradeMovementTypes for this item	H1=M; H2=M; H3=M; H4=M; H5=M; H
1/2	Additional Declaration Type	Declaration/TypeCode	H	1x	a1	DeclarationTypes for this item	H1=M; H2=M; H3=M; H4=M; H5=M; H
1/6	Goods Item Number	Declaration/ GoodsShipment/ GovernmentAgencyGoodsItem/ SequenceNumeric	H	1x	n..2 Cannot be 0		H1=M; H2=M; H3=M; H4=M; H5=M; H
1/8	Signature/Authorisation	Paper Declaration Only	H	1x	N/A		H1=M - Paper Declaration; H2=M - Pa
1/9	Total Number of Items	Declaration/GoodsItemQuantity	H	1x	n..3 Cannot be 0		H1=M; H2=M; H3=M; H4=M; H5=M; H
1/10	Procedure	Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ GovernmentProcedure/	H	1x	-		H1=M; H2=M; H3=M; H4=M; H5=M; H
1/10	Procedure - Requested Procedure Code	Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ GovernmentProcedure/ CurrentCode	H	1:1	an2	RequestedProcedures	H1=M; H2=M; H3=M; H4=M; H5=M; H
1/10	Procedure - Previous Procedure Code	Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ GovernmentProcedure/ PreviousCode	H	1:1	an2	PreviousProcedures	H1=M; H2=M; H3=M; H4=M; H5=M; H
1/11	Additional Procedure	Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ GovernmentProcedure/ CurrentCode	H	99x	an3	SpecialProcedures	H1=M; H2=M; H3=M; H4=M; H5=M; H
2/1	Simplified Declaration / Previous Document	Declaration/GoodsShipment/ PreviousDocument	H	99x	..(8)	GovernmentAgencyGoodsItem/ PreviousDocument	H1=M; H2=M; H3=M; H4=M; H5=M; H
2/1	Simplified Declaration / Previous Document - Category	Declaration/GoodsShipment/ PreviousDocument/ CategoryCode	H	1:1	a1	GovernmentAgencyGoodsItem/ PreviousDocument/ Category	H1=M; H2=M; H3=M; H4=M; H5=M; Categ
2/1	Simplified Declaration / Previous Document - Type	Declaration/GoodsShipment/ PreviousDocument/ TypeCode	H	1:1	an3	GovernmentAgencyGoodsItem/ PreviousDocument/ Type	H1=M; H2=M; H3=M; H4=M; H5=M; Type Code=
2/1	Simplified Declaration / Previous Document - ID	Declaration/GoodsShipment/ PreviousDocument/ ID	H	1:1	an..35	GovernmentAgencyGoodsItem/ PreviousDocument/ ID	H1=M; H2=M; H3=M*; H4=M*; H5=M
2/1	Simplified Declaration / Previous Document - Line Number	Declaration/GoodsShipment/ PreviousDocument/ LineNumeric	H	1:1	n..3	GovernmentAgencyGoodsItem/ PreviousDocument/ LineNumeric	H1=O; H2=O; H3=O; H4=O; H5=O; He
2/2	Additional Information	Declaration/ AdditionalInformation	H	99x	-	GovernmentAgencyGoodsItem/ AdditionalInformation	H1=D (H) D (I); H2=D (H) D (I); H3=D
2/2	Additional Information - Code	Declaration/ AdditionalInformation/ StatementCode	H	1:1	an5	GovernmentAgencyGoodsItem/ AdditionalInformation/ StatementCode	H1=M; H2=M; H3=M; H4=M; H5=M; Co
2/2	Additional Information - Description	Declaration/ AdditionalInformation/ StatementDescription	H	1:1	an..512	GovernmentAgencyGoodsItem/ AdditionalInformation/ StatementDescription	H1=D; H2=D; H3=D; H4=D; H5=D; He
2/3	Documents produced, certificates and authorisations, additional references	Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ AdditionalDocument	H	99x	-		H1=D; H2=M; H3=M; H4=M; H5=D; H
8/7	Writing Off - Issuing Authority	Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ AdditionalDocument/ Submitter/ Name	H	1:1	an..70		H1=D; H2=NA; H3=NA; H4=NA; H5=N
8/7	Writing Off - Date of Validity	Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ AdditionalDocument/ EffectiveDateTime	H	1:1	n..8		H1=D; H2=NA; H3=NA; H4=NA; H5=N
8/7	Writing Off - Quantity	Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ AdditionalDocument/ WriteOff/ QuantityQuantity	H	1:1	n..16.6		H1=D; H2=N/A; H3=N/A; H4=N/A; H5=
8/7	Writing Off - Measurement Unit Qualifier	Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ AdditionalDocument/ WriteOff/ QuantityQuantityUnitQualifier	H	1:1	an..5		H1=D; H2=N/A; H3=N/A; H4=N/A; H5=
2/4	Reference Number / UCR	Declaration/ GoodsShipment/ UCR/ TraderAssignedReferenceID	H	1:1	an..35	GovernmentAgencyGoodsItem/ GoodsShipment/ UCR	H1=O; H2=O; H3=O; H4=O; H5=O; Refe
2/5	LRN	Declaration/ FunctionalReferenceID	H	1x	an..22		H1=M; H2=M; H3=M; H4=M; H5=M; H
2/6	Deferred Payment	Declaration/ AdditionalDocument	H	2x	-		H1=D; H2=N/A; H3=D; H4=D; H5=D;
2/6	Deferred Payment - Deferred Payment ID	Declaration/ AdditionalDocument/ID	H	1:1	n7		H1=M*; H2=M*; H3=M*; H4=M*; H5=M
2/6	Deferred Payment - Deferred Payment Category	Declaration/ AdditionalDocument/ CategoryCode	H	1:1	n..1	DeferredPaymentDocuments	H1=M*; H2=M*; H3=M*; H4=M*; H5=M
2/6	Deferred Payment - Deferred Payment Type	Declaration/ AdditionalDocument/ TypeCode	H	1:1	AN..3	DeferredPaymentDocuments	H1=M*; H2=M*; H3=M*; H4=M*; H5=M
2/7	Identification of Warehouse	Declaration/GoodsShipment/ Warehouse	H	1x	-		H1=D; H2=M; H3=D; H4=D; H5=D; H
2/7	Identification of Warehouse - Warehouse Type	Declaration/GoodsShipment/ Warehouse/ TypeCode	H	1:1	a1	CustomsWareHouseTypes	H1=M*; H2=M*; H3=M*; H4=M*; H5=M
2/7	Identification of Warehouse - Warehouse Identification	Declaration/GoodsShipment/ Warehouse/ ID	H	1:1	an..35		H1=M*; H2=M*; H3=M*; H4=M*; H5=M
3/1	Exporter - Name	Declaration/ Exporter/ Name	H	1:1	an..70	GovernmentAgencyGoodsItem/ Consignor/ Name	H1=D; H2=N/A; H3=D; H4=D; H5=D;
3/1	Exporter - Street and Number	Declaration/ Exporter/ Address/ Line	H	1:1	an..70	GovernmentAgencyGoodsItem/ Consignor/ Address/ Line	H1=D; H2=N/A; H3=D; H4=D; H5=D;
3/1	Exporter - City	Declaration/ Exporter/ Address/ CityName	H	1:1	an..35	GovernmentAgencyGoodsItem/ Consignor/ Address/ CityName	H1=D; H2=N/A; H3=D; H4=D; H5=D;
3/1	Exporter - Country	Declaration/ Exporter/ Address/ CountryCode	H	1:1	a2	GovernmentAgencyGoodsItem/ Consignor/ Address/ CountryCode	H1=D; H2=N/A; H3=D; H4=D; H5=D;
3/1	Exporter - Postcode	Declaration/ Exporter/ Address/ PostcodeID	H	1:1	an..9	GovernmentAgencyGoodsItem/ Consignor/ Address/ PostcodeID	H1=D; H2=N/A; H3=D; H4=D; H5=D;

DE/Path	Field	XML path	Lvl	Card.	Fmt	Code list	Obligations
3/2	Exporter Identification No.	Declaration/ Exporter/ ID Declaration/ GoodsShipment/ GovernmentAgencyGoodsItem/ Consignor/ ID	H	1:1	an..17		H1=D; H2=N/A; H3=D; H4=D; H5=D;
3/15	Importer - Name	Declaration/ GoodsShipment/ Importer/ Name	H	1:1	an..70		H1=D; H2=D; H3=D; H4=D; H5=D; H8
3/15	Importer - Street and Number	Declaration/ GoodsShipment/ Importer/ Address/ Line	H	1:1	an..70		H1=D; H2=D; H3=D; H4=D; H5=D; H8
3/15	Importer - City	Declaration/ GoodsShipment/ Importer/ Address/ CityName	H	1:1	an..35		H1=D; H2=D; H3=D; H4=D; H5=D; H8
3/15	Importer - Country	Declaration/ GoodsShipment/ Importer/ Address/ CountryCode	H	1:1	a2 Must be Upper Case	CountryTypes for these items	H1=D; H2=D; H3=D; H4=D; H5=D; H8
3/15	Importer - Postcode	Declaration/ GoodsShipment/ Importer/ Address/ PostcodeID	H	1:1	an..9		H1=D; H2=D; H3=D; H4=D; H5=D; H8
3/16	Importer Identification No.	Declaration/ GoodsShipment/ Importer/ ID	H	1:1	an..17		H1=D; H2=D; H3=D; H4=D; H5=D; H8
3/17	Declarant - Name	Declaration/ Declarant/ Name	H	1:1	an..70		H1=D; H2=D; H3=D; H4=D; H5=D; H8
3/17	Declarant - Street and Number	Declaration/ Declarant/ Address/ Line	H	1:1	an..70		H1=D; H2=D; H3=D; H4=D; H5=D; H8

Only the first 45 rows are printed in the PDF section for readability. The full expanded rule set is embedded in the CSV/XLSX deliverables and the raw JSON export.

Export Field Catalog (sampled in PDF)

DE/Path	Field	XML path	Lvl	Card.	Fmt	Code list	Obligations
1/1	Declaration type	Declaration/TypeCode	H	1x	a2	TradeMovementTypes for this item	B1=M; C1=M; B2=M; B4=M; C21E=M
1/2	Additional Declaration type	Declaration/TypeCode	H	1x	a1	DeclarationTypes for this item	B1=M; C1=M; B2=M; B4=M; C21E=M
1/6	Goods item number	Declaration/ GoodsShipment/ GovernmentAgencyGoodsItem/ SequenceNumber	H	1:1	n..2 Declaration/Consignment/ConsignmentItem/		B1=M; C1=M; B2=M; B4=M; C21E=M
1/7	Specific circumstance indicator	Declaration/SpecificCircumstancesCodeCode	H	1x	an3	SpecificCircumstanceTypes for this item	B1=O; C1=O; B2=O; B4=O; C21E=O;
1/8	Signature/Authentication	Paper Declaration Only	H	N/A	N/A		B1=D; C1=D; B2=D; B4=D; C21E=D;
1/9	Total number of items	Declaration/GoodsItemQuantity	H	1x	n..3 Cannot be 0		B1=M; C1=M; B2=M; B4=M; C21E=M
1/10	Procedure	Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ GovernmentProcedure/	H	1x	-		B1=M; C1=M; B2=M; B4=M; C21E=M
1/10	Procedure - Requested Procedure Code	Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ GovernmentProcedure/ CurrentCode	H	1:1	an2	ProcedureCombinations for this item	B1=M; C1=M; B2=M; B4=M; C21E=M
1/10	Procedure - Previous Procedure Code	Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ GovernmentProcedure/ PreviousCode	H	1:1	an2	ProcedureCombinations for this item	B1=M; C1=M; B2=M; B4=M; C21E=M
1/11	Additional Procedure	Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ GovernmentProcedure/ CurrentCode	H	99x	an3	ProcedureCombinations for this item	B1=M; C1=M; B2=M; B4=M; C21E=M
2/1	Simplified declaration / Previous Document	Declaration/GoodsShipment/ PreviousDocument Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ PreviousDocument	H	99x (n)	an..99		B1=D (H) D (I); C1=M (H) O (I); B2=
2/1	Simplified declaration / Previous Document - Category	Declaration/GoodsShipment/ PreviousDocument/ CategoryCode	H	1:1	a1 Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ PreviousDocument/	ExportDocumentCategoryCodes	B1=M; C1=M; B2=M; B4=M; C21E
2/1	Simplified declaration / Previous Document - Type	Declaration/GoodsShipment/ PreviousDocument/ TypeCode	H	1:1	an3 Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ PreviousDocument/	ExportPreviousDocumentTypes	B1=M; C1=M; B2=M; B4=M; C21E
2/1	Simplified declaration / Previous Document - Reference	Declaration/GoodsShipment/ PreviousDocument/ ID Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ PreviousDocument/	H	1:1	an..35		B1=M; C1=M; B2=M*; B4=M*; C21E
2/1	Simplified declaration / Previous Document - Line	Declaration/GoodsShipment/ PreviousDocument/ LineNumeric	H	1:1	n..6 Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ PreviousDocument/		B1=O; C1=O; B2=O; B4=O; C21E=O
2/2	Additional information	Declaration/ AdditionalInformation Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ AdditionalInformation	H	99x	-		B1=D (H) D (I); C1=D (H) D (I); B2=D
2/2	Additional information - Code	Declaration/ AdditionalInformation/ StatementCode Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ AdditionalInformation/	H	1:1	an3	ExportSpecialMentionAdditionalInformationCodes	B1=M; C1=M; B2=M; B4=M; C21E
2/2	Additional information - Description	Declaration/ AdditionalInformation/ StatementDescription	H	1:1	an..70 Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ AdditionalInformation/		B1=D; C1=D; B2=D; B4=D; C21E=D
2/3	Documents produced, certificates and additional references	Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ AdditionalDocument	H	99x	-		B1=D; C1=D; B2=M; B4=D; C21E=D;
8/7	Writing Off - Date of Validity	Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ AdditionalDocument/ EffectiveDateTime	H	1:1	n8		B1=D; C1=D; B2=D; B4=D; C21E=O;
8/7	Writing Off - Issuing Authority	Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ AdditionalDocument/ Submitter/ Name	H	1:1	an..70		B1=D; C1=D; B2=D; B4=D; C21E=O;
8/7	Writing Off - Measurement Unit Qualifier	Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ AdditionalDocument/ WriteOff/ MeasurementUnitQualifier	H	1:1	an..5	UnitQualifiers	B1=D; C1=D; B2=D; B4=D; C21E=O;
8/7	Writing Off - Quantity	Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ AdditionalDocument/ WriteOff/ QuantityQuantity	H	1:1	n16.6		B1=D; C1=D; B2=D; B4=D; C21E=D;
2/4	Reference number / UCR	Declaration/ GoodsShipment/ UCR/ TraderAssignedReferenceID	H	1:1	an..35 Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/		B1=M; C1=M; B2=M; B4=M; C21E=M
2/5	LRN	Declaration/ FunctionalReferenceID	H	1x	an..22		B1=M; C1=M; B2=M; B4=M; C21E=M
2/7	Identification of warehouse	Declaration/GoodsShipment/ Warehouse	H	1x	-		B1=D; C1=D; B2=NA; B4=D; C21E=D
2/7	Identification of warehouse - Identification	Declaration/GoodsShipment/ Warehouse/ ID	H	1:1	an..35		B1=M*; C1=M*; B2=NA; B4=M*; C21E
2/7	Identification of warehouse - Type	Declaration/GoodsShipment/ Warehouse/ TypeCode	H	1:1	a1	CustomsWarehouseTypes for this item	B1=M*; C1=M*; B2=NA; B4=M*; C21E

DE/Path	Field	XML path	Lvl	Card.	Fmt	Code list	Obligations
3/1	Exporter	Declaration/Exporter	H	1x	-		B1=M; C1=M; B2=M; B4=M; C21E=M
3/1	Exporter - Name	Declaration/Exporter/Name	H	1:1	an..35		B1=D; C1=D; B2=D; B4=D; C21E=D;
3/1	Exporter - Street and Number	Declaration/Exporter/Address/Line	H	1:1	an..35		B1=D; C1=D; B2=D; B4=D; C21E=D;
3/1	Exporter - Country	Declaration/Exporter/Address/CountryCode	H	1:1	a2 Must be Upper Case	Country Codes for these items	B1=D; C1=D; B2=D; B4=D; C21E=D;
3/1	Exporter - Postcode	Declaration/Exporter/Address/PostcodeID	H	1:1	an..9		B1=D; C1=D; B2=D; B4=D; C21E=D;
3/1	Exporter - City	Declaration/Exporter/Address/CityName	H	1:1	an..35		B1=D; C1=D; B2=D; B4=D; C21E=D;
3/2	Exporter identification No.	Declaration/Exporter/ID	H	1:1	an..17		B1=D; C1=D; B2=D; B4=D; C21E=D;
3/7	Consignor - Name	Declaration/Consignment/Consignor/Name	H	1:1	an..70		B1=N/A; C1=N/A; B2=N/A; B4=N/A; C
3/7	Consignor - Street and Number	Declaration/Consignment/Consignor/Address/Line	H	1:1	an..35		B1=N/A; C1=N/A; B2=N/A; B4=N/A; C
3/7	Consignor - Country	Declaration/Consignment/Consignor/Address/CountryCode	H	1:1	a2	Country Codes for these items	B1=N/A; C1=N/A; B2=N/A; B4=N/A; C
3/7	Consignor - Postcode	Declaration/Consignment/Consignor/Address/PostcodeID	H	1:1	an..9		B1=N/A; C1=N/A; B2=N/A; B4=N/A; C
3/7	Consignor - City	Declaration/Consignment/Consignor/Address/CityName	H	1:1	an..35		B1=N/A; C1=N/A; B2=N/A; B4=N/A; C
3/8	Consignor identification No.	Declaration/Consignment/Consignor/ID	H	1:1	an..17		B1=N/A; C1=N/A; B2=N/A; B4=N/A; C
3/9	Consignee - Name	Declaration/GoodsShipment/Consignee/Name	H	1:1	an..35		B1=D; C1=D; B2=D; B4=D; C21E=D;
3/9	Consignee - Street and Number	Declaration/GoodsShipment/Consignee/Address/Line	H	1:1	an..35		B1=D; C1=D; B2=D; B4=D; C21E=D;
3/9	Consignee - Country	Declaration/GoodsShipment/Consignee/Address/CountryCode	H	1:1	a2	Country Codes for these items	B1=D; C1=D; B2=D; B4=D; C21E=D;
3/9	Consignee - Postcode	Declaration/GoodsShipment/Consignee/Address/PostcodeID	H	1:1	an..9		B1=D; C1=D; B2=D; B4=D; C21E=D;

Only the first 45 rows are printed in the PDF section for readability. The full expanded rule set is embedded in the CSV/XLSX deliverables and the raw JSON export.

Additional-Message Field Catalog (sampled in PDF)

DE/Path	Field	XML path	Lvl	Card.	Fmt	Code list	Obligations
Declaration/FunctionalReferenceID	FunctionalReferenceID	Declaration/FunctionalReferenceID	Message		an..35		Cancellation=M; Amendment=M; Goo
Declaration/ID	ID	Declaration/ID	Message		an..70		Cancellation=M; Amendment=M; Goo
Declaration/TypeCode	TypeCode	Declaration/TypeCode	Message		a3	Y	Cancellation=M; Amendment=M; Goo
Declaration/AdditionalInformation	AdditionalInformation	Declaration/AdditionalInformation	Message		nan	nan	Cancellation=M; Amendment=M; Goo
Declaration/AdditionalInformation/StatementDescription	StatementDescription	Declaration/AdditionalInformation/StatementDescription	Message		an…512		Cancellation=M; Amendment=M; Goo
Declaration/AdditionalInformation/StatementTypeCode	StatementTypeCode	Declaration/AdditionalInformation/StatementTypeCode	Message		an..3	Y	Cancellation=M; Amendment=M; Goo
Declaration/AdditionalInformation/Pointer	Pointer	Declaration/AdditionalInformation/Pointer	Message		nan	nan	Cancellation=M; Amendment=M; Goo
Declaration/AdditionalInformation/Pointer/SequenceNumeric	SequenceNumeric	Declaration/AdditionalInformation/Pointer/SequenceNumeric	Message		n..5		Cancellation=M; Amendment=M; Goo
Declaration/AdditionalInformation/Pointer/DocumentSectionCode	DocumentSectionCode	Declaration/AdditionalInformation/Pointer/DocumentSectionCode	Message		an..3		Cancellation=M; Amendment=M; Goo
Declaration/Amendment	Amendment	Declaration/Amendment	Message		nan	nan	Cancellation=M; Amendment=M; Goo
Declaration/Amendment/ChangeReasonCode	ChangeReasonCode	Declaration/Amendment/ChangeReasonCode	Message		n..2	Y	Cancellation=M; Amendment=M; Goo
Declaration/Amendment/Pointer	Pointer	Declaration/Amendment/Pointer	Message		nan	nan	Cancellation=nan; Amendment=M; Go
Declaration/Amendment/Pointer/SequenceNumeric	SequenceNumeric	Declaration/Amendment/Pointer/SequenceNumeric	Message		n..5		Cancellation=nan; Amendment=M; Go
Declaration/Amendment/Pointer/DocumentSectionCode	DocumentSectionCode	Declaration/Amendment/Pointer/DocumentSectionCode	Message		an..3		Cancellation=nan; Amendment=M; Go
Declaration/Amendment/Pointer/TagID	TagID	Declaration/Amendment/Pointer/TagID	Message		an..4		Cancellation=nan; Amendment=M; Go

4. Best-Practice Compendium

Data Preparation

Path-to-production workflow: Use Trade Test first, complete pre-TDR steps, register a TDR app, request TDR API access from SDST, subscribe, then practice declaration scenarios in TDR with real account data on an ongoing basis. Source: The CDS Path to Production (page 5) and CDS RunBook slide 10.

TDR proving approach: Use realistic declaration journeys and real account data; do not use TDR for performance or exploratory protocol testing. Source: CDS RunBook slides 2, 17 and GOV.UK TDR guidance.

Due diligence before submission: Ensure all required data elements are populated correctly, check supporting-document needs, coordinate with supply-chain parties and CSPs, and review CDS error codes before escalating to HMRC. Source: CDS RunBook slide 17.

Xml Examples

Declaration submission message skeleton: HMRC documents center declaration payloads on the WCO Declaration class with DE-driven paths such as Declaration/TypeCode, GovernmentAgencyGoodsItem/SequenceNumeric, and goods-item substructures. The reviewed public pack provides path definitions and fragments rather than a single standalone full canonical XML file. Source: CDS 03 DSSD v2.30 and WCO References workbook.

Additional-message skeleton: Cancellation, amendment, and goods-arrival messages all require Declaration/FunctionalReferenceID, Declaration/ID and Declaration/TypeCode, with additional information blocks used for amendment and cancellation reasons. Source: CDS Additional Message Technical Completion Matrix v1.4.

Notification metadata and pointer structure: HMRC notifications rely on Response, MetaData, Error, Pointer and AdditionalInformation objects. Pointer resolution uses DocumentSectionCode, SequenceNumeric and TagID to identify the failing element. Source: CDS 03 DSSD v2.30 section 6.2/6.3.

IE-message coverage: The reviewed scope bulletins reference IE501, IE510, IE518 and IE591 scenarios for XI/AES functionality, but those slides are mostly acceptance-criteria statements rather than complete public XML specimens. Source: CDS External TT TDR Scope Guidance 2025-12-04 issue.

Error Blacklist

WAF-sensitive strings: Avoid semicolons, equals signs, SQL keywords and slash characters in goods descriptions; HMRC examples include 'VALVE - BODY ONLY (= 1/2")', '; SELECT WINES OF THE DORDOGNE' and bare slash usage in goodsDescription. Source: WAF Trigger Examples v0.4.

High-frequency validation families: The most reusable prevention buckets are missing mandatory data (CDS10001), invalid format (CDS10010), invalid domain value (CDS10020), invalid relation or conditional dependency (CDS11004, CDS12070-72), and tariff-measure conditions (CDS40045, CDS40066). Source: CDS Error Codes 11-03-2026 issue.

Known differences and workarounds: The known-differences workbook remains necessary for edge cases where current CDS behaviour differs from tariff intent; declarants should check the document when a listed error code appears or when a workaround is mandated. Source: Declarant_CWD_Pre_5.0.0.ods.

Submission Timing

Maintenance windows: HMRC publishes planned maintenance windows and queueing notices on the service-availability page instead of a fixed daily TDR cut-off timetable. Example: exports submitted during the 18 February 2026 maintenance window were queued until completion. Source: Customs Declaration Service: service availability and issues.

Rate limiting: Standard CDS rate limit is 3 requests per second per application, with CDS users pre-approved for 8 requests per second if obtained through SDST; applications should back off and retry after HTTP 429 responses. Source: Developer set up guide.

Token window: A declarant access token expires after 4 hours and needs refresh handling in TDR and production. Source: CDS RunBook slide 12.

Qa Checkpoints

Three-stage validation: Validate every message against the XSD, then against known WAF trigger patterns, then against business rules before treating a scenario as TDR-ready. Source: CDS 03 DSSD v2.30.

Header and version check: Confirm the Accept header matches the TDR version for the subscribed API before each test run. Source: Developer set up guide and CDS RunBook slide 10.

File-upload hygiene: Validate file count, size, extension and filename safety before upload; successful uploads should return document-reference codes that can be retained as evidence. Source: CDS Secure File Upload UI User Guide v0.44.

Known Difference Log Snapshot

KD_Change_Log

Known Difference Change Log: Last updated 24/11/2025

New KDs: KD458, KD459, KD460, KD461, KD462, KD463, KD464, KD465, KD466, KD467, KD468, KD469, KD470, KD471, KD472, KD473

Resolved & Closed: KD270, KD420, KD379, KD382, KD366, KD365, KD385, KD422, KD423, KD424, KD425, KD426, KD427, KD428, KD429, KD430, KD431, KD432, KD433, KD434, KD435, KD436, KD437, KD438, KD439, KD440, KD441, KD442, KD443, KD444, KD445, KD446, KD447, KD448, KD449, KD450, KD451, KD452, KD453, KD454, KD455, KD456

Moved to ILE Vs CHIEF: KD268 to 14

Reopened: no data

Amended: no data

KEL_Change_Log

Known Error Log Change Log: Last updated 24/11/2025

New KELs: 510, 637, 639, 661

Resolved & Closed: 438, 516, 524, 536, 545, 551, 633, 635, 658, 305.2

Reopened: no data

Revised Fix Versions: no data

Removed from Open: 39, 235, 248

5. Source Inventory

ID	Title	Version	Last updated	Type	Reference method
web_dev_setup	Developer set up | Customs Declarations End-to-End Web Guide	Web page	2026-03-20	Developer guide	HTML section anchors
web_td_rehearsal	Using the Trader Dress Rehearsal service	Web page	2023-09-15	GOV.UK guidance	Section heading or update item
web_service_availability	Customs Declaration Service: service availability and outages	Web page	2026-03-25	GOV.UK guidance	Update entry date
web_report_problem	Report a problem using the Customs Declaration Service	Web page	2026-03-25	GOV.UK guidance	Section heading or update item
path_to_production	The CDS Path to Production	February 2024	2024-02-01	PDF guidance	PDF page number
tech_change_log	CDS Technical Documentation - Change Log	20260319	2026-03-20	Bundle change log	Bundle path + issue date entry
dssd	CDS Declaration Submission Service Design	v2.30	2025-12-18	Service design specification	Bundle path + paragraph heading
imports_tcm	CDS 03 Declaration Technical Completion Matrix for Imports	v3.22	2026-02-19	Validation matrix	Workbook sheet + DE or cell reference
exports_tcm	CDS 03 Declaration Technical Completion Matrix for Exports	v5.7	2025-05-01	Validation matrix	Workbook sheet + DE or cell reference
additional_messages_tcm	CDS Additional Message Technical Completion Matrix	v1.4	2025-09-17	Validation matrix	Workbook sheet + XML path
codelists	CDS 03 CDS Codelists and WCO References 5.1.0	v2.55	2026-03-19	Codelist workbook	Workbook sheet + codelist name or WC
dis	CDS Declaration Information Service	v2.97	2025-06-12	Service design specification	Bundle path + paragraph heading
validation_authorisations	CDS Guidance for Software Developers - Validation of Authorisations	v1.0	2020-07-22	Guidance note	Bundle path + authorisation type
mucr_format	CDS Guidance for Software Developers - MUCR Format	Baselined	2023-04-20	Guidance note	Bundle path + section
rounding	Tax Calculation Processing - Rounding in CDS	v1.5	2023-05-11	Guidance note	Bundle path + section
waf_examples	WAF Trigger Examples	v0.4	2025-01-08	Validation bulletin	Workbook sheet + rule/example ID
file_upload_ui	CDS Secure File Upload UI User Guide	v0.44	2023-01-05	Guidance note	Bundle path + section
runbook	CDS RunBook	v4.3	2024-02-07	Developer bulletin	Slide number
tt_tdr_scope	CDS External TT TDR Scope Guidance	2025-12-04 issue	2025-12-02	Scope bulletin	Slide number
ttm33_scope	CDS TTM33.0 Scope Guidance	2026-03-20 issue	2026-03-19	Scope bulletin	Slide number
test_data_library	CDS Test Data Library	2025-10-07 issue	2025-10-07	Test data workbook	Workbook sheet + trader or note
trade_test_kel	CDS Trade Test Known Error Log	2026-03-19 issue	2026-03-19	Known error log	Workbook sheet + KEL ID
trade_test_query_log	CDS Trade Test Query Log	v5.38	2025-05-13	Developer bulletin	Workbook sheet + log entry
error_codes	CDS Error Codes	11-03-2026 issue	2026-03-11	Error code list	ODS row by code
known_differences	Declarant Known Differences and Workarounds Pre 5.0.0	5.0.0 / 24-11-2025 update	2025-11-24	Known difference log	ODS tab + KD/KEL entry

6. Use-Case Supplementary Search

A targeted search was run for externally hosted but HMRC-endorsed or HMRC-originated TDR implementation material, including trade-association webinar posts, mirrored HMRC slide decks and professional-body summaries.

Source: The Bonded Warehousekeepers Association - HMRC Webinar: CDS - Trader Dress Rehearsal. Date: 2021-09-15. Relevance: 5/5. Summary: Trade-association post describing an HMRC-led overview session focused on TDR benefits, migration planning and support routes; useful as externally hosted evidence of HMRC-endorsed TDR onboarding messages. URL: https://www.thebwa.com/hmrc-webinar-cds-trader-dress-rehearsal/

Source: The Bonded Warehousekeepers Association - CDS Trader Dress Rehearsal Declarant Roundtable (PDF). Date: 2021-09-01. Relevance: 5/5. Summary: Externally hosted but HMRC-branded 'OFFICIAL' slide deck covering declarant-focused TDR positioning, migration benefits, and support expectations. URL: https://www.thebwa.com/wp-content/uploads/CDS-Trader-Dress-Rehearsal-Declarant-Roundtable.pdf

Source: Charles Kendall / HMRC Readiness Presentation (PDF mirror). Date: 2022-05-18. Relevance: 4/5. Summary: Mirror of an HMRC town-hall deck that explicitly includes the TDR stage and repeats key programme warnings such as 'not for performance testing' and 'doesn't create legal declarations'. URL: https://www.charleskendall.com/uploads/files/CDS-HMRC-Readiness-Presentation-18-May-2022.pdf

Source: ICAEW article linking to HMRC export migration webinar. Date: 2024-03-04. Relevance: 3/5. Summary: Professional-body summary that points traders to HMRC's free TDR service and a separate HMRC webinar on preparing to move exports to CDS; useful corroboration but secondary to official HMRC sources. URL: https://www.icaew.com/insights/tax-news/2024/mar-2024/uk-exporters-must-switch-to-cds-by-june

Source: Air Cargo Week report on BIFA / ASM migration webinar. Date: 2024-01-26. Relevance: 3/5. Summary: Trade-press write-up reporting that BIFA and ASM highlighted higher migration success among TDR users; relevant as industry evidence but not a normative HMRC rule source. URL: https://ppd.aircargoweek.com/bifa-and-asm-webinar-prepares-businesses-for-final-migration-to-new-customs-declaration-service-for-exports/

Appendix A. Rule Metadata Index

The appendix prints a compact per-rule index. The CSV and checklist workbook contain the same rule set in machine-readable form.

TDR-R-00001 | Field-level requirement | Import declaration | Import H1: DE 1/1 Declaration Type at H level is mandatory; cardinality 1x; format a2.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!6
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H1.; 1/1 Declaration Type at H level is mandatory.; Populate XML path Declaration/TypeCode only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format a2.; Value is drawn from HMRC codelist TradeMovementTypes for this item.

TDR-R-00002 | Field-level requirement | Import declaration | Import H2: DE 1/1 Declaration Type at H level is mandatory; cardinality 1x; format a2.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!6
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H2.; 1/1 Declaration Type at H level is mandatory.; Populate XML path Declaration/TypeCode only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format a2.; Value is drawn from HMRC codelist TradeMovementTypes for this item.

TDR-R-00003 | Field-level requirement | Import declaration | Import H3: DE 1/1 Declaration Type at H level is mandatory; cardinality 1x; format a2.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!6
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H3.; 1/1 Declaration Type at H level is mandatory.; Populate XML path Declaration/TypeCode only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format a2.; Value is drawn from HMRC codelist TradeMovementTypes for this item.

TDR-R-00004 | Field-level requirement | Import declaration | Import H4: DE 1/1 Declaration Type at H level is mandatory; cardinality 1x; format a2.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!6
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H4.; 1/1 Declaration Type at H level is mandatory.; Populate XML path Declaration/TypeCode only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format a2.; Value is drawn from HMRC codelist TradeMovementTypes for this item.

TDR-R-00005 | Field-level requirement | Import declaration | Import H5: DE 1/1 Declaration Type at H level is mandatory; cardinality 1x; format a2.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!6
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H5.; 1/1 Declaration Type at H level is mandatory.; Populate XML path Declaration/TypeCode only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format a2.; Value is drawn from HMRC codelist TradeMovementTypes for this item.

TDR-R-00006 | Field-level requirement | Import declaration | Import H8: DE 1/1 Declaration Type at H level is mandatory; cardinality 1x; format a2.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!6
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H8.; 1/1 Declaration Type at H level is mandatory.; Populate XML path Declaration/TypeCode only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format a2.; Value is drawn from HMRC codelist TradeMovementTypes for this item.

TDR-R-00007 | Field-level requirement | Import declaration | Import I1: DE 1/1 Declaration Type at H level is mandatory; cardinality 1x; format a2.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!6
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is I1.; 1/1 Declaration Type at H level is mandatory.; Populate XML path Declaration/TypeCode only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format a2.; Value is drawn from HMRC codelist TradeMovementTypes for this item.

TDR-R-00008 | Field-level requirement | Import declaration | Import I1 (B&E): DE 1/1 Declaration Type at H level is mandatory; cardinality 1x; format a2.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!6
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is I1 (B&E).; 1/1 Declaration Type at H level is mandatory.; Populate XML path Declaration/TypeCode only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format a2.; Value is drawn from HMRC codelist TradeMovementTypes for this item.

TDR-R-00009 | Field-level requirement | Import declaration | Import C21I: DE 1/1 Declaration Type at H level is mandatory; cardinality 1x; format a2.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!6
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is C21I.; 1/1 Declaration Type at H level is mandatory.; Populate XML path Declaration/TypeCode only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format a2.; Value is drawn from HMRC codelist TradeMovementTypes for this item.

TDR-R-00010 | Field-level requirement | Import declaration | Import C21I EIDR: DE 1/1 Declaration Type at H level is mandatory; cardinality 1x; format a2.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!6
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is C21I EIDR.; 1/1 Declaration Type at H level is mandatory.; Populate XML path Declaration/TypeCode only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format a2.; Value is drawn from HMRC codelist TradeMovementTypes for this item.

TDR-R-00011 | Field-level requirement | Import declaration | Import FSD: DE 1/1 Declaration Type at H level is mandatory; cardinality 1x; format a2.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!6
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is FSD.; 1/1 Declaration Type at H level is mandatory.; Populate XML path Declaration/TypeCode only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format a2.; Value is drawn from HMRC codelist TradeMovementTypes for this item.

TDR-R-00012 | Field-level requirement | Import declaration | Import SRDS: DE 1/1 Declaration Type at H level is mandatory; cardinality 1x; format a2.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!6
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is SRDS.; 1/1 Declaration Type at H level is mandatory.; Populate XML path Declaration/TypeCode only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format a2.; Value is drawn from HMRC codelist TradeMovementTypes for this item.

TDR-R-00013 | Field-level requirement | Import declaration | Import H1: DE 1/2 Additional Declaration Type at H level is mandatory; cardinality 1x; format a1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!7
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H1.; 1/2 Additional Declaration Type at H level is mandatory.; Populate XML path Declaration/TypeCode only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format a1.; Value is drawn from HMRC codelist DeclarationTypes for this item.

TDR-R-00014 | Field-level requirement | Import declaration | Import H2: DE 1/2 Additional Declaration Type at H level is mandatory; cardinality 1x; format a1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!7
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H2.; 1/2 Additional Declaration Type at H level is mandatory.; Populate XML path Declaration/TypeCode only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format a1.; Value is drawn from HMRC codelist DeclarationTypes for this item.

TDR-R-00015 | Field-level requirement | Import declaration | Import H3: DE 1/2 Additional Declaration Type at H level is mandatory; cardinality 1x; format a1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!7
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H3.; 1/2 Additional Declaration Type at H level is mandatory.; Populate XML path Declaration/TypeCode only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format a1.; Value is drawn from HMRC codelist DeclarationTypes for this item.

TDR-R-00016 | Field-level requirement | Import declaration | Import H4: DE 1/2 Additional Declaration Type at H level is mandatory; cardinality 1x; format a1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!7
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H4.; 1/2 Additional Declaration Type at H level is mandatory.; Populate XML path Declaration/TypeCode only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format a1.; Value is drawn from HMRC codelist DeclarationTypes for this item.

TDR-R-00017 | Field-level requirement | Import declaration | Import H5: DE 1/2 Additional Declaration Type at H level is mandatory; cardinality 1x; format a1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!7
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H5.; 1/2 Additional Declaration Type at H level is mandatory.; Populate XML path Declaration/TypeCode only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format a1.; Value is drawn from HMRC codelist DeclarationTypes for this item.

TDR-R-00018 | Field-level requirement | Import declaration | Import H8: DE 1/2 Additional Declaration Type at H level is mandatory; cardinality 1x; format a1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!7
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H8.; 1/2 Additional Declaration Type at H level is mandatory.; Populate XML path Declaration/TypeCode only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format a1.; Value is drawn from HMRC codelist DeclarationTypes for this item.

TDR-R-00019 | Field-level requirement | Import declaration | Import I1: DE 1/2 Additional Declaration Type at H level is mandatory; cardinality 1x; format a1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!7
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is I1.; 1/2 Additional Declaration Type at H level is mandatory.; Populate XML path Declaration/TypeCode only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format a1.; Value is drawn from HMRC codelist DeclarationTypes for this item.

TDR-R-00020 | Field-level requirement | Import declaration | Import I1 (B&E): DE 1/2 Additional Declaration Type at H level is mandatory; cardinality 1x; format a1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!7
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is I1 (B&E).; 1/2 Additional Declaration Type at H level is mandatory.; Populate XML path Declaration/TypeCode only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format a1.; Value is drawn from HMRC codelist DeclarationTypes for this item.

TDR-R-00021 | Field-level requirement | Import declaration | Import C21I: DE 1/2 Additional Declaration Type at H level is mandatory; cardinality 1x; format a1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!7
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is C21I.; 1/2 Additional Declaration Type at H level is mandatory.; Populate XML path Declaration/TypeCode only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format a1.; Value is drawn from HMRC codelist DeclarationTypes for this item.

TDR-R-00022 | Field-level requirement | Import declaration | Import C21I EIDR: DE 1/2 Additional Declaration Type at H level is mandatory; cardinality 1x; format a1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!7
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is C21I EIDR.; 1/2 Additional Declaration Type at H level is mandatory.; Populate XML path Declaration/TypeCode only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format a1.; Value is drawn from HMRC codelist DeclarationTypes for this item.

TDR-R-00023 | Field-level requirement | Import declaration | Import FSD: DE 1/2 Additional Declaration Type at H level is mandatory; cardinality 1x; format a1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!7
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is FSD.; 1/2 Additional Declaration Type at H level is mandatory.; Populate XML path Declaration/TypeCode only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format a1.; Value is drawn from HMRC codelist DeclarationTypes for this item.

TDR-R-00024 | Field-level requirement | Import declaration | Import SRDS: DE 1/2 Additional Declaration Type at H level is mandatory; cardinality 1x; format a1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!7
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is SRDS.; 1/2 Additional Declaration Type at H level is mandatory.; Populate XML path Declaration/TypeCode only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format a1.; Value is drawn from HMRC codelist DeclarationTypes for this item.

TDR-R-00025 | Field-level requirement | Import declaration | Import H1: DE 1/6 Goods Item Number at I level is mandatory; cardinality 1x; format n..2 Cannot be 0.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!8
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H1.; 1/6 Goods Item Number at I level is mandatory.; Populate XML path Declaration/ GoodsShipment/ GovernmentAgencyGoodsItem/ SequenceNumeric only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format n..2 Cannot be 0.

TDR-R-00026 | Field-level requirement | Import declaration | Import H2: DE 1/6 Goods Item Number at I level is mandatory; cardinality 1x; format n..2 Cannot be 0.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!8
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H2.; 1/6 Goods Item Number at I level is mandatory.; Populate XML path Declaration/ GoodsShipment/ GovernmentAgencyGoodsItem/ SequenceNumeric only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format n..2 Cannot be 0.

TDR-R-00027 | Field-level requirement | Import declaration | Import H3: DE 1/6 Goods Item Number at I level is mandatory; cardinality 1x; format n..2 Cannot be 0.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!8
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H3.; 1/6 Goods Item Number at I level is mandatory.; Populate XML path Declaration/ GoodsShipment/ GovernmentAgencyGoodsItem/ SequenceNumeric only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format n..2 Cannot be 0.

TDR-R-00028 | Field-level requirement | Import declaration | Import H4: DE 1/6 Goods Item Number at I level is mandatory; cardinality 1x; format n..2 Cannot be 0.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!8
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H4.; 1/6 Goods Item Number at I level is mandatory.; Populate XML path Declaration/ GoodsShipment/ GovernmentAgencyGoodsItem/ SequenceNumeric only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format n..2 Cannot be 0.

TDR-R-00029 | Field-level requirement | Import declaration | Import H5: DE 1/6 Goods Item Number at I level is mandatory; cardinality 1x; format n..2 Cannot be 0.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!8
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H5.; 1/6 Goods Item Number at I level is mandatory.; Populate XML path Declaration/ GoodsShipment/ GovernmentAgencyGoodsItem/ SequenceNumeric only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format n..2 Cannot be 0.

TDR-R-00030 | Field-level requirement | Import declaration | Import H8: DE 1/6 Goods Item Number at I level is mandatory; cardinality 1x; format n..2 Cannot be 0.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!8
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H8.; 1/6 Goods Item Number at I level is mandatory.; Populate XML path Declaration/ GoodsShipment/ GovernmentAgencyGoodsItem/ SequenceNumeric only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format n..2 Cannot be 0.

TDR-R-00031 | Field-level requirement | Import declaration | Import I1: DE 1/6 Goods Item Number at I level is mandatory; cardinality 1x; format n..2 Cannot be 0.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!8
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is I1.; 1/6 Goods Item Number at I level is mandatory.; Populate XML path Declaration/ GoodsShipment/ GovernmentAgencyGoodsItem/ SequenceNumeric only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format n..2 Cannot be 0.

TDR-R-00032 | Field-level requirement | Import declaration | Import I1 (B&E): DE 1/6 Goods Item Number at I level is mandatory; cardinality 1x; format n..2 Cannot be 0.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!8
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is I1 (B&E).; 1/6 Goods Item Number at I level is mandatory.; Populate XML path Declaration/ GoodsShipment/ GovernmentAgencyGoodsItem/ SequenceNumeric only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format n..2 Cannot be 0.

TDR-R-00033 | Field-level requirement | Import declaration | Import C21I: DE 1/6 Goods Item Number at I level is mandatory; cardinality 1x; format n..2 Cannot be 0.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!8
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is C21I.; 1/6 Goods Item Number at I level is mandatory.; Populate XML path Declaration/ GoodsShipment/ GovernmentAgencyGoodsItem/ SequenceNumeric only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format n..2 Cannot be 0.

TDR-R-00034 | Field-level requirement | Import declaration | Import C21I EIDR: DE 1/6 Goods Item Number at I level is mandatory; cardinality 1x; format n..2 Cannot be 0.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!8
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is C21I EIDR.; 1/6 Goods Item Number at I level is mandatory.; Populate XML path Declaration/ GoodsShipment/ GovernmentAgencyGoodsItem/ SequenceNumeric only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format n..2 Cannot be 0.

TDR-R-00035 | Field-level requirement | Import declaration | Import FSD: DE 1/6 Goods Item Number at I level is mandatory; cardinality 1x; format n..2 Cannot be 0.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!8
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is FSD.; 1/6 Goods Item Number at I level is mandatory.; Populate XML path Declaration/ GoodsShipment/ GovernmentAgencyGoodsItem/ SequenceNumeric only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format n..2 Cannot be 0.

TDR-R-00036 | Field-level requirement | Import declaration | Import SRDS: DE 1/6 Goods Item Number at I level is mandatory; cardinality 1x; format n..2 Cannot be 0.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!8
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is SRDS.; 1/6 Goods Item Number at I level is mandatory.; Populate XML path Declaration/ GoodsShipment/ GovernmentAgencyGoodsItem/ SequenceNumeric only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format n..2 Cannot be 0.

TDR-R-00037 | Field-level requirement | Import declaration | Import H1: DE 1/8 Signature/Authorisation at H level is M - Paper Declaration; cardinality 1x; format N/A.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!9
Error code/pattern: DMSREJ validationResultType (rule-dependent)
Acceptance: Import declaration context is H1.; 1/8 Signature/Authorisation at H level is m - paper declaration.; Populate XML path Paper Declaration Only only where this rule permits it.; Respect cardinality 1x.

TDR-R-00038 | Field-level requirement | Import declaration | Import H2: DE 1/8 Signature/Authorisation at H level is M - Paper Declaration; cardinality 1x; format N/A.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!9
Error code/pattern: DMSREJ validationResultType (rule-dependent)
Acceptance: Import declaration context is H2.; 1/8 Signature/Authorisation at H level is m - paper declaration.; Populate XML path Paper Declaration Only only where this rule permits it.; Respect cardinality 1x.

TDR-R-00039 | Field-level requirement | Import declaration | Import H3: DE 1/8 Signature/Authorisation at H level is M - Paper Declaration; cardinality 1x; format N/A.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!9
Error code/pattern: DMSREJ validationResultType (rule-dependent)
Acceptance: Import declaration context is H3.; 1/8 Signature/Authorisation at H level is m - paper declaration.; Populate XML path Paper Declaration Only only where this rule permits it.; Respect cardinality 1x.

TDR-R-00040 | Field-level requirement | Import declaration | Import H4: DE 1/8 Signature/Authorisation at H level is M - Paper Declaration; cardinality 1x; format N/A.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!9
Error code/pattern: DMSREJ validationResultType (rule-dependent)
Acceptance: Import declaration context is H4.; 1/8 Signature/Authorisation at H level is m - paper declaration.; Populate XML path Paper Declaration Only only where this rule permits it.; Respect cardinality 1x.

TDR-R-00041 | Field-level requirement | Import declaration | Import H5: DE 1/8 Signature/Authorisation at H level is M - Paper Declaration; cardinality 1x; format N/A.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!9

Error code/pattern: DMSREJ validationResultType (rule-dependent)
Acceptance: Import declaration context is H5.; 1/8 Signature/Authorisation at H level is m - paper declaration.; Populate XML path Paper Declaration Only only where this rule permits it.; Respect cardinality 1x.

TDR-R-00042 | Field-level requirement | Import declaration | Import I1: DE 1/8 Signature/Authorisation at H level is M - Paper Declaration; cardinality 1x; format N/A.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!9
Error code/pattern: DMSREJ validationResultType (rule-dependent)
Acceptance: Import declaration context is I1.; 1/8 Signature/Authorisation at H level is m - paper declaration.; Populate XML path Paper Declaration Only only where this rule permits it.; Respect cardinality 1x.

TDR-R-00043 | Field-level requirement | Import declaration | Import I1 (B&E): DE 1/8 Signature/Authorisation at H level is M - Paper Declaration; cardinality 1x; format N/A.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!9
Error code/pattern: DMSREJ validationResultType (rule-dependent)
Acceptance: Import declaration context is I1 (B&E).; 1/8 Signature/Authorisation at H level is m - paper declaration.; Populate XML path Paper Declaration Only only where this rule permits it.; Respect cardinality 1x.

TDR-R-00044 | Field-level requirement | Import declaration | Import C21I: DE 1/8 Signature/Authorisation at H level is M - Paper Declaration; cardinality 1x; format N/A.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!9
Error code/pattern: DMSREJ validationResultType (rule-dependent)
Acceptance: Import declaration context is C21I.; 1/8 Signature/Authorisation at H level is m - paper declaration.; Populate XML path Paper Declaration Only only where this rule permits it.; Respect cardinality 1x.

TDR-R-00045 | Field-level requirement | Import declaration | Import C21I EIDR: DE 1/8 Signature/Authorisation at H level is M - Paper Declaration; cardinality 1x; format N/A.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!9
Error code/pattern: DMSREJ validationResultType (rule-dependent)
Acceptance: Import declaration context is C21I EIDR.; 1/8 Signature/Authorisation at H level is m - paper declaration.; Populate XML path Paper Declaration Only only where this rule permits it.; Respect cardinality 1x.

TDR-R-00046 | Field-level requirement | Import declaration | Import SRDS: DE 1/8 Signature/Authorisation at H level is M - Paper Declaration; cardinality 1x; format N/A.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!9
Error code/pattern: DMSREJ validationResultType (rule-dependent)
Acceptance: Import declaration context is SRDS.; 1/8 Signature/Authorisation at H level is m - paper declaration.; Populate XML path Paper Declaration Only only where this rule permits it.; Respect cardinality 1x.

TDR-R-00047 | Field-level requirement | Import declaration | Import H1: DE 1/9 Total Number of Items at H level is mandatory; cardinality 1x; format n..3 Cannot be 0.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!10
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H1.; 1/9 Total Number of Items at H level is mandatory.; Populate XML path Declaration/GoodsItemQuantity only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format n..3 Cannot be 0.

TDR-R-00048 | Field-level requirement | Import declaration | Import H2: DE 1/9 Total Number of Items at H level is mandatory; cardinality 1x; format n..3 Cannot be 0.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!10
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H2.; 1/9 Total Number of Items at H level is mandatory.; Populate XML path Declaration/GoodsItemQuantity only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format n..3 Cannot be 0.

TDR-R-00049 | Field-level requirement | Import declaration | Import H3: DE 1/9 Total Number of Items at H level is mandatory; cardinality 1x; format n..3 Cannot be 0.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!10
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H3.; 1/9 Total Number of Items at H level is mandatory.; Populate XML path Declaration/GoodsItemQuantity only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format n..3 Cannot be 0.

TDR-R-00050 | Field-level requirement | Import declaration | Import H4: DE 1/9 Total Number of Items at H level is mandatory; cardinality 1x; format n..3 Cannot be 0.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!10
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H4.; 1/9 Total Number of Items at H level is mandatory.; Populate XML path Declaration/GoodsItemQuantity only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format n..3 Cannot be 0.

TDR-R-00051 | Field-level requirement | Import declaration | Import H5: DE 1/9 Total Number of Items at H level is mandatory; cardinality 1x; format n..3 Cannot be 0.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!10
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H5.; 1/9 Total Number of Items at H level is mandatory.; Populate XML path Declaration/GoodsItemQuantity only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format n..3 Cannot be 0.

TDR-R-00052 | Field-level requirement | Import declaration | Import H8: DE 1/9 Total Number of Items at H level is mandatory; cardinality 1x; format n..3 Cannot be 0.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!10
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H8.; 1/9 Total Number of Items at H level is mandatory.; Populate XML path

Declaration/GoodsItemQuantity only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format n..3 Cannot be 0.

TDR-R-00053 | Field-level requirement | Import declaration | Import I1: DE 1/9 Total Number of Items at H level is mandatory; cardinality 1x; format n..3 Cannot be 0.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!10
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is I1.; 1/9 Total Number of Items at H level is mandatory.; Populate XML path Declaration/GoodsItemQuantity only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format n..3 Cannot be 0.

TDR-R-00054 | Field-level requirement | Import declaration | Import I1 (B&E): DE 1/9 Total Number of Items at H level is mandatory; cardinality 1x; format n..3 Cannot be 0.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!10
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is I1 (B&E).; 1/9 Total Number of Items at H level is mandatory.; Populate XML path Declaration/GoodsItemQuantity only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format n..3 Cannot be 0.

TDR-R-00055 | Field-level requirement | Import declaration | Import C21I: DE 1/9 Total Number of Items at H level is mandatory; cardinality 1x; format n..3 Cannot be 0.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!10
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is C21I.; 1/9 Total Number of Items at H level is mandatory.; Populate XML path Declaration/GoodsItemQuantity only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format n..3 Cannot be 0.

TDR-R-00056 | Field-level requirement | Import declaration | Import C21I EIDR: DE 1/9 Total Number of Items at H level is mandatory; cardinality 1x; format n..3 Cannot be 0.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!10
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is C21I EIDR.; 1/9 Total Number of Items at H level is mandatory.; Populate XML path Declaration/GoodsItemQuantity only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format n..3 Cannot be 0.

TDR-R-00057 | Field-level requirement | Import declaration | Import FSD: DE 1/9 Total Number of Items at H level is mandatory; cardinality 1x; format n..3 Cannot be 0.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!10
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is FSD.; 1/9 Total Number of Items at H level is mandatory.; Populate XML path Declaration/GoodsItemQuantity only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format n..3 Cannot be 0.

TDR-R-00058 | Field-level requirement | Import declaration | Import SRDS: DE 1/9 Total Number of Items at H level is mandatory; cardinality 1x; format n..3 Cannot be 0.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!10
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is SRDS.; 1/9 Total Number of Items at H level is mandatory.; Populate XML path Declaration/GoodsItemQuantity only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format n..3 Cannot be 0.

TDR-R-00059 | Field-level requirement | Import declaration | Import H1: DE 1/10 Procedure at I level is mandatory; cardinality 1x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!11
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H1.; 1/10 Procedure at I level is mandatory.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ GovernmentProcedure/ only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format -.

TDR-R-00060 | Field-level requirement | Import declaration | Import H2: DE 1/10 Procedure at I level is mandatory; cardinality 1x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!11
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H2.; 1/10 Procedure at I level is mandatory.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ GovernmentProcedure/ only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format -.

TDR-R-00061 | Field-level requirement | Import declaration | Import H3: DE 1/10 Procedure at I level is mandatory; cardinality 1x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!11
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H3.; 1/10 Procedure at I level is mandatory.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ GovernmentProcedure/ only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format -.

TDR-R-00062 | Field-level requirement | Import declaration | Import H4: DE 1/10 Procedure at I level is mandatory; cardinality 1x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!11
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H4.; 1/10 Procedure at I level is mandatory.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ GovernmentProcedure/ only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format -.

TDR-R-00063 | Field-level requirement | Import declaration | Import H5: DE 1/10 Procedure at I level is mandatory; cardinality 1x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!11
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H5.; 1/10 Procedure at I level is mandatory.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ GovernmentProcedure/ only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format -.

TDR-R-00064 | Field-level requirement | Import declaration | Import H8: DE 1/10 Procedure at I level is mandatory; cardinality 1x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!11
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H8.; 1/10 Procedure at I level is mandatory.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ GovernmentProcedure/ only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format -.

TDR-R-00065 | Field-level requirement | Import declaration | Import I1: DE 1/10 Procedure at I level is mandatory; cardinality 1x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!11
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is I1.; 1/10 Procedure at I level is mandatory.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ GovernmentProcedure/ only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format -.

TDR-R-00066 | Field-level requirement | Import declaration | Import I1 (B&E): DE 1/10 Procedure at I level is mandatory; cardinality 1x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!11
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is I1 (B&E).; 1/10 Procedure at I level is mandatory.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ GovernmentProcedure/ only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format -.

TDR-R-00067 | Field-level requirement | Import declaration | Import C21I: DE 1/10 Procedure at I level is mandatory; cardinality 1x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!11
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is C21I.; 1/10 Procedure at I level is mandatory.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ GovernmentProcedure/ only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format -.

TDR-R-00068 | Field-level requirement | Import declaration | Import C21I EIDR: DE 1/10 Procedure at I level is mandatory; cardinality 1x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!11
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is C21I EIDR.; 1/10 Procedure at I level is mandatory.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ GovernmentProcedure/ only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format -.

TDR-R-00069 | Field-level requirement | Import declaration | Import FSD: DE 1/10 Procedure at I level is mandatory; cardinality 1x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!11
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is FSD.; 1/10 Procedure at I level is mandatory.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ GovernmentProcedure/ only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format -.

TDR-R-00070 | Field-level requirement | Import declaration | Import SRDS: DE 1/10 Procedure at I level is mandatory; cardinality 1x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!11
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is SRDS.; 1/10 Procedure at I level is mandatory.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ GovernmentProcedure/ only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format -.

TDR-R-00071 | Field-level requirement | Import declaration | Import H1: DE 1/10 Procedure - Requested Procedure Code at I level is mandatory; cardinality 1:1; format an2.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!12
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H1.; 1/10 Procedure - Requested Procedure Code at I level is mandatory.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ GovernmentProcedure/ CurrentCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an2.; Value is drawn from HMRC codelist ImportRequestedProcedures for these items.

TDR-R-00072 | Field-level requirement | Import declaration | Import H2: DE 1/10 Procedure - Requested Procedure Code at I level is mandatory; cardinality 1:1; format an2.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!12
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H2.; 1/10 Procedure - Requested Procedure Code at I level is mandatory.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ GovernmentProcedure/ CurrentCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an2.; Value is drawn from HMRC codelist ImportRequestedProcedures for these items.

TDR-R-00073 | Field-level requirement | Import declaration | Import H3: DE 1/10 Procedure - Requested Procedure Code at I level is mandatory; cardinality 1:1; format an2.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!12
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H3.; 1/10 Procedure - Requested Procedure Code at I level is mandatory.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ GovernmentProcedure/ CurrentCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an2.; Value is drawn from HMRC codelist ImportRequestedProcedures for these items.

TDR-R-00074 | Field-level requirement | Import declaration | Import H4: DE 1/10 Procedure - Requested Procedure Code at I level is mandatory; cardinality 1:1; format an2.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!12
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H4.; 1/10 Procedure - Requested Procedure Code at I level is mandatory.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ GovernmentProcedure/ CurrentCode only where this rule permits it.; Respect

cardinality 1:1.; Value conforms to HMRC format an2.; Value is drawn from HMRC codelist ImportRequestedProcedures for these items.

TDR-R-00075 | Field-level requirement | Import declaration | Import H5: DE 1/10 Procedure - Requested Procedure Code at I level is mandatory; cardinality 1:1; format an2.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!12
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H5.; 1/10 Procedure - Requested Procedure Code at I level is mandatory.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ GovernmentProcedure/ CurrentCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an2.; Value is drawn from HMRC codelist ImportRequestedProcedures for these items.

TDR-R-00076 | Field-level requirement | Import declaration | Import H8: DE 1/10 Procedure - Requested Procedure Code at I level is mandatory; cardinality 1:1; format an2.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!12
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H8.; 1/10 Procedure - Requested Procedure Code at I level is mandatory.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ GovernmentProcedure/ CurrentCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an2.; Value is drawn from HMRC codelist ImportRequestedProcedures for these items.

TDR-R-00077 | Field-level requirement | Import declaration | Import I1: DE 1/10 Procedure - Requested Procedure Code at I level is mandatory; cardinality 1:1; format an2.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!12
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is I1.; 1/10 Procedure - Requested Procedure Code at I level is mandatory.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ GovernmentProcedure/ CurrentCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an2.; Value is drawn from HMRC codelist ImportRequestedProcedures for these items.

TDR-R-00078 | Field-level requirement | Import declaration | Import I1 (B&E): DE 1/10 Procedure - Requested Procedure Code at I level is mandatory; cardinality 1:1; format an2.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!12
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is I1 (B&E).; 1/10 Procedure - Requested Procedure Code at I level is mandatory.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ GovernmentProcedure/ CurrentCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an2.; Value is drawn from HMRC codelist ImportRequestedProcedures for these items.

TDR-R-00079 | Field-level requirement | Import declaration | Import C21I: DE 1/10 Procedure - Requested Procedure Code at I level is mandatory; cardinality 1:1; format an2.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!12
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is C21I.; 1/10 Procedure - Requested Procedure Code at I level is mandatory.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ GovernmentProcedure/ CurrentCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an2.; Value is drawn from HMRC codelist ImportRequestedProcedures for these items.

TDR-R-00080 | Field-level requirement | Import declaration | Import C21I EIDR: DE 1/10 Procedure - Requested Procedure Code at I level is mandatory; cardinality 1:1; format an2.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!12
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is C21I EIDR.; 1/10 Procedure - Requested Procedure Code at I level is mandatory.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ GovernmentProcedure/ CurrentCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an2.; Value is drawn from HMRC codelist ImportRequestedProcedures for these items.

TDR-R-00081 | Field-level requirement | Import declaration | Import FSD: DE 1/10 Procedure - Requested Procedure Code at I level is mandatory; cardinality 1:1; format an2.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!12
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is FSD.; 1/10 Procedure - Requested Procedure Code at I level is mandatory.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ GovernmentProcedure/ CurrentCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an2.; Value is drawn from HMRC codelist ImportRequestedProcedures for these items.

TDR-R-00082 | Field-level requirement | Import declaration | Import SRDS: DE 1/10 Procedure - Requested Procedure Code at I level is mandatory; cardinality 1:1; format an2.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!12
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is SRDS.; 1/10 Procedure - Requested Procedure Code at I level is mandatory.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ GovernmentProcedure/ CurrentCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an2.; Value is drawn from HMRC codelist ImportRequestedProcedures for these items.

TDR-R-00083 | Field-level requirement | Import declaration | Import H1: DE 1/10 Procedure - Previous Procedure Code at I level is mandatory; cardinality 1:1; format an2.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!13
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H1.; 1/10 Procedure - Previous Procedure Code at I level is mandatory.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ GovernmentProcedure/ PreviousCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an2.; Value is drawn from HMRC codelist ImportPreviousProcedures for these items.

TDR-R-00084 | Field-level requirement | Import declaration | Import H2: DE 1/10 Procedure - Previous Procedure Code at I level is mandatory; cardinality 1:1; format an2.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!13
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H2.; 1/10 Procedure - Previous Procedure Code at I level is mandatory.; Populate XML path

Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ GovernmentProcedure/ PreviousCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an2.; Value is drawn from HMRC codelist ImportPreviousProcedures for these items.

TDR-R-00085 | Field-level requirement | Import declaration | Import H3: DE 1/10 Procedure - Previous Procedure Code at I level is mandatory; cardinality 1:1; format an2.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!13
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H3.; 1/10 Procedure - Previous Procedure Code at I level is mandatory.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ GovernmentProcedure/ PreviousCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an2.; Value is drawn from HMRC codelist ImportPreviousProcedures for these items.

TDR-R-00086 | Field-level requirement | Import declaration | Import H4: DE 1/10 Procedure - Previous Procedure Code at I level is mandatory; cardinality 1:1; format an2.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!13
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H4.; 1/10 Procedure - Previous Procedure Code at I level is mandatory.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ GovernmentProcedure/ PreviousCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an2.; Value is drawn from HMRC codelist ImportPreviousProcedures for these items.

TDR-R-00087 | Field-level requirement | Import declaration | Import H5: DE 1/10 Procedure - Previous Procedure Code at I level is mandatory; cardinality 1:1; format an2.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!13
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H5.; 1/10 Procedure - Previous Procedure Code at I level is mandatory.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ GovernmentProcedure/ PreviousCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an2.; Value is drawn from HMRC codelist ImportPreviousProcedures for these items.

TDR-R-00088 | Field-level requirement | Import declaration | Import H8: DE 1/10 Procedure - Previous Procedure Code at I level is mandatory; cardinality 1:1; format an2.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!13
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H8.; 1/10 Procedure - Previous Procedure Code at I level is mandatory.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ GovernmentProcedure/ PreviousCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an2.; Value is drawn from HMRC codelist ImportPreviousProcedures for these items.

TDR-R-00089 | Field-level requirement | Import declaration | Import I1: DE 1/10 Procedure - Previous Procedure Code at I level is mandatory; cardinality 1:1; format an2.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!13
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is I1.; 1/10 Procedure - Previous Procedure Code at I level is mandatory.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ GovernmentProcedure/ PreviousCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an2.; Value is drawn from HMRC codelist ImportPreviousProcedures for these items.

TDR-R-00090 | Field-level requirement | Import declaration | Import I1 (B&E): DE 1/10 Procedure - Previous Procedure Code at I level is mandatory; cardinality 1:1; format an2.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!13
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is I1 (B&E).; 1/10 Procedure - Previous Procedure Code at I level is mandatory.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ GovernmentProcedure/ PreviousCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an2.; Value is drawn from HMRC codelist ImportPreviousProcedures for these items.

TDR-R-00091 | Field-level requirement | Import declaration | Import C21I: DE 1/10 Procedure - Previous Procedure Code at I level is mandatory; cardinality 1:1; format an2.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!13
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is C21I.; 1/10 Procedure - Previous Procedure Code at I level is mandatory.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ GovernmentProcedure/ PreviousCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an2.; Value is drawn from HMRC codelist ImportPreviousProcedures for these items.

TDR-R-00092 | Field-level requirement | Import declaration | Import C21I EIDR: DE 1/10 Procedure - Previous Procedure Code at I level is mandatory; cardinality 1:1; format an2.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!13
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is C21I EIDR.; 1/10 Procedure - Previous Procedure Code at I level is mandatory.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ GovernmentProcedure/ PreviousCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an2.; Value is drawn from HMRC codelist ImportPreviousProcedures for these items.

TDR-R-00093 | Field-level requirement | Import declaration | Import FSD: DE 1/10 Procedure - Previous Procedure Code at I level is mandatory; cardinality 1:1; format an2.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!13
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is FSD.; 1/10 Procedure - Previous Procedure Code at I level is mandatory.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ GovernmentProcedure/ PreviousCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an2.; Value is drawn from HMRC codelist ImportPreviousProcedures for these items.

TDR-R-00094 | Field-level requirement | Import declaration | Import SRDS: DE 1/10 Procedure - Previous Procedure Code at I level is mandatory; cardinality 1:1; format an2.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!13
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020

Acceptance: Import declaration context is SRDS.; 1/10 Procedure - Previous Procedure Code at I level is mandatory.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ GovernmentProcedure/ PreviousCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an2.; Value is drawn from HMRC codelist ImportPreviousProcedures for these items.

TDR-R-00095 | Field-level requirement | Import declaration | Import H1: DE 1/11 Additional Procedure at I level is mandatory; cardinality 99x; format an3.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!14
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H1.; 1/11 Additional Procedure at I level is mandatory.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ GovernmentProcedure/ CurrentCode only where this rule permits it.; Respect cardinality 99x.; Value conforms to HMRC format an3.; Value is drawn from HMRC codelist ImportSpecialProcedures for these items.

TDR-R-00096 | Field-level requirement | Import declaration | Import H2: DE 1/11 Additional Procedure at I level is mandatory; cardinality 99x; format an3.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!14
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H2.; 1/11 Additional Procedure at I level is mandatory.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ GovernmentProcedure/ CurrentCode only where this rule permits it.; Respect cardinality 99x.; Value conforms to HMRC format an3.; Value is drawn from HMRC codelist ImportSpecialProcedures for these items.

TDR-R-00097 | Field-level requirement | Import declaration | Import H3: DE 1/11 Additional Procedure at I level is mandatory; cardinality 99x; format an3.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!14
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H3.; 1/11 Additional Procedure at I level is mandatory.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ GovernmentProcedure/ CurrentCode only where this rule permits it.; Respect cardinality 99x.; Value conforms to HMRC format an3.; Value is drawn from HMRC codelist ImportSpecialProcedures for these items.

TDR-R-00098 | Field-level requirement | Import declaration | Import H4: DE 1/11 Additional Procedure at I level is mandatory; cardinality 99x; format an3.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!14
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H4.; 1/11 Additional Procedure at I level is mandatory.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ GovernmentProcedure/ CurrentCode only where this rule permits it.; Respect cardinality 99x.; Value conforms to HMRC format an3.; Value is drawn from HMRC codelist ImportSpecialProcedures for these items.

TDR-R-00099 | Field-level requirement | Import declaration | Import H5: DE 1/11 Additional Procedure at I level is mandatory; cardinality 99x; format an3.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!14
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H5.; 1/11 Additional Procedure at I level is mandatory.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ GovernmentProcedure/ CurrentCode only where this rule permits it.; Respect cardinality 99x.; Value conforms to HMRC format an3.; Value is drawn from HMRC codelist ImportSpecialProcedures for these items.

TDR-R-00100 | Field-level requirement | Import declaration | Import H8: DE 1/11 Additional Procedure at I level is mandatory; cardinality 99x; format an3.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!14
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H8.; 1/11 Additional Procedure at I level is mandatory.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ GovernmentProcedure/ CurrentCode only where this rule permits it.; Respect cardinality 99x.; Value conforms to HMRC format an3.; Value is drawn from HMRC codelist ImportSpecialProcedures for these items.

TDR-R-00101 | Field-level requirement | Import declaration | Import I1: DE 1/11 Additional Procedure at I level is mandatory; cardinality 99x; format an3.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!14
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is I1.; 1/11 Additional Procedure at I level is mandatory.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ GovernmentProcedure/ CurrentCode only where this rule permits it.; Respect cardinality 99x.; Value conforms to HMRC format an3.; Value is drawn from HMRC codelist ImportSpecialProcedures for these items.

TDR-R-00102 | Field-level requirement | Import declaration | Import I1 (B&E): DE 1/11 Additional Procedure at I level is mandatory; cardinality 99x; format an3.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!14
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is I1 (B&E).; 1/11 Additional Procedure at I level is mandatory.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ GovernmentProcedure/ CurrentCode only where this rule permits it.; Respect cardinality 99x.; Value conforms to HMRC format an3.; Value is drawn from HMRC codelist ImportSpecialProcedures for these items.

TDR-R-00103 | Field-level requirement | Import declaration | Import C21I: DE 1/11 Additional Procedure at I level is mandatory; cardinality 99x; format an3.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!14
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is C21I.; 1/11 Additional Procedure at I level is mandatory.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ GovernmentProcedure/ CurrentCode only where this rule permits it.; Respect cardinality 99x.; Value conforms to HMRC format an3.; Value is drawn from HMRC codelist ImportSpecialProcedures for these items.

TDR-R-00104 | Field-level requirement | Import declaration | Import C21I EIDR: DE 1/11 Additional Procedure at I level is mandatory; cardinality 99x; format an3.

Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!14
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is C21I EIDR.; 1/11 Additional Procedure at I level is mandatory.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ GovernmentProcedure/ CurrentCode only where this rule permits it.; Respect cardinality 99x.; Value conforms to HMRC format an3.; Value is drawn from HMRC codelist ImportSpecialProcedures for these items.

TDR-R-00105 | Field-level requirement | Import declaration | Import FSD: DE 1/11 Additional Procedure at I level is mandatory; cardinality 99x; format an3.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!14
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is FSD.; 1/11 Additional Procedure at I level is mandatory.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ GovernmentProcedure/ CurrentCode only where this rule permits it.; Respect cardinality 99x.; Value conforms to HMRC format an3.; Value is drawn from HMRC codelist ImportSpecialProcedures for these items.

TDR-R-00106 | Field-level requirement | Import declaration | Import SRDS: DE 1/11 Additional Procedure at I level is mandatory; cardinality 99x; format an3.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!14
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is SRDS.; 1/11 Additional Procedure at I level is mandatory.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ GovernmentProcedure/ CurrentCode only where this rule permits it.; Respect cardinality 99x.; Value conforms to HMRC format an3.; Value is drawn from HMRC codelist ImportSpecialProcedures for these items.

TDR-R-00107 | Field-level requirement | Import declaration | Import H1: DE 2/1 Simplified Declaration / Previous Documents at H and / or I level is mandatory; cardinality 99x (I) 9999x (H); format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!15
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H1.; 2/1 Simplified Declaration / Previous Documents at H and / or I level is mandatory.; Populate XML path Declaration/GoodsShipment/ PreviousDocument Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ PreviousDocument only where this rule permits it.; Respect cardinality 99x (I) 9999x (H).; Value conforms to HMRC format -.

TDR-R-00108 | Field-level requirement | Import declaration | Import H2: DE 2/1 Simplified Declaration / Previous Documents at H and / or I level is mandatory; cardinality 99x (I) 9999x (H); format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!15
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H2.; 2/1 Simplified Declaration / Previous Documents at H and / or I level is mandatory.; Populate XML path Declaration/GoodsShipment/ PreviousDocument Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ PreviousDocument only where this rule permits it.; Respect cardinality 99x (I) 9999x (H).; Value conforms to HMRC format -.

TDR-R-00109 | Field-level requirement | Import declaration | Import H3: DE 2/1 Simplified Declaration / Previous Documents at H and / or I level is mandatory; cardinality 99x (I) 9999x (H); format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!15
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H3.; 2/1 Simplified Declaration / Previous Documents at H and / or I level is mandatory.; Populate XML path Declaration/GoodsShipment/ PreviousDocument Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ PreviousDocument only where this rule permits it.; Respect cardinality 99x (I) 9999x (H).; Value conforms to HMRC format -.

TDR-R-00110 | Field-level requirement | Import declaration | Import H4: DE 2/1 Simplified Declaration / Previous Documents at H and / or I level is mandatory; cardinality 99x (I) 9999x (H); format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!15
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H4.; 2/1 Simplified Declaration / Previous Documents at H and / or I level is mandatory.; Populate XML path Declaration/GoodsShipment/ PreviousDocument Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ PreviousDocument only where this rule permits it.; Respect cardinality 99x (I) 9999x (H).; Value conforms to HMRC format -.

TDR-R-00111 | Field-level requirement | Import declaration | Import H5: DE 2/1 Simplified Declaration / Previous Documents at H and / or I level is mandatory; cardinality 99x (I) 9999x (H); format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!15
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H5.; 2/1 Simplified Declaration / Previous Documents at H and / or I level is mandatory.; Populate XML path Declaration/GoodsShipment/ PreviousDocument Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ PreviousDocument only where this rule permits it.; Respect cardinality 99x (I) 9999x (H).; Value conforms to HMRC format -.

TDR-R-00112 | Field-level requirement | Import declaration | Import H8: DE 2/1 Simplified Declaration / Previous Documents at H and / or I level is mandatory; cardinality 99x (I) 9999x (H); format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!15
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H8.; 2/1 Simplified Declaration / Previous Documents at H and / or I level is mandatory.; Populate XML path Declaration/GoodsShipment/ PreviousDocument Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ PreviousDocument only where this rule permits it.; Respect cardinality 99x (I) 9999x (H).; Value conforms to HMRC format -.

TDR-R-00113 | Field-level requirement | Import declaration | Import I1: DE 2/1 Simplified Declaration / Previous Documents at H and / or I level is mandatory; cardinality 99x (I) 9999x (H); format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!15
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is I1.; 2/1 Simplified Declaration / Previous Documents at H and / or I level is mandatory.; Populate XML path Declaration/GoodsShipment/ PreviousDocument Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ PreviousDocument only where this rule permits it.; Respect cardinality 99x (I) 9999x (H).; Value conforms to HMRC format -.

TDR-R-00114 | Field-level requirement | Import declaration | Import I1 (B&E): DE 2/1 Simplified Declaration / Previous Documents at H and / or I level is mandatory; cardinality 99x (I) 9999x (H); format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!15
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is I1 (B&E).; 2/1 Simplified Declaration / Previous Documents at H and / or I level is mandatory.; Populate XML path Declaration/GoodsShipment/ PreviousDocument Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ PreviousDocument only where this rule permits it.; Respect cardinality 99x (I) 9999x (H).; Value conforms to HMRC format -.

TDR-R-00115 | Field-level requirement | Import declaration | Import C21I: DE 2/1 Simplified Declaration / Previous Documents at H and / or I level is mandatory; cardinality 99x (I) 9999x (H); format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!15
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is C21I.; 2/1 Simplified Declaration / Previous Documents at H and / or I level is mandatory.; Populate XML path Declaration/GoodsShipment/ PreviousDocument Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ PreviousDocument only where this rule permits it.; Respect cardinality 99x (I) 9999x (H).; Value conforms to HMRC format -.

TDR-R-00116 | Field-level requirement | Import declaration | Import C21I EIDR: DE 2/1 Simplified Declaration / Previous Documents at H and / or I level is mandatory; cardinality 99x (I) 9999x (H); format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!15
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is C21I EIDR.; 2/1 Simplified Declaration / Previous Documents at H and / or I level is mandatory.; Populate XML path Declaration/GoodsShipment/ PreviousDocument Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ PreviousDocument only where this rule permits it.; Respect cardinality 99x (I) 9999x (H).; Value conforms to HMRC format -.

TDR-R-00117 | Field-level requirement | Import declaration | Import FSD: DE 2/1 Simplified Declaration / Previous Documents at H and / or I level is M (H) O (I); cardinality 99x (I) 9999x (H); format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!15
Error code/pattern: CDS10010 | xml_validation_error
Acceptance: Import declaration context is FSD.; 2/1 Simplified Declaration / Previous Documents at H and / or I level is m (h) o (i).; Populate XML path Declaration/GoodsShipment/ PreviousDocument Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ PreviousDocument only where this rule permits it.; Respect cardinality 99x (I) 9999x (H).; Value conforms to HMRC format -.

TDR-R-00118 | Field-level requirement | Import declaration | Import SRDS: DE 2/1 Simplified Declaration / Previous Documents at H and / or I level is mandatory; cardinality 99x (I) 9999x (H); format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!15
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is SRDS.; 2/1 Simplified Declaration / Previous Documents at H and / or I level is mandatory.; Populate XML path Declaration/GoodsShipment/ PreviousDocument Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ PreviousDocument only where this rule permits it.; Respect cardinality 99x (I) 9999x (H).; Value conforms to HMRC format -.

TDR-R-00119 | Field-level requirement | Import declaration | Import H1: DE 2/1 Simplified Declaration / Previous Documents - Document Category at H and / or I level is mandatory when the group-level item is present; cardinality 1:1; format a1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!16
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H1.; 2/1 Simplified Declaration / Previous Documents - Document Category at H and / or I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ PreviousDocument/ CategoryCode Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ PreviousDocument/ CategoryCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a1.; Value is drawn from HMRC codelist DocumentCategories for these items.

TDR-R-00120 | Field-level requirement | Import declaration | Import H2: DE 2/1 Simplified Declaration / Previous Documents - Document Category at H and / or I level is mandatory when the group-level item is present; cardinality 1:1; format a1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!16
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H2.; 2/1 Simplified Declaration / Previous Documents - Document Category at H and / or I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ PreviousDocument/ CategoryCode Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ PreviousDocument/ CategoryCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a1.; Value is drawn from HMRC codelist DocumentCategories for these items.

TDR-R-00121 | Field-level requirement | Import declaration | Import H3: DE 2/1 Simplified Declaration / Previous Documents - Document Category at H and / or I level is mandatory when the group-level item is present; cardinality 1:1; format a1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!16
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H3.; 2/1 Simplified Declaration / Previous Documents - Document Category at H and / or I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ PreviousDocument/ CategoryCode Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ PreviousDocument/ CategoryCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a1.; Value is drawn from HMRC codelist DocumentCategories for these items.

TDR-R-00122 | Field-level requirement | Import declaration | Import H4: DE 2/1 Simplified Declaration / Previous Documents - Document Category at H and / or I level is mandatory when the group-level item is present; cardinality 1:1; format a1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!16
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H4.; 2/1 Simplified Declaration / Previous Documents - Document Category at H and / or I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ PreviousDocument/ CategoryCode Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ PreviousDocument/ CategoryCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a1.; Value is drawn from HMRC codelist DocumentCategories for these items.

TDR-R-00123 | Field-level requirement | Import declaration | Import H5: DE 2/1 Simplified Declaration / Previous Documents - Document Category at H and / or I level is mandatory when the group-level item is present; cardinality 1:1; format a1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!16

Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H5.; 2/1 Simplified Declaration / Previous Documents - Document Category at H and / or I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ PreviousDocument/ CategoryCode Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ PreviousDocument/ CategoryCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a1.; Value is drawn from HMRC codelist DocumentCategories for these items.

TDR-R-00124 | Field-level requirement | Import declaration | Import H8: DE 2/1 Simplified Declaration / Previous Documents - Document Category at H and / or I level is mandatory when the group-level item is present; cardinality 1:1; format a1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!16
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H8.; 2/1 Simplified Declaration / Previous Documents - Document Category at H and / or I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ PreviousDocument/ CategoryCode Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ PreviousDocument/ CategoryCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a1.; Value is drawn from HMRC codelist DocumentCategories for these items.

TDR-R-00125 | Field-level requirement | Import declaration | Import I1: DE 2/1 Simplified Declaration / Previous Documents - Document Category at H and / or I level is mandatory when the group-level item is present; cardinality 1:1; format a1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!16
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is I1.; 2/1 Simplified Declaration / Previous Documents - Document Category at H and / or I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ PreviousDocument/ CategoryCode Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ PreviousDocument/ CategoryCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a1.; Value is drawn from HMRC codelist DocumentCategories for these items.

TDR-R-00126 | Field-level requirement | Import declaration | Import I1 (B&E): DE 2/1 Simplified Declaration / Previous Documents - Document Category at H and / or I level is mandatory when the group-level item is present; cardinality 1:1; format a1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!16
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is I1 (B&E).; 2/1 Simplified Declaration / Previous Documents - Document Category at H and / or I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ PreviousDocument/ CategoryCode Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ PreviousDocument/ CategoryCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a1.; Value is drawn from HMRC codelist DocumentCategories for these items.

TDR-R-00127 | Field-level requirement | Import declaration | Import C21I: DE 2/1 Simplified Declaration / Previous Documents - Document Category at H and / or I level is mandatory when the group-level item is present; cardinality 1:1; format a1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!16
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is C21I.; 2/1 Simplified Declaration / Previous Documents - Document Category at H and / or I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ PreviousDocument/ CategoryCode Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ PreviousDocument/ CategoryCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a1.; Value is drawn from HMRC codelist DocumentCategories for these items.

TDR-R-00128 | Field-level requirement | Import declaration | Import C21I EIDR: DE 2/1 Simplified Declaration / Previous Documents - Document Category at H and / or I level is mandatory when the group-level item is present; cardinality 1:1; format a1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!16
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is C21I EIDR.; 2/1 Simplified Declaration / Previous Documents - Document Category at H and / or I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ PreviousDocument/ CategoryCode Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ PreviousDocument/ CategoryCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a1.; Value is drawn from HMRC codelist DocumentCategories for these items.

TDR-R-00129 | Field-level requirement | Import declaration | Import FSD: DE 2/1 Simplified Declaration / Previous Documents - Document Category at H and / or I level is M* (H) O (I); cardinality 1:1; format a1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!16
Error code/pattern: CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is FSD.; 2/1 Simplified Declaration / Previous Documents - Document Category at H and / or I level is m* (h) o (i).; Populate XML path Declaration/GoodsShipment/ PreviousDocument/ CategoryCode Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ PreviousDocument/ CategoryCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a1.; Value is drawn from HMRC codelist DocumentCategories for these items.

TDR-R-00130 | Field-level requirement | Import declaration | Import SRDS: DE 2/1 Simplified Declaration / Previous Documents - Document Category at H and / or I level is mandatory when the group-level item is present; cardinality 1:1; format a1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!16
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is SRDS.; 2/1 Simplified Declaration / Previous Documents - Document Category at H and / or I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ PreviousDocument/ CategoryCode Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ PreviousDocument/ CategoryCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a1.; Value is drawn from HMRC codelist DocumentCategories for these items.

TDR-R-00131 | Field-level requirement | Import declaration | Import H1: DE 2/1 Simplified Declaration / Previous Documents - Previous Document Type at H and / or I level is mandatory when the group-level item is present; cardinality 1:1; format an..3.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!17
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H1.; 2/1 Simplified Declaration / Previous Documents - Previous Document Type at H and / or I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ PreviousDocument/ TypeCode Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ PreviousDocument/ TypeCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..3.; Value is drawn from HMRC codelist ImportPreviousDocuments for these items.

TDR-R-00132 | Field-level requirement | Import declaration | Import H2: DE 2/1 Simplified Declaration / Previous Documents - Previous Document Type at H and / or I level is mandatory when the group-level item is present; cardinality 1:1; format an..3.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!17
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H2.; 2/1 Simplified Declaration / Previous Documents - Previous Document Type at H and / or I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ PreviousDocument/ TypeCode Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ PreviousDocument/ TypeCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..3.; Value is drawn from HMRC codelist ImportPreviousDocuments for these items.

TDR-R-00133 | Field-level requirement | Import declaration | Import H3: DE 2/1 Simplified Declaration / Previous Documents - Previous Document Type at H and / or I level is mandatory when the group-level item is present; cardinality 1:1; format an..3.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!17
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H3.; 2/1 Simplified Declaration / Previous Documents - Previous Document Type at H and / or I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ PreviousDocument/ TypeCode Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ PreviousDocument/ TypeCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..3.; Value is drawn from HMRC codelist ImportPreviousDocuments for these items.

TDR-R-00134 | Field-level requirement | Import declaration | Import H4: DE 2/1 Simplified Declaration / Previous Documents - Previous Document Type at H and / or I level is mandatory when the group-level item is present; cardinality 1:1; format an..3.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!17
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H4.; 2/1 Simplified Declaration / Previous Documents - Previous Document Type at H and / or I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ PreviousDocument/ TypeCode Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ PreviousDocument/ TypeCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..3.; Value is drawn from HMRC codelist ImportPreviousDocuments for these items.

TDR-R-00135 | Field-level requirement | Import declaration | Import H5: DE 2/1 Simplified Declaration / Previous Documents - Previous Document Type at H and / or I level is mandatory when the group-level item is present; cardinality 1:1; format an..3.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!17
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H5.; 2/1 Simplified Declaration / Previous Documents - Previous Document Type at H and / or I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ PreviousDocument/ TypeCode Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ PreviousDocument/ TypeCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..3.; Value is drawn from HMRC codelist ImportPreviousDocuments for these items.

TDR-R-00136 | Field-level requirement | Import declaration | Import H8: DE 2/1 Simplified Declaration / Previous Documents - Previous Document Type at H and / or I level is mandatory when the group-level item is present; cardinality 1:1; format an..3.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!17
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H8.; 2/1 Simplified Declaration / Previous Documents - Previous Document Type at H and / or I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ PreviousDocument/ TypeCode Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ PreviousDocument/ TypeCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..3.; Value is drawn from HMRC codelist ImportPreviousDocuments for these items.

TDR-R-00137 | Field-level requirement | Import declaration | Import I1: DE 2/1 Simplified Declaration / Previous Documents - Previous Document Type at H and / or I level is mandatory when the group-level item is present; cardinality 1:1; format an..3.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!17
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is I1.; 2/1 Simplified Declaration / Previous Documents - Previous Document Type at H and / or I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ PreviousDocument/ TypeCode Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ PreviousDocument/ TypeCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..3.; Value is drawn from HMRC codelist ImportPreviousDocuments for these items.

TDR-R-00138 | Field-level requirement | Import declaration | Import I1 (B&E): DE 2/1 Simplified Declaration / Previous Documents - Previous Document Type at H and / or I level is mandatory when the group-level item is present; cardinality 1:1; format an..3.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!17
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is I1 (B&E).; 2/1 Simplified Declaration / Previous Documents - Previous Document Type at H and / or I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ PreviousDocument/ TypeCode Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ PreviousDocument/ TypeCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..3.; Value is drawn from HMRC codelist ImportPreviousDocuments for these items.

TDR-R-00139 | Field-level requirement | Import declaration | Import C21I: DE 2/1 Simplified Declaration / Previous Documents - Previous Document Type at H and / or I level is mandatory when the group-level item is present; cardinality 1:1; format an..3.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!17
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is C21I.; 2/1 Simplified Declaration / Previous Documents - Previous Document Type at H and / or I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ PreviousDocument/ TypeCode Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ PreviousDocument/ TypeCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..3.; Value is drawn from HMRC codelist ImportPreviousDocuments for these items.

TDR-R-00140 | Field-level requirement | Import declaration | Import C21I EIDR: DE 2/1 Simplified Declaration / Previous Documents - Previous Document Type at H and / or I level is mandatory when the group-level item is present; cardinality 1:1; format an..3.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!17
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is C21I EIDR.; 2/1 Simplified Declaration / Previous Documents - Previous Document Type at H and / or I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ PreviousDocument/ TypeCode

Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ PreviousDocument/ TypeCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..3.; Value is drawn from HMRC codelist ImportPreviousDocuments for these items.

TDR-R-00141 | Field-level requirement | Import declaration | Import FSD: DE 2/1 Simplified Declaration / Previous Documents - Previous Document Type at H and / or I level is M* (H) O (I); cardinality 1:1; format an..3.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!17
Error code/pattern: CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is FSD.; 2/1 Simplified Declaration / Previous Documents - Previous Document Type at H and / or I level is m* (h) o (i).; Populate XML path Declaration/GoodsShipment/ PreviousDocument/ TypeCode Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ PreviousDocument/ TypeCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..3.; Value is drawn from HMRC codelist ImportPreviousDocuments for these items.

TDR-R-00142 | Field-level requirement | Import declaration | Import SRDS: DE 2/1 Simplified Declaration / Previous Documents - Previous Document Type at H and / or I level is mandatory when the group-level item is present; cardinality 1:1; format an..3.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!17
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is SRDS.; 2/1 Simplified Declaration / Previous Documents - Previous Document Type at H and / or I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ PreviousDocument/ TypeCode Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ PreviousDocument/ TypeCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..3.; Value is drawn from HMRC codelist ImportPreviousDocuments for these items.

TDR-R-00143 | Field-level requirement | Import declaration | Import H1: DE 2/1 Simplified Declaration / Previous Documents - Previous Document Reference at H and / or I level is mandatory when the group-level item is present; cardinality 1:1; format an..35.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!18
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H1.; 2/1 Simplified Declaration / Previous Documents - Previous Document Reference at H and / or I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ PreviousDocument/ ID Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ PreviousDocument/ ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..35.

TDR-R-00144 | Field-level requirement | Import declaration | Import H2: DE 2/1 Simplified Declaration / Previous Documents - Previous Document Reference at H and / or I level is mandatory when the group-level item is present; cardinality 1:1; format an..35.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!18
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H2.; 2/1 Simplified Declaration / Previous Documents - Previous Document Reference at H and / or I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ PreviousDocument/ ID Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ PreviousDocument/ ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..35.

TDR-R-00145 | Field-level requirement | Import declaration | Import H3: DE 2/1 Simplified Declaration / Previous Documents - Previous Document Reference at H and / or I level is mandatory when the group-level item is present; cardinality 1:1; format an..35.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!18
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H3.; 2/1 Simplified Declaration / Previous Documents - Previous Document Reference at H and / or I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ PreviousDocument/ ID Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ PreviousDocument/ ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..35.

TDR-R-00146 | Field-level requirement | Import declaration | Import H4: DE 2/1 Simplified Declaration / Previous Documents - Previous Document Reference at H and / or I level is mandatory when the group-level item is present; cardinality 1:1; format an..35.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!18
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H4.; 2/1 Simplified Declaration / Previous Documents - Previous Document Reference at H and / or I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ PreviousDocument/ ID Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ PreviousDocument/ ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..35.

TDR-R-00147 | Field-level requirement | Import declaration | Import H5: DE 2/1 Simplified Declaration / Previous Documents - Previous Document Reference at H and / or I level is mandatory when the group-level item is present; cardinality 1:1; format an..35.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!18
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H5.; 2/1 Simplified Declaration / Previous Documents - Previous Document Reference at H and / or I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ PreviousDocument/ ID Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ PreviousDocument/ ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..35.

TDR-R-00148 | Field-level requirement | Import declaration | Import H8: DE 2/1 Simplified Declaration / Previous Documents - Previous Document Reference at H and / or I level is mandatory when the group-level item is present; cardinality 1:1; format an..35.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!18
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H8.; 2/1 Simplified Declaration / Previous Documents - Previous Document Reference at H and / or I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ PreviousDocument/ ID Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ PreviousDocument/ ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..35.

TDR-R-00149 | Field-level requirement | Import declaration | Import I1: DE 2/1 Simplified Declaration / Previous Documents - Previous Document Reference at H and / or I level is mandatory when the group-level item is present; cardinality 1:1; format an..35.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!18
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error

Acceptance: Import declaration context is I1.; 2/1 Simplified Declaration / Previous Documents - Previous Document Reference at H and / or I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ PreviousDocument/ ID Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ PreviousDocument/ ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..35.

TDR-R-00150 | Field-level requirement | Import declaration | Import I1 (B&E): DE 2/1 Simplified Declaration / Previous Documents - Previous Document Reference at H and / or I level is mandatory when the group-level item is present; cardinality 1:1; format an..35.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!18
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is I1 (B&E).; 2/1 Simplified Declaration / Previous Documents - Previous Document Reference at H and / or I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ PreviousDocument/ ID Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ PreviousDocument/ ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..35.

TDR-R-00151 | Field-level requirement | Import declaration | Import C21I: DE 2/1 Simplified Declaration / Previous Documents - Previous Document Reference at H and / or I level is mandatory when the group-level item is present; cardinality 1:1; format an..35.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!18
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is C21I.; 2/1 Simplified Declaration / Previous Documents - Previous Document Reference at H and / or I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ PreviousDocument/ ID Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ PreviousDocument/ ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..35.

TDR-R-00152 | Field-level requirement | Import declaration | Import C21I EIDR: DE 2/1 Simplified Declaration / Previous Documents - Previous Document Reference at H and / or I level is mandatory when the group-level item is present; cardinality 1:1; format an..35.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!18
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is C21I EIDR.; 2/1 Simplified Declaration / Previous Documents - Previous Document Reference at H and / or I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ PreviousDocument/ ID Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ PreviousDocument/ ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..35.

TDR-R-00153 | Field-level requirement | Import declaration | Import FSD: DE 2/1 Simplified Declaration / Previous Documents - Previous Document Reference at H and / or I level is M* (H) O (I); cardinality 1:1; format an..35.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!18
Error code/pattern: CDS10010 | xml_validation_error
Acceptance: Import declaration context is FSD.; 2/1 Simplified Declaration / Previous Documents - Previous Document Reference at H and / or I level is m* (h) o (i).; Populate XML path Declaration/GoodsShipment/ PreviousDocument/ ID Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ PreviousDocument/ ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..35.

TDR-R-00154 | Field-level requirement | Import declaration | Import SRDS: DE 2/1 Simplified Declaration / Previous Documents - Previous Document Reference at H and / or I level is mandatory when the group-level item is present; cardinality 1:1; format an..35.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!18
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is SRDS.; 2/1 Simplified Declaration / Previous Documents - Previous Document Reference at H and / or I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ PreviousDocument/ ID Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ PreviousDocument/ ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..35.

TDR-R-00155 | Field-level requirement | Import declaration | Import H1: DE 2/1 Simplified Declaration / Previous Documents - Goods Item Identifier at H and / or I level is optional; cardinality 1:1; format n..3 Cannot be 0.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!19
Error code/pattern: CDS10010 | xml_validation_error
Acceptance: Import declaration context is H1.; 2/1 Simplified Declaration / Previous Documents - Goods Item Identifier at H and / or I level is optional.; Populate XML path Declaration/GoodsShipment/ PreviousDocument/ LineNumeric Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ PreviousDocument/ LineNumeric only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format n..3 Cannot be 0.

TDR-R-00156 | Field-level requirement | Import declaration | Import H2: DE 2/1 Simplified Declaration / Previous Documents - Goods Item Identifier at H and / or I level is optional; cardinality 1:1; format n..3 Cannot be 0.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!19
Error code/pattern: CDS10010 | xml_validation_error
Acceptance: Import declaration context is H2.; 2/1 Simplified Declaration / Previous Documents - Goods Item Identifier at H and / or I level is optional.; Populate XML path Declaration/GoodsShipment/ PreviousDocument/ LineNumeric Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ PreviousDocument/ LineNumeric only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format n..3 Cannot be 0.

TDR-R-00157 | Field-level requirement | Import declaration | Import H3: DE 2/1 Simplified Declaration / Previous Documents - Goods Item Identifier at H and / or I level is optional; cardinality 1:1; format n..3 Cannot be 0.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!19
Error code/pattern: CDS10010 | xml_validation_error
Acceptance: Import declaration context is H3.; 2/1 Simplified Declaration / Previous Documents - Goods Item Identifier at H and / or I level is optional.; Populate XML path Declaration/GoodsShipment/ PreviousDocument/ LineNumeric Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ PreviousDocument/ LineNumeric only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format n..3 Cannot be 0.

TDR-R-00158 | Field-level requirement | Import declaration | Import H4: DE 2/1 Simplified Declaration / Previous Documents - Goods Item Identifier at H and / or I level is optional; cardinality 1:1; format n..3 Cannot be 0.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!19
Error code/pattern: CDS10010 | xml_validation_error
Acceptance: Import declaration context is H4.; 2/1 Simplified Declaration / Previous Documents - Goods Item Identifier at H and / or I level is optional.; Populate XML path Declaration/GoodsShipment/ PreviousDocument/ LineNumeric Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ PreviousDocument/ LineNumeric only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format n..3 Cannot be 0.

TDR-R-00159 | Field-level requirement | Import declaration | Import H5: DE 2/1 Simplified Declaration / Previous Documents - Goods Item Identifier at H and / or I level is optional; cardinality 1:1; format n..3 Cannot be 0.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!19
Error code/pattern: CDS10010 | xml_validation_error
Acceptance: Import declaration context is H5.; 2/1 Simplified Declaration / Previous Documents - Goods Item Identifier at H and / or I level is optional.; Populate XML path Declaration/GoodsShipment/ PreviousDocument/ LineNumeric Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ PreviousDocument/ LineNumeric only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format n..3 Cannot be 0.

TDR-R-00160 | Field-level requirement | Import declaration | Import H8: DE 2/1 Simplified Declaration / Previous Documents - Goods Item Identifier at H and / or I level is dependent; cardinality 1:1; format n..3 Cannot be 0.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!19
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H8.; 2/1 Simplified Declaration / Previous Documents - Goods Item Identifier at H and / or I level is dependent.; Populate XML path Declaration/GoodsShipment/ PreviousDocument/ LineNumeric Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ PreviousDocument/ LineNumeric only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format n..3 Cannot be 0.

TDR-R-00161 | Field-level requirement | Import declaration | Import I1: DE 2/1 Simplified Declaration / Previous Documents - Goods Item Identifier at H and / or I level is optional; cardinality 1:1; format n..3 Cannot be 0.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!19
Error code/pattern: CDS10010 | xml_validation_error
Acceptance: Import declaration context is I1.; 2/1 Simplified Declaration / Previous Documents - Goods Item Identifier at H and / or I level is optional.; Populate XML path Declaration/GoodsShipment/ PreviousDocument/ LineNumeric Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ PreviousDocument/ LineNumeric only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format n..3 Cannot be 0.

TDR-R-00162 | Field-level requirement | Import declaration | Import I1 (B&E): DE 2/1 Simplified Declaration / Previous Documents - Goods Item Identifier at H and / or I level is optional; cardinality 1:1; format n..3 Cannot be 0.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!19
Error code/pattern: CDS10010 | xml_validation_error
Acceptance: Import declaration context is I1 (B&E).; 2/1 Simplified Declaration / Previous Documents - Goods Item Identifier at H and / or I level is optional.; Populate XML path Declaration/GoodsShipment/ PreviousDocument/ LineNumeric Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ PreviousDocument/ LineNumeric only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format n..3 Cannot be 0.

TDR-R-00163 | Field-level requirement | Import declaration | Import C21I: DE 2/1 Simplified Declaration / Previous Documents - Goods Item Identifier at H and / or I level is optional; cardinality 1:1; format n..3 Cannot be 0.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!19
Error code/pattern: CDS10010 | xml_validation_error
Acceptance: Import declaration context is C21I.; 2/1 Simplified Declaration / Previous Documents - Goods Item Identifier at H and / or I level is optional.; Populate XML path Declaration/GoodsShipment/ PreviousDocument/ LineNumeric Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ PreviousDocument/ LineNumeric only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format n..3 Cannot be 0.

TDR-R-00164 | Field-level requirement | Import declaration | Import C21I EIDR: DE 2/1 Simplified Declaration / Previous Documents - Goods Item Identifier at H and / or I level is optional; cardinality 1:1; format n..3 Cannot be 0.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!19
Error code/pattern: CDS10010 | xml_validation_error
Acceptance: Import declaration context is C21I EIDR.; 2/1 Simplified Declaration / Previous Documents - Goods Item Identifier at H and / or I level is optional.; Populate XML path Declaration/GoodsShipment/ PreviousDocument/ LineNumeric Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ PreviousDocument/ LineNumeric only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format n..3 Cannot be 0.

TDR-R-00165 | Field-level requirement | Import declaration | Import FSD: DE 2/1 Simplified Declaration / Previous Documents - Goods Item Identifier at H and / or I level is optional; cardinality 1:1; format n..3 Cannot be 0.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!19
Error code/pattern: CDS10010 | xml_validation_error
Acceptance: Import declaration context is FSD.; 2/1 Simplified Declaration / Previous Documents - Goods Item Identifier at H and / or I level is optional.; Populate XML path Declaration/GoodsShipment/ PreviousDocument/ LineNumeric Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ PreviousDocument/ LineNumeric only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format n..3 Cannot be 0.

TDR-R-00166 | Field-level requirement | Import declaration | Import SRDS: DE 2/1 Simplified Declaration / Previous Documents - Goods Item Identifier at H and / or I level is optional; cardinality 1:1; format n..3 Cannot be 0.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!19
Error code/pattern: CDS10010 | xml_validation_error
Acceptance: Import declaration context is SRDS.; 2/1 Simplified Declaration / Previous Documents - Goods Item Identifier at H and / or I level is optional.; Populate XML path Declaration/GoodsShipment/ PreviousDocument/ LineNumeric Declaration/GoodsShipment/

GovernmentAgencyGoodsItem/ PreviousDocument/ LineNumeric only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format n..3 Cannot be 0.

TDR-R-00167 | Field-level requirement | Import declaration | Import H1: DE 2/2 Additional Information at H & I level is D (H) D (I); cardinality 99x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!20
Error code/pattern: CDS10010 | xml_validation_error
Acceptance: Import declaration context is H1.; 2/2 Additional Information at H & I level is d (h) d (i).; Populate XML path Declaration/ AdditionalInformation Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ AdditionalInformation only where this rule permits it.; Respect cardinality 99x.; Value conforms to HMRC format -.

TDR-R-00168 | Field-level requirement | Import declaration | Import H2: DE 2/2 Additional Information at H & I level is D (H) D (I); cardinality 99x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!20
Error code/pattern: CDS10010 | xml_validation_error
Acceptance: Import declaration context is H2.; 2/2 Additional Information at H & I level is d (h) d (i).; Populate XML path Declaration/ AdditionalInformation Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ AdditionalInformation only where this rule permits it.; Respect cardinality 99x.; Value conforms to HMRC format -.

TDR-R-00169 | Field-level requirement | Import declaration | Import H3: DE 2/2 Additional Information at H & I level is D (H) D (I); cardinality 99x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!20
Error code/pattern: CDS10010 | xml_validation_error
Acceptance: Import declaration context is H3.; 2/2 Additional Information at H & I level is d (h) d (i).; Populate XML path Declaration/ AdditionalInformation Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ AdditionalInformation only where this rule permits it.; Respect cardinality 99x.; Value conforms to HMRC format -.

TDR-R-00170 | Field-level requirement | Import declaration | Import H4: DE 2/2 Additional Information at H & I level is D (H) D (I); cardinality 99x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!20
Error code/pattern: CDS10010 | xml_validation_error
Acceptance: Import declaration context is H4.; 2/2 Additional Information at H & I level is d (h) d (i).; Populate XML path Declaration/ AdditionalInformation Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ AdditionalInformation only where this rule permits it.; Respect cardinality 99x.; Value conforms to HMRC format -.

TDR-R-00171 | Field-level requirement | Import declaration | Import H5: DE 2/2 Additional Information at H & I level is D (H) D (I); cardinality 99x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!20
Error code/pattern: CDS10010 | xml_validation_error
Acceptance: Import declaration context is H5.; 2/2 Additional Information at H & I level is d (h) d (i).; Populate XML path Declaration/ AdditionalInformation Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ AdditionalInformation only where this rule permits it.; Respect cardinality 99x.; Value conforms to HMRC format -.

TDR-R-00172 | Field-level requirement | Import declaration | Import H8: DE 2/2 Additional Information at H & I level is mandatory; cardinality 99x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!20
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H8.; 2/2 Additional Information at H & I level is mandatory.; Populate XML path Declaration/ AdditionalInformation Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ AdditionalInformation only where this rule permits it.; Respect cardinality 99x.; Value conforms to HMRC format -.

TDR-R-00173 | Field-level requirement | Import declaration | Import I1: DE 2/2 Additional Information at H & I level is D (H) D (I); cardinality 99x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!20
Error code/pattern: CDS10010 | xml_validation_error
Acceptance: Import declaration context is I1.; 2/2 Additional Information at H & I level is d (h) d (i).; Populate XML path Declaration/ AdditionalInformation Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ AdditionalInformation only where this rule permits it.; Respect cardinality 99x.; Value conforms to HMRC format -.

TDR-R-00174 | Field-level requirement | Import declaration | Import I1 (B&E): DE 2/2 Additional Information at H & I level is D (H) D (I); cardinality 99x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!20
Error code/pattern: CDS10010 | xml_validation_error
Acceptance: Import declaration context is I1 (B&E).; 2/2 Additional Information at H & I level is d (h) d (i).; Populate XML path Declaration/ AdditionalInformation Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ AdditionalInformation only where this rule permits it.; Respect cardinality 99x.; Value conforms to HMRC format -.

TDR-R-00175 | Field-level requirement | Import declaration | Import C21I: DE 2/2 Additional Information at H & I level is D (H) D (I); cardinality 99x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!20
Error code/pattern: CDS10010 | xml_validation_error
Acceptance: Import declaration context is C21I.; 2/2 Additional Information at H & I level is d (h) d (i).; Populate XML path Declaration/ AdditionalInformation Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ AdditionalInformation only where this rule permits it.; Respect cardinality 99x.; Value conforms to HMRC format -.

TDR-R-00176 | Field-level requirement | Import declaration | Import C21I EIDR: DE 2/2 Additional Information at H & I level is D (H) D (I); cardinality 99x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!20
Error code/pattern: CDS10010 | xml_validation_error

Acceptance: Import declaration context is C21I EIDR.; 2/2 Additional Information at H & I level is d (h) d (i).; Populate XML path Declaration/ AdditionalInformation Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ AdditionalInformation only where this rule permits it.; Respect cardinality 99x.; Value conforms to HMRC format -.

TDR-R-00177 | Field-level requirement | Import declaration | Import FSD: DE 2/2 Additional Information at H & I level is N/A (H) M (I); cardinality 99x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!20
Error code/pattern: CDS10010 | xml_validation_error
Acceptance: Import declaration context is FSD.; 2/2 Additional Information at H & I level is n/a (h) m (i).; Populate XML path Declaration/ AdditionalInformation Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ AdditionalInformation only where this rule permits it.; Respect cardinality 99x.; Value conforms to HMRC format -.

TDR-R-00178 | Field-level requirement | Import declaration | Import SRDS: DE 2/2 Additional Information at H & I level is D (H) M (I); cardinality 99x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!20
Error code/pattern: CDS10010 | xml_validation_error
Acceptance: Import declaration context is SRDS.; 2/2 Additional Information at H & I level is d (h) m (i).; Populate XML path Declaration/ AdditionalInformation Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ AdditionalInformation only where this rule permits it.; Respect cardinality 99x.; Value conforms to HMRC format -.

TDR-R-00179 | Field-level requirement | Import declaration | Import H1: DE 2/2 Additional Information - Code at H & I level is mandatory when the group-level item is present; cardinality 1:1; format an5.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!21
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H1.; 2/2 Additional Information - Code at H & I level is mandatory when the group-level item is present.; Populate XML path Declaration/ AdditionalInformation/ StatementCode Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ AdditionalInformation/ StatementCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an5.; Value is drawn from HMRC codelist ImportSpecialMentions for these items at item level and the CodeList GVMSAIcodes at header level.

TDR-R-00180 | Field-level requirement | Import declaration | Import H2: DE 2/2 Additional Information - Code at H & I level is mandatory when the group-level item is present; cardinality 1:1; format an5.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!21
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H2.; 2/2 Additional Information - Code at H & I level is mandatory when the group-level item is present.; Populate XML path Declaration/ AdditionalInformation/ StatementCode Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ AdditionalInformation/ StatementCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an5.; Value is drawn from HMRC codelist ImportSpecialMentions for these items at item level and the CodeList GVMSAIcodes at header level.

TDR-R-00181 | Field-level requirement | Import declaration | Import H3: DE 2/2 Additional Information - Code at H & I level is mandatory when the group-level item is present; cardinality 1:1; format an5.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!21
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H3.; 2/2 Additional Information - Code at H & I level is mandatory when the group-level item is present.; Populate XML path Declaration/ AdditionalInformation/ StatementCode Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ AdditionalInformation/ StatementCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an5.; Value is drawn from HMRC codelist ImportSpecialMentions for these items at item level and the CodeList GVMSAIcodes at header level.

TDR-R-00182 | Field-level requirement | Import declaration | Import H4: DE 2/2 Additional Information - Code at H & I level is mandatory when the group-level item is present; cardinality 1:1; format an5.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!21
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H4.; 2/2 Additional Information - Code at H & I level is mandatory when the group-level item is present.; Populate XML path Declaration/ AdditionalInformation/ StatementCode Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ AdditionalInformation/ StatementCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an5.; Value is drawn from HMRC codelist ImportSpecialMentions for these items at item level and the CodeList GVMSAIcodes at header level.

TDR-R-00183 | Field-level requirement | Import declaration | Import H5: DE 2/2 Additional Information - Code at H & I level is mandatory when the group-level item is present; cardinality 1:1; format an5.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!21
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H5.; 2/2 Additional Information - Code at H & I level is mandatory when the group-level item is present.; Populate XML path Declaration/ AdditionalInformation/ StatementCode Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ AdditionalInformation/ StatementCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an5.; Value is drawn from HMRC codelist ImportSpecialMentions for these items at item level and the CodeList GVMSAIcodes at header level.

TDR-R-00184 | Field-level requirement | Import declaration | Import H8: DE 2/2 Additional Information - Code at H & I level is mandatory when the group-level item is present; cardinality 1:1; format an5.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!21
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H8.; 2/2 Additional Information - Code at H & I level is mandatory when the group-level item is present.; Populate XML path Declaration/ AdditionalInformation/ StatementCode Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ AdditionalInformation/ StatementCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an5.; Value is drawn from HMRC codelist ImportSpecialMentions for these items at item level and the CodeList GVMSAIcodes at header level.

TDR-R-00185 | Field-level requirement | Import declaration | Import I1: DE 2/2 Additional Information - Code at H & I level is mandatory when the group-level item is present; cardinality 1:1; format an5.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!21
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020

Acceptance: Import declaration context is I1.; 2/2 Additional Information - Code at H & I level is mandatory when the group-level item is present.; Populate XML path Declaration/ AdditionalInformation/ StatementCode Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ AdditionalInformation/ StatementCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an5.; Value is drawn from HMRC codelist ImportSpecialMentions for these items at item level and the CodeList GVMSAIcodes at header level.

TDR-R-00186 | Field-level requirement | Import declaration | Import I1 (B&E): DE 2/2 Additional Information - Code at H & I level is mandatory when the group-level item is present; cardinality 1:1; format an5.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!21
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is I1 (B&E).; 2/2 Additional Information - Code at H & I level is mandatory when the group-level item is present.; Populate XML path Declaration/ AdditionalInformation/ StatementCode Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ AdditionalInformation/ StatementCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an5.; Value is drawn from HMRC codelist ImportSpecialMentions for these items at item level and the CodeList GVMSAIcodes at header level.

TDR-R-00187 | Field-level requirement | Import declaration | Import C21I: DE 2/2 Additional Information - Code at H & I level is mandatory when the group-level item is present; cardinality 1:1; format an5.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!21
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is C21I.; 2/2 Additional Information - Code at H & I level is mandatory when the group-level item is present.; Populate XML path Declaration/ AdditionalInformation/ StatementCode Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ AdditionalInformation/ StatementCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an5.; Value is drawn from HMRC codelist ImportSpecialMentions for these items at item level and the CodeList GVMSAIcodes at header level.

TDR-R-00188 | Field-level requirement | Import declaration | Import C21I EIDR: DE 2/2 Additional Information - Code at H & I level is mandatory when the group-level item is present; cardinality 1:1; format an5.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!21
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is C21I EIDR.; 2/2 Additional Information - Code at H & I level is mandatory when the group-level item is present.; Populate XML path Declaration/ AdditionalInformation/ StatementCode Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ AdditionalInformation/ StatementCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an5.; Value is drawn from HMRC codelist ImportSpecialMentions for these items at item level and the CodeList GVMSAIcodes at header level.

TDR-R-00189 | Field-level requirement | Import declaration | Import FSD: DE 2/2 Additional Information - Code at H & I level is mandatory when the group-level item is present; cardinality 1:1; format an5.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!21
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is FSD.; 2/2 Additional Information - Code at H & I level is mandatory when the group-level item is present.; Populate XML path Declaration/ AdditionalInformation/ StatementCode Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ AdditionalInformation/ StatementCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an5.; Value is drawn from HMRC codelist ImportSpecialMentions for these items at item level and the CodeList GVMSAIcodes at header level.

TDR-R-00190 | Field-level requirement | Import declaration | Import SRDS: DE 2/2 Additional Information - Code at H & I level is mandatory when the group-level item is present; cardinality 1:1; format an5.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!21
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is SRDS.; 2/2 Additional Information - Code at H & I level is mandatory when the group-level item is present.; Populate XML path Declaration/ AdditionalInformation/ StatementCode Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ AdditionalInformation/ StatementCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an5.; Value is drawn from HMRC codelist ImportSpecialMentions for these items at item level and the CodeList GVMSAIcodes at header level.

TDR-R-00191 | Field-level requirement | Import declaration | Import H1: DE 2/2 Additional Information - Description at H & I level is dependent; cardinality 1:1; format an..512.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!22
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H1.; 2/2 Additional Information - Description at H & I level is dependent.; Populate XML path Declaration/ AdditionalInformation/ StatementDescription Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ AdditionalInformation/ StatementDescription only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..512.

TDR-R-00192 | Field-level requirement | Import declaration | Import H2: DE 2/2 Additional Information - Description at H & I level is dependent; cardinality 1:1; format an..512.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!22
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H2.; 2/2 Additional Information - Description at H & I level is dependent.; Populate XML path Declaration/ AdditionalInformation/ StatementDescription Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ AdditionalInformation/ StatementDescription only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..512.

TDR-R-00193 | Field-level requirement | Import declaration | Import H3: DE 2/2 Additional Information - Description at H & I level is dependent; cardinality 1:1; format an..512.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!22
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H3.; 2/2 Additional Information - Description at H & I level is dependent.; Populate XML path Declaration/ AdditionalInformation/ StatementDescription Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ AdditionalInformation/ StatementDescription only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..512.

TDR-R-00194 | Field-level requirement | Import declaration | Import H4: DE 2/2 Additional Information - Description at H & I level is dependent; cardinality 1:1; format an..512.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!22
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error

Acceptance: Import declaration context is H4.; 2/2 Additional Information - Description at H & I level is dependent.; Populate XML path Declaration/ AdditionalInformation/ StatementDescription Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ AdditionalInformation/ StatementDescription only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..512.

TDR-R-00195 | Field-level requirement | Import declaration | Import H5: DE 2/2 Additional Information - Description at H & I level is dependent; cardinality 1:1; format an..512.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!22
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H5.; 2/2 Additional Information - Description at H & I level is dependent.; Populate XML path Declaration/ AdditionalInformation/ StatementDescription Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ AdditionalInformation/ StatementDescription only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..512.

TDR-R-00196 | Field-level requirement | Import declaration | Import H8: DE 2/2 Additional Information - Description at H & I level is dependent; cardinality 1:1; format an..512.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!22
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H8.; 2/2 Additional Information - Description at H & I level is dependent.; Populate XML path Declaration/ AdditionalInformation/ StatementDescription Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ AdditionalInformation/ StatementDescription only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..512.

TDR-R-00197 | Field-level requirement | Import declaration | Import I1: DE 2/2 Additional Information - Description at H & I level is dependent; cardinality 1:1; format an..512.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!22
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is I1.; 2/2 Additional Information - Description at H & I level is dependent.; Populate XML path Declaration/ AdditionalInformation/ StatementDescription Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ AdditionalInformation/ StatementDescription only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..512.

TDR-R-00198 | Field-level requirement | Import declaration | Import I1 (B&E): DE 2/2 Additional Information - Description at H & I level is dependent; cardinality 1:1; format an..512.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!22
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is I1 (B&E).; 2/2 Additional Information - Description at H & I level is dependent.; Populate XML path Declaration/ AdditionalInformation/ StatementDescription Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ AdditionalInformation/ StatementDescription only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..512.

TDR-R-00199 | Field-level requirement | Import declaration | Import C21I: DE 2/2 Additional Information - Description at H & I level is dependent; cardinality 1:1; format an..512.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!22
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is C21I.; 2/2 Additional Information - Description at H & I level is dependent.; Populate XML path Declaration/ AdditionalInformation/ StatementDescription Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ AdditionalInformation/ StatementDescription only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..512.

TDR-R-00200 | Field-level requirement | Import declaration | Import C21I EIDR: DE 2/2 Additional Information - Description at H & I level is dependent; cardinality 1:1; format an..512.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!22
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is C21I EIDR.; 2/2 Additional Information - Description at H & I level is dependent.; Populate XML path Declaration/ AdditionalInformation/ StatementDescription Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ AdditionalInformation/ StatementDescription only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..512.

TDR-R-00201 | Field-level requirement | Import declaration | Import FSD: DE 2/2 Additional Information - Description at H & I level is optional; cardinality 1:1; format an..512.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!22
Error code/pattern: CDS10010 | xml_validation_error
Acceptance: Import declaration context is FSD.; 2/2 Additional Information - Description at H & I level is optional.; Populate XML path Declaration/ AdditionalInformation/ StatementDescription Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ AdditionalInformation/ StatementDescription only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..512.

TDR-R-00202 | Field-level requirement | Import declaration | Import SRDS: DE 2/2 Additional Information - Description at H & I level is dependent; cardinality 1:1; format an..512.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!22
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is SRDS.; 2/2 Additional Information - Description at H & I level is dependent.; Populate XML path Declaration/ AdditionalInformation/ StatementDescription Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ AdditionalInformation/ StatementDescription only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..512.

TDR-R-00203 | Field-level requirement | Import declaration | Import H1: DE 2/3 Documents produced, certificates and authorizations, additional references at I level is dependent; cardinality 99x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!23
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H1.; 2/3 Documents produced, certificates and authorizations, additional references at I level is dependent.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ AdditionalDocument only where this rule permits it.; Respect cardinality 99x.; Value conforms to HMRC format -.

TDR-R-00204 | Field-level requirement | Import declaration | Import H2: DE 2/3 Documents produced, certificates and authorizations, additional references at I level is mandatory; cardinality 99x; format -.

Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!23
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H2.; 2/3 Documents produced, certificates and authorizations, additional references at I level is mandatory.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ AdditionalDocument only where this rule permits it.; Respect cardinality 99x.; Value conforms to HMRC format -.

TDR-R-00205 | Field-level requirement | Import declaration | Import H3: DE 2/3 Documents produced, certificates and authorizations, additional references at I level is mandatory; cardinality 99x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!23
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H3.; 2/3 Documents produced, certificates and authorizations, additional references at I level is mandatory.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ AdditionalDocument only where this rule permits it.; Respect cardinality 99x.; Value conforms to HMRC format -.

TDR-R-00206 | Field-level requirement | Import declaration | Import H4: DE 2/3 Documents produced, certificates and authorizations, additional references at I level is mandatory; cardinality 99x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!23
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H4.; 2/3 Documents produced, certificates and authorizations, additional references at I level is mandatory.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ AdditionalDocument only where this rule permits it.; Respect cardinality 99x.; Value conforms to HMRC format -.

TDR-R-00207 | Field-level requirement | Import declaration | Import H5: DE 2/3 Documents produced, certificates and authorizations, additional references at I level is dependent; cardinality 99x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!23
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H5.; 2/3 Documents produced, certificates and authorizations, additional references at I level is dependent.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ AdditionalDocument only where this rule permits it.; Respect cardinality 99x.; Value conforms to HMRC format -.

TDR-R-00208 | Field-level requirement | Import declaration | Import H8: DE 2/3 Documents produced, certificates and authorizations, additional references at I level is mandatory; cardinality 99x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!23
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H8.; 2/3 Documents produced, certificates and authorizations, additional references at I level is mandatory.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ AdditionalDocument only where this rule permits it.; Respect cardinality 99x.; Value conforms to HMRC format -.

TDR-R-00209 | Field-level requirement | Import declaration | Import I1: DE 2/3 Documents produced, certificates and authorizations, additional references at I level is mandatory; cardinality 99x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!23
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is I1.; 2/3 Documents produced, certificates and authorizations, additional references at I level is mandatory.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ AdditionalDocument only where this rule permits it.; Respect cardinality 99x.; Value conforms to HMRC format -.

TDR-R-00210 | Field-level requirement | Import declaration | Import I1 (B&E): DE 2/3 Documents produced, certificates and authorizations, additional references at I level is dependent; cardinality 99x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!23
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is I1 (B&E).; 2/3 Documents produced, certificates and authorizations, additional references at I level is dependent.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ AdditionalDocument only where this rule permits it.; Respect cardinality 99x.; Value conforms to HMRC format -.

TDR-R-00211 | Field-level requirement | Import declaration | Import C21I: DE 2/3 Documents produced, certificates and authorizations, additional references at I level is dependent; cardinality 99x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!23
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is C21I.; 2/3 Documents produced, certificates and authorizations, additional references at I level is dependent.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ AdditionalDocument only where this rule permits it.; Respect cardinality 99x.; Value conforms to HMRC format -.

TDR-R-00212 | Field-level requirement | Import declaration | Import C21I EIDR: DE 2/3 Documents produced, certificates and authorizations, additional references at I level is mandatory; cardinality 99x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!23
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is C21I EIDR.; 2/3 Documents produced, certificates and authorizations, additional references at I level is mandatory.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ AdditionalDocument only where this rule permits it.; Respect cardinality 99x.; Value conforms to HMRC format -.

TDR-R-00213 | Field-level requirement | Import declaration | Import SRDS: DE 2/3 Documents produced, certificates and authorizations, additional references at I level is dependent; cardinality 99x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!23
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is SRDS.; 2/3 Documents produced, certificates and authorizations, additional references at I level is dependent.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ AdditionalDocument only where this rule permits it.; Respect cardinality 99x.; Value conforms to HMRC format -.

TDR-R-00214 | Field-level requirement | Import declaration | Import H1: DE 8/7 Writing Off - Issuing Authority at I level is dependent; cardinality 1:1; format an..70.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!29
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H1.; 8/7 Writing Off - Issuing Authority at I level is dependent.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ AdditionalDocument/ Submitter/ Name only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..70.

TDR-R-00215 | Field-level requirement | Import declaration | Import H2: DE 8/7 Writing Off - Issuing Authority at I level is not allowed; cardinality 1:1; format an..70.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!29
Error code/pattern: CDS10002 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H2.; 8/7 Writing Off - Issuing Authority at I level is not allowed.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ AdditionalDocument/ Submitter/ Name only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..70.

TDR-R-00216 | Field-level requirement | Import declaration | Import H3: DE 8/7 Writing Off - Issuing Authority at I level is not allowed; cardinality 1:1; format an..70.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!29
Error code/pattern: CDS10002 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H3.; 8/7 Writing Off - Issuing Authority at I level is not allowed.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ AdditionalDocument/ Submitter/ Name only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..70.

TDR-R-00217 | Field-level requirement | Import declaration | Import H4: DE 8/7 Writing Off - Issuing Authority at I level is not allowed; cardinality 1:1; format an..70.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!29
Error code/pattern: CDS10002 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H4.; 8/7 Writing Off - Issuing Authority at I level is not allowed.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ AdditionalDocument/ Submitter/ Name only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..70.

TDR-R-00218 | Field-level requirement | Import declaration | Import H5: DE 8/7 Writing Off - Issuing Authority at I level is not allowed; cardinality 1:1; format an..70.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!29
Error code/pattern: CDS10002 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H5.; 8/7 Writing Off - Issuing Authority at I level is not allowed.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ AdditionalDocument/ Submitter/ Name only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..70.

TDR-R-00219 | Field-level requirement | Import declaration | Import H8: DE 8/7 Writing Off - Issuing Authority at I level is dependent; cardinality 1:1; format an..70.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!29
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H8.; 8/7 Writing Off - Issuing Authority at I level is dependent.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ AdditionalDocument/ Submitter/ Name only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..70.

TDR-R-00220 | Field-level requirement | Import declaration | Import I1: DE 8/7 Writing Off - Issuing Authority at I level is dependent; cardinality 1:1; format an..70.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!29
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is I1.; 8/7 Writing Off - Issuing Authority at I level is dependent.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ AdditionalDocument/ Submitter/ Name only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..70.

TDR-R-00221 | Field-level requirement | Import declaration | Import I1 (B&E): DE 8/7 Writing Off - Issuing Authority at I level is not allowed; cardinality 1:1; format an..70.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!29
Error code/pattern: CDS10002 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is I1 (B&E).; 8/7 Writing Off - Issuing Authority at I level is not allowed.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ AdditionalDocument/ Submitter/ Name only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..70.

TDR-R-00222 | Field-level requirement | Import declaration | Import C21I: DE 8/7 Writing Off - Issuing Authority at I level is not allowed; cardinality 1:1; format an..70.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!29
Error code/pattern: CDS10002 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is C21I.; 8/7 Writing Off - Issuing Authority at I level is not allowed.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ AdditionalDocument/ Submitter/ Name only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..70.

TDR-R-00223 | Field-level requirement | Import declaration | Import C21I EIDR: DE 8/7 Writing Off - Issuing Authority at I level is not allowed; cardinality 1:1; format an..70.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!29
Error code/pattern: CDS10002 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is C21I EIDR.; 8/7 Writing Off - Issuing Authority at I level is not allowed.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ AdditionalDocument/ Submitter/ Name only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..70.

TDR-R-00224 | Field-level requirement | Import declaration | Import SRDS: DE 8/7 Writing Off - Issuing Authority at I level is dependent; cardinality 1:1; format an..70.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!29
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is SRDS.; 8/7 Writing Off - Issuing Authority at I level is dependent.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ AdditionalDocument/ Submitter/ Name only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..70.

TDR-R-00225 | Field-level requirement | Import declaration | Import H1: DE 8/7 Writing Off - Date of Validity at I level is dependent; cardinality 1:1; format n..8.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!30
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H1.; 8/7 Writing Off - Date of Validity at I level is dependent.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ AdditionalDocument/ EffectiveDateTime only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format n..8.

TDR-R-00226 | Field-level requirement | Import declaration | Import H2: DE 8/7 Writing Off - Date of Validity at I level is not allowed; cardinality 1:1; format n..8.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!30
Error code/pattern: CDS10002 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H2.; 8/7 Writing Off - Date of Validity at I level is not allowed.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ AdditionalDocument/ EffectiveDateTime only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format n..8.

TDR-R-00227 | Field-level requirement | Import declaration | Import H3: DE 8/7 Writing Off - Date of Validity at I level is not allowed; cardinality 1:1; format n..8.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!30
Error code/pattern: CDS10002 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H3.; 8/7 Writing Off - Date of Validity at I level is not allowed.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ AdditionalDocument/ EffectiveDateTime only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format n..8.

TDR-R-00228 | Field-level requirement | Import declaration | Import H4: DE 8/7 Writing Off - Date of Validity at I level is not allowed; cardinality 1:1; format n..8.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!30
Error code/pattern: CDS10002 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H4.; 8/7 Writing Off - Date of Validity at I level is not allowed.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ AdditionalDocument/ EffectiveDateTime only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format n..8.

TDR-R-00229 | Field-level requirement | Import declaration | Import H5: DE 8/7 Writing Off - Date of Validity at I level is not allowed; cardinality 1:1; format n..8.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!30
Error code/pattern: CDS10002 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H5.; 8/7 Writing Off - Date of Validity at I level is not allowed.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ AdditionalDocument/ EffectiveDateTime only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format n..8.

TDR-R-00230 | Field-level requirement | Import declaration | Import H8: DE 8/7 Writing Off - Date of Validity at I level is dependent; cardinality 1:1; format n..8.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!30
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H8.; 8/7 Writing Off - Date of Validity at I level is dependent.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ AdditionalDocument/ EffectiveDateTime only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format n..8.

TDR-R-00231 | Field-level requirement | Import declaration | Import I1: DE 8/7 Writing Off - Date of Validity at I level is dependent; cardinality 1:1; format n..8.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!30
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is I1.; 8/7 Writing Off - Date of Validity at I level is dependent.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ AdditionalDocument/ EffectiveDateTime only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format n..8.

TDR-R-00232 | Field-level requirement | Import declaration | Import I1 (B&E): DE 8/7 Writing Off - Date of Validity at I level is not allowed; cardinality 1:1; format n..8.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!30
Error code/pattern: CDS10002 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is I1 (B&E).; 8/7 Writing Off - Date of Validity at I level is not allowed.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ AdditionalDocument/ EffectiveDateTime only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format n..8.

TDR-R-00233 | Field-level requirement | Import declaration | Import C21I: DE 8/7 Writing Off - Date of Validity at I level is not allowed; cardinality 1:1; format n..8.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!30
Error code/pattern: CDS10002 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is C21I.; 8/7 Writing Off - Date of Validity at I level is not allowed.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ AdditionalDocument/ EffectiveDateTime only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format n..8.

TDR-R-00234 | Field-level requirement | Import declaration | Import C21I EIDR: DE 8/7 Writing Off - Date of Validity at I level is not allowed; cardinality 1:1; format n..8.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!30
Error code/pattern: CDS10002 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is C21I EIDR.; 8/7 Writing Off - Date of Validity at I level is not allowed.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ AdditionalDocument/ EffectiveDateTime only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format n..8.

TDR-R-00235 | Field-level requirement | Import declaration | Import SRDS: DE 8/7 Writing Off - Date of Validity at I level is dependent; cardinality 1:1; format n..8.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!30
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is SRDS.; 8/7 Writing Off - Date of Validity at I level is dependent.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ AdditionalDocument/ EffectiveDateTime only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format n..8.

TDR-R-00236 | Field-level requirement | Import declaration | Import H1: DE 8/7 Writing Off - Quantity at I level is dependent; cardinality 1:1; format n..16,6.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!31
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H1.; 8/7 Writing Off - Quantity at I level is dependent.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ AdditionalDocument/ WriteOff/ QuantityQuantity only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format n..16,6.

TDR-R-00237 | Field-level requirement | Import declaration | Import H8: DE 8/7 Writing Off - Quantity at I level is dependent; cardinality 1:1; format n..16,6.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!31
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H8.; 8/7 Writing Off - Quantity at I level is dependent.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ AdditionalDocument/ WriteOff/ QuantityQuantity only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format n..16,6.

TDR-R-00238 | Field-level requirement | Import declaration | Import I1: DE 8/7 Writing Off - Quantity at I level is dependent; cardinality 1:1; format n..16,6.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!31
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is I1.; 8/7 Writing Off - Quantity at I level is dependent.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ AdditionalDocument/ WriteOff/ QuantityQuantity only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format n..16,6.

TDR-R-00239 | Field-level requirement | Import declaration | Import C21I EIDR: DE 8/7 Writing Off - Quantity at I level is not allowed; cardinality 1:1; format n..16,6.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!31
Error code/pattern: CDS10002 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is C21I EIDR.; 8/7 Writing Off - Quantity at I level is not allowed.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ AdditionalDocument/ WriteOff/ QuantityQuantity only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format n..16,6.

TDR-R-00240 | Field-level requirement | Import declaration | Import SRDS: DE 8/7 Writing Off - Quantity at I level is dependent; cardinality 1:1; format n..16,6.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!31
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is SRDS.; 8/7 Writing Off - Quantity at I level is dependent.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ AdditionalDocument/ WriteOff/ QuantityQuantity only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format n..16,6.

TDR-R-00241 | Field-level requirement | Import declaration | Import H1: DE 8/7 Writing Off - Measurement Unit & Qualifier at I level is dependent; cardinality 1:1; format an..5 including separator # character.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!32
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H1.; 8/7 Writing Off - Measurement Unit & Qualifier at I level is dependent.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ AdditionalDocument/ WriteOff/ QuantityQuantity @unitCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..5 including separator # character.; Value is drawn from HMRC codelist MeasureUnitTypes and MeasureUnitQualifiers for these items.

TDR-R-00242 | Field-level requirement | Import declaration | Import H8: DE 8/7 Writing Off - Measurement Unit & Qualifier at I level is dependent; cardinality 1:1; format an..5 including separator # character.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!32
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H8.; 8/7 Writing Off - Measurement Unit & Qualifier at I level is dependent.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ AdditionalDocument/ WriteOff/ QuantityQuantity @unitCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..5 including separator # character.; Value is drawn from HMRC codelist MeasureUnitTypes and MeasureUnitQualifiers for these items.

TDR-R-00243 | Field-level requirement | Import declaration | Import I1: DE 8/7 Writing Off - Measurement Unit & Qualifier at I level is dependent; cardinality 1:1; format an..5 including separator # character.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!32
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is I1.; 8/7 Writing Off - Measurement Unit & Qualifier at I level is dependent.; Populate XML path

Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ AdditionalDocument/ WriteOff/ QuantityQuantity @unitCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..5 including separator # character.; Value is drawn from HMRC codelist MeasureUnitTypes and MeasureUnitQualifiers for these items.

TDR-R-00244 | Field-level requirement | Import declaration | Import SRDS: DE 8/7 Writing Off - Measurement Unit & Qualifier at I level is dependent; cardinality 1:1; format an..5 including separator # character.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!32
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is SRDS.; 8/7 Writing Off - Measurement Unit & Qualifier at I level is dependent.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ AdditionalDocument/ WriteOff/ QuantityQuantity @unitCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..5 including separator # character.; Value is drawn from HMRC codelist MeasureUnitTypes and MeasureUnitQualifiers for these items.

TDR-R-00245 | Field-level requirement | Import declaration | Import H1: DE 2/4 Reference Number / UCR at H and / or I level is optional; cardinality 1x (H) 1x (I); format an..35.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!33
Error code/pattern: CDS10010 | xml_validation_error
Acceptance: Import declaration context is H1.; 2/4 Reference Number / UCR at H and / or I level is optional.; Populate XML path Declaration/GoodsShipment/ UCR/ TraderAssignedReferenceID Declaration/ GoodsShipment/ GovernmentAgencyGoodsItem/ UCR/ TraderAssignedReferenceID only where this rule permits it.; Respect cardinality 1x (H) 1x (I).; Value conforms to HMRC format an..35.

TDR-R-00246 | Field-level requirement | Import declaration | Import H2: DE 2/4 Reference Number / UCR at H and / or I level is optional; cardinality 1x (H) 1x (I); format an..35.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!33
Error code/pattern: CDS10010 | xml_validation_error
Acceptance: Import declaration context is H2.; 2/4 Reference Number / UCR at H and / or I level is optional.; Populate XML path Declaration/GoodsShipment/ UCR/ TraderAssignedReferenceID Declaration/ GoodsShipment/ GovernmentAgencyGoodsItem/ UCR/ TraderAssignedReferenceID only where this rule permits it.; Respect cardinality 1x (H) 1x (I).; Value conforms to HMRC format an..35.

TDR-R-00247 | Field-level requirement | Import declaration | Import H3: DE 2/4 Reference Number / UCR at H and / or I level is optional; cardinality 1x (H) 1x (I); format an..35.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!33
Error code/pattern: CDS10010 | xml_validation_error
Acceptance: Import declaration context is H3.; 2/4 Reference Number / UCR at H and / or I level is optional.; Populate XML path Declaration/GoodsShipment/ UCR/ TraderAssignedReferenceID Declaration/ GoodsShipment/ GovernmentAgencyGoodsItem/ UCR/ TraderAssignedReferenceID only where this rule permits it.; Respect cardinality 1x (H) 1x (I).; Value conforms to HMRC format an..35.

TDR-R-00248 | Field-level requirement | Import declaration | Import H4: DE 2/4 Reference Number / UCR at H and / or I level is optional; cardinality 1x (H) 1x (I); format an..35.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!33
Error code/pattern: CDS10010 | xml_validation_error
Acceptance: Import declaration context is H4.; 2/4 Reference Number / UCR at H and / or I level is optional.; Populate XML path Declaration/GoodsShipment/ UCR/ TraderAssignedReferenceID Declaration/ GoodsShipment/ GovernmentAgencyGoodsItem/ UCR/ TraderAssignedReferenceID only where this rule permits it.; Respect cardinality 1x (H) 1x (I).; Value conforms to HMRC format an..35.

TDR-R-00249 | Field-level requirement | Import declaration | Import H5: DE 2/4 Reference Number / UCR at H and / or I level is optional; cardinality 1x (H) 1x (I); format an..35.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!33
Error code/pattern: CDS10010 | xml_validation_error
Acceptance: Import declaration context is H5.; 2/4 Reference Number / UCR at H and / or I level is optional.; Populate XML path Declaration/GoodsShipment/ UCR/ TraderAssignedReferenceID Declaration/ GoodsShipment/ GovernmentAgencyGoodsItem/ UCR/ TraderAssignedReferenceID only where this rule permits it.; Respect cardinality 1x (H) 1x (I).; Value conforms to HMRC format an..35.

TDR-R-00250 | Field-level requirement | Import declaration | Import H8: DE 2/4 Reference Number / UCR at H and / or I level is optional; cardinality 1x (H) 1x (I); format an..35.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!33
Error code/pattern: CDS10010 | xml_validation_error
Acceptance: Import declaration context is H8.; 2/4 Reference Number / UCR at H and / or I level is optional.; Populate XML path Declaration/GoodsShipment/ UCR/ TraderAssignedReferenceID Declaration/ GoodsShipment/ GovernmentAgencyGoodsItem/ UCR/ TraderAssignedReferenceID only where this rule permits it.; Respect cardinality 1x (H) 1x (I).; Value conforms to HMRC format an..35.

TDR-R-00251 | Field-level requirement | Import declaration | Import I1: DE 2/4 Reference Number / UCR at H and / or I level is optional; cardinality 1x (H) 1x (I); format an..35.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!33
Error code/pattern: CDS10010 | xml_validation_error
Acceptance: Import declaration context is I1.; 2/4 Reference Number / UCR at H and / or I level is optional.; Populate XML path Declaration/GoodsShipment/ UCR/ TraderAssignedReferenceID Declaration/ GoodsShipment/ GovernmentAgencyGoodsItem/ UCR/ TraderAssignedReferenceID only where this rule permits it.; Respect cardinality 1x (H) 1x (I).; Value conforms to HMRC format an..35.

TDR-R-00252 | Field-level requirement | Import declaration | Import I1 (B&E): DE 2/4 Reference Number / UCR at H and / or I level is optional; cardinality 1x (H) 1x (I); format an..35.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!33
Error code/pattern: CDS10010 | xml_validation_error
Acceptance: Import declaration context is I1 (B&E).; 2/4 Reference Number / UCR at H and / or I level is optional.; Populate XML path Declaration/GoodsShipment/ UCR/ TraderAssignedReferenceID Declaration/ GoodsShipment/ GovernmentAgencyGoodsItem/ UCR/ TraderAssignedReferenceID only where this rule permits it.; Respect cardinality 1x (H) 1x (I).; Value conforms to HMRC format an..35.

TDR-R-00253 | Field-level requirement | Import declaration | Import C21I: DE 2/4 Reference Number / UCR at H and / or I level is optional; cardinality 1x (H) 1x (I); format an..35.

Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!33
Error code/pattern: CDS10010 | xml_validation_error
Acceptance: Import declaration context is C21I.; 2/4 Reference Number / UCR at H and / or I level is optional.; Populate XML path Declaration/ GoodsShipment/ UCR/ TraderAssignedReferenceID Declaration/ GoodsShipment/ GovernmentAgencyGoodsItem/ UCR/ TraderAssignedReferenceID only where this rule permits it.; Respect cardinality 1x (H) 1x (I).; Value conforms to HMRC format an..35.

TDR-R-00254 | Field-level requirement | Import declaration | Import C21I EIDR: DE 2/4 Reference Number / UCR at H and / or I level is optional; cardinality 1x (H) 1x (I); format an..35.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!33
Error code/pattern: CDS10010 | xml_validation_error
Acceptance: Import declaration context is C21I EIDR.; 2/4 Reference Number / UCR at H and / or I level is optional.; Populate XML path Declaration/ GoodsShipment/ UCR/ TraderAssignedReferenceID Declaration/ GoodsShipment/ GovernmentAgencyGoodsItem/ UCR/ TraderAssignedReferenceID only where this rule permits it.; Respect cardinality 1x (H) 1x (I).; Value conforms to HMRC format an..35.

TDR-R-00255 | Field-level requirement | Import declaration | Import FSD: DE 2/4 Reference Number / UCR at H and / or I level is optional; cardinality 1x (H) 1x (I); format an..35.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!33
Error code/pattern: CDS10010 | xml_validation_error
Acceptance: Import declaration context is FSD.; 2/4 Reference Number / UCR at H and / or I level is optional.; Populate XML path Declaration/ GoodsShipment/ UCR/ TraderAssignedReferenceID Declaration/ GoodsShipment/ GovernmentAgencyGoodsItem/ UCR/ TraderAssignedReferenceID only where this rule permits it.; Respect cardinality 1x (H) 1x (I).; Value conforms to HMRC format an..35.

TDR-R-00256 | Field-level requirement | Import declaration | Import SRDS: DE 2/4 Reference Number / UCR at H and / or I level is optional; cardinality 1x (H) 1x (I); format an..35.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!33
Error code/pattern: CDS10010 | xml_validation_error
Acceptance: Import declaration context is SRDS.; 2/4 Reference Number / UCR at H and / or I level is optional.; Populate XML path Declaration/ GoodsShipment/ UCR/ TraderAssignedReferenceID Declaration/ GoodsShipment/ GovernmentAgencyGoodsItem/ UCR/ TraderAssignedReferenceID only where this rule permits it.; Respect cardinality 1x (H) 1x (I).; Value conforms to HMRC format an..35.

TDR-R-00257 | Field-level requirement | Import declaration | Import H1: DE 2/5 LRN at H level is mandatory; cardinality 1x; format an..22.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!34
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H1.; 2/5 LRN at H level is mandatory.; Populate XML path Declaration/ FunctionalReferenceID only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format an..22.

TDR-R-00258 | Field-level requirement | Import declaration | Import H2: DE 2/5 LRN at H level is mandatory; cardinality 1x; format an..22.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!34
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H2.; 2/5 LRN at H level is mandatory.; Populate XML path Declaration/ FunctionalReferenceID only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format an..22.

TDR-R-00259 | Field-level requirement | Import declaration | Import H3: DE 2/5 LRN at H level is mandatory; cardinality 1x; format an..22.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!34
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H3.; 2/5 LRN at H level is mandatory.; Populate XML path Declaration/ FunctionalReferenceID only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format an..22.

TDR-R-00260 | Field-level requirement | Import declaration | Import H4: DE 2/5 LRN at H level is mandatory; cardinality 1x; format an..22.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!34
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H4.; 2/5 LRN at H level is mandatory.; Populate XML path Declaration/ FunctionalReferenceID only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format an..22.

TDR-R-00261 | Field-level requirement | Import declaration | Import H5: DE 2/5 LRN at H level is mandatory; cardinality 1x; format an..22.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!34
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H5.; 2/5 LRN at H level is mandatory.; Populate XML path Declaration/ FunctionalReferenceID only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format an..22.

TDR-R-00262 | Field-level requirement | Import declaration | Import H8: DE 2/5 LRN at H level is mandatory; cardinality 1x; format an..22.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!34
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H8.; 2/5 LRN at H level is mandatory.; Populate XML path Declaration/ FunctionalReferenceID only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format an..22.

TDR-R-00263 | Field-level requirement | Import declaration | Import I1: DE 2/5 LRN at H level is mandatory; cardinality 1x; format an..22.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!34
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is I1.; 2/5 LRN at H level is mandatory.; Populate XML path Declaration/ FunctionalReferenceID only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format an..22.

TDR-R-00264 | Field-level requirement | Import declaration | Import I1 (B&E): DE 2/5 LRN at H level is mandatory; cardinality 1x; format an..22.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!34
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is I1 (B&E).; 2/5 LRN at H level is mandatory.; Populate XML path Declaration/ FunctionalReferenceID only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format an..22.

TDR-R-00265 | Field-level requirement | Import declaration | Import C21I: DE 2/5 LRN at H level is mandatory; cardinality 1x; format an..22.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!34
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is C21I.; 2/5 LRN at H level is mandatory.; Populate XML path Declaration/ FunctionalReferenceID only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format an..22.

TDR-R-00266 | Field-level requirement | Import declaration | Import C21I EIDR: DE 2/5 LRN at H level is mandatory; cardinality 1x; format an..22.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!34
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is C21I EIDR.; 2/5 LRN at H level is mandatory.; Populate XML path Declaration/ FunctionalReferenceID only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format an..22.

TDR-R-00267 | Field-level requirement | Import declaration | Import FSD: DE 2/5 LRN at H level is mandatory; cardinality 1x; format an..22.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!34
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is FSD.; 2/5 LRN at H level is mandatory.; Populate XML path Declaration/ FunctionalReferenceID only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format an..22.

TDR-R-00268 | Field-level requirement | Import declaration | Import SRDS: DE 2/5 LRN at H level is mandatory; cardinality 1x; format an..22.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!34
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is SRDS.; 2/5 LRN at H level is mandatory.; Populate XML path Declaration/ FunctionalReferenceID only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format an..22.

TDR-R-00269 | Field-level requirement | Import declaration | Import H1: DE 2/6 Deferred Payment at H level is dependent; cardinality 2x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!35
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H1.; 2/6 Deferred Payment at H level is dependent.; Populate XML path Declaration/ AdditionalDocument only where this rule permits it.; Respect cardinality 2x.; Value conforms to HMRC format -.

TDR-R-00270 | Field-level requirement | Import declaration | Import H3: DE 2/6 Deferred Payment at H level is dependent; cardinality 2x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!35
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H3.; 2/6 Deferred Payment at H level is dependent.; Populate XML path Declaration/ AdditionalDocument only where this rule permits it.; Respect cardinality 2x.; Value conforms to HMRC format -.

TDR-R-00271 | Field-level requirement | Import declaration | Import H4: DE 2/6 Deferred Payment at H level is dependent; cardinality 2x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!35
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H4.; 2/6 Deferred Payment at H level is dependent.; Populate XML path Declaration/ AdditionalDocument only where this rule permits it.; Respect cardinality 2x.; Value conforms to HMRC format -.

TDR-R-00272 | Field-level requirement | Import declaration | Import H5: DE 2/6 Deferred Payment at H level is dependent; cardinality 2x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!35
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H5.; 2/6 Deferred Payment at H level is dependent.; Populate XML path Declaration/ AdditionalDocument only where this rule permits it.; Respect cardinality 2x.; Value conforms to HMRC format -.

TDR-R-00273 | Field-level requirement | Import declaration | Import I1: DE 2/6 Deferred Payment at H level is dependent; cardinality 2x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!35
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is I1.; 2/6 Deferred Payment at H level is dependent.; Populate XML path Declaration/ AdditionalDocument only where this rule permits it.; Respect cardinality 2x.; Value conforms to HMRC format -.

TDR-R-00274 | Field-level requirement | Import declaration | Import I1 (B&E): DE 2/6 Deferred Payment at H level is dependent; cardinality 2x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!35
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is I1 (B&E).; 2/6 Deferred Payment at H level is dependent.; Populate XML path Declaration/ AdditionalDocument only where this rule permits it.; Respect cardinality 2x.; Value conforms to HMRC format -.

TDR-R-00275 | Field-level requirement | Import declaration | Import C21I: DE 2/6 Deferred Payment at H level is dependent; cardinality 2x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!35
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is C21I.; 2/6 Deferred Payment at H level is dependent.; Populate XML path Declaration/ AdditionalDocument only where this rule permits it.; Respect cardinality 2x.; Value conforms to HMRC format -.

TDR-R-00276 | Field-level requirement | Import declaration | Import H1: DE 2/6 Deferred Payment - Deferred Payment ID at H level is mandatory when the group-level item is present; cardinality 1:1; format n7.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!36
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H1.; 2/6 Deferred Payment - Deferred Payment ID at H level is mandatory when the group-level item is present.; Populate XML path Declaration/ AdditionalDocument/ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format n7.

TDR-R-00277 | Field-level requirement | Import declaration | Import H2: DE 2/6 Deferred Payment - Deferred Payment ID at H level is mandatory when the group-level item is present; cardinality 1:1; format n7.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!36
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error

Acceptance: Import declaration context is H2.; 2/6 Deferred Payment - Deferred Payment ID at H level is mandatory when the group-level item is present.; Populate XML path Declaration/ AdditionalDocument/ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format n7.

TDR-R-00278 | Field-level requirement | Import declaration | Import H3: DE 2/6 Deferred Payment - Deferred Payment ID at H level is mandatory when the group-level item is present; cardinality 1:1; format n7.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!36
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H3.; 2/6 Deferred Payment - Deferred Payment ID at H level is mandatory when the group-level item is present.; Populate XML path Declaration/ AdditionalDocument/ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format n7.

TDR-R-00279 | Field-level requirement | Import declaration | Import H4: DE 2/6 Deferred Payment - Deferred Payment ID at H level is mandatory when the group-level item is present; cardinality 1:1; format n7.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!36
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H4.; 2/6 Deferred Payment - Deferred Payment ID at H level is mandatory when the group-level item is present.; Populate XML path Declaration/ AdditionalDocument/ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format n7.

TDR-R-00280 | Field-level requirement | Import declaration | Import H5: DE 2/6 Deferred Payment - Deferred Payment ID at H level is mandatory when the group-level item is present; cardinality 1:1; format n7.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!36
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H5.; 2/6 Deferred Payment - Deferred Payment ID at H level is mandatory when the group-level item is present.; Populate XML path Declaration/ AdditionalDocument/ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format n7.

TDR-R-00281 | Field-level requirement | Import declaration | Import I1: DE 2/6 Deferred Payment - Deferred Payment ID at H level is mandatory when the group-level item is present; cardinality 1:1; format n7.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!36
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is I1.; 2/6 Deferred Payment - Deferred Payment ID at H level is mandatory when the group-level item is present.; Populate XML path Declaration/ AdditionalDocument/ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format n7.

TDR-R-00282 | Field-level requirement | Import declaration | Import I1 (B&E): DE 2/6 Deferred Payment - Deferred Payment ID at H level is mandatory when the group-level item is present; cardinality 1:1; format n7.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!36
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is I1 (B&E).; 2/6 Deferred Payment - Deferred Payment ID at H level is mandatory when the group-level item is present.; Populate XML path Declaration/ AdditionalDocument/ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format n7.

TDR-R-00283 | Field-level requirement | Import declaration | Import C21I: DE 2/6 Deferred Payment - Deferred Payment ID at H level is mandatory when the group-level item is present; cardinality 1:1; format n7.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!36
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is C21I.; 2/6 Deferred Payment - Deferred Payment ID at H level is mandatory when the group-level item is present.; Populate XML path Declaration/ AdditionalDocument/ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format n7.

TDR-R-00284 | Field-level requirement | Import declaration | Import H1: DE 2/6 Deferred Payment - Deferred Payment Category at H level is mandatory when the group-level item is present; cardinality 1:1; format n..1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!37
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H1.; 2/6 Deferred Payment - Deferred Payment Category at H level is mandatory when the group-level item is present.; Populate XML path Declaration/ AdditionalDocument/ CategoryCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format n..1.; Value is drawn from HMRC codelist DeferredPaymentDocuments for these items.

TDR-R-00285 | Field-level requirement | Import declaration | Import H2: DE 2/6 Deferred Payment - Deferred Payment Category at H level is mandatory when the group-level item is present; cardinality 1:1; format n..1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!37
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H2.; 2/6 Deferred Payment - Deferred Payment Category at H level is mandatory when the group-level item is present.; Populate XML path Declaration/ AdditionalDocument/ CategoryCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format n..1.; Value is drawn from HMRC codelist DeferredPaymentDocuments for these items.

TDR-R-00286 | Field-level requirement | Import declaration | Import H3: DE 2/6 Deferred Payment - Deferred Payment Category at H level is mandatory when the group-level item is present; cardinality 1:1; format n..1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!37
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H3.; 2/6 Deferred Payment - Deferred Payment Category at H level is mandatory when the group-level item is present.; Populate XML path Declaration/ AdditionalDocument/ CategoryCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format n..1.; Value is drawn from HMRC codelist DeferredPaymentDocuments for these items.

TDR-R-00287 | Field-level requirement | Import declaration | Import H4: DE 2/6 Deferred Payment - Deferred Payment Category at H level is mandatory when the group-level item is present; cardinality 1:1; format n..1.

Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!37
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H4.; 2/6 Deferred Payment - Deferred Payment Category at H level is mandatory when the group-level item is present.; Populate XML path Declaration/ AdditionalDocument/ CategoryCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format n..1.; Value is drawn from HMRC codelist DeferredPaymentDocuments for these items.

TDR-R-00288 | Field-level requirement | Import declaration | Import H5: DE 2/6 Deferred Payment - Deferred Payment Category at H level is mandatory when the group-level item is present; cardinality 1:1; format n..1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!37
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H5.; 2/6 Deferred Payment - Deferred Payment Category at H level is mandatory when the group-level item is present.; Populate XML path Declaration/ AdditionalDocument/ CategoryCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format n..1.; Value is drawn from HMRC codelist DeferredPaymentDocuments for these items.

TDR-R-00289 | Field-level requirement | Import declaration | Import I1: DE 2/6 Deferred Payment - Deferred Payment Category at H level is mandatory when the group-level item is present; cardinality 1:1; format n..1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!37
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is I1.; 2/6 Deferred Payment - Deferred Payment Category at H level is mandatory when the group-level item is present.; Populate XML path Declaration/ AdditionalDocument/ CategoryCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format n..1.; Value is drawn from HMRC codelist DeferredPaymentDocuments for these items.

TDR-R-00290 | Field-level requirement | Import declaration | Import I1 (B&E): DE 2/6 Deferred Payment - Deferred Payment Category at H level is mandatory when the group-level item is present; cardinality 1:1; format n..1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!37
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is I1 (B&E).; 2/6 Deferred Payment - Deferred Payment Category at H level is mandatory when the group-level item is present.; Populate XML path Declaration/ AdditionalDocument/ CategoryCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format n..1.; Value is drawn from HMRC codelist DeferredPaymentDocuments for these items.

TDR-R-00291 | Field-level requirement | Import declaration | Import C21I: DE 2/6 Deferred Payment - Deferred Payment Category at H level is mandatory when the group-level item is present; cardinality 1:1; format n..1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!37
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is C21I.; 2/6 Deferred Payment - Deferred Payment Category at H level is mandatory when the group-level item is present.; Populate XML path Declaration/ AdditionalDocument/ CategoryCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format n..1.; Value is drawn from HMRC codelist DeferredPaymentDocuments for these items.

TDR-R-00292 | Field-level requirement | Import declaration | Import C21I EIDR: DE 2/6 Deferred Payment - Deferred Payment Category at H level is mandatory when the group-level item is present; cardinality 1:1; format n..1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!37
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is C21I EIDR.; 2/6 Deferred Payment - Deferred Payment Category at H level is mandatory when the group-level item is present.; Populate XML path Declaration/ AdditionalDocument/ CategoryCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format n..1.; Value is drawn from HMRC codelist DeferredPaymentDocuments for these items.

TDR-R-00293 | Field-level requirement | Import declaration | Import H1: DE 2/6 Deferred Payment - Deferred Payment Type at H level is mandatory when the group-level item is present; cardinality 1:1; format AN..3.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!38
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H1.; 2/6 Deferred Payment - Deferred Payment Type at H level is mandatory when the group-level item is present.; Populate XML path Declaration/ AdditionalDocument/ TypeCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format AN..3.; Value is drawn from HMRC codelist DeferredPaymentDocuments for these items.

TDR-R-00294 | Field-level requirement | Import declaration | Import H2: DE 2/6 Deferred Payment - Deferred Payment Type at H level is mandatory when the group-level item is present; cardinality 1:1; format AN..3.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!38
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H2.; 2/6 Deferred Payment - Deferred Payment Type at H level is mandatory when the group-level item is present.; Populate XML path Declaration/ AdditionalDocument/ TypeCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format AN..3.; Value is drawn from HMRC codelist DeferredPaymentDocuments for these items.

TDR-R-00295 | Field-level requirement | Import declaration | Import H3: DE 2/6 Deferred Payment - Deferred Payment Type at H level is mandatory when the group-level item is present; cardinality 1:1; format AN..3.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!38
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H3.; 2/6 Deferred Payment - Deferred Payment Type at H level is mandatory when the group-level item is present.; Populate XML path Declaration/ AdditionalDocument/ TypeCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format AN..3.; Value is drawn from HMRC codelist DeferredPaymentDocuments for these items.

TDR-R-00296 | Field-level requirement | Import declaration | Import H4: DE 2/6 Deferred Payment - Deferred Payment Type at H level is mandatory when the group-level item is present; cardinality 1:1; format AN..3.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!38
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H4.; 2/6 Deferred Payment - Deferred Payment Type at H level is mandatory when the group-level item is present.; Populate XML path Declaration/ AdditionalDocument/ TypeCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format AN..3.; Value is drawn from HMRC codelist DeferredPaymentDocuments for these items.

TDR-R-00297 | Field-level requirement | Import declaration | Import H5: DE 2/6 Deferred Payment - Deferred Payment Type at H level is mandatory when the group-level item is present; cardinality 1:1; format AN..3.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!38
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H5.; 2/6 Deferred Payment - Deferred Payment Type at H level is mandatory when the group-level item is present.; Populate XML path Declaration/ AdditionalDocument/ TypeCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format AN..3.; Value is drawn from HMRC codelist DeferredPaymentDocuments for these items.

TDR-R-00298 | Field-level requirement | Import declaration | Import I1: DE 2/6 Deferred Payment - Deferred Payment Type at H level is mandatory when the group-level item is present; cardinality 1:1; format AN..3.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!38
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is I1.; 2/6 Deferred Payment - Deferred Payment Type at H level is mandatory when the group-level item is present.; Populate XML path Declaration/ AdditionalDocument/ TypeCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format AN..3.; Value is drawn from HMRC codelist DeferredPaymentDocuments for these items.

TDR-R-00299 | Field-level requirement | Import declaration | Import I1 (B&E): DE 2/6 Deferred Payment - Deferred Payment Type at H level is mandatory when the group-level item is present; cardinality 1:1; format AN..3.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!38
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is I1 (B&E).; 2/6 Deferred Payment - Deferred Payment Type at H level is mandatory when the group-level item is present.; Populate XML path Declaration/ AdditionalDocument/ TypeCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format AN..3.; Value is drawn from HMRC codelist DeferredPaymentDocuments for these items.

TDR-R-00300 | Field-level requirement | Import declaration | Import C21I: DE 2/6 Deferred Payment - Deferred Payment Type at H level is mandatory when the group-level item is present; cardinality 1:1; format AN..3.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!38
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is C21I.; 2/6 Deferred Payment - Deferred Payment Type at H level is mandatory when the group-level item is present.; Populate XML path Declaration/ AdditionalDocument/ TypeCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format AN..3.; Value is drawn from HMRC codelist DeferredPaymentDocuments for these items.

TDR-R-00301 | Field-level requirement | Import declaration | Import C21I EIDR: DE 2/6 Deferred Payment - Deferred Payment Type at H level is mandatory when the group-level item is present; cardinality 1:1; format AN..3.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!38
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is C21I EIDR.; 2/6 Deferred Payment - Deferred Payment Type at H level is mandatory when the group-level item is present.; Populate XML path Declaration/ AdditionalDocument/ TypeCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format AN..3.; Value is drawn from HMRC codelist DeferredPaymentDocuments for these items.

TDR-R-00302 | Field-level requirement | Import declaration | Import H1: DE 2/7 Identification of Warehouse at H level is dependent; cardinality 1x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!39
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H1.; 2/7 Identification of Warehouse at H level is dependent.; Populate XML path Declaration/GoodsShipment/ Warehouse only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format -.

TDR-R-00303 | Field-level requirement | Import declaration | Import H2: DE 2/7 Identification of Warehouse at H level is mandatory; cardinality 1x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!39
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H2.; 2/7 Identification of Warehouse at H level is mandatory.; Populate XML path Declaration/GoodsShipment/ Warehouse only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format -.

TDR-R-00304 | Field-level requirement | Import declaration | Import H3: DE 2/7 Identification of Warehouse at H level is dependent; cardinality 1x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!39
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H3.; 2/7 Identification of Warehouse at H level is dependent.; Populate XML path Declaration/GoodsShipment/ Warehouse only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format -.

TDR-R-00305 | Field-level requirement | Import declaration | Import H4: DE 2/7 Identification of Warehouse at H level is dependent; cardinality 1x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!39
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H4.; 2/7 Identification of Warehouse at H level is dependent.; Populate XML path Declaration/GoodsShipment/ Warehouse only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format -.

TDR-R-00306 | Field-level requirement | Import declaration | Import H5: DE 2/7 Identification of Warehouse at H level is dependent; cardinality 1x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!39
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H5.; 2/7 Identification of Warehouse at H level is dependent.; Populate XML path Declaration/GoodsShipment/ Warehouse only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format -.

TDR-R-00307 | Field-level requirement | Import declaration | Import H8: DE 2/7 Identification of Warehouse at H level is dependent; cardinality 1x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!39
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error

Acceptance: Import declaration context is H8.; 2/7 Identification of Warehouse at H level is dependent.; Populate XML path Declaration/GoodsShipment/ Warehouse only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format -.

TDR-R-00308 | Field-level requirement | Import declaration | Import I1: DE 2/7 Identification of Warehouse at H level is dependent; cardinality 1x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!39
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is I1.; 2/7 Identification of Warehouse at H level is dependent.; Populate XML path Declaration/GoodsShipment/ Warehouse only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format -.

TDR-R-00309 | Field-level requirement | Import declaration | Import I1 (B&E): DE 2/7 Identification of Warehouse at H level is dependent; cardinality 1x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!39
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is I1 (B&E).; 2/7 Identification of Warehouse at H level is dependent.; Populate XML path Declaration/GoodsShipment/ Warehouse only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format -.

TDR-R-00310 | Field-level requirement | Import declaration | Import C21I: DE 2/7 Identification of Warehouse at H level is dependent; cardinality 1x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!39
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is C21I.; 2/7 Identification of Warehouse at H level is dependent.; Populate XML path Declaration/GoodsShipment/ Warehouse only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format -.

TDR-R-00311 | Field-level requirement | Import declaration | Import C21I EIDR: DE 2/7 Identification of Warehouse at H level is dependent; cardinality 1x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!39
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is C21I EIDR.; 2/7 Identification of Warehouse at H level is dependent.; Populate XML path Declaration/GoodsShipment/ Warehouse only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format -.

TDR-R-00312 | Field-level requirement | Import declaration | Import H1: DE 2/7 Identification of Warehouse - Warehouse Type at H level is mandatory when the group-level item is present; cardinality 1:1; format a1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!40
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H1.; 2/7 Identification of Warehouse - Warehouse Type at H level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ Warehouse/ TypeCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a1.; Value is drawn from HMRC codelist CustomsWareHouseTypes for these items.

TDR-R-00313 | Field-level requirement | Import declaration | Import H2: DE 2/7 Identification of Warehouse - Warehouse Type at H level is mandatory when the group-level item is present; cardinality 1:1; format a1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!40
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H2.; 2/7 Identification of Warehouse - Warehouse Type at H level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ Warehouse/ TypeCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a1.; Value is drawn from HMRC codelist CustomsWareHouseTypes for these items.

TDR-R-00314 | Field-level requirement | Import declaration | Import H3: DE 2/7 Identification of Warehouse - Warehouse Type at H level is mandatory when the group-level item is present; cardinality 1:1; format a1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!40
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H3.; 2/7 Identification of Warehouse - Warehouse Type at H level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ Warehouse/ TypeCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a1.; Value is drawn from HMRC codelist CustomsWareHouseTypes for these items.

TDR-R-00315 | Field-level requirement | Import declaration | Import H4: DE 2/7 Identification of Warehouse - Warehouse Type at H level is mandatory when the group-level item is present; cardinality 1:1; format a1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!40
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H4.; 2/7 Identification of Warehouse - Warehouse Type at H level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ Warehouse/ TypeCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a1.; Value is drawn from HMRC codelist CustomsWareHouseTypes for these items.

TDR-R-00316 | Field-level requirement | Import declaration | Import H5: DE 2/7 Identification of Warehouse - Warehouse Type at H level is mandatory when the group-level item is present; cardinality 1:1; format a1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!40
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H5.; 2/7 Identification of Warehouse - Warehouse Type at H level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ Warehouse/ TypeCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a1.; Value is drawn from HMRC codelist CustomsWareHouseTypes for these items.

TDR-R-00317 | Field-level requirement | Import declaration | Import H8: DE 2/7 Identification of Warehouse - Warehouse Type at H level is mandatory when the group-level item is present; cardinality 1:1; format a1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!40
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H8.; 2/7 Identification of Warehouse - Warehouse Type at H level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ Warehouse/ TypeCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a1.; Value is drawn from HMRC codelist CustomsWareHouseTypes for these items.

TDR-R-00318 | Field-level requirement | Import declaration | Import I1: DE 2/7 Identification of Warehouse - Warehouse Type at H level is mandatory when the group-level item is present; cardinality 1:1; format a1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!40
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is I1.; 2/7 Identification of Warehouse - Warehouse Type at H level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ Warehouse/ TypeCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a1.; Value is drawn from HMRC codelist CustomsWareHouseTypes for these items.

TDR-R-00319 | Field-level requirement | Import declaration | Import I1 (B&E): DE 2/7 Identification of Warehouse - Warehouse Type at H level is mandatory when the group-level item is present; cardinality 1:1; format a1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!40
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is I1 (B&E).; 2/7 Identification of Warehouse - Warehouse Type at H level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ Warehouse/ TypeCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a1.; Value is drawn from HMRC codelist CustomsWareHouseTypes for these items.

TDR-R-00320 | Field-level requirement | Import declaration | Import C21I: DE 2/7 Identification of Warehouse - Warehouse Type at H level is mandatory when the group-level item is present; cardinality 1:1; format a1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!40
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is C21I.; 2/7 Identification of Warehouse - Warehouse Type at H level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ Warehouse/ TypeCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a1.; Value is drawn from HMRC codelist CustomsWareHouseTypes for these items.

TDR-R-00321 | Field-level requirement | Import declaration | Import C21I EIDR: DE 2/7 Identification of Warehouse - Warehouse Type at H level is mandatory when the group-level item is present; cardinality 1:1; format a1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!40
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is C21I EIDR.; 2/7 Identification of Warehouse - Warehouse Type at H level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ Warehouse/ TypeCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a1.; Value is drawn from HMRC codelist CustomsWareHouseTypes for these items.

TDR-R-00322 | Field-level requirement | Import declaration | Import H1: DE 2/7 Identification of Warehouse - Warehouse Identifier at H level is mandatory when the group-level item is present; cardinality 1:1; format an..35.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!41
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H1.; 2/7 Identification of Warehouse - Warehouse Identifier at H level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ Warehouse/ ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..35.

TDR-R-00323 | Field-level requirement | Import declaration | Import H2: DE 2/7 Identification of Warehouse - Warehouse Identifier at H level is mandatory when the group-level item is present; cardinality 1:1; format an..35.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!41
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H2.; 2/7 Identification of Warehouse - Warehouse Identifier at H level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ Warehouse/ ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..35.

TDR-R-00324 | Field-level requirement | Import declaration | Import H3: DE 2/7 Identification of Warehouse - Warehouse Identifier at H level is mandatory when the group-level item is present; cardinality 1:1; format an..35.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!41
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H3.; 2/7 Identification of Warehouse - Warehouse Identifier at H level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ Warehouse/ ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..35.

TDR-R-00325 | Field-level requirement | Import declaration | Import H4: DE 2/7 Identification of Warehouse - Warehouse Identifier at H level is mandatory when the group-level item is present; cardinality 1:1; format an..35.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!41
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H4.; 2/7 Identification of Warehouse - Warehouse Identifier at H level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ Warehouse/ ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..35.

TDR-R-00326 | Field-level requirement | Import declaration | Import H5: DE 2/7 Identification of Warehouse - Warehouse Identifier at H level is mandatory when the group-level item is present; cardinality 1:1; format an..35.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!41
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H5.; 2/7 Identification of Warehouse - Warehouse Identifier at H level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ Warehouse/ ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..35.

TDR-R-00327 | Field-level requirement | Import declaration | Import H8: DE 2/7 Identification of Warehouse - Warehouse Identifier at H level is mandatory when the group-level item is present; cardinality 1:1; format an..35.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!41
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H8.; 2/7 Identification of Warehouse - Warehouse Identifier at H level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ Warehouse/ ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..35.

TDR-R-00328 | Field-level requirement | Import declaration | Import I1: DE 2/7 Identification of Warehouse - Warehouse Identifier at H level is mandatory when the group-level item is present; cardinality 1:1; format an..35.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!41
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is I1.; 2/7 Identification of Warehouse - Warehouse Identifier at H level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ Warehouse/ ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..35.

TDR-R-00329 | Field-level requirement | Import declaration | Import I1 (B&E): DE 2/7 Identification of Warehouse - Warehouse Identifier at H level is mandatory when the group-level item is present; cardinality 1:1; format an..35.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!41
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is I1 (B&E).; 2/7 Identification of Warehouse - Warehouse Identifier at H level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ Warehouse/ ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..35.

TDR-R-00330 | Field-level requirement | Import declaration | Import C21I: DE 2/7 Identification of Warehouse - Warehouse Identifier at H level is mandatory when the group-level item is present; cardinality 1:1; format an..35.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!41
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is C21I.; 2/7 Identification of Warehouse - Warehouse Identifier at H level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ Warehouse/ ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..35.

TDR-R-00331 | Field-level requirement | Import declaration | Import C21I EIDR: DE 2/7 Identification of Warehouse - Warehouse Identifier at H level is mandatory when the group-level item is present; cardinality 1:1; format an..35.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!41
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is C21I EIDR.; 2/7 Identification of Warehouse - Warehouse Identifier at H level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ Warehouse/ ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..35.

TDR-R-00332 | Field-level requirement | Import declaration | Import H1: DE 3/1 Exporter - Name at H and / or I level is dependent; cardinality 1:1; format an..70.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!43
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H1.; 3/1 Exporter - Name at H and / or I level is dependent.; Populate XML path Declaration/ Exporter/ Name Declaration/ GoodsShipment/ GovernmentAgencyGoodsItem/ Consignor/ Name only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..70.

TDR-R-00333 | Field-level requirement | Import declaration | Import H3: DE 3/1 Exporter - Name at H and / or I level is dependent; cardinality 1:1; format an..70.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!43
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H3.; 3/1 Exporter - Name at H and / or I level is dependent.; Populate XML path Declaration/ Exporter/ Name Declaration/ GoodsShipment/ GovernmentAgencyGoodsItem/ Consignor/ Name only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..70.

TDR-R-00334 | Field-level requirement | Import declaration | Import H4: DE 3/1 Exporter - Name at H and / or I level is dependent; cardinality 1:1; format an..70.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!43
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H4.; 3/1 Exporter - Name at H and / or I level is dependent.; Populate XML path Declaration/ Exporter/ Name Declaration/ GoodsShipment/ GovernmentAgencyGoodsItem/ Consignor/ Name only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..70.

TDR-R-00335 | Field-level requirement | Import declaration | Import H5: DE 3/1 Exporter - Name at H and / or I level is dependent; cardinality 1:1; format an..70.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!43
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H5.; 3/1 Exporter - Name at H and / or I level is dependent.; Populate XML path Declaration/ Exporter/ Name Declaration/ GoodsShipment/ GovernmentAgencyGoodsItem/ Consignor/ Name only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..70.

TDR-R-00336 | Field-level requirement | Import declaration | Import H8: DE 3/1 Exporter - Name at H and / or I level is mandatory when the group-level item is present; cardinality 1:1; format an..70.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!43
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H8.; 3/1 Exporter - Name at H and / or I level is mandatory when the group-level item is present.; Populate XML path Declaration/ Exporter/ Name Declaration/ GoodsShipment/ GovernmentAgencyGoodsItem/ Consignor/ Name only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..70.

TDR-R-00337 | Field-level requirement | Import declaration | Import I1: DE 3/1 Exporter - Name at H and / or I level is dependent; cardinality 1:1; format an..70.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!43
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is I1.; 3/1 Exporter - Name at H and / or I level is dependent.; Populate XML path Declaration/ Exporter/ Name Declaration/ GoodsShipment/ GovernmentAgencyGoodsItem/ Consignor/ Name only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..70.

TDR-R-00338 | Field-level requirement | Import declaration | Import I1 (B&E): DE 3/1 Exporter - Name at H and / or I level is dependent; cardinality 1:1; format an..70.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!43
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is I1 (B&E).; 3/1 Exporter - Name at H and / or I level is dependent.; Populate XML path Declaration/ Exporter/ Name Declaration/ GoodsShipment/ GovernmentAgencyGoodsItem/ Consignor/ Name only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..70.

TDR-R-00339 | Field-level requirement | Import declaration | Import C21I: DE 3/1 Exporter - Name at H and / or I level is dependent; cardinality 1:1; format an..70.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!43
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is C21I.; 3/1 Exporter - Name at H and / or I level is dependent.; Populate XML path Declaration/ Exporter/ Name Declaration/ GoodsShipment/ GovernmentAgencyGoodsItem/ Consignor/ Name only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..70.

TDR-R-00340 | Field-level requirement | Import declaration | Import SRDS: DE 3/1 Exporter - Name at H and / or I level is dependent; cardinality 1:1; format an..70.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!43
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is SRDS.; 3/1 Exporter - Name at H and / or I level is dependent.; Populate XML path Declaration/ Exporter/ Name Declaration/ GoodsShipment/ GovernmentAgencyGoodsItem/ Consignor/ Name only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..70.

TDR-R-00341 | Field-level requirement | Import declaration | Import H1: DE 3/1 Exporter - Street and Number at H and / or I level is dependent; cardinality 1:1; format an..70.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!44
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H1.; 3/1 Exporter - Street and Number at H and / or I level is dependent.; Populate XML path Declaration/ Exporter/ Address/ Line Declaration/ GoodsShipment/ GovernmentAgencyGoodsItem/ Consignor/ Address/ Line only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..70.

TDR-R-00342 | Field-level requirement | Import declaration | Import H3: DE 3/1 Exporter - Street and Number at H and / or I level is dependent; cardinality 1:1; format an..70.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!44
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H3.; 3/1 Exporter - Street and Number at H and / or I level is dependent.; Populate XML path Declaration/ Exporter/ Address/ Line Declaration/ GoodsShipment/ GovernmentAgencyGoodsItem/ Consignor/ Address/ Line only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..70.

TDR-R-00343 | Field-level requirement | Import declaration | Import H4: DE 3/1 Exporter - Street and Number at H and / or I level is dependent; cardinality 1:1; format an..70.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!44
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H4.; 3/1 Exporter - Street and Number at H and / or I level is dependent.; Populate XML path Declaration/ Exporter/ Address/ Line Declaration/ GoodsShipment/ GovernmentAgencyGoodsItem/ Consignor/ Address/ Line only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..70.

TDR-R-00344 | Field-level requirement | Import declaration | Import H5: DE 3/1 Exporter - Street and Number at H and / or I level is dependent; cardinality 1:1; format an..70.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!44
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H5.; 3/1 Exporter - Street and Number at H and / or I level is dependent.; Populate XML path Declaration/ Exporter/ Address/ Line Declaration/ GoodsShipment/ GovernmentAgencyGoodsItem/ Consignor/ Address/ Line only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..70.

TDR-R-00345 | Field-level requirement | Import declaration | Import H8: DE 3/1 Exporter - Street and Number at H and / or I level is mandatory when the group-level item is present; cardinality 1:1; format an..70.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!44
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H8.; 3/1 Exporter - Street and Number at H and / or I level is mandatory when the group-level item is present.; Populate XML path Declaration/ Exporter/ Address/ Line Declaration/ GoodsShipment/ GovernmentAgencyGoodsItem/ Consignor/ Address/ Line only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..70.

TDR-R-00346 | Field-level requirement | Import declaration | Import I1: DE 3/1 Exporter - Street and Number at H and / or I level is dependent; cardinality 1:1; format an..70.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!44
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is I1.; 3/1 Exporter - Street and Number at H and / or I level is dependent.; Populate XML path Declaration/ Exporter/ Address/ Line Declaration/ GoodsShipment/ GovernmentAgencyGoodsItem/ Consignor/ Address/ Line only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..70.

TDR-R-00347 | Field-level requirement | Import declaration | Import I1 (B&E): DE 3/1 Exporter - Street and Number at H and / or I level is dependent; cardinality 1:1; format an..70.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!44
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is I1 (B&E).; 3/1 Exporter - Street and Number at H and / or I level is dependent.; Populate XML path Declaration/ Exporter/ Address/ Line Declaration/ GoodsShipment/ GovernmentAgencyGoodsItem/ Consignor/ Address/ Line only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..70.

TDR-R-00348 | Field-level requirement | Import declaration | Import C21I: DE 3/1 Exporter - Street and Number at H and / or I level is dependent; cardinality 1:1; format an..70.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!44
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is C21I.; 3/1 Exporter - Street and Number at H and / or I level is dependent.; Populate XML path Declaration/ Exporter/ Address/ Line Declaration/ GoodsShipment/ GovernmentAgencyGoodsItem/ Consignor/ Address/ Line only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..70.

TDR-R-00349 | Field-level requirement | Import declaration | Import SRDS: DE 3/1 Exporter - Street and Number at H and / or I level is dependent; cardinality 1:1; format an..70.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!44
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is SRDS.; 3/1 Exporter - Street and Number at H and / or I level is dependent.; Populate XML path Declaration/ Exporter/ Address/ Line Declaration/ GoodsShipment/ GovernmentAgencyGoodsItem/ Consignor/ Address/ Line only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..70.

TDR-R-00350 | Field-level requirement | Import declaration | Import H1: DE 3/1 Exporter - City at H and / or I level is dependent; cardinality 1:1; format an..35.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!45
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H1.; 3/1 Exporter - City at H and / or I level is dependent.; Populate XML path Declaration/ Exporter/ Address/ CityName Declaration/ GoodsShipment/ GovernmentAgencyGoodsItem/ Consignor/ Address/ CityName only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..35.

TDR-R-00351 | Field-level requirement | Import declaration | Import H3: DE 3/1 Exporter - City at H and / or I level is dependent; cardinality 1:1; format an..35.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!45
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H3.; 3/1 Exporter - City at H and / or I level is dependent.; Populate XML path Declaration/ Exporter/ Address/ CityName Declaration/ GoodsShipment/ GovernmentAgencyGoodsItem/ Consignor/ Address/ CityName only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..35.

TDR-R-00352 | Field-level requirement | Import declaration | Import H4: DE 3/1 Exporter - City at H and / or I level is dependent; cardinality 1:1; format an..35.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!45
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H4.; 3/1 Exporter - City at H and / or I level is dependent.; Populate XML path Declaration/ Exporter/ Address/ CityName Declaration/ GoodsShipment/ GovernmentAgencyGoodsItem/ Consignor/ Address/ CityName only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..35.

TDR-R-00353 | Field-level requirement | Import declaration | Import H5: DE 3/1 Exporter - City at H and / or I level is dependent; cardinality 1:1; format an..35.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!45
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H5.; 3/1 Exporter - City at H and / or I level is dependent.; Populate XML path Declaration/ Exporter/ Address/ CityName Declaration/ GoodsShipment/ GovernmentAgencyGoodsItem/ Consignor/ Address/ CityName only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..35.

TDR-R-00354 | Field-level requirement | Import declaration | Import H8: DE 3/1 Exporter - City at H and / or I level is mandatory when the group-level item is present; cardinality 1:1; format an..35.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!45
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H8.; 3/1 Exporter - City at H and / or I level is mandatory when the group-level item is present.; Populate XML path Declaration/ Exporter/ Address/ CityName Declaration/ GoodsShipment/ GovernmentAgencyGoodsItem/ Consignor/ Address/ CityName only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..35.

TDR-R-00355 | Field-level requirement | Import declaration | Import I1: DE 3/1 Exporter - City at H and / or I level is dependent; cardinality 1:1; format an..35.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!45
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is I1.; 3/1 Exporter - City at H and / or I level is dependent.; Populate XML path Declaration/ Exporter/ Address/ CityName Declaration/ GoodsShipment/ GovernmentAgencyGoodsItem/ Consignor/ Address/ CityName only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..35.

TDR-R-00356 | Field-level requirement | Import declaration | Import I1 (B&E): DE 3/1 Exporter - City at H and / or I level is dependent; cardinality 1:1; format an..35.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!45
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is I1 (B&E).; 3/1 Exporter - City at H and / or I level is dependent.; Populate XML path Declaration/ Exporter/ Address/ CityName Declaration/ GoodsShipment/ GovernmentAgencyGoodsItem/ Consignor/ Address/ CityName only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..35.

TDR-R-00357 | Field-level requirement | Import declaration | Import C21I: DE 3/1 Exporter - City at H and / or I level is dependent; cardinality 1:1; format an..35.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!45
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is C21I.; 3/1 Exporter - City at H and / or I level is dependent.; Populate XML path Declaration/ Exporter/ Address/ CityName Declaration/ GoodsShipment/ GovernmentAgencyGoodsItem/ Consignor/ Address/ CityName only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..35.

TDR-R-00358 | Field-level requirement | Import declaration | Import SRDS: DE 3/1 Exporter - City at H and / or I level is dependent; cardinality 1:1; format an..35.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!45
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is SRDS.; 3/1 Exporter - City at H and / or I level is dependent.; Populate XML path Declaration/ Exporter/ Address/ CityName Declaration/ GoodsShipment/ GovernmentAgencyGoodsItem/ Consignor/ Address/ CityName only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..35.

TDR-R-00359 | Field-level requirement | Import declaration | Import H1: DE 3/1 Exporter - Country at H and / or I level is dependent; cardinality 1:1; format a2 Must be Upper Case.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!46
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H1.; 3/1 Exporter - Country at H and / or I level is dependent.; Populate XML path Declaration/ Exporter/ Address/ CountryCode Declaration/ GoodsShipment/ GovernmentAgencyGoodsItem/ Consignor/ Address/ CountryCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a2 Must be Upper Case.; Value is drawn from HMRC codelist CountryTypes for these items.

TDR-R-00360 | Field-level requirement | Import declaration | Import H3: DE 3/1 Exporter - Country at H and / or I level is dependent; cardinality 1:1; format a2 Must be Upper Case.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!46
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H3.; 3/1 Exporter - Country at H and / or I level is dependent.; Populate XML path Declaration/ Exporter/ Address/ CountryCode Declaration/ GoodsShipment/ GovernmentAgencyGoodsItem/ Consignor/ Address/ CountryCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a2 Must be Upper Case.; Value is drawn from HMRC codelist CountryTypes for these items.

TDR-R-00361 | Field-level requirement | Import declaration | Import H4: DE 3/1 Exporter - Country at H and / or I level is dependent; cardinality 1:1; format a2 Must be Upper Case.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!46
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H4.; 3/1 Exporter - Country at H and / or I level is dependent.; Populate XML path Declaration/ Exporter/ Address/ CountryCode Declaration/ GoodsShipment/ GovernmentAgencyGoodsItem/ Consignor/ Address/ CountryCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a2 Must be Upper Case.; Value is drawn from HMRC codelist CountryTypes for these items.

TDR-R-00362 | Field-level requirement | Import declaration | Import H5: DE 3/1 Exporter - Country at H and / or I level is dependent; cardinality 1:1; format a2 Must be Upper Case.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!46
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H5.; 3/1 Exporter - Country at H and / or I level is dependent.; Populate XML path Declaration/ Exporter/ Address/ CountryCode Declaration/ GoodsShipment/ GovernmentAgencyGoodsItem/ Consignor/ Address/ CountryCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a2 Must be Upper Case.; Value is drawn from HMRC codelist CountryTypes for these items.

TDR-R-00363 | Field-level requirement | Import declaration | Import H8: DE 3/1 Exporter - Country at H and / or I level is mandatory when the group-level item is present; cardinality 1:1; format a2 Must be Upper Case.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!46
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H8.; 3/1 Exporter - Country at H and / or I level is mandatory when the group-level item is present.; Populate XML path Declaration/ Exporter/ Address/ CountryCode Declaration/ GoodsShipment/ GovernmentAgencyGoodsItem/ Consignor/ Address/ CountryCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a2 Must be Upper Case.; Value is drawn from HMRC codelist CountryTypes for these items.

TDR-R-00364 | Field-level requirement | Import declaration | Import I1: DE 3/1 Exporter - Country at H and / or I level is dependent; cardinality 1:1; format a2 Must be Upper Case.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!46
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is I1.; 3/1 Exporter - Country at H and / or I level is dependent.; Populate XML path Declaration/ Exporter/ Address/ CountryCode Declaration/ GoodsShipment/ GovernmentAgencyGoodsItem/ Consignor/ Address/ CountryCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a2 Must be Upper Case.; Value is drawn from HMRC codelist CountryTypes for these items.

TDR-R-00365 | Field-level requirement | Import declaration | Import I1 (B&E): DE 3/1 Exporter - Country at H and / or I level is dependent; cardinality 1:1; format a2 Must be Upper Case.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!46
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is I1 (B&E).; 3/1 Exporter - Country at H and / or I level is dependent.; Populate XML path Declaration/ Exporter/ Address/ CountryCode Declaration/ GoodsShipment/ GovernmentAgencyGoodsItem/ Consignor/ Address/ CountryCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a2 Must be Upper Case.; Value is drawn from HMRC codelist CountryTypes for these items.

TDR-R-00366 | Field-level requirement | Import declaration | Import C21I: DE 3/1 Exporter - Country at H and / or I level is dependent; cardinality 1:1; format a2 Must be Upper Case.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!46
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is C21I.; 3/1 Exporter - Country at H and / or I level is dependent.; Populate XML path Declaration/ Exporter/ Address/ CountryCode Declaration/ GoodsShipment/ GovernmentAgencyGoodsItem/ Consignor/ Address/ CountryCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a2 Must be Upper Case.; Value is drawn from HMRC codelist

CountryTypes for these items.

TDR-R-00367 | Field-level requirement | Import declaration | Import SRDS: DE 3/1 Exporter - Country at H and / or I level is dependent; cardinality 1:1; format a2 Must be Upper Case.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!46
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is SRDS.; 3/1 Exporter - Country at H and / or I level is dependent.; Populate XML path Declaration/ Exporter/ Address/ CountryCode Declaration/ GoodsShipment/ GovernmentAgencyGoodsItem/ Consignor/ Address/ CountryCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a2 Must be Upper Case.; Value is drawn from HMRC codelist CountryTypes for these items.

TDR-R-00368 | Field-level requirement | Import declaration | Import H1: DE 3/1 Exporter - Postcode at H and / or I level is dependent; cardinality 1:1; format an..9.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!47
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H1.; 3/1 Exporter - Postcode at H and / or I level is dependent.; Populate XML path Declaration/ Exporter/ Address/ PostcodeID Declaration/ GoodsShipment/ GovernmentAgencyGoodsItem/ Consignor/ Address/ PostcodeID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..9.

TDR-R-00369 | Field-level requirement | Import declaration | Import H3: DE 3/1 Exporter - Postcode at H and / or I level is dependent; cardinality 1:1; format an..9.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!47
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H3.; 3/1 Exporter - Postcode at H and / or I level is dependent.; Populate XML path Declaration/ Exporter/ Address/ PostcodeID Declaration/ GoodsShipment/ GovernmentAgencyGoodsItem/ Consignor/ Address/ PostcodeID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..9.

TDR-R-00370 | Field-level requirement | Import declaration | Import H4: DE 3/1 Exporter - Postcode at H and / or I level is dependent; cardinality 1:1; format an..9.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!47
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H4.; 3/1 Exporter - Postcode at H and / or I level is dependent.; Populate XML path Declaration/ Exporter/ Address/ PostcodeID Declaration/ GoodsShipment/ GovernmentAgencyGoodsItem/ Consignor/ Address/ PostcodeID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..9.

TDR-R-00371 | Field-level requirement | Import declaration | Import H5: DE 3/1 Exporter - Postcode at H and / or I level is dependent; cardinality 1:1; format an..9.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!47
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H5.; 3/1 Exporter - Postcode at H and / or I level is dependent.; Populate XML path Declaration/ Exporter/ Address/ PostcodeID Declaration/ GoodsShipment/ GovernmentAgencyGoodsItem/ Consignor/ Address/ PostcodeID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..9.

TDR-R-00372 | Field-level requirement | Import declaration | Import H8: DE 3/1 Exporter - Postcode at H and / or I level is mandatory when the group-level item is present; cardinality 1:1; format an..9.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!47
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H8.; 3/1 Exporter - Postcode at H and / or I level is mandatory when the group-level item is present.; Populate XML path Declaration/ Exporter/ Address/ PostcodeID Declaration/ GoodsShipment/ GovernmentAgencyGoodsItem/ Consignor/ Address/ PostcodeID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..9.

TDR-R-00373 | Field-level requirement | Import declaration | Import I1: DE 3/1 Exporter - Postcode at H and / or I level is dependent; cardinality 1:1; format an..9.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!47
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is I1.; 3/1 Exporter - Postcode at H and / or I level is dependent.; Populate XML path Declaration/ Exporter/ Address/ PostcodeID Declaration/ GoodsShipment/ GovernmentAgencyGoodsItem/ Consignor/ Address/ PostcodeID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..9.

TDR-R-00374 | Field-level requirement | Import declaration | Import I1 (B&E): DE 3/1 Exporter - Postcode at H and / or I level is dependent; cardinality 1:1; format an..9.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!47
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is I1 (B&E).; 3/1 Exporter - Postcode at H and / or I level is dependent.; Populate XML path Declaration/ Exporter/ Address/ PostcodeID Declaration/ GoodsShipment/ GovernmentAgencyGoodsItem/ Consignor/ Address/ PostcodeID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..9.

TDR-R-00375 | Field-level requirement | Import declaration | Import C21I: DE 3/1 Exporter - Postcode at H and / or I level is dependent; cardinality 1:1; format an..9.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!47
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is C21I.; 3/1 Exporter - Postcode at H and / or I level is dependent.; Populate XML path Declaration/ Exporter/ Address/ PostcodeID Declaration/ GoodsShipment/ GovernmentAgencyGoodsItem/ Consignor/ Address/ PostcodeID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..9.

TDR-R-00376 | Field-level requirement | Import declaration | Import SRDS: DE 3/1 Exporter - Postcode at H and / or I level is dependent; cardinality 1:1; format an..9.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!47
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error

Acceptance: Import declaration context is SRDS.; 3/1 Exporter - Postcode at H and / or I level is dependent.; Populate XML path Declaration/ Exporter/ Address/ PostcodeID Declaration/ GoodsShipment/ GovernmentAgencyGoodsItem/ Consignor/ Address/ PostcodeID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..9.

TDR-R-00377 | Field-level requirement | Import declaration | Import H1: DE 3/2 Exporter Identification No. at H and / or I level is dependent; cardinality 1:1; format an..17.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!48
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H1.; 3/2 Exporter Identification No. at H and / or I level is dependent.; Populate XML path Declaration/ Exporter/ ID Declaration/ GoodsShipment/ GovernmentAgencyGoodsItem/ Consignor/ ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..17.

TDR-R-00378 | Field-level requirement | Import declaration | Import H3: DE 3/2 Exporter Identification No. at H and / or I level is dependent; cardinality 1:1; format an..17.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!48
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H3.; 3/2 Exporter Identification No. at H and / or I level is dependent.; Populate XML path Declaration/ Exporter/ ID Declaration/ GoodsShipment/ GovernmentAgencyGoodsItem/ Consignor/ ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..17.

TDR-R-00379 | Field-level requirement | Import declaration | Import H4: DE 3/2 Exporter Identification No. at H and / or I level is dependent; cardinality 1:1; format an..17.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!48
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H4.; 3/2 Exporter Identification No. at H and / or I level is dependent.; Populate XML path Declaration/ Exporter/ ID Declaration/ GoodsShipment/ GovernmentAgencyGoodsItem/ Consignor/ ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..17.

TDR-R-00380 | Field-level requirement | Import declaration | Import H5: DE 3/2 Exporter Identification No. at H and / or I level is dependent; cardinality 1:1; format an..17.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!48
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H5.; 3/2 Exporter Identification No. at H and / or I level is dependent.; Populate XML path Declaration/ Exporter/ ID Declaration/ GoodsShipment/ GovernmentAgencyGoodsItem/ Consignor/ ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..17.

TDR-R-00381 | Field-level requirement | Import declaration | Import H8: DE 3/2 Exporter Identification No. at H and / or I level is dependent; cardinality 1:1; format an..17.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!48
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H8.; 3/2 Exporter Identification No. at H and / or I level is dependent.; Populate XML path Declaration/ Exporter/ ID Declaration/ GoodsShipment/ GovernmentAgencyGoodsItem/ Consignor/ ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..17.

TDR-R-00382 | Field-level requirement | Import declaration | Import I1: DE 3/2 Exporter Identification No. at H and / or I level is dependent; cardinality 1:1; format an..17.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!48
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is I1.; 3/2 Exporter Identification No. at H and / or I level is dependent.; Populate XML path Declaration/ Exporter/ ID Declaration/ GoodsShipment/ GovernmentAgencyGoodsItem/ Consignor/ ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..17.

TDR-R-00383 | Field-level requirement | Import declaration | Import I1 (B&E): DE 3/2 Exporter Identification No. at H and / or I level is dependent; cardinality 1:1; format an..17.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!48
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is I1 (B&E).; 3/2 Exporter Identification No. at H and / or I level is dependent.; Populate XML path Declaration/ Exporter/ ID Declaration/ GoodsShipment/ GovernmentAgencyGoodsItem/ Consignor/ ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..17.

TDR-R-00384 | Field-level requirement | Import declaration | Import C21I: DE 3/2 Exporter Identification No. at H and / or I level is not allowed; cardinality 1:1; format an..17.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!48
Error code/pattern: CDS10002 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is C21I.; 3/2 Exporter Identification No. at H and / or I level is not allowed.; Populate XML path Declaration/ Exporter/ ID Declaration/ GoodsShipment/ GovernmentAgencyGoodsItem/ Consignor/ ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..17.

TDR-R-00385 | Field-level requirement | Import declaration | Import SRDS: DE 3/2 Exporter Identification No. at H and / or I level is dependent; cardinality 1:1; format an..17.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!48
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is SRDS.; 3/2 Exporter Identification No. at H and / or I level is dependent.; Populate XML path Declaration/ Exporter/ ID Declaration/ GoodsShipment/ GovernmentAgencyGoodsItem/ Consignor/ ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..17.

TDR-R-00386 | Field-level requirement | Import declaration | Import H1: DE 3/15 Importer - Name at H level is dependent; cardinality 1:1; format an..70.

Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!50
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H1.; 3/15 Importer - Name at H level is dependent.; Populate XML path Declaration/ GoodsShipment/ Importer/ Name only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..70.

TDR-R-00387 | Field-level requirement | Import declaration | Import H2: DE 3/15 Importer - Name at H level is dependent; cardinality 1:1; format an..70.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!50
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H2.; 3/15 Importer - Name at H level is dependent.; Populate XML path Declaration/ GoodsShipment/ Importer/ Name only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..70.

TDR-R-00388 | Field-level requirement | Import declaration | Import H3: DE 3/15 Importer - Name at H level is dependent; cardinality 1:1; format an..70.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!50
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H3.; 3/15 Importer - Name at H level is dependent.; Populate XML path Declaration/ GoodsShipment/ Importer/ Name only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..70.

TDR-R-00389 | Field-level requirement | Import declaration | Import H4: DE 3/15 Importer - Name at H level is dependent; cardinality 1:1; format an..70.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!50
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H4.; 3/15 Importer - Name at H level is dependent.; Populate XML path Declaration/ GoodsShipment/ Importer/ Name only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..70.

TDR-R-00390 | Field-level requirement | Import declaration | Import H5: DE 3/15 Importer - Name at H level is dependent; cardinality 1:1; format an..70.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!50
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H5.; 3/15 Importer - Name at H level is dependent.; Populate XML path Declaration/ GoodsShipment/ Importer/ Name only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..70.

TDR-R-00391 | Field-level requirement | Import declaration | Import H8: DE 3/15 Importer - Name at H level is mandatory when the group-level item is present; cardinality 1:1; format an..70.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!50
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H8.; 3/15 Importer - Name at H level is mandatory when the group-level item is present.; Populate XML path Declaration/ GoodsShipment/ Importer/ Name only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..70.

TDR-R-00392 | Field-level requirement | Import declaration | Import I1: DE 3/15 Importer - Name at H level is dependent; cardinality 1:1; format an..70.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!50
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is I1.; 3/15 Importer - Name at H level is dependent.; Populate XML path Declaration/ GoodsShipment/ Importer/ Name only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..70.

TDR-R-00393 | Field-level requirement | Import declaration | Import I1 (B&E): DE 3/15 Importer - Name at H level is dependent; cardinality 1:1; format an..70.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!50
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is I1 (B&E).; 3/15 Importer - Name at H level is dependent.; Populate XML path Declaration/ GoodsShipment/ Importer/ Name only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..70.

TDR-R-00394 | Field-level requirement | Import declaration | Import C21I: DE 3/15 Importer - Name at H level is dependent; cardinality 1:1; format an..70.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!50
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is C21I.; 3/15 Importer - Name at H level is dependent.; Populate XML path Declaration/ GoodsShipment/ Importer/ Name only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..70.

TDR-R-00395 | Field-level requirement | Import declaration | Import C21I EIDR: DE 3/15 Importer - Name at H level is dependent; cardinality 1:1; format an..70.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!50
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is C21I EIDR.; 3/15 Importer - Name at H level is dependent.; Populate XML path Declaration/ GoodsShipment/ Importer/ Name only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..70.

TDR-R-00396 | Field-level requirement | Import declaration | Import SRDS: DE 3/15 Importer - Name at H level is dependent; cardinality 1:1; format an..70.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!50
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is SRDS.; 3/15 Importer - Name at H level is dependent.; Populate XML path Declaration/ GoodsShipment/ Importer/ Name only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..70.

TDR-R-00397 | Field-level requirement | Import declaration | Import H1: DE 3/15 Importer - Street and Number at H level is dependent; cardinality 1:1; format an..70.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!51

Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H1.; 3/15 Importer - Street and Number at H level is dependent.; Populate XML path Declaration/ GoodsShipment/ Importer/ Address/ Line only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..70.

TDR-R-00398 | Field-level requirement | Import declaration | Import H2: DE 3/15 Importer - Street and Number at H level is dependent; cardinality 1:1; format an..70.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!51
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H2.; 3/15 Importer - Street and Number at H level is dependent.; Populate XML path Declaration/ GoodsShipment/ Importer/ Address/ Line only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..70.

TDR-R-00399 | Field-level requirement | Import declaration | Import H3: DE 3/15 Importer - Street and Number at H level is dependent; cardinality 1:1; format an..70.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!51
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H3.; 3/15 Importer - Street and Number at H level is dependent.; Populate XML path Declaration/ GoodsShipment/ Importer/ Address/ Line only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..70.

TDR-R-00400 | Field-level requirement | Import declaration | Import H4: DE 3/15 Importer - Street and Number at H level is dependent; cardinality 1:1; format an..70.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!51
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H4.; 3/15 Importer - Street and Number at H level is dependent.; Populate XML path Declaration/ GoodsShipment/ Importer/ Address/ Line only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..70.

TDR-R-00401 | Field-level requirement | Import declaration | Import H5: DE 3/15 Importer - Street and Number at H level is dependent; cardinality 1:1; format an..70.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!51
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H5.; 3/15 Importer - Street and Number at H level is dependent.; Populate XML path Declaration/ GoodsShipment/ Importer/ Address/ Line only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..70.

TDR-R-00402 | Field-level requirement | Import declaration | Import H8: DE 3/15 Importer - Street and Number at H level is mandatory when the group-level item is present; cardinality 1:1; format an..70.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!51
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H8.; 3/15 Importer - Street and Number at H level is mandatory when the group-level item is present.; Populate XML path Declaration/ GoodsShipment/ Importer/ Address/ Line only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..70.

TDR-R-00403 | Field-level requirement | Import declaration | Import I1: DE 3/15 Importer - Street and Number at H level is dependent; cardinality 1:1; format an..70.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!51
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is I1.; 3/15 Importer - Street and Number at H level is dependent.; Populate XML path Declaration/ GoodsShipment/ Importer/ Address/ Line only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..70.

TDR-R-00404 | Field-level requirement | Import declaration | Import I1 (B&E): DE 3/15 Importer - Street and Number at H level is dependent; cardinality 1:1; format an..70.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!51
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is I1 (B&E).; 3/15 Importer - Street and Number at H level is dependent.; Populate XML path Declaration/ GoodsShipment/ Importer/ Address/ Line only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..70.

TDR-R-00405 | Field-level requirement | Import declaration | Import C21I: DE 3/15 Importer - Street and Number at H level is dependent; cardinality 1:1; format an..70.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!51
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is C21I.; 3/15 Importer - Street and Number at H level is dependent.; Populate XML path Declaration/ GoodsShipment/ Importer/ Address/ Line only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..70.

TDR-R-00406 | Field-level requirement | Import declaration | Import C21I EIDR: DE 3/15 Importer - Street and Number at H level is dependent; cardinality 1:1; format an..70.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!51
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is C21I EIDR.; 3/15 Importer - Street and Number at H level is dependent.; Populate XML path Declaration/ GoodsShipment/ Importer/ Address/ Line only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..70.

TDR-R-00407 | Field-level requirement | Import declaration | Import SRDS: DE 3/15 Importer - Street and Number at H level is dependent; cardinality 1:1; format an..70.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!51
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is SRDS.; 3/15 Importer - Street and Number at H level is dependent.; Populate XML path Declaration/ GoodsShipment/ Importer/ Address/ Line only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..70.

TDR-R-00408 | Field-level requirement | Import declaration | Import H1: DE 3/15 Importer - City at H level is dependent; cardinality 1:1; format an..35.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!52

Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H1.; 3/15 Importer - City at H level is dependent.; Populate XML path Declaration/ GoodsShipment/ Importer/ Address/ CityName only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..35.

TDR-R-00409 | Field-level requirement | Import declaration | Import H2: DE 3/15 Importer - City at H level is dependent; cardinality 1:1; format an..35.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!52
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H2.; 3/15 Importer - City at H level is dependent.; Populate XML path Declaration/ GoodsShipment/ Importer/ Address/ CityName only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..35.

TDR-R-00410 | Field-level requirement | Import declaration | Import H3: DE 3/15 Importer - City at H level is dependent; cardinality 1:1; format an..35.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!52
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H3.; 3/15 Importer - City at H level is dependent.; Populate XML path Declaration/ GoodsShipment/ Importer/ Address/ CityName only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..35.

TDR-R-00411 | Field-level requirement | Import declaration | Import H4: DE 3/15 Importer - City at H level is dependent; cardinality 1:1; format an..35.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!52
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H4.; 3/15 Importer - City at H level is dependent.; Populate XML path Declaration/ GoodsShipment/ Importer/ Address/ CityName only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..35.

TDR-R-00412 | Field-level requirement | Import declaration | Import H5: DE 3/15 Importer - City at H level is dependent; cardinality 1:1; format an..35.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!52
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H5.; 3/15 Importer - City at H level is dependent.; Populate XML path Declaration/ GoodsShipment/ Importer/ Address/ CityName only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..35.

TDR-R-00413 | Field-level requirement | Import declaration | Import H8: DE 3/15 Importer - City at H level is mandatory when the group-level item is present; cardinality 1:1; format an..35.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!52
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H8.; 3/15 Importer - City at H level is mandatory when the group-level item is present.; Populate XML path Declaration/ GoodsShipment/ Importer/ Address/ CityName only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..35.

TDR-R-00414 | Field-level requirement | Import declaration | Import I1: DE 3/15 Importer - City at H level is dependent; cardinality 1:1; format an..35.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!52
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is I1.; 3/15 Importer - City at H level is dependent.; Populate XML path Declaration/ GoodsShipment/ Importer/ Address/ CityName only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..35.

TDR-R-00415 | Field-level requirement | Import declaration | Import I1 (B&E): DE 3/15 Importer - City at H level is dependent; cardinality 1:1; format an..35.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!52
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is I1 (B&E).; 3/15 Importer - City at H level is dependent.; Populate XML path Declaration/ GoodsShipment/ Importer/ Address/ CityName only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..35.

TDR-R-00416 | Field-level requirement | Import declaration | Import C21I: DE 3/15 Importer - City at H level is dependent; cardinality 1:1; format an..35.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!52
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is C21I.; 3/15 Importer - City at H level is dependent.; Populate XML path Declaration/ GoodsShipment/ Importer/ Address/ CityName only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..35.

TDR-R-00417 | Field-level requirement | Import declaration | Import C21I EIDR: DE 3/15 Importer - City at H level is dependent; cardinality 1:1; format an..35.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!52
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is C21I EIDR.; 3/15 Importer - City at H level is dependent.; Populate XML path Declaration/ GoodsShipment/ Importer/ Address/ CityName only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..35.

TDR-R-00418 | Field-level requirement | Import declaration | Import SRDS: DE 3/15 Importer - City at H level is dependent; cardinality 1:1; format an..35.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!52
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is SRDS.; 3/15 Importer - City at H level is dependent.; Populate XML path Declaration/ GoodsShipment/ Importer/ Address/ CityName only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..35.

TDR-R-00419 | Field-level requirement | Import declaration | Import H1: DE 3/15 Importer - Country at H level is dependent; cardinality 1:1; format a2 Must be Upper Case.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!53
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error | CDS10020

Acceptance: Import declaration context is H1.; 3/15 Importer - Country at H level is dependent.; Populate XML path Declaration/ GoodsShipment/ Importer/ Address/ CountryCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a2 Must be Upper Case.; Value is drawn from HMRC codelist CountryTypes for these items.

TDR-R-00420 | Field-level requirement | Import declaration | Import H2: DE 3/15 Importer - Country at H level is dependent; cardinality 1:1; format a2 Must be Upper Case.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!53
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H2.; 3/15 Importer - Country at H level is dependent.; Populate XML path Declaration/ GoodsShipment/ Importer/ Address/ CountryCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a2 Must be Upper Case.; Value is drawn from HMRC codelist CountryTypes for these items.

TDR-R-00421 | Field-level requirement | Import declaration | Import H3: DE 3/15 Importer - Country at H level is dependent; cardinality 1:1; format a2 Must be Upper Case.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!53
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H3.; 3/15 Importer - Country at H level is dependent.; Populate XML path Declaration/ GoodsShipment/ Importer/ Address/ CountryCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a2 Must be Upper Case.; Value is drawn from HMRC codelist CountryTypes for these items.

TDR-R-00422 | Field-level requirement | Import declaration | Import H4: DE 3/15 Importer - Country at H level is dependent; cardinality 1:1; format a2 Must be Upper Case.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!53
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H4.; 3/15 Importer - Country at H level is dependent.; Populate XML path Declaration/ GoodsShipment/ Importer/ Address/ CountryCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a2 Must be Upper Case.; Value is drawn from HMRC codelist CountryTypes for these items.

TDR-R-00423 | Field-level requirement | Import declaration | Import H5: DE 3/15 Importer - Country at H level is dependent; cardinality 1:1; format a2 Must be Upper Case.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!53
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H5.; 3/15 Importer - Country at H level is dependent.; Populate XML path Declaration/ GoodsShipment/ Importer/ Address/ CountryCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a2 Must be Upper Case.; Value is drawn from HMRC codelist CountryTypes for these items.

TDR-R-00424 | Field-level requirement | Import declaration | Import H8: DE 3/15 Importer - Country at H level is mandatory when the group-level item is present; cardinality 1:1; format a2 Must be Upper Case.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!53
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H8.; 3/15 Importer - Country at H level is mandatory when the group-level item is present.; Populate XML path Declaration/ GoodsShipment/ Importer/ Address/ CountryCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a2 Must be Upper Case.; Value is drawn from HMRC codelist CountryTypes for these items.

TDR-R-00425 | Field-level requirement | Import declaration | Import I1: DE 3/15 Importer - Country at H level is dependent; cardinality 1:1; format a2 Must be Upper Case.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!53
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is I1.; 3/15 Importer - Country at H level is dependent.; Populate XML path Declaration/ GoodsShipment/ Importer/ Address/ CountryCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a2 Must be Upper Case.; Value is drawn from HMRC codelist CountryTypes for these items.

TDR-R-00426 | Field-level requirement | Import declaration | Import I1 (B&E): DE 3/15 Importer - Country at H level is dependent; cardinality 1:1; format a2 Must be Upper Case.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!53
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is I1 (B&E).; 3/15 Importer - Country at H level is dependent.; Populate XML path Declaration/ GoodsShipment/ Importer/ Address/ CountryCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a2 Must be Upper Case.; Value is drawn from HMRC codelist CountryTypes for these items.

TDR-R-00427 | Field-level requirement | Import declaration | Import C21I: DE 3/15 Importer - Country at H level is dependent; cardinality 1:1; format a2 Must be Upper Case.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!53
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is C21I.; 3/15 Importer - Country at H level is dependent.; Populate XML path Declaration/ GoodsShipment/ Importer/ Address/ CountryCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a2 Must be Upper Case.; Value is drawn from HMRC codelist CountryTypes for these items.

TDR-R-00428 | Field-level requirement | Import declaration | Import C21I EIDR: DE 3/15 Importer - Country at H level is dependent; cardinality 1:1; format a2 Must be Upper Case.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!53
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is C21I EIDR.; 3/15 Importer - Country at H level is dependent.; Populate XML path Declaration/ GoodsShipment/ Importer/ Address/ CountryCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a2 Must be Upper Case.; Value is drawn from HMRC codelist CountryTypes for these items.

TDR-R-00429 | Field-level requirement | Import declaration | Import SRDS: DE 3/15 Importer - Country at H level is dependent; cardinality 1:1; format a2 Must be Upper Case.

Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!53
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is SRDS.; 3/15 Importer - Country at H level is dependent.; Populate XML path Declaration/ GoodsShipment/ Importer/ Address/ CountryCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a2 Must be Upper Case.; Value is drawn from HMRC codelist CountryTypes for these items.

TDR-R-00430 | Field-level requirement | Import declaration | Import H1: DE 3/15 Importer - Postcode at H level is dependent; cardinality 1:1; format an..9.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!54
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H1.; 3/15 Importer - Postcode at H level is dependent.; Populate XML path Declaration/ GoodsShipment/ Importer/ Address/ PostcodeID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..9.

TDR-R-00431 | Field-level requirement | Import declaration | Import H2: DE 3/15 Importer - Postcode at H level is dependent; cardinality 1:1; format an..9.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!54
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H2.; 3/15 Importer - Postcode at H level is dependent.; Populate XML path Declaration/ GoodsShipment/ Importer/ Address/ PostcodeID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..9.

TDR-R-00432 | Field-level requirement | Import declaration | Import H3: DE 3/15 Importer - Postcode at H level is dependent; cardinality 1:1; format an..9.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!54
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H3.; 3/15 Importer - Postcode at H level is dependent.; Populate XML path Declaration/ GoodsShipment/ Importer/ Address/ PostcodeID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..9.

TDR-R-00433 | Field-level requirement | Import declaration | Import H4: DE 3/15 Importer - Postcode at H level is dependent; cardinality 1:1; format an..9.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!54
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H4.; 3/15 Importer - Postcode at H level is dependent.; Populate XML path Declaration/ GoodsShipment/ Importer/ Address/ PostcodeID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..9.

TDR-R-00434 | Field-level requirement | Import declaration | Import H5: DE 3/15 Importer - Postcode at H level is dependent; cardinality 1:1; format an..9.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!54
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H5.; 3/15 Importer - Postcode at H level is dependent.; Populate XML path Declaration/ GoodsShipment/ Importer/ Address/ PostcodeID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..9.

TDR-R-00435 | Field-level requirement | Import declaration | Import H8: DE 3/15 Importer - Postcode at H level is mandatory when the group-level item is present; cardinality 1:1; format an..9.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!54
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H8.; 3/15 Importer - Postcode at H level is mandatory when the group-level item is present.; Populate XML path Declaration/ GoodsShipment/ Importer/ Address/ PostcodeID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..9.

TDR-R-00436 | Field-level requirement | Import declaration | Import I1: DE 3/15 Importer - Postcode at H level is dependent; cardinality 1:1; format an..9.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!54
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is I1.; 3/15 Importer - Postcode at H level is dependent.; Populate XML path Declaration/ GoodsShipment/ Importer/ Address/ PostcodeID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..9.

TDR-R-00437 | Field-level requirement | Import declaration | Import I1 (B&E): DE 3/15 Importer - Postcode at H level is dependent; cardinality 1:1; format an..9.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!54
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is I1 (B&E).; 3/15 Importer - Postcode at H level is dependent.; Populate XML path Declaration/ GoodsShipment/ Importer/ Address/ PostcodeID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..9.

TDR-R-00438 | Field-level requirement | Import declaration | Import C21I: DE 3/15 Importer - Postcode at H level is dependent; cardinality 1:1; format an..9.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!54
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is C21I.; 3/15 Importer - Postcode at H level is dependent.; Populate XML path Declaration/ GoodsShipment/ Importer/ Address/ PostcodeID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..9.

TDR-R-00439 | Field-level requirement | Import declaration | Import C21I EIDR: DE 3/15 Importer - Postcode at H level is dependent; cardinality 1:1; format an..9.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!54
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is C21I EIDR.; 3/15 Importer - Postcode at H level is dependent.; Populate XML path Declaration/ GoodsShipment/ Importer/ Address/ PostcodeID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..9.

TDR-R-00440 | Field-level requirement | Import declaration | Import SRDS: DE 3/15 Importer - Postcode at H level is dependent; cardinality 1:1; format an..9.

Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!54
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is SRDS.; 3/15 Importer - Postcode at H level is dependent.; Populate XML path Declaration/ GoodsShipment/ Importer/ Address/ PostcodeID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..9.

TDR-R-00441 | Field-level requirement | Import declaration | Import H1: DE 3/16 Importer Identification No. at H level is dependent; cardinality 1:1; format an..17.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!55
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H1.; 3/16 Importer Identification No. at H level is dependent.; Populate XML path Declaration/ GoodsShipment/ Importer/ ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..17.

TDR-R-00442 | Field-level requirement | Import declaration | Import H2: DE 3/16 Importer Identification No. at H level is dependent; cardinality 1:1; format an..17.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!55
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H2.; 3/16 Importer Identification No. at H level is dependent.; Populate XML path Declaration/ GoodsShipment/ Importer/ ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..17.

TDR-R-00443 | Field-level requirement | Import declaration | Import H3: DE 3/16 Importer Identification No. at H level is dependent; cardinality 1:1; format an..17.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!55
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H3.; 3/16 Importer Identification No. at H level is dependent.; Populate XML path Declaration/ GoodsShipment/ Importer/ ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..17.

TDR-R-00444 | Field-level requirement | Import declaration | Import H4: DE 3/16 Importer Identification No. at H level is dependent; cardinality 1:1; format an..17.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!55
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H4.; 3/16 Importer Identification No. at H level is dependent.; Populate XML path Declaration/ GoodsShipment/ Importer/ ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..17.

TDR-R-00445 | Field-level requirement | Import declaration | Import H5: DE 3/16 Importer Identification No. at H level is dependent; cardinality 1:1; format an..17.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!55
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H5.; 3/16 Importer Identification No. at H level is dependent.; Populate XML path Declaration/ GoodsShipment/ Importer/ ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..17.

TDR-R-00446 | Field-level requirement | Import declaration | Import H8: DE 3/16 Importer Identification No. at H level is dependent; cardinality 1:1; format an..17.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!55
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H8.; 3/16 Importer Identification No. at H level is dependent.; Populate XML path Declaration/ GoodsShipment/ Importer/ ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..17.

TDR-R-00447 | Field-level requirement | Import declaration | Import I1: DE 3/16 Importer Identification No. at H level is dependent; cardinality 1:1; format an..17.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!55
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is I1.; 3/16 Importer Identification No. at H level is dependent.; Populate XML path Declaration/ GoodsShipment/ Importer/ ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..17.

TDR-R-00448 | Field-level requirement | Import declaration | Import I1 (B&E): DE 3/16 Importer Identification No. at H level is dependent; cardinality 1:1; format an..17.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!55
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is I1 (B&E).; 3/16 Importer Identification No. at H level is dependent.; Populate XML path Declaration/ GoodsShipment/ Importer/ ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..17.

TDR-R-00449 | Field-level requirement | Import declaration | Import C21I: DE 3/16 Importer Identification No. at H level is dependent; cardinality 1:1; format an..17.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!55
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is C21I.; 3/16 Importer Identification No. at H level is dependent.; Populate XML path Declaration/ GoodsShipment/ Importer/ ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..17.

TDR-R-00450 | Field-level requirement | Import declaration | Import C21I EIDR: DE 3/16 Importer Identification No. at H level is dependent; cardinality 1:1; format an..17.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!55
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is C21I EIDR.; 3/16 Importer Identification No. at H level is dependent.; Populate XML path Declaration/ GoodsShipment/ Importer/ ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..17.

TDR-R-00451 | Field-level requirement | Import declaration | Import SRDS: DE 3/16 Importer Identification No. at H level is dependent; cardinality 1:1; format an..17.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!55
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error

Acceptance: Import declaration context is SRDS.; 3/16 Importer Identification No. at H level is dependent.; Populate XML path Declaration/ GoodsShipment/ Importer/ ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..17.

TDR-R-00452 | Field-level requirement | Import declaration | Import H1: DE 3/17 Declarant - Name at H level is dependent; cardinality 1:1; format an..70.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!57
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H1.; 3/17 Declarant - Name at H level is dependent.; Populate XML path Declaration/ Declarant/ Name only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..70.

TDR-R-00453 | Field-level requirement | Import declaration | Import H2: DE 3/17 Declarant - Name at H level is dependent; cardinality 1:1; format an..70.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!57
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H2.; 3/17 Declarant - Name at H level is dependent.; Populate XML path Declaration/ Declarant/ Name only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..70.

TDR-R-00454 | Field-level requirement | Import declaration | Import H3: DE 3/17 Declarant - Name at H level is dependent; cardinality 1:1; format an..70.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!57
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H3.; 3/17 Declarant - Name at H level is dependent.; Populate XML path Declaration/ Declarant/ Name only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..70.

TDR-R-00455 | Field-level requirement | Import declaration | Import H4: DE 3/17 Declarant - Name at H level is dependent; cardinality 1:1; format an..70.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!57
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H4.; 3/17 Declarant - Name at H level is dependent.; Populate XML path Declaration/ Declarant/ Name only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..70.

TDR-R-00456 | Field-level requirement | Import declaration | Import H5: DE 3/17 Declarant - Name at H level is dependent; cardinality 1:1; format an..70.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!57
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H5.; 3/17 Declarant - Name at H level is dependent.; Populate XML path Declaration/ Declarant/ Name only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..70.

TDR-R-00457 | Field-level requirement | Import declaration | Import I1: DE 3/17 Declarant - Name at H level is dependent; cardinality 1:1; format an..70.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!57
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is I1.; 3/17 Declarant - Name at H level is dependent.; Populate XML path Declaration/ Declarant/ Name only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..70.

TDR-R-00458 | Field-level requirement | Import declaration | Import I1 (B&E): DE 3/17 Declarant - Name at H level is dependent; cardinality 1:1; format an..70.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!57
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is I1 (B&E).; 3/17 Declarant - Name at H level is dependent.; Populate XML path Declaration/ Declarant/ Name only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..70.

TDR-R-00459 | Field-level requirement | Import declaration | Import C21I: DE 3/17 Declarant - Name at H level is dependent; cardinality 1:1; format an..70.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!57
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is C21I.; 3/17 Declarant - Name at H level is dependent.; Populate XML path Declaration/ Declarant/ Name only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..70.

TDR-R-00460 | Field-level requirement | Import declaration | Import SRDS: DE 3/17 Declarant - Name at H level is dependent; cardinality 1:1; format an..70.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!57
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is SRDS.; 3/17 Declarant - Name at H level is dependent.; Populate XML path Declaration/ Declarant/ Name only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..70.

TDR-R-00461 | Field-level requirement | Import declaration | Import H1: DE 3/17 Declarant - Street and Number at H level is dependent; cardinality 1:1; format an..70.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!58
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H1.; 3/17 Declarant - Street and Number at H level is dependent.; Populate XML path Declaration/ Declarant/ Address/ Line only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..70.

TDR-R-00462 | Field-level requirement | Import declaration | Import H2: DE 3/17 Declarant - Street and Number at H level is dependent; cardinality 1:1; format an..70.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!58
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H2.; 3/17 Declarant - Street and Number at H level is dependent.; Populate XML path Declaration/ Declarant/ Address/ Line only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..70.

TDR-R-00463 | Field-level requirement | Import declaration | Import H3: DE 3/17 Declarant - Street and Number at H level is dependent; cardinality 1:1; format an..70.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!58
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H3.; 3/17 Declarant - Street and Number at H level is dependent.; Populate XML path Declaration/ Declarant/ Address/ Line only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..70.

TDR-R-00464 | Field-level requirement | Import declaration | Import H4: DE 3/17 Declarant - Street and Number at H level is dependent; cardinality 1:1; format an..70.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!58
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H4.; 3/17 Declarant - Street and Number at H level is dependent.; Populate XML path Declaration/ Declarant/ Address/ Line only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..70.

TDR-R-00465 | Field-level requirement | Import declaration | Import H5: DE 3/17 Declarant - Street and Number at H level is dependent; cardinality 1:1; format an..70.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!58
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H5.; 3/17 Declarant - Street and Number at H level is dependent.; Populate XML path Declaration/ Declarant/ Address/ Line only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..70.

TDR-R-00466 | Field-level requirement | Import declaration | Import I1: DE 3/17 Declarant - Street and Number at H level is dependent; cardinality 1:1; format an..70.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!58
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is I1.; 3/17 Declarant - Street and Number at H level is dependent.; Populate XML path Declaration/ Declarant/ Address/ Line only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..70.

TDR-R-00467 | Field-level requirement | Import declaration | Import I1 (B&E): DE 3/17 Declarant - Street and Number at H level is dependent; cardinality 1:1; format an..70.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!58
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is I1 (B&E).; 3/17 Declarant - Street and Number at H level is dependent.; Populate XML path Declaration/ Declarant/ Address/ Line only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..70.

TDR-R-00468 | Field-level requirement | Import declaration | Import C21I: DE 3/17 Declarant - Street and Number at H level is dependent; cardinality 1:1; format an..70.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!58
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is C21I.; 3/17 Declarant - Street and Number at H level is dependent.; Populate XML path Declaration/ Declarant/ Address/ Line only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..70.

TDR-R-00469 | Field-level requirement | Import declaration | Import SRDS: DE 3/17 Declarant - Street and Number at H level is dependent; cardinality 1:1; format an..70.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!58
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is SRDS.; 3/17 Declarant - Street and Number at H level is dependent.; Populate XML path Declaration/ Declarant/ Address/ Line only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..70.

TDR-R-00470 | Field-level requirement | Import declaration | Import H1: DE 3/17 Declarant - City at H level is dependent; cardinality 1:1; format an..35.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!59
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H1.; 3/17 Declarant - City at H level is dependent.; Populate XML path Declaration/ Declarant/ Address/ CityName only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..35.

TDR-R-00471 | Field-level requirement | Import declaration | Import H2: DE 3/17 Declarant - City at H level is dependent; cardinality 1:1; format an..35.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!59
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H2.; 3/17 Declarant - City at H level is dependent.; Populate XML path Declaration/ Declarant/ Address/ CityName only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..35.

TDR-R-00472 | Field-level requirement | Import declaration | Import H3: DE 3/17 Declarant - City at H level is dependent; cardinality 1:1; format an..35.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!59
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H3.; 3/17 Declarant - City at H level is dependent.; Populate XML path Declaration/ Declarant/ Address/ CityName only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..35.

TDR-R-00473 | Field-level requirement | Import declaration | Import H4: DE 3/17 Declarant - City at H level is dependent; cardinality 1:1; format an..35.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!59
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H4.; 3/17 Declarant - City at H level is dependent.; Populate XML path Declaration/ Declarant/ Address/ CityName only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..35.

TDR-R-00474 | Field-level requirement | Import declaration | Import H5: DE 3/17 Declarant - City at H level is dependent; cardinality 1:1; format an..35.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!59

Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H5.; 3/17 Declarant - City at H level is dependent.; Populate XML path Declaration/ Declarant/ Address/ CityName only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..35.

TDR-R-00475 | Field-level requirement | Import declaration | Import I1: DE 3/17 Declarant - City at H level is dependent; cardinality 1:1; format an..35.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!59
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is I1.; 3/17 Declarant - City at H level is dependent.; Populate XML path Declaration/ Declarant/ Address/ CityName only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..35.

TDR-R-00476 | Field-level requirement | Import declaration | Import I1 (B&E): DE 3/17 Declarant - City at H level is dependent; cardinality 1:1; format an..35.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!59
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is I1 (B&E).; 3/17 Declarant - City at H level is dependent.; Populate XML path Declaration/ Declarant/ Address/ CityName only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..35.

TDR-R-00477 | Field-level requirement | Import declaration | Import C21I: DE 3/17 Declarant - City at H level is dependent; cardinality 1:1; format an..35.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!59
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is C21I.; 3/17 Declarant - City at H level is dependent.; Populate XML path Declaration/ Declarant/ Address/ CityName only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..35.

TDR-R-00478 | Field-level requirement | Import declaration | Import SRDS: DE 3/17 Declarant - City at H level is dependent; cardinality 1:1; format an..35.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!59
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is SRDS.; 3/17 Declarant - City at H level is dependent.; Populate XML path Declaration/ Declarant/ Address/ CityName only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..35.

TDR-R-00479 | Field-level requirement | Import declaration | Import H1: DE 3/17 Declarant - Country at H level is dependent; cardinality 1:1; format a2 Must be Upper Case.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!60
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H1.; 3/17 Declarant - Country at H level is dependent.; Populate XML path Declaration/ Declarant/ Address/ CountryCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a2 Must be Upper Case.; Value is drawn from HMRC codelist CountryTypes for these items.

TDR-R-00480 | Field-level requirement | Import declaration | Import H2: DE 3/17 Declarant - Country at H level is dependent; cardinality 1:1; format a2 Must be Upper Case.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!60
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H2.; 3/17 Declarant - Country at H level is dependent.; Populate XML path Declaration/ Declarant/ Address/ CountryCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a2 Must be Upper Case.; Value is drawn from HMRC codelist CountryTypes for these items.

TDR-R-00481 | Field-level requirement | Import declaration | Import H3: DE 3/17 Declarant - Country at H level is dependent; cardinality 1:1; format a2 Must be Upper Case.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!60
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H3.; 3/17 Declarant - Country at H level is dependent.; Populate XML path Declaration/ Declarant/ Address/ CountryCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a2 Must be Upper Case.; Value is drawn from HMRC codelist CountryTypes for these items.

TDR-R-00482 | Field-level requirement | Import declaration | Import H4: DE 3/17 Declarant - Country at H level is dependent; cardinality 1:1; format a2 Must be Upper Case.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!60
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H4.; 3/17 Declarant - Country at H level is dependent.; Populate XML path Declaration/ Declarant/ Address/ CountryCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a2 Must be Upper Case.; Value is drawn from HMRC codelist CountryTypes for these items.

TDR-R-00483 | Field-level requirement | Import declaration | Import H5: DE 3/17 Declarant - Country at H level is dependent; cardinality 1:1; format a2 Must be Upper Case.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!60
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H5.; 3/17 Declarant - Country at H level is dependent.; Populate XML path Declaration/ Declarant/ Address/ CountryCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a2 Must be Upper Case.; Value is drawn from HMRC codelist CountryTypes for these items.

TDR-R-00484 | Field-level requirement | Import declaration | Import I1: DE 3/17 Declarant - Country at H level is dependent; cardinality 1:1; format a2 Must be Upper Case.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!60
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is I1.; 3/17 Declarant - Country at H level is dependent.; Populate XML path Declaration/ Declarant/ Address/ CountryCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a2 Must be Upper Case.; Value

is drawn from HMRC codelist CountryTypes for these items.

TDR-R-00485 | Field-level requirement | Import declaration | Import I1 (B&E): DE 3/17 Declarant - Country at H level is dependent; cardinality 1:1; format a2 Must be Upper Case.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!60
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is I1 (B&E).; 3/17 Declarant - Country at H level is dependent.; Populate XML path Declaration/ Declarant/ Address/ CountryCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a2 Must be Upper Case.; Value is drawn from HMRC codelist CountryTypes for these items.

TDR-R-00486 | Field-level requirement | Import declaration | Import C21I: DE 3/17 Declarant - Country at H level is dependent; cardinality 1:1; format a2 Must be Upper Case.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!60
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is C21I.; 3/17 Declarant - Country at H level is dependent.; Populate XML path Declaration/ Declarant/ Address/ CountryCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a2 Must be Upper Case.; Value is drawn from HMRC codelist CountryTypes for these items.

TDR-R-00487 | Field-level requirement | Import declaration | Import SRDS: DE 3/17 Declarant - Country at H level is dependent; cardinality 1:1; format a2 Must be Upper Case.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!60
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is SRDS.; 3/17 Declarant - Country at H level is dependent.; Populate XML path Declaration/ Declarant/ Address/ CountryCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a2 Must be Upper Case.; Value is drawn from HMRC codelist CountryTypes for these items.

TDR-R-00488 | Field-level requirement | Import declaration | Import H1: DE 3/17 Declarant - Postcode at H level is dependent; cardinality 1:1; format an..9.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!61
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H1.; 3/17 Declarant - Postcode at H level is dependent.; Populate XML path Declaration/ Declarant/ Address/ PostcodeID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..9.

TDR-R-00489 | Field-level requirement | Import declaration | Import H2: DE 3/17 Declarant - Postcode at H level is dependent; cardinality 1:1; format an..9.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!61
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H2.; 3/17 Declarant - Postcode at H level is dependent.; Populate XML path Declaration/ Declarant/ Address/ PostcodeID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..9.

TDR-R-00490 | Field-level requirement | Import declaration | Import H3: DE 3/17 Declarant - Postcode at H level is dependent; cardinality 1:1; format an..9.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!61
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H3.; 3/17 Declarant - Postcode at H level is dependent.; Populate XML path Declaration/ Declarant/ Address/ PostcodeID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..9.

TDR-R-00491 | Field-level requirement | Import declaration | Import H4: DE 3/17 Declarant - Postcode at H level is dependent; cardinality 1:1; format an..9.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!61
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H4.; 3/17 Declarant - Postcode at H level is dependent.; Populate XML path Declaration/ Declarant/ Address/ PostcodeID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..9.

TDR-R-00492 | Field-level requirement | Import declaration | Import H5: DE 3/17 Declarant - Postcode at H level is dependent; cardinality 1:1; format an..9.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!61
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H5.; 3/17 Declarant - Postcode at H level is dependent.; Populate XML path Declaration/ Declarant/ Address/ PostcodeID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..9.

TDR-R-00493 | Field-level requirement | Import declaration | Import I1: DE 3/17 Declarant - Postcode at H level is dependent; cardinality 1:1; format an..9.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!61
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is I1.; 3/17 Declarant - Postcode at H level is dependent.; Populate XML path Declaration/ Declarant/ Address/ PostcodeID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..9.

TDR-R-00494 | Field-level requirement | Import declaration | Import I1 (B&E): DE 3/17 Declarant - Postcode at H level is dependent; cardinality 1:1; format an..9.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!61
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is I1 (B&E).; 3/17 Declarant - Postcode at H level is dependent.; Populate XML path Declaration/ Declarant/ Address/ PostcodeID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..9.

TDR-R-00495 | Field-level requirement | Import declaration | Import C21I: DE 3/17 Declarant - Postcode at H level is dependent; cardinality 1:1; format an..9.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!61
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is C21I.; 3/17 Declarant - Postcode at H level is dependent.; Populate XML path Declaration/ Declarant/

Address/ PostcodeID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..9.

TDR-R-00496 | Field-level requirement | Import declaration | Import SRDS: DE 3/17 Declarant - Postcode at H level is dependent; cardinality 1:1; format an..9.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!61
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is SRDS.; 3/17 Declarant - Postcode at H level is dependent.; Populate XML path Declaration/ Declarant/ Address/ PostcodeID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..9.

TDR-R-00497 | Field-level requirement | Import declaration | Import H1: DE 3/18 Declarant Identification No. at H level is mandatory; cardinality 1:1; format an..17.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!62
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H1.; 3/18 Declarant Identification No. at H level is mandatory.; Populate XML path Declaration/ Declarant/ ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..17.

TDR-R-00498 | Field-level requirement | Import declaration | Import H2: DE 3/18 Declarant Identification No. at H level is mandatory; cardinality 1:1; format an..17.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!62
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H2.; 3/18 Declarant Identification No. at H level is mandatory.; Populate XML path Declaration/ Declarant/ ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..17.

TDR-R-00499 | Field-level requirement | Import declaration | Import H3: DE 3/18 Declarant Identification No. at H level is mandatory; cardinality 1:1; format an..17.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!62
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H3.; 3/18 Declarant Identification No. at H level is mandatory.; Populate XML path Declaration/ Declarant/ ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..17.

TDR-R-00500 | Field-level requirement | Import declaration | Import H4: DE 3/18 Declarant Identification No. at H level is mandatory; cardinality 1:1; format an..17.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!62
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H4.; 3/18 Declarant Identification No. at H level is mandatory.; Populate XML path Declaration/ Declarant/ ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..17.

TDR-R-00501 | Field-level requirement | Import declaration | Import H5: DE 3/18 Declarant Identification No. at H level is mandatory; cardinality 1:1; format an..17.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!62
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H5.; 3/18 Declarant Identification No. at H level is mandatory.; Populate XML path Declaration/ Declarant/ ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..17.

TDR-R-00502 | Field-level requirement | Import declaration | Import H8: DE 3/18 Declarant Identification No. at H level is mandatory; cardinality 1:1; format an..17.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!62
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H8.; 3/18 Declarant Identification No. at H level is mandatory.; Populate XML path Declaration/ Declarant/ ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..17.

TDR-R-00503 | Field-level requirement | Import declaration | Import I1: DE 3/18 Declarant Identification No. at H level is mandatory; cardinality 1:1; format an..17.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!62
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is I1.; 3/18 Declarant Identification No. at H level is mandatory.; Populate XML path Declaration/ Declarant/ ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..17.

TDR-R-00504 | Field-level requirement | Import declaration | Import I1 (B&E): DE 3/18 Declarant Identification No. at H level is mandatory; cardinality 1:1; format an..17.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!62
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is I1 (B&E).; 3/18 Declarant Identification No. at H level is mandatory.; Populate XML path Declaration/ Declarant/ ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..17.

TDR-R-00505 | Field-level requirement | Import declaration | Import C21I: DE 3/18 Declarant Identification No. at H level is mandatory; cardinality 1:1; format an..17.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!62
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is C21I.; 3/18 Declarant Identification No. at H level is mandatory.; Populate XML path Declaration/ Declarant/ ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..17.

TDR-R-00506 | Field-level requirement | Import declaration | Import C21I EIDR: DE 3/18 Declarant Identification No. at H level is mandatory; cardinality 1:1; format an..17.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!62
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is C21I EIDR.; 3/18 Declarant Identification No. at H level is mandatory.; Populate XML path Declaration/ Declarant/ ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..17.

TDR-R-00507 | Field-level requirement | Import declaration | Import FSD: DE 3/18 Declarant Identification No. at H level is mandatory; cardinality 1:1; format an..17.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!62
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is FSD.; 3/18 Declarant Identification No. at H level is mandatory.; Populate XML path Declaration/ Declarant/ ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..17.

TDR-R-00508 | Field-level requirement | Import declaration | Import SRDS: DE 3/18 Declarant Identification No. at H level is mandatory; cardinality 1:1; format an..17.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!62
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is SRDS.; 3/18 Declarant Identification No. at H level is mandatory.; Populate XML path Declaration/ Declarant/ ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..17.

TDR-R-00509 | Field-level requirement | Import declaration | Import H1: DE 3/19 Representative - Name at H level is dependent; cardinality 1:1; format an..70.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!64
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H1.; 3/19 Representative - Name at H level is dependent.; Populate XML path Declaration/ Agent/ Name only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..70.

TDR-R-00510 | Field-level requirement | Import declaration | Import H2: DE 3/19 Representative - Name at H level is dependent; cardinality 1:1; format an..70.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!64
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H2.; 3/19 Representative - Name at H level is dependent.; Populate XML path Declaration/ Agent/ Name only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..70.

TDR-R-00511 | Field-level requirement | Import declaration | Import H3: DE 3/19 Representative - Name at H level is dependent; cardinality 1:1; format an..70.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!64
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H3.; 3/19 Representative - Name at H level is dependent.; Populate XML path Declaration/ Agent/ Name only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..70.

TDR-R-00512 | Field-level requirement | Import declaration | Import H4: DE 3/19 Representative - Name at H level is dependent; cardinality 1:1; format an..70.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!64
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H4.; 3/19 Representative - Name at H level is dependent.; Populate XML path Declaration/ Agent/ Name only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..70.

TDR-R-00513 | Field-level requirement | Import declaration | Import H5: DE 3/19 Representative - Name at H level is dependent; cardinality 1:1; format an..70.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!64
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H5.; 3/19 Representative - Name at H level is dependent.; Populate XML path Declaration/ Agent/ Name only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..70.

TDR-R-00514 | Field-level requirement | Import declaration | Import I1: DE 3/19 Representative - Name at H level is dependent; cardinality 1:1; format an..70.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!64
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is I1.; 3/19 Representative - Name at H level is dependent.; Populate XML path Declaration/ Agent/ Name only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..70.

TDR-R-00515 | Field-level requirement | Import declaration | Import I1 (B&E): DE 3/19 Representative - Name at H level is dependent; cardinality 1:1; format an..70.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!64
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is I1 (B&E).; 3/19 Representative - Name at H level is dependent.; Populate XML path Declaration/ Agent/ Name only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..70.

TDR-R-00516 | Field-level requirement | Import declaration | Import C21I: DE 3/19 Representative - Name at H level is dependent; cardinality 1:1; format an..70.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!64
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is C21I.; 3/19 Representative - Name at H level is dependent.; Populate XML path Declaration/ Agent/ Name only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..70.

TDR-R-00517 | Field-level requirement | Import declaration | Import SRDS: DE 3/19 Representative - Name at H level is dependent; cardinality 1:1; format an..70.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!64
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is SRDS.; 3/19 Representative - Name at H level is dependent.; Populate XML path Declaration/ Agent/ Name only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..70.

TDR-R-00518 | Field-level requirement | Import declaration | Import H1: DE 3/19 Representative - Street and Number at H level is dependent; cardinality 1:1; format an..70.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!65

Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H1.; 3/19 Representative - Street and Number at H level is dependent.; Populate XML path Declaration/ Agent/ Address/ Line only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..70.

TDR-R-00519 | Field-level requirement | Import declaration | Import H2: DE 3/19 Representative - Street and Number at H level is dependent; cardinality 1:1; format an..70.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!65
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H2.; 3/19 Representative - Street and Number at H level is dependent.; Populate XML path Declaration/ Agent/ Address/ Line only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..70.

TDR-R-00520 | Field-level requirement | Import declaration | Import H3: DE 3/19 Representative - Street and Number at H level is dependent; cardinality 1:1; format an..70.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!65
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H3.; 3/19 Representative - Street and Number at H level is dependent.; Populate XML path Declaration/ Agent/ Address/ Line only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..70.

TDR-R-00521 | Field-level requirement | Import declaration | Import H4: DE 3/19 Representative - Street and Number at H level is dependent; cardinality 1:1; format an..70.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!65
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H4.; 3/19 Representative - Street and Number at H level is dependent.; Populate XML path Declaration/ Agent/ Address/ Line only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..70.

TDR-R-00522 | Field-level requirement | Import declaration | Import H5: DE 3/19 Representative - Street and Number at H level is dependent; cardinality 1:1; format an..70.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!65
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H5.; 3/19 Representative - Street and Number at H level is dependent.; Populate XML path Declaration/ Agent/ Address/ Line only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..70.

TDR-R-00523 | Field-level requirement | Import declaration | Import I1: DE 3/19 Representative - Street and Number at H level is dependent; cardinality 1:1; format an..70.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!65
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is I1.; 3/19 Representative - Street and Number at H level is dependent.; Populate XML path Declaration/ Agent/ Address/ Line only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..70.

TDR-R-00524 | Field-level requirement | Import declaration | Import I1 (B&E): DE 3/19 Representative - Street and Number at H level is dependent; cardinality 1:1; format an..70.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!65
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is I1 (B&E).; 3/19 Representative - Street and Number at H level is dependent.; Populate XML path Declaration/ Agent/ Address/ Line only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..70.

TDR-R-00525 | Field-level requirement | Import declaration | Import C21I: DE 3/19 Representative - Street and Number at H level is dependent; cardinality 1:1; format an..70.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!65
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is C21I.; 3/19 Representative - Street and Number at H level is dependent.; Populate XML path Declaration/ Agent/ Address/ Line only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..70.

TDR-R-00526 | Field-level requirement | Import declaration | Import SRDS: DE 3/19 Representative - Street and Number at H level is dependent; cardinality 1:1; format an..70.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!65
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is SRDS.; 3/19 Representative - Street and Number at H level is dependent.; Populate XML path Declaration/ Agent/ Address/ Line only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..70.

TDR-R-00527 | Field-level requirement | Import declaration | Import H1: DE 3/19 Representative - City at H level is dependent; cardinality 1:1; format an..35.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!66
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H1.; 3/19 Representative - City at H level is dependent.; Populate XML path Declaration/ Agent/ Address/ CityName only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..35.

TDR-R-00528 | Field-level requirement | Import declaration | Import H2: DE 3/19 Representative - City at H level is dependent; cardinality 1:1; format an..35.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!66
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H2.; 3/19 Representative - City at H level is dependent.; Populate XML path Declaration/ Agent/ Address/ CityName only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..35.

TDR-R-00529 | Field-level requirement | Import declaration | Import H3: DE 3/19 Representative - City at H level is dependent; cardinality 1:1; format an..35.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!66
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H3.; 3/19 Representative - City at H level is dependent.; Populate XML path Declaration/ Agent/

Address/ CityName only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..35.

TDR-R-00530 | Field-level requirement | Import declaration | Import H4: DE 3/19 Representative - City at H level is dependent; cardinality 1:1; format an..35.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!66
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H4.; 3/19 Representative - City at H level is dependent.; Populate XML path Declaration/ Agent/ Address/ CityName only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..35.

TDR-R-00531 | Field-level requirement | Import declaration | Import H5: DE 3/19 Representative - City at H level is dependent; cardinality 1:1; format an..35.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!66
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H5.; 3/19 Representative - City at H level is dependent.; Populate XML path Declaration/ Agent/ Address/ CityName only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..35.

TDR-R-00532 | Field-level requirement | Import declaration | Import I1: DE 3/19 Representative - City at H level is dependent; cardinality 1:1; format an..35.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!66
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is I1.; 3/19 Representative - City at H level is dependent.; Populate XML path Declaration/ Agent/ Address/ CityName only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..35.

TDR-R-00533 | Field-level requirement | Import declaration | Import I1 (B&E): DE 3/19 Representative - City at H level is dependent; cardinality 1:1; format an..35.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!66
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is I1 (B&E).; 3/19 Representative - City at H level is dependent.; Populate XML path Declaration/ Agent/ Address/ CityName only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..35.

TDR-R-00534 | Field-level requirement | Import declaration | Import C21I: DE 3/19 Representative - City at H level is dependent; cardinality 1:1; format an..35.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!66
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is C21I.; 3/19 Representative - City at H level is dependent.; Populate XML path Declaration/ Agent/ Address/ CityName only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..35.

TDR-R-00535 | Field-level requirement | Import declaration | Import SRDS: DE 3/19 Representative - City at H level is dependent; cardinality 1:1; format an..35.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!66
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is SRDS.; 3/19 Representative - City at H level is dependent.; Populate XML path Declaration/ Agent/ Address/ CityName only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..35.

TDR-R-00536 | Field-level requirement | Import declaration | Import H1: DE 3/19 Representative - Country at H level is dependent; cardinality 1:1; format a2 Must be Upper Case.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!67
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H1.; 3/19 Representative - Country at H level is dependent.; Populate XML path Declaration/ Agent/ Address/ CountryCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a2 Must be Upper Case.; Value is drawn from HMRC codelist CountryTypes for these items.

TDR-R-00537 | Field-level requirement | Import declaration | Import H2: DE 3/19 Representative - Country at H level is dependent; cardinality 1:1; format a2 Must be Upper Case.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!67
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H2.; 3/19 Representative - Country at H level is dependent.; Populate XML path Declaration/ Agent/ Address/ CountryCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a2 Must be Upper Case.; Value is drawn from HMRC codelist CountryTypes for these items.

TDR-R-00538 | Field-level requirement | Import declaration | Import H3: DE 3/19 Representative - Country at H level is dependent; cardinality 1:1; format a2 Must be Upper Case.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!67
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H3.; 3/19 Representative - Country at H level is dependent.; Populate XML path Declaration/ Agent/ Address/ CountryCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a2 Must be Upper Case.; Value is drawn from HMRC codelist CountryTypes for these items.

TDR-R-00539 | Field-level requirement | Import declaration | Import H4: DE 3/19 Representative - Country at H level is dependent; cardinality 1:1; format a2 Must be Upper Case.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!67
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H4.; 3/19 Representative - Country at H level is dependent.; Populate XML path Declaration/ Agent/ Address/ CountryCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a2 Must be Upper Case.; Value is drawn from HMRC codelist CountryTypes for these items.

TDR-R-00540 | Field-level requirement | Import declaration | Import H5: DE 3/19 Representative - Country at H level is dependent; cardinality 1:1; format a2 Must be Upper Case.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!67
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error | CDS10020

Acceptance: Import declaration context is H5.; 3/19 Representative - Country at H level is dependent.; Populate XML path Declaration/ Agent/ Address/ CountryCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a2 Must be Upper Case.; Value is drawn from HMRC codelist CountryTypes for these items.

TDR-R-00541 | Field-level requirement | Import declaration | Import I1: DE 3/19 Representative - Country at H level is dependent; cardinality 1:1; format a2 Must be Upper Case.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!67
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is I1.; 3/19 Representative - Country at H level is dependent.; Populate XML path Declaration/ Agent/ Address/ CountryCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a2 Must be Upper Case.; Value is drawn from HMRC codelist CountryTypes for these items.

TDR-R-00542 | Field-level requirement | Import declaration | Import I1 (B&E): DE 3/19 Representative - Country at H level is dependent; cardinality 1:1; format a2 Must be Upper Case.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!67
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is I1 (B&E).; 3/19 Representative - Country at H level is dependent.; Populate XML path Declaration/ Agent/ Address/ CountryCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a2 Must be Upper Case.; Value is drawn from HMRC codelist CountryTypes for these items.

TDR-R-00543 | Field-level requirement | Import declaration | Import C21I: DE 3/19 Representative - Country at H level is dependent; cardinality 1:1; format a2 Must be Upper Case.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!67
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is C21I.; 3/19 Representative - Country at H level is dependent.; Populate XML path Declaration/ Agent/ Address/ CountryCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a2 Must be Upper Case.; Value is drawn from HMRC codelist CountryTypes for these items.

TDR-R-00544 | Field-level requirement | Import declaration | Import SRDS: DE 3/19 Representative - Country at H level is dependent; cardinality 1:1; format a2 Must be Upper Case.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!67
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is SRDS.; 3/19 Representative - Country at H level is dependent.; Populate XML path Declaration/ Agent/ Address/ CountryCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a2 Must be Upper Case.; Value is drawn from HMRC codelist CountryTypes for these items.

TDR-R-00545 | Field-level requirement | Import declaration | Import H1: DE 3/19 Representative - Postcode at H level is dependent; cardinality 1:1; format an..9.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!68
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H1.; 3/19 Representative - Postcode at H level is dependent.; Populate XML path Declaration/ Agent/ Address/ PostcodeID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..9.

TDR-R-00546 | Field-level requirement | Import declaration | Import H2: DE 3/19 Representative - Postcode at H level is dependent; cardinality 1:1; format an..9.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!68
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H2.; 3/19 Representative - Postcode at H level is dependent.; Populate XML path Declaration/ Agent/ Address/ PostcodeID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..9.

TDR-R-00547 | Field-level requirement | Import declaration | Import H3: DE 3/19 Representative - Postcode at H level is dependent; cardinality 1:1; format an..9.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!68
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H3.; 3/19 Representative - Postcode at H level is dependent.; Populate XML path Declaration/ Agent/ Address/ PostcodeID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..9.

TDR-R-00548 | Field-level requirement | Import declaration | Import H4: DE 3/19 Representative - Postcode at H level is dependent; cardinality 1:1; format an..9.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!68
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H4.; 3/19 Representative - Postcode at H level is dependent.; Populate XML path Declaration/ Agent/ Address/ PostcodeID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..9.

TDR-R-00549 | Field-level requirement | Import declaration | Import H5: DE 3/19 Representative - Postcode at H level is dependent; cardinality 1:1; format an..9.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!68
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H5.; 3/19 Representative - Postcode at H level is dependent.; Populate XML path Declaration/ Agent/ Address/ PostcodeID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..9.

TDR-R-00550 | Field-level requirement | Import declaration | Import I1: DE 3/19 Representative - Postcode at H level is dependent; cardinality 1:1; format an..9.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!68
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is I1.; 3/19 Representative - Postcode at H level is dependent.; Populate XML path Declaration/ Agent/ Address/ PostcodeID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..9.

TDR-R-00551 | Field-level requirement | Import declaration | Import I1 (B&E): DE 3/19 Representative - Postcode at H level is dependent; cardinality 1:1; format an..9.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!68
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is I1 (B&E).; 3/19 Representative - Postcode at H level is dependent.; Populate XML path Declaration/ Agent/ Address/ PostcodeID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..9.

TDR-R-00552 | Field-level requirement | Import declaration | Import C21I: DE 3/19 Representative - Postcode at H level is dependent; cardinality 1:1; format an..9.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!68
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is C21I.; 3/19 Representative - Postcode at H level is dependent.; Populate XML path Declaration/ Agent/ Address/ PostcodeID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..9.

TDR-R-00553 | Field-level requirement | Import declaration | Import SRDS: DE 3/19 Representative - Postcode at H level is dependent; cardinality 1:1; format an..9.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!68
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is SRDS.; 3/19 Representative - Postcode at H level is dependent.; Populate XML path Declaration/ Agent/ Address/ PostcodeID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..9.

TDR-R-00554 | Field-level requirement | Import declaration | Import H1: DE 3/20 Representative Identification No. at H level is dependent; cardinality 1:1; format an..17.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!69
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H1.; 3/20 Representative Identification No. at H level is dependent.; Populate XML path Declaration/ Agent/ ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..17.

TDR-R-00555 | Field-level requirement | Import declaration | Import H2: DE 3/20 Representative Identification No. at H level is dependent; cardinality 1:1; format an..17.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!69
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H2.; 3/20 Representative Identification No. at H level is dependent.; Populate XML path Declaration/ Agent/ ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..17.

TDR-R-00556 | Field-level requirement | Import declaration | Import H3: DE 3/20 Representative Identification No. at H level is dependent; cardinality 1:1; format an..17.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!69
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H3.; 3/20 Representative Identification No. at H level is dependent.; Populate XML path Declaration/ Agent/ ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..17.

TDR-R-00557 | Field-level requirement | Import declaration | Import H4: DE 3/20 Representative Identification No. at H level is dependent; cardinality 1:1; format an..17.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!69
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H4.; 3/20 Representative Identification No. at H level is dependent.; Populate XML path Declaration/ Agent/ ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..17.

TDR-R-00558 | Field-level requirement | Import declaration | Import H5: DE 3/20 Representative Identification No. at H level is dependent; cardinality 1:1; format an..17.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!69
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H5.; 3/20 Representative Identification No. at H level is dependent.; Populate XML path Declaration/ Agent/ ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..17.

TDR-R-00559 | Field-level requirement | Import declaration | Import H8: DE 3/20 Representative Identification No. at H level is dependent; cardinality 1:1; format an..17.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!69
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H8.; 3/20 Representative Identification No. at H level is dependent.; Populate XML path Declaration/ Agent/ ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..17.

TDR-R-00560 | Field-level requirement | Import declaration | Import I1: DE 3/20 Representative Identification No. at H level is dependent; cardinality 1:1; format an..17.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!69
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is I1.; 3/20 Representative Identification No. at H level is dependent.; Populate XML path Declaration/ Agent/ ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..17.

TDR-R-00561 | Field-level requirement | Import declaration | Import I1 (B&E): DE 3/20 Representative Identification No. at H level is dependent; cardinality 1:1; format an..17.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!69
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is I1 (B&E).; 3/20 Representative Identification No. at H level is dependent.; Populate XML path Declaration/ Agent/ ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..17.

TDR-R-00562 | Field-level requirement | Import declaration | Import C21I: DE 3/20 Representative Identification No. at H level is dependent; cardinality 1:1; format an..17.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!69

Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is C21I.; 3/20 Representative Identification No. at H level is dependent.; Populate XML path Declaration/ Agent/ ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..17.

TDR-R-00563 | Field-level requirement | Import declaration | Import C21I EIDR: DE 3/20 Representative Identification No. at H level is dependent; cardinality 1:1; format an..17.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!69
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is C21I EIDR.; 3/20 Representative Identification No. at H level is dependent.; Populate XML path Declaration/ Agent/ ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..17.

TDR-R-00564 | Field-level requirement | Import declaration | Import FSD: DE 3/20 Representative Identification No. at H level is optional; cardinality 1:1; format an..17.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!69
Error code/pattern: CDS10010 | xml_validation_error
Acceptance: Import declaration context is FSD.; 3/20 Representative Identification No. at H level is optional.; Populate XML path Declaration/ Agent/ ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..17.

TDR-R-00565 | Field-level requirement | Import declaration | Import SRDS: DE 3/20 Representative Identification No. at H level is dependent; cardinality 1:1; format an..17.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!69
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is SRDS.; 3/20 Representative Identification No. at H level is dependent.; Populate XML path Declaration/ Agent/ ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..17.

TDR-R-00566 | Field-level requirement | Import declaration | Import H1: DE 3/21 Representative Status Code at H level is dependent; cardinality 1x; format n1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!70
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H1.; 3/21 Representative Status Code at H level is dependent.; Populate XML path Declaration/ Agent/ FunctionCode only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format n1.; Value is drawn from HMRC codelist PartyRoleStatusTypes for these items.

TDR-R-00567 | Field-level requirement | Import declaration | Import H2: DE 3/21 Representative Status Code at H level is dependent; cardinality 1x; format n1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!70
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H2.; 3/21 Representative Status Code at H level is dependent.; Populate XML path Declaration/ Agent/ FunctionCode only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format n1.; Value is drawn from HMRC codelist PartyRoleStatusTypes for these items.

TDR-R-00568 | Field-level requirement | Import declaration | Import H3: DE 3/21 Representative Status Code at H level is dependent; cardinality 1x; format n1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!70
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H3.; 3/21 Representative Status Code at H level is dependent.; Populate XML path Declaration/ Agent/ FunctionCode only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format n1.; Value is drawn from HMRC codelist PartyRoleStatusTypes for these items.

TDR-R-00569 | Field-level requirement | Import declaration | Import H4: DE 3/21 Representative Status Code at H level is dependent; cardinality 1x; format n1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!70
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H4.; 3/21 Representative Status Code at H level is dependent.; Populate XML path Declaration/ Agent/ FunctionCode only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format n1.; Value is drawn from HMRC codelist PartyRoleStatusTypes for these items.

TDR-R-00570 | Field-level requirement | Import declaration | Import H5: DE 3/21 Representative Status Code at H level is dependent; cardinality 1x; format n1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!70
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H5.; 3/21 Representative Status Code at H level is dependent.; Populate XML path Declaration/ Agent/ FunctionCode only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format n1.; Value is drawn from HMRC codelist PartyRoleStatusTypes for these items.

TDR-R-00571 | Field-level requirement | Import declaration | Import H8: DE 3/21 Representative Status Code at H level is dependent; cardinality 1x; format n1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!70
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H8.; 3/21 Representative Status Code at H level is dependent.; Populate XML path Declaration/ Agent/ FunctionCode only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format n1.; Value is drawn from HMRC codelist PartyRoleStatusTypes for these items.

TDR-R-00572 | Field-level requirement | Import declaration | Import I1: DE 3/21 Representative Status Code at H level is dependent; cardinality 1x; format n1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!70
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is I1.; 3/21 Representative Status Code at H level is dependent.; Populate XML path Declaration/ Agent/

FunctionCode only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format n1.; Value is drawn from HMRC codelist PartyRoleStatusTypes for these items.

TDR-R-00573 | Field-level requirement | Import declaration | Import I1 (B&E): DE 3/21 Representative Status Code at H level is dependent; cardinality 1x; format n1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!70
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is I1 (B&E).; 3/21 Representative Status Code at H level is dependent.; Populate XML path Declaration/ Agent/ FunctionCode only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format n1.; Value is drawn from HMRC codelist PartyRoleStatusTypes for these items.

TDR-R-00574 | Field-level requirement | Import declaration | Import C21I: DE 3/21 Representative Status Code at H level is dependent; cardinality 1x; format n1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!70
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is C21I.; 3/21 Representative Status Code at H level is dependent.; Populate XML path Declaration/ Agent/ FunctionCode only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format n1.; Value is drawn from HMRC codelist PartyRoleStatusTypes for these items.

TDR-R-00575 | Field-level requirement | Import declaration | Import C21I EIDR: DE 3/21 Representative Status Code at H level is dependent; cardinality 1x; format n1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!70
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is C21I EIDR.; 3/21 Representative Status Code at H level is dependent.; Populate XML path Declaration/ Agent/ FunctionCode only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format n1.; Value is drawn from HMRC codelist PartyRoleStatusTypes for these items.

TDR-R-00576 | Field-level requirement | Import declaration | Import FSD: DE 3/21 Representative Status Code at H level is dependent; cardinality 1x; format n1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!70
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is FSD.; 3/21 Representative Status Code at H level is dependent.; Populate XML path Declaration/ Agent/ FunctionCode only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format n1.; Value is drawn from HMRC codelist PartyRoleStatusTypes for these items.

TDR-R-00577 | Field-level requirement | Import declaration | Import SRDS: DE 3/21 Representative Status Code at H level is dependent; cardinality 1x; format n1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!70
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is SRDS.; 3/21 Representative Status Code at H level is dependent.; Populate XML path Declaration/ Agent/ FunctionCode only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format n1.; Value is drawn from HMRC codelist PartyRoleStatusTypes for these items.

TDR-R-00578 | Field-level requirement | Import declaration | Import H1: DE 3/24 Seller - Name at H and / or I level is dependent; cardinality 1:1; format an..70.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!72
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H1.; 3/24 Seller - Name at H and / or I level is dependent.; Populate XML path Declaration/GoodsShipment/ Seller/ Name Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Seller/ Name only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..70.

TDR-R-00579 | Field-level requirement | Import declaration | Import H2: DE 3/24 Seller - Name at H and / or I level is not allowed; cardinality 1:1; format an..70.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!72
Error code/pattern: CDS10002 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H2.; 3/24 Seller - Name at H and / or I level is not allowed.; Populate XML path Declaration/GoodsShipment/ Seller/ Name Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Seller/ Name only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..70.

TDR-R-00580 | Field-level requirement | Import declaration | Import H3: DE 3/24 Seller - Name at H and / or I level is not allowed; cardinality 1:1; format an..70.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!72
Error code/pattern: CDS10002 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H3.; 3/24 Seller - Name at H and / or I level is not allowed.; Populate XML path Declaration/GoodsShipment/ Seller/ Name Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Seller/ Name only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..70.

TDR-R-00581 | Field-level requirement | Import declaration | Import H4: DE 3/24 Seller - Name at H and / or I level is not allowed; cardinality 1:1; format an..70.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!72
Error code/pattern: CDS10002 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H4.; 3/24 Seller - Name at H and / or I level is not allowed.; Populate XML path Declaration/GoodsShipment/ Seller/ Name Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Seller/ Name only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..70.

TDR-R-00582 | Field-level requirement | Import declaration | Import H5: DE 3/24 Seller - Name at H and / or I level is not allowed; cardinality 1:1; format an..70.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!72
Error code/pattern: CDS10002 | CDS10010 | xml_validation_error

Acceptance: Import declaration context is H5.; 3/24 Seller - Name at H and / or I level is not allowed.; Populate XML path Declaration/GoodsShipment/ Seller/ Name Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Seller/ Name only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..70.

TDR-R-00583 | Field-level requirement | Import declaration | Import I1: DE 3/24 Seller - Name at H and / or I level is not allowed; cardinality 1:1; format an..70.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!72
Error code/pattern: CDS10002 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is I1.; 3/24 Seller - Name at H and / or I level is not allowed.; Populate XML path Declaration/GoodsShipment/ Seller/ Name Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Seller/ Name only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..70.

TDR-R-00584 | Field-level requirement | Import declaration | Import I1 (B&E): DE 3/24 Seller - Name at H and / or I level is not allowed; cardinality 1:1; format an..70.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!72
Error code/pattern: CDS10002 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is I1 (B&E).; 3/24 Seller - Name at H and / or I level is not allowed.; Populate XML path Declaration/GoodsShipment/ Seller/ Name Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Seller/ Name only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..70.

TDR-R-00585 | Field-level requirement | Import declaration | Import C21I: DE 3/24 Seller - Name at H and / or I level is not allowed; cardinality 1:1; format an..70.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!72
Error code/pattern: CDS10002 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is C21I.; 3/24 Seller - Name at H and / or I level is not allowed.; Populate XML path Declaration/GoodsShipment/ Seller/ Name Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Seller/ Name only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..70.

TDR-R-00586 | Field-level requirement | Import declaration | Import C21I EIDR: DE 3/24 Seller - Name at H and / or I level is not allowed; cardinality 1:1; format an..70.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!72
Error code/pattern: CDS10002 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is C21I EIDR.; 3/24 Seller - Name at H and / or I level is not allowed.; Populate XML path Declaration/GoodsShipment/ Seller/ Name Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Seller/ Name only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..70.

TDR-R-00587 | Field-level requirement | Import declaration | Import H1: DE 3/24 Seller - Street and Number at H and / or I level is dependent; cardinality 1:1; format an..70.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!73
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H1.; 3/24 Seller - Street and Number at H and / or I level is dependent.; Populate XML path Declaration/GoodsShipment/ Seller/ Address/ Line Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Seller/ Address/ Line only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..70.

TDR-R-00588 | Field-level requirement | Import declaration | Import H2: DE 3/24 Seller - Street and Number at H and / or I level is not allowed; cardinality 1:1; format an..70.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!73
Error code/pattern: CDS10002 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H2.; 3/24 Seller - Street and Number at H and / or I level is not allowed.; Populate XML path Declaration/GoodsShipment/ Seller/ Address/ Line Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Seller/ Address/ Line only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..70.

TDR-R-00589 | Field-level requirement | Import declaration | Import H3: DE 3/24 Seller - Street and Number at H and / or I level is not allowed; cardinality 1:1; format an..70.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!73
Error code/pattern: CDS10002 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H3.; 3/24 Seller - Street and Number at H and / or I level is not allowed.; Populate XML path Declaration/GoodsShipment/ Seller/ Address/ Line Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Seller/ Address/ Line only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..70.

TDR-R-00590 | Field-level requirement | Import declaration | Import H4: DE 3/24 Seller - Street and Number at H and / or I level is not allowed; cardinality 1:1; format an..70.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!73
Error code/pattern: CDS10002 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H4.; 3/24 Seller - Street and Number at H and / or I level is not allowed.; Populate XML path Declaration/GoodsShipment/ Seller/ Address/ Line Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Seller/ Address/ Line only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..70.

TDR-R-00591 | Field-level requirement | Import declaration | Import H5: DE 3/24 Seller - Street and Number at H and / or I level is not allowed; cardinality 1:1; format an..70.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!73
Error code/pattern: CDS10002 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H5.; 3/24 Seller - Street and Number at H and / or I level is not allowed.; Populate XML path Declaration/GoodsShipment/ Seller/ Address/ Line Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Seller/ Address/ Line only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..70.

TDR-R-00592 | Field-level requirement | Import declaration | Import I1: DE 3/24 Seller - Street and Number at H and / or I level is not allowed; cardinality 1:1; format an..70.

Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!73
Error code/pattern: CDS10002 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is I1.; 3/24 Seller - Street and Number at H and / or I level is not allowed.; Populate XML path Declaration/GoodsShipment/ Seller/ Address/ Line Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Seller/ Address/ Line only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..70.

TDR-R-00593 | Field-level requirement | Import declaration | Import I1 (B&E): DE 3/24 Seller - Street and Number at H and / or I level is not allowed; cardinality 1:1; format an..70.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!73
Error code/pattern: CDS10002 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is I1 (B&E).; 3/24 Seller - Street and Number at H and / or I level is not allowed.; Populate XML path Declaration/GoodsShipment/ Seller/ Address/ Line Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Seller/ Address/ Line only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..70.

TDR-R-00594 | Field-level requirement | Import declaration | Import C21I: DE 3/24 Seller - Street and Number at H and / or I level is not allowed; cardinality 1:1; format an..70.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!73
Error code/pattern: CDS10002 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is C21I.; 3/24 Seller - Street and Number at H and / or I level is not allowed.; Populate XML path Declaration/GoodsShipment/ Seller/ Address/ Line Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Seller/ Address/ Line only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..70.

TDR-R-00595 | Field-level requirement | Import declaration | Import C21I EIDR: DE 3/24 Seller - Street and Number at H and / or I level is not allowed; cardinality 1:1; format an..70.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!73
Error code/pattern: CDS10002 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is C21I EIDR.; 3/24 Seller - Street and Number at H and / or I level is not allowed.; Populate XML path Declaration/GoodsShipment/ Seller/ Address/ Line Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Seller/ Address/ Line only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..70.

TDR-R-00596 | Field-level requirement | Import declaration | Import H1: DE 3/24 Seller - City at H and / or I level is dependent; cardinality 1:1; format an..35.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!74
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H1.; 3/24 Seller - City at H and / or I level is dependent.; Populate XML path Declaration/GoodsShipment/ Seller/ Address/ CityName Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Seller/ Address/ CityName only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..35.

TDR-R-00597 | Field-level requirement | Import declaration | Import H2: DE 3/24 Seller - City at H and / or I level is not allowed; cardinality 1:1; format an..35.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!74
Error code/pattern: CDS10002 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H2.; 3/24 Seller - City at H and / or I level is not allowed.; Populate XML path Declaration/GoodsShipment/ Seller/ Address/ CityName Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Seller/ Address/ CityName only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..35.

TDR-R-00598 | Field-level requirement | Import declaration | Import H3: DE 3/24 Seller - City at H and / or I level is not allowed; cardinality 1:1; format an..35.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!74
Error code/pattern: CDS10002 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H3.; 3/24 Seller - City at H and / or I level is not allowed.; Populate XML path Declaration/GoodsShipment/ Seller/ Address/ CityName Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Seller/ Address/ CityName only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..35.

TDR-R-00599 | Field-level requirement | Import declaration | Import H4: DE 3/24 Seller - City at H and / or I level is not allowed; cardinality 1:1; format an..35.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!74
Error code/pattern: CDS10002 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H4.; 3/24 Seller - City at H and / or I level is not allowed.; Populate XML path Declaration/GoodsShipment/ Seller/ Address/ CityName Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Seller/ Address/ CityName only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..35.

TDR-R-00600 | Field-level requirement | Import declaration | Import H5: DE 3/24 Seller - City at H and / or I level is not allowed; cardinality 1:1; format an..35.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!74
Error code/pattern: CDS10002 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H5.; 3/24 Seller - City at H and / or I level is not allowed.; Populate XML path Declaration/GoodsShipment/ Seller/ Address/ CityName Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Seller/ Address/ CityName only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..35.

TDR-R-00601 | Field-level requirement | Import declaration | Import I1: DE 3/24 Seller - City at H and / or I level is not allowed; cardinality 1:1; format an..35.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!74
Error code/pattern: CDS10002 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is I1.; 3/24 Seller - City at H and / or I level is not allowed.; Populate XML path Declaration/GoodsShipment/ Seller/ Address/ CityName Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Seller/ Address/ CityName only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..35.

TDR-R-00602 | Field-level requirement | Import declaration | Import I1 (B&E): DE 3/24 Seller - City at H and / or I level is not allowed; cardinality 1:1; format an..35.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!74
Error code/pattern: CDS10002 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is I1 (B&E).; 3/24 Seller - City at H and / or I level is not allowed.; Populate XML path Declaration/GoodsShipment/ Seller/ Address/ CityName Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Seller/ Address/ CityName only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..35.

TDR-R-00603 | Field-level requirement | Import declaration | Import C21I: DE 3/24 Seller - City at H and / or I level is not allowed; cardinality 1:1; format an..35.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!74
Error code/pattern: CDS10002 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is C21I.; 3/24 Seller - City at H and / or I level is not allowed.; Populate XML path Declaration/GoodsShipment/ Seller/ Address/ CityName Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Seller/ Address/ CityName only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..35.

TDR-R-00604 | Field-level requirement | Import declaration | Import C21I EIDR: DE 3/24 Seller - City at H and / or I level is not allowed; cardinality 1:1; format an..35.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!74
Error code/pattern: CDS10002 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is C21I EIDR.; 3/24 Seller - City at H and / or I level is not allowed.; Populate XML path Declaration/GoodsShipment/ Seller/ Address/ CityName Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Seller/ Address/ CityName only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..35.

TDR-R-00605 | Field-level requirement | Import declaration | Import H1: DE 3/24 Seller - Country at H and / or I level is dependent; cardinality 1:1; format a2 Must be Upper Case.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!75
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H1.; 3/24 Seller - Country at H and / or I level is dependent.; Populate XML path Declaration/GoodsShipment/ Seller/ Address/ CountryCode Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Seller/ Address/ CountryCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a2 Must be Upper Case.; Value is drawn from HMRC codelist CountryTypes for these items.

TDR-R-00606 | Field-level requirement | Import declaration | Import H2: DE 3/24 Seller - Country at H and / or I level is not allowed; cardinality 1:1; format a2 Must be Upper Case.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!75
Error code/pattern: CDS10002 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H2.; 3/24 Seller - Country at H and / or I level is not allowed.; Populate XML path Declaration/GoodsShipment/ Seller/ Address/ CountryCode Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Seller/ Address/ CountryCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a2 Must be Upper Case.; Value is drawn from HMRC codelist CountryTypes for these items.

TDR-R-00607 | Field-level requirement | Import declaration | Import H3: DE 3/24 Seller - Country at H and / or I level is not allowed; cardinality 1:1; format a2 Must be Upper Case.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!75
Error code/pattern: CDS10002 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H3.; 3/24 Seller - Country at H and / or I level is not allowed.; Populate XML path Declaration/GoodsShipment/ Seller/ Address/ CountryCode Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Seller/ Address/ CountryCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a2 Must be Upper Case.; Value is drawn from HMRC codelist CountryTypes for these items.

TDR-R-00608 | Field-level requirement | Import declaration | Import H4: DE 3/24 Seller - Country at H and / or I level is not allowed; cardinality 1:1; format a2 Must be Upper Case.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!75
Error code/pattern: CDS10002 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H4.; 3/24 Seller - Country at H and / or I level is not allowed.; Populate XML path Declaration/GoodsShipment/ Seller/ Address/ CountryCode Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Seller/ Address/ CountryCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a2 Must be Upper Case.; Value is drawn from HMRC codelist CountryTypes for these items.

TDR-R-00609 | Field-level requirement | Import declaration | Import H5: DE 3/24 Seller - Country at H and / or I level is not allowed; cardinality 1:1; format a2 Must be Upper Case.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!75
Error code/pattern: CDS10002 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H5.; 3/24 Seller - Country at H and / or I level is not allowed.; Populate XML path Declaration/GoodsShipment/ Seller/ Address/ CountryCode Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Seller/ Address/ CountryCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a2 Must be Upper Case.; Value is drawn from HMRC codelist CountryTypes for these items.

TDR-R-00610 | Field-level requirement | Import declaration | Import I1: DE 3/24 Seller - Country at H and / or I level is not allowed; cardinality 1:1; format a2 Must be Upper Case.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!75
Error code/pattern: CDS10002 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is I1.; 3/24 Seller - Country at H and / or I level is not allowed.; Populate XML path Declaration/GoodsShipment/ Seller/ Address/ CountryCode Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Seller/ Address/ CountryCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a2 Must be Upper Case.; Value is drawn from HMRC codelist CountryTypes for these items.

TDR-R-00611 | Field-level requirement | Import declaration | Import I1 (B&E): DE 3/24 Seller - Country at H and / or I level is not allowed; cardinality 1:1; format a2 Must be Upper Case.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!75
Error code/pattern: CDS10002 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is I1 (B&E).; 3/24 Seller - Country at H and / or I level is not allowed.; Populate XML path Declaration/GoodsShipment/ Seller/ Address/ CountryCode Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Seller/ Address/ CountryCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a2 Must be Upper Case.; Value is drawn from HMRC codelist CountryTypes for these items.

TDR-R-00612 | Field-level requirement | Import declaration | Import C21I: DE 3/24 Seller - Country at H and / or I level is not allowed; cardinality 1:1; format a2 Must be Upper Case.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!75
Error code/pattern: CDS10002 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is C21I.; 3/24 Seller - Country at H and / or I level is not allowed.; Populate XML path Declaration/GoodsShipment/ Seller/ Address/ CountryCode Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Seller/ Address/ CountryCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a2 Must be Upper Case.; Value is drawn from HMRC codelist CountryTypes for these items.

TDR-R-00613 | Field-level requirement | Import declaration | Import C21I EIDR: DE 3/24 Seller - Country at H and / or I level is not allowed; cardinality 1:1; format a2 Must be Upper Case.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!75
Error code/pattern: CDS10002 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is C21I EIDR.; 3/24 Seller - Country at H and / or I level is not allowed.; Populate XML path Declaration/GoodsShipment/ Seller/ Address/ CountryCode Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Seller/ Address/ CountryCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a2 Must be Upper Case.; Value is drawn from HMRC codelist CountryTypes for these items.

TDR-R-00614 | Field-level requirement | Import declaration | Import H1: DE 3/24 Seller - Postcode at H and / or I level is dependent; cardinality 1:1; format an..9.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!76
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H1.; 3/24 Seller - Postcode at H and / or I level is dependent.; Populate XML path Declaration/GoodsShipment/ Seller/ Address/ PostcodeID Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Seller/ Address/ PostcodeID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..9.

TDR-R-00615 | Field-level requirement | Import declaration | Import H2: DE 3/24 Seller - Postcode at H and / or I level is not allowed; cardinality 1:1; format an..9.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!76
Error code/pattern: CDS10002 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H2.; 3/24 Seller - Postcode at H and / or I level is not allowed.; Populate XML path Declaration/GoodsShipment/ Seller/ Address/ PostcodeID Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Seller/ Address/ PostcodeID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..9.

TDR-R-00616 | Field-level requirement | Import declaration | Import H3: DE 3/24 Seller - Postcode at H and / or I level is not allowed; cardinality 1:1; format an..9.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!76
Error code/pattern: CDS10002 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H3.; 3/24 Seller - Postcode at H and / or I level is not allowed.; Populate XML path Declaration/GoodsShipment/ Seller/ Address/ PostcodeID Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Seller/ Address/ PostcodeID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..9.

TDR-R-00617 | Field-level requirement | Import declaration | Import H4: DE 3/24 Seller - Postcode at H and / or I level is not allowed; cardinality 1:1; format an..9.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!76
Error code/pattern: CDS10002 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H4.; 3/24 Seller - Postcode at H and / or I level is not allowed.; Populate XML path Declaration/GoodsShipment/ Seller/ Address/ PostcodeID Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Seller/ Address/ PostcodeID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..9.

TDR-R-00618 | Field-level requirement | Import declaration | Import H5: DE 3/24 Seller - Postcode at H and / or I level is not allowed; cardinality 1:1; format an..9.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!76
Error code/pattern: CDS10002 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H5.; 3/24 Seller - Postcode at H and / or I level is not allowed.; Populate XML path Declaration/GoodsShipment/ Seller/ Address/ PostcodeID Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Seller/ Address/ PostcodeID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..9.

TDR-R-00619 | Field-level requirement | Import declaration | Import I1: DE 3/24 Seller - Postcode at H and / or I level is not allowed; cardinality 1:1; format an..9.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!76
Error code/pattern: CDS10002 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is I1.; 3/24 Seller - Postcode at H and / or I level is not allowed.; Populate XML path Declaration/GoodsShipment/ Seller/ Address/ PostcodeID Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Seller/ Address/ PostcodeID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..9.

TDR-R-00620 | Field-level requirement | Import declaration | Import I1 (B&E): DE 3/24 Seller - Postcode at H and / or I level is not allowed; cardinality 1:1; format an..9.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!76
Error code/pattern: CDS10002 | CDS10010 | xml_validation_error

Acceptance: Import declaration context is I1 (B&E).; 3/24 Seller - Postcode at H and / or I level is not allowed.; Populate XML path Declaration/GoodsShipment/ Seller/ Address/ PostcodeID Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Seller/ Address/ PostcodeID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..9.

TDR-R-00621 | Field-level requirement | Import declaration | Import C21I: DE 3/24 Seller - Postcode at H and / or I level is not allowed; cardinality 1:1; format an..9.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!76
Error code/pattern: CDS10002 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is C21I.; 3/24 Seller - Postcode at H and / or I level is not allowed.; Populate XML path Declaration/GoodsShipment/ Seller/ Address/ PostcodeID Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Seller/ Address/ PostcodeID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..9.

TDR-R-00622 | Field-level requirement | Import declaration | Import C21I EIDR: DE 3/24 Seller - Postcode at H and / or I level is not allowed; cardinality 1:1; format an..9.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!76
Error code/pattern: CDS10002 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is C21I EIDR.; 3/24 Seller - Postcode at H and / or I level is not allowed.; Populate XML path Declaration/GoodsShipment/ Seller/ Address/ PostcodeID Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Seller/ Address/ PostcodeID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..9.

TDR-R-00623 | Field-level requirement | Import declaration | Import H1: DE 3/24 Seller - Phone number at H and / or I level is optional; cardinality 1:1; format an..50.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!77
Error code/pattern: CDS10010 | xml_validation_error
Acceptance: Import declaration context is H1.; 3/24 Seller - Phone number at H and / or I level is optional.; Populate XML path Declaration/GoodsShipment/ Seller/ Communication/ ID Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Seller/ Communication/ ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..50.

TDR-R-00624 | Field-level requirement | Import declaration | Import H2: DE 3/24 Seller - Phone number at H and / or I level is not allowed; cardinality 1:1; format an..50.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!77
Error code/pattern: CDS10002 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H2.; 3/24 Seller - Phone number at H and / or I level is not allowed.; Populate XML path Declaration/GoodsShipment/ Seller/ Communication/ ID Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Seller/ Communication/ ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..50.

TDR-R-00625 | Field-level requirement | Import declaration | Import H3: DE 3/24 Seller - Phone number at H and / or I level is not allowed; cardinality 1:1; format an..50.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!77
Error code/pattern: CDS10002 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H3.; 3/24 Seller - Phone number at H and / or I level is not allowed.; Populate XML path Declaration/GoodsShipment/ Seller/ Communication/ ID Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Seller/ Communication/ ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..50.

TDR-R-00626 | Field-level requirement | Import declaration | Import H4: DE 3/24 Seller - Phone number at H and / or I level is not allowed; cardinality 1:1; format an..50.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!77
Error code/pattern: CDS10002 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H4.; 3/24 Seller - Phone number at H and / or I level is not allowed.; Populate XML path Declaration/GoodsShipment/ Seller/ Communication/ ID Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Seller/ Communication/ ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..50.

TDR-R-00627 | Field-level requirement | Import declaration | Import H5: DE 3/24 Seller - Phone number at H and / or I level is not allowed; cardinality 1:1; format an..50.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!77
Error code/pattern: CDS10002 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H5.; 3/24 Seller - Phone number at H and / or I level is not allowed.; Populate XML path Declaration/GoodsShipment/ Seller/ Communication/ ID Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Seller/ Communication/ ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..50.

TDR-R-00628 | Field-level requirement | Import declaration | Import I1: DE 3/24 Seller - Phone number at H and / or I level is not allowed; cardinality 1:1; format an..50.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!77
Error code/pattern: CDS10002 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is I1.; 3/24 Seller - Phone number at H and / or I level is not allowed.; Populate XML path Declaration/GoodsShipment/ Seller/ Communication/ ID Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Seller/ Communication/ ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..50.

TDR-R-00629 | Field-level requirement | Import declaration | Import I1 (B&E): DE 3/24 Seller - Phone number at H and / or I level is not allowed; cardinality 1:1; format an..50.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!77
Error code/pattern: CDS10002 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is I1 (B&E).; 3/24 Seller - Phone number at H and / or I level is not allowed.; Populate XML path Declaration/GoodsShipment/ Seller/ Communication/ ID Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Seller/ Communication/ ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..50.

TDR-R-00630 | Field-level requirement | Import declaration | Import C21I: DE 3/24 Seller - Phone number at H and / or I level is not allowed; cardinality 1:1; format an..50.

Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!77
Error code/pattern: CDS10002 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is C21I.; 3/24 Seller - Phone number at H and / or I level is not allowed.; Populate XML path Declaration/GoodsShipment/ Seller/ Communication/ ID Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Seller/ Communication/ ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..50.

TDR-R-00631 | Field-level requirement | Import declaration | Import C21I EIDR: DE 3/24 Seller - Phone number at H and / or I level is not allowed; cardinality 1:1; format an..50.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!77
Error code/pattern: CDS10002 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is C21I EIDR.; 3/24 Seller - Phone number at H and / or I level is not allowed.; Populate XML path Declaration/GoodsShipment/ Seller/ Communication/ ID Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Seller/ Communication/ ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..50.

TDR-R-00632 | Field-level requirement | Import declaration | Import H1: DE 3/25 Seller Identification No. at H and / or I level is dependent; cardinality 1:1; format an..17.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!78
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H1.; 3/25 Seller Identification No. at H and / or I level is dependent.; Populate XML path Declaration/GoodsShipment/ Seller/ ID Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Seller/ ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..17.

TDR-R-00633 | Field-level requirement | Import declaration | Import H2: DE 3/25 Seller Identification No. at H and / or I level is not allowed; cardinality 1:1; format an..17.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!78
Error code/pattern: CDS10002 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H2.; 3/25 Seller Identification No. at H and / or I level is not allowed.; Populate XML path Declaration/GoodsShipment/ Seller/ ID Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Seller/ ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..17.

TDR-R-00634 | Field-level requirement | Import declaration | Import H3: DE 3/25 Seller Identification No. at H and / or I level is not allowed; cardinality 1:1; format an..17.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!78
Error code/pattern: CDS10002 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H3.; 3/25 Seller Identification No. at H and / or I level is not allowed.; Populate XML path Declaration/GoodsShipment/ Seller/ ID Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Seller/ ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..17.

TDR-R-00635 | Field-level requirement | Import declaration | Import H4: DE 3/25 Seller Identification No. at H and / or I level is not allowed; cardinality 1:1; format an..17.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!78
Error code/pattern: CDS10002 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H4.; 3/25 Seller Identification No. at H and / or I level is not allowed.; Populate XML path Declaration/GoodsShipment/ Seller/ ID Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Seller/ ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..17.

TDR-R-00636 | Field-level requirement | Import declaration | Import H5: DE 3/25 Seller Identification No. at H and / or I level is not allowed; cardinality 1:1; format an..17.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!78
Error code/pattern: CDS10002 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H5.; 3/25 Seller Identification No. at H and / or I level is not allowed.; Populate XML path Declaration/GoodsShipment/ Seller/ ID Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Seller/ ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..17.

TDR-R-00637 | Field-level requirement | Import declaration | Import I1: DE 3/25 Seller Identification No. at H and / or I level is not allowed; cardinality 1:1; format an..17.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!78
Error code/pattern: CDS10002 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is I1.; 3/25 Seller Identification No. at H and / or I level is not allowed.; Populate XML path Declaration/GoodsShipment/ Seller/ ID Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Seller/ ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..17.

TDR-R-00638 | Field-level requirement | Import declaration | Import I1 (B&E): DE 3/25 Seller Identification No. at H and / or I level is not allowed; cardinality 1:1; format an..17.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!78
Error code/pattern: CDS10002 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is I1 (B&E).; 3/25 Seller Identification No. at H and / or I level is not allowed.; Populate XML path Declaration/GoodsShipment/ Seller/ ID Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Seller/ ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..17.

TDR-R-00639 | Field-level requirement | Import declaration | Import C21I: DE 3/25 Seller Identification No. at H and / or I level is not allowed; cardinality 1:1; format an..17.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!78
Error code/pattern: CDS10002 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is C21I.; 3/25 Seller Identification No. at H and / or I level is not allowed.; Populate XML path Declaration/GoodsShipment/ Seller/ ID Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Seller/ ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..17.

TDR-R-00640 | Field-level requirement | Import declaration | Import H1: DE 3/26 Buyer - Name at H or I level is dependent; cardinality 1:1; format an..70.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!80
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H1.; 3/26 Buyer - Name at H or I level is dependent.; Populate XML path Declaration/GoodsShipment/ Buyer/ Name Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Buyer/ Name only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..70.

TDR-R-00641 | Field-level requirement | Import declaration | Import H2: DE 3/26 Buyer - Name at H or I level is not allowed; cardinality 1:1; format an..70.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!80
Error code/pattern: CDS10002 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H2.; 3/26 Buyer - Name at H or I level is not allowed.; Populate XML path Declaration/GoodsShipment/ Buyer/ Name Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Buyer/ Name only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..70.

TDR-R-00642 | Field-level requirement | Import declaration | Import H3: DE 3/26 Buyer - Name at H or I level is not allowed; cardinality 1:1; format an..70.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!80
Error code/pattern: CDS10002 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H3.; 3/26 Buyer - Name at H or I level is not allowed.; Populate XML path Declaration/GoodsShipment/ Buyer/ Name Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Buyer/ Name only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..70.

TDR-R-00643 | Field-level requirement | Import declaration | Import H4: DE 3/26 Buyer - Name at H or I level is not allowed; cardinality 1:1; format an..70.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!80
Error code/pattern: CDS10002 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H4.; 3/26 Buyer - Name at H or I level is not allowed.; Populate XML path Declaration/GoodsShipment/ Buyer/ Name Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Buyer/ Name only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..70.

TDR-R-00644 | Field-level requirement | Import declaration | Import H5: DE 3/26 Buyer - Name at H or I level is not allowed; cardinality 1:1; format an..70.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!80
Error code/pattern: CDS10002 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H5.; 3/26 Buyer - Name at H or I level is not allowed.; Populate XML path Declaration/GoodsShipment/ Buyer/ Name Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Buyer/ Name only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..70.

TDR-R-00645 | Field-level requirement | Import declaration | Import I1: DE 3/26 Buyer - Name at H or I level is not allowed; cardinality 1:1; format an..70.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!80
Error code/pattern: CDS10002 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is I1.; 3/26 Buyer - Name at H or I level is not allowed.; Populate XML path Declaration/GoodsShipment/ Buyer/ Name Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Buyer/ Name only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..70.

TDR-R-00646 | Field-level requirement | Import declaration | Import I1 (B&E): DE 3/26 Buyer - Name at H or I level is not allowed; cardinality 1:1; format an..70.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!80
Error code/pattern: CDS10002 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is I1 (B&E).; 3/26 Buyer - Name at H or I level is not allowed.; Populate XML path Declaration/GoodsShipment/ Buyer/ Name Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Buyer/ Name only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..70.

TDR-R-00647 | Field-level requirement | Import declaration | Import C21I: DE 3/26 Buyer - Name at H or I level is dependent; cardinality 1:1; format an..70.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!80
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is C21I.; 3/26 Buyer - Name at H or I level is dependent.; Populate XML path Declaration/GoodsShipment/ Buyer/ Name Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Buyer/ Name only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..70.

TDR-R-00648 | Field-level requirement | Import declaration | Import C21I EIDR: DE 3/26 Buyer - Name at H or I level is not allowed; cardinality 1:1; format an..70.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!80
Error code/pattern: CDS10002 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is C21I EIDR.; 3/26 Buyer - Name at H or I level is not allowed.; Populate XML path Declaration/GoodsShipment/ Buyer/ Name Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Buyer/ Name only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..70.

TDR-R-00649 | Field-level requirement | Import declaration | Import H1: DE 3/26 Buyer - Street and Number at H or I level is dependent; cardinality 1:1; format an..70.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!81
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H1.; 3/26 Buyer - Street and Number at H or I level is dependent.; Populate XML path Declaration/GoodsShipment/ Buyer/ Address/ Line Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Buyer/ Address/ Line only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..70.

TDR-R-00650 | Field-level requirement | Import declaration | Import H2: DE 3/26 Buyer - Street and Number at H or I level is not allowed; cardinality 1:1; format an..70.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!81
Error code/pattern: CDS10002 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H2.; 3/26 Buyer - Street and Number at H or I level is not allowed.; Populate XML path Declaration/GoodsShipment/ Buyer/ Address/ Line Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Buyer/ Address/ Line only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..70.

TDR-R-00651 | Field-level requirement | Import declaration | Import H3: DE 3/26 Buyer - Street and Number at H or I level is not allowed; cardinality 1:1; format an..70.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!81
Error code/pattern: CDS10002 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H3.; 3/26 Buyer - Street and Number at H or I level is not allowed.; Populate XML path Declaration/GoodsShipment/ Buyer/ Address/ Line Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Buyer/ Address/ Line only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..70.

TDR-R-00652 | Field-level requirement | Import declaration | Import H4: DE 3/26 Buyer - Street and Number at H or I level is not allowed; cardinality 1:1; format an..70.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!81
Error code/pattern: CDS10002 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H4.; 3/26 Buyer - Street and Number at H or I level is not allowed.; Populate XML path Declaration/GoodsShipment/ Buyer/ Address/ Line Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Buyer/ Address/ Line only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..70.

TDR-R-00653 | Field-level requirement | Import declaration | Import H5: DE 3/26 Buyer - Street and Number at H or I level is not allowed; cardinality 1:1; format an..70.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!81
Error code/pattern: CDS10002 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H5.; 3/26 Buyer - Street and Number at H or I level is not allowed.; Populate XML path Declaration/GoodsShipment/ Buyer/ Address/ Line Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Buyer/ Address/ Line only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..70.

TDR-R-00654 | Field-level requirement | Import declaration | Import I1: DE 3/26 Buyer - Street and Number at H or I level is not allowed; cardinality 1:1; format an..70.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!81
Error code/pattern: CDS10002 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is I1.; 3/26 Buyer - Street and Number at H or I level is not allowed.; Populate XML path Declaration/GoodsShipment/ Buyer/ Address/ Line Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Buyer/ Address/ Line only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..70.

TDR-R-00655 | Field-level requirement | Import declaration | Import I1 (B&E): DE 3/26 Buyer - Street and Number at H or I level is not allowed; cardinality 1:1; format an..70.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!81
Error code/pattern: CDS10002 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is I1 (B&E).; 3/26 Buyer - Street and Number at H or I level is not allowed.; Populate XML path Declaration/GoodsShipment/ Buyer/ Address/ Line Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Buyer/ Address/ Line only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..70.

TDR-R-00656 | Field-level requirement | Import declaration | Import C21I: DE 3/26 Buyer - Street and Number at H or I level is dependent; cardinality 1:1; format an..70.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!81
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is C21I.; 3/26 Buyer - Street and Number at H or I level is dependent.; Populate XML path Declaration/GoodsShipment/ Buyer/ Address/ Line Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Buyer/ Address/ Line only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..70.

TDR-R-00657 | Field-level requirement | Import declaration | Import C21I EIDR: DE 3/26 Buyer - Street and Number at H or I level is not allowed; cardinality 1:1; format an..70.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!81
Error code/pattern: CDS10002 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is C21I EIDR.; 3/26 Buyer - Street and Number at H or I level is not allowed.; Populate XML path Declaration/GoodsShipment/ Buyer/ Address/ Line Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Buyer/ Address/ Line only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..70.

TDR-R-00658 | Field-level requirement | Import declaration | Import H1: DE 3/26 Buyer - City at H or I level is dependent; cardinality 1:1; format an..35.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!82
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H1.; 3/26 Buyer - City at H or I level is dependent.; Populate XML path Declaration/GoodsShipment/ Buyer/ Address/ CityName Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Buyer/ Address/ CityName only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..35.

TDR-R-00659 | Field-level requirement | Import declaration | Import H2: DE 3/26 Buyer - City at H or I level is not allowed; cardinality 1:1; format an..35.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!82
Error code/pattern: CDS10002 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H2.; 3/26 Buyer - City at H or I level is not allowed.; Populate XML path Declaration/GoodsShipment/ Buyer/ Address/ CityName Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Buyer/ Address/ CityName only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..35.

TDR-R-00660 | Field-level requirement | Import declaration | Import H3: DE 3/26 Buyer - City at H or I level is not allowed; cardinality 1:1; format an..35.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!82
Error code/pattern: CDS10002 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H3.; 3/26 Buyer - City at H or I level is not allowed.; Populate XML path Declaration/GoodsShipment/ Buyer/ Address/ CityName Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Buyer/ Address/ CityName only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..35.

TDR-R-00661 | Field-level requirement | Import declaration | Import H4: DE 3/26 Buyer - City at H or I level is not allowed; cardinality 1:1; format an..35.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!82
Error code/pattern: CDS10002 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H4.; 3/26 Buyer - City at H or I level is not allowed.; Populate XML path Declaration/GoodsShipment/ Buyer/ Address/ CityName Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Buyer/ Address/ CityName only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..35.

TDR-R-00662 | Field-level requirement | Import declaration | Import H5: DE 3/26 Buyer - City at H or I level is not allowed; cardinality 1:1; format an..35.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!82
Error code/pattern: CDS10002 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H5.; 3/26 Buyer - City at H or I level is not allowed.; Populate XML path Declaration/GoodsShipment/ Buyer/ Address/ CityName Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Buyer/ Address/ CityName only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..35.

TDR-R-00663 | Field-level requirement | Import declaration | Import I1: DE 3/26 Buyer - City at H or I level is not allowed; cardinality 1:1; format an..35.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!82
Error code/pattern: CDS10002 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is I1.; 3/26 Buyer - City at H or I level is not allowed.; Populate XML path Declaration/GoodsShipment/ Buyer/ Address/ CityName Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Buyer/ Address/ CityName only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..35.

TDR-R-00664 | Field-level requirement | Import declaration | Import I1 (B&E): DE 3/26 Buyer - City at H or I level is not allowed; cardinality 1:1; format an..35.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!82
Error code/pattern: CDS10002 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is I1 (B&E).; 3/26 Buyer - City at H or I level is not allowed.; Populate XML path Declaration/GoodsShipment/ Buyer/ Address/ CityName Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Buyer/ Address/ CityName only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..35.

TDR-R-00665 | Field-level requirement | Import declaration | Import C21I: DE 3/26 Buyer - City at H or I level is dependent; cardinality 1:1; format an..35.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!82
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is C21I.; 3/26 Buyer - City at H or I level is dependent.; Populate XML path Declaration/GoodsShipment/ Buyer/ Address/ CityName Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Buyer/ Address/ CityName only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..35.

TDR-R-00666 | Field-level requirement | Import declaration | Import C21I EIDR: DE 3/26 Buyer - City at H or I level is not allowed; cardinality 1:1; format an..35.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!82
Error code/pattern: CDS10002 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is C21I EIDR.; 3/26 Buyer - City at H or I level is not allowed.; Populate XML path Declaration/GoodsShipment/ Buyer/ Address/ CityName Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Buyer/ Address/ CityName only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..35.

TDR-R-00667 | Field-level requirement | Import declaration | Import H1: DE 3/26 Buyer - Country at H or I level is dependent; cardinality 1:1; format a2 Must be Upper Case.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!83
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H1.; 3/26 Buyer - Country at H or I level is dependent.; Populate XML path Declaration/GoodsShipment/ Buyer/ Address/ CountryCode Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Buyer/ Address/ CountryCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a2 Must be Upper Case.; Value is drawn from HMRC codelist CountryTypes for these items.

TDR-R-00668 | Field-level requirement | Import declaration | Import H2: DE 3/26 Buyer - Country at H or I level is not allowed; cardinality 1:1; format a2 Must be Upper Case.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!83
Error code/pattern: CDS10002 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H2.; 3/26 Buyer - Country at H or I level is not allowed.; Populate XML path Declaration/GoodsShipment/ Buyer/ Address/ CountryCode Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Buyer/ Address/ CountryCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a2 Must be Upper Case.; Value is drawn from HMRC codelist CountryTypes for these items.

TDR-R-00669 | Field-level requirement | Import declaration | Import H3: DE 3/26 Buyer - Country at H or I level is not allowed; cardinality 1:1; format a2 Must be Upper Case.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!83
Error code/pattern: CDS10002 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H3.; 3/26 Buyer - Country at H or I level is not allowed.; Populate XML path

Declaration/GoodsShipment/ Buyer/ Address/ CountryCode Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Buyer/ Address/ CountryCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a2 Must be Upper Case.; Value is drawn from HMRC codelist CountryTypes for these items.

TDR-R-00670 | Field-level requirement | Import declaration | Import H4: DE 3/26 Buyer - Country at H or I level is not allowed; cardinality 1:1; format a2 Must be Upper Case.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!83
Error code/pattern: CDS10002 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H4.; 3/26 Buyer - Country at H or I level is not allowed.; Populate XML path Declaration/GoodsShipment/ Buyer/ Address/ CountryCode Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Buyer/ Address/ CountryCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a2 Must be Upper Case.; Value is drawn from HMRC codelist CountryTypes for these items.

TDR-R-00671 | Field-level requirement | Import declaration | Import H5: DE 3/26 Buyer - Country at H or I level is not allowed; cardinality 1:1; format a2 Must be Upper Case.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!83
Error code/pattern: CDS10002 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H5.; 3/26 Buyer - Country at H or I level is not allowed.; Populate XML path Declaration/GoodsShipment/ Buyer/ Address/ CountryCode Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Buyer/ Address/ CountryCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a2 Must be Upper Case.; Value is drawn from HMRC codelist CountryTypes for these items.

TDR-R-00672 | Field-level requirement | Import declaration | Import I1: DE 3/26 Buyer - Country at H or I level is not allowed; cardinality 1:1; format a2 Must be Upper Case.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!83
Error code/pattern: CDS10002 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is I1.; 3/26 Buyer - Country at H or I level is not allowed.; Populate XML path Declaration/GoodsShipment/ Buyer/ Address/ CountryCode Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Buyer/ Address/ CountryCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a2 Must be Upper Case.; Value is drawn from HMRC codelist CountryTypes for these items.

TDR-R-00673 | Field-level requirement | Import declaration | Import I1 (B&E): DE 3/26 Buyer - Country at H or I level is not allowed; cardinality 1:1; format a2 Must be Upper Case.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!83
Error code/pattern: CDS10002 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is I1 (B&E).; 3/26 Buyer - Country at H or I level is not allowed.; Populate XML path Declaration/GoodsShipment/ Buyer/ Address/ CountryCode Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Buyer/ Address/ CountryCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a2 Must be Upper Case.; Value is drawn from HMRC codelist CountryTypes for these items.

TDR-R-00674 | Field-level requirement | Import declaration | Import C21I: DE 3/26 Buyer - Country at H or I level is dependent; cardinality 1:1; format a2 Must be Upper Case.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!83
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is C21I.; 3/26 Buyer - Country at H or I level is dependent.; Populate XML path Declaration/GoodsShipment/ Buyer/ Address/ CountryCode Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Buyer/ Address/ CountryCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a2 Must be Upper Case.; Value is drawn from HMRC codelist CountryTypes for these items.

TDR-R-00675 | Field-level requirement | Import declaration | Import C21I EIDR: DE 3/26 Buyer - Country at H or I level is not allowed; cardinality 1:1; format a2 Must be Upper Case.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!83
Error code/pattern: CDS10002 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is C21I EIDR.; 3/26 Buyer - Country at H or I level is not allowed.; Populate XML path Declaration/GoodsShipment/ Buyer/ Address/ CountryCode Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Buyer/ Address/ CountryCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a2 Must be Upper Case.; Value is drawn from HMRC codelist CountryTypes for these items.

TDR-R-00676 | Field-level requirement | Import declaration | Import H1: DE 3/26 Buyer - Postcode at H or I level is dependent; cardinality 1:1; format an..9.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!84
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H1.; 3/26 Buyer - Postcode at H or I level is dependent.; Populate XML path Declaration/GoodsShipment/ Buyer/ Address/ PostcodeID Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Buyer/ Address/ PostcodeID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..9.

TDR-R-00677 | Field-level requirement | Import declaration | Import H2: DE 3/26 Buyer - Postcode at H or I level is not allowed; cardinality 1:1; format an..9.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!84
Error code/pattern: CDS10002 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H2.; 3/26 Buyer - Postcode at H or I level is not allowed.; Populate XML path Declaration/GoodsShipment/ Buyer/ Address/ PostcodeID Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Buyer/ Address/ PostcodeID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..9.

TDR-R-00678 | Field-level requirement | Import declaration | Import H3: DE 3/26 Buyer - Postcode at H or I level is not allowed; cardinality 1:1; format an..9.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!84
Error code/pattern: CDS10002 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H3.; 3/26 Buyer - Postcode at H or I level is not allowed.; Populate XML path

Declaration/GoodsShipment/ Buyer/ Address/ PostcodeID Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Buyer/ Address/ PostcodeID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..9.

TDR-R-00679 | Field-level requirement | Import declaration | Import H4: DE 3/26 Buyer - Postcode at H or I level is not allowed; cardinality 1:1; format an..9.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!84
Error code/pattern: CDS10002 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H4.; 3/26 Buyer - Postcode at H or I level is not allowed.; Populate XML path Declaration/GoodsShipment/ Buyer/ Address/ PostcodeID Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Buyer/ Address/ PostcodeID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..9.

TDR-R-00680 | Field-level requirement | Import declaration | Import H5: DE 3/26 Buyer - Postcode at H or I level is not allowed; cardinality 1:1; format an..9.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!84
Error code/pattern: CDS10002 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H5.; 3/26 Buyer - Postcode at H or I level is not allowed.; Populate XML path Declaration/GoodsShipment/ Buyer/ Address/ PostcodeID Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Buyer/ Address/ PostcodeID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..9.

TDR-R-00681 | Field-level requirement | Import declaration | Import I1: DE 3/26 Buyer - Postcode at H or I level is not allowed; cardinality 1:1; format an..9.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!84
Error code/pattern: CDS10002 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is I1.; 3/26 Buyer - Postcode at H or I level is not allowed.; Populate XML path Declaration/GoodsShipment/ Buyer/ Address/ PostcodeID Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Buyer/ Address/ PostcodeID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..9.

TDR-R-00682 | Field-level requirement | Import declaration | Import I1 (B&E): DE 3/26 Buyer - Postcode at H or I level is not allowed; cardinality 1:1; format an..9.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!84
Error code/pattern: CDS10002 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is I1 (B&E).; 3/26 Buyer - Postcode at H or I level is not allowed.; Populate XML path Declaration/GoodsShipment/ Buyer/ Address/ PostcodeID Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Buyer/ Address/ PostcodeID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..9.

TDR-R-00683 | Field-level requirement | Import declaration | Import C21I: DE 3/26 Buyer - Postcode at H or I level is dependent; cardinality 1:1; format an..9.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!84
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is C21I.; 3/26 Buyer - Postcode at H or I level is dependent.; Populate XML path Declaration/GoodsShipment/ Buyer/ Address/ PostcodeID Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Buyer/ Address/ PostcodeID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..9.

TDR-R-00684 | Field-level requirement | Import declaration | Import C21I EIDR: DE 3/26 Buyer - Postcode at H or I level is not allowed; cardinality 1:1; format an..9.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!84
Error code/pattern: CDS10002 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is C21I EIDR.; 3/26 Buyer - Postcode at H or I level is not allowed.; Populate XML path Declaration/GoodsShipment/ Buyer/ Address/ PostcodeID Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Buyer/ Address/ PostcodeID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..9.

TDR-R-00685 | Field-level requirement | Import declaration | Import H1: DE 3/26 Buyer - Phone Number at H or I level is optional; cardinality 1:1; format an..50.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!85
Error code/pattern: CDS10010 | xml_validation_error
Acceptance: Import declaration context is H1.; 3/26 Buyer - Phone Number at H or I level is optional.; Populate XML path Declaration/GoodsShipment/ Buyer/ Communication/ ID Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Buyer/ Communication/ ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..50.

TDR-R-00686 | Field-level requirement | Import declaration | Import H2: DE 3/26 Buyer - Phone Number at H or I level is not allowed; cardinality 1:1; format an..50.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!85
Error code/pattern: CDS10002 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H2.; 3/26 Buyer - Phone Number at H or I level is not allowed.; Populate XML path Declaration/GoodsShipment/ Buyer/ Communication/ ID Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Buyer/ Communication/ ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..50.

TDR-R-00687 | Field-level requirement | Import declaration | Import H3: DE 3/26 Buyer - Phone Number at H or I level is not allowed; cardinality 1:1; format an..50.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!85
Error code/pattern: CDS10002 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H3.; 3/26 Buyer - Phone Number at H or I level is not allowed.; Populate XML path Declaration/GoodsShipment/ Buyer/ Communication/ ID Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Buyer/ Communication/ ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..50.

TDR-R-00688 | Field-level requirement | Import declaration | Import H4: DE 3/26 Buyer - Phone Number at H or I level is not allowed; cardinality 1:1; format an..50.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!85
Error code/pattern: CDS10002 | CDS10010 | xml_validation_error

Acceptance: Import declaration context is H4.; 3/26 Buyer - Phone Number at H or I level is not allowed.; Populate XML path Declaration/GoodsShipment/ Buyer/ Communication/ ID Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Buyer/ Communication/ ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..50.

TDR-R-00689 | Field-level requirement | Import declaration | Import H5: DE 3/26 Buyer - Phone Number at H or I level is not allowed; cardinality 1:1; format an..50.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!85
Error code/pattern: CDS10002 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H5.; 3/26 Buyer - Phone Number at H or I level is not allowed.; Populate XML path Declaration/GoodsShipment/ Buyer/ Communication/ ID Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Buyer/ Communication/ ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..50.

TDR-R-00690 | Field-level requirement | Import declaration | Import I1: DE 3/26 Buyer - Phone Number at H or I level is not allowed; cardinality 1:1; format an..50.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!85
Error code/pattern: CDS10002 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is I1.; 3/26 Buyer - Phone Number at H or I level is not allowed.; Populate XML path Declaration/GoodsShipment/ Buyer/ Communication/ ID Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Buyer/ Communication/ ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..50.

TDR-R-00691 | Field-level requirement | Import declaration | Import I1 (B&E): DE 3/26 Buyer - Phone Number at H or I level is not allowed; cardinality 1:1; format an..50.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!85
Error code/pattern: CDS10002 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is I1 (B&E).; 3/26 Buyer - Phone Number at H or I level is not allowed.; Populate XML path Declaration/GoodsShipment/ Buyer/ Communication/ ID Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Buyer/ Communication/ ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..50.

TDR-R-00692 | Field-level requirement | Import declaration | Import C21I: DE 3/26 Buyer - Phone Number at H or I level is dependent; cardinality 1:1; format an..50.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!85
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is C21I.; 3/26 Buyer - Phone Number at H or I level is dependent.; Populate XML path Declaration/GoodsShipment/ Buyer/ Communication/ ID Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Buyer/ Communication/ ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..50.

TDR-R-00693 | Field-level requirement | Import declaration | Import C21I EIDR: DE 3/26 Buyer - Phone Number at H or I level is not allowed; cardinality 1:1; format an..50.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!85
Error code/pattern: CDS10002 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is C21I EIDR.; 3/26 Buyer - Phone Number at H or I level is not allowed.; Populate XML path Declaration/GoodsShipment/ Buyer/ Communication/ ID Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Buyer/ Communication/ ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..50.

TDR-R-00694 | Field-level requirement | Import declaration | Import H1: DE 3/27 Buyer Identification No. at H and / or I level is dependent; cardinality 1:1; format an..17.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!86
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H1.; 3/27 Buyer Identification No. at H and / or I level is dependent.; Populate XML path Declaration/GoodsShipment/ Buyer/ ID Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Buyer/ ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..17.

TDR-R-00695 | Field-level requirement | Import declaration | Import H2: DE 3/27 Buyer Identification No. at H and / or I level is not allowed; cardinality 1:1; format an..17.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!86
Error code/pattern: CDS10002 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H2.; 3/27 Buyer Identification No. at H and / or I level is not allowed.; Populate XML path Declaration/GoodsShipment/ Buyer/ ID Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Buyer/ ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..17.

TDR-R-00696 | Field-level requirement | Import declaration | Import H3: DE 3/27 Buyer Identification No. at H and / or I level is not allowed; cardinality 1:1; format an..17.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!86
Error code/pattern: CDS10002 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H3.; 3/27 Buyer Identification No. at H and / or I level is not allowed.; Populate XML path Declaration/GoodsShipment/ Buyer/ ID Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Buyer/ ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..17.

TDR-R-00697 | Field-level requirement | Import declaration | Import H4: DE 3/27 Buyer Identification No. at H and / or I level is not allowed; cardinality 1:1; format an..17.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!86
Error code/pattern: CDS10002 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H4.; 3/27 Buyer Identification No. at H and / or I level is not allowed.; Populate XML path Declaration/GoodsShipment/ Buyer/ ID Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Buyer/ ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..17.

TDR-R-00698 | Field-level requirement | Import declaration | Import H5: DE 3/27 Buyer Identification No. at H and / or I level is not allowed; cardinality 1:1; format an..17.

Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!86
Error code/pattern: CDS10002 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H5.; 3/27 Buyer Identification No. at H and / or I level is not allowed.; Populate XML path Declaration/GoodsShipment/ Buyer/ ID Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Buyer/ ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..17.

TDR-R-00699 | Field-level requirement | Import declaration | Import I1: DE 3/27 Buyer Identification No. at H and / or I level is not allowed; cardinality 1:1; format an..17.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!86
Error code/pattern: CDS10002 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is I1.; 3/27 Buyer Identification No. at H and / or I level is not allowed.; Populate XML path Declaration/GoodsShipment/ Buyer/ ID Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Buyer/ ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..17.

TDR-R-00700 | Field-level requirement | Import declaration | Import I1 (B&E): DE 3/27 Buyer Identification No. at H and / or I level is not allowed; cardinality 1:1; format an..17.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!86
Error code/pattern: CDS10002 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is I1 (B&E).; 3/27 Buyer Identification No. at H and / or I level is not allowed.; Populate XML path Declaration/GoodsShipment/ Buyer/ ID Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Buyer/ ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..17.

TDR-R-00701 | Field-level requirement | Import declaration | Import C21I: DE 3/27 Buyer Identification No. at H and / or I level is optional; cardinality 1:1; format an..17.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!86
Error code/pattern: CDS10010 | xml_validation_error
Acceptance: Import declaration context is C21I.; 3/27 Buyer Identification No. at H and / or I level is optional.; Populate XML path Declaration/GoodsShipment/ Buyer/ ID Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Buyer/ ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..17.

TDR-R-00702 | Field-level requirement | Import declaration | Import C21I EIDR: DE 3/27 Buyer Identification No. at H and / or I level is not allowed; cardinality 1:1; format an..17.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!86
Error code/pattern: CDS10002 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is C21I EIDR.; 3/27 Buyer Identification No. at H and / or I level is not allowed.; Populate XML path Declaration/GoodsShipment/ Buyer/ ID Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Buyer/ ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..17.

TDR-R-00703 | Field-level requirement | Import declaration | Import H1: DE 3/37 Additional supply chain actor(s) identification No. at H and / or I level is optional; cardinality 99x (I) 99x (H); format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!87
Error code/pattern: CDS10010 | xml_validation_error
Acceptance: Import declaration context is H1.; 3/37 Additional supply chain actor(s) identification No. at H and / or I level is optional.; Populate XML path Declaration/GoodsShipment/ AEOMutualRecognitionParty Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ AEOMutualRecognitionParty only where this rule permits it.; Respect cardinality 99x (I) 99x (H).; Value conforms to HMRC format -.

TDR-R-00704 | Field-level requirement | Import declaration | Import H2: DE 3/37 Additional supply chain actor(s) identification No. at H and / or I level is optional; cardinality 99x (I) 99x (H); format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!87
Error code/pattern: CDS10010 | xml_validation_error
Acceptance: Import declaration context is H2.; 3/37 Additional supply chain actor(s) identification No. at H and / or I level is optional.; Populate XML path Declaration/GoodsShipment/ AEOMutualRecognitionParty Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ AEOMutualRecognitionParty only where this rule permits it.; Respect cardinality 99x (I) 99x (H).; Value conforms to HMRC format -.

TDR-R-00705 | Field-level requirement | Import declaration | Import H3: DE 3/37 Additional supply chain actor(s) identification No. at H and / or I level is optional; cardinality 99x (I) 99x (H); format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!87
Error code/pattern: CDS10010 | xml_validation_error
Acceptance: Import declaration context is H3.; 3/37 Additional supply chain actor(s) identification No. at H and / or I level is optional.; Populate XML path Declaration/GoodsShipment/ AEOMutualRecognitionParty Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ AEOMutualRecognitionParty only where this rule permits it.; Respect cardinality 99x (I) 99x (H).; Value conforms to HMRC format -.

TDR-R-00706 | Field-level requirement | Import declaration | Import H4: DE 3/37 Additional supply chain actor(s) identification No. at H and / or I level is optional; cardinality 99x (I) 99x (H); format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!87
Error code/pattern: CDS10010 | xml_validation_error
Acceptance: Import declaration context is H4.; 3/37 Additional supply chain actor(s) identification No. at H and / or I level is optional.; Populate XML path Declaration/GoodsShipment/ AEOMutualRecognitionParty Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ AEOMutualRecognitionParty only where this rule permits it.; Respect cardinality 99x (I) 99x (H).; Value conforms to HMRC format -.

TDR-R-00707 | Field-level requirement | Import declaration | Import H5: DE 3/37 Additional supply chain actor(s) identification No. at H and / or I level is optional; cardinality 99x (I) 99x (H); format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!87
Error code/pattern: CDS10010 | xml_validation_error
Acceptance: Import declaration context is H5.; 3/37 Additional supply chain actor(s) identification No. at H and / or I level is optional.; Populate XML path Declaration/GoodsShipment/ AEOMutualRecognitionParty Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ AEOMutualRecognitionParty only where this rule permits it.; Respect cardinality 99x (I) 99x (H).; Value conforms to HMRC format -.

TDR-R-00708 | Field-level requirement | Import declaration | Import I1: DE 3/37 Additional supply chain actor(s) identification No. at H and / or I level is optional; cardinality 99x (I) 99x (H); format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!87
Error code/pattern: CDS10010 | xml_validation_error
Acceptance: Import declaration context is I1.; 3/37 Additional supply chain actor(s) identification No. at H and / or I level is optional.; Populate XML path Declaration/GoodsShipment/ AEOMutualRecognitionParty Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ AEOMutualRecognitionParty only where this rule permits it.; Respect cardinality 99x (I) 99x (H).; Value conforms to HMRC format -.

TDR-R-00709 | Field-level requirement | Import declaration | Import I1 (B&E): DE 3/37 Additional supply chain actor(s) identification No. at H and / or I level is optional; cardinality 99x (I) 99x (H); format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!87
Error code/pattern: CDS10010 | xml_validation_error
Acceptance: Import declaration context is I1 (B&E).; 3/37 Additional supply chain actor(s) identification No. at H and / or I level is optional.; Populate XML path Declaration/GoodsShipment/ AEOMutualRecognitionParty Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ AEOMutualRecognitionParty only where this rule permits it.; Respect cardinality 99x (I) 99x (H).; Value conforms to HMRC format -.

TDR-R-00710 | Field-level requirement | Import declaration | Import C21I: DE 3/37 Additional supply chain actor(s) identification No. at H and / or I level is not allowed; cardinality 99x (I) 99x (H); format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!87
Error code/pattern: CDS10002 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is C21I.; 3/37 Additional supply chain actor(s) identification No. at H and / or I level is not allowed.; Populate XML path Declaration/GoodsShipment/ AEOMutualRecognitionParty Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ AEOMutualRecognitionParty only where this rule permits it.; Respect cardinality 99x (I) 99x (H).; Value conforms to HMRC format -.

TDR-R-00711 | Field-level requirement | Import declaration | Import H1: DE 3/37 Additional supply chain actor(s) identification No. - Identifier at H and / or I level is dependent; cardinality 1:1; format an..17.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!88
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H1.; 3/37 Additional supply chain actor(s) identification No. - Identifier at H and / or I level is dependent.; Populate XML path Declaration/GoodsShipment/ AEOMutualRecognitionParty/ ID Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ AEOMutualRecognitionParty/ ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..17.

TDR-R-00712 | Field-level requirement | Import declaration | Import H2: DE 3/37 Additional supply chain actor(s) identification No. - Identifier at H and / or I level is dependent; cardinality 1:1; format an..17.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!88
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H2.; 3/37 Additional supply chain actor(s) identification No. - Identifier at H and / or I level is dependent.; Populate XML path Declaration/GoodsShipment/ AEOMutualRecognitionParty/ ID Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ AEOMutualRecognitionParty/ ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..17.

TDR-R-00713 | Field-level requirement | Import declaration | Import H3: DE 3/37 Additional supply chain actor(s) identification No. - Identifier at H and / or I level is dependent; cardinality 1:1; format an..17.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!88
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H3.; 3/37 Additional supply chain actor(s) identification No. - Identifier at H and / or I level is dependent.; Populate XML path Declaration/GoodsShipment/ AEOMutualRecognitionParty/ ID Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ AEOMutualRecognitionParty/ ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..17.

TDR-R-00714 | Field-level requirement | Import declaration | Import H4: DE 3/37 Additional supply chain actor(s) identification No. - Identifier at H and / or I level is dependent; cardinality 1:1; format an..17.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!88
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H4.; 3/37 Additional supply chain actor(s) identification No. - Identifier at H and / or I level is dependent.; Populate XML path Declaration/GoodsShipment/ AEOMutualRecognitionParty/ ID Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ AEOMutualRecognitionParty/ ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..17.

TDR-R-00715 | Field-level requirement | Import declaration | Import H5: DE 3/37 Additional supply chain actor(s) identification No. - Identifier at H and / or I level is dependent; cardinality 1:1; format an..17.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!88
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H5.; 3/37 Additional supply chain actor(s) identification No. - Identifier at H and / or I level is dependent.; Populate XML path Declaration/GoodsShipment/ AEOMutualRecognitionParty/ ID Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ AEOMutualRecognitionParty/ ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..17.

TDR-R-00716 | Field-level requirement | Import declaration | Import I1: DE 3/37 Additional supply chain actor(s) identification No. - Identifier at H and / or I level is dependent; cardinality 1:1; format an..17.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!88
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is I1.; 3/37 Additional supply chain actor(s) identification No. - Identifier at H and / or I level is dependent.; Populate XML path Declaration/GoodsShipment/ AEOMutualRecognitionParty/ ID Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ AEOMutualRecognitionParty/ ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..17.

TDR-R-00717 | Field-level requirement | Import declaration | Import I1 (B&E): DE 3/37 Additional supply chain actor(s) identification No. - Identifier at H and / or I level is dependent; cardinality 1:1; format an..17.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!88
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is I1 (B&E).; 3/37 Additional supply chain actor(s) identification No. - Identifier at H and / or I level is dependent.; Populate XML path Declaration/GoodsShipment/ AEOMutualRecognitionParty/ ID Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ AEOMutualRecognitionParty/ ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to

HMRC format an..17.

TDR-R-00718 | Field-level requirement | Import declaration | Import C21I: DE 3/37 Additional supply chain actor(s) identification No. - Identifier at H and / or I level is not allowed; cardinality 1:1; format an..17.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!88
Error code/pattern: CDS10002 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is C21I.; 3/37 Additional supply chain actor(s) identification No. - Identifier at H and / or I level is not allowed.; Populate XML path Declaration/GoodsShipment/ AEOMutualRecognitionParty/ ID Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ AEOMutualRecognitionParty/ ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..17.

TDR-R-00719 | Field-level requirement | Import declaration | Import H1: DE 3/37 Additional supply chain actor(s) identification No. - Role Code at H and / or I level is dependent; cardinality 1:1; format a..3.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!89
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H1.; 3/37 Additional supply chain actor(s) identification No. - Role Code at H and / or I level is dependent.; Populate XML path Declaration/GoodsShipment/ AEOMutualRecognitionParty/ RoleCode Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ AEOMutualRecognitionParty/ RoleCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a..3.; Value is drawn from HMRC codelist PartySubRoleTypes for these items.

TDR-R-00720 | Field-level requirement | Import declaration | Import H2: DE 3/37 Additional supply chain actor(s) identification No. - Role Code at H and / or I level is dependent; cardinality 1:1; format a..3.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!89
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H2.; 3/37 Additional supply chain actor(s) identification No. - Role Code at H and / or I level is dependent.; Populate XML path Declaration/GoodsShipment/ AEOMutualRecognitionParty/ RoleCode Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ AEOMutualRecognitionParty/ RoleCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a..3.; Value is drawn from HMRC codelist PartySubRoleTypes for these items.

TDR-R-00721 | Field-level requirement | Import declaration | Import H3: DE 3/37 Additional supply chain actor(s) identification No. - Role Code at H and / or I level is dependent; cardinality 1:1; format a..3.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!89
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H3.; 3/37 Additional supply chain actor(s) identification No. - Role Code at H and / or I level is dependent.; Populate XML path Declaration/GoodsShipment/ AEOMutualRecognitionParty/ RoleCode Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ AEOMutualRecognitionParty/ RoleCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a..3.; Value is drawn from HMRC codelist PartySubRoleTypes for these items.

TDR-R-00722 | Field-level requirement | Import declaration | Import H4: DE 3/37 Additional supply chain actor(s) identification No. - Role Code at H and / or I level is dependent; cardinality 1:1; format a..3.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!89
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H4.; 3/37 Additional supply chain actor(s) identification No. - Role Code at H and / or I level is dependent.; Populate XML path Declaration/GoodsShipment/ AEOMutualRecognitionParty/ RoleCode Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ AEOMutualRecognitionParty/ RoleCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a..3.; Value is drawn from HMRC codelist PartySubRoleTypes for these items.

TDR-R-00723 | Field-level requirement | Import declaration | Import H5: DE 3/37 Additional supply chain actor(s) identification No. - Role Code at H and / or I level is dependent; cardinality 1:1; format a..3.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!89
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H5.; 3/37 Additional supply chain actor(s) identification No. - Role Code at H and / or I level is dependent.; Populate XML path Declaration/GoodsShipment/ AEOMutualRecognitionParty/ RoleCode Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ AEOMutualRecognitionParty/ RoleCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a..3.; Value is drawn from HMRC codelist PartySubRoleTypes for these items.

TDR-R-00724 | Field-level requirement | Import declaration | Import I1: DE 3/37 Additional supply chain actor(s) identification No. - Role Code at H and / or I level is dependent; cardinality 1:1; format a..3.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!89
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is I1.; 3/37 Additional supply chain actor(s) identification No. - Role Code at H and / or I level is dependent.; Populate XML path Declaration/GoodsShipment/ AEOMutualRecognitionParty/ RoleCode Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ AEOMutualRecognitionParty/ RoleCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a..3.; Value is drawn from HMRC codelist PartySubRoleTypes for these items.

TDR-R-00725 | Field-level requirement | Import declaration | Import I1 (B&E): DE 3/37 Additional supply chain actor(s) identification No. - Role Code at H and / or I level is dependent; cardinality 1:1; format a..3.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!89
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is I1 (B&E).; 3/37 Additional supply chain actor(s) identification No. - Role Code at H and / or I level is dependent.; Populate XML path Declaration/GoodsShipment/ AEOMutualRecognitionParty/ RoleCode Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ AEOMutualRecognitionParty/ RoleCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a..3.; Value is drawn from HMRC codelist PartySubRoleTypes for these items.

TDR-R-00726 | Field-level requirement | Import declaration | Import C21I: DE 3/37 Additional supply chain actor(s) identification No. - Role Code at H and / or I level is not allowed; cardinality 1:1; format a..3.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!89
Error code/pattern: CDS10002 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is C21I.; 3/37 Additional supply chain actor(s) identification No. - Role Code at H and / or I level is not

allowed.; Populate XML path Declaration/GoodsShipment/ AEOMutualRecognitionParty/ RoleCode Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ AEOMutualRecognitionParty/ RoleCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a..3.; Value is drawn from HMRC codelist PartySubRoleTypes for these items.

TDR-R-00727 | Field-level requirement | Import declaration | Import H1: DE 3/39 Holder of the authorisation identification No. at H level is dependent; cardinality 99x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!90
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H1.; 3/39 Holder of the authorisation identification No. at H level is dependent.; Populate XML path Declaration/ AuthorisationHolder only where this rule permits it.; Respect cardinality 99x.; Value conforms to HMRC format -.

TDR-R-00728 | Field-level requirement | Import declaration | Import H2: DE 3/39 Holder of the authorisation identification No. at H level is mandatory; cardinality 99x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!90
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H2.; 3/39 Holder of the authorisation identification No. at H level is mandatory.; Populate XML path Declaration/ AuthorisationHolder only where this rule permits it.; Respect cardinality 99x.; Value conforms to HMRC format -.

TDR-R-00729 | Field-level requirement | Import declaration | Import H3: DE 3/39 Holder of the authorisation identification No. at H level is mandatory; cardinality 99x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!90
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H3.; 3/39 Holder of the authorisation identification No. at H level is mandatory.; Populate XML path Declaration/ AuthorisationHolder only where this rule permits it.; Respect cardinality 99x.; Value conforms to HMRC format -.

TDR-R-00730 | Field-level requirement | Import declaration | Import H4: DE 3/39 Holder of the authorisation identification No. at H level is mandatory; cardinality 99x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!90
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H4.; 3/39 Holder of the authorisation identification No. at H level is mandatory.; Populate XML path Declaration/ AuthorisationHolder only where this rule permits it.; Respect cardinality 99x.; Value conforms to HMRC format -.

TDR-R-00731 | Field-level requirement | Import declaration | Import H5: DE 3/39 Holder of the authorisation identification No. at H level is dependent; cardinality 99x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!90
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H5.; 3/39 Holder of the authorisation identification No. at H level is dependent.; Populate XML path Declaration/ AuthorisationHolder only where this rule permits it.; Respect cardinality 99x.; Value conforms to HMRC format -.

TDR-R-00732 | Field-level requirement | Import declaration | Import H8: DE 3/39 Holder of the authorisation identification No. at H level is mandatory; cardinality 99x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!90
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H8.; 3/39 Holder of the authorisation identification No. at H level is mandatory.; Populate XML path Declaration/ AuthorisationHolder only where this rule permits it.; Respect cardinality 99x.; Value conforms to HMRC format -.

TDR-R-00733 | Field-level requirement | Import declaration | Import I1: DE 3/39 Holder of the authorisation identification No. at H level is mandatory; cardinality 99x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!90
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is I1.; 3/39 Holder of the authorisation identification No. at H level is mandatory.; Populate XML path Declaration/ AuthorisationHolder only where this rule permits it.; Respect cardinality 99x.; Value conforms to HMRC format -.

TDR-R-00734 | Field-level requirement | Import declaration | Import I1 (B&E): DE 3/39 Holder of the authorisation identification No. at H level is dependent; cardinality 99x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!90
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is I1 (B&E).; 3/39 Holder of the authorisation identification No. at H level is dependent.; Populate XML path Declaration/ AuthorisationHolder only where this rule permits it.; Respect cardinality 99x.; Value conforms to HMRC format -.

TDR-R-00735 | Field-level requirement | Import declaration | Import C21I: DE 3/39 Holder of the authorisation identification No. at H level is dependent; cardinality 99x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!90
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is C21I.; 3/39 Holder of the authorisation identification No. at H level is dependent.; Populate XML path Declaration/ AuthorisationHolder only where this rule permits it.; Respect cardinality 99x.; Value conforms to HMRC format -.

TDR-R-00736 | Field-level requirement | Import declaration | Import C21I EIDR: DE 3/39 Holder of the authorisation identification No. at H level is mandatory; cardinality 99x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!90
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is C21I EIDR.; 3/39 Holder of the authorisation identification No. at H level is mandatory.; Populate XML path Declaration/ AuthorisationHolder only where this rule permits it.; Respect cardinality 99x.; Value conforms to HMRC format -.

TDR-R-00737 | Field-level requirement | Import declaration | Import H1: DE 3/39 Holder of the authorisation identification no. - Identifier at H level is mandatory when the group-level item is present; cardinality 1:1; format an..17.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!91
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H1.; 3/39 Holder of the authorisation identification no. - Identifier at H level is mandatory when the group-level item is present.; Populate XML path Declaration/ AuthorisationHolder/ ID only where this rule permits it.; Respect cardinality 1:1.;

Value conforms to HMRC format an..17.

TDR-R-00738 | Field-level requirement | Import declaration | Import H2: DE 3/39 Holder of the authorisation identification no. - Identifier at H level is mandatory when the group-level item is present; cardinality 1:1; format an..17.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!91
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H2.; 3/39 Holder of the authorisation identification no. - Identifier at H level is mandatory when the group-level item is present.; Populate XML path Declaration/ AuthorisationHolder/ ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..17.

TDR-R-00739 | Field-level requirement | Import declaration | Import H3: DE 3/39 Holder of the authorisation identification no. - Identifier at H level is mandatory when the group-level item is present; cardinality 1:1; format an..17.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!91
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H3.; 3/39 Holder of the authorisation identification no. - Identifier at H level is mandatory when the group-level item is present.; Populate XML path Declaration/ AuthorisationHolder/ ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..17.

TDR-R-00740 | Field-level requirement | Import declaration | Import H4: DE 3/39 Holder of the authorisation identification no. - Identifier at H level is mandatory when the group-level item is present; cardinality 1:1; format an..17.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!91
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H4.; 3/39 Holder of the authorisation identification no. - Identifier at H level is mandatory when the group-level item is present.; Populate XML path Declaration/ AuthorisationHolder/ ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..17.

TDR-R-00741 | Field-level requirement | Import declaration | Import H5: DE 3/39 Holder of the authorisation identification no. - Identifier at H level is mandatory when the group-level item is present; cardinality 1:1; format an..17.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!91
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H5.; 3/39 Holder of the authorisation identification no. - Identifier at H level is mandatory when the group-level item is present.; Populate XML path Declaration/ AuthorisationHolder/ ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..17.

TDR-R-00742 | Field-level requirement | Import declaration | Import H8: DE 3/39 Holder of the authorisation identification no. - Identifier at H level is mandatory when the group-level item is present; cardinality 1:1; format an..17.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!91
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H8.; 3/39 Holder of the authorisation identification no. - Identifier at H level is mandatory when the group-level item is present.; Populate XML path Declaration/ AuthorisationHolder/ ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..17.

TDR-R-00743 | Field-level requirement | Import declaration | Import I1: DE 3/39 Holder of the authorisation identification no. - Identifier at H level is mandatory when the group-level item is present; cardinality 1:1; format an..17.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!91
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is I1.; 3/39 Holder of the authorisation identification no. - Identifier at H level is mandatory when the group-level item is present.; Populate XML path Declaration/ AuthorisationHolder/ ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..17.

TDR-R-00744 | Field-level requirement | Import declaration | Import I1 (B&E): DE 3/39 Holder of the authorisation identification no. - Identifier at H level is mandatory when the group-level item is present; cardinality 1:1; format an..17.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!91
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is I1 (B&E).; 3/39 Holder of the authorisation identification no. - Identifier at H level is mandatory when the group-level item is present.; Populate XML path Declaration/ AuthorisationHolder/ ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..17.

TDR-R-00745 | Field-level requirement | Import declaration | Import C21I: DE 3/39 Holder of the authorisation identification no. - Identifier at H level is mandatory when the group-level item is present; cardinality 1:1; format an..17.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!91
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is C21I.; 3/39 Holder of the authorisation identification no. - Identifier at H level is mandatory when the group-level item is present.; Populate XML path Declaration/ AuthorisationHolder/ ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..17.

TDR-R-00746 | Field-level requirement | Import declaration | Import C21I EIDR: DE 3/39 Holder of the authorisation identification no. - Identifier at H level is mandatory when the group-level item is present; cardinality 1:1; format an..17.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!91
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is C21I EIDR.; 3/39 Holder of the authorisation identification no. - Identifier at H level is mandatory when the group-level item is present.; Populate XML path Declaration/ AuthorisationHolder/ ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..17.

TDR-R-00747 | Field-level requirement | Import declaration | Import H1: DE 3/39 Holder of the authorisation identification no. - Authorisation type code at H level is mandatory when the group-level item is present; cardinality 1:1; format an..4.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!92
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H1.; 3/39 Holder of the authorisation identification no. - Authorisation type code at H level is mandatory

when the group-level item is present.; Populate XML path Declaration/ AuthorisationHolder/ CategoryCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..4.; Value is drawn from HMRC codelist PartyRoleAuthorizationTypes for these items.

TDR-R-00748 | Field-level requirement | Import declaration | Import H2: DE 3/39 Holder of the authorisation identification no. - Authorisation type code at H level is mandatory when the group-level item is present; cardinality 1:1; format an..4.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!92
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H2.; 3/39 Holder of the authorisation identification no. - Authorisation type code at H level is mandatory when the group-level item is present.; Populate XML path Declaration/ AuthorisationHolder/ CategoryCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..4.; Value is drawn from HMRC codelist PartyRoleAuthorizationTypes for these items.

TDR-R-00749 | Field-level requirement | Import declaration | Import H3: DE 3/39 Holder of the authorisation identification no. - Authorisation type code at H level is mandatory when the group-level item is present; cardinality 1:1; format an..4.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!92
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H3.; 3/39 Holder of the authorisation identification no. - Authorisation type code at H level is mandatory when the group-level item is present.; Populate XML path Declaration/ AuthorisationHolder/ CategoryCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..4.; Value is drawn from HMRC codelist PartyRoleAuthorizationTypes for these items.

TDR-R-00750 | Field-level requirement | Import declaration | Import H4: DE 3/39 Holder of the authorisation identification no. - Authorisation type code at H level is mandatory when the group-level item is present; cardinality 1:1; format an..4.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!92
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H4.; 3/39 Holder of the authorisation identification no. - Authorisation type code at H level is mandatory when the group-level item is present.; Populate XML path Declaration/ AuthorisationHolder/ CategoryCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..4.; Value is drawn from HMRC codelist PartyRoleAuthorizationTypes for these items.

TDR-R-00751 | Field-level requirement | Import declaration | Import H5: DE 3/39 Holder of the authorisation identification no. - Authorisation type code at H level is mandatory when the group-level item is present; cardinality 1:1; format an..4.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!92
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H5.; 3/39 Holder of the authorisation identification no. - Authorisation type code at H level is mandatory when the group-level item is present.; Populate XML path Declaration/ AuthorisationHolder/ CategoryCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..4.; Value is drawn from HMRC codelist PartyRoleAuthorizationTypes for these items.

TDR-R-00752 | Field-level requirement | Import declaration | Import H8: DE 3/39 Holder of the authorisation identification no. - Authorisation type code at H level is mandatory when the group-level item is present; cardinality 1:1; format an..4.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!92
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H8.; 3/39 Holder of the authorisation identification no. - Authorisation type code at H level is mandatory when the group-level item is present.; Populate XML path Declaration/ AuthorisationHolder/ CategoryCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..4.; Value is drawn from HMRC codelist PartyRoleAuthorizationTypes for these items.

TDR-R-00753 | Field-level requirement | Import declaration | Import I1: DE 3/39 Holder of the authorisation identification no. - Authorisation type code at H level is mandatory when the group-level item is present; cardinality 1:1; format an..4.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!92
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is I1.; 3/39 Holder of the authorisation identification no. - Authorisation type code at H level is mandatory when the group-level item is present.; Populate XML path Declaration/ AuthorisationHolder/ CategoryCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..4.; Value is drawn from HMRC codelist PartyRoleAuthorizationTypes for these items.

TDR-R-00754 | Field-level requirement | Import declaration | Import I1 (B&E): DE 3/39 Holder of the authorisation identification no. - Authorisation type code at H level is mandatory when the group-level item is present; cardinality 1:1; format an..4.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!92
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is I1 (B&E).; 3/39 Holder of the authorisation identification no. - Authorisation type code at H level is mandatory when the group-level item is present.; Populate XML path Declaration/ AuthorisationHolder/ CategoryCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..4.; Value is drawn from HMRC codelist PartyRoleAuthorizationTypes for these items.

TDR-R-00755 | Field-level requirement | Import declaration | Import C21I: DE 3/39 Holder of the authorisation identification no. - Authorisation type code at H level is mandatory when the group-level item is present; cardinality 1:1; format an..4.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!92
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is C21I.; 3/39 Holder of the authorisation identification no. - Authorisation type code at H level is mandatory when the group-level item is present.; Populate XML path Declaration/ AuthorisationHolder/ CategoryCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..4.; Value is drawn from HMRC codelist PartyRoleAuthorizationTypes for these items.

TDR-R-00756 | Field-level requirement | Import declaration | Import C21I EIDR: DE 3/39 Holder of the authorisation identification no. - Authorisation type code at H level is mandatory when the group-level item is present; cardinality 1:1; format an..4.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!92

Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is C21I EIDR.; 3/39 Holder of the authorisation identification no. - Authorisation type code at H level is mandatory when the group-level item is present.; Populate XML path Declaration/ AuthorisationHolder/ CategoryCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..4.; Value is drawn from HMRC codelist PartyRoleAuthorizationTypes for these items.

TDR-R-00757 | Field-level requirement | Import declaration | Import H1: DE 3/40 Additional fiscal references identification No. at H or I level is O (H) D (I); cardinality 99x (H) 99x (I); format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!93
Error code/pattern: CDS10010 | xml_validation_error
Acceptance: Import declaration context is H1.; 3/40 Additional fiscal references identification No. at H or I level is o (h) d (i).; Populate XML path Declaration/GoodsShipment/ DomesticDutyTaxParty Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ DomesticDutyTaxParty only where this rule permits it.; Respect cardinality 99x (H) 99x (I).; Value conforms to HMRC format -.

TDR-R-00758 | Field-level requirement | Import declaration | Import H2: DE 3/40 Additional fiscal references identification No. at H or I level is O (H) O (I); cardinality 99x (H) 99x (I); format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!93
Error code/pattern: CDS10010 | xml_validation_error
Acceptance: Import declaration context is H2.; 3/40 Additional fiscal references identification No. at H or I level is o (h) o (i).; Populate XML path Declaration/GoodsShipment/ DomesticDutyTaxParty Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ DomesticDutyTaxParty only where this rule permits it.; Respect cardinality 99x (H) 99x (I).; Value conforms to HMRC format -.

TDR-R-00759 | Field-level requirement | Import declaration | Import H3: DE 3/40 Additional fiscal references identification No. at H or I level is O (H) O (I); cardinality 99x (H) 99x (I); format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!93
Error code/pattern: CDS10010 | xml_validation_error
Acceptance: Import declaration context is H3.; 3/40 Additional fiscal references identification No. at H or I level is o (h) o (i).; Populate XML path Declaration/GoodsShipment/ DomesticDutyTaxParty Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ DomesticDutyTaxParty only where this rule permits it.; Respect cardinality 99x (H) 99x (I).; Value conforms to HMRC format -.

TDR-R-00760 | Field-level requirement | Import declaration | Import H4: DE 3/40 Additional fiscal references identification No. at H or I level is O (H) O (I); cardinality 99x (H) 99x (I); format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!93
Error code/pattern: CDS10010 | xml_validation_error
Acceptance: Import declaration context is H4.; 3/40 Additional fiscal references identification No. at H or I level is o (h) o (i).; Populate XML path Declaration/GoodsShipment/ DomesticDutyTaxParty Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ DomesticDutyTaxParty only where this rule permits it.; Respect cardinality 99x (H) 99x (I).; Value conforms to HMRC format -.

TDR-R-00761 | Field-level requirement | Import declaration | Import H5: DE 3/40 Additional fiscal references identification No. at H or I level is O (H) O (I); cardinality 99x (H) 99x (I); format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!93
Error code/pattern: CDS10010 | xml_validation_error
Acceptance: Import declaration context is H5.; 3/40 Additional fiscal references identification No. at H or I level is o (h) o (i).; Populate XML path Declaration/GoodsShipment/ DomesticDutyTaxParty Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ DomesticDutyTaxParty only where this rule permits it.; Respect cardinality 99x (H) 99x (I).; Value conforms to HMRC format -.

TDR-R-00762 | Field-level requirement | Import declaration | Import H8: DE 3/40 Additional fiscal references identification No. at H or I level is dependent; cardinality 99x (H) 99x (I); format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!93
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H8.; 3/40 Additional fiscal references identification No. at H or I level is dependent.; Populate XML path Declaration/GoodsShipment/ DomesticDutyTaxParty Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ DomesticDutyTaxParty only where this rule permits it.; Respect cardinality 99x (H) 99x (I).; Value conforms to HMRC format -.

TDR-R-00763 | Field-level requirement | Import declaration | Import I1: DE 3/40 Additional fiscal references identification No. at H or I level is O (H) D (I); cardinality 99x (H) 99x (I); format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!93
Error code/pattern: CDS10010 | xml_validation_error
Acceptance: Import declaration context is I1.; 3/40 Additional fiscal references identification No. at H or I level is o (h) d (i).; Populate XML path Declaration/GoodsShipment/ DomesticDutyTaxParty Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ DomesticDutyTaxParty only where this rule permits it.; Respect cardinality 99x (H) 99x (I).; Value conforms to HMRC format -.

TDR-R-00764 | Field-level requirement | Import declaration | Import I1 (B&E): DE 3/40 Additional fiscal references identification No. at H or I level is O (H) O (I); cardinality 99x (H) 99x (I); format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!93
Error code/pattern: CDS10010 | xml_validation_error
Acceptance: Import declaration context is I1 (B&E).; 3/40 Additional fiscal references identification No. at H or I level is o (h) o (i).; Populate XML path Declaration/GoodsShipment/ DomesticDutyTaxParty Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ DomesticDutyTaxParty only where this rule permits it.; Respect cardinality 99x (H) 99x (I).; Value conforms to HMRC format -.

TDR-R-00765 | Field-level requirement | Import declaration | Import C21I: DE 3/40 Additional fiscal references identification No. at H or I level is O (H) O (I); cardinality 99x (H) 99x (I); format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!93
Error code/pattern: CDS10010 | xml_validation_error
Acceptance: Import declaration context is C21I.; 3/40 Additional fiscal references identification No. at H or I level is o (h) o (i).; Populate XML path Declaration/GoodsShipment/ DomesticDutyTaxParty Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ DomesticDutyTaxParty only where this rule permits it.; Respect cardinality 99x (H) 99x (I).; Value conforms to HMRC format -.

TDR-R-00766 | Field-level requirement | Import declaration | Import C21I EIDR: DE 3/40 Additional fiscal references identification No. at H or I level is O (H) O (I); cardinality 99x (H) 99x (I); format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!93
Error code/pattern: CDS10010 | xml_validation_error
Acceptance: Import declaration context is C21I EIDR.; 3/40 Additional fiscal references identification No. at H or I level is o (h) o (i).; Populate XML path Declaration/GoodsShipment/ DomesticDutyTaxParty Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ DomesticDutyTaxParty only where this rule permits it.; Respect cardinality 99x (H) 99x (I).; Value conforms to HMRC format -.

TDR-R-00767 | Field-level requirement | Import declaration | Import SRDS: DE 3/40 Additional fiscal references identification No. at H or I level is O (H) D (I); cardinality 99x (H) 99x (I); format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!93
Error code/pattern: CDS10010 | xml_validation_error
Acceptance: Import declaration context is SRDS.; 3/40 Additional fiscal references identification No. at H or I level is o (h) d (i).; Populate XML path Declaration/GoodsShipment/ DomesticDutyTaxParty Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ DomesticDutyTaxParty only where this rule permits it.; Respect cardinality 99x (H) 99x (I).; Value conforms to HMRC format -.

TDR-R-00768 | Field-level requirement | Import declaration | Import H1: DE 3/40 Additional fiscal references identification No. - Identifier at H or I level is M* (H) M* (I); cardinality 1:1; format an..17.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!94
Error code/pattern: CDS10010 | xml_validation_error
Acceptance: Import declaration context is H1.; 3/40 Additional fiscal references identification No. - Identifier at H or I level is m* (h) m* (i).; Populate XML path Declaration/GoodsShipment/ DomesticDutyTaxParty/ ID Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ DomesticDutyTaxParty/ ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..17.

TDR-R-00769 | Field-level requirement | Import declaration | Import H2: DE 3/40 Additional fiscal references identification No. - Identifier at H or I level is M* (H) M* (I); cardinality 1:1; format an..17.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!94
Error code/pattern: CDS10010 | xml_validation_error
Acceptance: Import declaration context is H2.; 3/40 Additional fiscal references identification No. - Identifier at H or I level is m* (h) m* (i).; Populate XML path Declaration/GoodsShipment/ DomesticDutyTaxParty/ ID Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ DomesticDutyTaxParty/ ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..17.

TDR-R-00770 | Field-level requirement | Import declaration | Import H3: DE 3/40 Additional fiscal references identification No. - Identifier at H or I level is M* (H) M* (I); cardinality 1:1; format an..17.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!94
Error code/pattern: CDS10010 | xml_validation_error
Acceptance: Import declaration context is H3.; 3/40 Additional fiscal references identification No. - Identifier at H or I level is m* (h) m* (i).; Populate XML path Declaration/GoodsShipment/ DomesticDutyTaxParty/ ID Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ DomesticDutyTaxParty/ ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..17.

TDR-R-00771 | Field-level requirement | Import declaration | Import H4: DE 3/40 Additional fiscal references identification No. - Identifier at H or I level is M* (H) M* (I); cardinality 1:1; format an..17.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!94
Error code/pattern: CDS10010 | xml_validation_error
Acceptance: Import declaration context is H4.; 3/40 Additional fiscal references identification No. - Identifier at H or I level is m* (h) m* (i).; Populate XML path Declaration/GoodsShipment/ DomesticDutyTaxParty/ ID Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ DomesticDutyTaxParty/ ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..17.

TDR-R-00772 | Field-level requirement | Import declaration | Import H5: DE 3/40 Additional fiscal references identification No. - Identifier at H or I level is M* (H) M* (I); cardinality 1:1; format an..17.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!94
Error code/pattern: CDS10010 | xml_validation_error
Acceptance: Import declaration context is H5.; 3/40 Additional fiscal references identification No. - Identifier at H or I level is m* (h) m* (i).; Populate XML path Declaration/GoodsShipment/ DomesticDutyTaxParty/ ID Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ DomesticDutyTaxParty/ ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..17.

TDR-R-00773 | Field-level requirement | Import declaration | Import H8: DE 3/40 Additional fiscal references identification No. - Identifier at H or I level is mandatory when the group-level item is present; cardinality 1:1; format an..17.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!94
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H8.; 3/40 Additional fiscal references identification No. - Identifier at H or I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ DomesticDutyTaxParty/ ID Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ DomesticDutyTaxParty/ ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..17.

TDR-R-00774 | Field-level requirement | Import declaration | Import I1: DE 3/40 Additional fiscal references identification No. - Identifier at H or I level is M* (H) M* (I); cardinality 1:1; format an..17.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!94
Error code/pattern: CDS10010 | xml_validation_error
Acceptance: Import declaration context is I1.; 3/40 Additional fiscal references identification No. - Identifier at H or I level is m* (h) m* (i).; Populate XML path Declaration/GoodsShipment/ DomesticDutyTaxParty/ ID Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ DomesticDutyTaxParty/ ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..17.

TDR-R-00775 | Field-level requirement | Import declaration | Import I1 (B&E): DE 3/40 Additional fiscal references identification No. - Identifier at H or I level is M* (H) M* (I); cardinality 1:1; format an..17.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!94
Error code/pattern: CDS10010 | xml_validation_error
Acceptance: Import declaration context is I1 (B&E).; 3/40 Additional fiscal references identification No. - Identifier at H or I level is m* (h) m* (i).; Populate XML path Declaration/GoodsShipment/ DomesticDutyTaxParty/ ID Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/

DomesticDutyTaxParty/ ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..17.

TDR-R-00776 | Field-level requirement | Import declaration | Import C21I: DE 3/40 Additional fiscal references identification No. - Identifier at H or I level is M* (H) M* (I); cardinality 1:1; format an..17.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!94
Error code/pattern: CDS10010 | xml_validation_error
Acceptance: Import declaration context is C21I.; 3/40 Additional fiscal references identification No. - Identifier at H or I level is m* (h) m* (i).; Populate XML path Declaration/GoodsShipment/ DomesticDutyTaxParty/ ID Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ DomesticDutyTaxParty/ ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..17.

TDR-R-00777 | Field-level requirement | Import declaration | Import C21I EIDR: DE 3/40 Additional fiscal references identification No. - Identifier at H or I level is M* (H) M* (I); cardinality 1:1; format an..17.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!94
Error code/pattern: CDS10010 | xml_validation_error
Acceptance: Import declaration context is C21I EIDR.; 3/40 Additional fiscal references identification No. - Identifier at H or I level is m* (h) m* (i).; Populate XML path Declaration/GoodsShipment/ DomesticDutyTaxParty/ ID Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ DomesticDutyTaxParty/ ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..17.

TDR-R-00778 | Field-level requirement | Import declaration | Import SRDS: DE 3/40 Additional fiscal references identification No. - Identifier at H or I level is M* (H) M* (I); cardinality 1:1; format an..17.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!94
Error code/pattern: CDS10010 | xml_validation_error
Acceptance: Import declaration context is SRDS.; 3/40 Additional fiscal references identification No. - Identifier at H or I level is m* (h) m* (i).; Populate XML path Declaration/GoodsShipment/ DomesticDutyTaxParty/ ID Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ DomesticDutyTaxParty/ ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..17.

TDR-R-00779 | Field-level requirement | Import declaration | Import H1: DE 3/40 Additional fiscal references identification No. - Type code at H or I level is O (H) M* (I); cardinality 1:1; format an..3.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!95
Error code/pattern: CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H1.; 3/40 Additional fiscal references identification No. - Type code at H or I level is o (h) m* (i).; Populate XML path Declaration/GoodsShipment/ DomesticDutyTaxParty/ RoleCode Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ DomesticDutyTaxParty/ RoleCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..3.; Value is drawn from HMRC codelist VatPartySubRoleTypes for these items.

TDR-R-00780 | Field-level requirement | Import declaration | Import H2: DE 3/40 Additional fiscal references identification No. - Type code at H or I level is O (H) M* (I); cardinality 1:1; format an..3.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!95
Error code/pattern: CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H2.; 3/40 Additional fiscal references identification No. - Type code at H or I level is o (h) m* (i).; Populate XML path Declaration/GoodsShipment/ DomesticDutyTaxParty/ RoleCode Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ DomesticDutyTaxParty/ RoleCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..3.; Value is drawn from HMRC codelist VatPartySubRoleTypes for these items.

TDR-R-00781 | Field-level requirement | Import declaration | Import H3: DE 3/40 Additional fiscal references identification No. - Type code at H or I level is O (H) M* (I); cardinality 1:1; format an..3.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!95
Error code/pattern: CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H3.; 3/40 Additional fiscal references identification No. - Type code at H or I level is o (h) m* (i).; Populate XML path Declaration/GoodsShipment/ DomesticDutyTaxParty/ RoleCode Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ DomesticDutyTaxParty/ RoleCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..3.; Value is drawn from HMRC codelist VatPartySubRoleTypes for these items.

TDR-R-00782 | Field-level requirement | Import declaration | Import H4: DE 3/40 Additional fiscal references identification No. - Type code at H or I level is O (H) M* (I); cardinality 1:1; format an..3.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!95
Error code/pattern: CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H4.; 3/40 Additional fiscal references identification No. - Type code at H or I level is o (h) m* (i).; Populate XML path Declaration/GoodsShipment/ DomesticDutyTaxParty/ RoleCode Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ DomesticDutyTaxParty/ RoleCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..3.; Value is drawn from HMRC codelist VatPartySubRoleTypes for these items.

TDR-R-00783 | Field-level requirement | Import declaration | Import H5: DE 3/40 Additional fiscal references identification No. - Type code at H or I level is O (H) M* (I); cardinality 1:1; format an..3.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!95
Error code/pattern: CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H5.; 3/40 Additional fiscal references identification No. - Type code at H or I level is o (h) m* (i).; Populate XML path Declaration/GoodsShipment/ DomesticDutyTaxParty/ RoleCode Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ DomesticDutyTaxParty/ RoleCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..3.; Value is drawn from HMRC codelist VatPartySubRoleTypes for these items.

TDR-R-00784 | Field-level requirement | Import declaration | Import H8: DE 3/40 Additional fiscal references identification No. - Type code at H or I level is dependent; cardinality 1:1; format an..3.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!95
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H8.; 3/40 Additional fiscal references identification No. - Type code at H or I level is dependent.; Populate XML path Declaration/GoodsShipment/ DomesticDutyTaxParty/ RoleCode Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ DomesticDutyTaxParty/ RoleCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..3.; Value is drawn from HMRC codelist VatPartySubRoleTypes for these items.

TDR-R-00785 | Field-level requirement | Import declaration | Import I1: DE 3/40 Additional fiscal references identification No. - Type code at H or I level is O (H) M* (I); cardinality 1:1; format an..3.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!95
Error code/pattern: CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is I1.; 3/40 Additional fiscal references identification No. - Type code at H or I level is o (h) m* (i).; Populate XML path Declaration/GoodsShipment/ DomesticDutyTaxParty/ RoleCode Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ DomesticDutyTaxParty/ RoleCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..3.; Value is drawn from HMRC codelist VatPartySubRoleTypes for these items.

TDR-R-00786 | Field-level requirement | Import declaration | Import I1 (B&E): DE 3/40 Additional fiscal references identification No. - Type code at H or I level is O (H) M* (I); cardinality 1:1; format an..3.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!95
Error code/pattern: CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is I1 (B&E).; 3/40 Additional fiscal references identification No. - Type code at H or I level is o (h) m* (i).; Populate XML path Declaration/GoodsShipment/ DomesticDutyTaxParty/ RoleCode Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ DomesticDutyTaxParty/ RoleCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..3.; Value is drawn from HMRC codelist VatPartySubRoleTypes for these items.

TDR-R-00787 | Field-level requirement | Import declaration | Import C21I: DE 3/40 Additional fiscal references identification No. - Type code at H or I level is O (H) M* (I); cardinality 1:1; format an..3.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!95
Error code/pattern: CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is C21I.; 3/40 Additional fiscal references identification No. - Type code at H or I level is o (h) m* (i).; Populate XML path Declaration/GoodsShipment/ DomesticDutyTaxParty/ RoleCode Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ DomesticDutyTaxParty/ RoleCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..3.; Value is drawn from HMRC codelist VatPartySubRoleTypes for these items.

TDR-R-00788 | Field-level requirement | Import declaration | Import C21I EIDR: DE 3/40 Additional fiscal references identification No. - Type code at H or I level is O (H) M* (I); cardinality 1:1; format an..3.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!95
Error code/pattern: CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is C21I EIDR.; 3/40 Additional fiscal references identification No. - Type code at H or I level is o (h) m* (i).; Populate XML path Declaration/GoodsShipment/ DomesticDutyTaxParty/ RoleCode Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ DomesticDutyTaxParty/ RoleCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..3.; Value is drawn from HMRC codelist VatPartySubRoleTypes for these items.

TDR-R-00789 | Field-level requirement | Import declaration | Import SRDS: DE 3/40 Additional fiscal references identification No. - Type code at H or I level is M* (H) M* (I); cardinality 1:1; format an..3.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!95
Error code/pattern: CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is SRDS.; 3/40 Additional fiscal references identification No. - Type code at H or I level is m* (h) m* (i).; Populate XML path Declaration/GoodsShipment/ DomesticDutyTaxParty/ RoleCode Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ DomesticDutyTaxParty/ RoleCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..3.; Value is drawn from HMRC codelist VatPartySubRoleTypes for these items.

TDR-R-00790 | Field-level requirement | Import declaration | Import H1: DE 3/41 Person Presenting the Goods to Customs in case of Entry in the Declarant's Records (EIDR) or Pre-Lodged Customs Declaration Identification Number at H level is mandatory; cardinality 1x; format an..17.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!96
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H1.; 3/41 Person Presenting the Goods to Customs in case of Entry in the Declarant's Records (EIDR) or Pre-Lodged Customs Declaration Identification Number at H level is mandatory.; Populate XML path Declaration/ Declarant/ ID only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format an..17.

TDR-R-00791 | Field-level requirement | Import declaration | Import H2: DE 3/41 Person Presenting the Goods to Customs in case of Entry in the Declarant's Records (EIDR) or Pre-Lodged Customs Declaration Identification Number at H level is mandatory; cardinality 1x; format an..17.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!96
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H2.; 3/41 Person Presenting the Goods to Customs in case of Entry in the Declarant's Records (EIDR) or Pre-Lodged Customs Declaration Identification Number at H level is mandatory.; Populate XML path Declaration/ Declarant/ ID only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format an..17.

TDR-R-00792 | Field-level requirement | Import declaration | Import H3: DE 3/41 Person Presenting the Goods to Customs in case of Entry in the Declarant's Records (EIDR) or Pre-Lodged Customs Declaration Identification Number at H level is mandatory; cardinality 1x; format an..17.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!96
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H3.; 3/41 Person Presenting the Goods to Customs in case of Entry in the Declarant's Records (EIDR) or Pre-Lodged Customs Declaration Identification Number at H level is mandatory.; Populate XML path Declaration/ Declarant/ ID only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format an..17.

TDR-R-00793 | Field-level requirement | Import declaration | Import H4: DE 3/41 Person Presenting the Goods to Customs in case of Entry in the Declarant's Records (EIDR) or Pre-Lodged Customs Declaration Identification Number at H level is mandatory; cardinality 1x; format an..17.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!96
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H4.; 3/41 Person Presenting the Goods to Customs in case of Entry in the Declarant's Records (EIDR) or Pre-Lodged Customs Declaration Identification Number at H level is mandatory.; Populate XML path Declaration/ Declarant/ ID only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format an..17.

TDR-R-00794 | Field-level requirement | Import declaration | Import H5: DE 3/41 Person Presenting the Goods to Customs in case of Entry in the Declarant's Records (EIDR) or Pre-Lodged Customs Declaration Identification Number at H level is mandatory; cardinality 1x; format an..17.

Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!96
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H5.; 3/41 Person Presenting the Goods to Customs in case of Entry in the Declarant's Records (EIDR) or Pre-Lodged Customs Declaration Identification Number at H level is mandatory.; Populate XML path Declaration/ Declarant/ ID only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format an..17.

TDR-R-00795 | Field-level requirement | Import declaration | Import I1: DE 3/41 Person Presenting the Goods to Customs in case of Entry in the Declarant's Records (EIDR) or Pre-Lodged Customs Declaration Identification Number at H level is mandatory; cardinality 1x; format an..17.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!96
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is I1.; 3/41 Person Presenting the Goods to Customs in case of Entry in the Declarant's Records (EIDR) or Pre-Lodged Customs Declaration Identification Number at H level is mandatory.; Populate XML path Declaration/ Declarant/ ID only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format an..17.

TDR-R-00796 | Field-level requirement | Import declaration | Import I1 (B&E): DE 3/41 Person Presenting the Goods to Customs in case of Entry in the Declarant's Records (EIDR) or Pre-Lodged Customs Declaration Identification Number at H level is mandatory; cardinality 1x; format an..17.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!96
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is I1 (B&E).; 3/41 Person Presenting the Goods to Customs in case of Entry in the Declarant's Records (EIDR) or Pre-Lodged Customs Declaration Identification Number at H level is mandatory.; Populate XML path Declaration/ Declarant/ ID only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format an..17.

TDR-R-00797 | Field-level requirement | Import declaration | Import C21I: DE 3/41 Person Presenting the Goods to Customs in case of Entry in the Declarant's Records (EIDR) or Pre-Lodged Customs Declaration Identification Number at H level is mandatory; cardinality 1x; format an..17.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!96
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is C21I.; 3/41 Person Presenting the Goods to Customs in case of Entry in the Declarant's Records (EIDR) or Pre-Lodged Customs Declaration Identification Number at H level is mandatory.; Populate XML path Declaration/ Declarant/ ID only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format an..17.

TDR-R-00798 | Field-level requirement | Import declaration | Import C21I EIDR: DE 3/41 Person Presenting the Goods to Customs in case of Entry in the Declarant's Records (EIDR) or Pre-Lodged Customs Declaration Identification Number at H level is mandatory; cardinality 1x; format an..17.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!96
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is C21I EIDR.; 3/41 Person Presenting the Goods to Customs in case of Entry in the Declarant's Records (EIDR) or Pre-Lodged Customs Declaration Identification Number at H level is mandatory.; Populate XML path Declaration/ Declarant/ ID only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format an..17.

TDR-R-00799 | Field-level requirement | Import declaration | Import H1: DE 4/1 Delivery terms at H level is dependent; cardinality 1x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!97
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H1.; 4/1 Delivery terms at H level is dependent.; Populate XML path Declaration/GoodsShipment/ TradeTerms only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format -.

TDR-R-00800 | Field-level requirement | Import declaration | Import H3: DE 4/1 Delivery terms at H level is dependent; cardinality 1x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!97
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H3.; 4/1 Delivery terms at H level is dependent.; Populate XML path Declaration/GoodsShipment/ TradeTerms only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format -.

TDR-R-00801 | Field-level requirement | Import declaration | Import H4: DE 4/1 Delivery terms at H level is dependent; cardinality 1x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!97
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H4.; 4/1 Delivery terms at H level is dependent.; Populate XML path Declaration/GoodsShipment/ TradeTerms only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format -.

TDR-R-00802 | Field-level requirement | Import declaration | Import H5: DE 4/1 Delivery terms at H level is dependent; cardinality 1x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!97
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H5.; 4/1 Delivery terms at H level is dependent.; Populate XML path Declaration/GoodsShipment/ TradeTerms only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format -.

TDR-R-00803 | Field-level requirement | Import declaration | Import I1: DE 4/1 Delivery terms at H level is dependent; cardinality 1x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!97
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is I1.; 4/1 Delivery terms at H level is dependent.; Populate XML path Declaration/GoodsShipment/ TradeTerms only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format -.

TDR-R-00804 | Field-level requirement | Import declaration | Import I1 (B&E): DE 4/1 Delivery terms at H level is dependent; cardinality 1x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!97
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is I1 (B&E).; 4/1 Delivery terms at H level is dependent.; Populate XML path Declaration/GoodsShipment/ TradeTerms only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format -.

TDR-R-00805 | Field-level requirement | Import declaration | Import C21I: DE 4/1 Delivery terms at H level is not allowed; cardinality 1x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!97
Error code/pattern: CDS10002 | CDS10010 | xml_validation_error

Acceptance: Import declaration context is C21I.; 4/1 Delivery terms at H level is not allowed.; Populate XML path Declaration/GoodsShipment/ TradeTerms only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format -.

TDR-R-00806 | Field-level requirement | Import declaration | Import H1: DE 4/1 Delivery terms - INCOTERM code at H level is dependent; cardinality 1:1; format a3.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!98
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H1.; 4/1 Delivery terms - INCOTERM code at H level is dependent.; Populate XML path Declaration/GoodsShipment/ TradeTerms/ ConditionCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a3.; Value is drawn from HMRC codelist IncoTermCodes for these items.

TDR-R-00807 | Field-level requirement | Import declaration | Import H3: DE 4/1 Delivery terms - INCOTERM code at H level is dependent; cardinality 1:1; format a3.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!98
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H3.; 4/1 Delivery terms - INCOTERM code at H level is dependent.; Populate XML path Declaration/GoodsShipment/ TradeTerms/ ConditionCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a3.; Value is drawn from HMRC codelist IncoTermCodes for these items.

TDR-R-00808 | Field-level requirement | Import declaration | Import H4: DE 4/1 Delivery terms - INCOTERM code at H level is dependent; cardinality 1:1; format a3.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!98
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H4.; 4/1 Delivery terms - INCOTERM code at H level is dependent.; Populate XML path Declaration/GoodsShipment/ TradeTerms/ ConditionCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a3.; Value is drawn from HMRC codelist IncoTermCodes for these items.

TDR-R-00809 | Field-level requirement | Import declaration | Import H5: DE 4/1 Delivery terms - INCOTERM code at H level is dependent; cardinality 1:1; format a3.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!98
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H5.; 4/1 Delivery terms - INCOTERM code at H level is dependent.; Populate XML path Declaration/GoodsShipment/ TradeTerms/ ConditionCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a3.; Value is drawn from HMRC codelist IncoTermCodes for these items.

TDR-R-00810 | Field-level requirement | Import declaration | Import I1: DE 4/1 Delivery terms - INCOTERM code at H level is dependent; cardinality 1:1; format a3.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!98
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is I1.; 4/1 Delivery terms - INCOTERM code at H level is dependent.; Populate XML path Declaration/GoodsShipment/ TradeTerms/ ConditionCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a3.; Value is drawn from HMRC codelist IncoTermCodes for these items.

TDR-R-00811 | Field-level requirement | Import declaration | Import I1 (B&E): DE 4/1 Delivery terms - INCOTERM code at H level is dependent; cardinality 1:1; format a3.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!98
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is I1 (B&E).; 4/1 Delivery terms - INCOTERM code at H level is dependent.; Populate XML path Declaration/GoodsShipment/ TradeTerms/ ConditionCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a3.; Value is drawn from HMRC codelist IncoTermCodes for these items.

TDR-R-00812 | Field-level requirement | Import declaration | Import C21I: DE 4/1 Delivery terms - INCOTERM code at H level is not allowed; cardinality 1:1; format a3.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!98
Error code/pattern: CDS10002 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is C21I.; 4/1 Delivery terms - INCOTERM code at H level is not allowed.; Populate XML path Declaration/GoodsShipment/ TradeTerms/ ConditionCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a3.; Value is drawn from HMRC codelist IncoTermCodes for these items.

TDR-R-00813 | Field-level requirement | Import declaration | Import H1: DE 4/1 Delivery terms - UN/LOCODE code at H level is dependent; cardinality 1:1; format an..17.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!99
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H1.; 4/1 Delivery terms - UN/LOCODE code at H level is dependent.; Populate XML path Declaration/GoodsShipment/ TradeTerms/ LocationID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..17.

TDR-R-00814 | Field-level requirement | Import declaration | Import H3: DE 4/1 Delivery terms - UN/LOCODE code at H level is dependent; cardinality 1:1; format an..17.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!99
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H3.; 4/1 Delivery terms - UN/LOCODE code at H level is dependent.; Populate XML path Declaration/GoodsShipment/ TradeTerms/ LocationID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..17.

TDR-R-00815 | Field-level requirement | Import declaration | Import H4: DE 4/1 Delivery terms - UN/LOCODE code at H level is dependent; cardinality 1:1; format an..17.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!99

Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H4.; 4/1 Delivery terms - UN/LOCODE code at H level is dependent.; Populate XML path Declaration/GoodsShipment/ TradeTerms/ LocationID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..17.

TDR-R-00816 | Field-level requirement | Import declaration | Import H5: DE 4/1 Delivery terms - UN/LOCODE code at H level is dependent; cardinality 1:1; format an..17.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!99
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H5.; 4/1 Delivery terms - UN/LOCODE code at H level is dependent.; Populate XML path Declaration/GoodsShipment/ TradeTerms/ LocationID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..17.

TDR-R-00817 | Field-level requirement | Import declaration | Import I1: DE 4/1 Delivery terms - UN/LOCODE code at H level is dependent; cardinality 1:1; format an..17.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!99
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is I1.; 4/1 Delivery terms - UN/LOCODE code at H level is dependent.; Populate XML path Declaration/GoodsShipment/ TradeTerms/ LocationID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..17.

TDR-R-00818 | Field-level requirement | Import declaration | Import I1 (B&E): DE 4/1 Delivery terms - UN/LOCODE code at H level is dependent; cardinality 1:1; format an..17.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!99
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is I1 (B&E).; 4/1 Delivery terms - UN/LOCODE code at H level is dependent.; Populate XML path Declaration/GoodsShipment/ TradeTerms/ LocationID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..17.

TDR-R-00819 | Field-level requirement | Import declaration | Import C21I: DE 4/1 Delivery terms - UN/LOCODE code at H level is not allowed; cardinality 1:1; format an..17.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!99
Error code/pattern: CDS10002 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is C21I.; 4/1 Delivery terms - UN/LOCODE code at H level is not allowed.; Populate XML path Declaration/GoodsShipment/ TradeTerms/ LocationID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..17.

TDR-R-00820 | Field-level requirement | Import declaration | Import H1: DE 4/1 Delivery terms - Country Code + Location Name at H level is dependent; cardinality 1:1; format an..37.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!100
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H1.; 4/1 Delivery terms - Country Code + Location Name at H level is dependent.; Populate XML path Declaration/ GoodsShipment/ TradeTerms/ LocationName only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..37.; Value is drawn from HMRC codelist CountryTypes for these items.

TDR-R-00821 | Field-level requirement | Import declaration | Import H3: DE 4/1 Delivery terms - Country Code + Location Name at H level is dependent; cardinality 1:1; format an..37.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!100
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H3.; 4/1 Delivery terms - Country Code + Location Name at H level is dependent.; Populate XML path Declaration/ GoodsShipment/ TradeTerms/ LocationName only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..37.; Value is drawn from HMRC codelist CountryTypes for these items.

TDR-R-00822 | Field-level requirement | Import declaration | Import H4: DE 4/1 Delivery terms - Country Code + Location Name at H level is dependent; cardinality 1:1; format an..37.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!100
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H4.; 4/1 Delivery terms - Country Code + Location Name at H level is dependent.; Populate XML path Declaration/ GoodsShipment/ TradeTerms/ LocationName only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..37.; Value is drawn from HMRC codelist CountryTypes for these items.

TDR-R-00823 | Field-level requirement | Import declaration | Import H5: DE 4/1 Delivery terms - Country Code + Location Name at H level is dependent; cardinality 1:1; format an..37.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!100
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H5.; 4/1 Delivery terms - Country Code + Location Name at H level is dependent.; Populate XML path Declaration/ GoodsShipment/ TradeTerms/ LocationName only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..37.; Value is drawn from HMRC codelist CountryTypes for these items.

TDR-R-00824 | Field-level requirement | Import declaration | Import I1: DE 4/1 Delivery terms - Country Code + Location Name at H level is dependent; cardinality 1:1; format an..37.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!100
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is I1.; 4/1 Delivery terms - Country Code + Location Name at H level is dependent.; Populate XML path Declaration/ GoodsShipment/ TradeTerms/ LocationName only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..37.; Value is drawn from HMRC codelist CountryTypes for these items.

TDR-R-00825 | Field-level requirement | Import declaration | Import I1 (B&E): DE 4/1 Delivery terms - Country Code + Location Name at H level is dependent; cardinality 1:1; format an..37.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!100
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is I1 (B&E).; 4/1 Delivery terms - Country Code + Location Name at H level is dependent.; Populate XML path Declaration/ GoodsShipment/ TradeTerms/ LocationName only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..37.; Value is drawn from HMRC codelist CountryTypes for these items.

TDR-R-00826 | Field-level requirement | Import declaration | Import C21I: DE 4/1 Delivery terms - Country Code + Location Name at H level is not allowed; cardinality 1:1; format an..37.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!100
Error code/pattern: CDS10002 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is C21I.; 4/1 Delivery terms - Country Code + Location Name at H level is not allowed.; Populate XML path Declaration/ GoodsShipment/ TradeTerms/ LocationName only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..37.; Value is drawn from HMRC codelist CountryTypes for these items.

TDR-R-00827 | Field-level requirement | Import declaration | Import H1: DE 4/3 Calculation of Taxes - Tax type at I level is dependent; cardinality 99x; format an3.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!101
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H1.; 4/3 Calculation of Taxes - Tax type at I level is dependent.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ DutyTaxFee/ TypeCode only where this rule permits it.; Respect cardinality 99x.; Value conforms to HMRC format an3.; Value is drawn from HMRC codelist DutyTaxFeeTypes for these items.

TDR-R-00828 | Field-level requirement | Import declaration | Import H3: DE 4/3 Calculation of Taxes - Tax type at I level is dependent; cardinality 99x; format an3.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!101
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H3.; 4/3 Calculation of Taxes - Tax type at I level is dependent.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ DutyTaxFee/ TypeCode only where this rule permits it.; Respect cardinality 99x.; Value conforms to HMRC format an3.; Value is drawn from HMRC codelist DutyTaxFeeTypes for these items.

TDR-R-00829 | Field-level requirement | Import declaration | Import H4: DE 4/3 Calculation of Taxes - Tax type at I level is dependent; cardinality 99x; format an3.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!101
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H4.; 4/3 Calculation of Taxes - Tax type at I level is dependent.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ DutyTaxFee/ TypeCode only where this rule permits it.; Respect cardinality 99x.; Value conforms to HMRC format an3.; Value is drawn from HMRC codelist DutyTaxFeeTypes for these items.

TDR-R-00830 | Field-level requirement | Import declaration | Import H5: DE 4/3 Calculation of Taxes - Tax type at I level is dependent; cardinality 99x; format an3.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!101
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H5.; 4/3 Calculation of Taxes - Tax type at I level is dependent.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ DutyTaxFee/ TypeCode only where this rule permits it.; Respect cardinality 99x.; Value conforms to HMRC format an3.; Value is drawn from HMRC codelist DutyTaxFeeTypes for these items.

TDR-R-00831 | Field-level requirement | Import declaration | Import I1: DE 4/3 Calculation of Taxes - Tax type at I level is dependent; cardinality 99x; format an3.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!101
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is I1.; 4/3 Calculation of Taxes - Tax type at I level is dependent.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ DutyTaxFee/ TypeCode only where this rule permits it.; Respect cardinality 99x.; Value conforms to HMRC format an3.; Value is drawn from HMRC codelist DutyTaxFeeTypes for these items.

TDR-R-00832 | Field-level requirement | Import declaration | Import I1 (B&E): DE 4/3 Calculation of Taxes - Tax type at I level is dependent; cardinality 99x; format an3.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!101
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is I1 (B&E).; 4/3 Calculation of Taxes - Tax type at I level is dependent.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ DutyTaxFee/ TypeCode only where this rule permits it.; Respect cardinality 99x.; Value conforms to HMRC format an3.; Value is drawn from HMRC codelist DutyTaxFeeTypes for these items.

TDR-R-00833 | Field-level requirement | Import declaration | Import C21I: DE 4/3 Calculation of Taxes - Tax type at I level is dependent; cardinality 99x; format an3.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!101
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is C21I.; 4/3 Calculation of Taxes - Tax type at I level is dependent.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ DutyTaxFee/ TypeCode only where this rule permits it.; Respect cardinality 99x.; Value conforms to HMRC format an3.; Value is drawn from HMRC codelist DutyTaxFeeTypes for these items.

TDR-R-00834 | Field-level requirement | Import declaration | Import H1: DE 4/4 Calculation of Taxes - Tax Base at I level is dependent; cardinality 99x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!102
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H1.; 4/4 Calculation of Taxes - Tax Base at I level is dependent.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ DutyTaxFee/ SpecificTaxBaseQuantity only where this rule permits it.; Respect cardinality 99x.; Value conforms to HMRC format -.

TDR-R-00835 | Field-level requirement | Import declaration | Import H3: DE 4/4 Calculation of Taxes - Tax Base at I level is dependent; cardinality 99x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!102
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H3.; 4/4 Calculation of Taxes - Tax Base at I level is dependent.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ DutyTaxFee/ SpecificTaxBaseQuantity only where this rule permits it.; Respect cardinality 99x.; Value conforms to HMRC format -.

TDR-R-00836 | Field-level requirement | Import declaration | Import H4: DE 4/4 Calculation of Taxes - Tax Base at I level is dependent; cardinality 99x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!102
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H4.; 4/4 Calculation of Taxes - Tax Base at I level is dependent.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ DutyTaxFee/ SpecificTaxBaseQuantity only where this rule permits it.; Respect cardinality 99x.; Value conforms to HMRC format -.

TDR-R-00837 | Field-level requirement | Import declaration | Import H5: DE 4/4 Calculation of Taxes - Tax Base at I level is dependent; cardinality 99x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!102
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H5.; 4/4 Calculation of Taxes - Tax Base at I level is dependent.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ DutyTaxFee/ SpecificTaxBaseQuantity only where this rule permits it.; Respect cardinality 99x.; Value conforms to HMRC format -.

TDR-R-00838 | Field-level requirement | Import declaration | Import I1: DE 4/4 Calculation of Taxes - Tax Base at I level is dependent; cardinality 99x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!102
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is I1.; 4/4 Calculation of Taxes - Tax Base at I level is dependent.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ DutyTaxFee/ SpecificTaxBaseQuantity only where this rule permits it.; Respect cardinality 99x.; Value conforms to HMRC format -.

TDR-R-00839 | Field-level requirement | Import declaration | Import I1 (B&E): DE 4/4 Calculation of Taxes - Tax Base at I level is dependent; cardinality 99x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!102
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is I1 (B&E).; 4/4 Calculation of Taxes - Tax Base at I level is dependent.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ DutyTaxFee/ SpecificTaxBaseQuantity only where this rule permits it.; Respect cardinality 99x.; Value conforms to HMRC format -.

TDR-R-00840 | Field-level requirement | Import declaration | Import C21I: DE 4/4 Calculation of Taxes - Tax Base at I level is dependent; cardinality 99x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!102
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is C21I.; 4/4 Calculation of Taxes - Tax Base at I level is dependent.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ DutyTaxFee/ SpecificTaxBaseQuantity only where this rule permits it.; Respect cardinality 99x.; Value conforms to HMRC format -.

TDR-R-00841 | Field-level requirement | Import declaration | Import H1: DE 4/4 Calculation of Taxes - Tax Base - Quantity at I level is mandatory when the group-level item is present; cardinality 1:1; format n..16,6.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!103
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H1.; 4/4 Calculation of Taxes - Tax Base - Quantity at I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ DutyTaxFee/ SpecificTaxBaseQuantity only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format n..16,6.

TDR-R-00842 | Field-level requirement | Import declaration | Import H3: DE 4/4 Calculation of Taxes - Tax Base - Quantity at I level is mandatory when the group-level item is present; cardinality 1:1; format n..16,6.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!103
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H3.; 4/4 Calculation of Taxes - Tax Base - Quantity at I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ DutyTaxFee/ SpecificTaxBaseQuantity only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format n..16,6.

TDR-R-00843 | Field-level requirement | Import declaration | Import H4: DE 4/4 Calculation of Taxes - Tax Base - Quantity at I level is mandatory when the group-level item is present; cardinality 1:1; format n..16,6.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!103
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H4.; 4/4 Calculation of Taxes - Tax Base - Quantity at I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ DutyTaxFee/ SpecificTaxBaseQuantity only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format n..16,6.

TDR-R-00844 | Field-level requirement | Import declaration | Import H5: DE 4/4 Calculation of Taxes - Tax Base - Quantity at I level is mandatory when the group-level item is present; cardinality 1:1; format n..16,6.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!103
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H5.; 4/4 Calculation of Taxes - Tax Base - Quantity at I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ DutyTaxFee/ SpecificTaxBaseQuantity only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format n..16,6.

TDR-R-00845 | Field-level requirement | Import declaration | Import I1: DE 4/4 Calculation of Taxes - Tax Base - Quantity at I level is mandatory when the group-level item is present; cardinality 1:1; format n..16,6.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!103
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is I1.; 4/4 Calculation of Taxes - Tax Base - Quantity at I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ DutyTaxFee/ SpecificTaxBaseQuantity only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format n..16,6.

TDR-R-00846 | Field-level requirement | Import declaration | Import I1 (B&E): DE 4/4 Calculation of Taxes - Tax Base - Quantity at I level is mandatory when the group-level item is present; cardinality 1:1; format n..16,6.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!103
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is I1 (B&E).; 4/4 Calculation of Taxes - Tax Base - Quantity at I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ DutyTaxFee/ SpecificTaxBaseQuantity only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format n..16,6.

TDR-R-00847 | Field-level requirement | Import declaration | Import C21I: DE 4/4 Calculation of Taxes - Tax Base - Quantity at I level is mandatory when the group-level item is present; cardinality 1:1; format n..16,6.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!103
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is C21I.; 4/4 Calculation of Taxes - Tax Base - Quantity at I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ DutyTaxFee/ SpecificTaxBaseQuantity only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format n..16,6.

TDR-R-00848 | Field-level requirement | Import declaration | Import H1: DE 4/4 Calculation of Taxes - Tax Base - Unit and Qualifier at I level is mandatory when the group-level item is present; cardinality 1:1; format an..6.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!104
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H1.; 4/4 Calculation of Taxes - Tax Base - Unit and Qualifier at I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ DutyTaxFee/ SpecificTaxBaseQuantity @unitCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..6.; Value is drawn from HMRC codelist MeasureUnitTypes for these items.

TDR-R-00849 | Field-level requirement | Import declaration | Import H3: DE 4/4 Calculation of Taxes - Tax Base - Unit and Qualifier at I level is mandatory when the group-level item is present; cardinality 1:1; format an..6.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!104
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H3.; 4/4 Calculation of Taxes - Tax Base - Unit and Qualifier at I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ DutyTaxFee/ SpecificTaxBaseQuantity @unitCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..6.; Value is drawn from HMRC codelist MeasureUnitTypes for these items.

TDR-R-00850 | Field-level requirement | Import declaration | Import H4: DE 4/4 Calculation of Taxes - Tax Base - Unit and Qualifier at I level is mandatory when the group-level item is present; cardinality 1:1; format an..6.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!104
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H4.; 4/4 Calculation of Taxes - Tax Base - Unit and Qualifier at I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ DutyTaxFee/ SpecificTaxBaseQuantity @unitCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..6.; Value is drawn from HMRC codelist MeasureUnitTypes for these items.

TDR-R-00851 | Field-level requirement | Import declaration | Import H5: DE 4/4 Calculation of Taxes - Tax Base - Unit and Qualifier at I level is mandatory when the group-level item is present; cardinality 1:1; format an..6.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!104
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H5.; 4/4 Calculation of Taxes - Tax Base - Unit and Qualifier at I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ DutyTaxFee/ SpecificTaxBaseQuantity @unitCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..6.; Value is drawn from HMRC codelist MeasureUnitTypes for these items.

TDR-R-00852 | Field-level requirement | Import declaration | Import I1: DE 4/4 Calculation of Taxes - Tax Base - Unit and Qualifier at I level is mandatory when the group-level item is present; cardinality 1:1; format an..6.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!104
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is I1.; 4/4 Calculation of Taxes - Tax Base - Unit and Qualifier at I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ DutyTaxFee/ SpecificTaxBaseQuantity @unitCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..6.; Value is drawn from HMRC codelist MeasureUnitTypes for these items.

TDR-R-00853 | Field-level requirement | Import declaration | Import I1 (B&E): DE 4/4 Calculation of Taxes - Tax Base - Unit and Qualifier at I level is mandatory when the group-level item is present; cardinality 1:1; format an..6.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!104
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is I1 (B&E).; 4/4 Calculation of Taxes - Tax Base - Unit and Qualifier at I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ DutyTaxFee/ SpecificTaxBaseQuantity @unitCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..6.; Value is drawn from HMRC codelist MeasureUnitTypes for these items.

TDR-R-00854 | Field-level requirement | Import declaration | Import C21I: DE 4/4 Calculation of Taxes - Tax Base - Unit and Qualifier at I level is mandatory when the group-level item is present; cardinality 1:1; format an..6.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!104
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is C21I.; 4/4 Calculation of Taxes - Tax Base - Unit and Qualifier at I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ DutyTaxFee/ SpecificTaxBaseQuantity @unitCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..6.; Value is drawn from HMRC codelist MeasureUnitTypes for these items.

TDR-R-00855 | Field-level requirement | Import declaration | Import I1: DE 4/5 Calculation of Taxes - Tax Rate at I level is not allowed; cardinality 99x; format n..17,3.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!105
Error code/pattern: CDS10002 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is I1.; 4/5 Calculation of Taxes - Tax Rate at I level is not allowed.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ DutyTaxFee/ TaxRateNumeric only where this rule permits it.; Respect cardinality 99x.; Value conforms to HMRC format n..17,3.

TDR-R-00856 | Field-level requirement | Import declaration | Import H1: DE 4/6 Calculation of Taxes at I level is dependent; cardinality 99x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!106
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H1.; 4/6 Calculation of Taxes at I level is dependent.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ DutyTaxFee/ Payment/ PaymentAmount only where this rule permits it.; Respect cardinality 99x.; Value conforms to HMRC format -.

TDR-R-00857 | Field-level requirement | Import declaration | Import H3: DE 4/6 Calculation of Taxes at I level is dependent; cardinality 99x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!106
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H3.; 4/6 Calculation of Taxes at I level is dependent.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ DutyTaxFee/ Payment/ PaymentAmount only where this rule permits it.; Respect cardinality 99x.; Value conforms to HMRC format -.

TDR-R-00858 | Field-level requirement | Import declaration | Import H4: DE 4/6 Calculation of Taxes at I level is dependent; cardinality 99x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!106
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H4.; 4/6 Calculation of Taxes at I level is dependent.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ DutyTaxFee/ Payment/ PaymentAmount only where this rule permits it.; Respect cardinality 99x.; Value conforms to HMRC format -.

TDR-R-00859 | Field-level requirement | Import declaration | Import H5: DE 4/6 Calculation of Taxes at I level is dependent; cardinality 99x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!106
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H5.; 4/6 Calculation of Taxes at I level is dependent.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ DutyTaxFee/ Payment/ PaymentAmount only where this rule permits it.; Respect cardinality 99x.; Value conforms to HMRC format -.

TDR-R-00860 | Field-level requirement | Import declaration | Import I1: DE 4/6 Calculation of Taxes at I level is dependent; cardinality 99x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!106
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is I1.; 4/6 Calculation of Taxes at I level is dependent.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ DutyTaxFee/ Payment/ PaymentAmount only where this rule permits it.; Respect cardinality 99x.; Value conforms to HMRC format -.

TDR-R-00861 | Field-level requirement | Import declaration | Import I1 (B&E): DE 4/6 Calculation of Taxes at I level is dependent; cardinality 99x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!106
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is I1 (B&E).; 4/6 Calculation of Taxes at I level is dependent.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ DutyTaxFee/ Payment/ PaymentAmount only where this rule permits it.; Respect cardinality 99x.; Value conforms to HMRC format -.

TDR-R-00862 | Field-level requirement | Import declaration | Import C21I: DE 4/6 Calculation of Taxes at I level is dependent; cardinality 99x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!106
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is C21I.; 4/6 Calculation of Taxes at I level is dependent.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ DutyTaxFee/ Payment/ PaymentAmount only where this rule permits it.; Respect cardinality 99x.; Value conforms to HMRC format -.

TDR-R-00863 | Field-level requirement | Import declaration | Import C21I EIDR: DE 4/6 Calculation of Taxes at I level is dependent; cardinality 99x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!106
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is C21I EIDR.; 4/6 Calculation of Taxes at I level is dependent.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ DutyTaxFee/ Payment/ PaymentAmount only where this rule permits

it.; Respect cardinality 99x.; Value conforms to HMRC format -.

TDR-R-00864 | Field-level requirement | Import declaration | Import H1: DE 4/6 Calculation of Taxes - Payable tax amount at I level is mandatory when the group-level item is present; cardinality 1:1; format n..16,2.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!107
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H1.; 4/6 Calculation of Taxes - Payable tax amount at I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ DutyTaxFee/ Payment/ PaymentAmount only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format n..16,2.

TDR-R-00865 | Field-level requirement | Import declaration | Import H3: DE 4/6 Calculation of Taxes - Payable tax amount at I level is mandatory when the group-level item is present; cardinality 1:1; format n..16,2.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!107
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H3.; 4/6 Calculation of Taxes - Payable tax amount at I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ DutyTaxFee/ Payment/ PaymentAmount only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format n..16,2.

TDR-R-00866 | Field-level requirement | Import declaration | Import H4: DE 4/6 Calculation of Taxes - Payable tax amount at I level is mandatory when the group-level item is present; cardinality 1:1; format n..16,2.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!107
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H4.; 4/6 Calculation of Taxes - Payable tax amount at I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ DutyTaxFee/ Payment/ PaymentAmount only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format n..16,2.

TDR-R-00867 | Field-level requirement | Import declaration | Import H5: DE 4/6 Calculation of Taxes - Payable tax amount at I level is mandatory when the group-level item is present; cardinality 1:1; format n..16,2.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!107
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H5.; 4/6 Calculation of Taxes - Payable tax amount at I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ DutyTaxFee/ Payment/ PaymentAmount only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format n..16,2.

TDR-R-00868 | Field-level requirement | Import declaration | Import I1: DE 4/6 Calculation of Taxes - Payable tax amount at I level is mandatory when the group-level item is present; cardinality 1:1; format n..16,2.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!107
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is I1.; 4/6 Calculation of Taxes - Payable tax amount at I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ DutyTaxFee/ Payment/ PaymentAmount only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format n..16,2.

TDR-R-00869 | Field-level requirement | Import declaration | Import I1 (B&E): DE 4/6 Calculation of Taxes - Payable tax amount at I level is mandatory when the group-level item is present; cardinality 1:1; format n..16,2.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!107
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is I1 (B&E).; 4/6 Calculation of Taxes - Payable tax amount at I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ DutyTaxFee/ Payment/ PaymentAmount only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format n..16,2.

TDR-R-00870 | Field-level requirement | Import declaration | Import C21I: DE 4/6 Calculation of Taxes - Payable tax amount at I level is mandatory when the group-level item is present; cardinality 1:1; format n..16,2.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!107
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is C21I.; 4/6 Calculation of Taxes - Payable tax amount at I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ DutyTaxFee/ Payment/ PaymentAmount only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format n..16,2.

TDR-R-00871 | Field-level requirement | Import declaration | Import C21I EIDR: DE 4/6 Calculation of Taxes - Payable tax amount at I level is mandatory when the group-level item is present; cardinality 1:1; format n..16,2.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!107
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is C21I EIDR.; 4/6 Calculation of Taxes - Payable tax amount at I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ DutyTaxFee/ Payment/ PaymentAmount only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format n..16,2.

TDR-R-00872 | Field-level requirement | Import declaration | Import H1: DE 4/6 Calculation of Taxes - Payable tax amount - Currency at I level is mandatory when the group-level item is present; cardinality 1:1; format a3 Must be Upper Case Defaults to GBP.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!108
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H1.; 4/6 Calculation of Taxes - Payable tax amount - Currency at I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ DutyTaxFee/ Payment/ PaymentAmount @currencyID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a3 Must be Upper Case Defaults to GBP.; Value is drawn from HMRC codelist ExchangeRateCurrencies for these items.

TDR-R-00873 | Field-level requirement | Import declaration | Import H3: DE 4/6 Calculation of Taxes - Payable tax amount - Currency at I level is mandatory when the group-level item is present; cardinality 1:1; format a3 Must be Upper Case Defaults to GBP.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!108
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020

Acceptance: Import declaration context is H3.; 4/6 Calculation of Taxes - Payable tax amount - Currency at I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ DutyTaxFee/ Payment/ PaymentAmount @currencyID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a3 Must be Upper Case Defaults to GBP.; Value is drawn from HMRC codelist ExchangeRateCurrencies for these items.

TDR-R-00874 | Field-level requirement | Import declaration | Import H4: DE 4/6 Calculation of Taxes - Payable tax amount - Currency at I level is mandatory when the group-level item is present; cardinality 1:1; format a3 Must be Upper Case Defaults to GBP.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!108
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H4.; 4/6 Calculation of Taxes - Payable tax amount - Currency at I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ DutyTaxFee/ Payment/ PaymentAmount @currencyID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a3 Must be Upper Case Defaults to GBP.; Value is drawn from HMRC codelist ExchangeRateCurrencies for these items.

TDR-R-00875 | Field-level requirement | Import declaration | Import H5: DE 4/6 Calculation of Taxes - Payable tax amount - Currency at I level is mandatory when the group-level item is present; cardinality 1:1; format a3 Must be Upper Case Defaults to GBP.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!108
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H5.; 4/6 Calculation of Taxes - Payable tax amount - Currency at I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ DutyTaxFee/ Payment/ PaymentAmount @currencyID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a3 Must be Upper Case Defaults to GBP.; Value is drawn from HMRC codelist ExchangeRateCurrencies for these items.

TDR-R-00876 | Field-level requirement | Import declaration | Import I1: DE 4/6 Calculation of Taxes - Payable tax amount - Currency at I level is mandatory when the group-level item is present; cardinality 1:1; format a3 Must be Upper Case Defaults to GBP.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!108
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is I1.; 4/6 Calculation of Taxes - Payable tax amount - Currency at I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ DutyTaxFee/ Payment/ PaymentAmount @currencyID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a3 Must be Upper Case Defaults to GBP.; Value is drawn from HMRC codelist ExchangeRateCurrencies for these items.

TDR-R-00877 | Field-level requirement | Import declaration | Import I1 (B&E): DE 4/6 Calculation of Taxes - Payable tax amount - Currency at I level is mandatory when the group-level item is present; cardinality 1:1; format a3 Must be Upper Case Defaults to GBP.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!108
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is I1 (B&E).; 4/6 Calculation of Taxes - Payable tax amount - Currency at I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ DutyTaxFee/ Payment/ PaymentAmount @currencyID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a3 Must be Upper Case Defaults to GBP.; Value is drawn from HMRC codelist ExchangeRateCurrencies for these items.

TDR-R-00878 | Field-level requirement | Import declaration | Import C21I: DE 4/6 Calculation of Taxes - Payable tax amount - Currency at I level is mandatory when the group-level item is present; cardinality 1:1; format a3 Must be Upper Case Defaults to GBP.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!108
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is C21I.; 4/6 Calculation of Taxes - Payable tax amount - Currency at I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ DutyTaxFee/ Payment/ PaymentAmount @currencyID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a3 Must be Upper Case Defaults to GBP.; Value is drawn from HMRC codelist ExchangeRateCurrencies for these items.

TDR-R-00879 | Field-level requirement | Import declaration | Import C21I EIDR: DE 4/6 Calculation of Taxes - Payable tax amount - Currency at I level is mandatory when the group-level item is present; cardinality 1:1; format a3 Must be Upper Case Defaults to GBP.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!108
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is C21I EIDR.; 4/6 Calculation of Taxes - Payable tax amount - Currency at I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ DutyTaxFee/ Payment/ PaymentAmount @currencyID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a3 Must be Upper Case Defaults to GBP.; Value is drawn from HMRC codelist ExchangeRateCurrencies for these items.

TDR-R-00880 | Field-level requirement | Import declaration | Import H1: DE 4/7 Calculation of Taxes - Total at I level is dependent; cardinality 99x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!109
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H1.; 4/7 Calculation of Taxes - Total at I level is dependent.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ DutyTaxFee/ Payment/ TaxAssessedAmount only where this rule permits it.; Respect cardinality 99x.; Value conforms to HMRC format -.

TDR-R-00881 | Field-level requirement | Import declaration | Import H3: DE 4/7 Calculation of Taxes - Total at I level is dependent; cardinality 99x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!109
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H3.; 4/7 Calculation of Taxes - Total at I level is dependent.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ DutyTaxFee/ Payment/ TaxAssessedAmount only where this rule permits it.; Respect cardinality 99x.; Value conforms to HMRC format -.

TDR-R-00882 | Field-level requirement | Import declaration | Import H4: DE 4/7 Calculation of Taxes - Total at I level is dependent; cardinality 99x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!109

Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H4.; 4/7 Calculation of Taxes - Total at I level is dependent.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ DutyTaxFee/ Payment/ TaxAssessedAmount only where this rule permits it.; Respect cardinality 99x.; Value conforms to HMRC format -.

TDR-R-00883 | Field-level requirement | Import declaration | Import H5: DE 4/7 Calculation of Taxes - Total at I level is dependent; cardinality 99x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!109
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H5.; 4/7 Calculation of Taxes - Total at I level is dependent.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ DutyTaxFee/ Payment/ TaxAssessedAmount only where this rule permits it.; Respect cardinality 99x.; Value conforms to HMRC format -.

TDR-R-00884 | Field-level requirement | Import declaration | Import I1: DE 4/7 Calculation of Taxes - Total at I level is dependent; cardinality 99x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!109
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is I1.; 4/7 Calculation of Taxes - Total at I level is dependent.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ DutyTaxFee/ Payment/ TaxAssessedAmount only where this rule permits it.; Respect cardinality 99x.; Value conforms to HMRC format -.

TDR-R-00885 | Field-level requirement | Import declaration | Import I1 (B&E): DE 4/7 Calculation of Taxes - Total at I level is dependent; cardinality 99x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!109
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is I1 (B&E).; 4/7 Calculation of Taxes - Total at I level is dependent.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ DutyTaxFee/ Payment/ TaxAssessedAmount only where this rule permits it.; Respect cardinality 99x.; Value conforms to HMRC format -.

TDR-R-00886 | Field-level requirement | Import declaration | Import C21I: DE 4/7 Calculation of Taxes - Total at I level is dependent; cardinality 99x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!109
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is C21I.; 4/7 Calculation of Taxes - Total at I level is dependent.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ DutyTaxFee/ Payment/ TaxAssessedAmount only where this rule permits it.; Respect cardinality 99x.; Value conforms to HMRC format -.

TDR-R-00887 | Field-level requirement | Import declaration | Import H1: DE 4/7 Calculation of Taxes - Total at I level is mandatory when the group-level item is present; cardinality 1:1; format n..16,2.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!110
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H1.; 4/7 Calculation of Taxes - Total at I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ DutyTaxFee/ Payment/ TaxAssessedAmount only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format n..16,2.

TDR-R-00888 | Field-level requirement | Import declaration | Import H3: DE 4/7 Calculation of Taxes - Total at I level is mandatory when the group-level item is present; cardinality 1:1; format n..16,2.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!110
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H3.; 4/7 Calculation of Taxes - Total at I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ DutyTaxFee/ Payment/ TaxAssessedAmount only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format n..16,2.

TDR-R-00889 | Field-level requirement | Import declaration | Import H4: DE 4/7 Calculation of Taxes - Total at I level is mandatory when the group-level item is present; cardinality 1:1; format n..16,2.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!110
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H4.; 4/7 Calculation of Taxes - Total at I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ DutyTaxFee/ Payment/ TaxAssessedAmount only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format n..16,2.

TDR-R-00890 | Field-level requirement | Import declaration | Import H5: DE 4/7 Calculation of Taxes - Total at I level is mandatory when the group-level item is present; cardinality 1:1; format n..16,2.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!110
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H5.; 4/7 Calculation of Taxes - Total at I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ DutyTaxFee/ Payment/ TaxAssessedAmount only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format n..16,2.

TDR-R-00891 | Field-level requirement | Import declaration | Import I1: DE 4/7 Calculation of Taxes - Total at I level is mandatory when the group-level item is present; cardinality 1:1; format n..16,2.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!110
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is I1.; 4/7 Calculation of Taxes - Total at I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ DutyTaxFee/ Payment/ TaxAssessedAmount only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format n..16,2.

TDR-R-00892 | Field-level requirement | Import declaration | Import I1 (B&E): DE 4/7 Calculation of Taxes - Total at I level is mandatory when the group-level item is present; cardinality 1:1; format n..16,2.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!110
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is I1 (B&E).; 4/7 Calculation of Taxes - Total at I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ DutyTaxFee/ Payment/ TaxAssessedAmount only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format n..16,2.

TDR-R-00893 | Field-level requirement | Import declaration | Import C21I: DE 4/7 Calculation of Taxes - Total at I level is mandatory when the group-level item is present; cardinality 1:1; format n..16,2.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!110
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is C21I.; 4/7 Calculation of Taxes - Total at I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ DutyTaxFee/ Payment/ TaxAssessedAmount only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format n..16,2.

TDR-R-00894 | Field-level requirement | Import declaration | Import H1: DE 4/7 Calculation of Taxes - Total - Currency at I level is mandatory when the group-level item is present; cardinality 1:1; format a3 Must be Upper Case Defaults to GBP.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!111
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H1.; 4/7 Calculation of Taxes - Total - Currency at I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ DutyTaxFee/ Payment/ TaxAssessedAmount @currencyID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a3 Must be Upper Case Defaults to GBP.; Value is drawn from HMRC codelist ExchangeRateCurrencies for these items.

TDR-R-00895 | Field-level requirement | Import declaration | Import H3: DE 4/7 Calculation of Taxes - Total - Currency at I level is mandatory when the group-level item is present; cardinality 1:1; format a3 Must be Upper Case Defaults to GBP.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!111
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H3.; 4/7 Calculation of Taxes - Total - Currency at I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ DutyTaxFee/ Payment/ TaxAssessedAmount @currencyID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a3 Must be Upper Case Defaults to GBP.; Value is drawn from HMRC codelist ExchangeRateCurrencies for these items.

TDR-R-00896 | Field-level requirement | Import declaration | Import H4: DE 4/7 Calculation of Taxes - Total - Currency at I level is mandatory when the group-level item is present; cardinality 1:1; format a3 Must be Upper Case Defaults to GBP.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!111
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H4.; 4/7 Calculation of Taxes - Total - Currency at I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ DutyTaxFee/ Payment/ TaxAssessedAmount @currencyID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a3 Must be Upper Case Defaults to GBP.; Value is drawn from HMRC codelist ExchangeRateCurrencies for these items.

TDR-R-00897 | Field-level requirement | Import declaration | Import H5: DE 4/7 Calculation of Taxes - Total - Currency at I level is mandatory when the group-level item is present; cardinality 1:1; format a3 Must be Upper Case Defaults to GBP.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!111
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H5.; 4/7 Calculation of Taxes - Total - Currency at I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ DutyTaxFee/ Payment/ TaxAssessedAmount @currencyID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a3 Must be Upper Case Defaults to GBP.; Value is drawn from HMRC codelist ExchangeRateCurrencies for these items.

TDR-R-00898 | Field-level requirement | Import declaration | Import I1: DE 4/7 Calculation of Taxes - Total - Currency at I level is mandatory when the group-level item is present; cardinality 1:1; format a3 Must be Upper Case Defaults to GBP.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!111
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is I1.; 4/7 Calculation of Taxes - Total - Currency at I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ DutyTaxFee/ Payment/ TaxAssessedAmount @currencyID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a3 Must be Upper Case Defaults to GBP.; Value is drawn from HMRC codelist ExchangeRateCurrencies for these items.

TDR-R-00899 | Field-level requirement | Import declaration | Import I1 (B&E): DE 4/7 Calculation of Taxes - Total - Currency at I level is mandatory when the group-level item is present; cardinality 1:1; format a3 Must be Upper Case Defaults to GBP.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!111
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is I1 (B&E).; 4/7 Calculation of Taxes - Total - Currency at I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ DutyTaxFee/ Payment/ TaxAssessedAmount @currencyID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a3 Must be Upper Case Defaults to GBP.; Value is drawn from HMRC codelist ExchangeRateCurrencies for these items.

TDR-R-00900 | Field-level requirement | Import declaration | Import C21I: DE 4/7 Calculation of Taxes - Total - Currency at I level is mandatory when the group-level item is present; cardinality 1:1; format a3 Must be Upper Case Defaults to GBP.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!111
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is C21I.; 4/7 Calculation of Taxes - Total - Currency at I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ DutyTaxFee/ Payment/ TaxAssessedAmount @currencyID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a3 Must be Upper Case Defaults to GBP.; Value is drawn from HMRC codelist ExchangeRateCurrencies for these items.

TDR-R-00901 | Field-level requirement | Import declaration | Import H1: DE 4/8 Calculation of Taxes - Method of Payment at I level is dependent; cardinality 1:1; format a1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!112
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H1.; 4/8 Calculation of Taxes - Method of Payment at I level is dependent.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ DutyTaxFee/ Payment/ MethodCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a1.; Value is drawn from HMRC codelist PaymentMethodTypes for these items.

TDR-R-00902 | Field-level requirement | Import declaration | Import H3: DE 4/8 Calculation of Taxes - Method of Payment at I level is dependent; cardinality 1:1; format a1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!112
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H3.; 4/8 Calculation of Taxes - Method of Payment at I level is dependent.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ DutyTaxFee/ Payment/ MethodCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a1.; Value is drawn from HMRC codelist PaymentMethodTypes for these items.

TDR-R-00903 | Field-level requirement | Import declaration | Import H4: DE 4/8 Calculation of Taxes - Method of Payment at I level is dependent; cardinality 1:1; format a1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!112
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H4.; 4/8 Calculation of Taxes - Method of Payment at I level is dependent.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ DutyTaxFee/ Payment/ MethodCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a1.; Value is drawn from HMRC codelist PaymentMethodTypes for these items.

TDR-R-00904 | Field-level requirement | Import declaration | Import H5: DE 4/8 Calculation of Taxes - Method of Payment at I level is dependent; cardinality 1:1; format a1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!112
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H5.; 4/8 Calculation of Taxes - Method of Payment at I level is dependent.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ DutyTaxFee/ Payment/ MethodCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a1.; Value is drawn from HMRC codelist PaymentMethodTypes for these items.

TDR-R-00905 | Field-level requirement | Import declaration | Import I1: DE 4/8 Calculation of Taxes - Method of Payment at I level is dependent; cardinality 1:1; format a1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!112
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is I1.; 4/8 Calculation of Taxes - Method of Payment at I level is dependent.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ DutyTaxFee/ Payment/ MethodCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a1.; Value is drawn from HMRC codelist PaymentMethodTypes for these items.

TDR-R-00906 | Field-level requirement | Import declaration | Import I1 (B&E): DE 4/8 Calculation of Taxes - Method of Payment at I level is dependent; cardinality 1:1; format a1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!112
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is I1 (B&E).; 4/8 Calculation of Taxes - Method of Payment at I level is dependent.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ DutyTaxFee/ Payment/ MethodCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a1.; Value is drawn from HMRC codelist PaymentMethodTypes for these items.

TDR-R-00907 | Field-level requirement | Import declaration | Import C21I: DE 4/8 Calculation of Taxes - Method of Payment at I level is dependent; cardinality 1:1; format a1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!112
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is C21I.; 4/8 Calculation of Taxes - Method of Payment at I level is dependent.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ DutyTaxFee/ Payment/ MethodCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a1.; Value is drawn from HMRC codelist PaymentMethodTypes for these items.

TDR-R-00908 | Field-level requirement | Import declaration | Import C21I EIDR: DE 4/8 Calculation of Taxes - Method of Payment at I level is dependent; cardinality 1:1; format a1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!112
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is C21I EIDR.; 4/8 Calculation of Taxes - Method of Payment at I level is dependent.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ DutyTaxFee/ Payment/ MethodCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a1.; Value is drawn from HMRC codelist PaymentMethodTypes for these items.

TDR-R-00909 | Field-level requirement | Import declaration | Import H1: DE 4/9 Additions and Deductions at H and / or I level is dependent; cardinality 99x (H) 99x (I); format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!113
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H1.; 4/9 Additions and Deductions at H and / or I level is dependent.; Populate XML path Declaration/GoodsShipment/ CustomsValuation/ ChargeDeduction Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ CustomsValuation/ ChargeDeduction only where this rule permits it.; Respect cardinality 99x (H) 99x (I).; Value conforms to HMRC format -.

TDR-R-00910 | Field-level requirement | Import declaration | Import H3: DE 4/9 Additions and Deductions at H and / or I level is dependent; cardinality 99x (H) 99x (I); format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!113
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H3.; 4/9 Additions and Deductions at H and / or I level is dependent.; Populate XML path Declaration/GoodsShipment/ CustomsValuation/ ChargeDeduction Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ CustomsValuation/ ChargeDeduction only where this rule permits it.; Respect cardinality 99x (H) 99x (I).; Value conforms to HMRC format -.

TDR-R-00911 | Field-level requirement | Import declaration | Import H4: DE 4/9 Additions and Deductions at H and / or I level is dependent; cardinality 99x (H) 99x (I); format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!113
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H4.; 4/9 Additions and Deductions at H and / or I level is dependent.; Populate XML path Declaration/GoodsShipment/ CustomsValuation/ ChargeDeduction Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ CustomsValuation/ ChargeDeduction only where this rule permits it.; Respect cardinality 99x (H) 99x (I).; Value conforms to HMRC format -.

TDR-R-00912 | Field-level requirement | Import declaration | Import H5: DE 4/9 Additions and Deductions at H and / or I level is dependent; cardinality 99x (H) 99x (I); format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!113
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H5.; 4/9 Additions and Deductions at H and / or I level is dependent.; Populate XML path Declaration/GoodsShipment/ CustomsValuation/ ChargeDeduction Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ CustomsValuation/ ChargeDeduction only where this rule permits it.; Respect cardinality 99x (H) 99x (I).; Value conforms to HMRC format -.

TDR-R-00913 | Field-level requirement | Import declaration | Import I1: DE 4/9 Additions and Deductions at H and / or I level is dependent; cardinality 99x (H) 99x (I); format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!113
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is I1.; 4/9 Additions and Deductions at H and / or I level is dependent.; Populate XML path Declaration/GoodsShipment/ CustomsValuation/ ChargeDeduction Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ CustomsValuation/ ChargeDeduction only where this rule permits it.; Respect cardinality 99x (H) 99x (I).; Value conforms to HMRC format -.

TDR-R-00914 | Field-level requirement | Import declaration | Import I1 (B&E): DE 4/9 Additions and Deductions at H and / or I level is dependent; cardinality 99x (H) 99x (I); format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!113
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is I1 (B&E).; 4/9 Additions and Deductions at H and / or I level is dependent.; Populate XML path Declaration/GoodsShipment/ CustomsValuation/ ChargeDeduction Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ CustomsValuation/ ChargeDeduction only where this rule permits it.; Respect cardinality 99x (H) 99x (I).; Value conforms to HMRC format -.

TDR-R-00915 | Field-level requirement | Import declaration | Import C21I: DE 4/9 Additions and Deductions at H and / or I level is not allowed; cardinality 99x (H) 99x (I); format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!113
Error code/pattern: CDS10002 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is C21I.; 4/9 Additions and Deductions at H and / or I level is not allowed.; Populate XML path Declaration/GoodsShipment/ CustomsValuation/ ChargeDeduction Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ CustomsValuation/ ChargeDeduction only where this rule permits it.; Respect cardinality 99x (H) 99x (I).; Value conforms to HMRC format -.

TDR-R-00916 | Field-level requirement | Import declaration | Import H1: DE 4/9 Additions and Deductions - Value at H and / or I level is mandatory when the group-level item is present; cardinality 1:1; format n..16,2 A monetary amount (with the relevant currency code), declared in the same currency in which the add
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!114
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H1.; 4/9 Additions and Deductions - Value at H and / or I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ CustomsValuation/ ChargeDeduction/ OtherChargeDeductionAmount Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ CustomsValuation/ ChargeDeduction/ OtherChargeDeductionAmount only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format n..16,2 A monetary amount (with the relevant currency code), declared in the same currency in which the addition/deduction is invoiced or A percentage adjustment given to 2 decimal places.

TDR-R-00917 | Field-level requirement | Import declaration | Import H3: DE 4/9 Additions and Deductions - Value at H and / or I level is mandatory when the group-level item is present; cardinality 1:1; format n..16,2 A monetary amount (with the relevant currency code), declared in the same currency in which the add
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!114
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H3.; 4/9 Additions and Deductions - Value at H and / or I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ CustomsValuation/ ChargeDeduction/ OtherChargeDeductionAmount Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ CustomsValuation/ ChargeDeduction/ OtherChargeDeductionAmount only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format n..16,2 A monetary amount (with the relevant currency code), declared in the same currency in which the addition/deduction is invoiced or A percentage adjustment given to 2 decimal places.

TDR-R-00918 | Field-level requirement | Import declaration | Import H4: DE 4/9 Additions and Deductions - Value at H and / or I level is mandatory when the group-level item is present; cardinality 1:1; format n..16,2 A monetary amount (with the relevant currency code), declared in the same currency in which the add
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!114
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H4.; 4/9 Additions and Deductions - Value at H and / or I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ CustomsValuation/ ChargeDeduction/ OtherChargeDeductionAmount Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ CustomsValuation/ ChargeDeduction/ OtherChargeDeductionAmount only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format n..16,2 A monetary amount (with the relevant currency code), declared in the same currency in which the addition/deduction is invoiced or A percentage adjustment given to 2 decimal places.

TDR-R-00919 | Field-level requirement | Import declaration | Import H5: DE 4/9 Additions and Deductions - Value at H and / or I level is mandatory when the group-level item is present; cardinality 1:1; format n..16,2 A monetary amount (with the relevant currency code), declared in the same currency in which the add
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!114
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error

Acceptance: Import declaration context is H5.; 4/9 Additions and Deductions - Value at H and / or I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ CustomsValuation/ ChargeDeduction/ OtherChargeDeductionAmount Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ CustomsValuation/ ChargeDeduction/ OtherChargeDeductionAmount only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format n..16,2 A monetary amount (with the relevant currency code), declared in the same currency in which the addition/deduction is invoiced or A percentage adjustment given to 2 decimal places.

TDR-R-00920 | Field-level requirement | Import declaration | Import I1: DE 4/9 Additions and Deductions - Value at H and / or I level is mandatory when the group-level item is present; cardinality 1:1; format n..16,2 A monetary amount (with the relevant currency code), declared in the same currency in which the add
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!114
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is I1.; 4/9 Additions and Deductions - Value at H and / or I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ CustomsValuation/ ChargeDeduction/ OtherChargeDeductionAmount Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ CustomsValuation/ ChargeDeduction/ OtherChargeDeductionAmount only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format n..16,2 A monetary amount (with the relevant currency code), declared in the same currency in which the addition/deduction is invoiced or A percentage adjustment given to 2 decimal places.

TDR-R-00921 | Field-level requirement | Import declaration | Import I1 (B&E): DE 4/9 Additions and Deductions - Value at H and / or I level is mandatory when the group-level item is present; cardinality 1:1; format n..16,2 A monetary amount (with the relevant currency code), declared in the same currency in which t
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!114
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is I1 (B&E).; 4/9 Additions and Deductions - Value at H and / or I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ CustomsValuation/ ChargeDeduction/ OtherChargeDeductionAmount Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ CustomsValuation/ ChargeDeduction/ OtherChargeDeductionAmount only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format n..16,2 A monetary amount (with the relevant currency code), declared in the same currency in which the addition/deduction is invoiced or A percentage adjustment given to 2 decimal places.

TDR-R-00922 | Field-level requirement | Import declaration | Import C21I: DE 4/9 Additions and Deductions - Value at H and / or I level is not allowed; cardinality 1:1; format n..16,2 A monetary amount (with the relevant currency code), declared in the same currency in which the addition/deduction is invoiced or A
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!114
Error code/pattern: CDS10002 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is C21I.; 4/9 Additions and Deductions - Value at H and / or I level is not allowed.; Populate XML path Declaration/GoodsShipment/ CustomsValuation/ ChargeDeduction/ OtherChargeDeductionAmount Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ CustomsValuation/ ChargeDeduction/ OtherChargeDeductionAmount only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format n..16,2 A monetary amount (with the relevant currency code), declared in the same currency in which the addition/deduction is invoiced or A percentage adjustment given to 2 decimal places.

TDR-R-00923 | Field-level requirement | Import declaration | Import H1: DE 4/9 Additions and Deductions - Currency at H and / or I level is mandatory when the group-level item is present; cardinality 1:1; format a3 Must be Upper Case Defaults to GBP.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!115
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H1.; 4/9 Additions and Deductions - Currency at H and / or I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ CustomsValuation/ ChargeDeduction/ OtherChargeDeductionAmount @currencyID Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ CustomsValuation/ ChargeDeduction/ OtherChargeDeductionAmount @currencyID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a3 Must be Upper Case Defaults to GBP.; Value is drawn from HMRC codelist CurrencyTypes for these items.

TDR-R-00924 | Field-level requirement | Import declaration | Import H3: DE 4/9 Additions and Deductions - Currency at H and / or I level is mandatory when the group-level item is present; cardinality 1:1; format a3 Must be Upper Case Defaults to GBP.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!115
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H3.; 4/9 Additions and Deductions - Currency at H and / or I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ CustomsValuation/ ChargeDeduction/ OtherChargeDeductionAmount @currencyID Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ CustomsValuation/ ChargeDeduction/ OtherChargeDeductionAmount @currencyID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a3 Must be Upper Case Defaults to GBP.; Value is drawn from HMRC codelist CurrencyTypes for these items.

TDR-R-00925 | Field-level requirement | Import declaration | Import H4: DE 4/9 Additions and Deductions - Currency at H and / or I level is mandatory when the group-level item is present; cardinality 1:1; format a3 Must be Upper Case Defaults to GBP.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!115
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H4.; 4/9 Additions and Deductions - Currency at H and / or I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ CustomsValuation/ ChargeDeduction/ OtherChargeDeductionAmount @currencyID Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ CustomsValuation/ ChargeDeduction/ OtherChargeDeductionAmount @currencyID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a3 Must be Upper Case Defaults to GBP.; Value is drawn from HMRC codelist CurrencyTypes for these items.

TDR-R-00926 | Field-level requirement | Import declaration | Import H5: DE 4/9 Additions and Deductions - Currency at H and / or I level is mandatory when the group-level item is present; cardinality 1:1; format a3 Must be Upper Case Defaults to GBP.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!115
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H5.; 4/9 Additions and Deductions - Currency at H and / or I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ CustomsValuation/ ChargeDeduction/ OtherChargeDeductionAmount @currencyID Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ CustomsValuation/ ChargeDeduction/ OtherChargeDeductionAmount @currencyID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a3 Must be Upper Case Defaults to GBP.;

Value is drawn from HMRC codelist CurrencyTypes for these items.

TDR-R-00927 | Field-level requirement | Import declaration | Import I1: DE 4/9 Additions and Deductions - Currency at H and / or I level is mandatory when the group-level item is present; cardinality 1:1; format a3 Must be Upper Case Defaults to GBP.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!115
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is I1.; 4/9 Additions and Deductions - Currency at H and / or I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ CustomsValuation/ ChargeDeduction/ OtherChargeDeductionAmount @currencyID Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ CustomsValuation/ ChargeDeduction/ OtherChargeDeductionAmount @currencyID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a3 Must be Upper Case Defaults to GBP.; Value is drawn from HMRC codelist CurrencyTypes for these items.

TDR-R-00928 | Field-level requirement | Import declaration | Import I1 (B&E): DE 4/9 Additions and Deductions - Currency at H and / or I level is mandatory when the group-level item is present; cardinality 1:1; format a3 Must be Upper Case Defaults to GBP.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!115
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is I1 (B&E).; 4/9 Additions and Deductions - Currency at H and / or I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ CustomsValuation/ ChargeDeduction/ OtherChargeDeductionAmount @currencyID Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ CustomsValuation/ ChargeDeduction/ OtherChargeDeductionAmount @currencyID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a3 Must be Upper Case Defaults to GBP.; Value is drawn from HMRC codelist CurrencyTypes for these items.

TDR-R-00929 | Field-level requirement | Import declaration | Import C21I: DE 4/9 Additions and Deductions - Currency at H and / or I level is not allowed; cardinality 1:1; format a3 Must be Upper Case Defaults to GBP.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!115
Error code/pattern: CDS10002 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is C21I.; 4/9 Additions and Deductions - Currency at H and / or I level is not allowed.; Populate XML path Declaration/GoodsShipment/ CustomsValuation/ ChargeDeduction/ OtherChargeDeductionAmount @currencyID Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ CustomsValuation/ ChargeDeduction/ OtherChargeDeductionAmount @currencyID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a3 Must be Upper Case Defaults to GBP.; Value is drawn from HMRC codelist CurrencyTypes for these items.

TDR-R-00930 | Field-level requirement | Import declaration | Import H1: DE 4/9 Additions and Deductions - Type at H and / or I level is mandatory when the group-level item is present; cardinality 1:1; format a2.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!116
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H1.; 4/9 Additions and Deductions - Type at H and / or I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ CustomsValuation/ ChargeDeduction/ ChargesTypeCode Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ CustomsValuation/ ChargeDeduction/ ChargesTypeCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a2.; Value is drawn from HMRC codelist HeaderValuationAdjustmentTypes.

TDR-R-00931 | Field-level requirement | Import declaration | Import H3: DE 4/9 Additions and Deductions - Type at H and / or I level is mandatory when the group-level item is present; cardinality 1:1; format a2.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!116
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H3.; 4/9 Additions and Deductions - Type at H and / or I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ CustomsValuation/ ChargeDeduction/ ChargesTypeCode Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ CustomsValuation/ ChargeDeduction/ ChargesTypeCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a2.; Value is drawn from HMRC codelist HeaderValuationAdjustmentTypes.

TDR-R-00932 | Field-level requirement | Import declaration | Import H4: DE 4/9 Additions and Deductions - Type at H and / or I level is mandatory when the group-level item is present; cardinality 1:1; format a2.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!116
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H4.; 4/9 Additions and Deductions - Type at H and / or I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ CustomsValuation/ ChargeDeduction/ ChargesTypeCode Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ CustomsValuation/ ChargeDeduction/ ChargesTypeCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a2.; Value is drawn from HMRC codelist HeaderValuationAdjustmentTypes.

TDR-R-00933 | Field-level requirement | Import declaration | Import H5: DE 4/9 Additions and Deductions - Type at H and / or I level is mandatory when the group-level item is present; cardinality 1:1; format a2.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!116
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H5.; 4/9 Additions and Deductions - Type at H and / or I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ CustomsValuation/ ChargeDeduction/ ChargesTypeCode Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ CustomsValuation/ ChargeDeduction/ ChargesTypeCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a2.; Value is drawn from HMRC codelist HeaderValuationAdjustmentTypes.

TDR-R-00934 | Field-level requirement | Import declaration | Import I1: DE 4/9 Additions and Deductions - Type at H and / or I level is mandatory when the group-level item is present; cardinality 1:1; format a2.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!116
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is I1.; 4/9 Additions and Deductions - Type at H and / or I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ CustomsValuation/ ChargeDeduction/ ChargesTypeCode Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ CustomsValuation/ ChargeDeduction/ ChargesTypeCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a2.; Value is drawn from HMRC codelist HeaderValuationAdjustmentTypes.

TDR-R-00935 | Field-level requirement | Import declaration | Import I1 (B&E): DE 4/9 Additions and Deductions - Type at H and / or I level is mandatory when the group-level item is present; cardinality 1:1; format a2.

Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!116
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is I1 (B&E).; 4/9 Additions and Deductions - Type at H and / or I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ CustomsValuation/ ChargeDeduction/ ChargesTypeCode Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ CustomsValuation/ ChargeDeduction/ ChargesTypeCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a2.; Value is drawn from HMRC codelist HeaderValuationAdjustmentTypes.

TDR-R-00936 | Field-level requirement | Import declaration | Import C21I: DE 4/9 Additions and Deductions - Type at H and / or I level is not allowed; cardinality 1:1; format a2.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!116
Error code/pattern: CDS10002 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is C21I.; 4/9 Additions and Deductions - Type at H and / or I level is not allowed.; Populate XML path Declaration/GoodsShipment/ CustomsValuation/ ChargeDeduction/ ChargesTypeCode Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ CustomsValuation/ ChargeDeduction/ ChargesTypeCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a2.; Value is drawn from HMRC codelist HeaderValuationAdjustmentTypes.

TDR-R-00937 | Field-level requirement | Import declaration | Import H1: DE 4/11 Total Amount Invoiced at H level is optional; cardinality 1x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!117
Error code/pattern: CDS10010 | xml_validation_error
Acceptance: Import declaration context is H1.; 4/11 Total Amount Invoiced at H level is optional.; Populate XML path Declaration/ InvoiceAmount only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format -.

TDR-R-00938 | Field-level requirement | Import declaration | Import H3: DE 4/11 Total Amount Invoiced at H level is optional; cardinality 1x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!117
Error code/pattern: CDS10010 | xml_validation_error
Acceptance: Import declaration context is H3.; 4/11 Total Amount Invoiced at H level is optional.; Populate XML path Declaration/ InvoiceAmount only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format -.

TDR-R-00939 | Field-level requirement | Import declaration | Import H4: DE 4/11 Total Amount Invoiced at H level is optional; cardinality 1x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!117
Error code/pattern: CDS10010 | xml_validation_error
Acceptance: Import declaration context is H4.; 4/11 Total Amount Invoiced at H level is optional.; Populate XML path Declaration/ InvoiceAmount only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format -.

TDR-R-00940 | Field-level requirement | Import declaration | Import H5: DE 4/11 Total Amount Invoiced at H level is optional; cardinality 1x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!117
Error code/pattern: CDS10010 | xml_validation_error
Acceptance: Import declaration context is H5.; 4/11 Total Amount Invoiced at H level is optional.; Populate XML path Declaration/ InvoiceAmount only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format -.

TDR-R-00941 | Field-level requirement | Import declaration | Import I1: DE 4/11 Total Amount Invoiced at H level is optional; cardinality 1x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!117
Error code/pattern: CDS10010 | xml_validation_error
Acceptance: Import declaration context is I1.; 4/11 Total Amount Invoiced at H level is optional.; Populate XML path Declaration/ InvoiceAmount only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format -.

TDR-R-00942 | Field-level requirement | Import declaration | Import I1 (B&E): DE 4/11 Total Amount Invoiced at H level is optional; cardinality 1x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!117
Error code/pattern: CDS10010 | xml_validation_error
Acceptance: Import declaration context is I1 (B&E).; 4/11 Total Amount Invoiced at H level is optional.; Populate XML path Declaration/ InvoiceAmount only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format -.

TDR-R-00943 | Field-level requirement | Import declaration | Import H1: DE 4/11 Total Amount Invoiced - Amount at H level is mandatory when the group-level item is present; cardinality 1:1; format n..16,2.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!118
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H1.; 4/11 Total Amount Invoiced - Amount at H level is mandatory when the group-level item is present.; Populate XML path Declaration/ InvoiceAmount only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format n..16,2.

TDR-R-00944 | Field-level requirement | Import declaration | Import H3: DE 4/11 Total Amount Invoiced - Amount at H level is mandatory when the group-level item is present; cardinality 1:1; format n..16,2.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!118
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H3.; 4/11 Total Amount Invoiced - Amount at H level is mandatory when the group-level item is present.; Populate XML path Declaration/ InvoiceAmount only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format n..16,2.

TDR-R-00945 | Field-level requirement | Import declaration | Import H4: DE 4/11 Total Amount Invoiced - Amount at H level is mandatory when the group-level item is present; cardinality 1:1; format n..16,2.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!118
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H4.; 4/11 Total Amount Invoiced - Amount at H level is mandatory when the group-level item is present.; Populate XML path Declaration/ InvoiceAmount only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format n..16,2.

TDR-R-00946 | Field-level requirement | Import declaration | Import H5: DE 4/11 Total Amount Invoiced - Amount at H level is mandatory when the group-level item is present; cardinality 1:1; format n..16,2.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!118
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H5.; 4/11 Total Amount Invoiced - Amount at H level is mandatory when the group-level item is present.; Populate XML path Declaration/ InvoiceAmount only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format n..16,2.

TDR-R-00947 | Field-level requirement | Import declaration | Import I1: DE 4/11 Total Amount Invoiced - Amount at H level is mandatory when the group-level item is present; cardinality 1:1; format n..16,2.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!118
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is I1.; 4/11 Total Amount Invoiced - Amount at H level is mandatory when the group-level item is present.; Populate XML path Declaration/ InvoiceAmount only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format n..16,2.

TDR-R-00948 | Field-level requirement | Import declaration | Import I1 (B&E): DE 4/11 Total Amount Invoiced - Amount at H level is mandatory when the group-level item is present; cardinality 1:1; format n..16,2.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!118
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is I1 (B&E).; 4/11 Total Amount Invoiced - Amount at H level is mandatory when the group-level item is present.; Populate XML path Declaration/ InvoiceAmount only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format n..16,2.

TDR-R-00949 | Field-level requirement | Import declaration | Import C21I: DE 4/11 Total Amount Invoiced - Amount at H level is mandatory when the group-level item is present; cardinality 1:1; format n..16,2.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!118
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is C21I.; 4/11 Total Amount Invoiced - Amount at H level is mandatory when the group-level item is present.; Populate XML path Declaration/ InvoiceAmount only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format n..16,2.

TDR-R-00950 | Field-level requirement | Import declaration | Import C21I EIDR: DE 4/11 Total Amount Invoiced - Amount at H level is mandatory when the group-level item is present; cardinality 1:1; format n..16,2.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!118
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is C21I EIDR.; 4/11 Total Amount Invoiced - Amount at H level is mandatory when the group-level item is present.; Populate XML path Declaration/ InvoiceAmount only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format n..16,2.

TDR-R-00951 | Field-level requirement | Import declaration | Import H1: DE 4/11 Total Amount Invoiced - Currency at H level is mandatory when the group-level item is present; cardinality 1:1; format a3 Must be Upper Case Defaults to GBP.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!119
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H1.; 4/11 Total Amount Invoiced - Currency at H level is mandatory when the group-level item is present.; Populate XML path Declaration/ InvoiceAmount @currencyID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a3 Must be Upper Case Defaults to GBP.; Value is drawn from HMRC codelist CurrencyTypes for these items.

TDR-R-00952 | Field-level requirement | Import declaration | Import H3: DE 4/11 Total Amount Invoiced - Currency at H level is mandatory when the group-level item is present; cardinality 1:1; format a3 Must be Upper Case Defaults to GBP.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!119
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H3.; 4/11 Total Amount Invoiced - Currency at H level is mandatory when the group-level item is present.; Populate XML path Declaration/ InvoiceAmount @currencyID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a3 Must be Upper Case Defaults to GBP.; Value is drawn from HMRC codelist CurrencyTypes for these items.

TDR-R-00953 | Field-level requirement | Import declaration | Import H4: DE 4/11 Total Amount Invoiced - Currency at H level is mandatory when the group-level item is present; cardinality 1:1; format a3 Must be Upper Case Defaults to GBP.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!119
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H4.; 4/11 Total Amount Invoiced - Currency at H level is mandatory when the group-level item is present.; Populate XML path Declaration/ InvoiceAmount @currencyID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a3 Must be Upper Case Defaults to GBP.; Value is drawn from HMRC codelist CurrencyTypes for these items.

TDR-R-00954 | Field-level requirement | Import declaration | Import H5: DE 4/11 Total Amount Invoiced - Currency at H level is mandatory when the group-level item is present; cardinality 1:1; format a3 Must be Upper Case Defaults to GBP.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!119
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H5.; 4/11 Total Amount Invoiced - Currency at H level is mandatory when the group-level item is present.; Populate XML path Declaration/ InvoiceAmount @currencyID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a3 Must be Upper Case Defaults to GBP.; Value is drawn from HMRC codelist CurrencyTypes for these items.

TDR-R-00955 | Field-level requirement | Import declaration | Import I1: DE 4/11 Total Amount Invoiced - Currency at H level is mandatory when the group-level item is present; cardinality 1:1; format a3 Must be Upper Case Defaults to GBP.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!119
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is I1.; 4/11 Total Amount Invoiced - Currency at H level is mandatory when the group-level item is present.; Populate XML path Declaration/ InvoiceAmount @currencyID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a3 Must be Upper Case Defaults to GBP.; Value is drawn from HMRC codelist CurrencyTypes for these items.

TDR-R-00956 | Field-level requirement | Import declaration | Import I1 (B&E): DE 4/11 Total Amount Invoiced - Currency at H level is mandatory when the group-level item is present; cardinality 1:1; format a3 Must be Upper Case Defaults to GBP.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!119
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is I1 (B&E).; 4/11 Total Amount Invoiced - Currency at H level is mandatory when the group-level item is present.; Populate XML path Declaration/ InvoiceAmount @currencyID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a3 Must be Upper Case Defaults to GBP.; Value is drawn from HMRC codelist CurrencyTypes for these items.

TDR-R-00957 | Field-level requirement | Import declaration | Import C21I: DE 4/11 Total Amount Invoiced - Currency at H level is mandatory when the group-level item is present; cardinality 1:1; format a3 Must be Upper Case Defaults to GBP.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!119
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is C21I.; 4/11 Total Amount Invoiced - Currency at H level is mandatory when the group-level item is present.; Populate XML path Declaration/ InvoiceAmount @currencyID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a3 Must be Upper Case Defaults to GBP.; Value is drawn from HMRC codelist CurrencyTypes for these items.

TDR-R-00958 | Field-level requirement | Import declaration | Import C21I EIDR: DE 4/11 Total Amount Invoiced - Currency at H level is mandatory when the group-level item is present; cardinality 1:1; format a3 Must be Upper Case Defaults to GBP.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!119
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is C21I EIDR.; 4/11 Total Amount Invoiced - Currency at H level is mandatory when the group-level item is present.; Populate XML path Declaration/ InvoiceAmount @currencyID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a3 Must be Upper Case Defaults to GBP.; Value is drawn from HMRC codelist CurrencyTypes for these items.

TDR-R-00959 | Field-level requirement | Import declaration | Import H1: DE 4/13 Valuation Indicators at I level is dependent; cardinality 1x; format an4.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!120
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H1.; 4/13 Valuation Indicators at I level is dependent.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ ValuationAdjustment/ AdditionCode only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format an4.; Value is drawn from HMRC codelist ValuationIndicatorTypes for these items.

TDR-R-00960 | Field-level requirement | Import declaration | Import H4: DE 4/13 Valuation Indicators at I level is dependent; cardinality 1x; format an4.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!120
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H4.; 4/13 Valuation Indicators at I level is dependent.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ ValuationAdjustment/ AdditionCode only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format an4.; Value is drawn from HMRC codelist ValuationIndicatorTypes for these items.

TDR-R-00961 | Field-level requirement | Import declaration | Import H5: DE 4/13 Valuation Indicators at I level is dependent; cardinality 1x; format an4.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!120
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H5.; 4/13 Valuation Indicators at I level is dependent.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ ValuationAdjustment/ AdditionCode only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format an4.; Value is drawn from HMRC codelist ValuationIndicatorTypes for these items.

TDR-R-00962 | Field-level requirement | Import declaration | Import C21I: DE 4/13 Valuation Indicators at I level is not allowed; cardinality 1x; format an4.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!120
Error code/pattern: CDS10002 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is C21I.; 4/13 Valuation Indicators at I level is not allowed.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ ValuationAdjustment/ AdditionCode only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format an4.; Value is drawn from HMRC codelist ValuationIndicatorTypes for these items.

TDR-R-00963 | Field-level requirement | Import declaration | Import H1: DE 4/14 Item Price at I level is dependent; cardinality 1x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!121
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H1.; 4/14 Item Price at I level is dependent.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ InvoiceLine/ ItemChargeAmount only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format -.

TDR-R-00964 | Field-level requirement | Import declaration | Import H3: DE 4/14 Item Price at I level is mandatory; cardinality 1x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!121
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H3.; 4/14 Item Price at I level is mandatory.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ InvoiceLine/ ItemChargeAmount only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format -.

TDR-R-00965 | Field-level requirement | Import declaration | Import H4: DE 4/14 Item Price at I level is mandatory; cardinality 1x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!121
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H4.; 4/14 Item Price at I level is mandatory.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ InvoiceLine/ ItemChargeAmount only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format -.

TDR-R-00966 | Field-level requirement | Import declaration | Import H5: DE 4/14 Item Price at I level is dependent; cardinality 1x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!121

Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H5.; 4/14 Item Price at I level is dependent.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ InvoiceLine/ ItemChargeAmount only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format -.

TDR-R-00967 | Field-level requirement | Import declaration | Import H8: DE 4/14 Item Price at I level is mandatory; cardinality 1x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!121
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H8.; 4/14 Item Price at I level is mandatory.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ InvoiceLine/ ItemChargeAmount only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format -.

TDR-R-00968 | Field-level requirement | Import declaration | Import I1: DE 4/14 Item Price at I level is dependent; cardinality 1x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!121
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is I1.; 4/14 Item Price at I level is dependent.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ InvoiceLine/ ItemChargeAmount only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format -.

TDR-R-00969 | Field-level requirement | Import declaration | Import I1 (B&E): DE 4/14 Item Price at I level is mandatory; cardinality 1x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!121
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is I1 (B&E).; 4/14 Item Price at I level is mandatory.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ InvoiceLine/ ItemChargeAmount only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format -.

TDR-R-00970 | Field-level requirement | Import declaration | Import C21I: DE 4/14 Item Price at I level is dependent; cardinality 1x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!121
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is C21I.; 4/14 Item Price at I level is dependent.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ InvoiceLine/ ItemChargeAmount only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format -.

TDR-R-00971 | Field-level requirement | Import declaration | Import H1: DE 4/14 Item Price - Amount at I level is mandatory when the group-level item is present; cardinality 1:1; format n..16,2.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!122
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H1.; 4/14 Item Price - Amount at I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ InvoiceLine/ ItemChargeAmount only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format n..16,2.

TDR-R-00972 | Field-level requirement | Import declaration | Import H3: DE 4/14 Item Price - Amount at I level is mandatory when the group-level item is present; cardinality 1:1; format n..16,2.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!122
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H3.; 4/14 Item Price - Amount at I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ InvoiceLine/ ItemChargeAmount only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format n..16,2.

TDR-R-00973 | Field-level requirement | Import declaration | Import H4: DE 4/14 Item Price - Amount at I level is mandatory when the group-level item is present; cardinality 1:1; format n..16,2.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!122
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H4.; 4/14 Item Price - Amount at I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ InvoiceLine/ ItemChargeAmount only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format n..16,2.

TDR-R-00974 | Field-level requirement | Import declaration | Import H5: DE 4/14 Item Price - Amount at I level is mandatory when the group-level item is present; cardinality 1:1; format n..16,2.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!122
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H5.; 4/14 Item Price - Amount at I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ InvoiceLine/ ItemChargeAmount only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format n..16,2.

TDR-R-00975 | Field-level requirement | Import declaration | Import H8: DE 4/14 Item Price - Amount at I level is mandatory when the group-level item is present; cardinality 1:1; format n..16,2.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!122
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H8.; 4/14 Item Price - Amount at I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ InvoiceLine/ ItemChargeAmount only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format n..16,2.

TDR-R-00976 | Field-level requirement | Import declaration | Import I1: DE 4/14 Item Price - Amount at I level is mandatory when the group-level item is present; cardinality 1:1; format n..16,2.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!122
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is I1.; 4/14 Item Price - Amount at I level is mandatory when the group-level item is present.; Populate

XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ InvoiceLine/ ItemChargeAmount only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format n..16,2.

TDR-R-00977 | Field-level requirement | Import declaration | Import I1 (B&E): DE 4/14 Item Price - Amount at I level is mandatory when the group-level item is present; cardinality 1:1; format n..16,2.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!122
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is I1 (B&E).; 4/14 Item Price - Amount at I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ InvoiceLine/ ItemChargeAmount only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format n..16,2.

TDR-R-00978 | Field-level requirement | Import declaration | Import C21I: DE 4/14 Item Price - Amount at I level is mandatory when the group-level item is present; cardinality 1:1; format n..16,2.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!122
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is C21I.; 4/14 Item Price - Amount at I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ InvoiceLine/ ItemChargeAmount only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format n..16,2.

TDR-R-00979 | Field-level requirement | Import declaration | Import C21I EIDR: DE 4/14 Item Price - Amount at I level is mandatory when the group-level item is present; cardinality 1:1; format n..16,2.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!122
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is C21I EIDR.; 4/14 Item Price - Amount at I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ InvoiceLine/ ItemChargeAmount only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format n..16,2.

TDR-R-00980 | Field-level requirement | Import declaration | Import H1: DE 4/14 Item Price - Currency at I level is mandatory when the group-level item is present; cardinality 1:1; format a3 Must be Upper Case Defaults to GBP.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!123
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H1.; 4/14 Item Price - Currency at I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ InvoiceLine/ ItemChargeAmount @currencyID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a3 Must be Upper Case Defaults to GBP.; Value is drawn from HMRC codelist CurrencyTypes for these items.

TDR-R-00981 | Field-level requirement | Import declaration | Import H3: DE 4/14 Item Price - Currency at I level is mandatory when the group-level item is present; cardinality 1:1; format a3 Must be Upper Case Defaults to GBP.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!123
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H3.; 4/14 Item Price - Currency at I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ InvoiceLine/ ItemChargeAmount @currencyID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a3 Must be Upper Case Defaults to GBP.; Value is drawn from HMRC codelist CurrencyTypes for these items.

TDR-R-00982 | Field-level requirement | Import declaration | Import H4: DE 4/14 Item Price - Currency at I level is mandatory when the group-level item is present; cardinality 1:1; format a3 Must be Upper Case Defaults to GBP.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!123
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H4.; 4/14 Item Price - Currency at I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ InvoiceLine/ ItemChargeAmount @currencyID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a3 Must be Upper Case Defaults to GBP.; Value is drawn from HMRC codelist CurrencyTypes for these items.

TDR-R-00983 | Field-level requirement | Import declaration | Import H5: DE 4/14 Item Price - Currency at I level is mandatory when the group-level item is present; cardinality 1:1; format a3 Must be Upper Case Defaults to GBP.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!123
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H5.; 4/14 Item Price - Currency at I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ InvoiceLine/ ItemChargeAmount @currencyID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a3 Must be Upper Case Defaults to GBP.; Value is drawn from HMRC codelist CurrencyTypes for these items.

TDR-R-00984 | Field-level requirement | Import declaration | Import H8: DE 4/14 Item Price - Currency at I level is mandatory when the group-level item is present; cardinality 1:1; format a3 Must be Upper Case Defaults to GBP.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!123
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H8.; 4/14 Item Price - Currency at I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ InvoiceLine/ ItemChargeAmount @currencyID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a3 Must be Upper Case Defaults to GBP.; Value is drawn from HMRC codelist CurrencyTypes for these items.

TDR-R-00985 | Field-level requirement | Import declaration | Import I1: DE 4/14 Item Price - Currency at I level is mandatory when the group-level item is present; cardinality 1:1; format a3 Must be Upper Case Defaults to GBP.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!123
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is I1.; 4/14 Item Price - Currency at I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ InvoiceLine/ ItemChargeAmount @currencyID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a3 Must be Upper Case Defaults to GBP.; Value is drawn from

HMRC codelist CurrencyTypes for these items.

TDR-R-00986 | Field-level requirement | Import declaration | Import I1 (B&E): DE 4/14 Item Price - Currency at I level is mandatory when the group-level item is present; cardinality 1:1; format a3 Must be Upper Case Defaults to GBP.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!123
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is I1 (B&E).; 4/14 Item Price - Currency at I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ InvoiceLine/ ItemChargeAmount @currencyID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a3 Must be Upper Case Defaults to GBP.; Value is drawn from HMRC codelist CurrencyTypes for these items.

TDR-R-00987 | Field-level requirement | Import declaration | Import C21I: DE 4/14 Item Price - Currency at I level is mandatory when the group-level item is present; cardinality 1:1; format a3 Must be Upper Case Defaults to GBP.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!123
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is C21I.; 4/14 Item Price - Currency at I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ InvoiceLine/ ItemChargeAmount @currencyID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a3 Must be Upper Case Defaults to GBP.; Value is drawn from HMRC codelist CurrencyTypes for these items.

TDR-R-00988 | Field-level requirement | Import declaration | Import C21I EIDR: DE 4/14 Item Price - Currency at I level is mandatory when the group-level item is present; cardinality 1:1; format a3 Must be Upper Case Defaults to GBP.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!123
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is C21I EIDR.; 4/14 Item Price - Currency at I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ InvoiceLine/ ItemChargeAmount @currencyID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a3 Must be Upper Case Defaults to GBP.; Value is drawn from HMRC codelist CurrencyTypes for these items.

TDR-R-00989 | Field-level requirement | Import declaration | Import H1: DE 4/15 Exchange Rate at H level is dependent; cardinality 1x; format n..12,5.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!124
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H1.; 4/15 Exchange Rate at H level is dependent.; Populate XML path Declaration/ CurrencyExchange/ RateNumeric only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format n..12,5.

TDR-R-00990 | Field-level requirement | Import declaration | Import H3: DE 4/15 Exchange Rate at H level is dependent; cardinality 1x; format n..12,5.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!124
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H3.; 4/15 Exchange Rate at H level is dependent.; Populate XML path Declaration/ CurrencyExchange/ RateNumeric only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format n..12,5.

TDR-R-00991 | Field-level requirement | Import declaration | Import H4: DE 4/15 Exchange Rate at H level is dependent; cardinality 1x; format n..12,5.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!124
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H4.; 4/15 Exchange Rate at H level is dependent.; Populate XML path Declaration/ CurrencyExchange/ RateNumeric only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format n..12,5.

TDR-R-00992 | Field-level requirement | Import declaration | Import H5: DE 4/15 Exchange Rate at H level is dependent; cardinality 1x; format n..12,5.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!124
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H5.; 4/15 Exchange Rate at H level is dependent.; Populate XML path Declaration/ CurrencyExchange/ RateNumeric only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format n..12,5.

TDR-R-00993 | Field-level requirement | Import declaration | Import I1: DE 4/15 Exchange Rate at H level is not allowed; cardinality 1x; format n..12,5.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!124
Error code/pattern: CDS10002 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is I1.; 4/15 Exchange Rate at H level is not allowed.; Populate XML path Declaration/ CurrencyExchange/ RateNumeric only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format n..12,5.

TDR-R-00994 | Field-level requirement | Import declaration | Import C21I: DE 4/15 Exchange Rate at H level is not allowed; cardinality 1x; format n..12,5.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!124
Error code/pattern: CDS10002 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is C21I.; 4/15 Exchange Rate at H level is not allowed.; Populate XML path Declaration/ CurrencyExchange/ RateNumeric only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format n..12,5.

TDR-R-00995 | Field-level requirement | Import declaration | Import H1: DE 4/16 Valuation Method at I level is mandatory; cardinality 1x; format n1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!125
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H1.; 4/16 Valuation Method at I level is mandatory.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ CustomsValuation/ MethodCode only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format n1.; Value is drawn from HMRC codelist ValuationMethodTypes for these items.

TDR-R-00996 | Field-level requirement | Import declaration | Import H3: DE 4/16 Valuation Method at I level is mandatory; cardinality 1x; format n1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!125
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H3.; 4/16 Valuation Method at I level is mandatory.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ CustomsValuation/ MethodCode only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format n1.; Value is drawn from HMRC codelist ValuationMethodTypes for these items.

TDR-R-00997 | Field-level requirement | Import declaration | Import H4: DE 4/16 Valuation Method at I level is dependent; cardinality 1x; format n1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!125
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H4.; 4/16 Valuation Method at I level is dependent.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ CustomsValuation/ MethodCode only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format n1.; Value is drawn from HMRC codelist ValuationMethodTypes for these items.

TDR-R-00998 | Field-level requirement | Import declaration | Import H5: DE 4/16 Valuation Method at I level is mandatory; cardinality 1x; format n1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!125
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H5.; 4/16 Valuation Method at I level is mandatory.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ CustomsValuation/ MethodCode only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format n1.; Value is drawn from HMRC codelist ValuationMethodTypes for these items.

TDR-R-00999 | Field-level requirement | Import declaration | Import I1: DE 4/16 Valuation Method at I level is dependent; cardinality 1x; format n1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!125
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is I1.; 4/16 Valuation Method at I level is dependent.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ CustomsValuation/ MethodCode only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format n1.; Value is drawn from HMRC codelist ValuationMethodTypes for these items.

TDR-R-01000 | Field-level requirement | Import declaration | Import I1 (B&E): DE 4/16 Valuation Method at I level is mandatory; cardinality 1x; format n1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!125
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is I1 (B&E).; 4/16 Valuation Method at I level is mandatory.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ CustomsValuation/ MethodCode only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format n1.; Value is drawn from HMRC codelist ValuationMethodTypes for these items.

TDR-R-01001 | Field-level requirement | Import declaration | Import C21I: DE 4/16 Valuation Method at I level is not allowed; cardinality 1x; format n1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!125
Error code/pattern: CDS10002 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is C21I.; 4/16 Valuation Method at I level is not allowed.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ CustomsValuation/ MethodCode only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format n1.; Value is drawn from HMRC codelist ValuationMethodTypes for these items.

TDR-R-01002 | Field-level requirement | Import declaration | Import H1: DE 4/17 Preference at I level is mandatory; cardinality 1x; format n3.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!126
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H1.; 4/17 Preference at I level is mandatory.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ DutyTaxFee/ DutyRegimeCode only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format n3.; Value is drawn from HMRC codelist PreferenceTypes for these items.

TDR-R-01003 | Field-level requirement | Import declaration | Import H2: DE 4/17 Preference at I level is optional; cardinality 1x; format n3.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!126
Error code/pattern: CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H2.; 4/17 Preference at I level is optional.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ DutyTaxFee/ DutyRegimeCode only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format n3.; Value is drawn from HMRC codelist PreferenceTypes for these items.

TDR-R-01004 | Field-level requirement | Import declaration | Import H3: DE 4/17 Preference at I level is mandatory; cardinality 1x; format n3.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!126
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H3.; 4/17 Preference at I level is mandatory.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ DutyTaxFee/ DutyRegimeCode only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format n3.; Value is drawn from HMRC codelist PreferenceTypes for these items.

TDR-R-01005 | Field-level requirement | Import declaration | Import H4: DE 4/17 Preference at I level is mandatory; cardinality 1x; format n3.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!126
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H4.; 4/17 Preference at I level is mandatory.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ DutyTaxFee/ DutyRegimeCode only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format n3.; Value is drawn from HMRC codelist PreferenceTypes for these items.

TDR-R-01006 | Field-level requirement | Import declaration | Import H5: DE 4/17 Preference at I level is mandatory; cardinality 1x; format n3.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!126
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H5.; 4/17 Preference at I level is mandatory.; Populate XML path Declaration/GoodsShipment/

GovernmentAgencyGoodsItem/ Commodity/ DutyTaxFee/ DutyRegimeCode only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format n3.; Value is drawn from HMRC codelist PreferenceTypes for these items.

TDR-R-01007 | Field-level requirement | Import declaration | Import I1: DE 4/17 Preference at I level is dependent; cardinality 1x; format n3.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!126
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is I1.; 4/17 Preference at I level is dependent.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ DutyTaxFee/ DutyRegimeCode only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format n3.; Value is drawn from HMRC codelist PreferenceTypes for these items.

TDR-R-01008 | Field-level requirement | Import declaration | Import I1 (B&E): DE 4/17 Preference at I level is mandatory; cardinality 1x; format n3.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!126
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is I1 (B&E).; 4/17 Preference at I level is mandatory.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ DutyTaxFee/ DutyRegimeCode only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format n3.; Value is drawn from HMRC codelist PreferenceTypes for these items.

TDR-R-01009 | Field-level requirement | Import declaration | Import C21I: DE 4/17 Preference at I level is not allowed; cardinality 1x; format n3.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!126
Error code/pattern: CDS10002 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is C21I.; 4/17 Preference at I level is not allowed.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ DutyTaxFee/ DutyRegimeCode only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format n3.; Value is drawn from HMRC codelist PreferenceTypes for these items.

TDR-R-01010 | Field-level requirement | Import declaration | Import C21I EIDR: DE 4/17 Preference at I level is not allowed; cardinality 1x; format n3.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!126
Error code/pattern: CDS10002 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is C21I EIDR.; 4/17 Preference at I level is not allowed.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ DutyTaxFee/ DutyRegimeCode only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format n3.; Value is drawn from HMRC codelist PreferenceTypes for these items.

TDR-R-01011 | Field-level requirement | Import declaration | Import SRDS: DE 4/18 Value (Declared Customs Value) at I level is mandatory; cardinality 1x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!127
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is SRDS.; 4/18 Value (Declared Customs Value) at I level is mandatory.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ CustomsValueAmount only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format -.

TDR-R-01012 | Field-level requirement | Import declaration | Import SRDS: DE 4/18 Value (Declared Customs Value) - Amount at I level is mandatory when the group-level item is present; cardinality 1:1; format n..16,2.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!128
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is SRDS.; 4/18 Value (Declared Customs Value) - Amount at I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ CustomsValueAmount only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format n..16,2.

TDR-R-01013 | Field-level requirement | Import declaration | Import SRDS: DE 4/18 Value (Declared Customs Value) - Currency at I level is mandatory when the group-level item is present; cardinality 1:1; format a3 Must be Upper Case.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!129
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is SRDS.; 4/18 Value (Declared Customs Value) - Currency at I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ CustomsValueAmount @currencyID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a3 Must be Upper Case.; Value is drawn from HMRC codelist CurrencyTypes for these items.

TDR-R-01014 | Field-level requirement | Import declaration | Import SRDS: DE 4/19 Transport costs to the final destination at H level is mandatory; cardinality 1x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!130
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is SRDS.; 4/19 Transport costs to the final destination at H level is mandatory.; Populate XML path Declaration/GoodsShipment/ CustomsValuation/ FreightChargeAmount only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format -.

TDR-R-01015 | Field-level requirement | Import declaration | Import SRDS: DE 4/19 Transport costs to the final destination Amount at H level is mandatory when the group-level item is present; cardinality 1:1; format n..16,2.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!131
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is SRDS.; 4/19 Transport costs to the final destination Amount at H level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ CustomsValuation/ FreightChargeAmount only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format n..16,2.

TDR-R-01016 | Field-level requirement | Import declaration | Import SRDS: DE 4/19 Transport costs to the final destination - Currency at H level is mandatory when the group-level item is present; cardinality 1:1; format a3 Must be Upper Case.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!132
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is SRDS.; 4/19 Transport costs to the final destination - Currency at H level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ CustomsValuation/ FreightChargeAmount @currencyID only where

this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a3 Must be Upper Case.; Value is drawn from HMRC codelist CurrencyTypes for these items.

TDR-R-01017 | Field-level requirement | Import declaration | Import H1: DE 5/8 Country of destination code at H or I level is mandatory; cardinality 1x (H) 1x (I); format a2 Must be Upper Case.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!133
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H1.; 5/8 Country of destination code at H or I level is mandatory.; Populate XML path Declaration/GoodsShipment/ Destination/ CountryCode Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Destination/ CountryCode only where this rule permits it.; Respect cardinality 1x (H) 1x (I).; Value conforms to HMRC format a2 Must be Upper Case.; Value is drawn from HMRC codelist CountryTypes for these items.

TDR-R-01018 | Field-level requirement | Import declaration | Import H2: DE 5/8 Country of destination code at H or I level is mandatory; cardinality 1x (H) 1x (I); format a2 Must be Upper Case.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!133
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H2.; 5/8 Country of destination code at H or I level is mandatory.; Populate XML path Declaration/GoodsShipment/ Destination/ CountryCode Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Destination/ CountryCode only where this rule permits it.; Respect cardinality 1x (H) 1x (I).; Value conforms to HMRC format a2 Must be Upper Case.; Value is drawn from HMRC codelist CountryTypes for these items.

TDR-R-01019 | Field-level requirement | Import declaration | Import H3: DE 5/8 Country of destination code at H or I level is mandatory; cardinality 1x (H) 1x (I); format a2 Must be Upper Case.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!133
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H3.; 5/8 Country of destination code at H or I level is mandatory.; Populate XML path Declaration/GoodsShipment/ Destination/ CountryCode Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Destination/ CountryCode only where this rule permits it.; Respect cardinality 1x (H) 1x (I).; Value conforms to HMRC format a2 Must be Upper Case.; Value is drawn from HMRC codelist CountryTypes for these items.

TDR-R-01020 | Field-level requirement | Import declaration | Import H4: DE 5/8 Country of destination code at H or I level is mandatory; cardinality 1x (H) 1x (I); format a2 Must be Upper Case.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!133
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H4.; 5/8 Country of destination code at H or I level is mandatory.; Populate XML path Declaration/GoodsShipment/ Destination/ CountryCode Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Destination/ CountryCode only where this rule permits it.; Respect cardinality 1x (H) 1x (I).; Value conforms to HMRC format a2 Must be Upper Case.; Value is drawn from HMRC codelist CountryTypes for these items.

TDR-R-01021 | Field-level requirement | Import declaration | Import H5: DE 5/8 Country of destination code at H or I level is mandatory; cardinality 1x (H) 1x (I); format a2 Must be Upper Case.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!133
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H5.; 5/8 Country of destination code at H or I level is mandatory.; Populate XML path Declaration/GoodsShipment/ Destination/ CountryCode Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Destination/ CountryCode only where this rule permits it.; Respect cardinality 1x (H) 1x (I).; Value conforms to HMRC format a2 Must be Upper Case.; Value is drawn from HMRC codelist CountryTypes for these items.

TDR-R-01022 | Field-level requirement | Import declaration | Import H8: DE 5/8 Country of destination code at H or I level is mandatory; cardinality 1x (H) 1x (I); format a2 Must be Upper Case.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!133
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H8.; 5/8 Country of destination code at H or I level is mandatory.; Populate XML path Declaration/GoodsShipment/ Destination/ CountryCode Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Destination/ CountryCode only where this rule permits it.; Respect cardinality 1x (H) 1x (I).; Value conforms to HMRC format a2 Must be Upper Case.; Value is drawn from HMRC codelist CountryTypes for these items.

TDR-R-01023 | Field-level requirement | Import declaration | Import I1: DE 5/8 Country of destination code at H or I level is dependent; cardinality 1x (H) 1x (I); format a2 Must be Upper Case.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!133
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is I1.; 5/8 Country of destination code at H or I level is dependent.; Populate XML path Declaration/GoodsShipment/ Destination/ CountryCode Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Destination/ CountryCode only where this rule permits it.; Respect cardinality 1x (H) 1x (I).; Value conforms to HMRC format a2 Must be Upper Case.; Value is drawn from HMRC codelist CountryTypes for these items.

TDR-R-01024 | Field-level requirement | Import declaration | Import I1 (B&E): DE 5/8 Country of destination code at H or I level is mandatory; cardinality 1x (H) 1x (I); format a2 Must be Upper Case.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!133
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is I1 (B&E).; 5/8 Country of destination code at H or I level is mandatory.; Populate XML path Declaration/GoodsShipment/ Destination/ CountryCode Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Destination/ CountryCode only where this rule permits it.; Respect cardinality 1x (H) 1x (I).; Value conforms to HMRC format a2 Must be Upper Case.; Value is drawn from HMRC codelist CountryTypes for these items.

TDR-R-01025 | Field-level requirement | Import declaration | Import C21I: DE 5/8 Country of destination code at H or I level is not allowed; cardinality 1x (H) 1x (I); format a2 Must be Upper Case.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!133
Error code/pattern: CDS10002 | CDS10010 | xml_validation_error | CDS10020

Acceptance: Import declaration context is C21I.; 5/8 Country of destination code at H or I level is not allowed.; Populate XML path Declaration/GoodsShipment/ Destination/ CountryCode Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Destination/ CountryCode only where this rule permits it.; Respect cardinality 1x (H) 1x (I).; Value conforms to HMRC format a2 Must be Upper Case.; Value is drawn from HMRC codelist CountryTypes for these items.

TDR-R-01026 | Field-level requirement | Import declaration | Import H1: DE 5/14 Country of dispatch/export code at H or I level is mandatory; cardinality 1x (H) 1x (I); format a2 Must be Upper Case.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!134
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H1.; 5/14 Country of dispatch/export code at H or I level is mandatory.; Populate XML path Declaration/GoodsShipment/ ExportCountry/ID Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ ExportCountry/ID only where this rule permits it.; Respect cardinality 1x (H) 1x (I).; Value conforms to HMRC format a2 Must be Upper Case.; Value is drawn from HMRC codelist CountryTypes for these items.

TDR-R-01027 | Field-level requirement | Import declaration | Import H2: DE 5/14 Country of dispatch/export code at H or I level is mandatory; cardinality 1x (H) 1x (I); format a2 Must be Upper Case.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!134
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H2.; 5/14 Country of dispatch/export code at H or I level is mandatory.; Populate XML path Declaration/GoodsShipment/ ExportCountry/ID Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ ExportCountry/ID only where this rule permits it.; Respect cardinality 1x (H) 1x (I).; Value conforms to HMRC format a2 Must be Upper Case.; Value is drawn from HMRC codelist CountryTypes for these items.

TDR-R-01028 | Field-level requirement | Import declaration | Import H3: DE 5/14 Country of dispatch/export code at H or I level is mandatory; cardinality 1x (H) 1x (I); format a2 Must be Upper Case.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!134
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H3.; 5/14 Country of dispatch/export code at H or I level is mandatory.; Populate XML path Declaration/GoodsShipment/ ExportCountry/ID Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ ExportCountry/ID only where this rule permits it.; Respect cardinality 1x (H) 1x (I).; Value conforms to HMRC format a2 Must be Upper Case.; Value is drawn from HMRC codelist CountryTypes for these items.

TDR-R-01029 | Field-level requirement | Import declaration | Import H4: DE 5/14 Country of dispatch/export code at H or I level is mandatory; cardinality 1x (H) 1x (I); format a2 Must be Upper Case.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!134
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H4.; 5/14 Country of dispatch/export code at H or I level is mandatory.; Populate XML path Declaration/GoodsShipment/ ExportCountry/ID Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ ExportCountry/ID only where this rule permits it.; Respect cardinality 1x (H) 1x (I).; Value conforms to HMRC format a2 Must be Upper Case.; Value is drawn from HMRC codelist CountryTypes for these items.

TDR-R-01030 | Field-level requirement | Import declaration | Import H5: DE 5/14 Country of dispatch/export code at H or I level is mandatory; cardinality 1x (H) 1x (I); format a2 Must be Upper Case.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!134
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H5.; 5/14 Country of dispatch/export code at H or I level is mandatory.; Populate XML path Declaration/GoodsShipment/ ExportCountry/ID Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ ExportCountry/ID only where this rule permits it.; Respect cardinality 1x (H) 1x (I).; Value conforms to HMRC format a2 Must be Upper Case.; Value is drawn from HMRC codelist CountryTypes for these items.

TDR-R-01031 | Field-level requirement | Import declaration | Import I1: DE 5/14 Country of dispatch/export code at H or I level is dependent; cardinality 1x (H) 1x (I); format a2 Must be Upper Case.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!134
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is I1.; 5/14 Country of dispatch/export code at H or I level is dependent.; Populate XML path Declaration/GoodsShipment/ ExportCountry/ID Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ ExportCountry/ID only where this rule permits it.; Respect cardinality 1x (H) 1x (I).; Value conforms to HMRC format a2 Must be Upper Case.; Value is drawn from HMRC codelist CountryTypes for these items.

TDR-R-01032 | Field-level requirement | Import declaration | Import I1 (B&E): DE 5/14 Country of dispatch/export code at H or I level is mandatory; cardinality 1x (H) 1x (I); format a2 Must be Upper Case.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!134
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is I1 (B&E).; 5/14 Country of dispatch/export code at H or I level is mandatory.; Populate XML path Declaration/GoodsShipment/ ExportCountry/ID Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ ExportCountry/ID only where this rule permits it.; Respect cardinality 1x (H) 1x (I).; Value conforms to HMRC format a2 Must be Upper Case.; Value is drawn from HMRC codelist CountryTypes for these items.

TDR-R-01033 | Field-level requirement | Import declaration | Import C21I: DE 5/14 Country of dispatch/export code at H or I level is dependent; cardinality 1x (H) 1x (I); format a2 Must be Upper Case.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!134
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is C21I.; 5/14 Country of dispatch/export code at H or I level is dependent.; Populate XML path Declaration/GoodsShipment/ ExportCountry/ID Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ ExportCountry/ID only where this rule permits it.; Respect cardinality 1x (H) 1x (I).; Value conforms to HMRC format a2 Must be Upper Case.; Value is drawn from HMRC codelist CountryTypes for these items.

TDR-R-01034 | Field-level requirement | Import declaration | Import H1: DE 5/15 Country of Origin - Country Code at I level is dependent; cardinality 1:1; format a2 Must be Upper Case.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!136
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H1.; 5/15 Country of Origin - Country Code at I level is dependent.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Origin/ CountryCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a2 Must be Upper Case.; Value is drawn from HMRC codelist CountryTypes for these items.

TDR-R-01035 | Field-level requirement | Import declaration | Import H2: DE 5/15 Country of Origin - Country Code at I level is dependent; cardinality 1:1; format a2 Must be Upper Case.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!136
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H2.; 5/15 Country of Origin - Country Code at I level is dependent.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Origin/ CountryCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a2 Must be Upper Case.; Value is drawn from HMRC codelist CountryTypes for these items.

TDR-R-01036 | Field-level requirement | Import declaration | Import H3: DE 5/15 Country of Origin - Country Code at I level is dependent; cardinality 1:1; format a2 Must be Upper Case.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!136
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H3.; 5/15 Country of Origin - Country Code at I level is dependent.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Origin/ CountryCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a2 Must be Upper Case.; Value is drawn from HMRC codelist CountryTypes for these items.

TDR-R-01037 | Field-level requirement | Import declaration | Import H4: DE 5/15 Country of Origin - Country Code at I level is dependent; cardinality 1:1; format a2 Must be Upper Case.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!136
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H4.; 5/15 Country of Origin - Country Code at I level is dependent.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Origin/ CountryCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a2 Must be Upper Case.; Value is drawn from HMRC codelist CountryTypes for these items.

TDR-R-01038 | Field-level requirement | Import declaration | Import H5: DE 5/15 Country of Origin - Country Code at I level is dependent; cardinality 1:1; format a2 Must be Upper Case.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!136
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H5.; 5/15 Country of Origin - Country Code at I level is dependent.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Origin/ CountryCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a2 Must be Upper Case.; Value is drawn from HMRC codelist CountryTypes for these items.

TDR-R-01039 | Field-level requirement | Import declaration | Import H8: DE 5/15 Country of Origin - Country Code at I level is mandatory; cardinality 1:1; format a2 Must be Upper Case.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!136
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H8.; 5/15 Country of Origin - Country Code at I level is mandatory.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Origin/ CountryCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a2 Must be Upper Case.; Value is drawn from HMRC codelist CountryTypes for these items.

TDR-R-01040 | Field-level requirement | Import declaration | Import I1: DE 5/15 Country of Origin - Country Code at I level is dependent; cardinality 1:1; format a2 Must be Upper Case.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!136
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is I1.; 5/15 Country of Origin - Country Code at I level is dependent.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Origin/ CountryCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a2 Must be Upper Case.; Value is drawn from HMRC codelist CountryTypes for these items.

TDR-R-01041 | Field-level requirement | Import declaration | Import I1 (B&E): DE 5/15 Country of Origin - Country Code at I level is mandatory; cardinality 1:1; format a2 Must be Upper Case.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!136
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is I1 (B&E).; 5/15 Country of Origin - Country Code at I level is mandatory.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Origin/ CountryCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a2 Must be Upper Case.; Value is drawn from HMRC codelist CountryTypes for these items.

TDR-R-01042 | Field-level requirement | Import declaration | Import H1: DE 5/15 Country of Origin - Type Code at I level is dependent; cardinality 1:1; format n1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!137
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H1.; 5/15 Country of Origin - Type Code at I level is dependent.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Origin/ TypeCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format n1.; Value is drawn from HMRC codelist CountryRegionSubRoleTypes for these items.

TDR-R-01043 | Field-level requirement | Import declaration | Import H2: DE 5/15 Country of Origin - Type Code at I level is dependent; cardinality 1:1; format n1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!137
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H2.; 5/15 Country of Origin - Type Code at I level is dependent.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Origin/ TypeCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format n1.; Value is drawn from HMRC codelist CountryRegionSubRoleTypes for these items.

TDR-R-01044 | Field-level requirement | Import declaration | Import H3: DE 5/15 Country of Origin - Type Code at I level is dependent; cardinality 1:1; format n1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!137
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H3.; 5/15 Country of Origin - Type Code at I level is dependent.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Origin/ TypeCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format n1.; Value is drawn from HMRC codelist CountryRegionSubRoleTypes for these items.

TDR-R-01045 | Field-level requirement | Import declaration | Import H4: DE 5/15 Country of Origin - Type Code at I level is dependent; cardinality 1:1; format n1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!137
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H4.; 5/15 Country of Origin - Type Code at I level is dependent.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Origin/ TypeCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format n1.; Value is drawn from HMRC codelist CountryRegionSubRoleTypes for these items.

TDR-R-01046 | Field-level requirement | Import declaration | Import H5: DE 5/15 Country of Origin - Type Code at I level is dependent; cardinality 1:1; format n1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!137
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H5.; 5/15 Country of Origin - Type Code at I level is dependent.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Origin/ TypeCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format n1.; Value is drawn from HMRC codelist CountryRegionSubRoleTypes for these items.

TDR-R-01047 | Field-level requirement | Import declaration | Import I1: DE 5/15 Country of Origin - Type Code at I level is dependent; cardinality 1:1; format n1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!137
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is I1.; 5/15 Country of Origin - Type Code at I level is dependent.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Origin/ TypeCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format n1.; Value is drawn from HMRC codelist CountryRegionSubRoleTypes for these items.

TDR-R-01048 | Field-level requirement | Import declaration | Import I1 (B&E): DE 5/15 Country of Origin - Type Code at I level is mandatory; cardinality 1:1; format n1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!137
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is I1 (B&E).; 5/15 Country of Origin - Type Code at I level is mandatory.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Origin/ TypeCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format n1.; Value is drawn from HMRC codelist CountryRegionSubRoleTypes for these items.

TDR-R-01049 | Field-level requirement | Import declaration | Import H1: DE 5/16 Country of Preferential Origin - Country Code at I level is dependent; cardinality 1:1; format a2 Must be Upper Case.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!138
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H1.; 5/16 Country of Preferential Origin - Country Code at I level is dependent.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Origin/ CountryCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a2 Must be Upper Case.; Value is drawn from HMRC codelist CountryTypes for these items.

TDR-R-01050 | Field-level requirement | Import declaration | Import H2: DE 5/16 Country of Preferential Origin - Country Code at I level is optional; cardinality 1:1; format a2 Must be Upper Case.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!138
Error code/pattern: CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H2.; 5/16 Country of Preferential Origin - Country Code at I level is optional.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Origin/ CountryCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a2 Must be Upper Case.; Value is drawn from HMRC codelist CountryTypes for these items.

TDR-R-01051 | Field-level requirement | Import declaration | Import H3: DE 5/16 Country of Preferential Origin - Country Code at I level is dependent; cardinality 1:1; format a2 Must be Upper Case.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!138
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H3.; 5/16 Country of Preferential Origin - Country Code at I level is dependent.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Origin/ CountryCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a2 Must be Upper Case.; Value is drawn from HMRC codelist CountryTypes for these items.

TDR-R-01052 | Field-level requirement | Import declaration | Import H4: DE 5/16 Country of Preferential Origin - Country Code at I level is dependent; cardinality 1:1; format a2 Must be Upper Case.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!138
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H4.; 5/16 Country of Preferential Origin - Country Code at I level is dependent.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Origin/ CountryCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a2 Must be Upper Case.; Value is drawn from HMRC codelist CountryTypes for these items.

TDR-R-01053 | Field-level requirement | Import declaration | Import H5: DE 5/16 Country of Preferential Origin - Country Code at I level is dependent; cardinality 1:1; format a2 Must be Upper Case.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!138
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H5.; 5/16 Country of Preferential Origin - Country Code at I level is dependent.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Origin/ CountryCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a2 Must be Upper Case.; Value is drawn from HMRC codelist CountryTypes for these items.

TDR-R-01054 | Field-level requirement | Import declaration | Import I1: DE 5/16 Country of Preferential Origin - Country Code at I level is dependent; cardinality 1:1; format a2 Must be Upper Case.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!138
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is I1.; 5/16 Country of Preferential Origin - Country Code at I level is dependent.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Origin/ CountryCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a2 Must be Upper Case.; Value is drawn from HMRC codelist CountryTypes for these items.

TDR-R-01055 | Field-level requirement | Import declaration | Import H1: DE 5/16 Country of Preferential Origin - Type Code at I level is dependent; cardinality 1:1; format n1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!139
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H1.; 5/16 Country of Preferential Origin - Type Code at I level is dependent.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Origin/ TypeCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format n1.; Value is drawn from HMRC codelist CountryRegionSubRoleTypes for these items.

TDR-R-01056 | Field-level requirement | Import declaration | Import H2: DE 5/16 Country of Preferential Origin - Type Code at I level is optional; cardinality 1:1; format n1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!139
Error code/pattern: CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H2.; 5/16 Country of Preferential Origin - Type Code at I level is optional.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Origin/ TypeCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format n1.; Value is drawn from HMRC codelist CountryRegionSubRoleTypes for these items.

TDR-R-01057 | Field-level requirement | Import declaration | Import H3: DE 5/16 Country of Preferential Origin - Type Code at I level is dependent; cardinality 1:1; format n1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!139
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H3.; 5/16 Country of Preferential Origin - Type Code at I level is dependent.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Origin/ TypeCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format n1.; Value is drawn from HMRC codelist CountryRegionSubRoleTypes for these items.

TDR-R-01058 | Field-level requirement | Import declaration | Import H4: DE 5/16 Country of Preferential Origin - Type Code at I level is dependent; cardinality 1:1; format n1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!139
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H4.; 5/16 Country of Preferential Origin - Type Code at I level is dependent.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Origin/ TypeCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format n1.; Value is drawn from HMRC codelist CountryRegionSubRoleTypes for these items.

TDR-R-01059 | Field-level requirement | Import declaration | Import H5: DE 5/16 Country of Preferential Origin - Type Code at I level is dependent; cardinality 1:1; format n1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!139
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H5.; 5/16 Country of Preferential Origin - Type Code at I level is dependent.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Origin/ TypeCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format n1.; Value is drawn from HMRC codelist CountryRegionSubRoleTypes for these items.

TDR-R-01060 | Field-level requirement | Import declaration | Import I1: DE 5/16 Country of Preferential Origin - Type Code at I level is dependent; cardinality 1:1; format n1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!139
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is I1.; 5/16 Country of Preferential Origin - Type Code at I level is dependent.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Origin/ TypeCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format n1.; Value is drawn from HMRC codelist CountryRegionSubRoleTypes for these items.

TDR-R-01061 | Field-level requirement | Import declaration | Import H1: DE 5/21 Place of Loading - Airport Code at H level is dependent; cardinality 1x; format an..17.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!140
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H1.; 5/21 Place of Loading - Airport Code at H level is dependent.; Populate XML path Declaration/ GoodsShipment/ Consignment/ LoadingLocation/ ID only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format an..17.; Value is drawn from HMRC codelist AirportCodes for these items.

TDR-R-01062 | Field-level requirement | Import declaration | Import H3: DE 5/21 Place of Loading - Airport Code at H level is dependent; cardinality 1x; format an..17.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!140
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H3.; 5/21 Place of Loading - Airport Code at H level is dependent.; Populate XML path Declaration/ GoodsShipment/ Consignment/ LoadingLocation/ ID only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format an..17.; Value is drawn from HMRC codelist AirportCodes for these items.

TDR-R-01063 | Field-level requirement | Import declaration | Import H4: DE 5/21 Place of Loading - Airport Code at H level is dependent; cardinality 1x; format an..17.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!140
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H4.; 5/21 Place of Loading - Airport Code at H level is dependent.; Populate XML path Declaration/ GoodsShipment/ Consignment/ LoadingLocation/ ID only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format an..17.; Value is drawn from HMRC codelist AirportCodes for these items.

TDR-R-01064 | Field-level requirement | Import declaration | Import H5: DE 5/21 Place of Loading - Airport Code at H level is not allowed; cardinality 1x; format an..17.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!140
Error code/pattern: CDS10002 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H5.; 5/21 Place of Loading - Airport Code at H level is not allowed.; Populate XML path Declaration/ GoodsShipment/ Consignment/ LoadingLocation/ ID only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format an..17.; Value is drawn from HMRC codelist AirportCodes for these items.

TDR-R-01065 | Field-level requirement | Import declaration | Import I1: DE 5/21 Place of Loading - Airport Code at H level is dependent; cardinality 1x; format an..17.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!140
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is I1.; 5/21 Place of Loading - Airport Code at H level is dependent.; Populate XML path Declaration/ GoodsShipment/ Consignment/ LoadingLocation/ ID only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format an..17.; Value is drawn from HMRC codelist AirportCodes for these items.

TDR-R-01066 | Field-level requirement | Import declaration | Import I1 (B&E): DE 5/21 Place of Loading - Airport Code at H level is dependent; cardinality 1x; format an..17.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!140
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is I1 (B&E).; 5/21 Place of Loading - Airport Code at H level is dependent.; Populate XML path Declaration/ GoodsShipment/ Consignment/ LoadingLocation/ ID only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format an..17.; Value is drawn from HMRC codelist AirportCodes for these items.

TDR-R-01067 | Field-level requirement | Import declaration | Import H1: DE 5/23 Location of Goods at H level is mandatory; cardinality 1x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!141
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H1.; 5/23 Location of Goods at H level is mandatory.; Populate XML path Declaration/GoodsShipment/ Consignment/ GoodsLocation only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format -.

TDR-R-01068 | Field-level requirement | Import declaration | Import H2: DE 5/23 Location of Goods at H level is mandatory; cardinality 1x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!141
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H2.; 5/23 Location of Goods at H level is mandatory.; Populate XML path Declaration/GoodsShipment/ Consignment/ GoodsLocation only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format -.

TDR-R-01069 | Field-level requirement | Import declaration | Import H3: DE 5/23 Location of Goods at H level is mandatory; cardinality 1x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!141
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H3.; 5/23 Location of Goods at H level is mandatory.; Populate XML path Declaration/GoodsShipment/ Consignment/ GoodsLocation only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format -.

TDR-R-01070 | Field-level requirement | Import declaration | Import H4: DE 5/23 Location of Goods at H level is mandatory; cardinality 1x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!141
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H4.; 5/23 Location of Goods at H level is mandatory.; Populate XML path Declaration/GoodsShipment/ Consignment/ GoodsLocation only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format -.

TDR-R-01071 | Field-level requirement | Import declaration | Import H5: DE 5/23 Location of Goods at H level is mandatory; cardinality 1x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!141
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H5.; 5/23 Location of Goods at H level is mandatory.; Populate XML path Declaration/GoodsShipment/ Consignment/ GoodsLocation only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format -.

TDR-R-01072 | Field-level requirement | Import declaration | Import H8: DE 5/23 Location of Goods at H level is mandatory; cardinality 1x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!141
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H8.; 5/23 Location of Goods at H level is mandatory.; Populate XML path Declaration/GoodsShipment/ Consignment/ GoodsLocation only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format -.

TDR-R-01073 | Field-level requirement | Import declaration | Import I1: DE 5/23 Location of Goods at H level is mandatory; cardinality 1x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!141
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is I1.; 5/23 Location of Goods at H level is mandatory.; Populate XML path Declaration/GoodsShipment/ Consignment/ GoodsLocation only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format -.

TDR-R-01074 | Field-level requirement | Import declaration | Import I1 (B&E): DE 5/23 Location of Goods at H level is mandatory; cardinality 1x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!141
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is I1 (B&E).; 5/23 Location of Goods at H level is mandatory.; Populate XML path Declaration/GoodsShipment/ Consignment/ GoodsLocation only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format -.

TDR-R-01075 | Field-level requirement | Import declaration | Import C21I: DE 5/23 Location of Goods at H level is mandatory; cardinality 1x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!141
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is C21I.; 5/23 Location of Goods at H level is mandatory.; Populate XML path Declaration/GoodsShipment/ Consignment/ GoodsLocation only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format -.

TDR-R-01076 | Field-level requirement | Import declaration | Import C21I EIDR: DE 5/23 Location of Goods at H level is mandatory; cardinality 1x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!141
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is C21I EIDR.; 5/23 Location of Goods at H level is mandatory.; Populate XML path Declaration/GoodsShipment/ Consignment/ GoodsLocation only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format -.

TDR-R-01077 | Field-level requirement | Import declaration | Import FSD: DE 5/23 Location of Goods at H level is mandatory; cardinality 1x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!141
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is FSD.; 5/23 Location of Goods at H level is mandatory.; Populate XML path Declaration/GoodsShipment/ Consignment/ GoodsLocation only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format -.

TDR-R-01078 | Field-level requirement | Import declaration | Import SRDS: DE 5/23 Location of Goods at H level is mandatory; cardinality 1x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!141
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is SRDS.; 5/23 Location of Goods at H level is mandatory.; Populate XML path Declaration/GoodsShipment/ Consignment/ GoodsLocation only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format -.

TDR-R-01079 | Field-level requirement | Import declaration | Import H1: DE 5/23 Location of Goods - Additional Identifier at H level is optional; cardinality 1:1; format n..3.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!142
Error code/pattern: CDS10010 | xml_validation_error
Acceptance: Import declaration context is H1.; 5/23 Location of Goods - Additional Identifier at H level is optional.; Populate XML path Declaration/GoodsShipment/ Consignment/ GoodsLocation/ ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format n..3.

TDR-R-01080 | Field-level requirement | Import declaration | Import H2: DE 5/23 Location of Goods - Additional Identifier at H level is optional; cardinality 1:1; format n..3.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!142
Error code/pattern: CDS10010 | xml_validation_error
Acceptance: Import declaration context is H2.; 5/23 Location of Goods - Additional Identifier at H level is optional.; Populate XML path Declaration/GoodsShipment/ Consignment/ GoodsLocation/ ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format n..3.

TDR-R-01081 | Field-level requirement | Import declaration | Import H3: DE 5/23 Location of Goods - Additional Identifier at H level is optional; cardinality 1:1; format n..3.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!142
Error code/pattern: CDS10010 | xml_validation_error
Acceptance: Import declaration context is H3.; 5/23 Location of Goods - Additional Identifier at H level is optional.; Populate XML path Declaration/GoodsShipment/ Consignment/ GoodsLocation/ ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format n..3.

TDR-R-01082 | Field-level requirement | Import declaration | Import H4: DE 5/23 Location of Goods - Additional Identifier at H level is optional; cardinality 1:1; format n..3.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!142
Error code/pattern: CDS10010 | xml_validation_error
Acceptance: Import declaration context is H4.; 5/23 Location of Goods - Additional Identifier at H level is optional.; Populate XML path Declaration/GoodsShipment/ Consignment/ GoodsLocation/ ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format n..3.

TDR-R-01083 | Field-level requirement | Import declaration | Import H5: DE 5/23 Location of Goods - Additional Identifier at H level is optional; cardinality 1:1; format n..3.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!142
Error code/pattern: CDS10010 | xml_validation_error
Acceptance: Import declaration context is H5.; 5/23 Location of Goods - Additional Identifier at H level is optional.; Populate XML path Declaration/GoodsShipment/ Consignment/ GoodsLocation/ ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format n..3.

TDR-R-01084 | Field-level requirement | Import declaration | Import H8: DE 5/23 Location of Goods - Additional Identifier at H level is optional; cardinality 1:1; format n..3.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!142
Error code/pattern: CDS10010 | xml_validation_error
Acceptance: Import declaration context is H8.; 5/23 Location of Goods - Additional Identifier at H level is optional.; Populate XML path Declaration/GoodsShipment/ Consignment/ GoodsLocation/ ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format n..3.

TDR-R-01085 | Field-level requirement | Import declaration | Import I1: DE 5/23 Location of Goods - Additional Identifier at H level is optional; cardinality 1:1; format n..3.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!142
Error code/pattern: CDS10010 | xml_validation_error
Acceptance: Import declaration context is I1.; 5/23 Location of Goods - Additional Identifier at H level is optional.; Populate XML path Declaration/GoodsShipment/ Consignment/ GoodsLocation/ ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format n..3.

TDR-R-01086 | Field-level requirement | Import declaration | Import I1 (B&E): DE 5/23 Location of Goods - Additional Identifier at H level is optional; cardinality 1:1; format n..3.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!142
Error code/pattern: CDS10010 | xml_validation_error
Acceptance: Import declaration context is I1 (B&E).; 5/23 Location of Goods - Additional Identifier at H level is optional.; Populate XML path Declaration/GoodsShipment/ Consignment/ GoodsLocation/ ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format n..3.

TDR-R-01087 | Field-level requirement | Import declaration | Import C21I: DE 5/23 Location of Goods - Additional Identifier at H level is optional; cardinality 1:1; format n..3.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!142
Error code/pattern: CDS10010 | xml_validation_error
Acceptance: Import declaration context is C21I.; 5/23 Location of Goods - Additional Identifier at H level is optional.; Populate XML path Declaration/GoodsShipment/ Consignment/ GoodsLocation/ ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format n..3.

TDR-R-01088 | Field-level requirement | Import declaration | Import C21I EIDR: DE 5/23 Location of Goods - Additional Identifier at H level is optional; cardinality 1:1; format n..3.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!142
Error code/pattern: CDS10010 | xml_validation_error
Acceptance: Import declaration context is C21I EIDR.; 5/23 Location of Goods - Additional Identifier at H level is optional.; Populate XML path Declaration/GoodsShipment/ Consignment/ GoodsLocation/ ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format n..3.

TDR-R-01089 | Field-level requirement | Import declaration | Import SRDS: DE 5/23 Location of Goods - Additional Identifier at H level is optional; cardinality 1:1; format n..3.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!142
Error code/pattern: CDS10010 | xml_validation_error
Acceptance: Import declaration context is SRDS.; 5/23 Location of Goods - Additional Identifier at H level is optional.; Populate XML path Declaration/GoodsShipment/ Consignment/ GoodsLocation/ ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format n..3.

TDR-R-01090 | Field-level requirement | Import declaration | Import H1: DE 5/23 Location of Goods - Identification of Location at H level is dependent; cardinality 1:1; format an..35.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!143
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H1.; 5/23 Location of Goods - Identification of Location at H level is dependent.; Populate XML path Declaration/GoodsShipment/ Consignment/ GoodsLocation/ Name only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..35.

TDR-R-01091 | Field-level requirement | Import declaration | Import H2: DE 5/23 Location of Goods - Identification of Location at H level is dependent; cardinality 1:1; format an..35.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!143
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H2.; 5/23 Location of Goods - Identification of Location at H level is dependent.; Populate XML path Declaration/GoodsShipment/ Consignment/ GoodsLocation/ Name only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..35.

TDR-R-01092 | Field-level requirement | Import declaration | Import H3: DE 5/23 Location of Goods - Identification of Location at H level is dependent; cardinality 1:1; format an..35.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!143
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H3.; 5/23 Location of Goods - Identification of Location at H level is dependent.; Populate XML path Declaration/GoodsShipment/ Consignment/ GoodsLocation/ Name only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..35.

TDR-R-01093 | Field-level requirement | Import declaration | Import H4: DE 5/23 Location of Goods - Identification of Location at H level is dependent; cardinality 1:1; format an..35.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!143
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H4.; 5/23 Location of Goods - Identification of Location at H level is dependent.; Populate XML path Declaration/GoodsShipment/ Consignment/ GoodsLocation/ Name only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..35.

TDR-R-01094 | Field-level requirement | Import declaration | Import H5: DE 5/23 Location of Goods - Identification of Location at H level is dependent; cardinality 1:1; format an..35.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!143
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H5.; 5/23 Location of Goods - Identification of Location at H level is dependent.; Populate XML path Declaration/GoodsShipment/ Consignment/ GoodsLocation/ Name only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..35.

TDR-R-01095 | Field-level requirement | Import declaration | Import H8: DE 5/23 Location of Goods - Identification of Location at H level is mandatory; cardinality 1:1; format an..35.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!143
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H8.; 5/23 Location of Goods - Identification of Location at H level is mandatory.; Populate XML path Declaration/GoodsShipment/ Consignment/ GoodsLocation/ Name only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..35.

TDR-R-01096 | Field-level requirement | Import declaration | Import I1: DE 5/23 Location of Goods - Identification of Location at H level is dependent; cardinality 1:1; format an..35.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!143
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is I1.; 5/23 Location of Goods - Identification of Location at H level is dependent.; Populate XML path Declaration/GoodsShipment/ Consignment/ GoodsLocation/ Name only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..35.

TDR-R-01097 | Field-level requirement | Import declaration | Import I1 (B&E): DE 5/23 Location of Goods - Identification of Location at H level is dependent; cardinality 1:1; format an..35.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!143
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is I1 (B&E).; 5/23 Location of Goods - Identification of Location at H level is dependent.; Populate XML path Declaration/GoodsShipment/ Consignment/ GoodsLocation/ Name only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..35.

TDR-R-01098 | Field-level requirement | Import declaration | Import C21I: DE 5/23 Location of Goods - Identification of Location at H level is dependent; cardinality 1:1; format an..35.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!143
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is C21I.; 5/23 Location of Goods - Identification of Location at H level is dependent.; Populate XML path Declaration/GoodsShipment/ Consignment/ GoodsLocation/ Name only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..35.

TDR-R-01099 | Field-level requirement | Import declaration | Import C21I EIDR: DE 5/23 Location of Goods - Identification of Location at H level is dependent; cardinality 1:1; format an..35.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!143
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is C21I EIDR.; 5/23 Location of Goods - Identification of Location at H level is dependent.; Populate XML path Declaration/GoodsShipment/ Consignment/ GoodsLocation/ Name only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..35.

TDR-R-01100 | Field-level requirement | Import declaration | Import FSD: DE 5/23 Location of Goods - Identification of Location at H level is mandatory; cardinality 1:1; format an..35.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!143
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is FSD.; 5/23 Location of Goods - Identification of Location at H level is mandatory.; Populate XML path Declaration/GoodsShipment/ Consignment/ GoodsLocation/ Name only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..35.

TDR-R-01101 | Field-level requirement | Import declaration | Import SRDS: DE 5/23 Location of Goods - Identification of Location at H level is dependent; cardinality 1:1; format an..35.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!143
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is SRDS.; 5/23 Location of Goods - Identification of Location at H level is dependent.; Populate XML path Declaration/GoodsShipment/ Consignment/ GoodsLocation/ Name only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..35.

TDR-R-01102 | Field-level requirement | Import declaration | Import H1: DE 5/23 Location of Goods - Type of Location at H level is mandatory when the group-level item is present; cardinality 1:1; format a1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!144
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H1.; 5/23 Location of Goods - Type of Location at H level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ Consignment/ GoodsLocation/ TypeCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a1.; Value is drawn from HMRC codelist LocationTypes for these items.

TDR-R-01103 | Field-level requirement | Import declaration | Import H2: DE 5/23 Location of Goods - Type of Location at H level is mandatory when the group-level item is present; cardinality 1:1; format a1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!144
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H2.; 5/23 Location of Goods - Type of Location at H level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ Consignment/ GoodsLocation/ TypeCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a1.; Value is drawn from HMRC codelist LocationTypes for these items.

TDR-R-01104 | Field-level requirement | Import declaration | Import H3: DE 5/23 Location of Goods - Type of Location at H level is mandatory when the group-level item is present; cardinality 1:1; format a1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!144
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H3.; 5/23 Location of Goods - Type of Location at H level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ Consignment/ GoodsLocation/ TypeCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a1.; Value is drawn from HMRC codelist LocationTypes for these items.

TDR-R-01105 | Field-level requirement | Import declaration | Import H4: DE 5/23 Location of Goods - Type of Location at H level is mandatory when the group-level item is present; cardinality 1:1; format a1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!144
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H4.; 5/23 Location of Goods - Type of Location at H level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ Consignment/ GoodsLocation/ TypeCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a1.; Value is drawn from HMRC codelist LocationTypes for these items.

TDR-R-01106 | Field-level requirement | Import declaration | Import H5: DE 5/23 Location of Goods - Type of Location at H level is mandatory when the group-level item is present; cardinality 1:1; format a1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!144
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H5.; 5/23 Location of Goods - Type of Location at H level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ Consignment/ GoodsLocation/ TypeCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a1.; Value is drawn from HMRC codelist LocationTypes for these items.

TDR-R-01107 | Field-level requirement | Import declaration | Import H8: DE 5/23 Location of Goods - Type of Location at H level is mandatory; cardinality 1:1; format a1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!144
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H8.; 5/23 Location of Goods - Type of Location at H level is mandatory.; Populate XML path Declaration/GoodsShipment/ Consignment/ GoodsLocation/ TypeCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a1.; Value is drawn from HMRC codelist LocationTypes for these items.

TDR-R-01108 | Field-level requirement | Import declaration | Import I1: DE 5/23 Location of Goods - Type of Location at H level is mandatory when the group-level item is present; cardinality 1:1; format a1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!144
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is I1.; 5/23 Location of Goods - Type of Location at H level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ Consignment/ GoodsLocation/ TypeCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a1.; Value is drawn from HMRC codelist LocationTypes for these items.

TDR-R-01109 | Field-level requirement | Import declaration | Import I1 (B&E): DE 5/23 Location of Goods - Type of Location at H level is mandatory when the group-level item is present; cardinality 1:1; format a1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!144
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is I1 (B&E).; 5/23 Location of Goods - Type of Location at H level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ Consignment/ GoodsLocation/ TypeCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a1.; Value is drawn from HMRC codelist LocationTypes for these items.

TDR-R-01110 | Field-level requirement | Import declaration | Import C21I: DE 5/23 Location of Goods - Type of Location at H level is mandatory when the group-level item is present; cardinality 1:1; format a1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!144
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is C21I.; 5/23 Location of Goods - Type of Location at H level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ Consignment/ GoodsLocation/ TypeCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a1.; Value is drawn from HMRC codelist LocationTypes for these items.

TDR-R-01111 | Field-level requirement | Import declaration | Import C21I EIDR: DE 5/23 Location of Goods - Type of Location at H level is mandatory when the group-level item is present; cardinality 1:1; format a1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!144
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is C21I EIDR.; 5/23 Location of Goods - Type of Location at H level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ Consignment/ GoodsLocation/ TypeCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a1.; Value is drawn from HMRC codelist LocationTypes for these items.

TDR-R-01112 | Field-level requirement | Import declaration | Import FSD: DE 5/23 Location of Goods - Type of Location at H level is mandatory when the group-level item is present; cardinality 1:1; format a1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!144
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is FSD.; 5/23 Location of Goods - Type of Location at H level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ Consignment/ GoodsLocation/ TypeCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a1.; Value is drawn from HMRC codelist LocationTypes for these items.

TDR-R-01113 | Field-level requirement | Import declaration | Import SRDS: DE 5/23 Location of Goods - Type of Location at H level is mandatory when the group-level item is present; cardinality 1:1; format a1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!144
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is SRDS.; 5/23 Location of Goods - Type of Location at H level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ Consignment/ GoodsLocation/ TypeCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a1.; Value is drawn from HMRC codelist LocationTypes for these items.

TDR-R-01114 | Field-level requirement | Import declaration | Import H1: DE 5/23 Location of Goods - City at H level is not allowed; cardinality 1:1; format an..35.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!145
Error code/pattern: CDS10002 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H1.; 5/23 Location of Goods - City at H level is not allowed.; Populate XML path Declaration/GoodsShipment/ Consignment/ GoodsLocation/ Address/ CityName only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..35.

TDR-R-01115 | Field-level requirement | Import declaration | Import H2: DE 5/23 Location of Goods - City at H level is not allowed; cardinality 1:1; format an..35.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!145
Error code/pattern: CDS10002 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H2.; 5/23 Location of Goods - City at H level is not allowed.; Populate XML path Declaration/GoodsShipment/ Consignment/ GoodsLocation/ Address/ CityName only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..35.

TDR-R-01116 | Field-level requirement | Import declaration | Import H3: DE 5/23 Location of Goods - City at H level is not allowed; cardinality 1:1; format an..35.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!145
Error code/pattern: CDS10002 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H3.; 5/23 Location of Goods - City at H level is not allowed.; Populate XML path Declaration/GoodsShipment/ Consignment/ GoodsLocation/ Address/ CityName only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..35.

TDR-R-01117 | Field-level requirement | Import declaration | Import H4: DE 5/23 Location of Goods - City at H level is not allowed; cardinality 1:1; format an..35.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!145
Error code/pattern: CDS10002 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H4.; 5/23 Location of Goods - City at H level is not allowed.; Populate XML path Declaration/GoodsShipment/ Consignment/ GoodsLocation/ Address/ CityName only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..35.

TDR-R-01118 | Field-level requirement | Import declaration | Import H5: DE 5/23 Location of Goods - City at H level is not allowed; cardinality 1:1; format an..35.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!145
Error code/pattern: CDS10002 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H5.; 5/23 Location of Goods - City at H level is not allowed.; Populate XML path Declaration/GoodsShipment/ Consignment/ GoodsLocation/ Address/ CityName only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..35.

TDR-R-01119 | Field-level requirement | Import declaration | Import H8: DE 5/23 Location of Goods - City at H level is not allowed; cardinality 1:1; format an..35.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!145
Error code/pattern: CDS10002 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H8.; 5/23 Location of Goods - City at H level is not allowed.; Populate XML path Declaration/GoodsShipment/ Consignment/ GoodsLocation/ Address/ CityName only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..35.

TDR-R-01120 | Field-level requirement | Import declaration | Import I1: DE 5/23 Location of Goods - City at H level is not allowed; cardinality 1:1; format an..35.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!145
Error code/pattern: CDS10002 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is I1.; 5/23 Location of Goods - City at H level is not allowed.; Populate XML path Declaration/GoodsShipment/ Consignment/ GoodsLocation/ Address/ CityName only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..35.

TDR-R-01121 | Field-level requirement | Import declaration | Import I1 (B&E): DE 5/23 Location of Goods - City at H level is not allowed; cardinality 1:1; format an..35.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!145
Error code/pattern: CDS10002 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is I1 (B&E).; 5/23 Location of Goods - City at H level is not allowed.; Populate XML path Declaration/GoodsShipment/ Consignment/ GoodsLocation/ Address/ CityName only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..35.

TDR-R-01122 | Field-level requirement | Import declaration | Import C21I: DE 5/23 Location of Goods - City at H level is not allowed; cardinality 1:1; format an..35.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!145
Error code/pattern: CDS10002 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is C21I.; 5/23 Location of Goods - City at H level is not allowed.; Populate XML path Declaration/GoodsShipment/ Consignment/ GoodsLocation/ Address/ CityName only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..35.

TDR-R-01123 | Field-level requirement | Import declaration | Import C21I EIDR: DE 5/23 Location of Goods - City at H level is not allowed; cardinality 1:1; format an..35.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!145
Error code/pattern: CDS10002 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is C21I EIDR.; 5/23 Location of Goods - City at H level is not allowed.; Populate XML path Declaration/GoodsShipment/ Consignment/ GoodsLocation/ Address/ CityName only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..35.

TDR-R-01124 | Field-level requirement | Import declaration | Import SRDS: DE 5/23 Location of Goods - City at H level is not allowed; cardinality 1:1; format an..35.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!145
Error code/pattern: CDS10002 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is SRDS.; 5/23 Location of Goods - City at H level is not allowed.; Populate XML path Declaration/GoodsShipment/ Consignment/ GoodsLocation/ Address/ CityName only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..35.

TDR-R-01125 | Field-level requirement | Import declaration | Import H1: DE 5/23 Location of Goods - Country at H level is mandatory when the group-level item is present; cardinality 1:1; format a2 Must be Upper Case.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!146
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H1.; 5/23 Location of Goods - Country at H level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ Consignment/ GoodsLocation/ Address/ CountryCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a2 Must be Upper Case.; Value is drawn from HMRC codelist CountryTypes for these items.

TDR-R-01126 | Field-level requirement | Import declaration | Import H2: DE 5/23 Location of Goods - Country at H level is mandatory when the group-level item is present; cardinality 1:1; format a2 Must be Upper Case.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!146
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H2.; 5/23 Location of Goods - Country at H level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ Consignment/ GoodsLocation/ Address/ CountryCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a2 Must be Upper Case.; Value is drawn from HMRC codelist CountryTypes for these items.

TDR-R-01127 | Field-level requirement | Import declaration | Import H3: DE 5/23 Location of Goods - Country at H level is mandatory when the group-level item is present; cardinality 1:1; format a2 Must be Upper Case.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!146
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H3.; 5/23 Location of Goods - Country at H level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ Consignment/ GoodsLocation/ Address/ CountryCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a2 Must be Upper Case.; Value is drawn from HMRC codelist CountryTypes for these items.

TDR-R-01128 | Field-level requirement | Import declaration | Import H4: DE 5/23 Location of Goods - Country at H level is mandatory when the group-level item is present; cardinality 1:1; format a2 Must be Upper Case.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!146
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H4.; 5/23 Location of Goods - Country at H level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ Consignment/ GoodsLocation/ Address/ CountryCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a2 Must be Upper Case.; Value is drawn from HMRC codelist CountryTypes for these items.

TDR-R-01129 | Field-level requirement | Import declaration | Import H5: DE 5/23 Location of Goods - Country at H level is mandatory when the group-level item is present; cardinality 1:1; format a2 Must be Upper Case.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!146
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H5.; 5/23 Location of Goods - Country at H level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ Consignment/ GoodsLocation/ Address/ CountryCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a2 Must be Upper Case.; Value is drawn from HMRC codelist CountryTypes for these items.

TDR-R-01130 | Field-level requirement | Import declaration | Import H8: DE 5/23 Location of Goods - Country at H level is mandatory; cardinality 1:1; format a2 Must be Upper Case.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!146
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H8.; 5/23 Location of Goods - Country at H level is mandatory.; Populate XML path Declaration/GoodsShipment/ Consignment/ GoodsLocation/ Address/ CountryCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a2 Must be Upper Case.; Value is drawn from HMRC codelist CountryTypes for these items.

TDR-R-01131 | Field-level requirement | Import declaration | Import I1: DE 5/23 Location of Goods - Country at H level is mandatory when the group-level item is present; cardinality 1:1; format a2 Must be Upper Case.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!146
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is I1.; 5/23 Location of Goods - Country at H level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ Consignment/ GoodsLocation/ Address/ CountryCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a2 Must be Upper Case.; Value is drawn from HMRC codelist CountryTypes for these items.

TDR-R-01132 | Field-level requirement | Import declaration | Import I1 (B&E): DE 5/23 Location of Goods - Country at H level is mandatory when the group-level item is present; cardinality 1:1; format a2 Must be Upper Case.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!146
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is I1 (B&E).; 5/23 Location of Goods - Country at H level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ Consignment/ GoodsLocation/ Address/ CountryCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a2 Must be Upper Case.; Value is drawn from HMRC codelist CountryTypes for these items.

TDR-R-01133 | Field-level requirement | Import declaration | Import C21I: DE 5/23 Location of Goods - Country at H level is mandatory when the group-level item is present; cardinality 1:1; format a2 Must be Upper Case.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!146
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is C21I.; 5/23 Location of Goods - Country at H level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ Consignment/ GoodsLocation/ Address/ CountryCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a2 Must be Upper Case.; Value is drawn from HMRC codelist CountryTypes for these items.

TDR-R-01134 | Field-level requirement | Import declaration | Import C21I EIDR: DE 5/23 Location of Goods - Country at H level is mandatory when the group-level item is present; cardinality 1:1; format a2 Must be Upper Case.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!146
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is C21I EIDR.; 5/23 Location of Goods - Country at H level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ Consignment/ GoodsLocation/ Address/ CountryCode only where this rule permits it.;

Respect cardinality 1:1.; Value conforms to HMRC format a2 Must be Upper Case.; Value is drawn from HMRC codelist CountryTypes for these items.

TDR-R-01135 | Field-level requirement | Import declaration | Import FSD: DE 5/23 Location of Goods - Country at H level is mandatory when the group-level item is present; cardinality 1:1; format a2 Must be Upper Case.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!146
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is FSD.; 5/23 Location of Goods - Country at H level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ Consignment/ GoodsLocation/ Address/ CountryCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a2 Must be Upper Case.; Value is drawn from HMRC codelist CountryTypes for these items.

TDR-R-01136 | Field-level requirement | Import declaration | Import SRDS: DE 5/23 Location of Goods - Country at H level is mandatory when the group-level item is present; cardinality 1:1; format a2 Must be Upper Case.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!146
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is SRDS.; 5/23 Location of Goods - Country at H level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ Consignment/ GoodsLocation/ Address/ CountryCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a2 Must be Upper Case.; Value is drawn from HMRC codelist CountryTypes for these items.

TDR-R-01137 | Field-level requirement | Import declaration | Import H1: DE 5/23 Location of Goods - Street and Number at H level is not allowed; cardinality 1:1; format an..70.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!147
Error code/pattern: CDS10002 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H1.; 5/23 Location of Goods - Street and Number at H level is not allowed.; Populate XML path Declaration/GoodsShipment/ Consignment/ GoodsLocation/ Address/ Line only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..70.

TDR-R-01138 | Field-level requirement | Import declaration | Import H2: DE 5/23 Location of Goods - Street and Number at H level is not allowed; cardinality 1:1; format an..70.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!147
Error code/pattern: CDS10002 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H2.; 5/23 Location of Goods - Street and Number at H level is not allowed.; Populate XML path Declaration/GoodsShipment/ Consignment/ GoodsLocation/ Address/ Line only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..70.

TDR-R-01139 | Field-level requirement | Import declaration | Import H3: DE 5/23 Location of Goods - Street and Number at H level is not allowed; cardinality 1:1; format an..70.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!147
Error code/pattern: CDS10002 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H3.; 5/23 Location of Goods - Street and Number at H level is not allowed.; Populate XML path Declaration/GoodsShipment/ Consignment/ GoodsLocation/ Address/ Line only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..70.

TDR-R-01140 | Field-level requirement | Import declaration | Import H4: DE 5/23 Location of Goods - Street and Number at H level is not allowed; cardinality 1:1; format an..70.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!147
Error code/pattern: CDS10002 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H4.; 5/23 Location of Goods - Street and Number at H level is not allowed.; Populate XML path Declaration/GoodsShipment/ Consignment/ GoodsLocation/ Address/ Line only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..70.

TDR-R-01141 | Field-level requirement | Import declaration | Import H5: DE 5/23 Location of Goods - Street and Number at H level is not allowed; cardinality 1:1; format an..70.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!147
Error code/pattern: CDS10002 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H5.; 5/23 Location of Goods - Street and Number at H level is not allowed.; Populate XML path Declaration/GoodsShipment/ Consignment/ GoodsLocation/ Address/ Line only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..70.

TDR-R-01142 | Field-level requirement | Import declaration | Import H8: DE 5/23 Location of Goods - Street and Number at H level is not allowed; cardinality 1:1; format an..70.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!147
Error code/pattern: CDS10002 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H8.; 5/23 Location of Goods - Street and Number at H level is not allowed.; Populate XML path Declaration/GoodsShipment/ Consignment/ GoodsLocation/ Address/ Line only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..70.

TDR-R-01143 | Field-level requirement | Import declaration | Import I1: DE 5/23 Location of Goods - Street and Number at H level is not allowed; cardinality 1:1; format an..70.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!147
Error code/pattern: CDS10002 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is I1.; 5/23 Location of Goods - Street and Number at H level is not allowed.; Populate XML path Declaration/GoodsShipment/ Consignment/ GoodsLocation/ Address/ Line only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..70.

TDR-R-01144 | Field-level requirement | Import declaration | Import I1 (B&E): DE 5/23 Location of Goods - Street and Number at H level is not allowed; cardinality 1:1; format an..70.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!147
Error code/pattern: CDS10002 | CDS10010 | xml_validation_error

Acceptance: Import declaration context is I1 (B&E).; 5/23 Location of Goods - Street and Number at H level is not allowed.; Populate XML path Declaration/GoodsShipment/ Consignment/ GoodsLocation/ Address/ Line only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..70.

TDR-R-01145 | Field-level requirement | Import declaration | Import C21I: DE 5/23 Location of Goods - Street and Number at H level is not allowed; cardinality 1:1; format an..70.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!147
Error code/pattern: CDS10002 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is C21I.; 5/23 Location of Goods - Street and Number at H level is not allowed.; Populate XML path Declaration/GoodsShipment/ Consignment/ GoodsLocation/ Address/ Line only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..70.

TDR-R-01146 | Field-level requirement | Import declaration | Import C21I EIDR: DE 5/23 Location of Goods - Street and Number at H level is not allowed; cardinality 1:1; format an..70.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!147
Error code/pattern: CDS10002 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is C21I EIDR.; 5/23 Location of Goods - Street and Number at H level is not allowed.; Populate XML path Declaration/GoodsShipment/ Consignment/ GoodsLocation/ Address/ Line only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..70.

TDR-R-01147 | Field-level requirement | Import declaration | Import SRDS: DE 5/23 Location of Goods - Street and Number at H level is not allowed; cardinality 1:1; format an..70.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!147
Error code/pattern: CDS10002 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is SRDS.; 5/23 Location of Goods - Street and Number at H level is not allowed.; Populate XML path Declaration/GoodsShipment/ Consignment/ GoodsLocation/ Address/ Line only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..70.

TDR-R-01148 | Field-level requirement | Import declaration | Import H1: DE 5/23 Location of Goods - Postcode at H level is not allowed; cardinality 1:1; format an..9.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!148
Error code/pattern: CDS10002 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H1.; 5/23 Location of Goods - Postcode at H level is not allowed.; Populate XML path Declaration/GoodsShipment/ Consignment/ GoodsLocation/ Address/ PostcodeID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..9.

TDR-R-01149 | Field-level requirement | Import declaration | Import H2: DE 5/23 Location of Goods - Postcode at H level is not allowed; cardinality 1:1; format an..9.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!148
Error code/pattern: CDS10002 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H2.; 5/23 Location of Goods - Postcode at H level is not allowed.; Populate XML path Declaration/GoodsShipment/ Consignment/ GoodsLocation/ Address/ PostcodeID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..9.

TDR-R-01150 | Field-level requirement | Import declaration | Import H3: DE 5/23 Location of Goods - Postcode at H level is not allowed; cardinality 1:1; format an..9.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!148
Error code/pattern: CDS10002 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H3.; 5/23 Location of Goods - Postcode at H level is not allowed.; Populate XML path Declaration/GoodsShipment/ Consignment/ GoodsLocation/ Address/ PostcodeID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..9.

TDR-R-01151 | Field-level requirement | Import declaration | Import H4: DE 5/23 Location of Goods - Postcode at H level is not allowed; cardinality 1:1; format an..9.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!148
Error code/pattern: CDS10002 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H4.; 5/23 Location of Goods - Postcode at H level is not allowed.; Populate XML path Declaration/GoodsShipment/ Consignment/ GoodsLocation/ Address/ PostcodeID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..9.

TDR-R-01152 | Field-level requirement | Import declaration | Import H5: DE 5/23 Location of Goods - Postcode at H level is not allowed; cardinality 1:1; format an..9.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!148
Error code/pattern: CDS10002 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H5.; 5/23 Location of Goods - Postcode at H level is not allowed.; Populate XML path Declaration/GoodsShipment/ Consignment/ GoodsLocation/ Address/ PostcodeID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..9.

TDR-R-01153 | Field-level requirement | Import declaration | Import H8: DE 5/23 Location of Goods - Postcode at H level is not allowed; cardinality 1:1; format an..9.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!148
Error code/pattern: CDS10002 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H8.; 5/23 Location of Goods - Postcode at H level is not allowed.; Populate XML path Declaration/GoodsShipment/ Consignment/ GoodsLocation/ Address/ PostcodeID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..9.

TDR-R-01154 | Field-level requirement | Import declaration | Import I1: DE 5/23 Location of Goods - Postcode at H level is not allowed; cardinality 1:1; format an..9.

Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!148
Error code/pattern: CDS10002 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is I1.; 5/23 Location of Goods - Postcode at H level is not allowed.; Populate XML path Declaration/GoodsShipment/ Consignment/ GoodsLocation/ Address/ PostcodeID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..9.

TDR-R-01155 | Field-level requirement | Import declaration | Import I1 (B&E): DE 5/23 Location of Goods - Postcode at H level is not allowed; cardinality 1:1; format an..9.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!148
Error code/pattern: CDS10002 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is I1 (B&E).; 5/23 Location of Goods - Postcode at H level is not allowed.; Populate XML path Declaration/GoodsShipment/ Consignment/ GoodsLocation/ Address/ PostcodeID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..9.

TDR-R-01156 | Field-level requirement | Import declaration | Import C21I: DE 5/23 Location of Goods - Postcode at H level is not allowed; cardinality 1:1; format an..9.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!148
Error code/pattern: CDS10002 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is C21I.; 5/23 Location of Goods - Postcode at H level is not allowed.; Populate XML path Declaration/GoodsShipment/ Consignment/ GoodsLocation/ Address/ PostcodeID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..9.

TDR-R-01157 | Field-level requirement | Import declaration | Import C21I EIDR: DE 5/23 Location of Goods - Postcode at H level is not allowed; cardinality 1:1; format an..9.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!148
Error code/pattern: CDS10002 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is C21I EIDR.; 5/23 Location of Goods - Postcode at H level is not allowed.; Populate XML path Declaration/GoodsShipment/ Consignment/ GoodsLocation/ Address/ PostcodeID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..9.

TDR-R-01158 | Field-level requirement | Import declaration | Import SRDS: DE 5/23 Location of Goods - Postcode at H level is not allowed; cardinality 1:1; format an..9.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!148
Error code/pattern: CDS10002 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is SRDS.; 5/23 Location of Goods - Postcode at H level is not allowed.; Populate XML path Declaration/GoodsShipment/ Consignment/ GoodsLocation/ Address/ PostcodeID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..9.

TDR-R-01159 | Field-level requirement | Import declaration | Import H1: DE 5/23 Location of Goods - Qualifier of the Identification at H level is mandatory when the group-level item is present; cardinality 1:1; format a1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!149
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H1.; 5/23 Location of Goods - Qualifier of the Identification at H level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ Consignment/ GoodsLocation/ Address/ TypeCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a1.; Value is drawn from HMRC codelist LocationIdentificationTypes for these items.

TDR-R-01160 | Field-level requirement | Import declaration | Import H2: DE 5/23 Location of Goods - Qualifier of the Identification at H level is mandatory when the group-level item is present; cardinality 1:1; format a1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!149
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H2.; 5/23 Location of Goods - Qualifier of the Identification at H level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ Consignment/ GoodsLocation/ Address/ TypeCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a1.; Value is drawn from HMRC codelist LocationIdentificationTypes for these items.

TDR-R-01161 | Field-level requirement | Import declaration | Import H3: DE 5/23 Location of Goods - Qualifier of the Identification at H level is mandatory when the group-level item is present; cardinality 1:1; format a1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!149
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H3.; 5/23 Location of Goods - Qualifier of the Identification at H level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ Consignment/ GoodsLocation/ Address/ TypeCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a1.; Value is drawn from HMRC codelist LocationIdentificationTypes for these items.

TDR-R-01162 | Field-level requirement | Import declaration | Import H4: DE 5/23 Location of Goods - Qualifier of the Identification at H level is mandatory when the group-level item is present; cardinality 1:1; format a1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!149
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H4.; 5/23 Location of Goods - Qualifier of the Identification at H level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ Consignment/ GoodsLocation/ Address/ TypeCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a1.; Value is drawn from HMRC codelist LocationIdentificationTypes for these items.

TDR-R-01163 | Field-level requirement | Import declaration | Import H5: DE 5/23 Location of Goods - Qualifier of the Identification at H level is mandatory when the group-level item is present; cardinality 1:1; format a1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!149
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H5.; 5/23 Location of Goods - Qualifier of the Identification at H level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ Consignment/ GoodsLocation/ Address/ TypeCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a1.; Value is drawn from HMRC codelist LocationIdentificationTypes for these items.

TDR-R-01164 | Field-level requirement | Import declaration | Import H8: DE 5/23 Location of Goods - Qualifier of the Identification at H level is mandatory; cardinality 1:1; format a1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!149
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H8.; 5/23 Location of Goods - Qualifier of the Identification at H level is mandatory.; Populate XML path Declaration/GoodsShipment/ Consignment/ GoodsLocation/ Address/ TypeCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a1.; Value is drawn from HMRC codelist LocationIdentificationTypes for these items.

TDR-R-01165 | Field-level requirement | Import declaration | Import I1: DE 5/23 Location of Goods - Qualifier of the Identification at H level is mandatory when the group-level item is present; cardinality 1:1; format a1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!149
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is I1.; 5/23 Location of Goods - Qualifier of the Identification at H level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ Consignment/ GoodsLocation/ Address/ TypeCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a1.; Value is drawn from HMRC codelist LocationIdentificationTypes for these items.

TDR-R-01166 | Field-level requirement | Import declaration | Import I1 (B&E): DE 5/23 Location of Goods - Qualifier of the Identification at H level is mandatory when the group-level item is present; cardinality 1:1; format a1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!149
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is I1 (B&E).; 5/23 Location of Goods - Qualifier of the Identification at H level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ Consignment/ GoodsLocation/ Address/ TypeCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a1.; Value is drawn from HMRC codelist LocationIdentificationTypes for these items.

TDR-R-01167 | Field-level requirement | Import declaration | Import C21I: DE 5/23 Location of Goods - Qualifier of the Identification at H level is mandatory when the group-level item is present; cardinality 1:1; format a1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!149
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is C21I.; 5/23 Location of Goods - Qualifier of the Identification at H level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ Consignment/ GoodsLocation/ Address/ TypeCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a1.; Value is drawn from HMRC codelist LocationIdentificationTypes for these items.

TDR-R-01168 | Field-level requirement | Import declaration | Import C21I EIDR: DE 5/23 Location of Goods - Qualifier of the Identification at H level is mandatory when the group-level item is present; cardinality 1:1; format a1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!149
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is C21I EIDR.; 5/23 Location of Goods - Qualifier of the Identification at H level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ Consignment/ GoodsLocation/ Address/ TypeCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a1.; Value is drawn from HMRC codelist LocationIdentificationTypes for these items.

TDR-R-01169 | Field-level requirement | Import declaration | Import FSD: DE 5/23 Location of Goods - Qualifier of the Identification at H level is mandatory when the group-level item is present; cardinality 1:1; format a1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!149
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is FSD.; 5/23 Location of Goods - Qualifier of the Identification at H level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ Consignment/ GoodsLocation/ Address/ TypeCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a1.; Value is drawn from HMRC codelist LocationIdentificationTypes for these items.

TDR-R-01170 | Field-level requirement | Import declaration | Import SRDS: DE 5/23 Location of Goods - Qualifier of the Identification at H level is mandatory when the group-level item is present; cardinality 1:1; format a1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!149
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is SRDS.; 5/23 Location of Goods - Qualifier of the Identification at H level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ Consignment/ GoodsLocation/ Address/ TypeCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a1.; Value is drawn from HMRC codelist LocationIdentificationTypes for these items.

TDR-R-01171 | Field-level requirement | Import declaration | Import H1: DE 5/26 Customs Office of Presentation at H level is dependent; cardinality 1x; format an8.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!150
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H1.; 5/26 Customs Office of Presentation at H level is dependent.; Populate XML path Declaration/ PresentationOffice/ ID only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format an8.; Value is drawn from HMRC codelist SupervisingCustomsOffices for these items.

TDR-R-01172 | Field-level requirement | Import declaration | Import H2: DE 5/26 Customs Office of Presentation at H level is dependent; cardinality 1x; format an8.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!150
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H2.; 5/26 Customs Office of Presentation at H level is dependent.; Populate XML path Declaration/ PresentationOffice/ ID only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format an8.; Value is drawn from HMRC codelist SupervisingCustomsOffices for these items.

TDR-R-01173 | Field-level requirement | Import declaration | Import H3: DE 5/26 Customs Office of Presentation at H level is dependent; cardinality 1x; format an8.

Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!150
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H3.; 5/26 Customs Office of Presentation at H level is dependent.; Populate XML path Declaration/ PresentationOffice/ ID only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format an8.; Value is drawn from HMRC codelist SupervisingCustomsOffices for these items.

TDR-R-01174 | Field-level requirement | Import declaration | Import H4: DE 5/26 Customs Office of Presentation at H level is dependent; cardinality 1x; format an8.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!150
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H4.; 5/26 Customs Office of Presentation at H level is dependent.; Populate XML path Declaration/ PresentationOffice/ ID only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format an8.; Value is drawn from HMRC codelist SupervisingCustomsOffices for these items.

TDR-R-01175 | Field-level requirement | Import declaration | Import H5: DE 5/26 Customs Office of Presentation at H level is dependent; cardinality 1x; format an8.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!150
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H5.; 5/26 Customs Office of Presentation at H level is dependent.; Populate XML path Declaration/ PresentationOffice/ ID only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format an8.; Value is drawn from HMRC codelist SupervisingCustomsOffices for these items.

TDR-R-01176 | Field-level requirement | Import declaration | Import I1: DE 5/26 Customs Office of Presentation at H level is dependent; cardinality 1x; format an8.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!150
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is I1.; 5/26 Customs Office of Presentation at H level is dependent.; Populate XML path Declaration/ PresentationOffice/ ID only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format an8.; Value is drawn from HMRC codelist SupervisingCustomsOffices for these items.

TDR-R-01177 | Field-level requirement | Import declaration | Import C21I: DE 5/26 Customs Office of Presentation at H level is dependent; cardinality 1x; format an8.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!150
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is C21I.; 5/26 Customs Office of Presentation at H level is dependent.; Populate XML path Declaration/ PresentationOffice/ ID only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format an8.; Value is drawn from HMRC codelist SupervisingCustomsOffices for these items.

TDR-R-01178 | Field-level requirement | Import declaration | Import C21I EIDR: DE 5/26 Customs Office of Presentation at H level is dependent; cardinality 1x; format an8.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!150
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is C21I EIDR.; 5/26 Customs Office of Presentation at H level is dependent.; Populate XML path Declaration/ PresentationOffice/ ID only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format an8.; Value is drawn from HMRC codelist SupervisingCustomsOffices for these items.

TDR-R-01179 | Field-level requirement | Import declaration | Import H1: DE 5/27 Supervising Customs Office at H level is dependent; cardinality 1x; format an8.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!151
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H1.; 5/27 Supervising Customs Office at H level is dependent.; Populate XML path Declaration/ SupervisingOffice/ ID only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format an8.; Value is drawn from HMRC codelist SupervisingCustomsOffices for these items.

TDR-R-01180 | Field-level requirement | Import declaration | Import H2: DE 5/27 Supervising Customs Office at H level is mandatory; cardinality 1x; format an8.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!151
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H2.; 5/27 Supervising Customs Office at H level is mandatory.; Populate XML path Declaration/ SupervisingOffice/ ID only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format an8.; Value is drawn from HMRC codelist SupervisingCustomsOffices for these items.

TDR-R-01181 | Field-level requirement | Import declaration | Import H3: DE 5/27 Supervising Customs Office at H level is dependent; cardinality 1x; format an8.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!151
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H3.; 5/27 Supervising Customs Office at H level is dependent.; Populate XML path Declaration/ SupervisingOffice/ ID only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format an8.; Value is drawn from HMRC codelist SupervisingCustomsOffices for these items.

TDR-R-01182 | Field-level requirement | Import declaration | Import H4: DE 5/27 Supervising Customs Office at H level is dependent; cardinality 1x; format an8.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!151
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H4.; 5/27 Supervising Customs Office at H level is dependent.; Populate XML path Declaration/ SupervisingOffice/ ID only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format an8.; Value is drawn from HMRC codelist SupervisingCustomsOffices for these items.

TDR-R-01183 | Field-level requirement | Import declaration | Import H5: DE 5/27 Supervising Customs Office at H level is dependent; cardinality 1x; format an8.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!151
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H5.; 5/27 Supervising Customs Office at H level is dependent.; Populate XML path Declaration/ SupervisingOffice/ ID only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format an8.; Value is drawn from HMRC codelist SupervisingCustomsOffices for these items.

TDR-R-01184 | Field-level requirement | Import declaration | Import H8: DE 5/27 Supervising Customs Office at H level is dependent; cardinality 1x; format an8.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!151
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H8.; 5/27 Supervising Customs Office at H level is dependent.; Populate XML path Declaration/ SupervisingOffice/ ID only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format an8.; Value is drawn from HMRC codelist SupervisingCustomsOffices for these items.

TDR-R-01185 | Field-level requirement | Import declaration | Import I1: DE 5/27 Supervising Customs Office at H level is dependent; cardinality 1x; format an8.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!151
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is I1.; 5/27 Supervising Customs Office at H level is dependent.; Populate XML path Declaration/ SupervisingOffice/ ID only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format an8.; Value is drawn from HMRC codelist SupervisingCustomsOffices for these items.

TDR-R-01186 | Field-level requirement | Import declaration | Import I1 (B&E): DE 5/27 Supervising Customs Office at H level is dependent; cardinality 1x; format an8.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!151
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is I1 (B&E).; 5/27 Supervising Customs Office at H level is dependent.; Populate XML path Declaration/ SupervisingOffice/ ID only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format an8.; Value is drawn from HMRC codelist SupervisingCustomsOffices for these items.

TDR-R-01187 | Field-level requirement | Import declaration | Import C21I: DE 5/27 Supervising Customs Office at H level is dependent; cardinality 1x; format an8.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!151
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is C21I.; 5/27 Supervising Customs Office at H level is dependent.; Populate XML path Declaration/ SupervisingOffice/ ID only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format an8.; Value is drawn from HMRC codelist SupervisingCustomsOffices for these items.

TDR-R-01188 | Field-level requirement | Import declaration | Import C21I EIDR: DE 5/27 Supervising Customs Office at H level is dependent; cardinality 1x; format an8.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!151
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is C21I EIDR.; 5/27 Supervising Customs Office at H level is dependent.; Populate XML path Declaration/ SupervisingOffice/ ID only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format an8.; Value is drawn from HMRC codelist SupervisingCustomsOffices for these items.

TDR-R-01189 | Field-level requirement | Import declaration | Import H1: DE 6/1 Net Mass at I level is mandatory; cardinality 1x; format n..16,6 Larger than 0.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!152
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H1.; 6/1 Net Mass at I level is mandatory.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ GoodsMeasure/ NetNetWeightMeasure only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format n..16,6 Larger than 0.

TDR-R-01190 | Field-level requirement | Import declaration | Import H2: DE 6/1 Net Mass at I level is optional; cardinality 1x; format n..16,6 Larger than 0.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!152
Error code/pattern: CDS10010 | xml_validation_error
Acceptance: Import declaration context is H2.; 6/1 Net Mass at I level is optional.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ GoodsMeasure/ NetNetWeightMeasure only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format n..16,6 Larger than 0.

TDR-R-01191 | Field-level requirement | Import declaration | Import H3: DE 6/1 Net Mass at I level is optional; cardinality 1x; format n..16,6 Larger than 0.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!152
Error code/pattern: CDS10010 | xml_validation_error
Acceptance: Import declaration context is H3.; 6/1 Net Mass at I level is optional.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ GoodsMeasure/ NetNetWeightMeasure only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format n..16,6 Larger than 0.

TDR-R-01192 | Field-level requirement | Import declaration | Import H4: DE 6/1 Net Mass at I level is mandatory; cardinality 1x; format n..16,6 Larger than 0.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!152
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H4.; 6/1 Net Mass at I level is mandatory.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ GoodsMeasure/ NetNetWeightMeasure only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format n..16,6 Larger than 0.

TDR-R-01193 | Field-level requirement | Import declaration | Import H5: DE 6/1 Net Mass at I level is mandatory; cardinality 1x; format n..16,6 Larger than 0.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!152
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H5.; 6/1 Net Mass at I level is mandatory.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ GoodsMeasure/ NetNetWeightMeasure only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format n..16,6 Larger than 0.

TDR-R-01194 | Field-level requirement | Import declaration | Import H8: DE 6/1 Net Mass at I level is dependent; cardinality 1x; format n..16,6 Larger than 0.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!152
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H8.; 6/1 Net Mass at I level is dependent.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ GoodsMeasure/ NetNetWeightMeasure only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format n..16,6 Larger than 0.

TDR-R-01195 | Field-level requirement | Import declaration | Import I1: DE 6/1 Net Mass at I level is dependent; cardinality 1x; format n..16,6 Larger than 0.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!152
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is I1.; 6/1 Net Mass at I level is dependent.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ GoodsMeasure/ NetNetWeightMeasure only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format n..16,6 Larger than 0.

TDR-R-01196 | Field-level requirement | Import declaration | Import I1 (B&E): DE 6/1 Net Mass at I level is mandatory; cardinality 1x; format n..16,6 Larger than 0.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!152
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is I1 (B&E).; 6/1 Net Mass at I level is mandatory.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ GoodsMeasure/ NetNetWeightMeasure only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format n..16,6 Larger than 0.

TDR-R-01197 | Field-level requirement | Import declaration | Import C21I: DE 6/1 Net Mass at I level is optional; cardinality 1x; format n..16,6 Larger than 0.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!152
Error code/pattern: CDS10010 | xml_validation_error
Acceptance: Import declaration context is C21I.; 6/1 Net Mass at I level is optional.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ GoodsMeasure/ NetNetWeightMeasure only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format n..16,6 Larger than 0.

TDR-R-01198 | Field-level requirement | Import declaration | Import C21I EIDR: DE 6/1 Net Mass at I level is dependent; cardinality 1x; format n..16,6 Larger than 0.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!152
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is C21I EIDR.; 6/1 Net Mass at I level is dependent.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ GoodsMeasure/ NetNetWeightMeasure only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format n..16,6 Larger than 0.

TDR-R-01199 | Field-level requirement | Import declaration | Import H1: DE 6/2 Supplementary Units at I level is dependent; cardinality 1x; format n..16,6.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!154
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H1.; 6/2 Supplementary Units at I level is dependent.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ GoodsMeasure/ TariffQuantity only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format n..16,6.

TDR-R-01200 | Field-level requirement | Import declaration | Import H2: DE 6/2 Supplementary Units at I level is optional; cardinality 1x; format n..16,6.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!154
Error code/pattern: CDS10010 | xml_validation_error
Acceptance: Import declaration context is H2.; 6/2 Supplementary Units at I level is optional.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ GoodsMeasure/ TariffQuantity only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format n..16,6.

TDR-R-01201 | Field-level requirement | Import declaration | Import H3: DE 6/2 Supplementary Units at I level is dependent; cardinality 1x; format n..16,6.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!154
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H3.; 6/2 Supplementary Units at I level is dependent.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ GoodsMeasure/ TariffQuantity only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format n..16,6.

TDR-R-01202 | Field-level requirement | Import declaration | Import H4: DE 6/2 Supplementary Units at I level is dependent; cardinality 1x; format n..16,6.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!154
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H4.; 6/2 Supplementary Units at I level is dependent.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ GoodsMeasure/ TariffQuantity only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format n..16,6.

TDR-R-01203 | Field-level requirement | Import declaration | Import H5: DE 6/2 Supplementary Units at I level is dependent; cardinality 1x; format n..16,6.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!154
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H5.; 6/2 Supplementary Units at I level is dependent.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ GoodsMeasure/ TariffQuantity only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format n..16,6.

TDR-R-01204 | Field-level requirement | Import declaration | Import H8: DE 6/2 Supplementary Units at I level is dependent; cardinality 1x; format n..16,6.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!154
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H8.; 6/2 Supplementary Units at I level is dependent.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ GoodsMeasure/ TariffQuantity only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format n..16,6.

TDR-R-01205 | Field-level requirement | Import declaration | Import I1: DE 6/2 Supplementary Units at I level is dependent; cardinality 1x; format n..16,6.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!154
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is I1.; 6/2 Supplementary Units at I level is dependent.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ GoodsMeasure/ TariffQuantity only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format n..16,6.

TDR-R-01206 | Field-level requirement | Import declaration | Import I1 (B&E): DE 6/2 Supplementary Units at I level is dependent; cardinality 1x; format n..16,6.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!154
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is I1 (B&E).; 6/2 Supplementary Units at I level is dependent.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ GoodsMeasure/ TariffQuantity only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format n..16,6.

TDR-R-01207 | Field-level requirement | Import declaration | Import SRDS: DE 6/2 Supplementary Units at I level is dependent; cardinality 1x; format n..16,6.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!154
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is SRDS.; 6/2 Supplementary Units at I level is dependent.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ GoodsMeasure/ TariffQuantity only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format n..16,6.

TDR-R-01208 | Field-level requirement | Import declaration | Import H1: DE 6/5 Gross Mass at H and / or I level is mandatory; cardinality 1x (H) 1x (I); format n..16,6.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!155
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H1.; 6/5 Gross Mass at H and / or I level is mandatory.; Populate XML path Declaration/ TotalGrossMassMeasure Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ GoodsMeasure/ GrossMassMeasure only where this rule permits it.; Respect cardinality 1x (H) 1x (I).; Value conforms to HMRC format n..16,6.

TDR-R-01209 | Field-level requirement | Import declaration | Import H2: DE 6/5 Gross Mass at H and / or I level is mandatory; cardinality 1x (H) 1x (I); format n..16,6.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!155
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H2.; 6/5 Gross Mass at H and / or I level is mandatory.; Populate XML path Declaration/ TotalGrossMassMeasure Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ GoodsMeasure/ GrossMassMeasure only where this rule permits it.; Respect cardinality 1x (H) 1x (I).; Value conforms to HMRC format n..16,6.

TDR-R-01210 | Field-level requirement | Import declaration | Import H3: DE 6/5 Gross Mass at H and / or I level is mandatory; cardinality 1x (H) 1x (I); format n..16,6.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!155
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H3.; 6/5 Gross Mass at H and / or I level is mandatory.; Populate XML path Declaration/ TotalGrossMassMeasure Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ GoodsMeasure/ GrossMassMeasure only where this rule permits it.; Respect cardinality 1x (H) 1x (I).; Value conforms to HMRC format n..16,6.

TDR-R-01211 | Field-level requirement | Import declaration | Import H4: DE 6/5 Gross Mass at H and / or I level is mandatory; cardinality 1x (H) 1x (I); format n..16,6.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!155
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H4.; 6/5 Gross Mass at H and / or I level is mandatory.; Populate XML path Declaration/ TotalGrossMassMeasure Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ GoodsMeasure/ GrossMassMeasure only where this rule permits it.; Respect cardinality 1x (H) 1x (I).; Value conforms to HMRC format n..16,6.

TDR-R-01212 | Field-level requirement | Import declaration | Import H5: DE 6/5 Gross Mass at H and / or I level is mandatory; cardinality 1x (H) 1x (I); format n..16,6.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!155
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H5.; 6/5 Gross Mass at H and / or I level is mandatory.; Populate XML path Declaration/ TotalGrossMassMeasure Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ GoodsMeasure/ GrossMassMeasure only where this rule permits it.; Respect cardinality 1x (H) 1x (I).; Value conforms to HMRC format n..16,6.

TDR-R-01213 | Field-level requirement | Import declaration | Import H8: DE 6/5 Gross Mass at H and / or I level is mandatory; cardinality 1x (H) 1x (I); format n..16,6.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!155
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H8.; 6/5 Gross Mass at H and / or I level is mandatory.; Populate XML path Declaration/ TotalGrossMassMeasure Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ GoodsMeasure/ GrossMassMeasure only where this rule permits it.; Respect cardinality 1x (H) 1x (I).; Value conforms to HMRC format n..16,6.

TDR-R-01214 | Field-level requirement | Import declaration | Import I1: DE 6/5 Gross Mass at H and / or I level is mandatory; cardinality 1x (H) 1x (I); format n..16,6.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!155
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is I1.; 6/5 Gross Mass at H and / or I level is mandatory.; Populate XML path Declaration/ TotalGrossMassMeasure Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ GoodsMeasure/ GrossMassMeasure only where this rule permits it.; Respect cardinality 1x (H) 1x (I).; Value conforms to HMRC format n..16,6.

TDR-R-01215 | Field-level requirement | Import declaration | Import C21I: DE 6/5 Gross Mass at H and / or I level is dependent; cardinality 1x (H) 1x (I); format n..16,6.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!155
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is C21I.; 6/5 Gross Mass at H and / or I level is dependent.; Populate XML path Declaration/ TotalGrossMassMeasure Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ GoodsMeasure/ GrossMassMeasure only where this rule permits it.; Respect cardinality 1x (H) 1x (I).; Value conforms to HMRC format n..16,6.

TDR-R-01216 | Field-level requirement | Import declaration | Import C21I EIDR: DE 6/5 Gross Mass at H and / or I level is mandatory; cardinality 1x (H) 1x (I); format n..16,6.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!155
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is C21I EIDR.; 6/5 Gross Mass at H and / or I level is mandatory.; Populate XML path Declaration/ TotalGrossMassMeasure Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ GoodsMeasure/ GrossMassMeasure only where this rule permits it.; Respect cardinality 1x (H) 1x (I).; Value conforms to HMRC format n..16,6.

TDR-R-01217 | Field-level requirement | Import declaration | Import SRDS: DE 6/5 Gross Mass at H and / or I level is mandatory; cardinality 1x (H) 1x (I); format n..16,6.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!155
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is SRDS.; 6/5 Gross Mass at H and / or I level is mandatory.; Populate XML path Declaration/ TotalGrossMassMeasure Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ GoodsMeasure/ GrossMassMeasure only where this rule permits it.; Respect cardinality 1x (H) 1x (I).; Value conforms to HMRC format n..16,6.

TDR-R-01218 | Field-level requirement | Import declaration | Import H1: DE 6/8 Description of Goods at I level is mandatory; cardinality 1x; format an..512.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!157
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H1.; 6/8 Description of Goods at I level is mandatory.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ Description only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format an..512.

TDR-R-01219 | Field-level requirement | Import declaration | Import H2: DE 6/8 Description of Goods at I level is mandatory; cardinality 1x; format an..512.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!157
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H2.; 6/8 Description of Goods at I level is mandatory.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ Description only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format an..512.

TDR-R-01220 | Field-level requirement | Import declaration | Import H3: DE 6/8 Description of Goods at I level is mandatory; cardinality 1x; format an..512.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!157
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H3.; 6/8 Description of Goods at I level is mandatory.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ Description only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format an..512.

TDR-R-01221 | Field-level requirement | Import declaration | Import H4: DE 6/8 Description of Goods at I level is mandatory; cardinality 1x; format an..512.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!157
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H4.; 6/8 Description of Goods at I level is mandatory.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ Description only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format an..512.

TDR-R-01222 | Field-level requirement | Import declaration | Import H5: DE 6/8 Description of Goods at I level is mandatory; cardinality 1x; format an..512.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!157
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H5.; 6/8 Description of Goods at I level is mandatory.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ Description only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format an..512.

TDR-R-01223 | Field-level requirement | Import declaration | Import H8: DE 6/8 Description of Goods at I level is mandatory; cardinality 1x; format an..512.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!157
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H8.; 6/8 Description of Goods at I level is mandatory.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ Description only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format an..512.

TDR-R-01224 | Field-level requirement | Import declaration | Import I1: DE 6/8 Description of Goods at I level is mandatory; cardinality 1x; format an..512.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!157
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is I1.; 6/8 Description of Goods at I level is mandatory.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ Description only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format an..512.

TDR-R-01225 | Field-level requirement | Import declaration | Import I1 (B&E): DE 6/8 Description of Goods at I level is mandatory; cardinality 1x; format an..512.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!157
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is I1 (B&E).; 6/8 Description of Goods at I level is mandatory.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ Description only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format an..512.

TDR-R-01226 | Field-level requirement | Import declaration | Import C21I: DE 6/8 Description of Goods at I level is dependent; cardinality 1x; format an..512.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!157
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is C21I.; 6/8 Description of Goods at I level is dependent.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ Description only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format an..512.

TDR-R-01227 | Field-level requirement | Import declaration | Import C21I EIDR: DE 6/8 Description of Goods at I level is mandatory; cardinality 1x; format an..512.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!157
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is C21I EIDR.; 6/8 Description of Goods at I level is mandatory.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ Description only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format an..512.

TDR-R-01228 | Field-level requirement | Import declaration | Import SRDS: DE 6/8 Description of Goods at I level is mandatory; cardinality 1x; format an..512.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!157
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is SRDS.; 6/8 Description of Goods at I level is mandatory.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ Description only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format an..512.

TDR-R-01229 | Field-level requirement | Import declaration | Import H1: DE 6/9 Type of Packages at I level is mandatory; cardinality 99x; format an2.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!158
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H1.; 6/9 Type of Packages at I level is mandatory.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Packaging/ TypeCode only where this rule permits it.; Respect cardinality 99x.; Value conforms to HMRC format an2.; Value is drawn from HMRC codelist PackageTypes for these items.

TDR-R-01230 | Field-level requirement | Import declaration | Import H2: DE 6/9 Type of Packages at I level is mandatory; cardinality 99x; format an2.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!158
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H2.; 6/9 Type of Packages at I level is mandatory.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Packaging/ TypeCode only where this rule permits it.; Respect cardinality 99x.; Value conforms to HMRC format an2.; Value is drawn from HMRC codelist PackageTypes for these items.

TDR-R-01231 | Field-level requirement | Import declaration | Import H3: DE 6/9 Type of Packages at I level is mandatory; cardinality 99x; format an2.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!158
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H3.; 6/9 Type of Packages at I level is mandatory.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Packaging/ TypeCode only where this rule permits it.; Respect cardinality 99x.; Value conforms to HMRC format an2.; Value is drawn from HMRC codelist PackageTypes for these items.

TDR-R-01232 | Field-level requirement | Import declaration | Import H4: DE 6/9 Type of Packages at I level is mandatory; cardinality 99x; format an2.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!158
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H4.; 6/9 Type of Packages at I level is mandatory.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Packaging/ TypeCode only where this rule permits it.; Respect cardinality 99x.; Value conforms to HMRC format an2.; Value is drawn from HMRC codelist PackageTypes for these items.

TDR-R-01233 | Field-level requirement | Import declaration | Import H5: DE 6/9 Type of Packages at I level is mandatory; cardinality 99x; format an2.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!158
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H5.; 6/9 Type of Packages at I level is mandatory.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Packaging/ TypeCode only where this rule permits it.; Respect cardinality 99x.; Value conforms to HMRC format an2.; Value is drawn from HMRC codelist PackageTypes for these items.

TDR-R-01234 | Field-level requirement | Import declaration | Import I1: DE 6/9 Type of Packages at I level is mandatory; cardinality 99x; format an2.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!158
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is I1.; 6/9 Type of Packages at I level is mandatory.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Packaging/ TypeCode only where this rule permits it.; Respect cardinality 99x.; Value conforms to HMRC format an2.; Value is drawn from HMRC codelist PackageTypes for these items.

TDR-R-01235 | Field-level requirement | Import declaration | Import I1 (B&E): DE 6/9 Type of Packages at I level is mandatory; cardinality 99x; format an2.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!158
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is I1 (B&E).; 6/9 Type of Packages at I level is mandatory.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Packaging/ TypeCode only where this rule permits it.; Respect cardinality 99x.; Value conforms to HMRC format an2.; Value is drawn from HMRC codelist PackageTypes for these items.

TDR-R-01236 | Field-level requirement | Import declaration | Import C21I: DE 6/9 Type of Packages at I level is dependent; cardinality 99x; format an2.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!158
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is C21I.; 6/9 Type of Packages at I level is dependent.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Packaging/ TypeCode only where this rule permits it.; Respect cardinality 99x.; Value conforms to HMRC format an2.; Value is drawn from HMRC codelist PackageTypes for these items.

TDR-R-01237 | Field-level requirement | Import declaration | Import C21I EIDR: DE 6/9 Type of Packages at I level is mandatory; cardinality 99x; format an2.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!158
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is C21I EIDR.; 6/9 Type of Packages at I level is mandatory.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Packaging/ TypeCode only where this rule permits it.; Respect cardinality 99x.; Value conforms to HMRC format an2.; Value is drawn from HMRC codelist PackageTypes for these items.

TDR-R-01238 | Field-level requirement | Import declaration | Import H1: DE 6/10 Number of Packages at I level is mandatory; cardinality 99x; format n..8.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!159
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H1.; 6/10 Number of Packages at I level is mandatory.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Packaging/ QuantityQuantity only where this rule permits it.; Respect cardinality 99x.; Value conforms to HMRC format n..8.

TDR-R-01239 | Field-level requirement | Import declaration | Import H2: DE 6/10 Number of Packages at I level is mandatory; cardinality 99x; format n..8.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!159
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H2.; 6/10 Number of Packages at I level is mandatory.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Packaging/ QuantityQuantity only where this rule permits it.; Respect cardinality 99x.; Value conforms to HMRC format n..8.

TDR-R-01240 | Field-level requirement | Import declaration | Import H3: DE 6/10 Number of Packages at I level is mandatory; cardinality 99x; format n..8.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!159
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H3.; 6/10 Number of Packages at I level is mandatory.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Packaging/ QuantityQuantity only where this rule permits it.; Respect cardinality 99x.; Value conforms to HMRC format n..8.

TDR-R-01241 | Field-level requirement | Import declaration | Import H4: DE 6/10 Number of Packages at I level is mandatory; cardinality 99x; format n..8.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!159
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H4.; 6/10 Number of Packages at I level is mandatory.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Packaging/ QuantityQuantity only where this rule permits it.; Respect cardinality 99x.; Value conforms to HMRC format n..8.

TDR-R-01242 | Field-level requirement | Import declaration | Import H5: DE 6/10 Number of Packages at I level is mandatory; cardinality 99x; format n..8.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!159
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H5.; 6/10 Number of Packages at I level is mandatory.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Packaging/ QuantityQuantity only where this rule permits it.; Respect cardinality 99x.; Value conforms to HMRC format n..8.

TDR-R-01243 | Field-level requirement | Import declaration | Import H8: DE 6/10 Number of Packages at I level is mandatory; cardinality 99x; format n..8.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!159
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H8.; 6/10 Number of Packages at I level is mandatory.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Packaging/ QuantityQuantity only where this rule permits it.; Respect cardinality 99x.; Value conforms to HMRC format n..8.

TDR-R-01244 | Field-level requirement | Import declaration | Import I1: DE 6/10 Number of Packages at I level is mandatory; cardinality 99x; format n..8.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!159
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is I1.; 6/10 Number of Packages at I level is mandatory.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Packaging/ QuantityQuantity only where this rule permits it.; Respect cardinality 99x.; Value conforms to HMRC format n..8.

TDR-R-01245 | Field-level requirement | Import declaration | Import I1 (B&E): DE 6/10 Number of Packages at I level is mandatory; cardinality 99x; format n..8.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!159
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is I1 (B&E).; 6/10 Number of Packages at I level is mandatory.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Packaging/ QuantityQuantity only where this rule permits it.; Respect cardinality 99x.; Value conforms to HMRC format n..8.

TDR-R-01246 | Field-level requirement | Import declaration | Import C21I: DE 6/10 Number of Packages at I level is dependent; cardinality 99x; format n..8.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!159
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is C21I.; 6/10 Number of Packages at I level is dependent.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Packaging/ QuantityQuantity only where this rule permits it.; Respect cardinality 99x.; Value conforms to HMRC format n..8.

TDR-R-01247 | Field-level requirement | Import declaration | Import C21I EIDR: DE 6/10 Number of Packages at I level is mandatory; cardinality 99x; format n..8.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!159
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is C21I EIDR.; 6/10 Number of Packages at I level is mandatory.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Packaging/ QuantityQuantity only where this rule permits it.; Respect cardinality 99x.; Value conforms to HMRC format n..8.

TDR-R-01248 | Field-level requirement | Import declaration | Import H1: DE 6/11 Shipping Marks at I level is mandatory; cardinality 99x; format an..512.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!160
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H1.; 6/11 Shipping Marks at I level is mandatory.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Packaging/ MarksNumbersID only where this rule permits it.; Respect cardinality 99x.; Value conforms to HMRC format an..512.

TDR-R-01249 | Field-level requirement | Import declaration | Import H2: DE 6/11 Shipping Marks at I level is mandatory; cardinality 99x; format an..512.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!160
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H2.; 6/11 Shipping Marks at I level is mandatory.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Packaging/ MarksNumbersID only where this rule permits it.; Respect cardinality 99x.; Value conforms to HMRC format an..512.

TDR-R-01250 | Field-level requirement | Import declaration | Import H3: DE 6/11 Shipping Marks at I level is mandatory; cardinality 99x; format an..512.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!160
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H3.; 6/11 Shipping Marks at I level is mandatory.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Packaging/ MarksNumbersID only where this rule permits it.; Respect cardinality 99x.; Value conforms to HMRC format an..512.

TDR-R-01251 | Field-level requirement | Import declaration | Import H4: DE 6/11 Shipping Marks at I level is mandatory; cardinality 99x; format an..512.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!160
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H4.; 6/11 Shipping Marks at I level is mandatory.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Packaging/ MarksNumbersID only where this rule permits it.; Respect cardinality 99x.; Value conforms to HMRC format an..512.

TDR-R-01252 | Field-level requirement | Import declaration | Import H5: DE 6/11 Shipping Marks at I level is mandatory; cardinality 99x; format an..512.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!160
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H5.; 6/11 Shipping Marks at I level is mandatory.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Packaging/ MarksNumbersID only where this rule permits it.; Respect cardinality 99x.; Value conforms to HMRC format an..512.

TDR-R-01253 | Field-level requirement | Import declaration | Import I1: DE 6/11 Shipping Marks at I level is mandatory; cardinality 99x; format an..512.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!160
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is I1.; 6/11 Shipping Marks at I level is mandatory.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Packaging/ MarksNumbersID only where this rule permits it.; Respect cardinality 99x.; Value conforms to HMRC format an..512.

TDR-R-01254 | Field-level requirement | Import declaration | Import I1 (B&E): DE 6/11 Shipping Marks at I level is mandatory; cardinality 99x; format an..512.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!160
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is I1 (B&E).; 6/11 Shipping Marks at I level is mandatory.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Packaging/ MarksNumbersID only where this rule permits it.; Respect cardinality 99x.; Value conforms to HMRC format an..512.

TDR-R-01255 | Field-level requirement | Import declaration | Import C21I: DE 6/11 Shipping Marks at I level is dependent; cardinality 99x; format an..512.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!160
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is C21I.; 6/11 Shipping Marks at I level is dependent.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Packaging/ MarksNumbersID only where this rule permits it.; Respect cardinality 99x.; Value conforms to HMRC format an..512.

TDR-R-01256 | Field-level requirement | Import declaration | Import C21I EIDR: DE 6/11 Shipping Marks at I level is mandatory; cardinality 99x; format an..512.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!160
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is C21I EIDR.; 6/11 Shipping Marks at I level is mandatory.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Packaging/ MarksNumbersID only where this rule permits it.; Respect cardinality 99x.; Value conforms to HMRC format an..512.

TDR-R-01257 | Field-level requirement | Import declaration | Import H1: DE 6/12 UN Dangerous Goods code at I level is optional; cardinality 1x; format n…4.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!161
Error code/pattern: CDS10010 | xml_validation_error
Acceptance: Import declaration context is H1.; 6/12 UN Dangerous Goods code at I level is optional.; Populate XML path Declaration/GoodsShipment/GovernmentAgencyGoodsItem/Commodity/DangerousGoods/UNDGID only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format n…4.

TDR-R-01258 | Field-level requirement | Import declaration | Import H2: DE 6/12 UN Dangerous Goods code at I level is optional; cardinality 1x; format n…4.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!161
Error code/pattern: CDS10010 | xml_validation_error
Acceptance: Import declaration context is H2.; 6/12 UN Dangerous Goods code at I level is optional.; Populate XML path Declaration/GoodsShipment/GovernmentAgencyGoodsItem/Commodity/DangerousGoods/UNDGID only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format n…4.

TDR-R-01259 | Field-level requirement | Import declaration | Import H3: DE 6/12 UN Dangerous Goods code at I level is optional; cardinality 1x; format n…4.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!161
Error code/pattern: CDS10010 | xml_validation_error
Acceptance: Import declaration context is H3.; 6/12 UN Dangerous Goods code at I level is optional.; Populate XML path Declaration/GoodsShipment/GovernmentAgencyGoodsItem/Commodity/DangerousGoods/UNDGID only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format n…4.

TDR-R-01260 | Field-level requirement | Import declaration | Import H4: DE 6/12 UN Dangerous Goods code at I level is optional; cardinality 1x; format n…4.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!161
Error code/pattern: CDS10010 | xml_validation_error
Acceptance: Import declaration context is H4.; 6/12 UN Dangerous Goods code at I level is optional.; Populate XML path Declaration/GoodsShipment/GovernmentAgencyGoodsItem/Commodity/DangerousGoods/UNDGID only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format n…4.

TDR-R-01261 | Field-level requirement | Import declaration | Import H5: DE 6/12 UN Dangerous Goods code at I level is optional; cardinality 1x; format n…4.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!161
Error code/pattern: CDS10010 | xml_validation_error
Acceptance: Import declaration context is H5.; 6/12 UN Dangerous Goods code at I level is optional.; Populate XML path Declaration/GoodsShipment/GovernmentAgencyGoodsItem/Commodity/DangerousGoods/UNDGID only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format n…4.

TDR-R-01262 | Field-level requirement | Import declaration | Import H8: DE 6/12 UN Dangerous Goods code at I level is optional; cardinality 1x; format n…4.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!161
Error code/pattern: CDS10010 | xml_validation_error
Acceptance: Import declaration context is H8.; 6/12 UN Dangerous Goods code at I level is optional.; Populate XML path Declaration/GoodsShipment/GovernmentAgencyGoodsItem/Commodity/DangerousGoods/UNDGID only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format n…4.

TDR-R-01263 | Field-level requirement | Import declaration | Import I1: DE 6/12 UN Dangerous Goods code at I level is optional; cardinality 1x; format n…4.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!161
Error code/pattern: CDS10010 | xml_validation_error
Acceptance: Import declaration context is I1.; 6/12 UN Dangerous Goods code at I level is optional.; Populate XML path Declaration/GoodsShipment/GovernmentAgencyGoodsItem/Commodity/DangerousGoods/UNDGID only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format n…4.

TDR-R-01264 | Field-level requirement | Import declaration | Import I1 (B&E): DE 6/12 UN Dangerous Goods code at I level is optional; cardinality 1x; format n…4.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!161
Error code/pattern: CDS10010 | xml_validation_error
Acceptance: Import declaration context is I1 (B&E).; 6/12 UN Dangerous Goods code at I level is optional.; Populate XML path Declaration/GoodsShipment/GovernmentAgencyGoodsItem/Commodity/DangerousGoods/UNDGID only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format n…4.

TDR-R-01265 | Field-level requirement | Import declaration | Import C21I: DE 6/12 UN Dangerous Goods code at I level is optional; cardinality 1x; format n…4.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!161
Error code/pattern: CDS10010 | xml_validation_error
Acceptance: Import declaration context is C21I.; 6/12 UN Dangerous Goods code at I level is optional.; Populate XML path Declaration/GoodsShipment/GovernmentAgencyGoodsItem/Commodity/DangerousGoods/UNDGID only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format n…4.

TDR-R-01266 | Field-level requirement | Import declaration | Import C21I EIDR: DE 6/12 UN Dangerous Goods code at I level is optional; cardinality 1x; format n…4.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!161
Error code/pattern: CDS10010 | xml_validation_error
Acceptance: Import declaration context is C21I EIDR.; 6/12 UN Dangerous Goods code at I level is optional.; Populate XML path Declaration/GoodsShipment/GovernmentAgencyGoodsItem/Commodity/DangerousGoods/UNDGID only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format n…4.

TDR-R-01267 | Field-level requirement | Import declaration | Import FSD: DE 6/12 UN Dangerous Goods code at I level is optional; cardinality 1x; format n…4.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!161
Error code/pattern: CDS10010 | xml_validation_error
Acceptance: Import declaration context is FSD.; 6/12 UN Dangerous Goods code at I level is optional.; Populate XML path Declaration/GoodsShipment/GovernmentAgencyGoodsItem/Commodity/DangerousGoods/UNDGID only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format n…4.

TDR-R-01268 | Field-level requirement | Import declaration | Import SRDS: DE 6/12 UN Dangerous Goods code at I level is optional; cardinality 1x; format n…4.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!161
Error code/pattern: CDS10010 | xml_validation_error
Acceptance: Import declaration context is SRDS.; 6/12 UN Dangerous Goods code at I level is optional.; Populate XML path Declaration/GoodsShipment/GovernmentAgencyGoodsItem/Commodity/DangerousGoods/UNDGID only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format n…4.

TDR-R-01269 | Field-level requirement | Import declaration | Import H1: DE 6/13 Commodity Code - CUS Code at I level is dependent; cardinality 1x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!162
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H1.; 6/13 Commodity Code - CUS Code at I level is dependent.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ Classification only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format -.

TDR-R-01270 | Field-level requirement | Import declaration | Import H2: DE 6/13 Commodity Code - CUS Code at I level is optional; cardinality 1x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!162
Error code/pattern: CDS10010 | xml_validation_error
Acceptance: Import declaration context is H2.; 6/13 Commodity Code - CUS Code at I level is optional.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ Classification only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format -.

TDR-R-01271 | Field-level requirement | Import declaration | Import H3: DE 6/13 Commodity Code - CUS Code at I level is optional; cardinality 1x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!162
Error code/pattern: CDS10010 | xml_validation_error
Acceptance: Import declaration context is H3.; 6/13 Commodity Code - CUS Code at I level is optional.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ Classification only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format -.

TDR-R-01272 | Field-level requirement | Import declaration | Import H4: DE 6/13 Commodity Code - CUS Code at I level is optional; cardinality 1x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!162
Error code/pattern: CDS10010 | xml_validation_error
Acceptance: Import declaration context is H4.; 6/13 Commodity Code - CUS Code at I level is optional.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ Classification only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format -.

TDR-R-01273 | Field-level requirement | Import declaration | Import H5: DE 6/13 Commodity Code - CUS Code at I level is optional; cardinality 1x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!162
Error code/pattern: CDS10010 | xml_validation_error
Acceptance: Import declaration context is H5.; 6/13 Commodity Code - CUS Code at I level is optional.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ Classification only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format -.

TDR-R-01274 | Field-level requirement | Import declaration | Import I1: DE 6/13 Commodity Code - CUS Code at I level is dependent; cardinality 1x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!162
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is I1.; 6/13 Commodity Code - CUS Code at I level is dependent.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ Classification only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format -.

TDR-R-01275 | Field-level requirement | Import declaration | Import C21I: DE 6/13 Commodity Code - CUS Code at I level is not allowed; cardinality 1x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!162
Error code/pattern: CDS10002 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is C21I.; 6/13 Commodity Code - CUS Code at I level is not allowed.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ Classification only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format -.

TDR-R-01276 | Field-level requirement | Import declaration | Import H1: DE 6/13 Commodity Code - CUS Code - Identifier at I level is mandatory when the group-level item is present; cardinality 1:1; format an8.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!163
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H1.; 6/13 Commodity Code - CUS Code - Identifier at I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ Classification/ ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an8.

TDR-R-01277 | Field-level requirement | Import declaration | Import H2: DE 6/13 Commodity Code - CUS Code - Identifier at I level is mandatory when the group-level item is present; cardinality 1:1; format an8.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!163
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H2.; 6/13 Commodity Code - CUS Code - Identifier at I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ Classification/ ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an8.

TDR-R-01278 | Field-level requirement | Import declaration | Import H3: DE 6/13 Commodity Code - CUS Code - Identifier at I level is mandatory when the group-level item is present; cardinality 1:1; format an8.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!163
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H3.; 6/13 Commodity Code - CUS Code - Identifier at I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ Classification/ ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an8.

TDR-R-01279 | Field-level requirement | Import declaration | Import H4: DE 6/13 Commodity Code - CUS Code - Identifier at I level is mandatory when the group-level item is present; cardinality 1:1; format an8.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!163
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H4.; 6/13 Commodity Code - CUS Code - Identifier at I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ Classification/ ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an8.

TDR-R-01280 | Field-level requirement | Import declaration | Import H5: DE 6/13 Commodity Code - CUS Code - Identifier at I level is mandatory when the group-level item is present; cardinality 1:1; format an8.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!163
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H5.; 6/13 Commodity Code - CUS Code - Identifier at I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ Classification/ ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an8.

TDR-R-01281 | Field-level requirement | Import declaration | Import I1: DE 6/13 Commodity Code - CUS Code - Identifier at I level is mandatory when the group-level item is present; cardinality 1:1; format an8.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!163
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is I1.; 6/13 Commodity Code - CUS Code - Identifier at I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ Classification/ ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an8.

TDR-R-01282 | Field-level requirement | Import declaration | Import I1 (B&E): DE 6/13 Commodity Code - CUS Code - Identifier at I level is mandatory when the group-level item is present; cardinality 1:1; format an8.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!163
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is I1 (B&E).; 6/13 Commodity Code - CUS Code - Identifier at I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ Classification/ ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an8.

TDR-R-01283 | Field-level requirement | Import declaration | Import C21I: DE 6/13 Commodity Code - CUS Code - Identifier at I level is not allowed; cardinality 1:1; format an8.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!163
Error code/pattern: CDS10002 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is C21I.; 6/13 Commodity Code - CUS Code - Identifier at I level is not allowed.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ Classification/ ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an8.

TDR-R-01284 | Field-level requirement | Import declaration | Import C21I EIDR: DE 6/13 Commodity Code - CUS Code - Identifier at I level is mandatory when the group-level item is present; cardinality 1:1; format an8.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!163
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is C21I EIDR.; 6/13 Commodity Code - CUS Code - Identifier at I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ Classification/ ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an8.

TDR-R-01285 | Field-level requirement | Import declaration | Import H1: DE 6/13 Commodity Code - CUS Code - Type Code at I level is mandatory when the group-level item is present; cardinality 1:1; format a2.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!164
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H1.; 6/13 Commodity Code - CUS Code - Type Code at I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ Classification/ IdentificationTypeCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a2.; Value is drawn from HMRC codelist CommodityClassificationType for these items.

TDR-R-01286 | Field-level requirement | Import declaration | Import H2: DE 6/13 Commodity Code - CUS Code - Type Code at I level is mandatory when the group-level item is present; cardinality 1:1; format a2.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!164
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H2.; 6/13 Commodity Code - CUS Code - Type Code at I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ Classification/ IdentificationTypeCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a2.; Value is drawn from HMRC codelist CommodityClassificationType for these items.

TDR-R-01287 | Field-level requirement | Import declaration | Import H3: DE 6/13 Commodity Code - CUS Code - Type Code at I level is mandatory when the group-level item is present; cardinality 1:1; format a2.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!164
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H3.; 6/13 Commodity Code - CUS Code - Type Code at I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ Classification/ IdentificationTypeCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a2.; Value is drawn from HMRC codelist CommodityClassificationType for these items.

TDR-R-01288 | Field-level requirement | Import declaration | Import H4: DE 6/13 Commodity Code - CUS Code - Type Code at I level is mandatory when the group-level item is present; cardinality 1:1; format a2.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!164
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H4.; 6/13 Commodity Code - CUS Code - Type Code at I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ Classification/ IdentificationTypeCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a2.; Value is drawn from HMRC codelist CommodityClassificationType for these items.

TDR-R-01289 | Field-level requirement | Import declaration | Import H5: DE 6/13 Commodity Code - CUS Code - Type Code at I level is mandatory when the group-level item is present; cardinality 1:1; format a2.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!164
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H5.; 6/13 Commodity Code - CUS Code - Type Code at I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ Classification/ IdentificationTypeCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a2.; Value is drawn from HMRC codelist CommodityClassificationType for these items.

TDR-R-01290 | Field-level requirement | Import declaration | Import I1: DE 6/13 Commodity Code - CUS Code - Type Code at I level is mandatory when the group-level item is present; cardinality 1:1; format a2.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!164
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is I1.; 6/13 Commodity Code - CUS Code - Type Code at I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ Classification/ IdentificationTypeCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a2.; Value is drawn from HMRC codelist CommodityClassificationType for these items.

TDR-R-01291 | Field-level requirement | Import declaration | Import I1 (B&E): DE 6/13 Commodity Code - CUS Code - Type Code at I level is mandatory when the group-level item is present; cardinality 1:1; format a2.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!164
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is I1 (B&E).; 6/13 Commodity Code - CUS Code - Type Code at I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ Classification/ IdentificationTypeCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a2.; Value is drawn from HMRC codelist CommodityClassificationType for these items.

TDR-R-01292 | Field-level requirement | Import declaration | Import C21I: DE 6/13 Commodity Code - CUS Code - Type Code at I level is not allowed; cardinality 1:1; format a2.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!164
Error code/pattern: CDS10002 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is C21I.; 6/13 Commodity Code - CUS Code - Type Code at I level is not allowed.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ Classification/ IdentificationTypeCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a2.; Value is drawn from HMRC codelist CommodityClassificationType for these items.

TDR-R-01293 | Field-level requirement | Import declaration | Import C21I EIDR: DE 6/13 Commodity Code - CUS Code - Type Code at I level is mandatory when the group-level item is present; cardinality 1:1; format a2.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!164
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is C21I EIDR.; 6/13 Commodity Code - CUS Code - Type Code at I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ Classification/ IdentificationTypeCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a2.; Value is drawn from HMRC codelist CommodityClassificationType for these items.

TDR-R-01294 | Field-level requirement | Import declaration | Import H1: DE 6/14 Commodity Code - Combined Nomenclature code at I level is mandatory; cardinality 1x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!165
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H1.; 6/14 Commodity Code - Combined Nomenclature code at I level is mandatory.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ Classification only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format -.

TDR-R-01295 | Field-level requirement | Import declaration | Import H2: DE 6/14 Commodity Code - Combined Nomenclature code at I level is mandatory; cardinality 1x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!165
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H2.; 6/14 Commodity Code - Combined Nomenclature code at I level is mandatory.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ Classification only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format -.

TDR-R-01296 | Field-level requirement | Import declaration | Import H3: DE 6/14 Commodity Code - Combined Nomenclature code at I level is mandatory; cardinality 1x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!165
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H3.; 6/14 Commodity Code - Combined Nomenclature code at I level is mandatory.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ Classification only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format -.

TDR-R-01297 | Field-level requirement | Import declaration | Import H4: DE 6/14 Commodity Code - Combined Nomenclature code at I level is mandatory; cardinality 1x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!165
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H4.; 6/14 Commodity Code - Combined Nomenclature code at I level is mandatory.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ Classification only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format -.

TDR-R-01298 | Field-level requirement | Import declaration | Import H5: DE 6/14 Commodity Code - Combined Nomenclature code at I level is mandatory; cardinality 1x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!165
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H5.; 6/14 Commodity Code - Combined Nomenclature code at I level is mandatory.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ Classification only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format -.

TDR-R-01299 | Field-level requirement | Import declaration | Import H8: DE 6/14 Commodity Code - Combined Nomenclature code at I level is mandatory; cardinality 1x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!165
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H8.; 6/14 Commodity Code - Combined Nomenclature code at I level is mandatory.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ Classification only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format -.

TDR-R-01300 | Field-level requirement | Import declaration | Import I1: DE 6/14 Commodity Code - Combined Nomenclature code at I level is optional; cardinality 1x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!165
Error code/pattern: CDS10010 | xml_validation_error
Acceptance: Import declaration context is I1.; 6/14 Commodity Code - Combined Nomenclature code at I level is optional.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ Classification only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format -.

TDR-R-01301 | Field-level requirement | Import declaration | Import I1 (B&E): DE 6/14 Commodity Code - Combined Nomenclature code at I level is mandatory; cardinality 1x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!165
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is I1 (B&E).; 6/14 Commodity Code - Combined Nomenclature code at I level is mandatory.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ Classification only where this rule permits it.; Respect cardinality

1x.; Value conforms to HMRC format -.

TDR-R-01302 | Field-level requirement | Import declaration | Import C21I: DE 6/14 Commodity Code - Combined Nomenclature code at I level is dependent; cardinality 1x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!165
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is C21I.; 6/14 Commodity Code - Combined Nomenclature code at I level is dependent.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ Classification only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format -.

TDR-R-01303 | Field-level requirement | Import declaration | Import SRDS: DE 6/14 Commodity Code - Combined Nomenclature code at I level is mandatory; cardinality 1x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!165
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is SRDS.; 6/14 Commodity Code - Combined Nomenclature code at I level is mandatory.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ Classification only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format -.

TDR-R-01304 | Field-level requirement | Import declaration | Import H1: DE 6/14 Commodity Code - Combined Nomenclature code - Identifier at I level is mandatory when the group-level item is present; cardinality 1:1; format an8.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!166
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H1.; 6/14 Commodity Code - Combined Nomenclature code - Identifier at I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ Classification/ ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an8.

TDR-R-01305 | Field-level requirement | Import declaration | Import H2: DE 6/14 Commodity Code - Combined Nomenclature code - Identifier at I level is mandatory when the group-level item is present; cardinality 1:1; format an8.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!166
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H2.; 6/14 Commodity Code - Combined Nomenclature code - Identifier at I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ Classification/ ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an8.

TDR-R-01306 | Field-level requirement | Import declaration | Import H3: DE 6/14 Commodity Code - Combined Nomenclature code - Identifier at I level is mandatory when the group-level item is present; cardinality 1:1; format an8.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!166
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H3.; 6/14 Commodity Code - Combined Nomenclature code - Identifier at I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ Classification/ ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an8.

TDR-R-01307 | Field-level requirement | Import declaration | Import H4: DE 6/14 Commodity Code - Combined Nomenclature code - Identifier at I level is mandatory when the group-level item is present; cardinality 1:1; format an8.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!166
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H4.; 6/14 Commodity Code - Combined Nomenclature code - Identifier at I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ Classification/ ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an8.

TDR-R-01308 | Field-level requirement | Import declaration | Import H5: DE 6/14 Commodity Code - Combined Nomenclature code - Identifier at I level is mandatory when the group-level item is present; cardinality 1:1; format an8.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!166
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H5.; 6/14 Commodity Code - Combined Nomenclature code - Identifier at I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ Classification/ ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an8.

TDR-R-01309 | Field-level requirement | Import declaration | Import H8: DE 6/14 Commodity Code - Combined Nomenclature code - Identifier at I level is mandatory when the group-level item is present; cardinality 1:1; format an8.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!166
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H8.; 6/14 Commodity Code - Combined Nomenclature code - Identifier at I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ Classification/ ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an8.

TDR-R-01310 | Field-level requirement | Import declaration | Import I1: DE 6/14 Commodity Code - Combined Nomenclature code - Identifier at I level is mandatory when the group-level item is present; cardinality 1:1; format an8.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!166
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is I1.; 6/14 Commodity Code - Combined Nomenclature code - Identifier at I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ Classification/ ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an8.

TDR-R-01311 | Field-level requirement | Import declaration | Import I1 (B&E): DE 6/14 Commodity Code - Combined Nomenclature code - Identifier at I level is mandatory when the group-level item is present; cardinality 1:1; format an8.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!166
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is I1 (B&E).; 6/14 Commodity Code - Combined Nomenclature code - Identifier at I level is mandatory

when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ Classification/ ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an8.

TDR-R-01312 | Field-level requirement | Import declaration | Import C21I: DE 6/14 Commodity Code - Combined Nomenclature code - Identifier at I level is mandatory when the group-level item is present; cardinality 1:1; format an8.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!166
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is C21I.; 6/14 Commodity Code - Combined Nomenclature code - Identifier at I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ Classification/ ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an8.

TDR-R-01313 | Field-level requirement | Import declaration | Import C21I EIDR: DE 6/14 Commodity Code - Combined Nomenclature code - Identifier at I level is mandatory when the group-level item is present; cardinality 1:1; format an8.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!166
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is C21I EIDR.; 6/14 Commodity Code - Combined Nomenclature code - Identifier at I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ Classification/ ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an8.

TDR-R-01314 | Field-level requirement | Import declaration | Import SRDS: DE 6/14 Commodity Code - Combined Nomenclature code - Identifier at I level is mandatory when the group-level item is present; cardinality 1:1; format an8.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!166
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is SRDS.; 6/14 Commodity Code - Combined Nomenclature code - Identifier at I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ Classification/ ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an8.

TDR-R-01315 | Field-level requirement | Import declaration | Import H1: DE 6/14 Commodity Code - Combined Nomenclature code - Type Code at I level is mandatory when the group-level item is present; cardinality 1:1; format a3.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!167
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H1.; 6/14 Commodity Code - Combined Nomenclature code - Type Code at I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ Classification/ IdentificationTypeCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a3.; Value is drawn from HMRC codelist CommodityClassificationType for these items.

TDR-R-01316 | Field-level requirement | Import declaration | Import H2: DE 6/14 Commodity Code - Combined Nomenclature code - Type Code at I level is mandatory when the group-level item is present; cardinality 1:1; format a3.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!167
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H2.; 6/14 Commodity Code - Combined Nomenclature code - Type Code at I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ Classification/ IdentificationTypeCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a3.; Value is drawn from HMRC codelist CommodityClassificationType for these items.

TDR-R-01317 | Field-level requirement | Import declaration | Import H3: DE 6/14 Commodity Code - Combined Nomenclature code - Type Code at I level is mandatory when the group-level item is present; cardinality 1:1; format a3.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!167
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H3.; 6/14 Commodity Code - Combined Nomenclature code - Type Code at I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ Classification/ IdentificationTypeCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a3.; Value is drawn from HMRC codelist CommodityClassificationType for these items.

TDR-R-01318 | Field-level requirement | Import declaration | Import H4: DE 6/14 Commodity Code - Combined Nomenclature code - Type Code at I level is mandatory when the group-level item is present; cardinality 1:1; format a3.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!167
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H4.; 6/14 Commodity Code - Combined Nomenclature code - Type Code at I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ Classification/ IdentificationTypeCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a3.; Value is drawn from HMRC codelist CommodityClassificationType for these items.

TDR-R-01319 | Field-level requirement | Import declaration | Import H5: DE 6/14 Commodity Code - Combined Nomenclature code - Type Code at I level is mandatory when the group-level item is present; cardinality 1:1; format a3.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!167
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H5.; 6/14 Commodity Code - Combined Nomenclature code - Type Code at I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ Classification/ IdentificationTypeCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a3.; Value is drawn from HMRC codelist CommodityClassificationType for these items.

TDR-R-01320 | Field-level requirement | Import declaration | Import H8: DE 6/14 Commodity Code - Combined Nomenclature code - Type Code at I level is mandatory when the group-level item is present; cardinality 1:1; format a3.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!167
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H8.; 6/14 Commodity Code - Combined Nomenclature code - Type Code at I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ Classification/ IdentificationTypeCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a3.; Value is drawn from HMRC

codelist CommodityClassificationType for these items.

TDR-R-01321 | Field-level requirement | Import declaration | Import I1: DE 6/14 Commodity Code - Combined Nomenclature code - Type Code at I level is mandatory when the group-level item is present; cardinality 1:1; format a3.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!167
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is I1.; 6/14 Commodity Code - Combined Nomenclature code - Type Code at I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ Classification/ IdentificationTypeCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a3.; Value is drawn from HMRC codelist CommodityClassificationType for these items.

TDR-R-01322 | Field-level requirement | Import declaration | Import I1 (B&E): DE 6/14 Commodity Code - Combined Nomenclature code - Type Code at I level is mandatory when the group-level item is present; cardinality 1:1; format a3.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!167
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is I1 (B&E).; 6/14 Commodity Code - Combined Nomenclature code - Type Code at I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ Classification/ IdentificationTypeCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a3.; Value is drawn from HMRC codelist CommodityClassificationType for these items.

TDR-R-01323 | Field-level requirement | Import declaration | Import C21I: DE 6/14 Commodity Code - Combined Nomenclature code - Type Code at I level is mandatory when the group-level item is present; cardinality 1:1; format a3.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!167
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is C21I.; 6/14 Commodity Code - Combined Nomenclature code - Type Code at I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ Classification/ IdentificationTypeCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a3.; Value is drawn from HMRC codelist CommodityClassificationType for these items.

TDR-R-01324 | Field-level requirement | Import declaration | Import C21I EIDR: DE 6/14 Commodity Code - Combined Nomenclature code - Type Code at I level is mandatory when the group-level item is present; cardinality 1:1; format a3.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!167
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is C21I EIDR.; 6/14 Commodity Code - Combined Nomenclature code - Type Code at I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ Classification/ IdentificationTypeCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a3.; Value is drawn from HMRC codelist CommodityClassificationType for these items.

TDR-R-01325 | Field-level requirement | Import declaration | Import SRDS: DE 6/14 Commodity Code - Combined Nomenclature code - Type Code at I level is mandatory when the group-level item is present; cardinality 1:1; format a3.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!167
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is SRDS.; 6/14 Commodity Code - Combined Nomenclature code - Type Code at I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ Classification/ IdentificationTypeCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a3.; Value is drawn from HMRC codelist CommodityClassificationType for these items.

TDR-R-01326 | Field-level requirement | Import declaration | Import H1: DE 6/15 Commodity Code - TARIC code at I level is mandatory; cardinality 1x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!168
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H1.; 6/15 Commodity Code - TARIC code at I level is mandatory.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ Classification only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format -.

TDR-R-01327 | Field-level requirement | Import declaration | Import H2: DE 6/15 Commodity Code - TARIC code at I level is dependent; cardinality 1x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!168
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H2.; 6/15 Commodity Code - TARIC code at I level is dependent.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ Classification only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format -.

TDR-R-01328 | Field-level requirement | Import declaration | Import H3: DE 6/15 Commodity Code - TARIC code at I level is mandatory; cardinality 1x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!168
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H3.; 6/15 Commodity Code - TARIC code at I level is mandatory.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ Classification only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format -.

TDR-R-01329 | Field-level requirement | Import declaration | Import H4: DE 6/15 Commodity Code - TARIC code at I level is mandatory; cardinality 1x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!168
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H4.; 6/15 Commodity Code - TARIC code at I level is mandatory.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ Classification only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format -.

TDR-R-01330 | Field-level requirement | Import declaration | Import H5: DE 6/15 Commodity Code - TARIC code at I level is mandatory; cardinality 1x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!168
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H5.; 6/15 Commodity Code - TARIC code at I level is mandatory.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ Classification only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format -.

TDR-R-01331 | Field-level requirement | Import declaration | Import I1: DE 6/15 Commodity Code - TARIC code at I level is dependent; cardinality 1x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!168
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is I1.; 6/15 Commodity Code - TARIC code at I level is dependent.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ Classification only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format -.

TDR-R-01332 | Field-level requirement | Import declaration | Import I1 (B&E): DE 6/15 Commodity Code - TARIC code at I level is mandatory; cardinality 1x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!168
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is I1 (B&E).; 6/15 Commodity Code - TARIC code at I level is mandatory.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ Classification only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format -.

TDR-R-01333 | Field-level requirement | Import declaration | Import H1: DE 6/15 Commodity Code - TARIC code - Identifier at I level is mandatory when the group-level item is present; cardinality 1:1; format an2.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!169
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H1.; 6/15 Commodity Code - TARIC code - Identifier at I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ Classification/ ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an2.

TDR-R-01334 | Field-level requirement | Import declaration | Import H2: DE 6/15 Commodity Code - TARIC code - Identifier at I level is mandatory when the group-level item is present; cardinality 1:1; format an2.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!169
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H2.; 6/15 Commodity Code - TARIC code - Identifier at I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ Classification/ ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an2.

TDR-R-01335 | Field-level requirement | Import declaration | Import H3: DE 6/15 Commodity Code - TARIC code - Identifier at I level is mandatory when the group-level item is present; cardinality 1:1; format an2.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!169
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H3.; 6/15 Commodity Code - TARIC code - Identifier at I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ Classification/ ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an2.

TDR-R-01336 | Field-level requirement | Import declaration | Import H4: DE 6/15 Commodity Code - TARIC code - Identifier at I level is mandatory when the group-level item is present; cardinality 1:1; format an2.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!169
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H4.; 6/15 Commodity Code - TARIC code - Identifier at I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ Classification/ ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an2.

TDR-R-01337 | Field-level requirement | Import declaration | Import H5: DE 6/15 Commodity Code - TARIC code - Identifier at I level is mandatory when the group-level item is present; cardinality 1:1; format an2.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!169
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H5.; 6/15 Commodity Code - TARIC code - Identifier at I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ Classification/ ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an2.

TDR-R-01338 | Field-level requirement | Import declaration | Import I1: DE 6/15 Commodity Code - TARIC code - Identifier at I level is mandatory when the group-level item is present; cardinality 1:1; format an2.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!169
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is I1.; 6/15 Commodity Code - TARIC code - Identifier at I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ Classification/ ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an2.

TDR-R-01339 | Field-level requirement | Import declaration | Import I1 (B&E): DE 6/15 Commodity Code - TARIC code - Identifier at I level is mandatory when the group-level item is present; cardinality 1:1; format an2.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!169
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is I1 (B&E).; 6/15 Commodity Code - TARIC code - Identifier at I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ Classification/ ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an2.

TDR-R-01340 | Field-level requirement | Import declaration | Import H1: DE 6/15 Commodity Code - TARIC code - Type Code at I level is mandatory when the group-level item is present; cardinality 1:1; format a3.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!170
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H1.; 6/15 Commodity Code - TARIC code - Type Code at I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ Classification/ IdentificationTypeCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a3.; Value is drawn from HMRC codelist CommodityClassificationType for these items.

TDR-R-01341 | Field-level requirement | Import declaration | Import H2: DE 6/15 Commodity Code - TARIC code - Type Code at I level is mandatory when the group-level item is present; cardinality 1:1; format a3.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!170
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H2.; 6/15 Commodity Code - TARIC code - Type Code at I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ Classification/ IdentificationTypeCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a3.; Value is drawn from HMRC codelist CommodityClassificationType for these items.

TDR-R-01342 | Field-level requirement | Import declaration | Import H3: DE 6/15 Commodity Code - TARIC code - Type Code at I level is mandatory when the group-level item is present; cardinality 1:1; format a3.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!170
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H3.; 6/15 Commodity Code - TARIC code - Type Code at I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ Classification/ IdentificationTypeCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a3.; Value is drawn from HMRC codelist CommodityClassificationType for these items.

TDR-R-01343 | Field-level requirement | Import declaration | Import H4: DE 6/15 Commodity Code - TARIC code - Type Code at I level is mandatory when the group-level item is present; cardinality 1:1; format a3.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!170
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H4.; 6/15 Commodity Code - TARIC code - Type Code at I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ Classification/ IdentificationTypeCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a3.; Value is drawn from HMRC codelist CommodityClassificationType for these items.

TDR-R-01344 | Field-level requirement | Import declaration | Import H5: DE 6/15 Commodity Code - TARIC code - Type Code at I level is mandatory when the group-level item is present; cardinality 1:1; format a3.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!170
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H5.; 6/15 Commodity Code - TARIC code - Type Code at I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ Classification/ IdentificationTypeCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a3.; Value is drawn from HMRC codelist CommodityClassificationType for these items.

TDR-R-01345 | Field-level requirement | Import declaration | Import I1: DE 6/15 Commodity Code - TARIC code - Type Code at I level is mandatory when the group-level item is present; cardinality 1:1; format a3.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!170
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is I1.; 6/15 Commodity Code - TARIC code - Type Code at I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ Classification/ IdentificationTypeCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a3.; Value is drawn from HMRC codelist CommodityClassificationType for these items.

TDR-R-01346 | Field-level requirement | Import declaration | Import I1 (B&E): DE 6/15 Commodity Code - TARIC code - Type Code at I level is mandatory when the group-level item is present; cardinality 1:1; format a3.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!170
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is I1 (B&E).; 6/15 Commodity Code - TARIC code - Type Code at I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ Classification/ IdentificationTypeCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a3.; Value is drawn from HMRC codelist CommodityClassificationType for these items.

TDR-R-01347 | Field-level requirement | Import declaration | Import H1: DE 6/16 Commodity Code - TARIC Additional code(s) at I level is dependent; cardinality 99x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!171
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H1.; 6/16 Commodity Code - TARIC Additional code(s) at I level is dependent.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ Classification only where this rule permits it.; Respect cardinality 99x.; Value conforms to HMRC format -.

TDR-R-01348 | Field-level requirement | Import declaration | Import H2: DE 6/16 Commodity Code - TARIC Additional code(s) at I level is dependent; cardinality 99x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!171
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H2.; 6/16 Commodity Code - TARIC Additional code(s) at I level is dependent.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ Classification only where this rule permits it.; Respect cardinality 99x.; Value conforms to HMRC format -.

TDR-R-01349 | Field-level requirement | Import declaration | Import H3: DE 6/16 Commodity Code - TARIC Additional code(s) at I level is dependent; cardinality 99x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!171
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H3.; 6/16 Commodity Code - TARIC Additional code(s) at I level is dependent.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ Classification only where this rule permits it.; Respect cardinality 99x.; Value conforms to HMRC format -.

TDR-R-01350 | Field-level requirement | Import declaration | Import H4: DE 6/16 Commodity Code - TARIC Additional code(s) at I level is dependent; cardinality 99x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!171
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H4.; 6/16 Commodity Code - TARIC Additional code(s) at I level is dependent.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ Classification only where this rule permits it.; Respect cardinality 99x.; Value conforms to HMRC format -.

TDR-R-01351 | Field-level requirement | Import declaration | Import H5: DE 6/16 Commodity Code - TARIC Additional code(s) at I level is dependent; cardinality 99x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!171
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H5.; 6/16 Commodity Code - TARIC Additional code(s) at I level is dependent.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ Classification only where this rule permits it.; Respect cardinality 99x.; Value conforms to HMRC format -.

TDR-R-01352 | Field-level requirement | Import declaration | Import I1: DE 6/16 Commodity Code - TARIC Additional code(s) at I level is dependent; cardinality 99x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!171
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is I1.; 6/16 Commodity Code - TARIC Additional code(s) at I level is dependent.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ Classification only where this rule permits it.; Respect cardinality 99x.; Value conforms to HMRC format -.

TDR-R-01353 | Field-level requirement | Import declaration | Import I1 (B&E): DE 6/16 Commodity Code - TARIC Additional code(s) at I level is dependent; cardinality 99x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!171
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is I1 (B&E).; 6/16 Commodity Code - TARIC Additional code(s) at I level is dependent.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ Classification only where this rule permits it.; Respect cardinality 99x.; Value conforms to HMRC format -.

TDR-R-01354 | Field-level requirement | Import declaration | Import H1: DE 6/16 Commodity Code - TARIC Additional code(s) - Identifier at I level is mandatory when the group-level item is present; cardinality 1:1; format an4.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!172
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H1.; 6/16 Commodity Code - TARIC Additional code(s) - Identifier at I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ Classification/ ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an4.

TDR-R-01355 | Field-level requirement | Import declaration | Import H2: DE 6/16 Commodity Code - TARIC Additional code(s) - Identifier at I level is mandatory when the group-level item is present; cardinality 1:1; format an4.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!172
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H2.; 6/16 Commodity Code - TARIC Additional code(s) - Identifier at I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ Classification/ ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an4.

TDR-R-01356 | Field-level requirement | Import declaration | Import H3: DE 6/16 Commodity Code - TARIC Additional code(s) - Identifier at I level is mandatory when the group-level item is present; cardinality 1:1; format an4.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!172
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H3.; 6/16 Commodity Code - TARIC Additional code(s) - Identifier at I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ Classification/ ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an4.

TDR-R-01357 | Field-level requirement | Import declaration | Import H4: DE 6/16 Commodity Code - TARIC Additional code(s) - Identifier at I level is mandatory when the group-level item is present; cardinality 1:1; format an4.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!172
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H4.; 6/16 Commodity Code - TARIC Additional code(s) - Identifier at I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ Classification/ ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an4.

TDR-R-01358 | Field-level requirement | Import declaration | Import H5: DE 6/16 Commodity Code - TARIC Additional code(s) - Identifier at I level is mandatory when the group-level item is present; cardinality 1:1; format an4.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!172
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H5.; 6/16 Commodity Code - TARIC Additional code(s) - Identifier at I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ Classification/ ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an4.

TDR-R-01359 | Field-level requirement | Import declaration | Import I1: DE 6/16 Commodity Code - TARIC Additional code(s) - Identifier at I level is mandatory when the group-level item is present; cardinality 1:1; format an4.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!172
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is I1.; 6/16 Commodity Code - TARIC Additional code(s) - Identifier at I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ Classification/ ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an4.

TDR-R-01360 | Field-level requirement | Import declaration | Import I1 (B&E): DE 6/16 Commodity Code - TARIC Additional code(s) - Identifier at I level is mandatory when the group-level item is present; cardinality 1:1; format an4.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!172
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is I1 (B&E).; 6/16 Commodity Code - TARIC Additional code(s) - Identifier at I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ Classification/ ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an4.

TDR-R-01361 | Field-level requirement | Import declaration | Import C21I EIDR: DE 6/16 Commodity Code - TARIC Additional code(s) - Identifier at I level is mandatory when the group-level item is present; cardinality 1:1; format an4.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!172
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is C21I EIDR.; 6/16 Commodity Code - TARIC Additional code(s) - Identifier at I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ Classification/ ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an4.

TDR-R-01362 | Field-level requirement | Import declaration | Import H1: DE 6/16 Commodity Code - TARIC Additional code(s) - Type Code at I level is mandatory when the group-level item is present; cardinality 1:1; format a3.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!173
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H1.; 6/16 Commodity Code - TARIC Additional code(s) - Type Code at I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ Classification/ IdentificationTypeCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a3.; Value is drawn from HMRC codelist CommodityClassificationType for these items.

TDR-R-01363 | Field-level requirement | Import declaration | Import H2: DE 6/16 Commodity Code - TARIC Additional code(s) - Type Code at I level is mandatory when the group-level item is present; cardinality 1:1; format a3.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!173
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H2.; 6/16 Commodity Code - TARIC Additional code(s) - Type Code at I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ Classification/ IdentificationTypeCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a3.; Value is drawn from HMRC codelist CommodityClassificationType for these items.

TDR-R-01364 | Field-level requirement | Import declaration | Import H3: DE 6/16 Commodity Code - TARIC Additional code(s) - Type Code at I level is mandatory when the group-level item is present; cardinality 1:1; format a3.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!173
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H3.; 6/16 Commodity Code - TARIC Additional code(s) - Type Code at I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ Classification/ IdentificationTypeCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a3.; Value is drawn from HMRC codelist CommodityClassificationType for these items.

TDR-R-01365 | Field-level requirement | Import declaration | Import H4: DE 6/16 Commodity Code - TARIC Additional code(s) - Type Code at I level is mandatory when the group-level item is present; cardinality 1:1; format a3.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!173
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H4.; 6/16 Commodity Code - TARIC Additional code(s) - Type Code at I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ Classification/ IdentificationTypeCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a3.; Value is drawn from HMRC codelist CommodityClassificationType for these items.

TDR-R-01366 | Field-level requirement | Import declaration | Import H5: DE 6/16 Commodity Code - TARIC Additional code(s) - Type Code at I level is mandatory when the group-level item is present; cardinality 1:1; format a3.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!173
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H5.; 6/16 Commodity Code - TARIC Additional code(s) - Type Code at I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ Classification/ IdentificationTypeCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a3.; Value is drawn from HMRC codelist CommodityClassificationType for these items.

TDR-R-01367 | Field-level requirement | Import declaration | Import I1: DE 6/16 Commodity Code - TARIC Additional code(s) - Type Code at I level is mandatory when the group-level item is present; cardinality 1:1; format a3.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!173
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is I1.; 6/16 Commodity Code - TARIC Additional code(s) - Type Code at I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ Classification/ IdentificationTypeCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a3.; Value is drawn from HMRC codelist CommodityClassificationType for these items.

TDR-R-01368 | Field-level requirement | Import declaration | Import I1 (B&E): DE 6/16 Commodity Code - TARIC Additional code(s) - Type Code at I level is mandatory when the group-level item is present; cardinality 1:1; format a3.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!173
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is I1 (B&E).; 6/16 Commodity Code - TARIC Additional code(s) - Type Code at I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ Classification/ IdentificationTypeCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a3.; Value is drawn from HMRC codelist CommodityClassificationType for these items.

TDR-R-01369 | Field-level requirement | Import declaration | Import C21I EIDR: DE 6/16 Commodity Code - TARIC Additional code(s) - Type Code at I level is mandatory when the group-level item is present; cardinality 1:1; format a3.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!173
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is C21I EIDR.; 6/16 Commodity Code - TARIC Additional code(s) - Type Code at I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ Classification/ IdentificationTypeCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a3.; Value is drawn from HMRC codelist CommodityClassificationType for these items.

TDR-R-01370 | Field-level requirement | Import declaration | Import H1: DE 6/17 Commodity Code - National Additional code(s) at I level is dependent; cardinality 99x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!174
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H1.; 6/17 Commodity Code - National Additional code(s) at I level is dependent.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ Classification only where this rule permits it.; Respect cardinality 99x.; Value conforms to HMRC format -.

TDR-R-01371 | Field-level requirement | Import declaration | Import H2: DE 6/17 Commodity Code - National Additional code(s) at I level is dependent; cardinality 99x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!174
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H2.; 6/17 Commodity Code - National Additional code(s) at I level is dependent.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ Classification only where this rule permits it.; Respect cardinality 99x.; Value conforms to HMRC format -.

TDR-R-01372 | Field-level requirement | Import declaration | Import H3: DE 6/17 Commodity Code - National Additional code(s) at I level is dependent; cardinality 99x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!174
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H3.; 6/17 Commodity Code - National Additional code(s) at I level is dependent.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ Classification only where this rule permits it.; Respect cardinality 99x.; Value conforms to HMRC format -.

TDR-R-01373 | Field-level requirement | Import declaration | Import H4: DE 6/17 Commodity Code - National Additional code(s) at I level is dependent; cardinality 99x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!174
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H4.; 6/17 Commodity Code - National Additional code(s) at I level is dependent.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ Classification only where this rule permits it.; Respect cardinality 99x.; Value conforms to HMRC format -.

TDR-R-01374 | Field-level requirement | Import declaration | Import H5: DE 6/17 Commodity Code - National Additional code(s) at I level is dependent; cardinality 99x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!174
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H5.; 6/17 Commodity Code - National Additional code(s) at I level is dependent.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ Classification only where this rule permits it.; Respect cardinality 99x.; Value conforms to HMRC format -.

TDR-R-01375 | Field-level requirement | Import declaration | Import I1: DE 6/17 Commodity Code - National Additional code(s) at I level is dependent; cardinality 99x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!174
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is I1.; 6/17 Commodity Code - National Additional code(s) at I level is dependent.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ Classification only where this rule permits it.; Respect cardinality 99x.; Value conforms to HMRC format -.

TDR-R-01376 | Field-level requirement | Import declaration | Import I1 (B&E): DE 6/17 Commodity Code - National Additional code(s) at I level is dependent; cardinality 99x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!174
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is I1 (B&E).; 6/17 Commodity Code - National Additional code(s) at I level is dependent.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ Classification only where this rule permits it.; Respect cardinality 99x.; Value conforms to HMRC format -.

TDR-R-01377 | Field-level requirement | Import declaration | Import H1: DE 6/17 Commodity Code - National Additional code(s) - Identifier at I level is mandatory when the group-level item is present; cardinality 1:1; format an4.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!175
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H1.; 6/17 Commodity Code - National Additional code(s) - Identifier at I level is mandatory when the

group-level item is present.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ Classification/ ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an4.

TDR-R-01378 | Field-level requirement | Import declaration | Import H2: DE 6/17 Commodity Code - National Additional code(s) - Identifier at I level is mandatory when the group-level item is present; cardinality 1:1; format an4.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!175
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H2.; 6/17 Commodity Code - National Additional code(s) - Identifier at I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ Classification/ ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an4.

TDR-R-01379 | Field-level requirement | Import declaration | Import H3: DE 6/17 Commodity Code - National Additional code(s) - Identifier at I level is mandatory when the group-level item is present; cardinality 1:1; format an4.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!175
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H3.; 6/17 Commodity Code - National Additional code(s) - Identifier at I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ Classification/ ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an4.

TDR-R-01380 | Field-level requirement | Import declaration | Import H4: DE 6/17 Commodity Code - National Additional code(s) - Identifier at I level is mandatory when the group-level item is present; cardinality 1:1; format an4.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!175
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H4.; 6/17 Commodity Code - National Additional code(s) - Identifier at I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ Classification/ ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an4.

TDR-R-01381 | Field-level requirement | Import declaration | Import H5: DE 6/17 Commodity Code - National Additional code(s) - Identifier at I level is mandatory when the group-level item is present; cardinality 1:1; format an4.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!175
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H5.; 6/17 Commodity Code - National Additional code(s) - Identifier at I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ Classification/ ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an4.

TDR-R-01382 | Field-level requirement | Import declaration | Import I1: DE 6/17 Commodity Code - National Additional code(s) - Identifier at I level is mandatory when the group-level item is present; cardinality 1:1; format an4.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!175
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is I1.; 6/17 Commodity Code - National Additional code(s) - Identifier at I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ Classification/ ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an4.

TDR-R-01383 | Field-level requirement | Import declaration | Import I1 (B&E): DE 6/17 Commodity Code - National Additional code(s) - Identifier at I level is mandatory when the group-level item is present; cardinality 1:1; format an4.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!175
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is I1 (B&E).; 6/17 Commodity Code - National Additional code(s) - Identifier at I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ Classification/ ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an4.

TDR-R-01384 | Field-level requirement | Import declaration | Import C21I EIDR: DE 6/17 Commodity Code - National Additional code(s) - Identifier at I level is mandatory when the group-level item is present; cardinality 1:1; format an4.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!175
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is C21I EIDR.; 6/17 Commodity Code - National Additional code(s) - Identifier at I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ Classification/ ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an4.

TDR-R-01385 | Field-level requirement | Import declaration | Import H1: DE 6/17 Commodity Code - National Additional code(s) - Type Code at I level is mandatory when the group-level item is present; cardinality 1:1; format a2.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!176
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H1.; 6/17 Commodity Code - National Additional code(s) - Type Code at I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ Classification/ IdentificationTypeCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a2.; Value is drawn from HMRC codelist CommodityClassificationType for these items.

TDR-R-01386 | Field-level requirement | Import declaration | Import H2: DE 6/17 Commodity Code - National Additional code(s) - Type Code at I level is mandatory when the group-level item is present; cardinality 1:1; format a2.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!176
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H2.; 6/17 Commodity Code - National Additional code(s) - Type Code at I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ Classification/ IdentificationTypeCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a2.; Value is drawn from HMRC codelist CommodityClassificationType for these items.

TDR-R-01387 | Field-level requirement | Import declaration | Import H3: DE 6/17 Commodity Code - National Additional code(s) - Type Code at I level is mandatory when the group-level item is present; cardinality 1:1; format a2.

Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!176
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H3.; 6/17 Commodity Code - National Additional code(s) - Type Code at I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ Classification/ IdentificationTypeCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a2.; Value is drawn from HMRC codelist CommodityClassificationType for these items.

TDR-R-01388 | Field-level requirement | Import declaration | Import H4: DE 6/17 Commodity Code - National Additional code(s) - Type Code at I level is mandatory when the group-level item is present; cardinality 1:1; format a2.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!176
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H4.; 6/17 Commodity Code - National Additional code(s) - Type Code at I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ Classification/ IdentificationTypeCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a2.; Value is drawn from HMRC codelist CommodityClassificationType for these items.

TDR-R-01389 | Field-level requirement | Import declaration | Import H5: DE 6/17 Commodity Code - National Additional code(s) - Type Code at I level is mandatory when the group-level item is present; cardinality 1:1; format a2.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!176
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H5.; 6/17 Commodity Code - National Additional code(s) - Type Code at I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ Classification/ IdentificationTypeCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a2.; Value is drawn from HMRC codelist CommodityClassificationType for these items.

TDR-R-01390 | Field-level requirement | Import declaration | Import I1: DE 6/17 Commodity Code - National Additional code(s) - Type Code at I level is mandatory when the group-level item is present; cardinality 1:1; format a2.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!176
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is I1.; 6/17 Commodity Code - National Additional code(s) - Type Code at I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ Classification/ IdentificationTypeCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a2.; Value is drawn from HMRC codelist CommodityClassificationType for these items.

TDR-R-01391 | Field-level requirement | Import declaration | Import I1 (B&E): DE 6/17 Commodity Code - National Additional code(s) - Type Code at I level is mandatory when the group-level item is present; cardinality 1:1; format a2.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!176
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is I1 (B&E).; 6/17 Commodity Code - National Additional code(s) - Type Code at I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ Classification/ IdentificationTypeCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a2.; Value is drawn from HMRC codelist CommodityClassificationType for these items.

TDR-R-01392 | Field-level requirement | Import declaration | Import C21I EIDR: DE 6/17 Commodity Code - National Additional code(s) - Type Code at I level is mandatory when the group-level item is present; cardinality 1:1; format a2.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!176
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is C21I EIDR.; 6/17 Commodity Code - National Additional code(s) - Type Code at I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ Classification/ IdentificationTypeCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a2.; Value is drawn from HMRC codelist CommodityClassificationType for these items.

TDR-R-01393 | Field-level requirement | Import declaration | Import H1: DE 6/18 Total Packages at H level is mandatory; cardinality 1x; format n..8.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!177
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H1.; 6/18 Total Packages at H level is mandatory.; Populate XML path Declaration/ TotalPackageQuantity only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format n..8.

TDR-R-01394 | Field-level requirement | Import declaration | Import H2: DE 6/18 Total Packages at H level is mandatory; cardinality 1x; format n..8.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!177
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H2.; 6/18 Total Packages at H level is mandatory.; Populate XML path Declaration/ TotalPackageQuantity only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format n..8.

TDR-R-01395 | Field-level requirement | Import declaration | Import H3: DE 6/18 Total Packages at H level is mandatory; cardinality 1x; format n..8.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!177
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H3.; 6/18 Total Packages at H level is mandatory.; Populate XML path Declaration/ TotalPackageQuantity only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format n..8.

TDR-R-01396 | Field-level requirement | Import declaration | Import H4: DE 6/18 Total Packages at H level is mandatory; cardinality 1x; format n..8.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!177
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H4.; 6/18 Total Packages at H level is mandatory.; Populate XML path Declaration/

TotalPackageQuantity only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format n..8.

TDR-R-01397 | Field-level requirement | Import declaration | Import H5: DE 6/18 Total Packages at H level is mandatory; cardinality 1x; format n..8.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!177
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H5.; 6/18 Total Packages at H level is mandatory.; Populate XML path Declaration/ TotalPackageQuantity only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format n..8.

TDR-R-01398 | Field-level requirement | Import declaration | Import I1: DE 6/18 Total Packages at H level is mandatory; cardinality 1x; format n..8.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!177
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is I1.; 6/18 Total Packages at H level is mandatory.; Populate XML path Declaration/ TotalPackageQuantity only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format n..8.

TDR-R-01399 | Field-level requirement | Import declaration | Import I1 (B&E): DE 6/18 Total Packages at H level is mandatory; cardinality 1x; format n..8.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!177
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is I1 (B&E).; 6/18 Total Packages at H level is mandatory.; Populate XML path Declaration/ TotalPackageQuantity only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format n..8.

TDR-R-01400 | Field-level requirement | Import declaration | Import C21I: DE 6/18 Total Packages at H level is dependent; cardinality 1x; format n..8.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!177
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is C21I.; 6/18 Total Packages at H level is dependent.; Populate XML path Declaration/ TotalPackageQuantity only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format n..8.

TDR-R-01401 | Field-level requirement | Import declaration | Import SRDS: DE 6/18 Total Packages at H level is mandatory; cardinality 1x; format n..8.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!177
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is SRDS.; 6/18 Total Packages at H level is mandatory.; Populate XML path Declaration/ TotalPackageQuantity only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format n..8.

TDR-R-01402 | Field-level requirement | Import declaration | Import H1: DE 7/2 Container at H level is mandatory; cardinality 1x; format n1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!178
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H1.; 7/2 Container at H level is mandatory.; Populate XML path Declaration/GoodsShipment/ Consignment/ ContainerCode only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format n1.

TDR-R-01403 | Field-level requirement | Import declaration | Import H2: DE 7/2 Container at H level is mandatory; cardinality 1x; format n1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!178
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H2.; 7/2 Container at H level is mandatory.; Populate XML path Declaration/GoodsShipment/ Consignment/ ContainerCode only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format n1.

TDR-R-01404 | Field-level requirement | Import declaration | Import H3: DE 7/2 Container at H level is mandatory; cardinality 1x; format n1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!178
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H3.; 7/2 Container at H level is mandatory.; Populate XML path Declaration/GoodsShipment/ Consignment/ ContainerCode only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format n1.

TDR-R-01405 | Field-level requirement | Import declaration | Import H4: DE 7/2 Container at H level is mandatory; cardinality 1x; format n1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!178
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H4.; 7/2 Container at H level is mandatory.; Populate XML path Declaration/GoodsShipment/ Consignment/ ContainerCode only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format n1.

TDR-R-01406 | Field-level requirement | Import declaration | Import H5: DE 7/2 Container at H level is mandatory; cardinality 1x; format n1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!178
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H5.; 7/2 Container at H level is mandatory.; Populate XML path Declaration/GoodsShipment/ Consignment/ ContainerCode only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format n1.

TDR-R-01407 | Field-level requirement | Import declaration | Import I1: DE 7/2 Container at H level is mandatory; cardinality 1x; format n1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!178
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is I1.; 7/2 Container at H level is mandatory.; Populate XML path Declaration/GoodsShipment/ Consignment/ ContainerCode only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format n1.

TDR-R-01408 | Field-level requirement | Import declaration | Import I1 (B&E): DE 7/2 Container at H level is mandatory; cardinality 1x; format n1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!178
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is I1 (B&E).; 7/2 Container at H level is mandatory.; Populate XML path Declaration/GoodsShipment/ Consignment/ ContainerCode only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format n1.

TDR-R-01409 | Field-level requirement | Import declaration | Import C21I: DE 7/2 Container at H level is dependent; cardinality 1x; format n1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!178

Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is C21I.; 7/2 Container at H level is dependent.; Populate XML path Declaration/GoodsShipment/ Consignment/ ContainerCode only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format n1.

TDR-R-01410 | Field-level requirement | Import declaration | Import C21I EIDR: DE 7/2 Container at H level is mandatory; cardinality 1x; format n1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!178
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is C21I EIDR.; 7/2 Container at H level is mandatory.; Populate XML path Declaration/GoodsShipment/ Consignment/ ContainerCode only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format n1.

TDR-R-01411 | Field-level requirement | Import declaration | Import H1: DE 7/4 Mode of Transport at the Border at H level is mandatory; cardinality 1x; format n1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!179
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H1.; 7/4 Mode of Transport at the Border at H level is mandatory.; Populate XML path Declaration/ BorderTransportMeans/ ModeCode only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format n1.; Value is drawn from HMRC codelist TransportModeTypes (Note.

TDR-R-01412 | Field-level requirement | Import declaration | Import H2: DE 7/4 Mode of Transport at the Border at H level is mandatory; cardinality 1x; format n1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!179
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H2.; 7/4 Mode of Transport at the Border at H level is mandatory.; Populate XML path Declaration/ BorderTransportMeans/ ModeCode only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format n1.; Value is drawn from HMRC codelist TransportModeTypes (Note.

TDR-R-01413 | Field-level requirement | Import declaration | Import H3: DE 7/4 Mode of Transport at the Border at H level is mandatory; cardinality 1x; format n1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!179
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H3.; 7/4 Mode of Transport at the Border at H level is mandatory.; Populate XML path Declaration/ BorderTransportMeans/ ModeCode only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format n1.; Value is drawn from HMRC codelist TransportModeTypes (Note.

TDR-R-01414 | Field-level requirement | Import declaration | Import H4: DE 7/4 Mode of Transport at the Border at H level is mandatory; cardinality 1x; format n1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!179
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H4.; 7/4 Mode of Transport at the Border at H level is mandatory.; Populate XML path Declaration/ BorderTransportMeans/ ModeCode only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format n1.; Value is drawn from HMRC codelist TransportModeTypes (Note.

TDR-R-01415 | Field-level requirement | Import declaration | Import H5: DE 7/4 Mode of Transport at the Border at H level is mandatory; cardinality 1x; format n1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!179
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H5.; 7/4 Mode of Transport at the Border at H level is mandatory.; Populate XML path Declaration/ BorderTransportMeans/ ModeCode only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format n1.; Value is drawn from HMRC codelist TransportModeTypes (Note.

TDR-R-01416 | Field-level requirement | Import declaration | Import H8: DE 7/4 Mode of Transport at the Border at H level is mandatory; cardinality 1x; format n1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!179
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H8.; 7/4 Mode of Transport at the Border at H level is mandatory.; Populate XML path Declaration/ BorderTransportMeans/ ModeCode only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format n1.; Value is drawn from HMRC codelist TransportModeTypes (Note.

TDR-R-01417 | Field-level requirement | Import declaration | Import I1: DE 7/4 Mode of Transport at the Border at H level is dependent; cardinality 1x; format n1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!179
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is I1.; 7/4 Mode of Transport at the Border at H level is dependent.; Populate XML path Declaration/ BorderTransportMeans/ ModeCode only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format n1.; Value is drawn from HMRC codelist TransportModeTypes (Note.

TDR-R-01418 | Field-level requirement | Import declaration | Import I1 (B&E): DE 7/4 Mode of Transport at the Border at H level is mandatory; cardinality 1x; format n1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!179
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is I1 (B&E).; 7/4 Mode of Transport at the Border at H level is mandatory.; Populate XML path Declaration/ BorderTransportMeans/ ModeCode only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format n1.; Value is drawn from HMRC codelist TransportModeTypes (Note.

TDR-R-01419 | Field-level requirement | Import declaration | Import C21I: DE 7/4 Mode of Transport at the Border at H level is dependent; cardinality 1x; format n1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!179

Error code/pattern: CDS12070 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is C21I.; 7/4 Mode of Transport at the Border at H level is dependent.; Populate XML path Declaration/ BorderTransportMeans/ ModeCode only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format n1.; Value is drawn from HMRC codelist TransportModeTypes (Note.

TDR-R-01420 | Field-level requirement | Import declaration | Import C21I EIDR: DE 7/4 Mode of Transport at the Border at H level is mandatory; cardinality 1x; format n1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!179
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is C21I EIDR.; 7/4 Mode of Transport at the Border at H level is mandatory.; Populate XML path Declaration/ BorderTransportMeans/ ModeCode only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format n1.; Value is drawn from HMRC codelist TransportModeTypes (Note.

TDR-R-01421 | Field-level requirement | Import declaration | Import SRDS: DE 7/4 Mode of Transport at the Border at H level is mandatory; cardinality 1x; format n1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!179
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is SRDS.; 7/4 Mode of Transport at the Border at H level is mandatory.; Populate XML path Declaration/ BorderTransportMeans/ ModeCode only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format n1.; Value is drawn from HMRC codelist TransportModeTypes (Note.

TDR-R-01422 | Field-level requirement | Import declaration | Import H1: DE 7/5 Inland Mode of Transport at H level is optional; cardinality 1x; format n1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!180
Error code/pattern: CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H1.; 7/5 Inland Mode of Transport at H level is optional.; Populate XML path Declaration/GoodsShipment/ Consignment/ ArrivalTransportMeans/ ModeCode only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format n1.; Value is drawn from HMRC codelist TransportModeTypes for these items.

TDR-R-01423 | Field-level requirement | Import declaration | Import H2: DE 7/5 Inland Mode of Transport at H level is optional; cardinality 1x; format n1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!180
Error code/pattern: CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H2.; 7/5 Inland Mode of Transport at H level is optional.; Populate XML path Declaration/GoodsShipment/ Consignment/ ArrivalTransportMeans/ ModeCode only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format n1.; Value is drawn from HMRC codelist TransportModeTypes for these items.

TDR-R-01424 | Field-level requirement | Import declaration | Import H3: DE 7/5 Inland Mode of Transport at H level is optional; cardinality 1x; format n1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!180
Error code/pattern: CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H3.; 7/5 Inland Mode of Transport at H level is optional.; Populate XML path Declaration/GoodsShipment/ Consignment/ ArrivalTransportMeans/ ModeCode only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format n1.; Value is drawn from HMRC codelist TransportModeTypes for these items.

TDR-R-01425 | Field-level requirement | Import declaration | Import H4: DE 7/5 Inland Mode of Transport at H level is optional; cardinality 1x; format n1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!180
Error code/pattern: CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H4.; 7/5 Inland Mode of Transport at H level is optional.; Populate XML path Declaration/GoodsShipment/ Consignment/ ArrivalTransportMeans/ ModeCode only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format n1.; Value is drawn from HMRC codelist TransportModeTypes for these items.

TDR-R-01426 | Field-level requirement | Import declaration | Import H5: DE 7/5 Inland Mode of Transport at H level is optional; cardinality 1x; format n1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!180
Error code/pattern: CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H5.; 7/5 Inland Mode of Transport at H level is optional.; Populate XML path Declaration/GoodsShipment/ Consignment/ ArrivalTransportMeans/ ModeCode only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format n1.; Value is drawn from HMRC codelist TransportModeTypes for these items.

TDR-R-01427 | Field-level requirement | Import declaration | Import I1: DE 7/5 Inland Mode of Transport at H level is optional; cardinality 1x; format n1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!180
Error code/pattern: CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is I1.; 7/5 Inland Mode of Transport at H level is optional.; Populate XML path Declaration/GoodsShipment/ Consignment/ ArrivalTransportMeans/ ModeCode only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format n1.; Value is drawn from HMRC codelist TransportModeTypes for these items.

TDR-R-01428 | Field-level requirement | Import declaration | Import I1 (B&E): DE 7/5 Inland Mode of Transport at H level is optional; cardinality 1x; format n1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!180
Error code/pattern: CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is I1 (B&E).; 7/5 Inland Mode of Transport at H level is optional.; Populate XML path Declaration/GoodsShipment/ Consignment/ ArrivalTransportMeans/ ModeCode only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format n1.; Value is drawn from HMRC codelist TransportModeTypes for these items.

TDR-R-01429 | Field-level requirement | Import declaration | Import C21I: DE 7/5 Inland Mode of Transport at H level is optional; cardinality 1x; format n1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!180
Error code/pattern: CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is C21I.; 7/5 Inland Mode of Transport at H level is optional.; Populate XML path Declaration/GoodsShipment/ Consignment/ ArrivalTransportMeans/ ModeCode only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format n1.; Value is drawn from HMRC codelist TransportModeTypes for these items.

TDR-R-01430 | Field-level requirement | Import declaration | Import H1: DE 7/9 Identity of means of transport on arrival at H level is dependent; cardinality 1x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!181
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H1.; 7/9 Identity of means of transport on arrival at H level is dependent.; Populate XML path Declaration/GoodsShipment/ Consignment/ ArrivalTransportMeans/ only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format -.

TDR-R-01431 | Field-level requirement | Import declaration | Import H2: DE 7/9 Identity of means of transport on arrival at H level is optional; cardinality 1x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!181
Error code/pattern: CDS10010 | xml_validation_error
Acceptance: Import declaration context is H2.; 7/9 Identity of means of transport on arrival at H level is optional.; Populate XML path Declaration/GoodsShipment/ Consignment/ ArrivalTransportMeans/ only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format -.

TDR-R-01432 | Field-level requirement | Import declaration | Import H3: DE 7/9 Identity of means of transport on arrival at H level is optional; cardinality 1x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!181
Error code/pattern: CDS10010 | xml_validation_error
Acceptance: Import declaration context is H3.; 7/9 Identity of means of transport on arrival at H level is optional.; Populate XML path Declaration/GoodsShipment/ Consignment/ ArrivalTransportMeans/ only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format -.

TDR-R-01433 | Field-level requirement | Import declaration | Import H4: DE 7/9 Identity of means of transport on arrival at H level is optional; cardinality 1x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!181
Error code/pattern: CDS10010 | xml_validation_error
Acceptance: Import declaration context is H4.; 7/9 Identity of means of transport on arrival at H level is optional.; Populate XML path Declaration/GoodsShipment/ Consignment/ ArrivalTransportMeans/ only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format -.

TDR-R-01434 | Field-level requirement | Import declaration | Import H5: DE 7/9 Identity of means of transport on arrival at H level is optional; cardinality 1x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!181
Error code/pattern: CDS10010 | xml_validation_error
Acceptance: Import declaration context is H5.; 7/9 Identity of means of transport on arrival at H level is optional.; Populate XML path Declaration/GoodsShipment/ Consignment/ ArrivalTransportMeans/ only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format -.

TDR-R-01435 | Field-level requirement | Import declaration | Import C21I: DE 7/9 Identity of means of transport on arrival at H level is dependent; cardinality 1x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!181
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is C21I.; 7/9 Identity of means of transport on arrival at H level is dependent.; Populate XML path Declaration/GoodsShipment/ Consignment/ ArrivalTransportMeans/ only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format -.

TDR-R-01436 | Field-level requirement | Import declaration | Import C21I EIDR: DE 7/9 Identity of means of transport on arrival at H level is optional; cardinality 1x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!181
Error code/pattern: CDS10010 | xml_validation_error
Acceptance: Import declaration context is C21I EIDR.; 7/9 Identity of means of transport on arrival at H level is optional.; Populate XML path Declaration/GoodsShipment/ Consignment/ ArrivalTransportMeans/ only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format -.

TDR-R-01437 | Field-level requirement | Import declaration | Import H1: DE 7/9 Identity of means of transport on arrival - Type of Identification at H level is mandatory when the group-level item is present; cardinality 1:1; format n2.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!182
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H1.; 7/9 Identity of means of transport on arrival - Type of Identification at H level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ Consignment/ ArrivalTransportMeans/ IdentificationTypeCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format n2.; Value is drawn from HMRC codelist TransportMeansIdentificationTypes for these items.

TDR-R-01438 | Field-level requirement | Import declaration | Import H2: DE 7/9 Identity of means of transport on arrival - Type of Identification at H level is mandatory when the group-level item is present; cardinality 1:1; format n2.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!182
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H2.; 7/9 Identity of means of transport on arrival - Type of Identification at H level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ Consignment/ ArrivalTransportMeans/ IdentificationTypeCode only

where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format n2.; Value is drawn from HMRC codelist TransportMeansIdentificationTypes for these items.

TDR-R-01439 | Field-level requirement | Import declaration | Import H3: DE 7/9 Identity of means of transport on arrival - Type of Identification at H level is mandatory when the group-level item is present; cardinality 1:1; format n2.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!182
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H3.; 7/9 Identity of means of transport on arrival - Type of Identification at H level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ Consignment/ ArrivalTransportMeans/ IdentificationTypeCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format n2.; Value is drawn from HMRC codelist TransportMeansIdentificationTypes for these items.

TDR-R-01440 | Field-level requirement | Import declaration | Import H4: DE 7/9 Identity of means of transport on arrival - Type of Identification at H level is mandatory when the group-level item is present; cardinality 1:1; format n2.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!182
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H4.; 7/9 Identity of means of transport on arrival - Type of Identification at H level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ Consignment/ ArrivalTransportMeans/ IdentificationTypeCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format n2.; Value is drawn from HMRC codelist TransportMeansIdentificationTypes for these items.

TDR-R-01441 | Field-level requirement | Import declaration | Import H5: DE 7/9 Identity of means of transport on arrival - Type of Identification at H level is mandatory when the group-level item is present; cardinality 1:1; format n2.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!182
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H5.; 7/9 Identity of means of transport on arrival - Type of Identification at H level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ Consignment/ ArrivalTransportMeans/ IdentificationTypeCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format n2.; Value is drawn from HMRC codelist TransportMeansIdentificationTypes for these items.

TDR-R-01442 | Field-level requirement | Import declaration | Import I1: DE 7/9 Identity of means of transport on arrival - Type of Identification at H level is mandatory when the group-level item is present; cardinality 1:1; format n2.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!182
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is I1.; 7/9 Identity of means of transport on arrival - Type of Identification at H level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ Consignment/ ArrivalTransportMeans/ IdentificationTypeCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format n2.; Value is drawn from HMRC codelist TransportMeansIdentificationTypes for these items.

TDR-R-01443 | Field-level requirement | Import declaration | Import I1 (B&E): DE 7/9 Identity of means of transport on arrival - Type of Identification at H level is mandatory when the group-level item is present; cardinality 1:1; format n2.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!182
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is I1 (B&E).; 7/9 Identity of means of transport on arrival - Type of Identification at H level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ Consignment/ ArrivalTransportMeans/ IdentificationTypeCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format n2.; Value is drawn from HMRC codelist TransportMeansIdentificationTypes for these items.

TDR-R-01444 | Field-level requirement | Import declaration | Import C21I: DE 7/9 Identity of means of transport on arrival - Type of Identification at H level is mandatory when the group-level item is present; cardinality 1:1; format n2.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!182
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is C21I.; 7/9 Identity of means of transport on arrival - Type of Identification at H level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ Consignment/ ArrivalTransportMeans/ IdentificationTypeCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format n2.; Value is drawn from HMRC codelist TransportMeansIdentificationTypes for these items.

TDR-R-01445 | Field-level requirement | Import declaration | Import C21I EIDR: DE 7/9 Identity of means of transport on arrival - Type of Identification at H level is mandatory when the group-level item is present; cardinality 1:1; format n2.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!182
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is C21I EIDR.; 7/9 Identity of means of transport on arrival - Type of Identification at H level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ Consignment/ ArrivalTransportMeans/ IdentificationTypeCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format n2.; Value is drawn from HMRC codelist TransportMeansIdentificationTypes for these items.

TDR-R-01446 | Field-level requirement | Import declaration | Import H1: DE 7/9 Identity of means of transport on arrival - Identification Number at H level is mandatory when the group-level item is present; cardinality 1:1; format an..35.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!183
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H1.; 7/9 Identity of means of transport on arrival - Identification Number at H level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ Consignment/ ArrivalTransportMeans/ ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..35.

TDR-R-01447 | Field-level requirement | Import declaration | Import H2: DE 7/9 Identity of means of transport on arrival - Identification Number at H level is mandatory when the group-level item is present; cardinality 1:1; format an..35.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!183
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H2.; 7/9 Identity of means of transport on arrival - Identification Number at H level is mandatory when

the group-level item is present.; Populate XML path Declaration/GoodsShipment/ Consignment/ ArrivalTransportMeans/ ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..35.

TDR-R-01448 | Field-level requirement | Import declaration | Import H3: DE 7/9 Identity of means of transport on arrival - Identification Number at H level is mandatory when the group-level item is present; cardinality 1:1; format an..35.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!183
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H3.; 7/9 Identity of means of transport on arrival - Identification Number at H level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ Consignment/ ArrivalTransportMeans/ ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..35.

TDR-R-01449 | Field-level requirement | Import declaration | Import H4: DE 7/9 Identity of means of transport on arrival - Identification Number at H level is mandatory when the group-level item is present; cardinality 1:1; format an..35.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!183
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H4.; 7/9 Identity of means of transport on arrival - Identification Number at H level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ Consignment/ ArrivalTransportMeans/ ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..35.

TDR-R-01450 | Field-level requirement | Import declaration | Import H5: DE 7/9 Identity of means of transport on arrival - Identification Number at H level is mandatory when the group-level item is present; cardinality 1:1; format an..35.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!183
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H5.; 7/9 Identity of means of transport on arrival - Identification Number at H level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ Consignment/ ArrivalTransportMeans/ ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..35.

TDR-R-01451 | Field-level requirement | Import declaration | Import I1: DE 7/9 Identity of means of transport on arrival - Identification Number at H level is mandatory when the group-level item is present; cardinality 1:1; format an..35.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!183
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is I1.; 7/9 Identity of means of transport on arrival - Identification Number at H level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ Consignment/ ArrivalTransportMeans/ ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..35.

TDR-R-01452 | Field-level requirement | Import declaration | Import I1 (B&E): DE 7/9 Identity of means of transport on arrival - Identification Number at H level is mandatory when the group-level item is present; cardinality 1:1; format an..35.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!183
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is I1 (B&E).; 7/9 Identity of means of transport on arrival - Identification Number at H level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ Consignment/ ArrivalTransportMeans/ ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..35.

TDR-R-01453 | Field-level requirement | Import declaration | Import C21I: DE 7/9 Identity of means of transport on arrival - Identification Number at H level is mandatory when the group-level item is present; cardinality 1:1; format an..35.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!183
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is C21I.; 7/9 Identity of means of transport on arrival - Identification Number at H level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ Consignment/ ArrivalTransportMeans/ ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..35.

TDR-R-01454 | Field-level requirement | Import declaration | Import C21I EIDR: DE 7/9 Identity of means of transport on arrival - Identification Number at H level is mandatory when the group-level item is present; cardinality 1:1; format an..35.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!183
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is C21I EIDR.; 7/9 Identity of means of transport on arrival - Identification Number at H level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ Consignment/ ArrivalTransportMeans/ ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..35.

TDR-R-01455 | Field-level requirement | Import declaration | Import H1: DE 7/10 Container Identification number at H and / or I level is dependent; cardinality 9999x (H) 9999x (I); format an..17.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!184
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H1.; 7/10 Container Identification number at H and / or I level is dependent.; Populate XML path Declaration/GoodsShipment/ Consignment/ TransportEquipment/ ID Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ TransportEquipment/ ID only where this rule permits it.; Respect cardinality 9999x (H) 9999x (I).; Value conforms to HMRC format an..17.

TDR-R-01456 | Field-level requirement | Import declaration | Import H2: DE 7/10 Container Identification number at H and / or I level is dependent; cardinality 9999x (H) 9999x (I); format an..17.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!184
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H2.; 7/10 Container Identification number at H and / or I level is dependent.; Populate XML path Declaration/GoodsShipment/ Consignment/ TransportEquipment/ ID Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ TransportEquipment/ ID only where this rule permits it.; Respect cardinality 9999x (H) 9999x (I).; Value conforms to HMRC format an..17.

TDR-R-01457 | Field-level requirement | Import declaration | Import H3: DE 7/10 Container Identification number at H and / or I level is dependent; cardinality 9999x (H) 9999x (I); format an..17.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!184
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error

Acceptance: Import declaration context is H3.; 7/10 Container Identification number at H and / or I level is dependent.; Populate XML path Declaration/GoodsShipment/ Consignment/ TransportEquipment/ ID Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ TransportEquipment/ ID only where this rule permits it.; Respect cardinality 9999x (H) 9999x (I).; Value conforms to HMRC format an..17.

TDR-R-01458 | Field-level requirement | Import declaration | Import H4: DE 7/10 Container Identification number at H and / or I level is dependent; cardinality 9999x (H) 9999x (I); format an..17.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!184
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H4.; 7/10 Container Identification number at H and / or I level is dependent.; Populate XML path Declaration/GoodsShipment/ Consignment/ TransportEquipment/ ID Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ TransportEquipment/ ID only where this rule permits it.; Respect cardinality 9999x (H) 9999x (I).; Value conforms to HMRC format an..17.

TDR-R-01459 | Field-level requirement | Import declaration | Import H5: DE 7/10 Container Identification number at H and / or I level is dependent; cardinality 9999x (H) 9999x (I); format an..17.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!184
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H5.; 7/10 Container Identification number at H and / or I level is dependent.; Populate XML path Declaration/GoodsShipment/ Consignment/ TransportEquipment/ ID Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ TransportEquipment/ ID only where this rule permits it.; Respect cardinality 9999x (H) 9999x (I).; Value conforms to HMRC format an..17.

TDR-R-01460 | Field-level requirement | Import declaration | Import I1: DE 7/10 Container Identification number at H and / or I level is dependent; cardinality 9999x (H) 9999x (I); format an..17.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!184
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is I1.; 7/10 Container Identification number at H and / or I level is dependent.; Populate XML path Declaration/GoodsShipment/ Consignment/ TransportEquipment/ ID Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ TransportEquipment/ ID only where this rule permits it.; Respect cardinality 9999x (H) 9999x (I).; Value conforms to HMRC format an..17.

TDR-R-01461 | Field-level requirement | Import declaration | Import I1 (B&E): DE 7/10 Container Identification number at H and / or I level is dependent; cardinality 9999x (H) 9999x (I); format an..17.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!184
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is I1 (B&E).; 7/10 Container Identification number at H and / or I level is dependent.; Populate XML path Declaration/GoodsShipment/ Consignment/ TransportEquipment/ ID Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ TransportEquipment/ ID only where this rule permits it.; Respect cardinality 9999x (H) 9999x (I).; Value conforms to HMRC format an..17.

TDR-R-01462 | Field-level requirement | Import declaration | Import C21I: DE 7/10 Container Identification number at H and / or I level is dependent; cardinality 9999x (H) 9999x (I); format an..17.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!184
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is C21I.; 7/10 Container Identification number at H and / or I level is dependent.; Populate XML path Declaration/GoodsShipment/ Consignment/ TransportEquipment/ ID Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ TransportEquipment/ ID only where this rule permits it.; Respect cardinality 9999x (H) 9999x (I).; Value conforms to HMRC format an..17.

TDR-R-01463 | Field-level requirement | Import declaration | Import C21I EIDR: DE 7/10 Container Identification number at H and / or I level is dependent; cardinality 9999x (H) 9999x (I); format an..17.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!184
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is C21I EIDR.; 7/10 Container Identification number at H and / or I level is dependent.; Populate XML path Declaration/GoodsShipment/ Consignment/ TransportEquipment/ ID Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ TransportEquipment/ ID only where this rule permits it.; Respect cardinality 9999x (H) 9999x (I).; Value conforms to HMRC format an..17.

TDR-R-01464 | Field-level requirement | Import declaration | Import H1: DE 7/15 Nationality of active means of transport crossing the border at H level is dependent; cardinality 1x; format a2 Must be Upper Case.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!185
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H1.; 7/15 Nationality of active means of transport crossing the border at H level is dependent.; Populate XML path Declaration/ BorderTransportMeans/ RegistrationNationalityCode only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format a2 Must be Upper Case.; Value is drawn from HMRC codelist CountryTypes for these items.

TDR-R-01465 | Field-level requirement | Import declaration | Import H3: DE 7/15 Nationality of active means of transport crossing the border at H level is dependent; cardinality 1x; format a2 Must be Upper Case.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!185
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H3.; 7/15 Nationality of active means of transport crossing the border at H level is dependent.; Populate XML path Declaration/ BorderTransportMeans/ RegistrationNationalityCode only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format a2 Must be Upper Case.; Value is drawn from HMRC codelist CountryTypes for these items.

TDR-R-01466 | Field-level requirement | Import declaration | Import H4: DE 7/15 Nationality of active means of transport crossing the border at H level is dependent; cardinality 1x; format a2 Must be Upper Case.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!185
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H4.; 7/15 Nationality of active means of transport crossing the border at H level is dependent.; Populate XML path Declaration/ BorderTransportMeans/ RegistrationNationalityCode only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format a2 Must be Upper Case.; Value is drawn from HMRC codelist CountryTypes for these items.

TDR-R-01467 | Field-level requirement | Import declaration | Import H5: DE 7/15 Nationality of active means of transport crossing the border at H level is dependent; cardinality 1x; format a2 Must be Upper Case.

Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!185
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H5.; 7/15 Nationality of active means of transport crossing the border at H level is dependent.; Populate XML path Declaration/ BorderTransportMeans/ RegistrationNationalityCode only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format a2 Must be Upper Case.; Value is drawn from HMRC codelist CountryTypes for these items.

TDR-R-01468 | Field-level requirement | Import declaration | Import H1: DE 8/1 Quota order number at I level is dependent; cardinality 1x; format an6.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!186
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H1.; 8/1 Quota order number at I level is dependent.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ DutyTaxFee/ QuotaOrderID only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format an6.

TDR-R-01469 | Field-level requirement | Import declaration | Import H2: DE 8/1 Quota order number at I level is not allowed; cardinality 1x; format an6.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!186
Error code/pattern: CDS10002 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H2.; 8/1 Quota order number at I level is not allowed.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ DutyTaxFee/ QuotaOrderID only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format an6.

TDR-R-01470 | Field-level requirement | Import declaration | Import H3: DE 8/1 Quota order number at I level is not allowed; cardinality 1x; format an6.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!186
Error code/pattern: CDS10002 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H3.; 8/1 Quota order number at I level is not allowed.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ DutyTaxFee/ QuotaOrderID only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format an6.

TDR-R-01471 | Field-level requirement | Import declaration | Import H4: DE 8/1 Quota order number at I level is not allowed; cardinality 1x; format an6.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!186
Error code/pattern: CDS10002 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H4.; 8/1 Quota order number at I level is not allowed.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ DutyTaxFee/ QuotaOrderID only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format an6.

TDR-R-01472 | Field-level requirement | Import declaration | Import H5: DE 8/1 Quota order number at I level is not allowed; cardinality 1x; format an6.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!186
Error code/pattern: CDS10002 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H5.; 8/1 Quota order number at I level is not allowed.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ DutyTaxFee/ QuotaOrderID only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format an6.

TDR-R-01473 | Field-level requirement | Import declaration | Import H8: DE 8/1 Quota order number at I level is not allowed; cardinality 1x; format an6.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!186
Error code/pattern: CDS10002 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H8.; 8/1 Quota order number at I level is not allowed.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ DutyTaxFee/ QuotaOrderID only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format an6.

TDR-R-01474 | Field-level requirement | Import declaration | Import I1: DE 8/1 Quota order number at I level is not allowed; cardinality 1x; format an6.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!186
Error code/pattern: CDS10002 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is I1.; 8/1 Quota order number at I level is not allowed.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ DutyTaxFee/ QuotaOrderID only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format an6.

TDR-R-01475 | Field-level requirement | Import declaration | Import I1 (B&E): DE 8/1 Quota order number at I level is not allowed; cardinality 1x; format an6.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!186
Error code/pattern: CDS10002 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is I1 (B&E).; 8/1 Quota order number at I level is not allowed.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ DutyTaxFee/ QuotaOrderID only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format an6.

TDR-R-01476 | Field-level requirement | Import declaration | Import C21I: DE 8/1 Quota order number at I level is not allowed; cardinality 1x; format an6.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!186
Error code/pattern: CDS10002 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is C21I.; 8/1 Quota order number at I level is not allowed.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ DutyTaxFee/ QuotaOrderID only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format an6.

TDR-R-01477 | Field-level requirement | Import declaration | Import C21I EIDR: DE 8/1 Quota order number at I level is not allowed; cardinality 1x; format an6.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!186
Error code/pattern: CDS10002 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is C21I EIDR.; 8/1 Quota order number at I level is not allowed.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ DutyTaxFee/ QuotaOrderID only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format an6.

TDR-R-01478 | Field-level requirement | Import declaration | Import FSD: DE 8/1 Quota order number at I level is not allowed; cardinality 1x; format an6.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!186
Error code/pattern: CDS10002 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is FSD.; 8/1 Quota order number at I level is not allowed.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ DutyTaxFee/ QuotaOrderID only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format an6.

TDR-R-01479 | Field-level requirement | Import declaration | Import SRDS: DE 8/1 Quota order number at I level is not allowed; cardinality 1x; format an6.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!186
Error code/pattern: CDS10002 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is SRDS.; 8/1 Quota order number at I level is not allowed.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ DutyTaxFee/ QuotaOrderID only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format an6.

TDR-R-01480 | Field-level requirement | Import declaration | Import H1: DE 8/2 Guarantee Type at H level is dependent; cardinality 9x; format an1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!187
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H1.; 8/2 Guarantee Type at H level is dependent.; Populate XML path Declaration/ ObligationGuarantee/ SecurityDetailsCode only where this rule permits it.; Respect cardinality 9x.; Value conforms to HMRC format an1.; Value is drawn from HMRC codelist DeclaredGuaranteeTypes for these items.

TDR-R-01481 | Field-level requirement | Import declaration | Import H2: DE 8/2 Guarantee Type at H level is dependent; cardinality 9x; format an1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!187
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H2.; 8/2 Guarantee Type at H level is dependent.; Populate XML path Declaration/ ObligationGuarantee/ SecurityDetailsCode only where this rule permits it.; Respect cardinality 9x.; Value conforms to HMRC format an1.; Value is drawn from HMRC codelist DeclaredGuaranteeTypes for these items.

TDR-R-01482 | Field-level requirement | Import declaration | Import H3: DE 8/2 Guarantee Type at H level is dependent; cardinality 9x; format an1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!187
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H3.; 8/2 Guarantee Type at H level is dependent.; Populate XML path Declaration/ ObligationGuarantee/ SecurityDetailsCode only where this rule permits it.; Respect cardinality 9x.; Value conforms to HMRC format an1.; Value is drawn from HMRC codelist DeclaredGuaranteeTypes for these items.

TDR-R-01483 | Field-level requirement | Import declaration | Import H4: DE 8/2 Guarantee Type at H level is dependent; cardinality 9x; format an1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!187
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H4.; 8/2 Guarantee Type at H level is dependent.; Populate XML path Declaration/ ObligationGuarantee/ SecurityDetailsCode only where this rule permits it.; Respect cardinality 9x.; Value conforms to HMRC format an1.; Value is drawn from HMRC codelist DeclaredGuaranteeTypes for these items.

TDR-R-01484 | Field-level requirement | Import declaration | Import H5: DE 8/2 Guarantee Type at H level is optional; cardinality 9x; format an1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!187
Error code/pattern: CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H5.; 8/2 Guarantee Type at H level is optional.; Populate XML path Declaration/ ObligationGuarantee/ SecurityDetailsCode only where this rule permits it.; Respect cardinality 9x.; Value conforms to HMRC format an1.; Value is drawn from HMRC codelist DeclaredGuaranteeTypes for these items.

TDR-R-01485 | Field-level requirement | Import declaration | Import I1: DE 8/2 Guarantee Type at H level is dependent; cardinality 9x; format an1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!187
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is I1.; 8/2 Guarantee Type at H level is dependent.; Populate XML path Declaration/ ObligationGuarantee/ SecurityDetailsCode only where this rule permits it.; Respect cardinality 9x.; Value conforms to HMRC format an1.; Value is drawn from HMRC codelist DeclaredGuaranteeTypes for these items.

TDR-R-01486 | Field-level requirement | Import declaration | Import I1 (B&E): DE 8/2 Guarantee Type at H level is dependent; cardinality 9x; format an1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!187
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is I1 (B&E).; 8/2 Guarantee Type at H level is dependent.; Populate XML path Declaration/ ObligationGuarantee/ SecurityDetailsCode only where this rule permits it.; Respect cardinality 9x.; Value conforms to HMRC format an1.; Value is drawn from HMRC codelist DeclaredGuaranteeTypes for these items.

TDR-R-01487 | Field-level requirement | Import declaration | Import C21I: DE 8/2 Guarantee Type at H level is dependent; cardinality 9x; format an1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!187
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is C21I.; 8/2 Guarantee Type at H level is dependent.; Populate XML path Declaration/ ObligationGuarantee/ SecurityDetailsCode only where this rule permits it.; Respect cardinality 9x.; Value conforms to HMRC format an1.; Value is drawn from HMRC codelist DeclaredGuaranteeTypes for these items.

TDR-R-01488 | Field-level requirement | Import declaration | Import H1: DE 8/3 Guarantee Reference at H level is dependent; cardinality 99x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!188
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H1.; 8/3 Guarantee Reference at H level is dependent.; Populate XML path Declaration/ ObligationGuarantee/ only where this rule permits it.; Respect cardinality 99x.; Value conforms to HMRC format -.

TDR-R-01489 | Field-level requirement | Import declaration | Import H2: DE 8/3 Guarantee Reference at H level is dependent; cardinality 99x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!188
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H2.; 8/3 Guarantee Reference at H level is dependent.; Populate XML path Declaration/ ObligationGuarantee/ only where this rule permits it.; Respect cardinality 99x.; Value conforms to HMRC format -.

TDR-R-01490 | Field-level requirement | Import declaration | Import H3: DE 8/3 Guarantee Reference at H level is dependent; cardinality 99x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!188
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H3.; 8/3 Guarantee Reference at H level is dependent.; Populate XML path Declaration/ ObligationGuarantee/ only where this rule permits it.; Respect cardinality 99x.; Value conforms to HMRC format -.

TDR-R-01491 | Field-level requirement | Import declaration | Import H4: DE 8/3 Guarantee Reference at H level is dependent; cardinality 99x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!188
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H4.; 8/3 Guarantee Reference at H level is dependent.; Populate XML path Declaration/ ObligationGuarantee/ only where this rule permits it.; Respect cardinality 99x.; Value conforms to HMRC format -.

TDR-R-01492 | Field-level requirement | Import declaration | Import H5: DE 8/3 Guarantee Reference at H level is optional; cardinality 99x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!188
Error code/pattern: CDS10010 | xml_validation_error
Acceptance: Import declaration context is H5.; 8/3 Guarantee Reference at H level is optional.; Populate XML path Declaration/ ObligationGuarantee/ only where this rule permits it.; Respect cardinality 99x.; Value conforms to HMRC format -.

TDR-R-01493 | Field-level requirement | Import declaration | Import I1: DE 8/3 Guarantee Reference at H level is dependent; cardinality 99x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!188
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is I1.; 8/3 Guarantee Reference at H level is dependent.; Populate XML path Declaration/ ObligationGuarantee/ only where this rule permits it.; Respect cardinality 99x.; Value conforms to HMRC format -.

TDR-R-01494 | Field-level requirement | Import declaration | Import I1 (B&E): DE 8/3 Guarantee Reference at H level is dependent; cardinality 99x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!188
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is I1 (B&E).; 8/3 Guarantee Reference at H level is dependent.; Populate XML path Declaration/ ObligationGuarantee/ only where this rule permits it.; Respect cardinality 99x.; Value conforms to HMRC format -.

TDR-R-01495 | Field-level requirement | Import declaration | Import C21I: DE 8/3 Guarantee Reference at H level is dependent; cardinality 99x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!188
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is C21I.; 8/3 Guarantee Reference at H level is dependent.; Populate XML path Declaration/ ObligationGuarantee/ only where this rule permits it.; Respect cardinality 99x.; Value conforms to HMRC format -.

TDR-R-01496 | Field-level requirement | Import declaration | Import H1: DE 8/3 Guarantee Reference - GRN at H level is dependent; cardinality 9x; format an..24.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!189
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H1.; 8/3 Guarantee Reference - GRN at H level is dependent.; Populate XML path Declaration/ ObligationGuarantee/ ReferenceID only where this rule permits it.; Respect cardinality 9x.; Value conforms to HMRC format an..24.

TDR-R-01497 | Field-level requirement | Import declaration | Import H2: DE 8/3 Guarantee Reference - GRN at H level is dependent; cardinality 9x; format an..24.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!189
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H2.; 8/3 Guarantee Reference - GRN at H level is dependent.; Populate XML path Declaration/ ObligationGuarantee/ ReferenceID only where this rule permits it.; Respect cardinality 9x.; Value conforms to HMRC format an..24.

TDR-R-01498 | Field-level requirement | Import declaration | Import H3: DE 8/3 Guarantee Reference - GRN at H level is dependent; cardinality 9x; format an..24.

Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!189
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H3.; 8/3 Guarantee Reference - GRN at H level is dependent.; Populate XML path Declaration/ ObligationGuarantee/ ReferenceID only where this rule permits it.; Respect cardinality 9x.; Value conforms to HMRC format an..24.

TDR-R-01499 | Field-level requirement | Import declaration | Import H4: DE 8/3 Guarantee Reference - GRN at H level is dependent; cardinality 9x; format an..24.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!189
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H4.; 8/3 Guarantee Reference - GRN at H level is dependent.; Populate XML path Declaration/ ObligationGuarantee/ ReferenceID only where this rule permits it.; Respect cardinality 9x.; Value conforms to HMRC format an..24.

TDR-R-01500 | Field-level requirement | Import declaration | Import H5: DE 8/3 Guarantee Reference - GRN at H level is optional; cardinality 9x; format an..24.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!189
Error code/pattern: CDS10010 | xml_validation_error
Acceptance: Import declaration context is H5.; 8/3 Guarantee Reference - GRN at H level is optional.; Populate XML path Declaration/ ObligationGuarantee/ ReferenceID only where this rule permits it.; Respect cardinality 9x.; Value conforms to HMRC format an..24.

TDR-R-01501 | Field-level requirement | Import declaration | Import I1: DE 8/3 Guarantee Reference - GRN at H level is dependent; cardinality 9x; format an..24.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!189
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is I1.; 8/3 Guarantee Reference - GRN at H level is dependent.; Populate XML path Declaration/ ObligationGuarantee/ ReferenceID only where this rule permits it.; Respect cardinality 9x.; Value conforms to HMRC format an..24.

TDR-R-01502 | Field-level requirement | Import declaration | Import I1 (B&E): DE 8/3 Guarantee Reference - GRN at H level is dependent; cardinality 9x; format an..24.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!189
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is I1 (B&E).; 8/3 Guarantee Reference - GRN at H level is dependent.; Populate XML path Declaration/ ObligationGuarantee/ ReferenceID only where this rule permits it.; Respect cardinality 9x.; Value conforms to HMRC format an..24.

TDR-R-01503 | Field-level requirement | Import declaration | Import C21I: DE 8/3 Guarantee Reference - GRN at H level is dependent; cardinality 9x; format an..24.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!189
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is C21I.; 8/3 Guarantee Reference - GRN at H level is dependent.; Populate XML path Declaration/ ObligationGuarantee/ ReferenceID only where this rule permits it.; Respect cardinality 9x.; Value conforms to HMRC format an..24.

TDR-R-01504 | Field-level requirement | Import declaration | Import H1: DE 8/3 Guarantee Reference - Other Guarantee Reference at H level is dependent; cardinality 1:1; format an..35.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!190
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H1.; 8/3 Guarantee Reference - Other Guarantee Reference at H level is dependent.; Populate XML path Declaration/ ObligationGuarantee/ ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..35.

TDR-R-01505 | Field-level requirement | Import declaration | Import H2: DE 8/3 Guarantee Reference - Other Guarantee Reference at H level is dependent; cardinality 1:1; format an..35.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!190
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H2.; 8/3 Guarantee Reference - Other Guarantee Reference at H level is dependent.; Populate XML path Declaration/ ObligationGuarantee/ ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..35.

TDR-R-01506 | Field-level requirement | Import declaration | Import H3: DE 8/3 Guarantee Reference - Other Guarantee Reference at H level is dependent; cardinality 1:1; format an..35.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!190
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H3.; 8/3 Guarantee Reference - Other Guarantee Reference at H level is dependent.; Populate XML path Declaration/ ObligationGuarantee/ ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..35.

TDR-R-01507 | Field-level requirement | Import declaration | Import H4: DE 8/3 Guarantee Reference - Other Guarantee Reference at H level is dependent; cardinality 1:1; format an..35.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!190
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H4.; 8/3 Guarantee Reference - Other Guarantee Reference at H level is dependent.; Populate XML path Declaration/ ObligationGuarantee/ ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..35.

TDR-R-01508 | Field-level requirement | Import declaration | Import H5: DE 8/3 Guarantee Reference - Other Guarantee Reference at H level is optional; cardinality 1:1; format an..35.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!190
Error code/pattern: CDS10010 | xml_validation_error
Acceptance: Import declaration context is H5.; 8/3 Guarantee Reference - Other Guarantee Reference at H level is optional.; Populate XML path Declaration/ ObligationGuarantee/ ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..35.

TDR-R-01509 | Field-level requirement | Import declaration | Import I1: DE 8/3 Guarantee Reference - Other Guarantee Reference at H level is dependent; cardinality 1:1; format an..35.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!190
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error

Acceptance: Import declaration context is I1.; 8/3 Guarantee Reference - Other Guarantee Reference at H level is dependent.; Populate XML path Declaration/ ObligationGuarantee/ ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..35.

TDR-R-01510 | Field-level requirement | Import declaration | Import I1 (B&E): DE 8/3 Guarantee Reference - Other Guarantee Reference at H level is dependent; cardinality 1:1; format an..35.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!190
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is I1 (B&E).; 8/3 Guarantee Reference - Other Guarantee Reference at H level is dependent.; Populate XML path Declaration/ ObligationGuarantee/ ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..35.

TDR-R-01511 | Field-level requirement | Import declaration | Import C21I: DE 8/3 Guarantee Reference - Other Guarantee Reference at H level is dependent; cardinality 1:1; format an..35.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!190
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is C21I.; 8/3 Guarantee Reference - Other Guarantee Reference at H level is dependent.; Populate XML path Declaration/ ObligationGuarantee/ ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..35.

TDR-R-01512 | Field-level requirement | Import declaration | Import H1: DE 8/3 Guarantee Reference - Access Code at H level is optional; cardinality 1:1; format an..4.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!191
Error code/pattern: CDS10010 | xml_validation_error
Acceptance: Import declaration context is H1.; 8/3 Guarantee Reference - Access Code at H level is optional.; Populate XML path Declaration/ ObligationGuarantee/ AccessCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..4.

TDR-R-01513 | Field-level requirement | Import declaration | Import H2: DE 8/3 Guarantee Reference - Access Code at H level is optional; cardinality 1:1; format an..4.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!191
Error code/pattern: CDS10010 | xml_validation_error
Acceptance: Import declaration context is H2.; 8/3 Guarantee Reference - Access Code at H level is optional.; Populate XML path Declaration/ ObligationGuarantee/ AccessCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..4.

TDR-R-01514 | Field-level requirement | Import declaration | Import H3: DE 8/3 Guarantee Reference - Access Code at H level is optional; cardinality 1:1; format an..4.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!191
Error code/pattern: CDS10010 | xml_validation_error
Acceptance: Import declaration context is H3.; 8/3 Guarantee Reference - Access Code at H level is optional.; Populate XML path Declaration/ ObligationGuarantee/ AccessCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..4.

TDR-R-01515 | Field-level requirement | Import declaration | Import H4: DE 8/3 Guarantee Reference - Access Code at H level is optional; cardinality 1:1; format an..4.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!191
Error code/pattern: CDS10010 | xml_validation_error
Acceptance: Import declaration context is H4.; 8/3 Guarantee Reference - Access Code at H level is optional.; Populate XML path Declaration/ ObligationGuarantee/ AccessCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..4.

TDR-R-01516 | Field-level requirement | Import declaration | Import H5: DE 8/3 Guarantee Reference - Access Code at H level is optional; cardinality 1:1; format an..4.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!191
Error code/pattern: CDS10010 | xml_validation_error
Acceptance: Import declaration context is H5.; 8/3 Guarantee Reference - Access Code at H level is optional.; Populate XML path Declaration/ ObligationGuarantee/ AccessCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..4.

TDR-R-01517 | Field-level requirement | Import declaration | Import I1: DE 8/3 Guarantee Reference - Access Code at H level is optional; cardinality 1:1; format an..4.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!191
Error code/pattern: CDS10010 | xml_validation_error
Acceptance: Import declaration context is I1.; 8/3 Guarantee Reference - Access Code at H level is optional.; Populate XML path Declaration/ ObligationGuarantee/ AccessCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..4.

TDR-R-01518 | Field-level requirement | Import declaration | Import I1 (B&E): DE 8/3 Guarantee Reference - Access Code at H level is optional; cardinality 1:1; format an..4.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!191
Error code/pattern: CDS10010 | xml_validation_error
Acceptance: Import declaration context is I1 (B&E).; 8/3 Guarantee Reference - Access Code at H level is optional.; Populate XML path Declaration/ ObligationGuarantee/ AccessCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..4.

TDR-R-01519 | Field-level requirement | Import declaration | Import C21I: DE 8/3 Guarantee Reference - Access Code at H level is optional; cardinality 1:1; format an..4.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!191
Error code/pattern: CDS10010 | xml_validation_error
Acceptance: Import declaration context is C21I.; 8/3 Guarantee Reference - Access Code at H level is optional.; Populate XML path Declaration/ ObligationGuarantee/ AccessCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..4.

TDR-R-01520 | Field-level requirement | Import declaration | Import H1: DE 8/3 Guarantee Reference - Amount of import duty and other charges at H level is dependent; cardinality 1:1; format n..16,2.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!192
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H1.; 8/3 Guarantee Reference - Amount of import duty and other charges at H level is dependent.; Populate XML path Declaration/ ObligationGuarantee/ AmountAmount only where this rule permits it.; Respect cardinality 1:1.; Value conforms to

HMRC format n..16,2.

TDR-R-01521 | Field-level requirement | Import declaration | Import H2: DE 8/3 Guarantee Reference - Amount of import duty and other charges at H level is dependent; cardinality 1:1; format n..16,2.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!192
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H2.; 8/3 Guarantee Reference - Amount of import duty and other charges at H level is dependent.; Populate XML path Declaration/ ObligationGuarantee/ AmountAmount only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format n..16,2.

TDR-R-01522 | Field-level requirement | Import declaration | Import H3: DE 8/3 Guarantee Reference - Amount of import duty and other charges at H level is dependent; cardinality 1:1; format n..16,2.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!192
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H3.; 8/3 Guarantee Reference - Amount of import duty and other charges at H level is dependent.; Populate XML path Declaration/ ObligationGuarantee/ AmountAmount only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format n..16,2.

TDR-R-01523 | Field-level requirement | Import declaration | Import H4: DE 8/3 Guarantee Reference - Amount of import duty and other charges at H level is dependent; cardinality 1:1; format n..16,2.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!192
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H4.; 8/3 Guarantee Reference - Amount of import duty and other charges at H level is dependent.; Populate XML path Declaration/ ObligationGuarantee/ AmountAmount only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format n..16,2.

TDR-R-01524 | Field-level requirement | Import declaration | Import H5: DE 8/3 Guarantee Reference - Amount of import duty and other charges at H level is optional; cardinality 1:1; format n..16,2.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!192
Error code/pattern: CDS10010 | xml_validation_error
Acceptance: Import declaration context is H5.; 8/3 Guarantee Reference - Amount of import duty and other charges at H level is optional.; Populate XML path Declaration/ ObligationGuarantee/ AmountAmount only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format n..16,2.

TDR-R-01525 | Field-level requirement | Import declaration | Import I1: DE 8/3 Guarantee Reference - Amount of import duty and other charges at H level is dependent; cardinality 1:1; format n..16,2.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!192
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is I1.; 8/3 Guarantee Reference - Amount of import duty and other charges at H level is dependent.; Populate XML path Declaration/ ObligationGuarantee/ AmountAmount only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format n..16,2.

TDR-R-01526 | Field-level requirement | Import declaration | Import I1 (B&E): DE 8/3 Guarantee Reference - Amount of import duty and other charges at H level is dependent; cardinality 1:1; format n..16,2.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!192
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is I1 (B&E).; 8/3 Guarantee Reference - Amount of import duty and other charges at H level is dependent.; Populate XML path Declaration/ ObligationGuarantee/ AmountAmount only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format n..16,2.

TDR-R-01527 | Field-level requirement | Import declaration | Import C21I: DE 8/3 Guarantee Reference - Amount of import duty and other charges at H level is dependent; cardinality 1:1; format n..16,2.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!192
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is C21I.; 8/3 Guarantee Reference - Amount of import duty and other charges at H level is dependent.; Populate XML path Declaration/ ObligationGuarantee/ AmountAmount only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format n..16,2.

TDR-R-01528 | Field-level requirement | Import declaration | Import H1: DE 8/3 Guarantee Reference - Currency Code at H level is dependent; cardinality 1:1; format a3 Must be Upper Case Defaults to GBP.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!193
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H1.; 8/3 Guarantee Reference - Currency Code at H level is dependent.; Populate XML path Declaration/ ObligationGuarantee/ AmountAmount @currencyID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a3 Must be Upper Case Defaults to GBP.; Value is drawn from HMRC codelist CurrencyTypes for these items.

TDR-R-01529 | Field-level requirement | Import declaration | Import H2: DE 8/3 Guarantee Reference - Currency Code at H level is dependent; cardinality 1:1; format a3 Must be Upper Case Defaults to GBP.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!193
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H2.; 8/3 Guarantee Reference - Currency Code at H level is dependent.; Populate XML path Declaration/ ObligationGuarantee/ AmountAmount @currencyID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a3 Must be Upper Case Defaults to GBP.; Value is drawn from HMRC codelist CurrencyTypes for these items.

TDR-R-01530 | Field-level requirement | Import declaration | Import H3: DE 8/3 Guarantee Reference - Currency Code at H level is dependent; cardinality 1:1; format a3 Must be Upper Case Defaults to GBP.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!193
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H3.; 8/3 Guarantee Reference - Currency Code at H level is dependent.; Populate XML path

Declaration/ ObligationGuarantee/ AmountAmount @currencyID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a3 Must be Upper Case Defaults to GBP.; Value is drawn from HMRC codelist CurrencyTypes for these items.

TDR-R-01531 | Field-level requirement | Import declaration | Import H4: DE 8/3 Guarantee Reference - Currency Code at H level is dependent; cardinality 1:1; format a3 Must be Upper Case Defaults to GBP.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!193
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H4.; 8/3 Guarantee Reference - Currency Code at H level is dependent.; Populate XML path Declaration/ ObligationGuarantee/ AmountAmount @currencyID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a3 Must be Upper Case Defaults to GBP.; Value is drawn from HMRC codelist CurrencyTypes for these items.

TDR-R-01532 | Field-level requirement | Import declaration | Import H5: DE 8/3 Guarantee Reference - Currency Code at H level is optional; cardinality 1:1; format a3 Must be Upper Case Defaults to GBP.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!193
Error code/pattern: CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H5.; 8/3 Guarantee Reference - Currency Code at H level is optional.; Populate XML path Declaration/ ObligationGuarantee/ AmountAmount @currencyID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a3 Must be Upper Case Defaults to GBP.; Value is drawn from HMRC codelist CurrencyTypes for these items.

TDR-R-01533 | Field-level requirement | Import declaration | Import I1: DE 8/3 Guarantee Reference - Currency Code at H level is dependent; cardinality 1:1; format a3 Must be Upper Case Defaults to GBP.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!193
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is I1.; 8/3 Guarantee Reference - Currency Code at H level is dependent.; Populate XML path Declaration/ ObligationGuarantee/ AmountAmount @currencyID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a3 Must be Upper Case Defaults to GBP.; Value is drawn from HMRC codelist CurrencyTypes for these items.

TDR-R-01534 | Field-level requirement | Import declaration | Import I1 (B&E): DE 8/3 Guarantee Reference - Currency Code at H level is dependent; cardinality 1:1; format a3 Must be Upper Case Defaults to GBP.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!193
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is I1 (B&E).; 8/3 Guarantee Reference - Currency Code at H level is dependent.; Populate XML path Declaration/ ObligationGuarantee/ AmountAmount @currencyID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a3 Must be Upper Case Defaults to GBP.; Value is drawn from HMRC codelist CurrencyTypes for these items.

TDR-R-01535 | Field-level requirement | Import declaration | Import C21I: DE 8/3 Guarantee Reference - Currency Code at H level is dependent; cardinality 1:1; format a3 Must be Upper Case Defaults to GBP.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!193
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is C21I.; 8/3 Guarantee Reference - Currency Code at H level is dependent.; Populate XML path Declaration/ ObligationGuarantee/ AmountAmount @currencyID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a3 Must be Upper Case Defaults to GBP.; Value is drawn from HMRC codelist CurrencyTypes for these items.

TDR-R-01536 | Field-level requirement | Import declaration | Import H1: DE 8/3 Guarantee Reference - Customs office of guarantee at H level is dependent; cardinality 1:1; format an8.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!194
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H1.; 8/3 Guarantee Reference - Customs office of guarantee at H level is dependent.; Populate XML path Declaration/ ObligationGuarantee/ GuaranteeOffice/ ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an8.

TDR-R-01537 | Field-level requirement | Import declaration | Import H2: DE 8/3 Guarantee Reference - Customs office of guarantee at H level is dependent; cardinality 1:1; format an8.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!194
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H2.; 8/3 Guarantee Reference - Customs office of guarantee at H level is dependent.; Populate XML path Declaration/ ObligationGuarantee/ GuaranteeOffice/ ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an8.

TDR-R-01538 | Field-level requirement | Import declaration | Import H3: DE 8/3 Guarantee Reference - Customs office of guarantee at H level is dependent; cardinality 1:1; format an8.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!194
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H3.; 8/3 Guarantee Reference - Customs office of guarantee at H level is dependent.; Populate XML path Declaration/ ObligationGuarantee/ GuaranteeOffice/ ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an8.

TDR-R-01539 | Field-level requirement | Import declaration | Import H4: DE 8/3 Guarantee Reference - Customs office of guarantee at H level is dependent; cardinality 1:1; format an8.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!194
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H4.; 8/3 Guarantee Reference - Customs office of guarantee at H level is dependent.; Populate XML path Declaration/ ObligationGuarantee/ GuaranteeOffice/ ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an8.

TDR-R-01540 | Field-level requirement | Import declaration | Import H5: DE 8/3 Guarantee Reference - Customs office of guarantee at H level is optional; cardinality 1:1; format an8.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!194
Error code/pattern: CDS10010 | xml_validation_error

Acceptance: Import declaration context is H5.; 8/3 Guarantee Reference - Customs office of guarantee at H level is optional.; Populate XML path Declaration/ ObligationGuarantee/ GuaranteeOffice/ ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an8.

TDR-R-01541 | Field-level requirement | Import declaration | Import I1: DE 8/3 Guarantee Reference - Customs office of guarantee at H level is dependent; cardinality 1:1; format an8.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!194
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is I1.; 8/3 Guarantee Reference - Customs office of guarantee at H level is dependent.; Populate XML path Declaration/ ObligationGuarantee/ GuaranteeOffice/ ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an8.

TDR-R-01542 | Field-level requirement | Import declaration | Import I1 (B&E): DE 8/3 Guarantee Reference - Customs office of guarantee at H level is dependent; cardinality 1:1; format an8.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!194
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is I1 (B&E).; 8/3 Guarantee Reference - Customs office of guarantee at H level is dependent.; Populate XML path Declaration/ ObligationGuarantee/ GuaranteeOffice/ ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an8.

TDR-R-01543 | Field-level requirement | Import declaration | Import C21I: DE 8/3 Guarantee Reference - Customs office of guarantee at H level is dependent; cardinality 1:1; format an8.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!194
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is C21I.; 8/3 Guarantee Reference - Customs office of guarantee at H level is dependent.; Populate XML path Declaration/ ObligationGuarantee/ GuaranteeOffice/ ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an8.

TDR-R-01544 | Field-level requirement | Import declaration | Import H1: DE 8/5 Nature of Transaction at H and / or I level is mandatory; cardinality 1x (H) 1x (I); format n..2.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!195
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H1.; 8/5 Nature of Transaction at H and / or I level is mandatory.; Populate XML path Declaration/GoodsShipment/ TransactionNatureCode Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ TransactionNatureCode only where this rule permits it.; Respect cardinality 1x (H) 1x (I).; Value conforms to HMRC format n..2.; Value is drawn from HMRC codelist TransactionNatureTypes for these items.

TDR-R-01545 | Field-level requirement | Import declaration | Import H2: DE 8/5 Nature of Transaction at H and / or I level is mandatory; cardinality 1x (H) 1x (I); format n..2.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!195
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H2.; 8/5 Nature of Transaction at H and / or I level is mandatory.; Populate XML path Declaration/GoodsShipment/ TransactionNatureCode Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ TransactionNatureCode only where this rule permits it.; Respect cardinality 1x (H) 1x (I).; Value conforms to HMRC format n..2.; Value is drawn from HMRC codelist TransactionNatureTypes for these items.

TDR-R-01546 | Field-level requirement | Import declaration | Import H3: DE 8/5 Nature of Transaction at H and / or I level is mandatory; cardinality 1x (H) 1x (I); format n..2.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!195
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H3.; 8/5 Nature of Transaction at H and / or I level is mandatory.; Populate XML path Declaration/GoodsShipment/ TransactionNatureCode Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ TransactionNatureCode only where this rule permits it.; Respect cardinality 1x (H) 1x (I).; Value conforms to HMRC format n..2.; Value is drawn from HMRC codelist TransactionNatureTypes for these items.

TDR-R-01547 | Field-level requirement | Import declaration | Import H4: DE 8/5 Nature of Transaction at H and / or I level is mandatory; cardinality 1x (H) 1x (I); format n..2.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!195
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H4.; 8/5 Nature of Transaction at H and / or I level is mandatory.; Populate XML path Declaration/GoodsShipment/ TransactionNatureCode Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ TransactionNatureCode only where this rule permits it.; Respect cardinality 1x (H) 1x (I).; Value conforms to HMRC format n..2.; Value is drawn from HMRC codelist TransactionNatureTypes for these items.

TDR-R-01548 | Field-level requirement | Import declaration | Import H5: DE 8/5 Nature of Transaction at H and / or I level is mandatory; cardinality 1x (H) 1x (I); format n..2.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!195
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H5.; 8/5 Nature of Transaction at H and / or I level is mandatory.; Populate XML path Declaration/GoodsShipment/ TransactionNatureCode Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ TransactionNatureCode only where this rule permits it.; Respect cardinality 1x (H) 1x (I).; Value conforms to HMRC format n..2.; Value is drawn from HMRC codelist TransactionNatureTypes for these items.

TDR-R-01549 | Field-level requirement | Import declaration | Import I1: DE 8/5 Nature of Transaction at H and / or I level is not allowed; cardinality 1x (H) 1x (I); format n..2.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!195
Error code/pattern: CDS10002 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is I1.; 8/5 Nature of Transaction at H and / or I level is not allowed.; Populate XML path

Declaration/GoodsShipment/ TransactionNatureCode Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ TransactionNatureCode only where this rule permits it.; Respect cardinality 1x (H) 1x (I).; Value conforms to HMRC format n..2.; Value is drawn from HMRC codelist TransactionNatureTypes for these items.

TDR-R-01550 | Field-level requirement | Import declaration | Import I1 (B&E): DE 8/5 Nature of Transaction at H and / or I level is not allowed; cardinality 1x (H) 1x (I); format n..2.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!195
Error code/pattern: CDS10002 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is I1 (B&E).; 8/5 Nature of Transaction at H and / or I level is not allowed.; Populate XML path Declaration/GoodsShipment/ TransactionNatureCode Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ TransactionNatureCode only where this rule permits it.; Respect cardinality 1x (H) 1x (I).; Value conforms to HMRC format n..2.; Value is drawn from HMRC codelist TransactionNatureTypes for these items.

TDR-R-01551 | Field-level requirement | Import declaration | Import C21I: DE 8/5 Nature of Transaction at H and / or I level is not allowed; cardinality 1x (H) 1x (I); format n..2.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!195
Error code/pattern: CDS10002 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is C21I.; 8/5 Nature of Transaction at H and / or I level is not allowed.; Populate XML path Declaration/GoodsShipment/ TransactionNatureCode Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ TransactionNatureCode only where this rule permits it.; Respect cardinality 1x (H) 1x (I).; Value conforms to HMRC format n..2.; Value is drawn from HMRC codelist TransactionNatureTypes for these items.

TDR-R-01552 | Field-level requirement | Import declaration | Import H1: DE 8/6 Statistical Value at I level is optional; cardinality 1x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!196
Error code/pattern: CDS10010 | xml_validation_error
Acceptance: Import declaration context is H1.; 8/6 Statistical Value at I level is optional.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ StatisticalValueAmount only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format -.

TDR-R-01553 | Field-level requirement | Import declaration | Import H2: DE 8/6 Statistical Value at I level is optional; cardinality 1x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!196
Error code/pattern: CDS10010 | xml_validation_error
Acceptance: Import declaration context is H2.; 8/6 Statistical Value at I level is optional.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ StatisticalValueAmount only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format -.

TDR-R-01554 | Field-level requirement | Import declaration | Import H3: DE 8/6 Statistical Value at I level is optional; cardinality 1x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!196
Error code/pattern: CDS10010 | xml_validation_error
Acceptance: Import declaration context is H3.; 8/6 Statistical Value at I level is optional.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ StatisticalValueAmount only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format -.

TDR-R-01555 | Field-level requirement | Import declaration | Import H4: DE 8/6 Statistical Value at I level is mandatory; cardinality 1x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!196
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H4.; 8/6 Statistical Value at I level is mandatory.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ StatisticalValueAmount only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format -.

TDR-R-01556 | Field-level requirement | Import declaration | Import H5: DE 8/6 Statistical Value at I level is optional; cardinality 1x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!196
Error code/pattern: CDS10010 | xml_validation_error
Acceptance: Import declaration context is H5.; 8/6 Statistical Value at I level is optional.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ StatisticalValueAmount only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format -.

TDR-R-01557 | Field-level requirement | Import declaration | Import I1: DE 8/6 Statistical Value at I level is optional; cardinality 1x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!196
Error code/pattern: CDS10010 | xml_validation_error
Acceptance: Import declaration context is I1.; 8/6 Statistical Value at I level is optional.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ StatisticalValueAmount only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format -.

TDR-R-01558 | Field-level requirement | Import declaration | Import I1 (B&E): DE 8/6 Statistical Value at I level is optional; cardinality 1x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!196
Error code/pattern: CDS10010 | xml_validation_error
Acceptance: Import declaration context is I1 (B&E).; 8/6 Statistical Value at I level is optional.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ StatisticalValueAmount only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format -.

TDR-R-01559 | Field-level requirement | Import declaration | Import C21I: DE 8/6 Statistical Value at I level is not allowed; cardinality 1x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!196
Error code/pattern: CDS10002 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is C21I.; 8/6 Statistical Value at I level is not allowed.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ StatisticalValueAmount only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format -.

TDR-R-01560 | Field-level requirement | Import declaration | Import C21I EIDR: DE 8/6 Statistical Value at I level is optional; cardinality 1x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!196
Error code/pattern: CDS10010 | xml_validation_error
Acceptance: Import declaration context is C21I EIDR.; 8/6 Statistical Value at I level is optional.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ StatisticalValueAmount only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format -.

TDR-R-01561 | Field-level requirement | Import declaration | Import H1: DE 8/6 Statistical Value at I level is mandatory when the group-level item is present; cardinality 1:1; format n..16,2.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!197

Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H1.; 8/6 Statistical Value at I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ StatisticalValueAmount only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format n..16,2.

TDR-R-01562 | Field-level requirement | Import declaration | Import H2: DE 8/6 Statistical Value at I level is mandatory when the group-level item is present; cardinality 1:1; format n..16,2.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!197
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H2.; 8/6 Statistical Value at I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ StatisticalValueAmount only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format n..16,2.

TDR-R-01563 | Field-level requirement | Import declaration | Import H3: DE 8/6 Statistical Value at I level is mandatory when the group-level item is present; cardinality 1:1; format n..16,2.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!197
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H3.; 8/6 Statistical Value at I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ StatisticalValueAmount only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format n..16,2.

TDR-R-01564 | Field-level requirement | Import declaration | Import H4: DE 8/6 Statistical Value at I level is mandatory when the group-level item is present; cardinality 1:1; format n..16,2.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!197
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H4.; 8/6 Statistical Value at I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ StatisticalValueAmount only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format n..16,2.

TDR-R-01565 | Field-level requirement | Import declaration | Import H5: DE 8/6 Statistical Value at I level is mandatory when the group-level item is present; cardinality 1:1; format n..16,2.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!197
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is H5.; 8/6 Statistical Value at I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ StatisticalValueAmount only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format n..16,2.

TDR-R-01566 | Field-level requirement | Import declaration | Import I1: DE 8/6 Statistical Value at I level is mandatory when the group-level item is present; cardinality 1:1; format n..16,2.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!197
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is I1.; 8/6 Statistical Value at I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ StatisticalValueAmount only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format n..16,2.

TDR-R-01567 | Field-level requirement | Import declaration | Import I1 (B&E): DE 8/6 Statistical Value at I level is mandatory when the group-level item is present; cardinality 1:1; format n..16,2.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!197
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is I1 (B&E).; 8/6 Statistical Value at I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ StatisticalValueAmount only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format n..16,2.

TDR-R-01568 | Field-level requirement | Import declaration | Import C21I: DE 8/6 Statistical Value at I level is not allowed; cardinality 1:1; format n..16,2.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!197
Error code/pattern: CDS10002 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is C21I.; 8/6 Statistical Value at I level is not allowed.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ StatisticalValueAmount only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format n..16,2.

TDR-R-01569 | Field-level requirement | Import declaration | Import C21I EIDR: DE 8/6 Statistical Value at I level is mandatory when the group-level item is present; cardinality 1:1; format n..16,2.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!197
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Import declaration context is C21I EIDR.; 8/6 Statistical Value at I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ StatisticalValueAmount only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format n..16,2.

TDR-R-01570 | Field-level requirement | Import declaration | Import H1: DE 8/6 Statistical Value - currency at I level is mandatory when the group-level item is present; cardinality 1:1; format a3 Must be Upper Case Defaults to GBP.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!198
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H1.; 8/6 Statistical Value - currency at I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ StatisticalValueAmount @CurrencyID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a3 Must be Upper Case Defaults to GBP.; Value is drawn from HMRC codelist CurrencyTypes for these items.

TDR-R-01571 | Field-level requirement | Import declaration | Import H2: DE 8/6 Statistical Value - currency at I level is mandatory when the group-level item is present; cardinality 1:1; format a3 Must be Upper Case Defaults to GBP.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!198
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H2.; 8/6 Statistical Value - currency at I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ StatisticalValueAmount @CurrencyID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a3 Must be Upper Case Defaults to GBP.; Value is drawn from HMRC codelist CurrencyTypes for these items.

TDR-R-01572 | Field-level requirement | Import declaration | Import H3: DE 8/6 Statistical Value - currency at I level is mandatory when the group-level item is present; cardinality 1:1; format a3 Must be Upper Case Defaults to GBP.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!198
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H3.; 8/6 Statistical Value - currency at I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ StatisticalValueAmount @CurrencyID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a3 Must be Upper Case Defaults to GBP.; Value is drawn from HMRC codelist CurrencyTypes for these items.

TDR-R-01573 | Field-level requirement | Import declaration | Import H4: DE 8/6 Statistical Value - currency at I level is mandatory when the group-level item is present; cardinality 1:1; format a3 Must be Upper Case Defaults to GBP.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!198
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H4.; 8/6 Statistical Value - currency at I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ StatisticalValueAmount @CurrencyID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a3 Must be Upper Case Defaults to GBP.; Value is drawn from HMRC codelist CurrencyTypes for these items.

TDR-R-01574 | Field-level requirement | Import declaration | Import H5: DE 8/6 Statistical Value - currency at I level is mandatory when the group-level item is present; cardinality 1:1; format a3 Must be Upper Case Defaults to GBP.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!198
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is H5.; 8/6 Statistical Value - currency at I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ StatisticalValueAmount @CurrencyID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a3 Must be Upper Case Defaults to GBP.; Value is drawn from HMRC codelist CurrencyTypes for these items.

TDR-R-01575 | Field-level requirement | Import declaration | Import I1: DE 8/6 Statistical Value - currency at I level is mandatory when the group-level item is present; cardinality 1:1; format a3 Must be Upper Case Defaults to GBP.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!198
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is I1.; 8/6 Statistical Value - currency at I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ StatisticalValueAmount @CurrencyID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a3 Must be Upper Case Defaults to GBP.; Value is drawn from HMRC codelist CurrencyTypes for these items.

TDR-R-01576 | Field-level requirement | Import declaration | Import I1 (B&E): DE 8/6 Statistical Value - currency at I level is mandatory when the group-level item is present; cardinality 1:1; format a3 Must be Upper Case Defaults to GBP.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!198
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is I1 (B&E).; 8/6 Statistical Value - currency at I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ StatisticalValueAmount @CurrencyID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a3 Must be Upper Case Defaults to GBP.; Value is drawn from HMRC codelist CurrencyTypes for these items.

TDR-R-01577 | Field-level requirement | Import declaration | Import C21I: DE 8/6 Statistical Value - currency at I level is not allowed; cardinality 1:1; format a3 Must be Upper Case Defaults to GBP.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!198
Error code/pattern: CDS10002 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is C21I.; 8/6 Statistical Value - currency at I level is not allowed.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ StatisticalValueAmount @CurrencyID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a3 Must be Upper Case Defaults to GBP.; Value is drawn from HMRC codelist CurrencyTypes for these items.

TDR-R-01578 | Field-level requirement | Import declaration | Import C21I EIDR: DE 8/6 Statistical Value - currency at I level is mandatory when the group-level item is present; cardinality 1:1; format a3 Must be Upper Case Defaults to GBP.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Data Completion Rules!198
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Import declaration context is C21I EIDR.; 8/6 Statistical Value - currency at I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ StatisticalValueAmount @CurrencyID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a3 Must be Upper Case Defaults to GBP.; Value is drawn from HMRC codelist CurrencyTypes for these items.

TDR-R-01579 | Field-level requirement | Export declaration | Export B1: DE 1/1 Declaration type at H level is mandatory; cardinality 1x; format a2.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!4
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is B1.; 1/1 Declaration type at H level is mandatory.; Populate XML path Declaration/TypeCode only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format a2.; Value is drawn from HMRC codelist TradeMovementTypes for this item.

TDR-R-01580 | Field-level requirement | Export declaration | Export C1: DE 1/1 Declaration type at H level is mandatory; cardinality 1x; format a2.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!4
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is C1.; 1/1 Declaration type at H level is mandatory.; Populate XML path Declaration/TypeCode only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format a2.; Value is drawn from HMRC codelist TradeMovementTypes for this item.

TDR-R-01581 | Field-level requirement | Export declaration | Export B2: DE 1/1 Declaration type at H level is mandatory; cardinality 1x; format a2.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!4
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is B2.; 1/1 Declaration type at H level is mandatory.; Populate XML path Declaration/TypeCode only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format a2.; Value is drawn from HMRC codelist TradeMovementTypes for this item.

TDR-R-01582 | Field-level requirement | Export declaration | Export B4: DE 1/1 Declaration type at H level is mandatory; cardinality 1x; format a2.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!4
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is B4.; 1/1 Declaration type at H level is mandatory.; Populate XML path Declaration/TypeCode only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format a2.; Value is drawn from HMRC codelist TradeMovementTypes for this item.

TDR-R-01583 | Field-level requirement | Export declaration | Export C21E: DE 1/1 Declaration type at H level is mandatory; cardinality 1x; format a2.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!4
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is C21E.; 1/1 Declaration type at H level is mandatory.; Populate XML path Declaration/TypeCode only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format a2.; Value is drawn from HMRC codelist TradeMovementTypes for this item.

TDR-R-01584 | Field-level requirement | Export declaration | Export C21EEIDR: DE 1/1 Declaration type at H level is mandatory; cardinality 1x; format a2.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!4
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is C21EEIDR.; 1/1 Declaration type at H level is mandatory.; Populate XML path Declaration/TypeCode only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format a2.; Value is drawn from HMRC codelist TradeMovementTypes for this item.

TDR-R-01585 | Field-level requirement | Export declaration | Export B1: DE 1/2 Additional Declaration type at H level is mandatory; cardinality 1x; format a1.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!5
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is B1.; 1/2 Additional Declaration type at H level is mandatory.; Populate XML path Declaration/TypeCode only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format a1.; Value is drawn from HMRC codelist DeclarationTypes for this item.

TDR-R-01586 | Field-level requirement | Export declaration | Export C1: DE 1/2 Additional Declaration type at H level is mandatory; cardinality 1x; format a1.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!5
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is C1.; 1/2 Additional Declaration type at H level is mandatory.; Populate XML path Declaration/TypeCode only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format a1.; Value is drawn from HMRC codelist DeclarationTypes for this item.

TDR-R-01587 | Field-level requirement | Export declaration | Export B2: DE 1/2 Additional Declaration type at H level is mandatory; cardinality 1x; format a1.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!5
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is B2.; 1/2 Additional Declaration type at H level is mandatory.; Populate XML path Declaration/TypeCode only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format a1.; Value is drawn from HMRC codelist DeclarationTypes for this item.

TDR-R-01588 | Field-level requirement | Export declaration | Export B4: DE 1/2 Additional Declaration type at H level is mandatory; cardinality 1x; format a1.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!5
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is B4.; 1/2 Additional Declaration type at H level is mandatory.; Populate XML path Declaration/TypeCode only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format a1.; Value is drawn from HMRC codelist DeclarationTypes for this item.

TDR-R-01589 | Field-level requirement | Export declaration | Export C21E: DE 1/2 Additional Declaration type at H level is mandatory; cardinality 1x; format a1.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!5
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is C21E.; 1/2 Additional Declaration type at H level is mandatory.; Populate XML path Declaration/TypeCode only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format a1.; Value is drawn from HMRC codelist DeclarationTypes for this item.

TDR-R-01590 | Field-level requirement | Export declaration | Export C21EEIDR: DE 1/2 Additional Declaration type at H level is mandatory; cardinality 1x; format a1.

Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!5
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is C21EEIDR.; 1/2 Additional Declaration type at H level is mandatory.; Populate XML path Declaration/TypeCode only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format a1.; Value is drawn from HMRC codelist DeclarationTypes for this item.

TDR-R-01591 | Field-level requirement | Export declaration | Export B1: DE 1/6 Goods item number at I level is mandatory; cardinality 1x; format n..2 Cannot be 0.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!6
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is B1.; 1/6 Goods item number at I level is mandatory.; Populate XML path Declaration/ GoodsShipment/ GovernmentAgencyGoodsItem/ SequenceNumeric Declaration/Consignment/ConsignmentItem/SequenceNumeric only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format n..2 Cannot be 0.

TDR-R-01592 | Field-level requirement | Export declaration | Export C1: DE 1/6 Goods item number at I level is mandatory; cardinality 1x; format n..2 Cannot be 0.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!6
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is C1.; 1/6 Goods item number at I level is mandatory.; Populate XML path Declaration/ GoodsShipment/ GovernmentAgencyGoodsItem/ SequenceNumeric Declaration/Consignment/ConsignmentItem/SequenceNumeric only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format n..2 Cannot be 0.

TDR-R-01593 | Field-level requirement | Export declaration | Export B2: DE 1/6 Goods item number at I level is mandatory; cardinality 1x; format n..2 Cannot be 0.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!6
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is B2.; 1/6 Goods item number at I level is mandatory.; Populate XML path Declaration/ GoodsShipment/ GovernmentAgencyGoodsItem/ SequenceNumeric Declaration/Consignment/ConsignmentItem/SequenceNumeric only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format n..2 Cannot be 0.

TDR-R-01594 | Field-level requirement | Export declaration | Export B4: DE 1/6 Goods item number at I level is mandatory; cardinality 1x; format n..2 Cannot be 0.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!6
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is B4.; 1/6 Goods item number at I level is mandatory.; Populate XML path Declaration/ GoodsShipment/ GovernmentAgencyGoodsItem/ SequenceNumeric Declaration/Consignment/ConsignmentItem/SequenceNumeric only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format n..2 Cannot be 0.

TDR-R-01595 | Field-level requirement | Export declaration | Export C21E: DE 1/6 Goods item number at I level is mandatory; cardinality 1x; format n..2 Cannot be 0.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!6
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is C21E.; 1/6 Goods item number at I level is mandatory.; Populate XML path Declaration/ GoodsShipment/ GovernmentAgencyGoodsItem/ SequenceNumeric Declaration/Consignment/ConsignmentItem/SequenceNumeric only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format n..2 Cannot be 0.

TDR-R-01596 | Field-level requirement | Export declaration | Export C21EEIDR: DE 1/6 Goods item number at I level is mandatory; cardinality 1x; format n..2 Cannot be 0.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!6
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is C21EEIDR.; 1/6 Goods item number at I level is mandatory.; Populate XML path Declaration/ GoodsShipment/ GovernmentAgencyGoodsItem/ SequenceNumeric Declaration/Consignment/ConsignmentItem/SequenceNumeric only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format n..2 Cannot be 0.

TDR-R-01597 | Field-level requirement | Export declaration | Export B1: DE 1/7 Specific circumstance indicator at H level is optional; cardinality 1x; format an3.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!7
Error code/pattern: CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is B1.; 1/7 Specific circumstance indicator at H level is optional.; Populate XML path Declaration/SpecificCircumstancesCodeCode only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format an3.; Value is drawn from HMRC codelist SpecificCircumstanceTypes for this item.

TDR-R-01598 | Field-level requirement | Export declaration | Export C1: DE 1/7 Specific circumstance indicator at H level is optional; cardinality 1x; format an3.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!7
Error code/pattern: CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is C1.; 1/7 Specific circumstance indicator at H level is optional.; Populate XML path Declaration/SpecificCircumstancesCodeCode only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format an3.; Value is drawn from HMRC codelist SpecificCircumstanceTypes for this item.

TDR-R-01599 | Field-level requirement | Export declaration | Export B2: DE 1/7 Specific circumstance indicator at H level is optional; cardinality 1x; format an3.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!7
Error code/pattern: CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is B2.; 1/7 Specific circumstance indicator at H level is optional.; Populate XML path Declaration/SpecificCircumstancesCodeCode only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format an3.; Value is drawn from HMRC codelist SpecificCircumstanceTypes for this item.

TDR-R-01600 | Field-level requirement | Export declaration | Export B4: DE 1/7 Specific circumstance indicator at H level is optional; cardinality 1x; format an3.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!7
Error code/pattern: CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is B4.; 1/7 Specific circumstance indicator at H level is optional.; Populate XML path Declaration/SpecificCircumstancesCodeCode only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format an3.; Value is drawn from HMRC codelist SpecificCircumstanceTypes for this item.

TDR-R-01601 | Field-level requirement | Export declaration | Export C21E: DE 1/7 Specific circumstance indicator at H level is optional; cardinality 1x; format an3.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!7
Error code/pattern: CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is C21E.; 1/7 Specific circumstance indicator at H level is optional.; Populate XML path Declaration/SpecificCircumstancesCodeCode only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format an3.; Value is drawn from HMRC codelist SpecificCircumstanceTypes for this item.

TDR-R-01602 | Field-level requirement | Export declaration | Export C21EEIDR: DE 1/7 Specific circumstance indicator at H level is optional; cardinality 1x; format an3.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!7
Error code/pattern: CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is C21EEIDR.; 1/7 Specific circumstance indicator at H level is optional.; Populate XML path Declaration/SpecificCircumstancesCodeCode only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format an3.; Value is drawn from HMRC codelist SpecificCircumstanceTypes for this item.

TDR-R-01603 | Field-level requirement | Export declaration | Export B1: DE 1/8 Signature/Authentication at H level is dependent; cardinality N/A; format N/A.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!8
Error code/pattern: CDS12070
Acceptance: Export declaration context is B1.; 1/8 Signature/Authentication at H level is dependent.; Populate XML path Paper Declaration Only only where this rule permits it.; Respect cardinality N/A.

TDR-R-01604 | Field-level requirement | Export declaration | Export C1: DE 1/8 Signature/Authentication at H level is dependent; cardinality N/A; format N/A.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!8
Error code/pattern: CDS12070
Acceptance: Export declaration context is C1.; 1/8 Signature/Authentication at H level is dependent.; Populate XML path Paper Declaration Only only where this rule permits it.; Respect cardinality N/A.

TDR-R-01605 | Field-level requirement | Export declaration | Export B2: DE 1/8 Signature/Authentication at H level is dependent; cardinality N/A; format N/A.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!8
Error code/pattern: CDS12070
Acceptance: Export declaration context is B2.; 1/8 Signature/Authentication at H level is dependent.; Populate XML path Paper Declaration Only only where this rule permits it.; Respect cardinality N/A.

TDR-R-01606 | Field-level requirement | Export declaration | Export B4: DE 1/8 Signature/Authentication at H level is dependent; cardinality N/A; format N/A.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!8
Error code/pattern: CDS12070
Acceptance: Export declaration context is B4.; 1/8 Signature/Authentication at H level is dependent.; Populate XML path Paper Declaration Only only where this rule permits it.; Respect cardinality N/A.

TDR-R-01607 | Field-level requirement | Export declaration | Export C21E: DE 1/8 Signature/Authentication at H level is dependent; cardinality N/A; format N/A.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!8
Error code/pattern: CDS12070
Acceptance: Export declaration context is C21E.; 1/8 Signature/Authentication at H level is dependent.; Populate XML path Paper Declaration Only only where this rule permits it.; Respect cardinality N/A.

TDR-R-01608 | Field-level requirement | Export declaration | Export C21EEIDR: DE 1/8 Signature/Authentication at H level is dependent; cardinality N/A; format N/A.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!8
Error code/pattern: CDS12070
Acceptance: Export declaration context is C21EEIDR.; 1/8 Signature/Authentication at H level is dependent.; Populate XML path Paper Declaration Only only where this rule permits it.; Respect cardinality N/A.

TDR-R-01609 | Field-level requirement | Export declaration | Export B1: DE 1/9 Total number of items at H level is mandatory; cardinality 1x; format n..3 Cannot be 0.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!9
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is B1.; 1/9 Total number of items at H level is mandatory.; Populate XML path Declaration/GoodsItemQuantity only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format n..3 Cannot be 0.

TDR-R-01610 | Field-level requirement | Export declaration | Export C1: DE 1/9 Total number of items at H level is mandatory; cardinality 1x; format n..3 Cannot be 0.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!9
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is C1.; 1/9 Total number of items at H level is mandatory.; Populate XML path Declaration/GoodsItemQuantity only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format n..3 Cannot be 0.

TDR-R-01611 | Field-level requirement | Export declaration | Export B2: DE 1/9 Total number of items at H level is mandatory; cardinality 1x; format n..3 Cannot be 0.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!9
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is B2.; 1/9 Total number of items at H level is mandatory.; Populate XML path Declaration/GoodsItemQuantity only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format n..3 Cannot be 0.

TDR-R-01612 | Field-level requirement | Export declaration | Export B4: DE 1/9 Total number of items at H level is mandatory; cardinality 1x; format n..3 Cannot be 0.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!9
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is B4.; 1/9 Total number of items at H level is mandatory.; Populate XML path Declaration/GoodsItemQuantity only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format n..3 Cannot be 0.

TDR-R-01613 | Field-level requirement | Export declaration | Export C21E: DE 1/9 Total number of items at H level is mandatory; cardinality 1x; format n..3 Cannot be 0.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!9
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is C21E.; 1/9 Total number of items at H level is mandatory.; Populate XML path Declaration/GoodsItemQuantity only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format n..3 Cannot be 0.

TDR-R-01614 | Field-level requirement | Export declaration | Export C21EEIDR: DE 1/9 Total number of items at H level is mandatory; cardinality 1x; format n..3 Cannot be 0.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!9
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is C21EEIDR.; 1/9 Total number of items at H level is mandatory.; Populate XML path Declaration/GoodsItemQuantity only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format n..3 Cannot be 0.

TDR-R-01615 | Field-level requirement | Export declaration | Export B1: DE 1/10 Procedure at I level is mandatory; cardinality 1x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!10
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is B1.; 1/10 Procedure at I level is mandatory.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ GovernmentProcedure/ only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format -.

TDR-R-01616 | Field-level requirement | Export declaration | Export C1: DE 1/10 Procedure at I level is mandatory; cardinality 1x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!10
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is C1.; 1/10 Procedure at I level is mandatory.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ GovernmentProcedure/ only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format -.

TDR-R-01617 | Field-level requirement | Export declaration | Export B2: DE 1/10 Procedure at I level is mandatory; cardinality 1x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!10
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is B2.; 1/10 Procedure at I level is mandatory.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ GovernmentProcedure/ only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format -.

TDR-R-01618 | Field-level requirement | Export declaration | Export B4: DE 1/10 Procedure at I level is mandatory; cardinality 1x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!10
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is B4.; 1/10 Procedure at I level is mandatory.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ GovernmentProcedure/ only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format -.

TDR-R-01619 | Field-level requirement | Export declaration | Export C21E: DE 1/10 Procedure at I level is mandatory; cardinality 1x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!10
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is C21E.; 1/10 Procedure at I level is mandatory.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ GovernmentProcedure/ only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format -.

TDR-R-01620 | Field-level requirement | Export declaration | Export C21EEIDR: DE 1/10 Procedure at I level is mandatory; cardinality 1x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!10
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is C21EEIDR.; 1/10 Procedure at I level is mandatory.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ GovernmentProcedure/ only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format -.

TDR-R-01621 | Field-level requirement | Export declaration | Export B1: DE 1/10 Procedure - Requested Procedure Code at I level is mandatory; cardinality 1:1; format an2.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!11
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is B1.; 1/10 Procedure - Requested Procedure Code at I level is mandatory.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ GovernmentProcedure/ CurrentCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an2.; Value is drawn from HMRC codelist ProcedureCombinations for DE 1.

TDR-R-01622 | Field-level requirement | Export declaration | Export C1: DE 1/10 Procedure - Requested Procedure Code at I level is mandatory; cardinality 1:1; format an2.

Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!11
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is C1.; 1/10 Procedure - Requested Procedure Code at I level is mandatory.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ GovernmentProcedure/ CurrentCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an2.; Value is drawn from HMRC codelist ProcedureCombinations for DE 1.

TDR-R-01623 | Field-level requirement | Export declaration | Export B2: DE 1/10 Procedure - Requested Procedure Code at I level is mandatory; cardinality 1:1; format an2.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!11
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is B2.; 1/10 Procedure - Requested Procedure Code at I level is mandatory.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ GovernmentProcedure/ CurrentCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an2.; Value is drawn from HMRC codelist ProcedureCombinations for DE 1.

TDR-R-01624 | Field-level requirement | Export declaration | Export B4: DE 1/10 Procedure - Requested Procedure Code at I level is mandatory; cardinality 1:1; format an2.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!11
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is B4.; 1/10 Procedure - Requested Procedure Code at I level is mandatory.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ GovernmentProcedure/ CurrentCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an2.; Value is drawn from HMRC codelist ProcedureCombinations for DE 1.

TDR-R-01625 | Field-level requirement | Export declaration | Export C21E: DE 1/10 Procedure - Requested Procedure Code at I level is mandatory; cardinality 1:1; format an2.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!11
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is C21E.; 1/10 Procedure - Requested Procedure Code at I level is mandatory.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ GovernmentProcedure/ CurrentCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an2.; Value is drawn from HMRC codelist ProcedureCombinations for DE 1.

TDR-R-01626 | Field-level requirement | Export declaration | Export C21EEIDR: DE 1/10 Procedure - Requested Procedure Code at I level is mandatory; cardinality 1:1; format an2.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!11
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is C21EEIDR.; 1/10 Procedure - Requested Procedure Code at I level is mandatory.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ GovernmentProcedure/ CurrentCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an2.; Value is drawn from HMRC codelist ProcedureCombinations for DE 1.

TDR-R-01627 | Field-level requirement | Export declaration | Export B1: DE 1/10 Procedure - Previous Procedure Code at I level is mandatory; cardinality 1:1; format an2.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!12
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is B1.; 1/10 Procedure - Previous Procedure Code at I level is mandatory.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ GovernmentProcedure/ PreviousCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an2.; Value is drawn from HMRC codelist ProcedureCombinations for DE 1.

TDR-R-01628 | Field-level requirement | Export declaration | Export C1: DE 1/10 Procedure - Previous Procedure Code at I level is mandatory; cardinality 1:1; format an2.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!12
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is C1.; 1/10 Procedure - Previous Procedure Code at I level is mandatory.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ GovernmentProcedure/ PreviousCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an2.; Value is drawn from HMRC codelist ProcedureCombinations for DE 1.

TDR-R-01629 | Field-level requirement | Export declaration | Export B2: DE 1/10 Procedure - Previous Procedure Code at I level is mandatory; cardinality 1:1; format an2.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!12
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is B2.; 1/10 Procedure - Previous Procedure Code at I level is mandatory.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ GovernmentProcedure/ PreviousCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an2.; Value is drawn from HMRC codelist ProcedureCombinations for DE 1.

TDR-R-01630 | Field-level requirement | Export declaration | Export B4: DE 1/10 Procedure - Previous Procedure Code at I level is mandatory; cardinality 1:1; format an2.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!12
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is B4.; 1/10 Procedure - Previous Procedure Code at I level is mandatory.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ GovernmentProcedure/ PreviousCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an2.; Value is drawn from HMRC codelist ProcedureCombinations for DE 1.

TDR-R-01631 | Field-level requirement | Export declaration | Export C21E: DE 1/10 Procedure - Previous Procedure Code at I level is mandatory; cardinality 1:1; format an2.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!12
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is C21E.; 1/10 Procedure - Previous Procedure Code at I level is mandatory.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ GovernmentProcedure/ PreviousCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an2.; Value is drawn from HMRC codelist ProcedureCombinations for DE 1.

TDR-R-01632 | Field-level requirement | Export declaration | Export C21EEIDR: DE 1/10 Procedure - Previous Procedure Code at I level is mandatory; cardinality 1:1; format an2.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!12
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is C21EEIDR.; 1/10 Procedure - Previous Procedure Code at I level is mandatory.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ GovernmentProcedure/ PreviousCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an2.; Value is drawn from HMRC codelist ProcedureCombinations for DE 1.

TDR-R-01633 | Field-level requirement | Export declaration | Export B1: DE 1/11 Additional Procedure at I level is mandatory; cardinality 99x; format an3.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!13
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is B1.; 1/11 Additional Procedure at I level is mandatory.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ GovernmentProcedure/ CurrentCode only where this rule permits it.; Respect cardinality 99x.; Value conforms to HMRC format an3.; Value is drawn from HMRC codelist ProcedureCombinations for DE 1.

TDR-R-01634 | Field-level requirement | Export declaration | Export C1: DE 1/11 Additional Procedure at I level is mandatory; cardinality 99x; format an3.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!13
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is C1.; 1/11 Additional Procedure at I level is mandatory.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ GovernmentProcedure/ CurrentCode only where this rule permits it.; Respect cardinality 99x.; Value conforms to HMRC format an3.; Value is drawn from HMRC codelist ProcedureCombinations for DE 1.

TDR-R-01635 | Field-level requirement | Export declaration | Export B2: DE 1/11 Additional Procedure at I level is mandatory; cardinality 99x; format an3.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!13
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is B2.; 1/11 Additional Procedure at I level is mandatory.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ GovernmentProcedure/ CurrentCode only where this rule permits it.; Respect cardinality 99x.; Value conforms to HMRC format an3.; Value is drawn from HMRC codelist ProcedureCombinations for DE 1.

TDR-R-01636 | Field-level requirement | Export declaration | Export B4: DE 1/11 Additional Procedure at I level is mandatory; cardinality 99x; format an3.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!13
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is B4.; 1/11 Additional Procedure at I level is mandatory.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ GovernmentProcedure/ CurrentCode only where this rule permits it.; Respect cardinality 99x.; Value conforms to HMRC format an3.; Value is drawn from HMRC codelist ProcedureCombinations for DE 1.

TDR-R-01637 | Field-level requirement | Export declaration | Export C21E: DE 1/11 Additional Procedure at I level is mandatory; cardinality 99x; format an3.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!13
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is C21E.; 1/11 Additional Procedure at I level is mandatory.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ GovernmentProcedure/ CurrentCode only where this rule permits it.; Respect cardinality 99x.; Value conforms to HMRC format an3.; Value is drawn from HMRC codelist ProcedureCombinations for DE 1.

TDR-R-01638 | Field-level requirement | Export declaration | Export C21EEIDR: DE 1/11 Additional Procedure at I level is mandatory; cardinality 99x; format an3.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!13
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is C21EEIDR.; 1/11 Additional Procedure at I level is mandatory.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ GovernmentProcedure/ CurrentCode only where this rule permits it.; Respect cardinality 99x.; Value conforms to HMRC format an3.; Value is drawn from HMRC codelist ProcedureCombinations for DE 1.

TDR-R-01639 | Field-level requirement | Export declaration | Export B1: DE 2/1 Simplified declaration / Previous documents at H & I level is M (H) O (I); cardinality 9999x (H) 99x (I); format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!14
Error code/pattern: CDS10010 | xml_validation_error
Acceptance: Export declaration context is B1.; 2/1 Simplified declaration / Previous documents at H & I level is m (h) o (i).; Populate XML path Declaration/GoodsShipment/ PreviousDocument Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ PreviousDocument only where this rule permits it.; Respect cardinality 9999x (H) 99x (I).; Value conforms to HMRC format -.

TDR-R-01640 | Field-level requirement | Export declaration | Export C1: DE 2/1 Simplified declaration / Previous documents at H & I level is M (H) O (I); cardinality 9999x (H) 99x (I); format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!14
Error code/pattern: CDS10010 | xml_validation_error
Acceptance: Export declaration context is C1.; 2/1 Simplified declaration / Previous documents at H & I level is m (h) o (i).; Populate XML path Declaration/GoodsShipment/ PreviousDocument Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ PreviousDocument only where this rule permits it.; Respect cardinality 9999x (H) 99x (I).; Value conforms to HMRC format -.

TDR-R-01641 | Field-level requirement | Export declaration | Export B2: DE 2/1 Simplified declaration / Previous documents at H & I level is M (H) O (I); cardinality 9999x (H) 99x (I); format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!14
Error code/pattern: CDS10010 | xml_validation_error
Acceptance: Export declaration context is B2.; 2/1 Simplified declaration / Previous documents at H & I level is m (h) o (i).; Populate XML path Declaration/GoodsShipment/ PreviousDocument Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ PreviousDocument only where this rule permits it.; Respect cardinality 9999x (H) 99x (I).; Value conforms to HMRC format -.

TDR-R-01642 | Field-level requirement | Export declaration | Export B4: DE 2/1 Simplified declaration / Previous documents at H & I level is M (H) O (I); cardinality 9999x (H) 99x (I); format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!14
Error code/pattern: CDS10010 | xml_validation_error
Acceptance: Export declaration context is B4.; 2/1 Simplified declaration / Previous documents at H & I level is m (h) o (i).; Populate XML path Declaration/GoodsShipment/ PreviousDocument Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ PreviousDocument only where this rule permits it.; Respect cardinality 9999x (H) 99x (I).; Value conforms to HMRC format -.

TDR-R-01643 | Field-level requirement | Export declaration | Export C21E: DE 2/1 Simplified declaration / Previous documents at H & I level is M (H) O (I); cardinality 9999x (H) 99x (I); format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!14
Error code/pattern: CDS10010 | xml_validation_error
Acceptance: Export declaration context is C21E.; 2/1 Simplified declaration / Previous documents at H & I level is m (h) o (i).; Populate XML path Declaration/GoodsShipment/ PreviousDocument Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ PreviousDocument only where this rule permits it.; Respect cardinality 9999x (H) 99x (I).; Value conforms to HMRC format -.

TDR-R-01644 | Field-level requirement | Export declaration | Export C21EEIDR: DE 2/1 Simplified declaration / Previous documents at H & I level is M (H) O (I); cardinality 9999x (H) 99x (I); format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!14
Error code/pattern: CDS10010 | xml_validation_error
Acceptance: Export declaration context is C21EEIDR.; 2/1 Simplified declaration / Previous documents at H & I level is m (h) o (i).; Populate XML path Declaration/GoodsShipment/ PreviousDocument Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ PreviousDocument only where this rule permits it.; Respect cardinality 9999x (H) 99x (I).; Value conforms to HMRC format -.

TDR-R-01645 | Field-level requirement | Export declaration | Export B1: DE 2/1 Simplified declaration / Previous documents - Document Category at H & I level is mandatory when the group-level item is present; cardinality 1:1; format a1.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!15
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is B1.; 2/1 Simplified declaration / Previous documents - Document Category at H & I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ PreviousDocument/ CategoryCode Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ PreviousDocument/ CategoryCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a1.; Value is drawn from HMRC codelist ExportDocumentCategories for these items.

TDR-R-01646 | Field-level requirement | Export declaration | Export C1: DE 2/1 Simplified declaration / Previous documents - Document Category at H & I level is mandatory when the group-level item is present; cardinality 1:1; format a1.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!15
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is C1.; 2/1 Simplified declaration / Previous documents - Document Category at H & I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ PreviousDocument/ CategoryCode Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ PreviousDocument/ CategoryCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a1.; Value is drawn from HMRC codelist ExportDocumentCategories for these items.

TDR-R-01647 | Field-level requirement | Export declaration | Export B2: DE 2/1 Simplified declaration / Previous documents - Document Category at H & I level is mandatory when the group-level item is present; cardinality 1:1; format a1.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!15
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is B2.; 2/1 Simplified declaration / Previous documents - Document Category at H & I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ PreviousDocument/ CategoryCode Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ PreviousDocument/ CategoryCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a1.; Value is drawn from HMRC codelist ExportDocumentCategories for these items.

TDR-R-01648 | Field-level requirement | Export declaration | Export B4: DE 2/1 Simplified declaration / Previous documents - Document Category at H & I level is mandatory when the group-level item is present; cardinality 1:1; format a1.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!15
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is B4.; 2/1 Simplified declaration / Previous documents - Document Category at H & I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ PreviousDocument/ CategoryCode Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ PreviousDocument/ CategoryCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a1.; Value is drawn from HMRC codelist ExportDocumentCategories for these items.

TDR-R-01649 | Field-level requirement | Export declaration | Export C21E: DE 2/1 Simplified declaration / Previous documents - Document Category at H & I level is mandatory when the group-level item is present; cardinality 1:1; format a1.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!15
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is C21E.; 2/1 Simplified declaration / Previous documents - Document Category at H & I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ PreviousDocument/ CategoryCode Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ PreviousDocument/ CategoryCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a1.; Value is drawn from HMRC codelist ExportDocumentCategories for these items.

TDR-R-01650 | Field-level requirement | Export declaration | Export C21EEIDR: DE 2/1 Simplified declaration / Previous documents - Document Category at H & I level is mandatory when the group-level item is present; cardinality 1:1; format a1.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!15
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is C21EEIDR.; 2/1 Simplified declaration / Previous documents - Document Category at H & I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ PreviousDocument/ CategoryCode Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ PreviousDocument/ CategoryCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a1.; Value is drawn from HMRC codelist ExportDocumentCategories for these items.

TDR-R-01651 | Field-level requirement | Export declaration | Export B1: DE 2/1 Simplified declaration / Previous documents - Previous Document Type at H & I level is mandatory when the group-level item is present; cardinality 1:1; format an..3.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!16
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is B1.; 2/1 Simplified declaration / Previous documents - Previous Document Type at H & I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ PreviousDocument/ TypeCode Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ PreviousDocument/ TypeCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..3.; Value is drawn from HMRC codelist ExportPreviousDocuments for these items.

TDR-R-01652 | Field-level requirement | Export declaration | Export C1: DE 2/1 Simplified declaration / Previous documents - Previous Document Type at H & I level is mandatory when the group-level item is present; cardinality 1:1; format an..3.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!16
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is C1.; 2/1 Simplified declaration / Previous documents - Previous Document Type at H & I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ PreviousDocument/ TypeCode Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ PreviousDocument/ TypeCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..3.; Value is drawn from HMRC codelist ExportPreviousDocuments for these items.

TDR-R-01653 | Field-level requirement | Export declaration | Export B2: DE 2/1 Simplified declaration / Previous documents - Previous Document Type at H & I level is mandatory when the group-level item is present; cardinality 1:1; format an..3.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!16
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is B2.; 2/1 Simplified declaration / Previous documents - Previous Document Type at H & I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ PreviousDocument/ TypeCode Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ PreviousDocument/ TypeCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..3.; Value is drawn from HMRC codelist ExportPreviousDocuments for these items.

TDR-R-01654 | Field-level requirement | Export declaration | Export B4: DE 2/1 Simplified declaration / Previous documents - Previous Document Type at H & I level is mandatory when the group-level item is present; cardinality 1:1; format an..3.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!16
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is B4.; 2/1 Simplified declaration / Previous documents - Previous Document Type at H & I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ PreviousDocument/ TypeCode Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ PreviousDocument/ TypeCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..3.; Value is drawn from HMRC codelist ExportPreviousDocuments for these items.

TDR-R-01655 | Field-level requirement | Export declaration | Export C21E: DE 2/1 Simplified declaration / Previous documents - Previous Document Type at H & I level is mandatory when the group-level item is present; cardinality 1:1; format an..3.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!16
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is C21E.; 2/1 Simplified declaration / Previous documents - Previous Document Type at H & I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ PreviousDocument/ TypeCode Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ PreviousDocument/ TypeCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..3.; Value is drawn from HMRC codelist ExportPreviousDocuments for these items.

TDR-R-01656 | Field-level requirement | Export declaration | Export C21EEIDR: DE 2/1 Simplified declaration / Previous documents - Previous Document Type at H & I level is mandatory when the group-level item is present; cardinality 1:1; format an..3.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!16
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is C21EEIDR.; 2/1 Simplified declaration / Previous documents - Previous Document Type at H & I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ PreviousDocument/ TypeCode Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ PreviousDocument/ TypeCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..3.; Value is drawn from HMRC codelist ExportPreviousDocuments for these items.

TDR-R-01657 | Field-level requirement | Export declaration | Export B1: DE 2/1 Simplified declaration / Previous documents - Previous Document Reference at H & I level is mandatory when the group-level item is present; cardinality 1:1; format an..35.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!17
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is B1.; 2/1 Simplified declaration / Previous documents - Previous Document Reference at H & I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ PreviousDocument/ ID Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ PreviousDocument/ ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..35.

TDR-R-01658 | Field-level requirement | Export declaration | Export C1: DE 2/1 Simplified declaration / Previous documents - Previous Document Reference at H & I level is mandatory when the group-level item is present; cardinality 1:1; format an..35.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!17
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is C1.; 2/1 Simplified declaration / Previous documents - Previous Document Reference at H & I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ PreviousDocument/ ID Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ PreviousDocument/ ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..35.

TDR-R-01659 | Field-level requirement | Export declaration | Export B2: DE 2/1 Simplified declaration / Previous documents - Previous Document Reference at H & I level is mandatory when the group-level item is present; cardinality 1:1; format an..35.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!17
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is B2.; 2/1 Simplified declaration / Previous documents - Previous Document Reference at H & I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ PreviousDocument/ ID

Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ PreviousDocument/ ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..35.

TDR-R-01660 | Field-level requirement | Export declaration | Export B4: DE 2/1 Simplified declaration / Previous documents - Previous Document Reference at H & I level is mandatory when the group-level item is present; cardinality 1:1; format an..35.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!17
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is B4.; 2/1 Simplified declaration / Previous documents - Previous Document Reference at H & I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ PreviousDocument/ ID Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ PreviousDocument/ ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..35.

TDR-R-01661 | Field-level requirement | Export declaration | Export C21E: DE 2/1 Simplified declaration / Previous documents - Previous Document Reference at H & I level is mandatory when the group-level item is present; cardinality 1:1; format an..35.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!17
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is C21E.; 2/1 Simplified declaration / Previous documents - Previous Document Reference at H & I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ PreviousDocument/ ID Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ PreviousDocument/ ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..35.

TDR-R-01662 | Field-level requirement | Export declaration | Export C21EEIDR: DE 2/1 Simplified declaration / Previous documents - Previous Document Reference at H & I level is mandatory when the group-level item is present; cardinality 1:1; format an..35.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!17
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is C21EEIDR.; 2/1 Simplified declaration / Previous documents - Previous Document Reference at H & I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ PreviousDocument/ ID Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ PreviousDocument/ ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..35.

TDR-R-01663 | Field-level requirement | Export declaration | Export B1: DE 2/1 Simplified declaration / Previous documents - Goods Item Identifier at H & I level is optional; cardinality 1:1; format n..3 Cannot be 0.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!18
Error code/pattern: CDS10010 | xml_validation_error
Acceptance: Export declaration context is B1.; 2/1 Simplified declaration / Previous documents - Goods Item Identifier at H & I level is optional.; Populate XML path Declaration/GoodsShipment/ PreviousDocument/ LineNumeric Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ PreviousDocument/ LineNumeric only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format n..3 Cannot be 0.

TDR-R-01664 | Field-level requirement | Export declaration | Export C1: DE 2/1 Simplified declaration / Previous documents - Goods Item Identifier at H & I level is optional; cardinality 1:1; format n..3 Cannot be 0.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!18
Error code/pattern: CDS10010 | xml_validation_error
Acceptance: Export declaration context is C1.; 2/1 Simplified declaration / Previous documents - Goods Item Identifier at H & I level is optional.; Populate XML path Declaration/GoodsShipment/ PreviousDocument/ LineNumeric Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ PreviousDocument/ LineNumeric only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format n..3 Cannot be 0.

TDR-R-01665 | Field-level requirement | Export declaration | Export B2: DE 2/1 Simplified declaration / Previous documents - Goods Item Identifier at H & I level is optional; cardinality 1:1; format n..3 Cannot be 0.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!18
Error code/pattern: CDS10010 | xml_validation_error
Acceptance: Export declaration context is B2.; 2/1 Simplified declaration / Previous documents - Goods Item Identifier at H & I level is optional.; Populate XML path Declaration/GoodsShipment/ PreviousDocument/ LineNumeric Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ PreviousDocument/ LineNumeric only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format n..3 Cannot be 0.

TDR-R-01666 | Field-level requirement | Export declaration | Export B4: DE 2/1 Simplified declaration / Previous documents - Goods Item Identifier at H & I level is optional; cardinality 1:1; format n..3 Cannot be 0.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!18
Error code/pattern: CDS10010 | xml_validation_error
Acceptance: Export declaration context is B4.; 2/1 Simplified declaration / Previous documents - Goods Item Identifier at H & I level is optional.; Populate XML path Declaration/GoodsShipment/ PreviousDocument/ LineNumeric Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ PreviousDocument/ LineNumeric only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format n..3 Cannot be 0.

TDR-R-01667 | Field-level requirement | Export declaration | Export C21E: DE 2/1 Simplified declaration / Previous documents - Goods Item Identifier at H & I level is optional; cardinality 1:1; format n..3 Cannot be 0.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!18
Error code/pattern: CDS10010 | xml_validation_error
Acceptance: Export declaration context is C21E.; 2/1 Simplified declaration / Previous documents - Goods Item Identifier at H & I level is optional.; Populate XML path Declaration/GoodsShipment/ PreviousDocument/ LineNumeric Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ PreviousDocument/ LineNumeric only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format n..3 Cannot be 0.

TDR-R-01668 | Field-level requirement | Export declaration | Export C21EEIDR: DE 2/1 Simplified declaration / Previous documents - Goods Item Identifier at H & I level is optional; cardinality 1:1; format n..3 Cannot be 0.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!18
Error code/pattern: CDS10010 | xml_validation_error
Acceptance: Export declaration context is C21EEIDR.; 2/1 Simplified declaration / Previous documents - Goods Item Identifier at H & I level is optional.; Populate XML path Declaration/GoodsShipment/ PreviousDocument/ LineNumeric Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ PreviousDocument/ LineNumeric only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format n..3 Cannot be 0.

TDR-R-01669 | Field-level requirement | Export declaration | Export B1: DE 2/2 Additional information at H & I level is D (H) D (I); cardinality 99x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!19
Error code/pattern: CDS10010 | xml_validation_error
Acceptance: Export declaration context is B1.; 2/2 Additional information at H & I level is d (h) d (i).; Populate XML path Declaration/ AdditionalInformation Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ AdditionalInformation only where this rule permits it.; Respect cardinality 99x.; Value conforms to HMRC format -.

TDR-R-01670 | Field-level requirement | Export declaration | Export C1: DE 2/2 Additional information at H & I level is D (H) D (I); cardinality 99x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!19
Error code/pattern: CDS10010 | xml_validation_error
Acceptance: Export declaration context is C1.; 2/2 Additional information at H & I level is d (h) d (i).; Populate XML path Declaration/ AdditionalInformation Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ AdditionalInformation only where this rule permits it.; Respect cardinality 99x.; Value conforms to HMRC format -.

TDR-R-01671 | Field-level requirement | Export declaration | Export B2: DE 2/2 Additional information at H & I level is D (H) D (I); cardinality 99x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!19
Error code/pattern: CDS10010 | xml_validation_error
Acceptance: Export declaration context is B2.; 2/2 Additional information at H & I level is d (h) d (i).; Populate XML path Declaration/ AdditionalInformation Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ AdditionalInformation only where this rule permits it.; Respect cardinality 99x.; Value conforms to HMRC format -.

TDR-R-01672 | Field-level requirement | Export declaration | Export B4: DE 2/2 Additional information at H & I level is D (H) D (I); cardinality 99x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!19
Error code/pattern: CDS10010 | xml_validation_error
Acceptance: Export declaration context is B4.; 2/2 Additional information at H & I level is d (h) d (i).; Populate XML path Declaration/ AdditionalInformation Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ AdditionalInformation only where this rule permits it.; Respect cardinality 99x.; Value conforms to HMRC format -.

TDR-R-01673 | Field-level requirement | Export declaration | Export C21E: DE 2/2 Additional information at H & I level is D (H) O (I); cardinality 99x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!19
Error code/pattern: CDS10010 | xml_validation_error
Acceptance: Export declaration context is C21E.; 2/2 Additional information at H & I level is d (h) o (i).; Populate XML path Declaration/ AdditionalInformation Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ AdditionalInformation only where this rule permits it.; Respect cardinality 99x.; Value conforms to HMRC format -.

TDR-R-01674 | Field-level requirement | Export declaration | Export C21EEIDR: DE 2/2 Additional information at H & I level is D (H) O (I); cardinality 99x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!19
Error code/pattern: CDS10010 | xml_validation_error
Acceptance: Export declaration context is C21EEIDR.; 2/2 Additional information at H & I level is d (h) o (i).; Populate XML path Declaration/ AdditionalInformation Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ AdditionalInformation only where this rule permits it.; Respect cardinality 99x.; Value conforms to HMRC format -.

TDR-R-01675 | Field-level requirement | Export declaration | Export B1: DE 2/2 Additional information - Code at H & I level is mandatory when the group-level item is present; cardinality 1:1; format an5.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!20
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is B1.; 2/2 Additional information - Code at H & I level is mandatory when the group-level item is present.; Populate XML path Declaration/ AdditionalInformation/ StatementCode Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ AdditionalInformation/ StatementCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an5.; Value is drawn from HMRC codelist ExportSpecialMentions for these items at item level and the CodeList GVMSAIcodes at header level (Note.

TDR-R-01676 | Field-level requirement | Export declaration | Export C1: DE 2/2 Additional information - Code at H & I level is mandatory when the group-level item is present; cardinality 1:1; format an5.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!20
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is C1.; 2/2 Additional information - Code at H & I level is mandatory when the group-level item is present.; Populate XML path Declaration/ AdditionalInformation/ StatementCode Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ AdditionalInformation/ StatementCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an5.; Value is drawn from HMRC codelist ExportSpecialMentions for these items at item level and the CodeList GVMSAIcodes at header level (Note.

TDR-R-01677 | Field-level requirement | Export declaration | Export B2: DE 2/2 Additional information - Code at H & I level is mandatory when the group-level item is present; cardinality 1:1; format an5.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!20
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is B2.; 2/2 Additional information - Code at H & I level is mandatory when the group-level item is present.; Populate XML path Declaration/ AdditionalInformation/ StatementCode Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ AdditionalInformation/ StatementCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an5.; Value is drawn from HMRC codelist ExportSpecialMentions for these items at item level and the CodeList GVMSAIcodes at header level (Note.

TDR-R-01678 | Field-level requirement | Export declaration | Export B4: DE 2/2 Additional information - Code at H & I level is mandatory when the group-level item is present; cardinality 1:1; format an5.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!20
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020

Acceptance: Export declaration context is B4.; 2/2 Additional information - Code at H & I level is mandatory when the group-level item is present.; Populate XML path Declaration/ AdditionalInformation/ StatementCode Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ AdditionalInformation/ StatementCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an5.; Value is drawn from HMRC codelist ExportSpecialMentions for these items at item level and the CodeList GVMSAIcodes at header level (Note.

TDR-R-01679 | Field-level requirement | Export declaration | Export C21E: DE 2/2 Additional information - Code at H & I level is mandatory when the group-level item is present; cardinality 1:1; format an5.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!20
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is C21E.; 2/2 Additional information - Code at H & I level is mandatory when the group-level item is present.; Populate XML path Declaration/ AdditionalInformation/ StatementCode Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ AdditionalInformation/ StatementCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an5.; Value is drawn from HMRC codelist ExportSpecialMentions for these items at item level and the CodeList GVMSAIcodes at header level (Note.

TDR-R-01680 | Field-level requirement | Export declaration | Export C21EEIDR: DE 2/2 Additional information - Code at H & I level is mandatory when the group-level item is present; cardinality 1:1; format an5.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!20
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is C21EEIDR.; 2/2 Additional information - Code at H & I level is mandatory when the group-level item is present.; Populate XML path Declaration/ AdditionalInformation/ StatementCode Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ AdditionalInformation/ StatementCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an5.; Value is drawn from HMRC codelist ExportSpecialMentions for these items at item level and the CodeList GVMSAIcodes at header level (Note.

TDR-R-01681 | Field-level requirement | Export declaration | Export B1: DE 2/2 Additional information - Description at H & I level is dependent; cardinality 1:1; format an..70.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!21
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is B1.; 2/2 Additional information - Description at H & I level is dependent.; Populate XML path Declaration/ AdditionalInformation/ StatementDescription Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ AdditionalInformation/ StatementDescription only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..70.

TDR-R-01682 | Field-level requirement | Export declaration | Export C1: DE 2/2 Additional information - Description at H & I level is dependent; cardinality 1:1; format an..70.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!21
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is C1.; 2/2 Additional information - Description at H & I level is dependent.; Populate XML path Declaration/ AdditionalInformation/ StatementDescription Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ AdditionalInformation/ StatementDescription only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..70.

TDR-R-01683 | Field-level requirement | Export declaration | Export B2: DE 2/2 Additional information - Description at H & I level is dependent; cardinality 1:1; format an..70.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!21
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is B2.; 2/2 Additional information - Description at H & I level is dependent.; Populate XML path Declaration/ AdditionalInformation/ StatementDescription Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ AdditionalInformation/ StatementDescription only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..70.

TDR-R-01684 | Field-level requirement | Export declaration | Export B4: DE 2/2 Additional information - Description at H & I level is dependent; cardinality 1:1; format an..70.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!21
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is B4.; 2/2 Additional information - Description at H & I level is dependent.; Populate XML path Declaration/ AdditionalInformation/ StatementDescription Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ AdditionalInformation/ StatementDescription only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..70.

TDR-R-01685 | Field-level requirement | Export declaration | Export C21E: DE 2/2 Additional information - Description at H & I level is dependent; cardinality 1:1; format an..70.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!21
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is C21E.; 2/2 Additional information - Description at H & I level is dependent.; Populate XML path Declaration/ AdditionalInformation/ StatementDescription Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ AdditionalInformation/ StatementDescription only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..70.

TDR-R-01686 | Field-level requirement | Export declaration | Export C21EEIDR: DE 2/2 Additional information - Description at H & I level is dependent; cardinality 1:1; format an..70.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!21
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is C21EEIDR.; 2/2 Additional information - Description at H & I level is dependent.; Populate XML path Declaration/ AdditionalInformation/ StatementDescription Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ AdditionalInformation/ StatementDescription only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..70.

TDR-R-01687 | Field-level requirement | Export declaration | Export B1: DE 2/3 Documents produced, certificates and authorizations, additional references at I level is dependent; cardinality 99x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!22
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is B1.; 2/3 Documents produced, certificates and authorizations, additional references at I level is dependent.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ AdditionalDocument only where this rule permits it.; Respect cardinality 99x.; Value conforms to HMRC format -.

TDR-R-01688 | Field-level requirement | Export declaration | Export C1: DE 2/3 Documents produced, certificates and authorizations, additional references at I level is dependent; cardinality 99x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!22
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is C1.; 2/3 Documents produced, certificates and authorizations, additional references at I level is dependent.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ AdditionalDocument only where this rule permits it.; Respect cardinality 99x.; Value conforms to HMRC format -.

TDR-R-01689 | Field-level requirement | Export declaration | Export B2: DE 2/3 Documents produced, certificates and authorizations, additional references at I level is mandatory; cardinality 99x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!22
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is B2.; 2/3 Documents produced, certificates and authorizations, additional references at I level is mandatory.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ AdditionalDocument only where this rule permits it.; Respect cardinality 99x.; Value conforms to HMRC format -.

TDR-R-01690 | Field-level requirement | Export declaration | Export B4: DE 2/3 Documents produced, certificates and authorizations, additional references at I level is dependent; cardinality 99x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!22
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is B4.; 2/3 Documents produced, certificates and authorizations, additional references at I level is dependent.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ AdditionalDocument only where this rule permits it.; Respect cardinality 99x.; Value conforms to HMRC format -.

TDR-R-01691 | Field-level requirement | Export declaration | Export C21E: DE 2/3 Documents produced, certificates and authorizations, additional references at I level is dependent; cardinality 99x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!22
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is C21E.; 2/3 Documents produced, certificates and authorizations, additional references at I level is dependent.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ AdditionalDocument only where this rule permits it.; Respect cardinality 99x.; Value conforms to HMRC format -.

TDR-R-01692 | Field-level requirement | Export declaration | Export C21EEIDR: DE 2/3 Documents produced, certificates and authorizations, additional references at I level is mandatory; cardinality 99x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!22
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is C21EEIDR.; 2/3 Documents produced, certificates and authorizations, additional references at I level is mandatory.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ AdditionalDocument only where this rule permits it.; Respect cardinality 99x.; Value conforms to HMRC format -.

TDR-R-01693 | Field-level requirement | Export declaration | Export B1: DE 8/7 Writing Off - Date of Validity at I level is dependent; cardinality 1:1; format n8.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!28
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is B1.; 8/7 Writing Off - Date of Validity at I level is dependent.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ AdditionalDocument/ EffectiveDateTime only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format n8.

TDR-R-01694 | Field-level requirement | Export declaration | Export C1: DE 8/7 Writing Off - Date of Validity at I level is dependent; cardinality 1:1; format n8.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!28
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is C1.; 8/7 Writing Off - Date of Validity at I level is dependent.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ AdditionalDocument/ EffectiveDateTime only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format n8.

TDR-R-01695 | Field-level requirement | Export declaration | Export B2: DE 8/7 Writing Off - Date of Validity at I level is dependent; cardinality 1:1; format n8.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!28
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is B2.; 8/7 Writing Off - Date of Validity at I level is dependent.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ AdditionalDocument/ EffectiveDateTime only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format n8.

TDR-R-01696 | Field-level requirement | Export declaration | Export B4: DE 8/7 Writing Off - Date of Validity at I level is dependent; cardinality 1:1; format n8.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!28
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is B4.; 8/7 Writing Off - Date of Validity at I level is dependent.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ AdditionalDocument/ EffectiveDateTime only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format n8.

TDR-R-01697 | Field-level requirement | Export declaration | Export C21E: DE 8/7 Writing Off - Date of Validity at I level is optional; cardinality 1:1; format n8.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!28
Error code/pattern: CDS10010 | xml_validation_error
Acceptance: Export declaration context is C21E.; 8/7 Writing Off - Date of Validity at I level is optional.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ AdditionalDocument/ EffectiveDateTime only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format n8.

TDR-R-01698 | Field-level requirement | Export declaration | Export C21EEIDR: DE 8/7 Writing Off - Date of Validity at I level is optional; cardinality 1:1; format n8.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!28
Error code/pattern: CDS10010 | xml_validation_error
Acceptance: Export declaration context is C21EEIDR.; 8/7 Writing Off - Date of Validity at I level is optional.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ AdditionalDocument/ EffectiveDateTime only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format n8.

TDR-R-01699 | Field-level requirement | Export declaration | Export B1: DE 8/7 Writing Off - Issuing Authority at I level is dependent; cardinality 1:1; format an..70.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!29
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is B1.; 8/7 Writing Off - Issuing Authority at I level is dependent.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ AdditionalDocument/ Submitter/ Name only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..70.

TDR-R-01700 | Field-level requirement | Export declaration | Export C1: DE 8/7 Writing Off - Issuing Authority at I level is dependent; cardinality 1:1; format an..70.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!29
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is C1.; 8/7 Writing Off - Issuing Authority at I level is dependent.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ AdditionalDocument/ Submitter/ Name only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..70.

TDR-R-01701 | Field-level requirement | Export declaration | Export B2: DE 8/7 Writing Off - Issuing Authority at I level is dependent; cardinality 1:1; format an..70.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!29
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is B2.; 8/7 Writing Off - Issuing Authority at I level is dependent.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ AdditionalDocument/ Submitter/ Name only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..70.

TDR-R-01702 | Field-level requirement | Export declaration | Export B4: DE 8/7 Writing Off - Issuing Authority at I level is dependent; cardinality 1:1; format an..70.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!29
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is B4.; 8/7 Writing Off - Issuing Authority at I level is dependent.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ AdditionalDocument/ Submitter/ Name only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..70.

TDR-R-01703 | Field-level requirement | Export declaration | Export C21E: DE 8/7 Writing Off - Issuing Authority at I level is optional; cardinality 1:1; format an..70.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!29
Error code/pattern: CDS10010 | xml_validation_error
Acceptance: Export declaration context is C21E.; 8/7 Writing Off - Issuing Authority at I level is optional.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ AdditionalDocument/ Submitter/ Name only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..70.

TDR-R-01704 | Field-level requirement | Export declaration | Export C21EEIDR: DE 8/7 Writing Off - Issuing Authority at I level is optional; cardinality 1:1; format an..70.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!29
Error code/pattern: CDS10010 | xml_validation_error
Acceptance: Export declaration context is C21EEIDR.; 8/7 Writing Off - Issuing Authority at I level is optional.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ AdditionalDocument/ Submitter/ Name only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..70.

TDR-R-01705 | Field-level requirement | Export declaration | Export B1: DE 8/7 Writing Off - Measurement Unit & Qualifier at I level is dependent; cardinality 1:1; format an..5 including separator # character.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!30
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is B1.; 8/7 Writing Off - Measurement Unit & Qualifier at I level is dependent.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ AdditionalDocument/ WriteOff/ QuantityQuantity @unitCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..5 including separator # character.; Value is drawn from HMRC codelist MeasureUnitTypes and MeasureUnitQualifiers for these items.

TDR-R-01706 | Field-level requirement | Export declaration | Export C1: DE 8/7 Writing Off - Measurement Unit & Qualifier at I level is dependent; cardinality 1:1; format an..5 including separator # character.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!30
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is C1.; 8/7 Writing Off - Measurement Unit & Qualifier at I level is dependent.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ AdditionalDocument/ WriteOff/ QuantityQuantity @unitCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..5 including separator # character.; Value is drawn from HMRC codelist MeasureUnitTypes and MeasureUnitQualifiers for these items.

TDR-R-01707 | Field-level requirement | Export declaration | Export B2: DE 8/7 Writing Off - Measurement Unit & Qualifier at I level is dependent; cardinality 1:1; format an..5 including separator # character.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!30
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is B2.; 8/7 Writing Off - Measurement Unit & Qualifier at I level is dependent.; Populate XML path

Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ AdditionalDocument/ WriteOff/ QuantityQuantity @unitCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..5 including separator # character.; Value is drawn from HMRC codelist MeasureUnitTypes and MeasureUnitQualifiers for these items.

TDR-R-01708 | Field-level requirement | Export declaration | Export B4: DE 8/7 Writing Off - Measurement Unit & Qualifier at I level is dependent; cardinality 1:1; format an..5 including separator # character.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!30
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is B4.; 8/7 Writing Off - Measurement Unit & Qualifier at I level is dependent.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ AdditionalDocument/ WriteOff/ QuantityQuantity @unitCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..5 including separator # character.; Value is drawn from HMRC codelist MeasureUnitTypes and MeasureUnitQualifiers for these items.

TDR-R-01709 | Field-level requirement | Export declaration | Export C21E: DE 8/7 Writing Off - Measurement Unit & Qualifier at I level is optional; cardinality 1:1; format an..5 including separator # character.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!30
Error code/pattern: CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is C21E.; 8/7 Writing Off - Measurement Unit & Qualifier at I level is optional.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ AdditionalDocument/ WriteOff/ QuantityQuantity @unitCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..5 including separator # character.; Value is drawn from HMRC codelist MeasureUnitTypes and MeasureUnitQualifiers for these items.

TDR-R-01710 | Field-level requirement | Export declaration | Export C21EEIDR: DE 8/7 Writing Off - Measurement Unit & Qualifier at I level is optional; cardinality 1:1; format an..5 including separator # character.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!30
Error code/pattern: CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is C21EEIDR.; 8/7 Writing Off - Measurement Unit & Qualifier at I level is optional.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ AdditionalDocument/ WriteOff/ QuantityQuantity @unitCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..5 including separator # character.; Value is drawn from HMRC codelist MeasureUnitTypes and MeasureUnitQualifiers for these items.

TDR-R-01711 | Field-level requirement | Export declaration | Export B1: DE 8/7 Writing Off - Quantity at I level is dependent; cardinality 1:1; format n..16,6.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!31
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is B1.; 8/7 Writing Off - Quantity at I level is dependent.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ AdditionalDocument/ WriteOff/ QuantityQuantity only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format n..16,6.

TDR-R-01712 | Field-level requirement | Export declaration | Export C1: DE 8/7 Writing Off - Quantity at I level is dependent; cardinality 1:1; format n..16,6.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!31
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is C1.; 8/7 Writing Off - Quantity at I level is dependent.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ AdditionalDocument/ WriteOff/ QuantityQuantity only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format n..16,6.

TDR-R-01713 | Field-level requirement | Export declaration | Export B2: DE 8/7 Writing Off - Quantity at I level is dependent; cardinality 1:1; format n..16,6.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!31
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is B2.; 8/7 Writing Off - Quantity at I level is dependent.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ AdditionalDocument/ WriteOff/ QuantityQuantity only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format n..16,6.

TDR-R-01714 | Field-level requirement | Export declaration | Export B4: DE 8/7 Writing Off - Quantity at I level is dependent; cardinality 1:1; format n..16,6.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!31
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is B4.; 8/7 Writing Off - Quantity at I level is dependent.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ AdditionalDocument/ WriteOff/ QuantityQuantity only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format n..16,6.

TDR-R-01715 | Field-level requirement | Export declaration | Export C21E: DE 8/7 Writing Off - Quantity at I level is dependent; cardinality 1:1; format n..16,6.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!31
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is C21E.; 8/7 Writing Off - Quantity at I level is dependent.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ AdditionalDocument/ WriteOff/ QuantityQuantity only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format n..16,6.

TDR-R-01716 | Field-level requirement | Export declaration | Export C21EEIDR: DE 8/7 Writing Off - Quantity at I level is optional; cardinality 1:1; format n..16,6.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!31
Error code/pattern: CDS10010 | xml_validation_error
Acceptance: Export declaration context is C21EEIDR.; 8/7 Writing Off - Quantity at I level is optional.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ AdditionalDocument/ WriteOff/ QuantityQuantity only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format n..16,6.

TDR-R-01717 | Field-level requirement | Export declaration | Export B1: DE 2/4 Reference number / UCR at H & I level is optional; cardinality 1x (H) 1x (I); format an..35.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!32
Error code/pattern: CDS10010 | xml_validation_error
Acceptance: Export declaration context is B1.; 2/4 Reference number / UCR at H & I level is optional.; Populate XML path Declaration/ GoodsShipment/ UCR/ TraderAssignedReferenceID Declaration/ GoodsShipment/ GovernmentAgencyGoodsItem/ UCR/ TraderAssignedReferenceID only where this rule permits it.; Respect cardinality 1x (H) 1x (I).; Value conforms to HMRC format an..35.

TDR-R-01718 | Field-level requirement | Export declaration | Export C1: DE 2/4 Reference number / UCR at H & I level is optional; cardinality 1x (H) 1x (I); format an..35.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!32
Error code/pattern: CDS10010 | xml_validation_error
Acceptance: Export declaration context is C1.; 2/4 Reference number / UCR at H & I level is optional.; Populate XML path Declaration/ GoodsShipment/ UCR/ TraderAssignedReferenceID Declaration/ GoodsShipment/ GovernmentAgencyGoodsItem/ UCR/ TraderAssignedReferenceID only where this rule permits it.; Respect cardinality 1x (H) 1x (I).; Value conforms to HMRC format an..35.

TDR-R-01719 | Field-level requirement | Export declaration | Export B2: DE 2/4 Reference number / UCR at H & I level is optional; cardinality 1x (H) 1x (I); format an..35.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!32
Error code/pattern: CDS10010 | xml_validation_error
Acceptance: Export declaration context is B2.; 2/4 Reference number / UCR at H & I level is optional.; Populate XML path Declaration/ GoodsShipment/ UCR/ TraderAssignedReferenceID Declaration/ GoodsShipment/ GovernmentAgencyGoodsItem/ UCR/ TraderAssignedReferenceID only where this rule permits it.; Respect cardinality 1x (H) 1x (I).; Value conforms to HMRC format an..35.

TDR-R-01720 | Field-level requirement | Export declaration | Export B4: DE 2/4 Reference number / UCR at H & I level is optional; cardinality 1x (H) 1x (I); format an..35.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!32
Error code/pattern: CDS10010 | xml_validation_error
Acceptance: Export declaration context is B4.; 2/4 Reference number / UCR at H & I level is optional.; Populate XML path Declaration/ GoodsShipment/ UCR/ TraderAssignedReferenceID Declaration/ GoodsShipment/ GovernmentAgencyGoodsItem/ UCR/ TraderAssignedReferenceID only where this rule permits it.; Respect cardinality 1x (H) 1x (I).; Value conforms to HMRC format an..35.

TDR-R-01721 | Field-level requirement | Export declaration | Export C21E: DE 2/4 Reference number / UCR at H & I level is optional; cardinality 1x (H) 1x (I); format an..35.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!32
Error code/pattern: CDS10010 | xml_validation_error
Acceptance: Export declaration context is C21E.; 2/4 Reference number / UCR at H & I level is optional.; Populate XML path Declaration/ GoodsShipment/ UCR/ TraderAssignedReferenceID Declaration/ GoodsShipment/ GovernmentAgencyGoodsItem/ UCR/ TraderAssignedReferenceID only where this rule permits it.; Respect cardinality 1x (H) 1x (I).; Value conforms to HMRC format an..35.

TDR-R-01722 | Field-level requirement | Export declaration | Export C21EEIDR: DE 2/4 Reference number / UCR at H & I level is optional; cardinality 1x (H) 1x (I); format an..35.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!32
Error code/pattern: CDS10010 | xml_validation_error
Acceptance: Export declaration context is C21EEIDR.; 2/4 Reference number / UCR at H & I level is optional.; Populate XML path Declaration/ GoodsShipment/ UCR/ TraderAssignedReferenceID Declaration/ GoodsShipment/ GovernmentAgencyGoodsItem/ UCR/ TraderAssignedReferenceID only where this rule permits it.; Respect cardinality 1x (H) 1x (I).; Value conforms to HMRC format an..35.

TDR-R-01723 | Field-level requirement | Export declaration | Export B1: DE 2/5 LRN at H level is mandatory; cardinality 1x; format an..22.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!33
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is B1.; 2/5 LRN at H level is mandatory.; Populate XML path Declaration/ FunctionalReferenceID only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format an..22.

TDR-R-01724 | Field-level requirement | Export declaration | Export C1: DE 2/5 LRN at H level is mandatory; cardinality 1x; format an..22.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!33
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is C1.; 2/5 LRN at H level is mandatory.; Populate XML path Declaration/ FunctionalReferenceID only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format an..22.

TDR-R-01725 | Field-level requirement | Export declaration | Export B2: DE 2/5 LRN at H level is mandatory; cardinality 1x; format an..22.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!33
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is B2.; 2/5 LRN at H level is mandatory.; Populate XML path Declaration/ FunctionalReferenceID only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format an..22.

TDR-R-01726 | Field-level requirement | Export declaration | Export B4: DE 2/5 LRN at H level is mandatory; cardinality 1x; format an..22.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!33
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is B4.; 2/5 LRN at H level is mandatory.; Populate XML path Declaration/ FunctionalReferenceID only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format an..22.

TDR-R-01727 | Field-level requirement | Export declaration | Export C21E: DE 2/5 LRN at H level is mandatory; cardinality 1x; format an..22.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!33
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is C21E.; 2/5 LRN at H level is mandatory.; Populate XML path Declaration/ FunctionalReferenceID only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format an..22.

TDR-R-01728 | Field-level requirement | Export declaration | Export C21EEIDR: DE 2/5 LRN at H level is mandatory; cardinality 1x; format an..22.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!33

Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is C21EEIDR.; 2/5 LRN at H level is mandatory.; Populate XML path Declaration/ FunctionalReferenceID only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format an..22.

TDR-R-01729 | Field-level requirement | Export declaration | Export B1: DE 2/7 Identification of warehouse at H level is dependent; cardinality 1x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!34
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is B1.; 2/7 Identification of warehouse at H level is dependent.; Populate XML path Declaration/GoodsShipment/ Warehouse only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format -.

TDR-R-01730 | Field-level requirement | Export declaration | Export C1: DE 2/7 Identification of warehouse at H level is dependent; cardinality 1x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!34
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is C1.; 2/7 Identification of warehouse at H level is dependent.; Populate XML path Declaration/GoodsShipment/ Warehouse only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format -.

TDR-R-01731 | Field-level requirement | Export declaration | Export B2: DE 2/7 Identification of warehouse at H level is not allowed; cardinality 1x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!34
Error code/pattern: CDS10002 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is B2.; 2/7 Identification of warehouse at H level is not allowed.; Populate XML path Declaration/GoodsShipment/ Warehouse only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format -.

TDR-R-01732 | Field-level requirement | Export declaration | Export B4: DE 2/7 Identification of warehouse at H level is dependent; cardinality 1x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!34
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is B4.; 2/7 Identification of warehouse at H level is dependent.; Populate XML path Declaration/GoodsShipment/ Warehouse only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format -.

TDR-R-01733 | Field-level requirement | Export declaration | Export C21E: DE 2/7 Identification of warehouse at H level is dependent; cardinality 1x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!34
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is C21E.; 2/7 Identification of warehouse at H level is dependent.; Populate XML path Declaration/GoodsShipment/ Warehouse only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format -.

TDR-R-01734 | Field-level requirement | Export declaration | Export C21EEIDR: DE 2/7 Identification of warehouse at H level is dependent; cardinality 1x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!34
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is C21EEIDR.; 2/7 Identification of warehouse at H level is dependent.; Populate XML path Declaration/GoodsShipment/ Warehouse only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format -.

TDR-R-01735 | Field-level requirement | Export declaration | Export B1: DE 2/7 Identification of warehouse - Warehouse Identifier at H level is mandatory when the group-level item is present; cardinality 1:1; format an..35.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!35
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is B1.; 2/7 Identification of warehouse - Warehouse Identifier at H level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ Warehouse/ ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..35.

TDR-R-01736 | Field-level requirement | Export declaration | Export C1: DE 2/7 Identification of warehouse - Warehouse Identifier at H level is mandatory when the group-level item is present; cardinality 1:1; format an..35.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!35
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is C1.; 2/7 Identification of warehouse - Warehouse Identifier at H level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ Warehouse/ ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..35.

TDR-R-01737 | Field-level requirement | Export declaration | Export B2: DE 2/7 Identification of warehouse - Warehouse Identifier at H level is not allowed; cardinality 1:1; format an..35.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!35
Error code/pattern: CDS10002 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is B2.; 2/7 Identification of warehouse - Warehouse Identifier at H level is not allowed.; Populate XML path Declaration/GoodsShipment/ Warehouse/ ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..35.

TDR-R-01738 | Field-level requirement | Export declaration | Export B4: DE 2/7 Identification of warehouse - Warehouse Identifier at H level is mandatory when the group-level item is present; cardinality 1:1; format an..35.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!35
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is B4.; 2/7 Identification of warehouse - Warehouse Identifier at H level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ Warehouse/ ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..35.

TDR-R-01739 | Field-level requirement | Export declaration | Export C21E: DE 2/7 Identification of warehouse - Warehouse Identifier at H level is mandatory when the group-level item is present; cardinality 1:1; format an..35.

Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!35
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is C21E.; 2/7 Identification of warehouse - Warehouse Identifier at H level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ Warehouse/ ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..35.

TDR-R-01740 | Field-level requirement | Export declaration | Export C21EEIDR: DE 2/7 Identification of warehouse - Warehouse Identifier at H level is mandatory when the group-level item is present; cardinality 1:1; format an..35.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!35
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is C21EEIDR.; 2/7 Identification of warehouse - Warehouse Identifier at H level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ Warehouse/ ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..35.

TDR-R-01741 | Field-level requirement | Export declaration | Export B1: DE 2/7 Identification of warehouse - Warehouse Type at H level is mandatory when the group-level item is present; cardinality 1:1; format a1.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!36
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is B1.; 2/7 Identification of warehouse - Warehouse Type at H level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ Warehouse/ TypeCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a1.; Value is drawn from HMRC codelist CustomsWarehouseTypes for these items.

TDR-R-01742 | Field-level requirement | Export declaration | Export C1: DE 2/7 Identification of warehouse - Warehouse Type at H level is mandatory when the group-level item is present; cardinality 1:1; format a1.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!36
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is C1.; 2/7 Identification of warehouse - Warehouse Type at H level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ Warehouse/ TypeCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a1.; Value is drawn from HMRC codelist CustomsWarehouseTypes for these items.

TDR-R-01743 | Field-level requirement | Export declaration | Export B2: DE 2/7 Identification of warehouse - Warehouse Type at H level is not allowed; cardinality 1:1; format a1.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!36
Error code/pattern: CDS10002 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is B2.; 2/7 Identification of warehouse - Warehouse Type at H level is not allowed.; Populate XML path Declaration/GoodsShipment/ Warehouse/ TypeCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a1.; Value is drawn from HMRC codelist CustomsWarehouseTypes for these items.

TDR-R-01744 | Field-level requirement | Export declaration | Export B4: DE 2/7 Identification of warehouse - Warehouse Type at H level is mandatory when the group-level item is present; cardinality 1:1; format a1.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!36
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is B4.; 2/7 Identification of warehouse - Warehouse Type at H level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ Warehouse/ TypeCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a1.; Value is drawn from HMRC codelist CustomsWarehouseTypes for these items.

TDR-R-01745 | Field-level requirement | Export declaration | Export C21E: DE 2/7 Identification of warehouse - Warehouse Type at H level is mandatory when the group-level item is present; cardinality 1:1; format a1.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!36
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is C21E.; 2/7 Identification of warehouse - Warehouse Type at H level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ Warehouse/ TypeCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a1.; Value is drawn from HMRC codelist CustomsWarehouseTypes for these items.

TDR-R-01746 | Field-level requirement | Export declaration | Export C21EEIDR: DE 2/7 Identification of warehouse - Warehouse Type at H level is mandatory when the group-level item is present; cardinality 1:1; format a1.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!36
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is C21EEIDR.; 2/7 Identification of warehouse - Warehouse Type at H level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ Warehouse/ TypeCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a1.; Value is drawn from HMRC codelist CustomsWarehouseTypes for these items.

TDR-R-01747 | Field-level requirement | Export declaration | Export B1: DE 3/1 Exporter at H level is mandatory; cardinality 1x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!37
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is B1.; 3/1 Exporter at H level is mandatory.; Populate XML path Declaration/Exporter only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format -.

TDR-R-01748 | Field-level requirement | Export declaration | Export C1: DE 3/1 Exporter at H level is mandatory; cardinality 1x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!37
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is C1.; 3/1 Exporter at H level is mandatory.; Populate XML path Declaration/Exporter only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format -.

TDR-R-01749 | Field-level requirement | Export declaration | Export B2: DE 3/1 Exporter at H level is mandatory; cardinality 1x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!37
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is B2.; 3/1 Exporter at H level is mandatory.; Populate XML path Declaration/Exporter only where this rule

permits it.; Respect cardinality 1x.; Value conforms to HMRC format -.

TDR-R-01750 | Field-level requirement | Export declaration | Export B4: DE 3/1 Exporter at H level is mandatory; cardinality 1x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!37
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is B4.; 3/1 Exporter at H level is mandatory.; Populate XML path Declaration/Exporter only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format -.

TDR-R-01751 | Field-level requirement | Export declaration | Export C21E: DE 3/1 Exporter at H level is mandatory; cardinality 1x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!37
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is C21E.; 3/1 Exporter at H level is mandatory.; Populate XML path Declaration/Exporter only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format -.

TDR-R-01752 | Field-level requirement | Export declaration | Export B1: DE 3/1 Exporter - Name at H level is dependent; cardinality 1:1; format an..35.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!38
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is B1.; 3/1 Exporter - Name at H level is dependent.; Populate XML path Declaration/Exporter/Name only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..35.

TDR-R-01753 | Field-level requirement | Export declaration | Export C1: DE 3/1 Exporter - Name at H level is dependent; cardinality 1:1; format an..35.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!38
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is C1.; 3/1 Exporter - Name at H level is dependent.; Populate XML path Declaration/Exporter/Name only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..35.

TDR-R-01754 | Field-level requirement | Export declaration | Export B2: DE 3/1 Exporter - Name at H level is dependent; cardinality 1:1; format an..35.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!38
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is B2.; 3/1 Exporter - Name at H level is dependent.; Populate XML path Declaration/Exporter/Name only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..35.

TDR-R-01755 | Field-level requirement | Export declaration | Export B4: DE 3/1 Exporter - Name at H level is dependent; cardinality 1:1; format an..35.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!38
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is B4.; 3/1 Exporter - Name at H level is dependent.; Populate XML path Declaration/Exporter/Name only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..35.

TDR-R-01756 | Field-level requirement | Export declaration | Export C21E: DE 3/1 Exporter - Name at H level is dependent; cardinality 1:1; format an..35.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!38
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is C21E.; 3/1 Exporter - Name at H level is dependent.; Populate XML path Declaration/Exporter/Name only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..35.

TDR-R-01757 | Field-level requirement | Export declaration | Export B1: DE 3/1 Exporter - Street and Number at H level is dependent; cardinality 1:1; format an..35.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!39
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is B1.; 3/1 Exporter - Street and Number at H level is dependent.; Populate XML path Declaration/Exporter/Address/Line only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..35.

TDR-R-01758 | Field-level requirement | Export declaration | Export C1: DE 3/1 Exporter - Street and Number at H level is dependent; cardinality 1:1; format an..35.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!39
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is C1.; 3/1 Exporter - Street and Number at H level is dependent.; Populate XML path Declaration/Exporter/Address/Line only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..35.

TDR-R-01759 | Field-level requirement | Export declaration | Export B2: DE 3/1 Exporter - Street and Number at H level is dependent; cardinality 1:1; format an..35.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!39
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is B2.; 3/1 Exporter - Street and Number at H level is dependent.; Populate XML path Declaration/Exporter/Address/Line only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..35.

TDR-R-01760 | Field-level requirement | Export declaration | Export B4: DE 3/1 Exporter - Street and Number at H level is dependent; cardinality 1:1; format an..35.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!39
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is B4.; 3/1 Exporter - Street and Number at H level is dependent.; Populate XML path Declaration/Exporter/Address/Line only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..35.

TDR-R-01761 | Field-level requirement | Export declaration | Export C21E: DE 3/1 Exporter - Street and Number at H level is dependent; cardinality 1:1; format an..35.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!39

Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is C21E.; 3/1 Exporter - Street and Number at H level is dependent.; Populate XML path Declaration/Exporter/Address/Line only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..35.

TDR-R-01762 | Field-level requirement | Export declaration | Export B1: DE 3/1 Exporter - Country at H level is dependent; cardinality 1:1; format a2 Must be Upper Case.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!40
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is B1.; 3/1 Exporter - Country at H level is dependent.; Populate XML path Declaration/Exporter/Address/CountryCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a2 Must be Upper Case.; Value is drawn from HMRC codelist CountryTypes for these items.

TDR-R-01763 | Field-level requirement | Export declaration | Export C1: DE 3/1 Exporter - Country at H level is dependent; cardinality 1:1; format a2 Must be Upper Case.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!40
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is C1.; 3/1 Exporter - Country at H level is dependent.; Populate XML path Declaration/Exporter/Address/CountryCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a2 Must be Upper Case.; Value is drawn from HMRC codelist CountryTypes for these items.

TDR-R-01764 | Field-level requirement | Export declaration | Export B2: DE 3/1 Exporter - Country at H level is dependent; cardinality 1:1; format a2 Must be Upper Case.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!40
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is B2.; 3/1 Exporter - Country at H level is dependent.; Populate XML path Declaration/Exporter/Address/CountryCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a2 Must be Upper Case.; Value is drawn from HMRC codelist CountryTypes for these items.

TDR-R-01765 | Field-level requirement | Export declaration | Export B4: DE 3/1 Exporter - Country at H level is dependent; cardinality 1:1; format a2 Must be Upper Case.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!40
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is B4.; 3/1 Exporter - Country at H level is dependent.; Populate XML path Declaration/Exporter/Address/CountryCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a2 Must be Upper Case.; Value is drawn from HMRC codelist CountryTypes for these items.

TDR-R-01766 | Field-level requirement | Export declaration | Export C21E: DE 3/1 Exporter - Country at H level is dependent; cardinality 1:1; format a2 Must be Upper Case.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!40
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is C21E.; 3/1 Exporter - Country at H level is dependent.; Populate XML path Declaration/Exporter/Address/CountryCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a2 Must be Upper Case.; Value is drawn from HMRC codelist CountryTypes for these items.

TDR-R-01767 | Field-level requirement | Export declaration | Export B1: DE 3/1 Exporter - Postcode at H level is dependent; cardinality 1:1; format an..9.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!41
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is B1.; 3/1 Exporter - Postcode at H level is dependent.; Populate XML path Declaration/Exporter/Address/PostcodeID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..9.

TDR-R-01768 | Field-level requirement | Export declaration | Export C1: DE 3/1 Exporter - Postcode at H level is dependent; cardinality 1:1; format an..9.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!41
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is C1.; 3/1 Exporter - Postcode at H level is dependent.; Populate XML path Declaration/Exporter/Address/PostcodeID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..9.

TDR-R-01769 | Field-level requirement | Export declaration | Export B2: DE 3/1 Exporter - Postcode at H level is dependent; cardinality 1:1; format an..9.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!41
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is B2.; 3/1 Exporter - Postcode at H level is dependent.; Populate XML path Declaration/Exporter/Address/PostcodeID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..9.

TDR-R-01770 | Field-level requirement | Export declaration | Export B4: DE 3/1 Exporter - Postcode at H level is dependent; cardinality 1:1; format an..9.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!41
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is B4.; 3/1 Exporter - Postcode at H level is dependent.; Populate XML path Declaration/Exporter/Address/PostcodeID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..9.

TDR-R-01771 | Field-level requirement | Export declaration | Export C21E: DE 3/1 Exporter - Postcode at H level is dependent; cardinality 1:1; format an..9.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!41
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is C21E.; 3/1 Exporter - Postcode at H level is dependent.; Populate XML path Declaration/Exporter/Address/PostcodeID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..9.

TDR-R-01772 | Field-level requirement | Export declaration | Export B1: DE 3/1 Exporter - City at H level is dependent; cardinality 1:1; format an..35.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!42
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is B1.; 3/1 Exporter - City at H level is dependent.; Populate XML path Declaration/Exporter/Address/CityName only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..35.

TDR-R-01773 | Field-level requirement | Export declaration | Export C1: DE 3/1 Exporter - City at H level is dependent; cardinality 1:1; format an..35.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!42
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is C1.; 3/1 Exporter - City at H level is dependent.; Populate XML path Declaration/Exporter/Address/CityName only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..35.

TDR-R-01774 | Field-level requirement | Export declaration | Export B2: DE 3/1 Exporter - City at H level is dependent; cardinality 1:1; format an..35.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!42
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is B2.; 3/1 Exporter - City at H level is dependent.; Populate XML path Declaration/Exporter/Address/CityName only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..35.

TDR-R-01775 | Field-level requirement | Export declaration | Export B4: DE 3/1 Exporter - City at H level is dependent; cardinality 1:1; format an..35.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!42
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is B4.; 3/1 Exporter - City at H level is dependent.; Populate XML path Declaration/Exporter/Address/CityName only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..35.

TDR-R-01776 | Field-level requirement | Export declaration | Export C21E: DE 3/1 Exporter - City at H level is dependent; cardinality 1:1; format an..35.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!42
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is C21E.; 3/1 Exporter - City at H level is dependent.; Populate XML path Declaration/Exporter/Address/CityName only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..35.

TDR-R-01777 | Field-level requirement | Export declaration | Export B1: DE 3/2 Exporter identification No. at H level is dependent; cardinality 1:1; format an..17.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!43
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is B1.; 3/2 Exporter identification No. at H level is dependent.; Populate XML path Declaration/Exporter/ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..17.

TDR-R-01778 | Field-level requirement | Export declaration | Export C1: DE 3/2 Exporter identification No. at H level is dependent; cardinality 1:1; format an..17.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!43
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is C1.; 3/2 Exporter identification No. at H level is dependent.; Populate XML path Declaration/Exporter/ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..17.

TDR-R-01779 | Field-level requirement | Export declaration | Export B2: DE 3/2 Exporter identification No. at H level is dependent; cardinality 1:1; format an..17.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!43
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is B2.; 3/2 Exporter identification No. at H level is dependent.; Populate XML path Declaration/Exporter/ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..17.

TDR-R-01780 | Field-level requirement | Export declaration | Export B4: DE 3/2 Exporter identification No. at H level is dependent; cardinality 1:1; format an..17.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!43
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is B4.; 3/2 Exporter identification No. at H level is dependent.; Populate XML path Declaration/Exporter/ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..17.

TDR-R-01781 | Field-level requirement | Export declaration | Export C21E: DE 3/2 Exporter identification No. at H level is dependent; cardinality 1:1; format an..17.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!43
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is C21E.; 3/2 Exporter identification No. at H level is dependent.; Populate XML path Declaration/Exporter/ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..17.

TDR-R-01782 | Field-level requirement | Export declaration | Export C21EEIDR: DE 3/2 Exporter identification No. at H level is mandatory; cardinality 1:1; format an..17.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!43
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is C21EEIDR.; 3/2 Exporter identification No. at H level is mandatory.; Populate XML path Declaration/Exporter/ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..17.

TDR-R-01783 | Field-level requirement | Export declaration | Export C21E: DE 3/7 Consignor - Name at H or I level is dependent; cardinality 1:1; format an..70.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!45

Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is C21E.; 3/7 Consignor - Name at H or I level is dependent.; Populate XML path Declaration/Consignment/Consignor/Name Declaration/Consignment/ConsignmentItem/Consignor/Name only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..70.

TDR-R-01784 | Field-level requirement | Export declaration | Export C21E: DE 3/7 Consignor - Street and Number at H or I level is dependent; cardinality 1:1; format an..35.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!46
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is C21E.; 3/7 Consignor - Street and Number at H or I level is dependent.; Populate XML path Declaration/Consignment/Consignor/Address/Line Declaration/Consignment/ConsignmentItem/Consignor/Address/Line only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..35.

TDR-R-01785 | Field-level requirement | Export declaration | Export C21E: DE 3/7 Consignor - Country at H or I level is dependent; cardinality 1:1; format a2.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!47
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is C21E.; 3/7 Consignor - Country at H or I level is dependent.; Populate XML path Declaration/Consignment/Consignor/Address/CountryCode Declaration/Consignment/ConsignmentItem/Consignor/Address/CountryCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a2.; Value is drawn from HMRC codelist CountryTypes for these items.

TDR-R-01786 | Field-level requirement | Export declaration | Export C21E: DE 3/7 Consignor - Postcode at H or I level is dependent; cardinality 1:1; format an..9.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!48
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is C21E.; 3/7 Consignor - Postcode at H or I level is dependent.; Populate XML path Declaration/Consignment/Consignor/Address/PostcodeID Declaration/Consignment/ConsignmentItem/Consignor/PostcodeID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..9.

TDR-R-01787 | Field-level requirement | Export declaration | Export C21E: DE 3/7 Consignor - City at H or I level is dependent; cardinality 1:1; format an..35.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!49
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is C21E.; 3/7 Consignor - City at H or I level is dependent.; Populate XML path Declaration/Consignment/Consignor/Address/CityName Declaration/Consignment/ConsignmentItem/Consignor/Address/CityName only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..35.

TDR-R-01788 | Field-level requirement | Export declaration | Export C21E: DE 3/8 Consignor identification No. at H or I level is dependent; cardinality 1:1; format an..17.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!50
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is C21E.; 3/8 Consignor identification No. at H or I level is dependent.; Populate XML path Declaration/Consignment/Consignor/ID Declaration/Consignment/ConsignmentItem/Consignor/ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..17.

TDR-R-01789 | Field-level requirement | Export declaration | Export B1: DE 3/9 Consignee - Name at H or I level is dependent; cardinality 1:1; format an..35.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!52
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is B1.; 3/9 Consignee - Name at H or I level is dependent.; Populate XML path Declaration/GoodsShipment/Consignee/Name Declaration/GoodsShipment/GovernmentAgencyGoodsItem/Consignee/Name only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..35.

TDR-R-01790 | Field-level requirement | Export declaration | Export C1: DE 3/9 Consignee - Name at H or I level is dependent; cardinality 1:1; format an..35.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!52
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is C1.; 3/9 Consignee - Name at H or I level is dependent.; Populate XML path Declaration/GoodsShipment/Consignee/Name Declaration/GoodsShipment/GovernmentAgencyGoodsItem/Consignee/Name only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..35.

TDR-R-01791 | Field-level requirement | Export declaration | Export B2: DE 3/9 Consignee - Name at H or I level is dependent; cardinality 1:1; format an..35.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!52
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is B2.; 3/9 Consignee - Name at H or I level is dependent.; Populate XML path Declaration/GoodsShipment/Consignee/Name Declaration/GoodsShipment/GovernmentAgencyGoodsItem/Consignee/Name only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..35.

TDR-R-01792 | Field-level requirement | Export declaration | Export B4: DE 3/9 Consignee - Name at H or I level is dependent; cardinality 1:1; format an..35.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!52
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is B4.; 3/9 Consignee - Name at H or I level is dependent.; Populate XML path Declaration/GoodsShipment/Consignee/Name Declaration/GoodsShipment/GovernmentAgencyGoodsItem/Consignee/Name only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..35.

TDR-R-01793 | Field-level requirement | Export declaration | Export C21E: DE 3/9 Consignee - Name at H or I level is dependent; cardinality 1:1; format an..35.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!52
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is C21E.; 3/9 Consignee - Name at H or I level is dependent.; Populate XML path Declaration/GoodsShipment/Consignee/Name Declaration/GoodsShipment/GovernmentAgencyGoodsItem/Consignee/Name only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..35.

TDR-R-01794 | Field-level requirement | Export declaration | Export C21EEIDR: DE 3/9 Consignee - Name at H or I level is dependent; cardinality 1:1; format an..35.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!52
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is C21EEIDR.; 3/9 Consignee - Name at H or I level is dependent.; Populate XML path Declaration/GoodsShipment/Consignee/Name Declaration/GoodsShipment/GovernmentAgencyGoodsItem/Consignee/Name only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..35.

TDR-R-01795 | Field-level requirement | Export declaration | Export B1: DE 3/9 Consignee - Street and Number at H or I level is dependent; cardinality 1:1; format an..35.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!53
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is B1.; 3/9 Consignee - Street and Number at H or I level is dependent.; Populate XML path Declaration/GoodsShipment/Consignee/Address/Line Declaration/GoodsShipment/GovernmentAgencyGoodsItem/Consignee/Address/Line only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..35.

TDR-R-01796 | Field-level requirement | Export declaration | Export C1: DE 3/9 Consignee - Street and Number at H or I level is dependent; cardinality 1:1; format an..35.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!53
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is C1.; 3/9 Consignee - Street and Number at H or I level is dependent.; Populate XML path Declaration/GoodsShipment/Consignee/Address/Line Declaration/GoodsShipment/GovernmentAgencyGoodsItem/Consignee/Address/Line only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..35.

TDR-R-01797 | Field-level requirement | Export declaration | Export B2: DE 3/9 Consignee - Street and Number at H or I level is dependent; cardinality 1:1; format an..35.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!53
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is B2.; 3/9 Consignee - Street and Number at H or I level is dependent.; Populate XML path Declaration/GoodsShipment/Consignee/Address/Line Declaration/GoodsShipment/GovernmentAgencyGoodsItem/Consignee/Address/Line only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..35.

TDR-R-01798 | Field-level requirement | Export declaration | Export B4: DE 3/9 Consignee - Street and Number at H or I level is dependent; cardinality 1:1; format an..35.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!53
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is B4.; 3/9 Consignee - Street and Number at H or I level is dependent.; Populate XML path Declaration/GoodsShipment/Consignee/Address/Line Declaration/GoodsShipment/GovernmentAgencyGoodsItem/Consignee/Address/Line only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..35.

TDR-R-01799 | Field-level requirement | Export declaration | Export C21E: DE 3/9 Consignee - Street and Number at H or I level is dependent; cardinality 1:1; format an..35.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!53
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is C21E.; 3/9 Consignee - Street and Number at H or I level is dependent.; Populate XML path Declaration/GoodsShipment/Consignee/Address/Line Declaration/GoodsShipment/GovernmentAgencyGoodsItem/Consignee/Address/Line only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..35.

TDR-R-01800 | Field-level requirement | Export declaration | Export C21EEIDR: DE 3/9 Consignee - Street and Number at H or I level is dependent; cardinality 1:1; format an..35.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!53
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is C21EEIDR.; 3/9 Consignee - Street and Number at H or I level is dependent.; Populate XML path Declaration/GoodsShipment/Consignee/Address/Line Declaration/GoodsShipment/GovernmentAgencyGoodsItem/Consignee/Address/Line only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..35.

TDR-R-01801 | Field-level requirement | Export declaration | Export B1: DE 3/9 Consignee - Country at H or I level is dependent; cardinality 1:1; format a2.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!54
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is B1.; 3/9 Consignee - Country at H or I level is dependent.; Populate XML path Declaration/GoodsShipment/Consignee/Address/CountryCode
Declaration/GoodsShipment/GovernmentAgencyGoodsItem/Consignee/Address/CountryCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a2.; Value is drawn from HMRC codelist CountryTypes for these items.

TDR-R-01802 | Field-level requirement | Export declaration | Export C1: DE 3/9 Consignee - Country at H or I level is dependent; cardinality 1:1; format a2.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!54
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is C1.; 3/9 Consignee - Country at H or I level is dependent.; Populate XML path Declaration/GoodsShipment/Consignee/Address/CountryCode

Declaration/GoodsShipment/GovernmentAgencyGoodsItem/Consignee/Address/CountryCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a2.; Value is drawn from HMRC codelist CountryTypes for these items.

TDR-R-01803 | Field-level requirement | Export declaration | Export B2: DE 3/9 Consignee - Country at H or I level is dependent; cardinality 1:1; format a2.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!54
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is B2.; 3/9 Consignee - Country at H or I level is dependent.; Populate XML path Declaration/GoodsShipment/Consignee/Address/CountryCode
Declaration/GoodsShipment/GovernmentAgencyGoodsItem/Consignee/Address/CountryCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a2.; Value is drawn from HMRC codelist CountryTypes for these items.

TDR-R-01804 | Field-level requirement | Export declaration | Export B4: DE 3/9 Consignee - Country at H or I level is dependent; cardinality 1:1; format a2.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!54
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is B4.; 3/9 Consignee - Country at H or I level is dependent.; Populate XML path Declaration/GoodsShipment/Consignee/Address/CountryCode
Declaration/GoodsShipment/GovernmentAgencyGoodsItem/Consignee/Address/CountryCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a2.; Value is drawn from HMRC codelist CountryTypes for these items.

TDR-R-01805 | Field-level requirement | Export declaration | Export C21E: DE 3/9 Consignee - Country at H or I level is dependent; cardinality 1:1; format a2.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!54
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is C21E.; 3/9 Consignee - Country at H or I level is dependent.; Populate XML path Declaration/GoodsShipment/Consignee/Address/CountryCode
Declaration/GoodsShipment/GovernmentAgencyGoodsItem/Consignee/Address/CountryCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a2.; Value is drawn from HMRC codelist CountryTypes for these items.

TDR-R-01806 | Field-level requirement | Export declaration | Export C21EEIDR: DE 3/9 Consignee - Country at H or I level is dependent; cardinality 1:1; format a2.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!54
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is C21EEIDR.; 3/9 Consignee - Country at H or I level is dependent.; Populate XML path Declaration/GoodsShipment/Consignee/Address/CountryCode
Declaration/GoodsShipment/GovernmentAgencyGoodsItem/Consignee/Address/CountryCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a2.; Value is drawn from HMRC codelist CountryTypes for these items.

TDR-R-01807 | Field-level requirement | Export declaration | Export B1: DE 3/9 Consignee - Postcode at H or I level is dependent; cardinality 1:1; format an..9.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!55
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is B1.; 3/9 Consignee - Postcode at H or I level is dependent.; Populate XML path Declaration/GoodsShipment/Consignee/Address/PostcodeID
Declaration/GoodsShipment/GovernmentAgencyGoodsItem/Consignee/Address/PostcodeID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..9.

TDR-R-01808 | Field-level requirement | Export declaration | Export C1: DE 3/9 Consignee - Postcode at H or I level is dependent; cardinality 1:1; format an..9.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!55
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is C1.; 3/9 Consignee - Postcode at H or I level is dependent.; Populate XML path Declaration/GoodsShipment/Consignee/Address/PostcodeID
Declaration/GoodsShipment/GovernmentAgencyGoodsItem/Consignee/Address/PostcodeID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..9.

TDR-R-01809 | Field-level requirement | Export declaration | Export B2: DE 3/9 Consignee - Postcode at H or I level is dependent; cardinality 1:1; format an..9.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!55
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is B2.; 3/9 Consignee - Postcode at H or I level is dependent.; Populate XML path Declaration/GoodsShipment/Consignee/Address/PostcodeID
Declaration/GoodsShipment/GovernmentAgencyGoodsItem/Consignee/Address/PostcodeID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..9.

TDR-R-01810 | Field-level requirement | Export declaration | Export B4: DE 3/9 Consignee - Postcode at H or I level is dependent; cardinality 1:1; format an..9.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!55
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is B4.; 3/9 Consignee - Postcode at H or I level is dependent.; Populate XML path Declaration/GoodsShipment/Consignee/Address/PostcodeID
Declaration/GoodsShipment/GovernmentAgencyGoodsItem/Consignee/Address/PostcodeID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..9.

TDR-R-01811 | Field-level requirement | Export declaration | Export C21E: DE 3/9 Consignee - Postcode at H or I level is dependent; cardinality 1:1; format an..9.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!55
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error

Acceptance: Export declaration context is C21E.; 3/9 Consignee - Postcode at H or I level is dependent.; Populate XML path Declaration/GoodsShipment/Consignee/Address/PostcodeID
Declaration/GoodsShipment/GovernmentAgencyGoodsItem/Consignee/Address/PostcodeID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..9.

TDR-R-01812 | Field-level requirement | Export declaration | Export C21EEIDR: DE 3/9 Consignee - Postcode at H or I level is dependent; cardinality 1:1; format an..9.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!55
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is C21EEIDR.; 3/9 Consignee - Postcode at H or I level is dependent.; Populate XML path Declaration/GoodsShipment/Consignee/Address/PostcodeID
Declaration/GoodsShipment/GovernmentAgencyGoodsItem/Consignee/Address/PostcodeID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..9.

TDR-R-01813 | Field-level requirement | Export declaration | Export B1: DE 3/9 Consignee - City at H or I level is dependent; cardinality 1:1; format an..35.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!56
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is B1.; 3/9 Consignee - City at H or I level is dependent.; Populate XML path Declaration/GoodsShipment/Consignee/Address/CityName
Declaration/GoodsShipment/GovernmentAgencyGoodsItem/Consignee/Address/CityName only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..35.

TDR-R-01814 | Field-level requirement | Export declaration | Export C1: DE 3/9 Consignee - City at H or I level is dependent; cardinality 1:1; format an..35.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!56
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is C1.; 3/9 Consignee - City at H or I level is dependent.; Populate XML path Declaration/GoodsShipment/Consignee/Address/CityName
Declaration/GoodsShipment/GovernmentAgencyGoodsItem/Consignee/Address/CityName only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..35.

TDR-R-01815 | Field-level requirement | Export declaration | Export B2: DE 3/9 Consignee - City at H or I level is dependent; cardinality 1:1; format an..35.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!56
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is B2.; 3/9 Consignee - City at H or I level is dependent.; Populate XML path Declaration/GoodsShipment/Consignee/Address/CityName
Declaration/GoodsShipment/GovernmentAgencyGoodsItem/Consignee/Address/CityName only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..35.

TDR-R-01816 | Field-level requirement | Export declaration | Export B4: DE 3/9 Consignee - City at H or I level is dependent; cardinality 1:1; format an..35.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!56
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is B4.; 3/9 Consignee - City at H or I level is dependent.; Populate XML path Declaration/GoodsShipment/Consignee/Address/CityName
Declaration/GoodsShipment/GovernmentAgencyGoodsItem/Consignee/Address/CityName only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..35.

TDR-R-01817 | Field-level requirement | Export declaration | Export C21E: DE 3/9 Consignee - City at H or I level is dependent; cardinality 1:1; format an..35.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!56
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is C21E.; 3/9 Consignee - City at H or I level is dependent.; Populate XML path Declaration/GoodsShipment/Consignee/Address/CityName
Declaration/GoodsShipment/GovernmentAgencyGoodsItem/Consignee/Address/CityName only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..35.

TDR-R-01818 | Field-level requirement | Export declaration | Export C21EEIDR: DE 3/9 Consignee - City at H or I level is dependent; cardinality 1:1; format an..35.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!56
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is C21EEIDR.; 3/9 Consignee - City at H or I level is dependent.; Populate XML path Declaration/GoodsShipment/Consignee/Address/CityName
Declaration/GoodsShipment/GovernmentAgencyGoodsItem/Consignee/Address/CityName only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..35.

TDR-R-01819 | Field-level requirement | Export declaration | Export B1: DE 3/10 Consignee identification No. at H or I level is dependent; cardinality 1:1; format an..17.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!57
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is B1.; 3/10 Consignee identification No. at H or I level is dependent.; Populate XML path Declaration/GoodsShipment/Consignee/ID Declaration/GoodsShipment/GovernmentAgencyGoodsItem/Consignee/ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..17.

TDR-R-01820 | Field-level requirement | Export declaration | Export C1: DE 3/10 Consignee identification No. at H or I level is dependent; cardinality 1:1; format an..17.

Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!57
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is C1.; 3/10 Consignee identification No. at H or I level is dependent.; Populate XML path Declaration/GoodsShipment/Consignee/ID Declaration/GoodsShipment/GovernmentAgencyGoodsItem/Consignee/ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..17.

TDR-R-01821 | Field-level requirement | Export declaration | Export B2: DE 3/10 Consignee identification No. at H or I level is dependent; cardinality 1:1; format an..17.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!57
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is B2.; 3/10 Consignee identification No. at H or I level is dependent.; Populate XML path Declaration/GoodsShipment/Consignee/ID Declaration/GoodsShipment/GovernmentAgencyGoodsItem/Consignee/ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..17.

TDR-R-01822 | Field-level requirement | Export declaration | Export B4: DE 3/10 Consignee identification No. at H or I level is dependent; cardinality 1:1; format an..17.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!57
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is B4.; 3/10 Consignee identification No. at H or I level is dependent.; Populate XML path Declaration/GoodsShipment/Consignee/ID Declaration/GoodsShipment/GovernmentAgencyGoodsItem/Consignee/ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..17.

TDR-R-01823 | Field-level requirement | Export declaration | Export C21E: DE 3/10 Consignee identification No. at H or I level is optional; cardinality 1:1; format an..17.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!57
Error code/pattern: CDS10010 | xml_validation_error
Acceptance: Export declaration context is C21E.; 3/10 Consignee identification No. at H or I level is optional.; Populate XML path Declaration/GoodsShipment/Consignee/ID Declaration/GoodsShipment/GovernmentAgencyGoodsItem/Consignee/ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..17.

TDR-R-01824 | Field-level requirement | Export declaration | Export C21EEIDR: DE 3/10 Consignee identification No. at H or I level is optional; cardinality 1:1; format an..17.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!57
Error code/pattern: CDS10010 | xml_validation_error
Acceptance: Export declaration context is C21EEIDR.; 3/10 Consignee identification No. at H or I level is optional.; Populate XML path Declaration/GoodsShipment/Consignee/ID Declaration/GoodsShipment/GovernmentAgencyGoodsItem/Consignee/ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..17.

TDR-R-01825 | Field-level requirement | Export declaration | Export B1: DE 3/17 Declarant - Name at H level is dependent; cardinality 1:1; format an..70.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!59
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is B1.; 3/17 Declarant - Name at H level is dependent.; Populate XML path Declaration/ Declarant/ Name only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..70.

TDR-R-01826 | Field-level requirement | Export declaration | Export C1: DE 3/17 Declarant - Name at H level is dependent; cardinality 1:1; format an..70.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!59
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is C1.; 3/17 Declarant - Name at H level is dependent.; Populate XML path Declaration/ Declarant/ Name only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..70.

TDR-R-01827 | Field-level requirement | Export declaration | Export B2: DE 3/17 Declarant - Name at H level is dependent; cardinality 1:1; format an..70.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!59
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is B2.; 3/17 Declarant - Name at H level is dependent.; Populate XML path Declaration/ Declarant/ Name only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..70.

TDR-R-01828 | Field-level requirement | Export declaration | Export B4: DE 3/17 Declarant - Name at H level is dependent; cardinality 1:1; format an..70.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!59
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is B4.; 3/17 Declarant - Name at H level is dependent.; Populate XML path Declaration/ Declarant/ Name only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..70.

TDR-R-01829 | Field-level requirement | Export declaration | Export C21E: DE 3/17 Declarant - Name at H level is dependent; cardinality 1:1; format an..70.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!59
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is C21E.; 3/17 Declarant - Name at H level is dependent.; Populate XML path Declaration/ Declarant/ Name only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..70.

TDR-R-01830 | Field-level requirement | Export declaration | Export C21EEIDR: DE 3/17 Declarant - Name at H level is dependent; cardinality 1:1; format an..70.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!59
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is C21EEIDR.; 3/17 Declarant - Name at H level is dependent.; Populate XML path Declaration/ Declarant/

Name only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..70.

TDR-R-01831 | Field-level requirement | Export declaration | Export B1: DE 3/17 Declarant - Street and Number at H level is dependent; cardinality 1:1; format an..70.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!60
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is B1.; 3/17 Declarant - Street and Number at H level is dependent.; Populate XML path Declaration/ Declarant/ Address/ Line only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..70.

TDR-R-01832 | Field-level requirement | Export declaration | Export C1: DE 3/17 Declarant - Street and Number at H level is dependent; cardinality 1:1; format an..70.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!60
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is C1.; 3/17 Declarant - Street and Number at H level is dependent.; Populate XML path Declaration/ Declarant/ Address/ Line only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..70.

TDR-R-01833 | Field-level requirement | Export declaration | Export B2: DE 3/17 Declarant - Street and Number at H level is dependent; cardinality 1:1; format an..70.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!60
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is B2.; 3/17 Declarant - Street and Number at H level is dependent.; Populate XML path Declaration/ Declarant/ Address/ Line only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..70.

TDR-R-01834 | Field-level requirement | Export declaration | Export B4: DE 3/17 Declarant - Street and Number at H level is dependent; cardinality 1:1; format an..70.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!60
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is B4.; 3/17 Declarant - Street and Number at H level is dependent.; Populate XML path Declaration/ Declarant/ Address/ Line only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..70.

TDR-R-01835 | Field-level requirement | Export declaration | Export C21E: DE 3/17 Declarant - Street and Number at H level is dependent; cardinality 1:1; format an..70.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!60
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is C21E.; 3/17 Declarant - Street and Number at H level is dependent.; Populate XML path Declaration/ Declarant/ Address/ Line only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..70.

TDR-R-01836 | Field-level requirement | Export declaration | Export C21EEIDR: DE 3/17 Declarant - Street and Number at H level is dependent; cardinality 1:1; format an..70.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!60
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is C21EEIDR.; 3/17 Declarant - Street and Number at H level is dependent.; Populate XML path Declaration/ Declarant/ Address/ Line only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..70.

TDR-R-01837 | Field-level requirement | Export declaration | Export B1: DE 3/17 Declarant - Country at H level is dependent; cardinality 1:1; format a2 Must be Upper Case.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!61
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is B1.; 3/17 Declarant - Country at H level is dependent.; Populate XML path Declaration/ Declarant/ Address/ CountryCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a2 Must be Upper Case.; Value is drawn from HMRC codelist CountryTypes for these items.

TDR-R-01838 | Field-level requirement | Export declaration | Export C1: DE 3/17 Declarant - Country at H level is dependent; cardinality 1:1; format a2 Must be Upper Case.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!61
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is C1.; 3/17 Declarant - Country at H level is dependent.; Populate XML path Declaration/ Declarant/ Address/ CountryCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a2 Must be Upper Case.; Value is drawn from HMRC codelist CountryTypes for these items.

TDR-R-01839 | Field-level requirement | Export declaration | Export B2: DE 3/17 Declarant - Country at H level is dependent; cardinality 1:1; format a2 Must be Upper Case.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!61
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is B2.; 3/17 Declarant - Country at H level is dependent.; Populate XML path Declaration/ Declarant/ Address/ CountryCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a2 Must be Upper Case.; Value is drawn from HMRC codelist CountryTypes for these items.

TDR-R-01840 | Field-level requirement | Export declaration | Export B4: DE 3/17 Declarant - Country at H level is dependent; cardinality 1:1; format a2 Must be Upper Case.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!61
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is B4.; 3/17 Declarant - Country at H level is dependent.; Populate XML path Declaration/ Declarant/ Address/ CountryCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a2 Must be Upper Case.; Value is drawn from HMRC codelist CountryTypes for these items.

TDR-R-01841 | Field-level requirement | Export declaration | Export C21E: DE 3/17 Declarant - Country at H level is dependent; cardinality 1:1; format a2 Must be Upper Case.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!61
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error | CDS10020

Acceptance: Export declaration context is C21E.; 3/17 Declarant - Country at H level is dependent.; Populate XML path Declaration/ Declarant/ Address/ CountryCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a2 Must be Upper Case.; Value is drawn from HMRC codelist CountryTypes for these items.

TDR-R-01842 | Field-level requirement | Export declaration | Export C21EEIDR: DE 3/17 Declarant - Country at H level is dependent; cardinality 1:1; format a2 Must be Upper Case.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!61
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is C21EEIDR.; 3/17 Declarant - Country at H level is dependent.; Populate XML path Declaration/ Declarant/ Address/ CountryCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a2 Must be Upper Case.; Value is drawn from HMRC codelist CountryTypes for these items.

TDR-R-01843 | Field-level requirement | Export declaration | Export B1: DE 3/17 Declarant - Postcode at H level is dependent; cardinality 1:1; format an..9.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!62
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is B1.; 3/17 Declarant - Postcode at H level is dependent.; Populate XML path Declaration/ Declarant/ Address/ PostcodeID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..9.

TDR-R-01844 | Field-level requirement | Export declaration | Export C1: DE 3/17 Declarant - Postcode at H level is dependent; cardinality 1:1; format an..9.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!62
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is C1.; 3/17 Declarant - Postcode at H level is dependent.; Populate XML path Declaration/ Declarant/ Address/ PostcodeID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..9.

TDR-R-01845 | Field-level requirement | Export declaration | Export B2: DE 3/17 Declarant - Postcode at H level is dependent; cardinality 1:1; format an..9.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!62
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is B2.; 3/17 Declarant - Postcode at H level is dependent.; Populate XML path Declaration/ Declarant/ Address/ PostcodeID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..9.

TDR-R-01846 | Field-level requirement | Export declaration | Export B4: DE 3/17 Declarant - Postcode at H level is dependent; cardinality 1:1; format an..9.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!62
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is B4.; 3/17 Declarant - Postcode at H level is dependent.; Populate XML path Declaration/ Declarant/ Address/ PostcodeID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..9.

TDR-R-01847 | Field-level requirement | Export declaration | Export C21E: DE 3/17 Declarant - Postcode at H level is dependent; cardinality 1:1; format an..9.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!62
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is C21E.; 3/17 Declarant - Postcode at H level is dependent.; Populate XML path Declaration/ Declarant/ Address/ PostcodeID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..9.

TDR-R-01848 | Field-level requirement | Export declaration | Export C21EEIDR: DE 3/17 Declarant - Postcode at H level is dependent; cardinality 1:1; format an..9.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!62
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is C21EEIDR.; 3/17 Declarant - Postcode at H level is dependent.; Populate XML path Declaration/ Declarant/ Address/ PostcodeID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..9.

TDR-R-01849 | Field-level requirement | Export declaration | Export B1: DE 3/17 Declarant - City at H level is dependent; cardinality 1:1; format an..35.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!63
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is B1.; 3/17 Declarant - City at H level is dependent.; Populate XML path Declaration/ Declarant/ Address/ CityName only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..35.

TDR-R-01850 | Field-level requirement | Export declaration | Export C1: DE 3/17 Declarant - City at H level is dependent; cardinality 1:1; format an..35.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!63
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is C1.; 3/17 Declarant - City at H level is dependent.; Populate XML path Declaration/ Declarant/ Address/ CityName only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..35.

TDR-R-01851 | Field-level requirement | Export declaration | Export B2: DE 3/17 Declarant - City at H level is dependent; cardinality 1:1; format an..35.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!63
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is B2.; 3/17 Declarant - City at H level is dependent.; Populate XML path Declaration/ Declarant/ Address/ CityName only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..35.

TDR-R-01852 | Field-level requirement | Export declaration | Export B4: DE 3/17 Declarant - City at H level is dependent; cardinality 1:1; format an..35.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!63
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error

Acceptance: Export declaration context is B4.; 3/17 Declarant - City at H level is dependent.; Populate XML path Declaration/ Declarant/ Address/ CityName only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..35.

TDR-R-01853 | Field-level requirement | Export declaration | Export C21E: DE 3/17 Declarant - City at H level is dependent; cardinality 1:1; format an..35.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!63
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is C21E.; 3/17 Declarant - City at H level is dependent.; Populate XML path Declaration/ Declarant/ Address/ CityName only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..35.

TDR-R-01854 | Field-level requirement | Export declaration | Export C21EEIDR: DE 3/17 Declarant - City at H level is dependent; cardinality 1:1; format an..35.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!63
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is C21EEIDR.; 3/17 Declarant - City at H level is dependent.; Populate XML path Declaration/ Declarant/ Address/ CityName only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..35.

TDR-R-01855 | Field-level requirement | Export declaration | Export B1: DE 3/18 Declarant Identification No. at H level is mandatory; cardinality 1:1; format an..17.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!64
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is B1.; 3/18 Declarant Identification No. at H level is mandatory.; Populate XML path Declaration/ Declarant/ ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..17.

TDR-R-01856 | Field-level requirement | Export declaration | Export C1: DE 3/18 Declarant Identification No. at H level is mandatory; cardinality 1:1; format an..17.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!64
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is C1.; 3/18 Declarant Identification No. at H level is mandatory.; Populate XML path Declaration/ Declarant/ ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..17.

TDR-R-01857 | Field-level requirement | Export declaration | Export B2: DE 3/18 Declarant Identification No. at H level is mandatory; cardinality 1:1; format an..17.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!64
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is B2.; 3/18 Declarant Identification No. at H level is mandatory.; Populate XML path Declaration/ Declarant/ ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..17.

TDR-R-01858 | Field-level requirement | Export declaration | Export B4: DE 3/18 Declarant Identification No. at H level is mandatory; cardinality 1:1; format an..17.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!64
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is B4.; 3/18 Declarant Identification No. at H level is mandatory.; Populate XML path Declaration/ Declarant/ ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..17.

TDR-R-01859 | Field-level requirement | Export declaration | Export C21E: DE 3/18 Declarant Identification No. at H level is mandatory; cardinality 1:1; format an..17.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!64
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is C21E.; 3/18 Declarant Identification No. at H level is mandatory.; Populate XML path Declaration/ Declarant/ ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..17.

TDR-R-01860 | Field-level requirement | Export declaration | Export C21EEIDR: DE 3/18 Declarant Identification No. at H level is mandatory; cardinality 1:1; format an..17.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!64
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is C21EEIDR.; 3/18 Declarant Identification No. at H level is mandatory.; Populate XML path Declaration/ Declarant/ ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..17.

TDR-R-01861 | Field-level requirement | Export declaration | Export B1: DE 3/19 Representative - Name at H level is dependent; cardinality 1:1; format an..70.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!66
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is B1.; 3/19 Representative - Name at H level is dependent.; Populate XML path Declaration/ Agent/ Name only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..70.

TDR-R-01862 | Field-level requirement | Export declaration | Export C1: DE 3/19 Representative - Name at H level is dependent; cardinality 1:1; format an..70.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!66
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is C1.; 3/19 Representative - Name at H level is dependent.; Populate XML path Declaration/ Agent/ Name only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..70.

TDR-R-01863 | Field-level requirement | Export declaration | Export B2: DE 3/19 Representative - Name at H level is dependent; cardinality 1:1; format an..70.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!66
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is B2.; 3/19 Representative - Name at H level is dependent.; Populate XML path Declaration/ Agent/ Name only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..70.

TDR-R-01864 | Field-level requirement | Export declaration | Export B4: DE 3/19 Representative - Name at H level is dependent; cardinality 1:1; format an..70.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!66
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is B4.; 3/19 Representative - Name at H level is dependent.; Populate XML path Declaration/ Agent/ Name only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..70.

TDR-R-01865 | Field-level requirement | Export declaration | Export C21E: DE 3/19 Representative - Name at H level is dependent; cardinality 1:1; format an..70.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!66
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is C21E.; 3/19 Representative - Name at H level is dependent.; Populate XML path Declaration/ Agent/ Name only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..70.

TDR-R-01866 | Field-level requirement | Export declaration | Export C21EEIDR: DE 3/19 Representative - Name at H level is dependent; cardinality 1:1; format an..70.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!66
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is C21EEIDR.; 3/19 Representative - Name at H level is dependent.; Populate XML path Declaration/ Agent/ Name only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..70.

TDR-R-01867 | Field-level requirement | Export declaration | Export B1: DE 3/19 Representative - Street and Number at H level is dependent; cardinality 1:1; format an..70.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!67
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is B1.; 3/19 Representative - Street and Number at H level is dependent.; Populate XML path Declaration/ Agent/ Address/ Line only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..70.

TDR-R-01868 | Field-level requirement | Export declaration | Export C1: DE 3/19 Representative - Street and Number at H level is dependent; cardinality 1:1; format an..70.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!67
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is C1.; 3/19 Representative - Street and Number at H level is dependent.; Populate XML path Declaration/ Agent/ Address/ Line only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..70.

TDR-R-01869 | Field-level requirement | Export declaration | Export B2: DE 3/19 Representative - Street and Number at H level is dependent; cardinality 1:1; format an..70.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!67
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is B2.; 3/19 Representative - Street and Number at H level is dependent.; Populate XML path Declaration/ Agent/ Address/ Line only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..70.

TDR-R-01870 | Field-level requirement | Export declaration | Export B4: DE 3/19 Representative - Street and Number at H level is dependent; cardinality 1:1; format an..70.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!67
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is B4.; 3/19 Representative - Street and Number at H level is dependent.; Populate XML path Declaration/ Agent/ Address/ Line only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..70.

TDR-R-01871 | Field-level requirement | Export declaration | Export C21E: DE 3/19 Representative - Street and Number at H level is dependent; cardinality 1:1; format an..70.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!67
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is C21E.; 3/19 Representative - Street and Number at H level is dependent.; Populate XML path Declaration/ Agent/ Address/ Line only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..70.

TDR-R-01872 | Field-level requirement | Export declaration | Export C21EEIDR: DE 3/19 Representative - Street and Number at H level is dependent; cardinality 1:1; format an..70.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!67
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is C21EEIDR.; 3/19 Representative - Street and Number at H level is dependent.; Populate XML path Declaration/ Agent/ Address/ Line only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..70.

TDR-R-01873 | Field-level requirement | Export declaration | Export B1: DE 3/19 Representative - Country at H level is dependent; cardinality 1:1; format a2 Must be Upper Case.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!68
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is B1.; 3/19 Representative - Country at H level is dependent.; Populate XML path Declaration/ Agent/ Address/ CountryCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a2 Must be Upper Case.; Value is drawn from HMRC codelist CountryTypes for these items.

TDR-R-01874 | Field-level requirement | Export declaration | Export C1: DE 3/19 Representative - Country at H level is dependent; cardinality 1:1; format a2 Must be Upper Case.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!68
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is C1.; 3/19 Representative - Country at H level is dependent.; Populate XML path Declaration/ Agent/ Address/ CountryCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a2 Must be Upper Case.; Value is drawn from HMRC codelist CountryTypes for these items.

TDR-R-01875 | Field-level requirement | Export declaration | Export B2: DE 3/19 Representative - Country at H level is dependent; cardinality 1:1; format a2 Must be Upper Case.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!68
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is B2.; 3/19 Representative - Country at H level is dependent.; Populate XML path Declaration/ Agent/ Address/ CountryCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a2 Must be Upper Case.; Value is drawn from HMRC codelist CountryTypes for these items.

TDR-R-01876 | Field-level requirement | Export declaration | Export B4: DE 3/19 Representative - Country at H level is dependent; cardinality 1:1; format a2 Must be Upper Case.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!68
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is B4.; 3/19 Representative - Country at H level is dependent.; Populate XML path Declaration/ Agent/ Address/ CountryCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a2 Must be Upper Case.; Value is drawn from HMRC codelist CountryTypes for these items.

TDR-R-01877 | Field-level requirement | Export declaration | Export C21E: DE 3/19 Representative - Country at H level is dependent; cardinality 1:1; format a2 Must be Upper Case.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!68
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is C21E.; 3/19 Representative - Country at H level is dependent.; Populate XML path Declaration/ Agent/ Address/ CountryCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a2 Must be Upper Case.; Value is drawn from HMRC codelist CountryTypes for these items.

TDR-R-01878 | Field-level requirement | Export declaration | Export C21EEIDR: DE 3/19 Representative - Country at H level is dependent; cardinality 1:1; format a2 Must be Upper Case.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!68
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is C21EEIDR.; 3/19 Representative - Country at H level is dependent.; Populate XML path Declaration/ Agent/ Address/ CountryCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a2 Must be Upper Case.; Value is drawn from HMRC codelist CountryTypes for these items.

TDR-R-01879 | Field-level requirement | Export declaration | Export B1: DE 3/19 Representative - Postcode at H level is dependent; cardinality 1:1; format an..9.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!69
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is B1.; 3/19 Representative - Postcode at H level is dependent.; Populate XML path Declaration/ Agent/ Address/ PostcodeID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..9.

TDR-R-01880 | Field-level requirement | Export declaration | Export C1: DE 3/19 Representative - Postcode at H level is dependent; cardinality 1:1; format an..9.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!69
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is C1.; 3/19 Representative - Postcode at H level is dependent.; Populate XML path Declaration/ Agent/ Address/ PostcodeID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..9.

TDR-R-01881 | Field-level requirement | Export declaration | Export B2: DE 3/19 Representative - Postcode at H level is dependent; cardinality 1:1; format an..9.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!69
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is B2.; 3/19 Representative - Postcode at H level is dependent.; Populate XML path Declaration/ Agent/ Address/ PostcodeID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..9.

TDR-R-01882 | Field-level requirement | Export declaration | Export B4: DE 3/19 Representative - Postcode at H level is dependent; cardinality 1:1; format an..9.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!69
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is B4.; 3/19 Representative - Postcode at H level is dependent.; Populate XML path Declaration/ Agent/ Address/ PostcodeID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..9.

TDR-R-01883 | Field-level requirement | Export declaration | Export C21E: DE 3/19 Representative - Postcode at H level is dependent; cardinality 1:1; format an..9.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!69
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is C21E.; 3/19 Representative - Postcode at H level is dependent.; Populate XML path Declaration/ Agent/ Address/ PostcodeID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..9.

TDR-R-01884 | Field-level requirement | Export declaration | Export C21EEIDR: DE 3/19 Representative - Postcode at H level is dependent; cardinality 1:1; format an..9.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!69
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is C21EEIDR.; 3/19 Representative - Postcode at H level is dependent.; Populate XML path Declaration/ Agent/ Address/ PostcodeID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..9.

TDR-R-01885 | Field-level requirement | Export declaration | Export B1: DE 3/19 Representative - City at H level is dependent; cardinality 1:1; format an..35.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!70
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is B1.; 3/19 Representative - City at H level is dependent.; Populate XML path Declaration/ Agent/

Address/ CityName only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..35.

TDR-R-01886 | Field-level requirement | Export declaration | Export C1: DE 3/19 Representative - City at H level is dependent; cardinality 1:1; format an..35.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!70
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is C1.; 3/19 Representative - City at H level is dependent.; Populate XML path Declaration/ Agent/ Address/ CityName only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..35.

TDR-R-01887 | Field-level requirement | Export declaration | Export B2: DE 3/19 Representative - City at H level is dependent; cardinality 1:1; format an..35.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!70
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is B2.; 3/19 Representative - City at H level is dependent.; Populate XML path Declaration/ Agent/ Address/ CityName only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..35.

TDR-R-01888 | Field-level requirement | Export declaration | Export B4: DE 3/19 Representative - City at H level is dependent; cardinality 1:1; format an..35.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!70
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is B4.; 3/19 Representative - City at H level is dependent.; Populate XML path Declaration/ Agent/ Address/ CityName only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..35.

TDR-R-01889 | Field-level requirement | Export declaration | Export C21E: DE 3/19 Representative - City at H level is dependent; cardinality 1:1; format an..35.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!70
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is C21E.; 3/19 Representative - City at H level is dependent.; Populate XML path Declaration/ Agent/ Address/ CityName only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..35.

TDR-R-01890 | Field-level requirement | Export declaration | Export C21EEIDR: DE 3/19 Representative - City at H level is dependent; cardinality 1:1; format an..35.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!70
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is C21EEIDR.; 3/19 Representative - City at H level is dependent.; Populate XML path Declaration/ Agent/ Address/ CityName only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..35.

TDR-R-01891 | Field-level requirement | Export declaration | Export B1: DE 3/20 Representative Identification No. at H level is dependent; cardinality 1:1; format an..17.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!71
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is B1.; 3/20 Representative Identification No. at H level is dependent.; Populate XML path Declaration/ Agent/ ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..17.

TDR-R-01892 | Field-level requirement | Export declaration | Export C1: DE 3/20 Representative Identification No. at H level is dependent; cardinality 1:1; format an..17.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!71
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is C1.; 3/20 Representative Identification No. at H level is dependent.; Populate XML path Declaration/ Agent/ ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..17.

TDR-R-01893 | Field-level requirement | Export declaration | Export B2: DE 3/20 Representative Identification No. at H level is dependent; cardinality 1:1; format an..17.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!71
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is B2.; 3/20 Representative Identification No. at H level is dependent.; Populate XML path Declaration/ Agent/ ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..17.

TDR-R-01894 | Field-level requirement | Export declaration | Export B4: DE 3/20 Representative Identification No. at H level is dependent; cardinality 1:1; format an..17.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!71
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is B4.; 3/20 Representative Identification No. at H level is dependent.; Populate XML path Declaration/ Agent/ ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..17.

TDR-R-01895 | Field-level requirement | Export declaration | Export C21E: DE 3/20 Representative Identification No. at H level is dependent; cardinality 1:1; format an..17.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!71
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is C21E.; 3/20 Representative Identification No. at H level is dependent.; Populate XML path Declaration/ Agent/ ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..17.

TDR-R-01896 | Field-level requirement | Export declaration | Export C21EEIDR: DE 3/20 Representative Identification No. at H level is dependent; cardinality 1:1; format an..17.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!71
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is C21EEIDR.; 3/20 Representative Identification No. at H level is dependent.; Populate XML path Declaration/ Agent/ ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..17.

TDR-R-01897 | Field-level requirement | Export declaration | Export B1: DE 3/21 Representative status code at H level is dependent; cardinality 1x; format n1.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!72
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is B1.; 3/21 Representative status code at H level is dependent.; Populate XML path Declaration/ Agent/ FunctionCode only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format n1.; Value is drawn from HMRC codelist PartyRoleStatusTypes for these items.

TDR-R-01898 | Field-level requirement | Export declaration | Export C1: DE 3/21 Representative status code at H level is dependent; cardinality 1x; format n1.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!72
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is C1.; 3/21 Representative status code at H level is dependent.; Populate XML path Declaration/ Agent/ FunctionCode only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format n1.; Value is drawn from HMRC codelist PartyRoleStatusTypes for these items.

TDR-R-01899 | Field-level requirement | Export declaration | Export B2: DE 3/21 Representative status code at H level is dependent; cardinality 1x; format n1.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!72
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is B2.; 3/21 Representative status code at H level is dependent.; Populate XML path Declaration/ Agent/ FunctionCode only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format n1.; Value is drawn from HMRC codelist PartyRoleStatusTypes for these items.

TDR-R-01900 | Field-level requirement | Export declaration | Export B4: DE 3/21 Representative status code at H level is dependent; cardinality 1x; format n1.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!72
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is B4.; 3/21 Representative status code at H level is dependent.; Populate XML path Declaration/ Agent/ FunctionCode only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format n1.; Value is drawn from HMRC codelist PartyRoleStatusTypes for these items.

TDR-R-01901 | Field-level requirement | Export declaration | Export C21E: DE 3/21 Representative status code at H level is dependent; cardinality 1x; format n1.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!72
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is C21E.; 3/21 Representative status code at H level is dependent.; Populate XML path Declaration/ Agent/ FunctionCode only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format n1.; Value is drawn from HMRC codelist PartyRoleStatusTypes for these items.

TDR-R-01902 | Field-level requirement | Export declaration | Export C21EEIDR: DE 3/21 Representative status code at H level is dependent; cardinality 1x; format n1.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!72
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is C21EEIDR.; 3/21 Representative status code at H level is dependent.; Populate XML path Declaration/ Agent/ FunctionCode only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format n1.; Value is drawn from HMRC codelist PartyRoleStatusTypes for these items.

TDR-R-01903 | Field-level requirement | Export declaration | Export B1: DE 3/31 Carrier - Name at H level is dependent; cardinality 1:1; format an..70.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!74
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is B1.; 3/31 Carrier - Name at H level is dependent.; Populate XML path Declaration/Consignment/Carrier/Name only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..70.

TDR-R-01904 | Field-level requirement | Export declaration | Export C1: DE 3/31 Carrier - Name at H level is dependent; cardinality 1:1; format an..70.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!74
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is C1.; 3/31 Carrier - Name at H level is dependent.; Populate XML path Declaration/Consignment/Carrier/Name only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..70.

TDR-R-01905 | Field-level requirement | Export declaration | Export B2: DE 3/31 Carrier - Name at H level is dependent; cardinality 1:1; format an..70.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!74
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is B2.; 3/31 Carrier - Name at H level is dependent.; Populate XML path Declaration/Consignment/Carrier/Name only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..70.

TDR-R-01906 | Field-level requirement | Export declaration | Export B4: DE 3/31 Carrier - Name at H level is dependent; cardinality 1:1; format an..70.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!74
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is B4.; 3/31 Carrier - Name at H level is dependent.; Populate XML path Declaration/Consignment/Carrier/Name only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..70.

TDR-R-01907 | Field-level requirement | Export declaration | Export C21E: DE 3/31 Carrier - Name at H level is dependent; cardinality 1:1; format an..70.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!74

Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is C21E.; 3/31 Carrier - Name at H level is dependent.; Populate XML path Declaration/Consignment/Carrier/Name only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..70.

TDR-R-01908 | Field-level requirement | Export declaration | Export C21EEIDR: DE 3/31 Carrier - Name at H level is dependent; cardinality 1:1; format an..70.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!74
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is C21EEIDR.; 3/31 Carrier - Name at H level is dependent.; Populate XML path Declaration/Consignment/Carrier/Name only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..70.

TDR-R-01909 | Field-level requirement | Export declaration | Export B1: DE 3/31 Carrier - Street and Number at H level is dependent; cardinality 1:1; format an..70.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!75
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is B1.; 3/31 Carrier - Street and Number at H level is dependent.; Populate XML path Declaration/Consignment/Carrier/Address/Line only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..70.

TDR-R-01910 | Field-level requirement | Export declaration | Export C1: DE 3/31 Carrier - Street and Number at H level is dependent; cardinality 1:1; format an..70.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!75
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is C1.; 3/31 Carrier - Street and Number at H level is dependent.; Populate XML path Declaration/Consignment/Carrier/Address/Line only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..70.

TDR-R-01911 | Field-level requirement | Export declaration | Export B2: DE 3/31 Carrier - Street and Number at H level is dependent; cardinality 1:1; format an..70.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!75
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is B2.; 3/31 Carrier - Street and Number at H level is dependent.; Populate XML path Declaration/Consignment/Carrier/Address/Line only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..70.

TDR-R-01912 | Field-level requirement | Export declaration | Export B4: DE 3/31 Carrier - Street and Number at H level is dependent; cardinality 1:1; format an..70.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!75
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is B4.; 3/31 Carrier - Street and Number at H level is dependent.; Populate XML path Declaration/Consignment/Carrier/Address/Line only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..70.

TDR-R-01913 | Field-level requirement | Export declaration | Export C21E: DE 3/31 Carrier - Street and Number at H level is dependent; cardinality 1:1; format an..70.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!75
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is C21E.; 3/31 Carrier - Street and Number at H level is dependent.; Populate XML path Declaration/Consignment/Carrier/Address/Line only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..70.

TDR-R-01914 | Field-level requirement | Export declaration | Export C21EEIDR: DE 3/31 Carrier - Street and Number at H level is dependent; cardinality 1:1; format an..70.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!75
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is C21EEIDR.; 3/31 Carrier - Street and Number at H level is dependent.; Populate XML path Declaration/Consignment/Carrier/Address/Line only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..70.

TDR-R-01915 | Field-level requirement | Export declaration | Export B1: DE 3/31 Carrier - Country at H level is dependent; cardinality 1:1; format a2.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!76
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is B1.; 3/31 Carrier - Country at H level is dependent.; Populate XML path Declaration/Consignment/Carrier/Address/CountryCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a2.; Value is drawn from HMRC codelist CountryTypes for these items.

TDR-R-01916 | Field-level requirement | Export declaration | Export C1: DE 3/31 Carrier - Country at H level is dependent; cardinality 1:1; format a2.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!76
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is C1.; 3/31 Carrier - Country at H level is dependent.; Populate XML path Declaration/Consignment/Carrier/Address/CountryCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a2.; Value is drawn from HMRC codelist CountryTypes for these items.

TDR-R-01917 | Field-level requirement | Export declaration | Export B2: DE 3/31 Carrier - Country at H level is dependent; cardinality 1:1; format a2.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!76
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is B2.; 3/31 Carrier - Country at H level is dependent.; Populate XML path Declaration/Consignment/Carrier/Address/CountryCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a2.; Value is drawn from HMRC codelist CountryTypes for these items.

TDR-R-01918 | Field-level requirement | Export declaration | Export B4: DE 3/31 Carrier - Country at H level is dependent; cardinality 1:1; format a2.

Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!76
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is B4.; 3/31 Carrier - Country at H level is dependent.; Populate XML path Declaration/Consignment/Carrier/Address/CountryCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a2.; Value is drawn from HMRC codelist CountryTypes for these items.

TDR-R-01919 | Field-level requirement | Export declaration | Export C21E: DE 3/31 Carrier - Country at H level is dependent; cardinality 1:1; format a2.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!76
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is C21E.; 3/31 Carrier - Country at H level is dependent.; Populate XML path Declaration/Consignment/Carrier/Address/CountryCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a2.; Value is drawn from HMRC codelist CountryTypes for these items.

TDR-R-01920 | Field-level requirement | Export declaration | Export C21EEIDR: DE 3/31 Carrier - Country at H level is dependent; cardinality 1:1; format a2.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!76
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is C21EEIDR.; 3/31 Carrier - Country at H level is dependent.; Populate XML path Declaration/Consignment/Carrier/Address/CountryCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a2.; Value is drawn from HMRC codelist CountryTypes for these items.

TDR-R-01921 | Field-level requirement | Export declaration | Export B1: DE 3/31 Carrier - Postcode at H level is dependent; cardinality 1:1; format an..9.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!77
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is B1.; 3/31 Carrier - Postcode at H level is dependent.; Populate XML path Declaration/Consignment/Carrier/Address/PostcodeID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..9.

TDR-R-01922 | Field-level requirement | Export declaration | Export C1: DE 3/31 Carrier - Postcode at H level is dependent; cardinality 1:1; format an..9.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!77
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is C1.; 3/31 Carrier - Postcode at H level is dependent.; Populate XML path Declaration/Consignment/Carrier/Address/PostcodeID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..9.

TDR-R-01923 | Field-level requirement | Export declaration | Export B2: DE 3/31 Carrier - Postcode at H level is dependent; cardinality 1:1; format an..9.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!77
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is B2.; 3/31 Carrier - Postcode at H level is dependent.; Populate XML path Declaration/Consignment/Carrier/Address/PostcodeID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..9.

TDR-R-01924 | Field-level requirement | Export declaration | Export B4: DE 3/31 Carrier - Postcode at H level is dependent; cardinality 1:1; format an..9.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!77
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is B4.; 3/31 Carrier - Postcode at H level is dependent.; Populate XML path Declaration/Consignment/Carrier/Address/PostcodeID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..9.

TDR-R-01925 | Field-level requirement | Export declaration | Export C21E: DE 3/31 Carrier - Postcode at H level is dependent; cardinality 1:1; format an..9.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!77
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is C21E.; 3/31 Carrier - Postcode at H level is dependent.; Populate XML path Declaration/Consignment/Carrier/Address/PostcodeID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..9.

TDR-R-01926 | Field-level requirement | Export declaration | Export C21EEIDR: DE 3/31 Carrier - Postcode at H level is dependent; cardinality 1:1; format an..9.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!77
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is C21EEIDR.; 3/31 Carrier - Postcode at H level is dependent.; Populate XML path Declaration/Consignment/Carrier/Address/PostcodeID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..9.

TDR-R-01927 | Field-level requirement | Export declaration | Export B1: DE 3/31 Carrier - City at H level is dependent; cardinality 1:1; format an..35.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!78
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is B1.; 3/31 Carrier - City at H level is dependent.; Populate XML path Declaration/Consignment/Carrier/Address/CityName only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..35.

TDR-R-01928 | Field-level requirement | Export declaration | Export C1: DE 3/31 Carrier - City at H level is dependent; cardinality 1:1; format an..35.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!78
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is C1.; 3/31 Carrier - City at H level is dependent.; Populate XML path Declaration/Consignment/Carrier/Address/CityName only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..35.

TDR-R-01929 | Field-level requirement | Export declaration | Export B2: DE 3/31 Carrier - City at H level is dependent; cardinality 1:1; format an..35.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!78
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is B2.; 3/31 Carrier - City at H level is dependent.; Populate XML path Declaration/Consignment/Carrier/Address/CityName only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..35.

TDR-R-01930 | Field-level requirement | Export declaration | Export B4: DE 3/31 Carrier - City at H level is dependent; cardinality 1:1; format an..35.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!78
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is B4.; 3/31 Carrier - City at H level is dependent.; Populate XML path Declaration/Consignment/Carrier/Address/CityName only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..35.

TDR-R-01931 | Field-level requirement | Export declaration | Export C21E: DE 3/31 Carrier - City at H level is dependent; cardinality 1:1; format an..35.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!78
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is C21E.; 3/31 Carrier - City at H level is dependent.; Populate XML path Declaration/Consignment/Carrier/Address/CityName only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..35.

TDR-R-01932 | Field-level requirement | Export declaration | Export C21EEIDR: DE 3/31 Carrier - City at H level is dependent; cardinality 1:1; format an..35.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!78
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is C21EEIDR.; 3/31 Carrier - City at H level is dependent.; Populate XML path Declaration/Consignment/Carrier/Address/CityName only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..35.

TDR-R-01933 | Field-level requirement | Export declaration | Export B1: DE 3/32 Carrier Identification No. at H level is dependent; cardinality 1:1; format an..17.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!79
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is B1.; 3/32 Carrier Identification No. at H level is dependent.; Populate XML path Declaration/Consignment/Carrier/ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..17.

TDR-R-01934 | Field-level requirement | Export declaration | Export C1: DE 3/32 Carrier Identification No. at H level is dependent; cardinality 1:1; format an..17.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!79
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is C1.; 3/32 Carrier Identification No. at H level is dependent.; Populate XML path Declaration/Consignment/Carrier/ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..17.

TDR-R-01935 | Field-level requirement | Export declaration | Export B2: DE 3/32 Carrier Identification No. at H level is dependent; cardinality 1:1; format an..17.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!79
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is B2.; 3/32 Carrier Identification No. at H level is dependent.; Populate XML path Declaration/Consignment/Carrier/ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..17.

TDR-R-01936 | Field-level requirement | Export declaration | Export B4: DE 3/32 Carrier Identification No. at H level is optional; cardinality 1:1; format an..17.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!79
Error code/pattern: CDS10010 | xml_validation_error
Acceptance: Export declaration context is B4.; 3/32 Carrier Identification No. at H level is optional.; Populate XML path Declaration/Consignment/Carrier/ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..17.

TDR-R-01937 | Field-level requirement | Export declaration | Export C21E: DE 3/32 Carrier Identification No. at H level is dependent; cardinality 1:1; format an..17.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!79
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is C21E.; 3/32 Carrier Identification No. at H level is dependent.; Populate XML path Declaration/Consignment/Carrier/ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..17.

TDR-R-01938 | Field-level requirement | Export declaration | Export C21EEIDR: DE 3/32 Carrier Identification No. at H level is optional; cardinality 1:1; format an..17.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!79
Error code/pattern: CDS10010 | xml_validation_error

Acceptance: Export declaration context is C21EEIDR.; 3/32 Carrier Identification No. at H level is optional.; Populate XML path Declaration/Consignment/Carrier/ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..17.

TDR-R-01939 | Field-level requirement | Export declaration | Export B1: DE 3/37 Additional supply chain actor(s) Identification No. at H & I level is optional; cardinality 99x (H) 99x (I); format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!80
Error code/pattern: CDS10010 | xml_validation_error
Acceptance: Export declaration context is B1.; 3/37 Additional supply chain actor(s) Identification No. at H & I level is optional.; Populate XML path Declaration/GoodsShipment/AEOMutualRecognitionParty
Declaration/GoodsShipment/GovernmentAgencyGoodsItem/AEOMutualRecognitionParty only where this rule permits it.; Respect cardinality 99x (H) 99x (I).; Value conforms to HMRC format -.

TDR-R-01940 | Field-level requirement | Export declaration | Export C1: DE 3/37 Additional supply chain actor(s) Identification No. at H & I level is optional; cardinality 99x (H) 99x (I); format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!80
Error code/pattern: CDS10010 | xml_validation_error
Acceptance: Export declaration context is C1.; 3/37 Additional supply chain actor(s) Identification No. at H & I level is optional.; Populate XML path Declaration/GoodsShipment/AEOMutualRecognitionParty
Declaration/GoodsShipment/GovernmentAgencyGoodsItem/AEOMutualRecognitionParty only where this rule permits it.; Respect cardinality 99x (H) 99x (I).; Value conforms to HMRC format -.

TDR-R-01941 | Field-level requirement | Export declaration | Export B2: DE 3/37 Additional supply chain actor(s) Identification No. at H & I level is optional; cardinality 99x (H) 99x (I); format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!80
Error code/pattern: CDS10010 | xml_validation_error
Acceptance: Export declaration context is B2.; 3/37 Additional supply chain actor(s) Identification No. at H & I level is optional.; Populate XML path Declaration/GoodsShipment/AEOMutualRecognitionParty
Declaration/GoodsShipment/GovernmentAgencyGoodsItem/AEOMutualRecognitionParty only where this rule permits it.; Respect cardinality 99x (H) 99x (I).; Value conforms to HMRC format -.

TDR-R-01942 | Field-level requirement | Export declaration | Export B4: DE 3/37 Additional supply chain actor(s) Identification No. at H & I level is optional; cardinality 99x (H) 99x (I); format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!80
Error code/pattern: CDS10010 | xml_validation_error
Acceptance: Export declaration context is B4.; 3/37 Additional supply chain actor(s) Identification No. at H & I level is optional.; Populate XML path Declaration/GoodsShipment/AEOMutualRecognitionParty
Declaration/GoodsShipment/GovernmentAgencyGoodsItem/AEOMutualRecognitionParty only where this rule permits it.; Respect cardinality 99x (H) 99x (I).; Value conforms to HMRC format -.

TDR-R-01943 | Field-level requirement | Export declaration | Export C21E: DE 3/37 Additional supply chain actor(s) Identification No. at H & I level is optional; cardinality 99x (H) 99x (I); format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!80
Error code/pattern: CDS10010 | xml_validation_error
Acceptance: Export declaration context is C21E.; 3/37 Additional supply chain actor(s) Identification No. at H & I level is optional.; Populate XML path Declaration/GoodsShipment/AEOMutualRecognitionParty
Declaration/GoodsShipment/GovernmentAgencyGoodsItem/AEOMutualRecognitionParty only where this rule permits it.; Respect cardinality 99x (H) 99x (I).; Value conforms to HMRC format -.

TDR-R-01944 | Field-level requirement | Export declaration | Export C21EEIDR: DE 3/37 Additional supply chain actor(s) Identification No. at H & I level is optional; cardinality 99x (H) 99x (I); format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!80
Error code/pattern: CDS10010 | xml_validation_error
Acceptance: Export declaration context is C21EEIDR.; 3/37 Additional supply chain actor(s) Identification No. at H & I level is optional.; Populate XML path Declaration/GoodsShipment/AEOMutualRecognitionParty
Declaration/GoodsShipment/GovernmentAgencyGoodsItem/AEOMutualRecognitionParty only where this rule permits it.; Respect cardinality 99x (H) 99x (I).; Value conforms to HMRC format -.

TDR-R-01945 | Field-level requirement | Export declaration | Export B1: DE 3/37 Additional supply chain actor(s) Identification No. - Role Code at H & I level is mandatory when the group-level item is present; cardinality 1:1; format a..3.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!81
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is B1.; 3/37 Additional supply chain actor(s) Identification No. - Role Code at H & I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ AEOMutualRecognitionParty/ RoleCode Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ AEOMutualRecognitionParty/ RoleCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a..3.; Value is drawn from HMRC codelist PartySubRoleTypes for these items.

TDR-R-01946 | Field-level requirement | Export declaration | Export C1: DE 3/37 Additional supply chain actor(s) Identification No. - Role Code at H & I level is mandatory when the group-level item is present; cardinality 1:1; format a..3.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!81
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is C1.; 3/37 Additional supply chain actor(s) Identification No. - Role Code at H & I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ AEOMutualRecognitionParty/ RoleCode Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ AEOMutualRecognitionParty/ RoleCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a..3.; Value is drawn from HMRC codelist PartySubRoleTypes for these items.

TDR-R-01947 | Field-level requirement | Export declaration | Export B2: DE 3/37 Additional supply chain actor(s) Identification No. - Role Code at H & I level is mandatory when the group-level item is present; cardinality 1:1; format a..3.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!81

Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is B2.; 3/37 Additional supply chain actor(s) Identification No. - Role Code at H & I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ AEOMutualRecognitionParty/ RoleCode Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ AEOMutualRecognitionParty/ RoleCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a..3.; Value is drawn from HMRC codelist PartySubRoleTypes for these items.

TDR-R-01948 | Field-level requirement | Export declaration | Export B4: DE 3/37 Additional supply chain actor(s) Identification No. - Role Code at H & I level is mandatory when the group-level item is present; cardinality 1:1; format a..3.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!81
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is B4.; 3/37 Additional supply chain actor(s) Identification No. - Role Code at H & I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ AEOMutualRecognitionParty/ RoleCode Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ AEOMutualRecognitionParty/ RoleCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a..3.; Value is drawn from HMRC codelist PartySubRoleTypes for these items.

TDR-R-01949 | Field-level requirement | Export declaration | Export C21E: DE 3/37 Additional supply chain actor(s) Identification No. - Role Code at H & I level is mandatory when the group-level item is present; cardinality 1:1; format a..3.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!81
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is C21E.; 3/37 Additional supply chain actor(s) Identification No. - Role Code at H & I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ AEOMutualRecognitionParty/ RoleCode Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ AEOMutualRecognitionParty/ RoleCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a..3.; Value is drawn from HMRC codelist PartySubRoleTypes for these items.

TDR-R-01950 | Field-level requirement | Export declaration | Export C21EEIDR: DE 3/37 Additional supply chain actor(s) Identification No. - Role Code at H & I level is mandatory when the group-level item is present; cardinality 1:1; format a..3.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!81
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is C21EEIDR.; 3/37 Additional supply chain actor(s) Identification No. - Role Code at H & I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ AEOMutualRecognitionParty/ RoleCode Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ AEOMutualRecognitionParty/ RoleCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a..3.; Value is drawn from HMRC codelist PartySubRoleTypes for these items.

TDR-R-01951 | Field-level requirement | Export declaration | Export B1: DE 3/37 Additional supply chain actor(s) Identification No. - Identifier at H & I level is mandatory when the group-level item is present; cardinality 1:1; format an..17.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!82
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is B1.; 3/37 Additional supply chain actor(s) Identification No. - Identifier at H & I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ AEOMutualRecognitionParty/ ID Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ AEOMutualRecognitionParty/ ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..17.

TDR-R-01952 | Field-level requirement | Export declaration | Export C1: DE 3/37 Additional supply chain actor(s) Identification No. - Identifier at H & I level is mandatory when the group-level item is present; cardinality 1:1; format an..17.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!82
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is C1.; 3/37 Additional supply chain actor(s) Identification No. - Identifier at H & I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ AEOMutualRecognitionParty/ ID Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ AEOMutualRecognitionParty/ ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..17.

TDR-R-01953 | Field-level requirement | Export declaration | Export B2: DE 3/37 Additional supply chain actor(s) Identification No. - Identifier at H & I level is mandatory when the group-level item is present; cardinality 1:1; format an..17.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!82
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is B2.; 3/37 Additional supply chain actor(s) Identification No. - Identifier at H & I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ AEOMutualRecognitionParty/ ID Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ AEOMutualRecognitionParty/ ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..17.

TDR-R-01954 | Field-level requirement | Export declaration | Export B4: DE 3/37 Additional supply chain actor(s) Identification No. - Identifier at H & I level is mandatory when the group-level item is present; cardinality 1:1; format an..17.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!82
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is B4.; 3/37 Additional supply chain actor(s) Identification No. - Identifier at H & I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ AEOMutualRecognitionParty/ ID Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ AEOMutualRecognitionParty/ ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..17.

TDR-R-01955 | Field-level requirement | Export declaration | Export C21E: DE 3/37 Additional supply chain actor(s) Identification No. - Identifier at H & I level is mandatory when the group-level item is present; cardinality 1:1; format an..17.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!82
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is C21E.; 3/37 Additional supply chain actor(s) Identification No. - Identifier at H & I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ AEOMutualRecognitionParty/ ID Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ AEOMutualRecognitionParty/ ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..17.

TDR-R-01956 | Field-level requirement | Export declaration | Export C21EEIDR: DE 3/37 Additional supply chain actor(s) Identification No. - Identifier at H & I level is mandatory when the group-level item is present; cardinality 1:1; format an..17.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!82
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is C21EEIDR.; 3/37 Additional supply chain actor(s) Identification No. - Identifier at H & I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ AEOMutualRecognitionParty/ ID Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ AEOMutualRecognitionParty/ ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..17.

TDR-R-01957 | Field-level requirement | Export declaration | Export B1: DE 3/39 Holder of the authorisation Identification No. at H level is dependent; cardinality 99x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!83
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is B1.; 3/39 Holder of the authorisation Identification No. at H level is dependent.; Populate XML path Declaration/ AuthorisationHolder only where this rule permits it.; Respect cardinality 99x.; Value conforms to HMRC format -.

TDR-R-01958 | Field-level requirement | Export declaration | Export C1: DE 3/39 Holder of the authorisation Identification No. at H level is dependent; cardinality 99x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!83
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is C1.; 3/39 Holder of the authorisation Identification No. at H level is dependent.; Populate XML path Declaration/ AuthorisationHolder only where this rule permits it.; Respect cardinality 99x.; Value conforms to HMRC format -.

TDR-R-01959 | Field-level requirement | Export declaration | Export B2: DE 3/39 Holder of the authorisation Identification No. at H level is mandatory; cardinality 99x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!83
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is B2.; 3/39 Holder of the authorisation Identification No. at H level is mandatory.; Populate XML path Declaration/ AuthorisationHolder only where this rule permits it.; Respect cardinality 99x.; Value conforms to HMRC format -.

TDR-R-01960 | Field-level requirement | Export declaration | Export B4: DE 3/39 Holder of the authorisation Identification No. at H level is dependent; cardinality 99x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!83
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is B4.; 3/39 Holder of the authorisation Identification No. at H level is dependent.; Populate XML path Declaration/ AuthorisationHolder only where this rule permits it.; Respect cardinality 99x.; Value conforms to HMRC format -.

TDR-R-01961 | Field-level requirement | Export declaration | Export C21E: DE 3/39 Holder of the authorisation Identification No. at H level is dependent; cardinality 99x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!83
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is C21E.; 3/39 Holder of the authorisation Identification No. at H level is dependent.; Populate XML path Declaration/ AuthorisationHolder only where this rule permits it.; Respect cardinality 99x.; Value conforms to HMRC format -.

TDR-R-01962 | Field-level requirement | Export declaration | Export C21EEIDR: DE 3/39 Holder of the authorisation Identification No. at H level is mandatory; cardinality 99x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!83
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is C21EEIDR.; 3/39 Holder of the authorisation Identification No. at H level is mandatory.; Populate XML path Declaration/ AuthorisationHolder only where this rule permits it.; Respect cardinality 99x.; Value conforms to HMRC format -.

TDR-R-01963 | Field-level requirement | Export declaration | Export B1: DE 3/39 Holder of the authorisation Identification No. - Authorisation Type Code at H level is mandatory when the group-level item is present; cardinality 1:1; format an..4.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!84
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is B1.; 3/39 Holder of the authorisation Identification No. - Authorisation Type Code at H level is mandatory when the group-level item is present.; Populate XML path Declaration/ AuthorisationHolder/ CategoryCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..4.; Value is drawn from HMRC codelist PartyRoleAuthorizationTypes for these items.

TDR-R-01964 | Field-level requirement | Export declaration | Export C1: DE 3/39 Holder of the authorisation Identification No. - Authorisation Type Code at H level is mandatory when the group-level item is present; cardinality 1:1; format an..4.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!84
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is C1.; 3/39 Holder of the authorisation Identification No. - Authorisation Type Code at H level is mandatory when the group-level item is present.; Populate XML path Declaration/ AuthorisationHolder/ CategoryCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..4.; Value is drawn from HMRC codelist PartyRoleAuthorizationTypes for these items.

TDR-R-01965 | Field-level requirement | Export declaration | Export B2: DE 3/39 Holder of the authorisation Identification No. - Authorisation Type Code at H level is mandatory when the group-level item is present; cardinality 1:1; format an..4.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!84
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is B2.; 3/39 Holder of the authorisation Identification No. - Authorisation Type Code at H level is mandatory when the group-level item is present.; Populate XML path Declaration/ AuthorisationHolder/ CategoryCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..4.; Value is drawn from HMRC codelist PartyRoleAuthorizationTypes for these items.

TDR-R-01966 | Field-level requirement | Export declaration | Export B4: DE 3/39 Holder of the authorisation Identification No. - Authorisation Type Code at H level is mandatory when the group-level item is present; cardinality 1:1; format an..4.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!84
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is B4.; 3/39 Holder of the authorisation Identification No. - Authorisation Type Code at H level is mandatory when the group-level item is present.; Populate XML path Declaration/ AuthorisationHolder/ CategoryCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..4.; Value is drawn from HMRC codelist PartyRoleAuthorizationTypes for these items.

TDR-R-01967 | Field-level requirement | Export declaration | Export C21E: DE 3/39 Holder of the authorisation Identification No. - Authorisation Type Code at H level is mandatory when the group-level item is present; cardinality 1:1; format an..4.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!84
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is C21E.; 3/39 Holder of the authorisation Identification No. - Authorisation Type Code at H level is mandatory when the group-level item is present.; Populate XML path Declaration/ AuthorisationHolder/ CategoryCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..4.; Value is drawn from HMRC codelist PartyRoleAuthorizationTypes for these items.

TDR-R-01968 | Field-level requirement | Export declaration | Export C21EEIDR: DE 3/39 Holder of the authorisation Identification No. - Authorisation Type Code at H level is mandatory when the group-level item is present; cardinality 1:1; format an..4.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!84
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is C21EEIDR.; 3/39 Holder of the authorisation Identification No. - Authorisation Type Code at H level is mandatory when the group-level item is present.; Populate XML path Declaration/ AuthorisationHolder/ CategoryCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..4.; Value is drawn from HMRC codelist PartyRoleAuthorizationTypes for these items.

TDR-R-01969 | Field-level requirement | Export declaration | Export B1: DE 3/39 Holder of the authorisation Identification No. - Identifier at H level is mandatory when the group-level item is present; cardinality 1:1; format an..17.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!85
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is B1.; 3/39 Holder of the authorisation Identification No. - Identifier at H level is mandatory when the group-level item is present.; Populate XML path Declaration/ AuthorisationHolder/ ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..17.

TDR-R-01970 | Field-level requirement | Export declaration | Export C1: DE 3/39 Holder of the authorisation Identification No. - Identifier at H level is mandatory when the group-level item is present; cardinality 1:1; format an..17.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!85
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is C1.; 3/39 Holder of the authorisation Identification No. - Identifier at H level is mandatory when the group-level item is present.; Populate XML path Declaration/ AuthorisationHolder/ ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..17.

TDR-R-01971 | Field-level requirement | Export declaration | Export B2: DE 3/39 Holder of the authorisation Identification No. - Identifier at H level is mandatory when the group-level item is present; cardinality 1:1; format an..17.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!85
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is B2.; 3/39 Holder of the authorisation Identification No. - Identifier at H level is mandatory when the group-level item is present.; Populate XML path Declaration/ AuthorisationHolder/ ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..17.

TDR-R-01972 | Field-level requirement | Export declaration | Export B4: DE 3/39 Holder of the authorisation Identification No. - Identifier at H level is mandatory when the group-level item is present; cardinality 1:1; format an..17.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!85
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is B4.; 3/39 Holder of the authorisation Identification No. - Identifier at H level is mandatory when the group-level item is present.; Populate XML path Declaration/ AuthorisationHolder/ ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..17.

TDR-R-01973 | Field-level requirement | Export declaration | Export C21E: DE 3/39 Holder of the authorisation Identification No. - Identifier at H level is mandatory when the group-level item is present; cardinality 1:1; format an..17.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!85
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is C21E.; 3/39 Holder of the authorisation Identification No. - Identifier at H level is mandatory when the group-level item is present.; Populate XML path Declaration/ AuthorisationHolder/ ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..17.

TDR-R-01974 | Field-level requirement | Export declaration | Export C21EEIDR: DE 3/39 Holder of the authorisation Identification No. - Identifier at H level is mandatory when the group-level item is present; cardinality 1:1; format an..17.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!85
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is C21EEIDR.; 3/39 Holder of the authorisation Identification No. - Identifier at H level is mandatory when the group-level item is present.; Populate XML path Declaration/ AuthorisationHolder/ ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..17.

TDR-R-01975 | Field-level requirement | Export declaration | Export B1: DE 3/40 Additional Fiscal References Identification No. at H or I level is dependent; cardinality 99x (H) 99x (I); format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!86
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error

Acceptance: Export declaration context is B1.; 3/40 Additional Fiscal References Identification No. at H or I level is dependent.; Populate XML path Declaration/GoodsShipment/DomesticDutyTaxParty Declaration/GoodsShipment/GovernmentAgencyGoodsItem/DomesticDutyTaxParty only where this rule permits it.; Respect cardinality 99x (H) 99x (I).; Value conforms to HMRC format -.

TDR-R-01976 | Field-level requirement | Export declaration | Export C1: DE 3/40 Additional Fiscal References Identification No. at H or I level is dependent; cardinality 99x (H) 99x (I); format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!86
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is C1.; 3/40 Additional Fiscal References Identification No. at H or I level is dependent.; Populate XML path Declaration/GoodsShipment/DomesticDutyTaxParty Declaration/GoodsShipment/GovernmentAgencyGoodsItem/DomesticDutyTaxParty only where this rule permits it.; Respect cardinality 99x (H) 99x (I).; Value conforms to HMRC format -.

TDR-R-01977 | Field-level requirement | Export declaration | Export B2: DE 3/40 Additional Fiscal References Identification No. at H or I level is optional; cardinality 99x (H) 99x (I); format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!86
Error code/pattern: CDS10010 | xml_validation_error
Acceptance: Export declaration context is B2.; 3/40 Additional Fiscal References Identification No. at H or I level is optional.; Populate XML path Declaration/GoodsShipment/DomesticDutyTaxParty Declaration/GoodsShipment/GovernmentAgencyGoodsItem/DomesticDutyTaxParty only where this rule permits it.; Respect cardinality 99x (H) 99x (I).; Value conforms to HMRC format -.

TDR-R-01978 | Field-level requirement | Export declaration | Export B4: DE 3/40 Additional Fiscal References Identification No. at H or I level is dependent; cardinality 99x (H) 99x (I); format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!86
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is B4.; 3/40 Additional Fiscal References Identification No. at H or I level is dependent.; Populate XML path Declaration/GoodsShipment/DomesticDutyTaxParty Declaration/GoodsShipment/GovernmentAgencyGoodsItem/DomesticDutyTaxParty only where this rule permits it.; Respect cardinality 99x (H) 99x (I).; Value conforms to HMRC format -.

TDR-R-01979 | Field-level requirement | Export declaration | Export C21E: DE 3/40 Additional Fiscal References Identification No. at H or I level is optional; cardinality 99x (H) 99x (I); format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!86
Error code/pattern: CDS10010 | xml_validation_error
Acceptance: Export declaration context is C21E.; 3/40 Additional Fiscal References Identification No. at H or I level is optional.; Populate XML path Declaration/GoodsShipment/DomesticDutyTaxParty Declaration/GoodsShipment/GovernmentAgencyGoodsItem/DomesticDutyTaxParty only where this rule permits it.; Respect cardinality 99x (H) 99x (I).; Value conforms to HMRC format -.

TDR-R-01980 | Field-level requirement | Export declaration | Export C21EEIDR: DE 3/40 Additional Fiscal References Identification No. at H or I level is optional; cardinality 99x (H) 99x (I); format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!86
Error code/pattern: CDS10010 | xml_validation_error
Acceptance: Export declaration context is C21EEIDR.; 3/40 Additional Fiscal References Identification No. at H or I level is optional.; Populate XML path Declaration/GoodsShipment/DomesticDutyTaxParty Declaration/GoodsShipment/GovernmentAgencyGoodsItem/DomesticDutyTaxParty only where this rule permits it.; Respect cardinality 99x (H) 99x (I).; Value conforms to HMRC format -.

TDR-R-01981 | Field-level requirement | Export declaration | Export B1: DE 3/40 Additional Fiscal References Identification No. - Role code at H or I level is mandatory when the group-level item is present; cardinality 1:1; format an3.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!87
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is B1.; 3/40 Additional Fiscal References Identification No. - Role code at H or I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/DomesticDutyTaxParty/RoleCode Declaration/GoodsShipment/GovernmentAgencyGoodsItem/DomesticDutyTaxParty/RoleCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an3.; Value is drawn from HMRC codelist VatPartySubRoleTypes for these items.

TDR-R-01982 | Field-level requirement | Export declaration | Export C1: DE 3/40 Additional Fiscal References Identification No. - Role code at H or I level is mandatory when the group-level item is present; cardinality 1:1; format an3.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!87
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is C1.; 3/40 Additional Fiscal References Identification No. - Role code at H or I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/DomesticDutyTaxParty/RoleCode Declaration/GoodsShipment/GovernmentAgencyGoodsItem/DomesticDutyTaxParty/RoleCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an3.; Value is drawn from HMRC codelist VatPartySubRoleTypes for these items.

TDR-R-01983 | Field-level requirement | Export declaration | Export B2: DE 3/40 Additional Fiscal References Identification No. - Role code at H or I level is mandatory when the group-level item is present; cardinality 1:1; format an3.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!87
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is B2.; 3/40 Additional Fiscal References Identification No. - Role code at H or I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/DomesticDutyTaxParty/RoleCode Declaration/GoodsShipment/GovernmentAgencyGoodsItem/DomesticDutyTaxParty/RoleCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an3.; Value is drawn from HMRC codelist VatPartySubRoleTypes for these items.

TDR-R-01984 | Field-level requirement | Export declaration | Export B4: DE 3/40 Additional Fiscal References Identification No. - Role code at H or I level is mandatory when the group-level item is present; cardinality 1:1; format an3.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!87
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is B4.; 3/40 Additional Fiscal References Identification No. - Role code at H or I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/DomesticDutyTaxParty/RoleCode

Declaration/GoodsShipment/GovernmentAgencyGoodsItem/DomesticDutyTaxParty/RoleCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an3.; Value is drawn from HMRC codelist VatPartySubRoleTypes for these items.

TDR-R-01985 | Field-level requirement | Export declaration | Export C21E: DE 3/40 Additional Fiscal References Identification No. - Role code at H or I level is mandatory when the group-level item is present; cardinality 1:1; format an3.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!87
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is C21E.; 3/40 Additional Fiscal References Identification No. - Role code at H or I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/DomesticDutyTaxParty/RoleCode Declaration/GoodsShipment/GovernmentAgencyGoodsItem/DomesticDutyTaxParty/RoleCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an3.; Value is drawn from HMRC codelist VatPartySubRoleTypes for these items.

TDR-R-01986 | Field-level requirement | Export declaration | Export C21EEIDR: DE 3/40 Additional Fiscal References Identification No. - Role code at H or I level is mandatory when the group-level item is present; cardinality 1:1; format an3.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!87
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is C21EEIDR.; 3/40 Additional Fiscal References Identification No. - Role code at H or I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/DomesticDutyTaxParty/RoleCode Declaration/GoodsShipment/GovernmentAgencyGoodsItem/DomesticDutyTaxParty/RoleCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an3.; Value is drawn from HMRC codelist VatPartySubRoleTypes for these items.

TDR-R-01987 | Field-level requirement | Export declaration | Export B1: DE 3/40 Additional Fiscal References Identification No. - VAT Identification No. at H or I level is mandatory when the group-level item is present; cardinality 1:1; format an..17.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!88
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is B1.; 3/40 Additional Fiscal References Identification No. - VAT Identification No. at H or I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/DomesticDutyTaxParty/ID Declaration/GoodsShipment/GovernmentAgencyGoodsItem/DomesticDutyTaxParty/ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..17.; Value is drawn from HMRC codelist CountryTypes for 2 character Country Code.

TDR-R-01988 | Field-level requirement | Export declaration | Export C1: DE 3/40 Additional Fiscal References Identification No. - VAT Identification No. at H or I level is mandatory when the group-level item is present; cardinality 1:1; format an..17.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!88
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is C1.; 3/40 Additional Fiscal References Identification No. - VAT Identification No. at H or I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/DomesticDutyTaxParty/ID Declaration/GoodsShipment/GovernmentAgencyGoodsItem/DomesticDutyTaxParty/ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..17.; Value is drawn from HMRC codelist CountryTypes for 2 character Country Code.

TDR-R-01989 | Field-level requirement | Export declaration | Export B2: DE 3/40 Additional Fiscal References Identification No. - VAT Identification No. at H or I level is mandatory when the group-level item is present; cardinality 1:1; format an..17.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!88
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is B2.; 3/40 Additional Fiscal References Identification No. - VAT Identification No. at H or I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/DomesticDutyTaxParty/ID Declaration/GoodsShipment/GovernmentAgencyGoodsItem/DomesticDutyTaxParty/ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..17.; Value is drawn from HMRC codelist CountryTypes for 2 character Country Code.

TDR-R-01990 | Field-level requirement | Export declaration | Export B4: DE 3/40 Additional Fiscal References Identification No. - VAT Identification No. at H or I level is mandatory when the group-level item is present; cardinality 1:1; format an..17.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!88
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is B4.; 3/40 Additional Fiscal References Identification No. - VAT Identification No. at H or I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/DomesticDutyTaxParty/ID Declaration/GoodsShipment/GovernmentAgencyGoodsItem/DomesticDutyTaxParty/ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..17.; Value is drawn from HMRC codelist CountryTypes for 2 character Country Code.

TDR-R-01991 | Field-level requirement | Export declaration | Export C21E: DE 3/40 Additional Fiscal References Identification No. - VAT Identification No. at H or I level is mandatory when the group-level item is present; cardinality 1:1; format an..17.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!88
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is C21E.; 3/40 Additional Fiscal References Identification No. - VAT Identification No. at H or I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/DomesticDutyTaxParty/ID Declaration/GoodsShipment/GovernmentAgencyGoodsItem/DomesticDutyTaxParty/ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..17.; Value is drawn from HMRC codelist CountryTypes for 2 character Country Code.

TDR-R-01992 | Field-level requirement | Export declaration | Export C21EEIDR: DE 3/40 Additional Fiscal References Identification No. - VAT Identification No. at H or I level is mandatory when the group-level item is present; cardinality 1:1; format an..17.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!88
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is C21EEIDR.; 3/40 Additional Fiscal References Identification No. - VAT Identification No. at H or I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/DomesticDutyTaxParty/ID Declaration/GoodsShipment/GovernmentAgencyGoodsItem/DomesticDutyTaxParty/ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..17.; Value is drawn from HMRC codelist CountryTypes for 2 character Country Code.

TDR-R-01993 | Field-level requirement | Export declaration | Export B1: DE 3/41 Person Presenting the Goods to Customs in case of Entry in the Declarant's Records (EIDR) or Pre-Lodged Customs Declaration Identification Number at H level is mandatory; cardinality 1x; format an.. 17.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!89
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error

Acceptance: Export declaration context is B1.; 3/41 Person Presenting the Goods to Customs in case of Entry in the Declarant's Records (EIDR) or Pre-Lodged Customs Declaration Identification Number at H level is mandatory.; Populate XML path Declaration/ Declarant/ ID only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format an.. 17.

TDR-R-01994 | Field-level requirement | Export declaration | Export C1: DE 3/41 Person Presenting the Goods to Customs in case of Entry in the Declarant's Records (EIDR) or Pre-Lodged Customs Declaration Identification Number at H level is mandatory; cardinality 1x; format an.. 17.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!89
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is C1.; 3/41 Person Presenting the Goods to Customs in case of Entry in the Declarant's Records (EIDR) or Pre-Lodged Customs Declaration Identification Number at H level is mandatory.; Populate XML path Declaration/ Declarant/ ID only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format an.. 17.

TDR-R-01995 | Field-level requirement | Export declaration | Export B2: DE 3/41 Person Presenting the Goods to Customs in case of Entry in the Declarant's Records (EIDR) or Pre-Lodged Customs Declaration Identification Number at H level is mandatory; cardinality 1x; format an.. 17.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!89
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is B2.; 3/41 Person Presenting the Goods to Customs in case of Entry in the Declarant's Records (EIDR) or Pre-Lodged Customs Declaration Identification Number at H level is mandatory.; Populate XML path Declaration/ Declarant/ ID only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format an.. 17.

TDR-R-01996 | Field-level requirement | Export declaration | Export B4: DE 3/41 Person Presenting the Goods to Customs in case of Entry in the Declarant's Records (EIDR) or Pre-Lodged Customs Declaration Identification Number at H level is mandatory; cardinality 1x; format an.. 17.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!89
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is B4.; 3/41 Person Presenting the Goods to Customs in case of Entry in the Declarant's Records (EIDR) or Pre-Lodged Customs Declaration Identification Number at H level is mandatory.; Populate XML path Declaration/ Declarant/ ID only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format an.. 17.

TDR-R-01997 | Field-level requirement | Export declaration | Export C21E: DE 3/41 Person Presenting the Goods to Customs in case of Entry in the Declarant's Records (EIDR) or Pre-Lodged Customs Declaration Identification Number at H level is mandatory; cardinality 1x; format an.. 17.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!89
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is C21E.; 3/41 Person Presenting the Goods to Customs in case of Entry in the Declarant's Records (EIDR) or Pre-Lodged Customs Declaration Identification Number at H level is mandatory.; Populate XML path Declaration/ Declarant/ ID only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format an.. 17.

TDR-R-01998 | Field-level requirement | Export declaration | Export C21EEIDR: DE 3/41 Person Presenting the Goods to Customs in case of Entry in the Declarant's Records (EIDR) or Pre-Lodged Customs Declaration Identification Number at H level is mandatory; cardinality 1x; format an.. 17.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!89
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is C21EEIDR.; 3/41 Person Presenting the Goods to Customs in case of Entry in the Declarant's Records (EIDR) or Pre-Lodged Customs Declaration Identification Number at H level is mandatory.; Populate XML path Declaration/ Declarant/ ID only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format an.. 17.

TDR-R-01999 | Field-level requirement | Export declaration | Export B1: DE 4/2 Transport charges method of payment at H or I level is optional; cardinality 1x (H) 1x (I); format a1.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!90
Error code/pattern: CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is B1.; 4/2 Transport charges method of payment at H or I level is optional.; Populate XML path Declaration/Consignment/Freight/PaymentMethodCode Declaration/Consignment/ConsignmentItem/Freight/PaymentMethodCode only where this rule permits it.; Respect cardinality 1x (H) 1x (I).; Value conforms to HMRC format a1.; Value is drawn from HMRC codelist TransportPaymentMethodTypes for these items.

TDR-R-02000 | Field-level requirement | Export declaration | Export C1: DE 4/2 Transport charges method of payment at H or I level is optional; cardinality 1x (H) 1x (I); format a1.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!90
Error code/pattern: CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is C1.; 4/2 Transport charges method of payment at H or I level is optional.; Populate XML path Declaration/Consignment/Freight/PaymentMethodCode Declaration/Consignment/ConsignmentItem/Freight/PaymentMethodCode only where this rule permits it.; Respect cardinality 1x (H) 1x (I).; Value conforms to HMRC format a1.; Value is drawn from HMRC codelist TransportPaymentMethodTypes for these items.

TDR-R-02001 | Field-level requirement | Export declaration | Export B2: DE 4/2 Transport charges method of payment at H or I level is optional; cardinality 1x (H) 1x (I); format a1.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!90
Error code/pattern: CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is B2.; 4/2 Transport charges method of payment at H or I level is optional.; Populate XML path Declaration/Consignment/Freight/PaymentMethodCode Declaration/Consignment/ConsignmentItem/Freight/PaymentMethodCode only where this rule permits it.; Respect cardinality 1x (H) 1x (I).; Value conforms to HMRC format a1.; Value is drawn from HMRC codelist TransportPaymentMethodTypes for these items.

TDR-R-02002 | Field-level requirement | Export declaration | Export B4: DE 4/2 Transport charges method of payment at H or I level is optional; cardinality 1x (H) 1x (I); format a1.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!90
Error code/pattern: CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is B4.; 4/2 Transport charges method of payment at H or I level is optional.; Populate XML path Declaration/Consignment/Freight/PaymentMethodCode Declaration/Consignment/ConsignmentItem/Freight/PaymentMethodCode only where

this rule permits it.; Respect cardinality 1x (H) 1x (I).; Value conforms to HMRC format a1.; Value is drawn from HMRC codelist TransportPaymentMethodTypes for these items.

TDR-R-02003 | Field-level requirement | Export declaration | Export C21E: DE 4/2 Transport charges method of payment at H or I level is optional; cardinality 1x (H) 1x (I); format a1.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!90
Error code/pattern: CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is C21E.; 4/2 Transport charges method of payment at H or I level is optional.; Populate XML path Declaration/Consignment/Freight/PaymentMethodCode Declaration/Consignment/ConsignmentItem/Freight/PaymentMethodCode only where this rule permits it.; Respect cardinality 1x (H) 1x (I).; Value conforms to HMRC format a1.; Value is drawn from HMRC codelist TransportPaymentMethodTypes for these items.

TDR-R-02004 | Field-level requirement | Export declaration | Export C21EEIDR: DE 4/2 Transport charges method of payment at H or I level is optional; cardinality 1x (H) 1x (I); format a1.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!90
Error code/pattern: CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is C21EEIDR.; 4/2 Transport charges method of payment at H or I level is optional.; Populate XML path Declaration/Consignment/Freight/PaymentMethodCode Declaration/Consignment/ConsignmentItem/Freight/PaymentMethodCode only where this rule permits it.; Respect cardinality 1x (H) 1x (I).; Value conforms to HMRC format a1.; Value is drawn from HMRC codelist TransportPaymentMethodTypes for these items.

TDR-R-02005 | Field-level requirement | Export declaration | Export B1: DE 4/11 Total Amount Invoiced at H level is dependent; cardinality 1x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!91
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is B1.; 4/11 Total Amount Invoiced at H level is dependent.; Populate XML path Declaration/InvoiceAmount only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format -.

TDR-R-02006 | Field-level requirement | Export declaration | Export C1: DE 4/11 Total Amount Invoiced at H level is optional; cardinality 1x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!91
Error code/pattern: CDS10010 | xml_validation_error
Acceptance: Export declaration context is C1.; 4/11 Total Amount Invoiced at H level is optional.; Populate XML path Declaration/InvoiceAmount only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format -.

TDR-R-02007 | Field-level requirement | Export declaration | Export B2: DE 4/11 Total Amount Invoiced at H level is dependent; cardinality 1x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!91
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is B2.; 4/11 Total Amount Invoiced at H level is dependent.; Populate XML path Declaration/InvoiceAmount only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format -.

TDR-R-02008 | Field-level requirement | Export declaration | Export B4: DE 4/11 Total Amount Invoiced at H level is dependent; cardinality 1x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!91
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is B4.; 4/11 Total Amount Invoiced at H level is dependent.; Populate XML path Declaration/InvoiceAmount only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format -.

TDR-R-02009 | Field-level requirement | Export declaration | Export C21E: DE 4/11 Total Amount Invoiced at H level is optional; cardinality 1x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!91
Error code/pattern: CDS10010 | xml_validation_error
Acceptance: Export declaration context is C21E.; 4/11 Total Amount Invoiced at H level is optional.; Populate XML path Declaration/InvoiceAmount only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format -.

TDR-R-02010 | Field-level requirement | Export declaration | Export C21EEIDR: DE 4/11 Total Amount Invoiced at H level is optional; cardinality 1x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!91
Error code/pattern: CDS10010 | xml_validation_error
Acceptance: Export declaration context is C21EEIDR.; 4/11 Total Amount Invoiced at H level is optional.; Populate XML path Declaration/InvoiceAmount only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format -.

TDR-R-02011 | Field-level requirement | Export declaration | Export B1: DE 4/11 Total Amount Invoiced - Amount at H level is mandatory when the group-level item is present; cardinality 1:1; format n..16,2.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!92
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is B1.; 4/11 Total Amount Invoiced - Amount at H level is mandatory when the group-level item is present.; Populate XML path Declaration/InvoiceAmount only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format n..16,2.

TDR-R-02012 | Field-level requirement | Export declaration | Export C1: DE 4/11 Total Amount Invoiced - Amount at H level is mandatory when the group-level item is present; cardinality 1:1; format n..16,2.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!92
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is C1.; 4/11 Total Amount Invoiced - Amount at H level is mandatory when the group-level item is present.; Populate XML path Declaration/InvoiceAmount only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format n..16,2.

TDR-R-02013 | Field-level requirement | Export declaration | Export B2: DE 4/11 Total Amount Invoiced - Amount at H level is mandatory when the group-level item is present; cardinality 1:1; format n..16,2.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!92

Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is B2.; 4/11 Total Amount Invoiced - Amount at H level is mandatory when the group-level item is present.; Populate XML path Declaration/InvoiceAmount only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format n..16,2.

TDR-R-02014 | Field-level requirement | Export declaration | Export B4: DE 4/11 Total Amount Invoiced - Amount at H level is mandatory when the group-level item is present; cardinality 1:1; format n..16,2.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!92
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is B4.; 4/11 Total Amount Invoiced - Amount at H level is mandatory when the group-level item is present.; Populate XML path Declaration/InvoiceAmount only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format n..16,2.

TDR-R-02015 | Field-level requirement | Export declaration | Export C21E: DE 4/11 Total Amount Invoiced - Amount at H level is mandatory when the group-level item is present; cardinality 1:1; format n..16,2.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!92
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is C21E.; 4/11 Total Amount Invoiced - Amount at H level is mandatory when the group-level item is present.; Populate XML path Declaration/InvoiceAmount only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format n..16,2.

TDR-R-02016 | Field-level requirement | Export declaration | Export C21EEIDR: DE 4/11 Total Amount Invoiced - Amount at H level is mandatory when the group-level item is present; cardinality 1:1; format n..16,2.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!92
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is C21EEIDR.; 4/11 Total Amount Invoiced - Amount at H level is mandatory when the group-level item is present.; Populate XML path Declaration/InvoiceAmount only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format n..16,2.

TDR-R-02017 | Field-level requirement | Export declaration | Export B1: DE 4/11 Total Amount Invoiced - Currency at H level is mandatory when the group-level item is present; cardinality 1:1; format a3 Must be Upper Case Defaults to GBP.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!93
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is B1.; 4/11 Total Amount Invoiced - Currency at H level is mandatory when the group-level item is present.; Populate XML path Declaration/ InvoiceAmount @currencyID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a3 Must be Upper Case Defaults to GBP.; Value is drawn from HMRC codelist CurrencyTypes for these items.

TDR-R-02018 | Field-level requirement | Export declaration | Export C1: DE 4/11 Total Amount Invoiced - Currency at H level is mandatory when the group-level item is present; cardinality 1:1; format a3 Must be Upper Case Defaults to GBP.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!93
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is C1.; 4/11 Total Amount Invoiced - Currency at H level is mandatory when the group-level item is present.; Populate XML path Declaration/ InvoiceAmount @currencyID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a3 Must be Upper Case Defaults to GBP.; Value is drawn from HMRC codelist CurrencyTypes for these items.

TDR-R-02019 | Field-level requirement | Export declaration | Export B2: DE 4/11 Total Amount Invoiced - Currency at H level is mandatory when the group-level item is present; cardinality 1:1; format a3 Must be Upper Case Defaults to GBP.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!93
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is B2.; 4/11 Total Amount Invoiced - Currency at H level is mandatory when the group-level item is present.; Populate XML path Declaration/ InvoiceAmount @currencyID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a3 Must be Upper Case Defaults to GBP.; Value is drawn from HMRC codelist CurrencyTypes for these items.

TDR-R-02020 | Field-level requirement | Export declaration | Export B4: DE 4/11 Total Amount Invoiced - Currency at H level is mandatory when the group-level item is present; cardinality 1:1; format a3 Must be Upper Case Defaults to GBP.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!93
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is B4.; 4/11 Total Amount Invoiced - Currency at H level is mandatory when the group-level item is present.; Populate XML path Declaration/ InvoiceAmount @currencyID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a3 Must be Upper Case Defaults to GBP.; Value is drawn from HMRC codelist CurrencyTypes for these items.

TDR-R-02021 | Field-level requirement | Export declaration | Export C21E: DE 4/11 Total Amount Invoiced - Currency at H level is mandatory when the group-level item is present; cardinality 1:1; format a3 Must be Upper Case Defaults to GBP.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!93
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is C21E.; 4/11 Total Amount Invoiced - Currency at H level is mandatory when the group-level item is present.; Populate XML path Declaration/ InvoiceAmount @currencyID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a3 Must be Upper Case Defaults to GBP.; Value is drawn from HMRC codelist CurrencyTypes for these items.

TDR-R-02022 | Field-level requirement | Export declaration | Export C21EEIDR: DE 4/11 Total Amount Invoiced - Currency at H level is mandatory when the group-level item is present; cardinality 1:1; format a3 Must be Upper Case Defaults to GBP.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!93
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is C21EEIDR.; 4/11 Total Amount Invoiced - Currency at H level is mandatory when the group-level item is present.; Populate XML path Declaration/ InvoiceAmount @currencyID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a3 Must be Upper Case Defaults to GBP.; Value is drawn from HMRC codelist CurrencyTypes for these items.

TDR-R-02023 | Field-level requirement | Export declaration | Export B1: DE 4/15 Exchange rate at H level is dependent; cardinality 1x; format n..12,5.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!94

Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is B1.; 4/15 Exchange rate at H level is dependent.; Populate XML path Declaration/ CurrencyExchange/ RateNumeric only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format n..12,5.

TDR-R-02024 | Field-level requirement | Export declaration | Export C1: DE 4/15 Exchange rate at H level is optional; cardinality 1x; format n..12,5.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!94
Error code/pattern: CDS10010 | xml_validation_error
Acceptance: Export declaration context is C1.; 4/15 Exchange rate at H level is optional.; Populate XML path Declaration/ CurrencyExchange/ RateNumeric only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format n..12,5.

TDR-R-02025 | Field-level requirement | Export declaration | Export B2: DE 4/15 Exchange rate at H level is dependent; cardinality 1x; format n..12,5.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!94
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is B2.; 4/15 Exchange rate at H level is dependent.; Populate XML path Declaration/ CurrencyExchange/ RateNumeric only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format n..12,5.

TDR-R-02026 | Field-level requirement | Export declaration | Export B4: DE 4/15 Exchange rate at H level is dependent; cardinality 1x; format n..12,5.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!94
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is B4.; 4/15 Exchange rate at H level is dependent.; Populate XML path Declaration/ CurrencyExchange/ RateNumeric only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format n..12,5.

TDR-R-02027 | Field-level requirement | Export declaration | Export C21E: DE 4/15 Exchange rate at H level is optional; cardinality 1x; format n..12,5.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!94
Error code/pattern: CDS10010 | xml_validation_error
Acceptance: Export declaration context is C21E.; 4/15 Exchange rate at H level is optional.; Populate XML path Declaration/ CurrencyExchange/ RateNumeric only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format n..12,5.

TDR-R-02028 | Field-level requirement | Export declaration | Export C21EEIDR: DE 4/15 Exchange rate at H level is optional; cardinality 1x; format n..12,5.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!94
Error code/pattern: CDS10010 | xml_validation_error
Acceptance: Export declaration context is C21EEIDR.; 4/15 Exchange rate at H level is optional.; Populate XML path Declaration/ CurrencyExchange/ RateNumeric only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format n..12,5.

TDR-R-02029 | Field-level requirement | Export declaration | Export B1: DE 5/8 Country of destination code at H or I level is mandatory; cardinality 1x (H) 1x (I); format a2 Must be Upper Case.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!95
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is B1.; 5/8 Country of destination code at H or I level is mandatory.; Populate XML path Declaration/GoodsShipment/ Destination/ CountryCode Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Destination/ CountryCode only where this rule permits it.; Respect cardinality 1x (H) 1x (I).; Value conforms to HMRC format a2 Must be Upper Case.; Value is drawn from HMRC codelist CountryTypes for these items.

TDR-R-02030 | Field-level requirement | Export declaration | Export C1: DE 5/8 Country of destination code at H or I level is mandatory; cardinality 1x (H) 1x (I); format a2 Must be Upper Case.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!95
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is C1.; 5/8 Country of destination code at H or I level is mandatory.; Populate XML path Declaration/GoodsShipment/ Destination/ CountryCode Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Destination/ CountryCode only where this rule permits it.; Respect cardinality 1x (H) 1x (I).; Value conforms to HMRC format a2 Must be Upper Case.; Value is drawn from HMRC codelist CountryTypes for these items.

TDR-R-02031 | Field-level requirement | Export declaration | Export B2: DE 5/8 Country of destination code at H or I level is mandatory; cardinality 1x (H) 1x (I); format a2 Must be Upper Case.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!95
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is B2.; 5/8 Country of destination code at H or I level is mandatory.; Populate XML path Declaration/GoodsShipment/ Destination/ CountryCode Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Destination/ CountryCode only where this rule permits it.; Respect cardinality 1x (H) 1x (I).; Value conforms to HMRC format a2 Must be Upper Case.; Value is drawn from HMRC codelist CountryTypes for these items.

TDR-R-02032 | Field-level requirement | Export declaration | Export B4: DE 5/8 Country of destination code at H or I level is mandatory; cardinality 1x (H) 1x (I); format a2 Must be Upper Case.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!95
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is B4.; 5/8 Country of destination code at H or I level is mandatory.; Populate XML path Declaration/GoodsShipment/ Destination/ CountryCode Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Destination/ CountryCode only where this rule permits it.; Respect cardinality 1x (H) 1x (I).; Value conforms to HMRC format a2 Must be Upper Case.; Value is drawn from HMRC codelist CountryTypes for these items.

TDR-R-02033 | Field-level requirement | Export declaration | Export C21E: DE 5/8 Country of destination code at H or I level is dependent; cardinality 1x (H) 1x (I); format a2 Must be Upper Case.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!95

Error code/pattern: CDS12070 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is C21E.; 5/8 Country of destination code at H or I level is dependent.; Populate XML path Declaration/GoodsShipment/ Destination/ CountryCode Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Destination/ CountryCode only where this rule permits it.; Respect cardinality 1x (H) 1x (I).; Value conforms to HMRC format a2 Must be Upper Case.; Value is drawn from HMRC codelist CountryTypes for these items.

TDR-R-02034 | Field-level requirement | Export declaration | Export C21EEIDR: DE 5/8 Country of destination code at H or I level is mandatory; cardinality 1x (H) 1x (I); format a2 Must be Upper Case.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!95
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is C21EEIDR.; 5/8 Country of destination code at H or I level is mandatory.; Populate XML path Declaration/GoodsShipment/ Destination/ CountryCode Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Destination/ CountryCode only where this rule permits it.; Respect cardinality 1x (H) 1x (I).; Value conforms to HMRC format a2 Must be Upper Case.; Value is drawn from HMRC codelist CountryTypes for these items.

TDR-R-02035 | Field-level requirement | Export declaration | Export B1: DE 5/12 Customs office of exit at H level is mandatory; cardinality 1x; format an8.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!96
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is B1.; 5/12 Customs office of exit at H level is mandatory.; Populate XML path Declaration/ExitOffice/ID only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format an8.; Value is drawn from HMRC codelist ExitCustomsOffices for these items.

TDR-R-02036 | Field-level requirement | Export declaration | Export C1: DE 5/12 Customs office of exit at H level is mandatory; cardinality 1x; format an8.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!96
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is C1.; 5/12 Customs office of exit at H level is mandatory.; Populate XML path Declaration/ExitOffice/ID only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format an8.; Value is drawn from HMRC codelist ExitCustomsOffices for these items.

TDR-R-02037 | Field-level requirement | Export declaration | Export B2: DE 5/12 Customs office of exit at H level is mandatory; cardinality 1x; format an8.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!96
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is B2.; 5/12 Customs office of exit at H level is mandatory.; Populate XML path Declaration/ExitOffice/ID only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format an8.; Value is drawn from HMRC codelist ExitCustomsOffices for these items.

TDR-R-02038 | Field-level requirement | Export declaration | Export B4: DE 5/12 Customs office of exit at H level is mandatory; cardinality 1x; format an8.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!96
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is B4.; 5/12 Customs office of exit at H level is mandatory.; Populate XML path Declaration/ExitOffice/ID only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format an8.; Value is drawn from HMRC codelist ExitCustomsOffices for these items.

TDR-R-02039 | Field-level requirement | Export declaration | Export C21E: DE 5/12 Customs office of exit at H level is dependent; cardinality 1x; format an8.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!96
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is C21E.; 5/12 Customs office of exit at H level is dependent.; Populate XML path Declaration/ExitOffice/ID only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format an8.; Value is drawn from HMRC codelist ExitCustomsOffices for these items.

TDR-R-02040 | Field-level requirement | Export declaration | Export C21EEIDR: DE 5/12 Customs office of exit at H level is mandatory; cardinality 1x; format an8.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!96
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is C21EEIDR.; 5/12 Customs office of exit at H level is mandatory.; Populate XML path Declaration/ExitOffice/ID only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format an8.; Value is drawn from HMRC codelist ExitCustomsOffices for these items.

TDR-R-02041 | Field-level requirement | Export declaration | Export B1: DE 5/14 Country of dispatch/export code at H level is mandatory; cardinality 1x; format a2 Must be Upper Case.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!97
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is B1.; 5/14 Country of dispatch/export code at H level is mandatory.; Populate XML path Declaration/GoodsShipment/ExportCountry/ID only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format a2 Must be Upper Case.; Value is drawn from HMRC codelist CountryTypes for these items (Note.

TDR-R-02042 | Field-level requirement | Export declaration | Export C1: DE 5/14 Country of dispatch/export code at H level is optional; cardinality 1x; format a2 Must be Upper Case.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!97
Error code/pattern: CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is C1.; 5/14 Country of dispatch/export code at H level is optional.; Populate XML path Declaration/GoodsShipment/ExportCountry/ID only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format a2 Must be Upper Case.; Value is drawn from HMRC codelist CountryTypes for these items (Note.

TDR-R-02043 | Field-level requirement | Export declaration | Export B2: DE 5/14 Country of dispatch/export code at H level is mandatory; cardinality 1x; format a2 Must be Upper Case.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!97
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is B2.; 5/14 Country of dispatch/export code at H level is mandatory.; Populate XML path Declaration/GoodsShipment/ExportCountry/ID only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format a2 Must be Upper Case.; Value is drawn from HMRC codelist CountryTypes for these items (Note.

TDR-R-02044 | Field-level requirement | Export declaration | Export B4: DE 5/14 Country of dispatch/export code at H level is mandatory; cardinality 1x; format a2 Must be Upper Case.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!97
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is B4.; 5/14 Country of dispatch/export code at H level is mandatory.; Populate XML path Declaration/GoodsShipment/ExportCountry/ID only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format a2 Must be Upper Case.; Value is drawn from HMRC codelist CountryTypes for these items (Note.

TDR-R-02045 | Field-level requirement | Export declaration | Export C21E: DE 5/14 Country of dispatch/export code at H level is optional; cardinality 1x; format a2 Must be Upper Case.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!97
Error code/pattern: CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is C21E.; 5/14 Country of dispatch/export code at H level is optional.; Populate XML path Declaration/GoodsShipment/ExportCountry/ID only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format a2 Must be Upper Case.; Value is drawn from HMRC codelist CountryTypes for these items (Note.

TDR-R-02046 | Field-level requirement | Export declaration | Export C21EEIDR: DE 5/14 Country of dispatch/export code at H level is optional; cardinality 1x; format a2 Must be Upper Case.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!97
Error code/pattern: CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is C21EEIDR.; 5/14 Country of dispatch/export code at H level is optional.; Populate XML path Declaration/GoodsShipment/ExportCountry/ID only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format a2 Must be Upper Case.; Value is drawn from HMRC codelist CountryTypes for these items (Note.

TDR-R-02047 | Field-level requirement | Export declaration | Export B1: DE 5/15 Country of Origin at I level is dependent; cardinality 1x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!98
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is B1.; 5/15 Country of Origin at I level is dependent.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Origin only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format -.

TDR-R-02048 | Field-level requirement | Export declaration | Export C1: DE 5/15 Country of Origin at I level is dependent; cardinality 1x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!98
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is C1.; 5/15 Country of Origin at I level is dependent.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Origin only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format -.

TDR-R-02049 | Field-level requirement | Export declaration | Export B2: DE 5/15 Country of Origin at I level is dependent; cardinality 1x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!98
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is B2.; 5/15 Country of Origin at I level is dependent.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Origin only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format -.

TDR-R-02050 | Field-level requirement | Export declaration | Export B4: DE 5/15 Country of Origin at I level is dependent; cardinality 1x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!98
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is B4.; 5/15 Country of Origin at I level is dependent.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Origin only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format -.

TDR-R-02051 | Field-level requirement | Export declaration | Export C21E: DE 5/15 Country of Origin at I level is dependent; cardinality 1x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!98
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is C21E.; 5/15 Country of Origin at I level is dependent.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Origin only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format -.

TDR-R-02052 | Field-level requirement | Export declaration | Export C21EEIDR: DE 5/15 Country of Origin at I level is dependent; cardinality 1x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!98
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is C21EEIDR.; 5/15 Country of Origin at I level is dependent.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Origin only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format -.

TDR-R-02053 | Field-level requirement | Export declaration | Export B1: DE 5/15 Country of Origin - Country Code at I level is dependent; cardinality 1:1; format a2 Must be Upper Case.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!99
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is B1.; 5/15 Country of Origin - Country Code at I level is dependent.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Origin/ CountryCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a2 Must be Upper Case.; Value is drawn from HMRC codelist CountryTypes for these items.

TDR-R-02054 | Field-level requirement | Export declaration | Export C1: DE 5/15 Country of Origin - Country Code at I level is dependent; cardinality 1:1; format a2 Must be Upper Case.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!99
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is C1.; 5/15 Country of Origin - Country Code at I level is dependent.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Origin/ CountryCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a2 Must be Upper Case.; Value is drawn from HMRC codelist CountryTypes for these items.

TDR-R-02055 | Field-level requirement | Export declaration | Export B2: DE 5/15 Country of Origin - Country Code at I level is dependent; cardinality 1:1; format a2 Must be Upper Case.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!99
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is B2.; 5/15 Country of Origin - Country Code at I level is dependent.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Origin/ CountryCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a2 Must be Upper Case.; Value is drawn from HMRC codelist CountryTypes for these items.

TDR-R-02056 | Field-level requirement | Export declaration | Export B4: DE 5/15 Country of Origin - Country Code at I level is dependent; cardinality 1:1; format a2 Must be Upper Case.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!99
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is B4.; 5/15 Country of Origin - Country Code at I level is dependent.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Origin/ CountryCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a2 Must be Upper Case.; Value is drawn from HMRC codelist CountryTypes for these items.

TDR-R-02057 | Field-level requirement | Export declaration | Export C21E: DE 5/15 Country of Origin - Country Code at I level is dependent; cardinality 1:1; format a2 Must be Upper Case.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!99
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is C21E.; 5/15 Country of Origin - Country Code at I level is dependent.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Origin/ CountryCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a2 Must be Upper Case.; Value is drawn from HMRC codelist CountryTypes for these items.

TDR-R-02058 | Field-level requirement | Export declaration | Export C21EEIDR: DE 5/15 Country of Origin - Country Code at I level is dependent; cardinality 1:1; format a2 Must be Upper Case.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!99
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is C21EEIDR.; 5/15 Country of Origin - Country Code at I level is dependent.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Origin/ CountryCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a2 Must be Upper Case.; Value is drawn from HMRC codelist CountryTypes for these items.

TDR-R-02059 | Field-level requirement | Export declaration | Export B1: DE 5/15 Country of Origin - Type Code at I level is dependent; cardinality 1:1; format n1.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!100
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is B1.; 5/15 Country of Origin - Type Code at I level is dependent.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Origin/ TypeCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format n1.; Value is drawn from HMRC codelist CountryRegionSubRoleTypes for these items.

TDR-R-02060 | Field-level requirement | Export declaration | Export C1: DE 5/15 Country of Origin - Type Code at I level is dependent; cardinality 1:1; format n1.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!100
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is C1.; 5/15 Country of Origin - Type Code at I level is dependent.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Origin/ TypeCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format n1.; Value is drawn from HMRC codelist CountryRegionSubRoleTypes for these items.

TDR-R-02061 | Field-level requirement | Export declaration | Export B2: DE 5/15 Country of Origin - Type Code at I level is dependent; cardinality 1:1; format n1.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!100
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is B2.; 5/15 Country of Origin - Type Code at I level is dependent.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Origin/ TypeCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format n1.; Value is drawn from HMRC codelist CountryRegionSubRoleTypes for these items.

TDR-R-02062 | Field-level requirement | Export declaration | Export B4: DE 5/15 Country of Origin - Type Code at I level is dependent; cardinality 1:1; format n1.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!100
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is B4.; 5/15 Country of Origin - Type Code at I level is dependent.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Origin/ TypeCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format n1.; Value is drawn from HMRC codelist CountryRegionSubRoleTypes for these items.

TDR-R-02063 | Field-level requirement | Export declaration | Export C21E: DE 5/15 Country of Origin - Type Code at I level is dependent; cardinality 1:1; format n1.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!100
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is C21E.; 5/15 Country of Origin - Type Code at I level is dependent.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Origin/ TypeCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format n1.; Value is drawn from HMRC codelist CountryRegionSubRoleTypes for these items.

TDR-R-02064 | Field-level requirement | Export declaration | Export C21EEIDR: DE 5/15 Country of Origin - Type Code at I level is dependent; cardinality 1:1; format n1.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!100
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is C21EEIDR.; 5/15 Country of Origin - Type Code at I level is dependent.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Origin/ TypeCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format n1.; Value is drawn from HMRC codelist CountryRegionSubRoleTypes for these items.

TDR-R-02065 | Field-level requirement | Export declaration | Export B1: DE 5/18 Countries of routing codes at H level is dependent; cardinality 99x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!101
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is B1.; 5/18 Countries of routing codes at H level is dependent.; Populate XML path Declaration/Consignment/Itinerary only where this rule permits it.; Respect cardinality 99x.; Value conforms to HMRC format -.

TDR-R-02066 | Field-level requirement | Export declaration | Export C1: DE 5/18 Countries of routing codes at H level is dependent; cardinality 99x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!101
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is C1.; 5/18 Countries of routing codes at H level is dependent.; Populate XML path Declaration/Consignment/Itinerary only where this rule permits it.; Respect cardinality 99x.; Value conforms to HMRC format -.

TDR-R-02067 | Field-level requirement | Export declaration | Export B2: DE 5/18 Countries of routing codes at H level is dependent; cardinality 99x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!101
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is B2.; 5/18 Countries of routing codes at H level is dependent.; Populate XML path Declaration/Consignment/Itinerary only where this rule permits it.; Respect cardinality 99x.; Value conforms to HMRC format -.

TDR-R-02068 | Field-level requirement | Export declaration | Export B4: DE 5/18 Countries of routing codes at H level is optional; cardinality 99x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!101
Error code/pattern: CDS10010 | xml_validation_error
Acceptance: Export declaration context is B4.; 5/18 Countries of routing codes at H level is optional.; Populate XML path Declaration/Consignment/Itinerary only where this rule permits it.; Respect cardinality 99x.; Value conforms to HMRC format -.

TDR-R-02069 | Field-level requirement | Export declaration | Export C21E: DE 5/18 Countries of routing codes at H level is dependent; cardinality 99x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!101
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is C21E.; 5/18 Countries of routing codes at H level is dependent.; Populate XML path Declaration/Consignment/Itinerary only where this rule permits it.; Respect cardinality 99x.; Value conforms to HMRC format -.

TDR-R-02070 | Field-level requirement | Export declaration | Export C21EEIDR: DE 5/18 Countries of routing codes at H level is optional; cardinality 99x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!101
Error code/pattern: CDS10010 | xml_validation_error
Acceptance: Export declaration context is C21EEIDR.; 5/18 Countries of routing codes at H level is optional.; Populate XML path Declaration/Consignment/Itinerary only where this rule permits it.; Respect cardinality 99x.; Value conforms to HMRC format -.

TDR-R-02071 | Field-level requirement | Export declaration | Export B1: DE 5/18 Countries of routing codes - Sequence Numeric at H level is mandatory when the group-level item is present; cardinality 1:1; format n..2.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!102
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is B1.; 5/18 Countries of routing codes - Sequence Numeric at H level is mandatory when the group-level item is present.; Populate XML path Declaration/Consignment/Itinerary/SequenceNumeric only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format n..2.

TDR-R-02072 | Field-level requirement | Export declaration | Export C1: DE 5/18 Countries of routing codes - Sequence Numeric at H level is mandatory when the group-level item is present; cardinality 1:1; format n..2.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!102
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is C1.; 5/18 Countries of routing codes - Sequence Numeric at H level is mandatory when the group-level item is present.; Populate XML path Declaration/Consignment/Itinerary/SequenceNumeric only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format n..2.

TDR-R-02073 | Field-level requirement | Export declaration | Export B2: DE 5/18 Countries of routing codes - Sequence Numeric at H level is mandatory when the group-level item is present; cardinality 1:1; format n..2.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!102
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is B2.; 5/18 Countries of routing codes - Sequence Numeric at H level is mandatory when the group-level item is present.; Populate XML path Declaration/Consignment/Itinerary/SequenceNumeric only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format n..2.

TDR-R-02074 | Field-level requirement | Export declaration | Export B4: DE 5/18 Countries of routing codes - Sequence Numeric at H level is mandatory when the group-level item is present; cardinality 1:1; format n..2.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!102
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is B4.; 5/18 Countries of routing codes - Sequence Numeric at H level is mandatory when the group-level

item is present.; Populate XML path Declaration/Consignment/Itinerary/SequenceNumeric only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format n..2.

TDR-R-02075 | Field-level requirement | Export declaration | Export C21E: DE 5/18 Countries of routing codes - Sequence Numeric at H level is mandatory when the group-level item is present; cardinality 1:1; format n..2.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!102
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is C21E.; 5/18 Countries of routing codes - Sequence Numeric at H level is mandatory when the group-level item is present.; Populate XML path Declaration/Consignment/Itinerary/SequenceNumeric only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format n..2.

TDR-R-02076 | Field-level requirement | Export declaration | Export C21EEIDR: DE 5/18 Countries of routing codes - Sequence Numeric at H level is mandatory when the group-level item is present; cardinality 1:1; format n..2.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!102
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is C21EEIDR.; 5/18 Countries of routing codes - Sequence Numeric at H level is mandatory when the group-level item is present.; Populate XML path Declaration/Consignment/Itinerary/SequenceNumeric only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format n..2.

TDR-R-02077 | Field-level requirement | Export declaration | Export B1: DE 5/18 Countries of routing codes - Routing Country Code at H level is mandatory when the group-level item is present; cardinality 1:1; format a2.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!103
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is B1.; 5/18 Countries of routing codes - Routing Country Code at H level is mandatory when the group-level item is present.; Populate XML path Declaration/Consignment/Itinerary/RoutingCountryCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a2.; Value is drawn from HMRC codelist CountryTypes for these items.

TDR-R-02078 | Field-level requirement | Export declaration | Export C1: DE 5/18 Countries of routing codes - Routing Country Code at H level is mandatory when the group-level item is present; cardinality 1:1; format a2.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!103
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is C1.; 5/18 Countries of routing codes - Routing Country Code at H level is mandatory when the group-level item is present.; Populate XML path Declaration/Consignment/Itinerary/RoutingCountryCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a2.; Value is drawn from HMRC codelist CountryTypes for these items.

TDR-R-02079 | Field-level requirement | Export declaration | Export B2: DE 5/18 Countries of routing codes - Routing Country Code at H level is mandatory when the group-level item is present; cardinality 1:1; format a2.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!103
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is B2.; 5/18 Countries of routing codes - Routing Country Code at H level is mandatory when the group-level item is present.; Populate XML path Declaration/Consignment/Itinerary/RoutingCountryCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a2.; Value is drawn from HMRC codelist CountryTypes for these items.

TDR-R-02080 | Field-level requirement | Export declaration | Export B4: DE 5/18 Countries of routing codes - Routing Country Code at H level is mandatory when the group-level item is present; cardinality 1:1; format a2.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!103
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is B4.; 5/18 Countries of routing codes - Routing Country Code at H level is mandatory when the group-level item is present.; Populate XML path Declaration/Consignment/Itinerary/RoutingCountryCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a2.; Value is drawn from HMRC codelist CountryTypes for these items.

TDR-R-02081 | Field-level requirement | Export declaration | Export C21E: DE 5/18 Countries of routing codes - Routing Country Code at H level is mandatory when the group-level item is present; cardinality 1:1; format a2.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!103
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is C21E.; 5/18 Countries of routing codes - Routing Country Code at H level is mandatory when the group-level item is present.; Populate XML path Declaration/Consignment/Itinerary/RoutingCountryCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a2.; Value is drawn from HMRC codelist CountryTypes for these items.

TDR-R-02082 | Field-level requirement | Export declaration | Export C21EEIDR: DE 5/18 Countries of routing codes - Routing Country Code at H level is mandatory when the group-level item is present; cardinality 1:1; format a2.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!103
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is C21EEIDR.; 5/18 Countries of routing codes - Routing Country Code at H level is mandatory when the group-level item is present.; Populate XML path Declaration/Consignment/Itinerary/RoutingCountryCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a2.; Value is drawn from HMRC codelist CountryTypes for these items.

TDR-R-02083 | Field-level requirement | Export declaration | Export B1: DE 5/23 Location of goods at H level is mandatory; cardinality 1x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!104
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is B1.; 5/23 Location of goods at H level is mandatory.; Populate XML path Declaration/GoodsShipment/ Consignment/ GoodsLocation only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format -.

TDR-R-02084 | Field-level requirement | Export declaration | Export C1: DE 5/23 Location of goods at H level is mandatory; cardinality 1x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!104
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is C1.; 5/23 Location of goods at H level is mandatory.; Populate XML path Declaration/GoodsShipment/

Consignment/ GoodsLocation only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format -.

TDR-R-02085 | Field-level requirement | Export declaration | Export B2: DE 5/23 Location of goods at H level is mandatory; cardinality 1x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!104
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is B2.; 5/23 Location of goods at H level is mandatory.; Populate XML path Declaration/GoodsShipment/ Consignment/ GoodsLocation only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format -.

TDR-R-02086 | Field-level requirement | Export declaration | Export B4: DE 5/23 Location of goods at H level is mandatory; cardinality 1x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!104
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is B4.; 5/23 Location of goods at H level is mandatory.; Populate XML path Declaration/GoodsShipment/ Consignment/ GoodsLocation only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format -.

TDR-R-02087 | Field-level requirement | Export declaration | Export C21E: DE 5/23 Location of goods at H level is mandatory; cardinality 1x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!104
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is C21E.; 5/23 Location of goods at H level is mandatory.; Populate XML path Declaration/GoodsShipment/ Consignment/ GoodsLocation only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format -.

TDR-R-02088 | Field-level requirement | Export declaration | Export C21EEIDR: DE 5/23 Location of goods at H level is mandatory; cardinality 1x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!104
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is C21EEIDR.; 5/23 Location of goods at H level is mandatory.; Populate XML path Declaration/GoodsShipment/ Consignment/ GoodsLocation only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format -.

TDR-R-02089 | Field-level requirement | Export declaration | Export B1: DE 5/23 Location of goods - Country at H level is mandatory when the group-level item is present; cardinality 1:1; format a2 Must be Upper Case.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!105
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is B1.; 5/23 Location of goods - Country at H level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ Consignment/ GoodsLocation/ Address/ CountryCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a2 Must be Upper Case.; Value is drawn from HMRC codelist CountryTypes for these items.

TDR-R-02090 | Field-level requirement | Export declaration | Export C1: DE 5/23 Location of goods - Country at H level is mandatory when the group-level item is present; cardinality 1:1; format a2 Must be Upper Case.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!105
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is C1.; 5/23 Location of goods - Country at H level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ Consignment/ GoodsLocation/ Address/ CountryCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a2 Must be Upper Case.; Value is drawn from HMRC codelist CountryTypes for these items.

TDR-R-02091 | Field-level requirement | Export declaration | Export B2: DE 5/23 Location of goods - Country at H level is mandatory when the group-level item is present; cardinality 1:1; format a2 Must be Upper Case.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!105
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is B2.; 5/23 Location of goods - Country at H level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ Consignment/ GoodsLocation/ Address/ CountryCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a2 Must be Upper Case.; Value is drawn from HMRC codelist CountryTypes for these items.

TDR-R-02092 | Field-level requirement | Export declaration | Export B4: DE 5/23 Location of goods - Country at H level is mandatory when the group-level item is present; cardinality 1:1; format a2 Must be Upper Case.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!105
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is B4.; 5/23 Location of goods - Country at H level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ Consignment/ GoodsLocation/ Address/ CountryCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a2 Must be Upper Case.; Value is drawn from HMRC codelist CountryTypes for these items.

TDR-R-02093 | Field-level requirement | Export declaration | Export C21E: DE 5/23 Location of goods - Country at H level is mandatory when the group-level item is present; cardinality 1:1; format a2 Must be Upper Case.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!105
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is C21E.; 5/23 Location of goods - Country at H level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ Consignment/ GoodsLocation/ Address/ CountryCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a2 Must be Upper Case.; Value is drawn from HMRC codelist CountryTypes for these items.

TDR-R-02094 | Field-level requirement | Export declaration | Export C21EEIDR: DE 5/23 Location of goods - Country at H level is mandatory when the group-level item is present; cardinality 1:1; format a2 Must be Upper Case.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!105
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is C21EEIDR.; 5/23 Location of goods - Country at H level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ Consignment/ GoodsLocation/ Address/ CountryCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a2 Must be Upper Case.; Value is drawn from HMRC codelist CountryTypes for these

items.

TDR-R-02095 | Field-level requirement | Export declaration | Export B1: DE 5/23 Location of goods - Type of Location at H level is mandatory when the group-level item is present; cardinality 1:1; format a1.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!106
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is B1.; 5/23 Location of goods - Type of Location at H level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ Consignment/ GoodsLocation/ TypeCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a1.; Value is drawn from HMRC codelist LocationTypes for these items.

TDR-R-02096 | Field-level requirement | Export declaration | Export C1: DE 5/23 Location of goods - Type of Location at H level is mandatory when the group-level item is present; cardinality 1:1; format a1.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!106
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is C1.; 5/23 Location of goods - Type of Location at H level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ Consignment/ GoodsLocation/ TypeCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a1.; Value is drawn from HMRC codelist LocationTypes for these items.

TDR-R-02097 | Field-level requirement | Export declaration | Export B2: DE 5/23 Location of goods - Type of Location at H level is mandatory when the group-level item is present; cardinality 1:1; format a1.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!106
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is B2.; 5/23 Location of goods - Type of Location at H level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ Consignment/ GoodsLocation/ TypeCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a1.; Value is drawn from HMRC codelist LocationTypes for these items.

TDR-R-02098 | Field-level requirement | Export declaration | Export B4: DE 5/23 Location of goods - Type of Location at H level is mandatory when the group-level item is present; cardinality 1:1; format a1.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!106
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is B4.; 5/23 Location of goods - Type of Location at H level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ Consignment/ GoodsLocation/ TypeCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a1.; Value is drawn from HMRC codelist LocationTypes for these items.

TDR-R-02099 | Field-level requirement | Export declaration | Export C21E: DE 5/23 Location of goods - Type of Location at H level is mandatory when the group-level item is present; cardinality 1:1; format a1.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!106
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is C21E.; 5/23 Location of goods - Type of Location at H level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ Consignment/ GoodsLocation/ TypeCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a1.; Value is drawn from HMRC codelist LocationTypes for these items.

TDR-R-02100 | Field-level requirement | Export declaration | Export C21EEIDR: DE 5/23 Location of goods - Type of Location at H level is mandatory when the group-level item is present; cardinality 1:1; format a1.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!106
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is C21EEIDR.; 5/23 Location of goods - Type of Location at H level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ Consignment/ GoodsLocation/ TypeCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a1.; Value is drawn from HMRC codelist LocationTypes for these items.

TDR-R-02101 | Field-level requirement | Export declaration | Export B1: DE 5/23 Location of goods - Qualifier of the Identification at H level is mandatory when the group-level item is present; cardinality 1:1; format a1.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!107
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is B1.; 5/23 Location of goods - Qualifier of the Identification at H level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ Consignment/ GoodsLocation/ Address/ TypeCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a1.; Value is drawn from HMRC codelist LocationIdentificationTypes for these items.

TDR-R-02102 | Field-level requirement | Export declaration | Export C1: DE 5/23 Location of goods - Qualifier of the Identification at H level is mandatory when the group-level item is present; cardinality 1:1; format a1.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!107
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is C1.; 5/23 Location of goods - Qualifier of the Identification at H level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ Consignment/ GoodsLocation/ Address/ TypeCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a1.; Value is drawn from HMRC codelist LocationIdentificationTypes for these items.

TDR-R-02103 | Field-level requirement | Export declaration | Export B2: DE 5/23 Location of goods - Qualifier of the Identification at H level is mandatory when the group-level item is present; cardinality 1:1; format a1.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!107
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is B2.; 5/23 Location of goods - Qualifier of the Identification at H level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ Consignment/ GoodsLocation/ Address/ TypeCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a1.; Value is drawn from HMRC codelist LocationIdentificationTypes for these items.

TDR-R-02104 | Field-level requirement | Export declaration | Export B4: DE 5/23 Location of goods - Qualifier of the Identification at H level is mandatory when the group-level item is present; cardinality 1:1; format a1.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!107
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is B4.; 5/23 Location of goods - Qualifier of the Identification at H level is mandatory when the group-level

item is present.; Populate XML path Declaration/GoodsShipment/ Consignment/ GoodsLocation/ Address/ TypeCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a1.; Value is drawn from HMRC codelist LocationIdentificationTypes for these items.

TDR-R-02105 | Field-level requirement | Export declaration | Export C21E: DE 5/23 Location of goods - Qualifier of the Identification at H level is mandatory when the group-level item is present; cardinality 1:1; format a1.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!107
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is C21E.; 5/23 Location of goods - Qualifier of the Identification at H level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ Consignment/ GoodsLocation/ Address/ TypeCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a1.; Value is drawn from HMRC codelist LocationIdentificationTypes for these items.

TDR-R-02106 | Field-level requirement | Export declaration | Export C21EEIDR: DE 5/23 Location of goods - Qualifier of the Identification at H level is mandatory when the group-level item is present; cardinality 1:1; format a1.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!107
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is C21EEIDR.; 5/23 Location of goods - Qualifier of the Identification at H level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ Consignment/ GoodsLocation/ Address/ TypeCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a1.; Value is drawn from HMRC codelist LocationIdentificationTypes for these items.

TDR-R-02107 | Field-level requirement | Export declaration | Export B1: DE 5/23 Location of goods - Identification of Location at H level is dependent; cardinality 1:1; format an..35.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!108
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is B1.; 5/23 Location of goods - Identification of Location at H level is dependent.; Populate XML path Declaration/GoodsShipment/ Consignment/ GoodsLocation/ Name only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..35.

TDR-R-02108 | Field-level requirement | Export declaration | Export C1: DE 5/23 Location of goods - Identification of Location at H level is dependent; cardinality 1:1; format an..35.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!108
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is C1.; 5/23 Location of goods - Identification of Location at H level is dependent.; Populate XML path Declaration/GoodsShipment/ Consignment/ GoodsLocation/ Name only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..35.

TDR-R-02109 | Field-level requirement | Export declaration | Export B2: DE 5/23 Location of goods - Identification of Location at H level is dependent; cardinality 1:1; format an..35.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!108
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is B2.; 5/23 Location of goods - Identification of Location at H level is dependent.; Populate XML path Declaration/GoodsShipment/ Consignment/ GoodsLocation/ Name only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..35.

TDR-R-02110 | Field-level requirement | Export declaration | Export B4: DE 5/23 Location of goods - Identification of Location at H level is dependent; cardinality 1:1; format an..35.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!108
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is B4.; 5/23 Location of goods - Identification of Location at H level is dependent.; Populate XML path Declaration/GoodsShipment/ Consignment/ GoodsLocation/ Name only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..35.

TDR-R-02111 | Field-level requirement | Export declaration | Export C21E: DE 5/23 Location of goods - Identification of Location at H level is dependent; cardinality 1:1; format an..35.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!108
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is C21E.; 5/23 Location of goods - Identification of Location at H level is dependent.; Populate XML path Declaration/GoodsShipment/ Consignment/ GoodsLocation/ Name only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..35.

TDR-R-02112 | Field-level requirement | Export declaration | Export C21EEIDR: DE 5/23 Location of goods - Identification of Location at H level is dependent; cardinality 1:1; format an..35.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!108
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is C21EEIDR.; 5/23 Location of goods - Identification of Location at H level is dependent.; Populate XML path Declaration/GoodsShipment/ Consignment/ GoodsLocation/ Name only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..35.

TDR-R-02113 | Field-level requirement | Export declaration | Export B1: DE 5/23 Location of goods - Additional Identifier at H level is optional; cardinality 1:1; format n..3.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!109
Error code/pattern: CDS10010 | xml_validation_error
Acceptance: Export declaration context is B1.; 5/23 Location of goods - Additional Identifier at H level is optional.; Populate XML path Declaration/GoodsShipment/ Consignment/ GoodsLocation/ ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format n..3.

TDR-R-02114 | Field-level requirement | Export declaration | Export C1: DE 5/23 Location of goods - Additional Identifier at H level is optional; cardinality 1:1; format n..3.

Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!109
Error code/pattern: CDS10010 | xml_validation_error
Acceptance: Export declaration context is C1.; 5/23 Location of goods - Additional Identifier at H level is optional.; Populate XML path Declaration/GoodsShipment/ Consignment/ GoodsLocation/ ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format n..3.

TDR-R-02115 | Field-level requirement | Export declaration | Export B2: DE 5/23 Location of goods - Additional Identifier at H level is optional; cardinality 1:1; format n..3.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!109
Error code/pattern: CDS10010 | xml_validation_error
Acceptance: Export declaration context is B2.; 5/23 Location of goods - Additional Identifier at H level is optional.; Populate XML path Declaration/GoodsShipment/ Consignment/ GoodsLocation/ ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format n..3.

TDR-R-02116 | Field-level requirement | Export declaration | Export B4: DE 5/23 Location of goods - Additional Identifier at H level is optional; cardinality 1:1; format n..3.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!109
Error code/pattern: CDS10010 | xml_validation_error
Acceptance: Export declaration context is B4.; 5/23 Location of goods - Additional Identifier at H level is optional.; Populate XML path Declaration/GoodsShipment/ Consignment/ GoodsLocation/ ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format n..3.

TDR-R-02117 | Field-level requirement | Export declaration | Export C21E: DE 5/23 Location of goods - Additional Identifier at H level is optional; cardinality 1:1; format n..3.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!109
Error code/pattern: CDS10010 | xml_validation_error
Acceptance: Export declaration context is C21E.; 5/23 Location of goods - Additional Identifier at H level is optional.; Populate XML path Declaration/GoodsShipment/ Consignment/ GoodsLocation/ ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format n..3.

TDR-R-02118 | Field-level requirement | Export declaration | Export C21EEIDR: DE 5/23 Location of goods - Additional Identifier at H level is optional; cardinality 1:1; format n..3.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!109
Error code/pattern: CDS10010 | xml_validation_error
Acceptance: Export declaration context is C21EEIDR.; 5/23 Location of goods - Additional Identifier at H level is optional.; Populate XML path Declaration/GoodsShipment/ Consignment/ GoodsLocation/ ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format n..3.

TDR-R-02119 | Field-level requirement | Export declaration | Export B1: DE 5/23 Location of goods - Street and Number at H level is not allowed; cardinality 1:1; format an..70.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!110
Error code/pattern: CDS10002 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is B1.; 5/23 Location of goods - Street and Number at H level is not allowed.; Populate XML path Declaration/GoodsShipment/ Consignment/ GoodsLocation/ Address/ Line only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..70.

TDR-R-02120 | Field-level requirement | Export declaration | Export C1: DE 5/23 Location of goods - Street and Number at H level is not allowed; cardinality 1:1; format an..70.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!110
Error code/pattern: CDS10002 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is C1.; 5/23 Location of goods - Street and Number at H level is not allowed.; Populate XML path Declaration/GoodsShipment/ Consignment/ GoodsLocation/ Address/ Line only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..70.

TDR-R-02121 | Field-level requirement | Export declaration | Export B2: DE 5/23 Location of goods - Street and Number at H level is not allowed; cardinality 1:1; format an..70.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!110
Error code/pattern: CDS10002 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is B2.; 5/23 Location of goods - Street and Number at H level is not allowed.; Populate XML path Declaration/GoodsShipment/ Consignment/ GoodsLocation/ Address/ Line only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..70.

TDR-R-02122 | Field-level requirement | Export declaration | Export B4: DE 5/23 Location of goods - Street and Number at H level is not allowed; cardinality 1:1; format an..70.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!110
Error code/pattern: CDS10002 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is B4.; 5/23 Location of goods - Street and Number at H level is not allowed.; Populate XML path Declaration/GoodsShipment/ Consignment/ GoodsLocation/ Address/ Line only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..70.

TDR-R-02123 | Field-level requirement | Export declaration | Export C21E: DE 5/23 Location of goods - Street and Number at H level is not allowed; cardinality 1:1; format an..70.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!110
Error code/pattern: CDS10002 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is C21E.; 5/23 Location of goods - Street and Number at H level is not allowed.; Populate XML path Declaration/GoodsShipment/ Consignment/ GoodsLocation/ Address/ Line only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..70.

TDR-R-02124 | Field-level requirement | Export declaration | Export C21EEIDR: DE 5/23 Location of goods - Street and Number at H level is not allowed; cardinality 1:1; format an..70.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!110
Error code/pattern: CDS10002 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is C21EEIDR.; 5/23 Location of goods - Street and Number at H level is not allowed.; Populate XML path Declaration/GoodsShipment/ Consignment/ GoodsLocation/ Address/ Line only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..70.

TDR-R-02125 | Field-level requirement | Export declaration | Export B1: DE 5/23 Location of goods - Postcode at H level is not allowed; cardinality 1:1; format an..9.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!111
Error code/pattern: CDS10002 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is B1.; 5/23 Location of goods - Postcode at H level is not allowed.; Populate XML path Declaration/GoodsShipment/ Consignment/ GoodsLocation/ Address/ PostcodeID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..9.

TDR-R-02126 | Field-level requirement | Export declaration | Export C1: DE 5/23 Location of goods - Postcode at H level is not allowed; cardinality 1:1; format an..9.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!111
Error code/pattern: CDS10002 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is C1.; 5/23 Location of goods - Postcode at H level is not allowed.; Populate XML path Declaration/GoodsShipment/ Consignment/ GoodsLocation/ Address/ PostcodeID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..9.

TDR-R-02127 | Field-level requirement | Export declaration | Export B2: DE 5/23 Location of goods - Postcode at H level is not allowed; cardinality 1:1; format an..9.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!111
Error code/pattern: CDS10002 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is B2.; 5/23 Location of goods - Postcode at H level is not allowed.; Populate XML path Declaration/GoodsShipment/ Consignment/ GoodsLocation/ Address/ PostcodeID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..9.

TDR-R-02128 | Field-level requirement | Export declaration | Export B4: DE 5/23 Location of goods - Postcode at H level is not allowed; cardinality 1:1; format an..9.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!111
Error code/pattern: CDS10002 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is B4.; 5/23 Location of goods - Postcode at H level is not allowed.; Populate XML path Declaration/GoodsShipment/ Consignment/ GoodsLocation/ Address/ PostcodeID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..9.

TDR-R-02129 | Field-level requirement | Export declaration | Export C21E: DE 5/23 Location of goods - Postcode at H level is not allowed; cardinality 1:1; format an..9.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!111
Error code/pattern: CDS10002 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is C21E.; 5/23 Location of goods - Postcode at H level is not allowed.; Populate XML path Declaration/GoodsShipment/ Consignment/ GoodsLocation/ Address/ PostcodeID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..9.

TDR-R-02130 | Field-level requirement | Export declaration | Export C21EEIDR: DE 5/23 Location of goods - Postcode at H level is not allowed; cardinality 1:1; format an..9.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!111
Error code/pattern: CDS10002 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is C21EEIDR.; 5/23 Location of goods - Postcode at H level is not allowed.; Populate XML path Declaration/GoodsShipment/ Consignment/ GoodsLocation/ Address/ PostcodeID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..9.

TDR-R-02131 | Field-level requirement | Export declaration | Export B1: DE 5/23 Location of goods - City at H level is not allowed; cardinality 1:1; format an..35.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!112
Error code/pattern: CDS10002 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is B1.; 5/23 Location of goods - City at H level is not allowed.; Populate XML path Declaration/GoodsShipment/ Consignment/ GoodsLocation/ Address/ CityName only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..35.

TDR-R-02132 | Field-level requirement | Export declaration | Export C1: DE 5/23 Location of goods - City at H level is not allowed; cardinality 1:1; format an..35.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!112
Error code/pattern: CDS10002 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is C1.; 5/23 Location of goods - City at H level is not allowed.; Populate XML path Declaration/GoodsShipment/ Consignment/ GoodsLocation/ Address/ CityName only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..35.

TDR-R-02133 | Field-level requirement | Export declaration | Export B2: DE 5/23 Location of goods - City at H level is not allowed; cardinality 1:1; format an..35.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!112
Error code/pattern: CDS10002 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is B2.; 5/23 Location of goods - City at H level is not allowed.; Populate XML path Declaration/GoodsShipment/ Consignment/ GoodsLocation/ Address/ CityName only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..35.

TDR-R-02134 | Field-level requirement | Export declaration | Export B4: DE 5/23 Location of goods - City at H level is not allowed; cardinality 1:1; format an..35.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!112
Error code/pattern: CDS10002 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is B4.; 5/23 Location of goods - City at H level is not allowed.; Populate XML path Declaration/GoodsShipment/ Consignment/ GoodsLocation/ Address/ CityName only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..35.

TDR-R-02135 | Field-level requirement | Export declaration | Export C21E: DE 5/23 Location of goods - City at H level is not allowed; cardinality 1:1; format an..35.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!112
Error code/pattern: CDS10002 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is C21E.; 5/23 Location of goods - City at H level is not allowed.; Populate XML path Declaration/GoodsShipment/ Consignment/ GoodsLocation/ Address/ CityName only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..35.

TDR-R-02136 | Field-level requirement | Export declaration | Export C21EEIDR: DE 5/23 Location of goods - City at H level is not allowed; cardinality 1:1; format an..35.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!112
Error code/pattern: CDS10002 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is C21EEIDR.; 5/23 Location of goods - City at H level is not allowed.; Populate XML path Declaration/GoodsShipment/ Consignment/ GoodsLocation/ Address/ CityName only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..35.

TDR-R-02137 | Field-level requirement | Export declaration | Export B1: DE 5/26 Customs office of presentation at H level is dependent; cardinality 1x; format an8.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!113
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is B1.; 5/26 Customs office of presentation at H level is dependent.; Populate XML path Declaration/ PresentationOffice/ ID only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format an8.; Value is drawn from HMRC codelist SupervisingCustomsOffices for these items.

TDR-R-02138 | Field-level requirement | Export declaration | Export C1: DE 5/26 Customs office of presentation at H level is dependent; cardinality 1x; format an8.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!113
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is C1.; 5/26 Customs office of presentation at H level is dependent.; Populate XML path Declaration/ PresentationOffice/ ID only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format an8.; Value is drawn from HMRC codelist SupervisingCustomsOffices for these items.

TDR-R-02139 | Field-level requirement | Export declaration | Export B2: DE 5/26 Customs office of presentation at H level is dependent; cardinality 1x; format an8.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!113
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is B2.; 5/26 Customs office of presentation at H level is dependent.; Populate XML path Declaration/ PresentationOffice/ ID only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format an8.; Value is drawn from HMRC codelist SupervisingCustomsOffices for these items.

TDR-R-02140 | Field-level requirement | Export declaration | Export B4: DE 5/26 Customs office of presentation at H level is dependent; cardinality 1x; format an8.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!113
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is B4.; 5/26 Customs office of presentation at H level is dependent.; Populate XML path Declaration/ PresentationOffice/ ID only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format an8.; Value is drawn from HMRC codelist SupervisingCustomsOffices for these items.

TDR-R-02141 | Field-level requirement | Export declaration | Export C21E: DE 5/26 Customs office of presentation at H level is optional; cardinality 1x; format an8.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!113
Error code/pattern: CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is C21E.; 5/26 Customs office of presentation at H level is optional.; Populate XML path Declaration/ PresentationOffice/ ID only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format an8.; Value is drawn from HMRC codelist SupervisingCustomsOffices for these items.

TDR-R-02142 | Field-level requirement | Export declaration | Export C21EEIDR: DE 5/26 Customs office of presentation at H level is optional; cardinality 1x; format an8.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!113
Error code/pattern: CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is C21EEIDR.; 5/26 Customs office of presentation at H level is optional.; Populate XML path Declaration/ PresentationOffice/ ID only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format an8.; Value is drawn from HMRC codelist SupervisingCustomsOffices for these items.

TDR-R-02143 | Field-level requirement | Export declaration | Export B1: DE 5/27 Supervising Customs Office at H level is optional; cardinality 1x; format an8.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!114
Error code/pattern: CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is B1.; 5/27 Supervising Customs Office at H level is optional.; Populate XML path Declaration/ SupervisingOffice/ ID only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format an8.; Value is drawn from HMRC codelist SupervisingCustomsOffices for these items.

TDR-R-02144 | Field-level requirement | Export declaration | Export C1: DE 5/27 Supervising Customs Office at H level is optional; cardinality 1x; format an8.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!114
Error code/pattern: CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is C1.; 5/27 Supervising Customs Office at H level is optional.; Populate XML path Declaration/ SupervisingOffice/ ID only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format an8.; Value is drawn from HMRC codelist SupervisingCustomsOffices for these items.

TDR-R-02145 | Field-level requirement | Export declaration | Export B2: DE 5/27 Supervising Customs Office at H level is optional; cardinality 1x; format an8.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!114
Error code/pattern: CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is B2.; 5/27 Supervising Customs Office at H level is optional.; Populate XML path Declaration/ SupervisingOffice/ ID only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format an8.; Value is drawn from HMRC codelist SupervisingCustomsOffices for these items.

TDR-R-02146 | Field-level requirement | Export declaration | Export B4: DE 5/27 Supervising Customs Office at H level is optional; cardinality 1x; format an8.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!114
Error code/pattern: CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is B4.; 5/27 Supervising Customs Office at H level is optional.; Populate XML path Declaration/ SupervisingOffice/ ID only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format an8.; Value is drawn from HMRC codelist SupervisingCustomsOffices for these items.

TDR-R-02147 | Field-level requirement | Export declaration | Export C21E: DE 5/27 Supervising Customs Office at H level is dependent; cardinality 1x; format an8.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!114
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is C21E.; 5/27 Supervising Customs Office at H level is dependent.; Populate XML path Declaration/ SupervisingOffice/ ID only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format an8.; Value is drawn from HMRC codelist SupervisingCustomsOffices for these items.

TDR-R-02148 | Field-level requirement | Export declaration | Export C21EEIDR: DE 5/27 Supervising Customs Office at H level is optional; cardinality 1x; format an8.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!114
Error code/pattern: CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is C21EEIDR.; 5/27 Supervising Customs Office at H level is optional.; Populate XML path Declaration/ SupervisingOffice/ ID only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format an8.; Value is drawn from HMRC codelist SupervisingCustomsOffices for these items.

TDR-R-02149 | Field-level requirement | Export declaration | Export B1: DE 6/1 Net Mass at I level is mandatory; cardinality 1x; format n..11,3.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!115
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is B1.; 6/1 Net Mass at I level is mandatory.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ GoodsMeasure/ NetNetWeightMeasure only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format n..11,3.

TDR-R-02150 | Field-level requirement | Export declaration | Export C1: DE 6/1 Net Mass at I level is optional; cardinality 1x; format n..11,3.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!115
Error code/pattern: CDS10010 | xml_validation_error
Acceptance: Export declaration context is C1.; 6/1 Net Mass at I level is optional.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ GoodsMeasure/ NetNetWeightMeasure only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format n..11,3.

TDR-R-02151 | Field-level requirement | Export declaration | Export B2: DE 6/1 Net Mass at I level is mandatory; cardinality 1x; format n..11,3.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!115
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is B2.; 6/1 Net Mass at I level is mandatory.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ GoodsMeasure/ NetNetWeightMeasure only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format n..11,3.

TDR-R-02152 | Field-level requirement | Export declaration | Export B4: DE 6/1 Net Mass at I level is dependent; cardinality 1x; format n..11,3.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!115
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is B4.; 6/1 Net Mass at I level is dependent.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ GoodsMeasure/ NetNetWeightMeasure only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format n..11,3.

TDR-R-02153 | Field-level requirement | Export declaration | Export C21E: DE 6/1 Net Mass at I level is optional; cardinality 1x; format n..11,3.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!115
Error code/pattern: CDS10010 | xml_validation_error
Acceptance: Export declaration context is C21E.; 6/1 Net Mass at I level is optional.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ GoodsMeasure/ NetNetWeightMeasure only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format n..11,3.

TDR-R-02154 | Field-level requirement | Export declaration | Export C21EEIDR: DE 6/1 Net Mass at I level is optional; cardinality 1x; format n..11,3.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!115
Error code/pattern: CDS10010 | xml_validation_error

Acceptance: Export declaration context is C21EEIDR.; 6/1 Net Mass at I level is optional.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ GoodsMeasure/ NetNetWeightMeasure only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format n..11,3.

TDR-R-02155 | Field-level requirement | Export declaration | Export B1: DE 6/2 Supplementary units at I level is dependent; cardinality 1x; format n..16,6.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!116
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is B1.; 6/2 Supplementary units at I level is dependent.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ GoodsMeasure/ TariffQuantity only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format n..16,6.

TDR-R-02156 | Field-level requirement | Export declaration | Export C1: DE 6/2 Supplementary units at I level is dependent; cardinality 1x; format n..16,6.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!116
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is C1.; 6/2 Supplementary units at I level is dependent.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ GoodsMeasure/ TariffQuantity only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format n..16,6.

TDR-R-02157 | Field-level requirement | Export declaration | Export B2: DE 6/2 Supplementary units at I level is dependent; cardinality 1x; format n..16,6.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!116
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is B2.; 6/2 Supplementary units at I level is dependent.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ GoodsMeasure/ TariffQuantity only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format n..16,6.

TDR-R-02158 | Field-level requirement | Export declaration | Export B4: DE 6/2 Supplementary units at I level is dependent; cardinality 1x; format n..16,6.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!116
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is B4.; 6/2 Supplementary units at I level is dependent.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ GoodsMeasure/ TariffQuantity only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format n..16,6.

TDR-R-02159 | Field-level requirement | Export declaration | Export C21E: DE 6/2 Supplementary units at I level is optional; cardinality 1x; format n..16,6.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!116
Error code/pattern: CDS10010 | xml_validation_error
Acceptance: Export declaration context is C21E.; 6/2 Supplementary units at I level is optional.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ GoodsMeasure/ TariffQuantity only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format n..16,6.

TDR-R-02160 | Field-level requirement | Export declaration | Export C21EEIDR: DE 6/2 Supplementary units at I level is optional; cardinality 1x; format n..16,6.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!116
Error code/pattern: CDS10010 | xml_validation_error
Acceptance: Export declaration context is C21EEIDR.; 6/2 Supplementary units at I level is optional.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ GoodsMeasure/ TariffQuantity only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format n..16,6.

TDR-R-02161 | Field-level requirement | Export declaration | Export B1: DE 6/5 Gross Mass at H or I level is mandatory; cardinality 1x (H) 1x (I); format n..11,3.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!117
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is B1.; 6/5 Gross Mass at H or I level is mandatory.; Populate XML path Declaration/ TotalGrossMassMeasure Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ GoodsMeasure/ GrossMassMeasure only where this rule permits it.; Respect cardinality 1x (H) 1x (I).; Value conforms to HMRC format n..11,3.

TDR-R-02162 | Field-level requirement | Export declaration | Export C1: DE 6/5 Gross Mass at H or I level is optional; cardinality 1x (H) 1x (I); format n..11,3.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!117
Error code/pattern: CDS10010 | xml_validation_error
Acceptance: Export declaration context is C1.; 6/5 Gross Mass at H or I level is optional.; Populate XML path Declaration/ TotalGrossMassMeasure Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ GoodsMeasure/ GrossMassMeasure only where this rule permits it.; Respect cardinality 1x (H) 1x (I).; Value conforms to HMRC format n..11,3.

TDR-R-02163 | Field-level requirement | Export declaration | Export B2: DE 6/5 Gross Mass at H or I level is mandatory; cardinality 1x (H) 1x (I); format n..11,3.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!117
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is B2.; 6/5 Gross Mass at H or I level is mandatory.; Populate XML path Declaration/ TotalGrossMassMeasure Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ GoodsMeasure/ GrossMassMeasure only where this rule permits it.; Respect cardinality 1x (H) 1x (I).; Value conforms to HMRC format n..11,3.

TDR-R-02164 | Field-level requirement | Export declaration | Export B4: DE 6/5 Gross Mass at H or I level is optional; cardinality 1x (H) 1x (I); format n..11,3.

Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!117
Error code/pattern: CDS10010 | xml_validation_error
Acceptance: Export declaration context is B4.; 6/5 Gross Mass at H or I level is optional.; Populate XML path Declaration/ TotalGrossMassMeasure Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ GoodsMeasure/ GrossMassMeasure only where this rule permits it.; Respect cardinality 1x (H) 1x (I).; Value conforms to HMRC format n..11,3.

TDR-R-02165 | Field-level requirement | Export declaration | Export C21E: DE 6/5 Gross Mass at H or I level is optional; cardinality 1x (H) 1x (I); format n..11,3.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!117
Error code/pattern: CDS10010 | xml_validation_error
Acceptance: Export declaration context is C21E.; 6/5 Gross Mass at H or I level is optional.; Populate XML path Declaration/ TotalGrossMassMeasure Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ GoodsMeasure/ GrossMassMeasure only where this rule permits it.; Respect cardinality 1x (H) 1x (I).; Value conforms to HMRC format n..11,3.

TDR-R-02166 | Field-level requirement | Export declaration | Export C21EEIDR: DE 6/5 Gross Mass at H or I level is mandatory; cardinality 1x (H) 1x (I); format n..11,3.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!117
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is C21EEIDR.; 6/5 Gross Mass at H or I level is mandatory.; Populate XML path Declaration/ TotalGrossMassMeasure Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ GoodsMeasure/ GrossMassMeasure only where this rule permits it.; Respect cardinality 1x (H) 1x (I).; Value conforms to HMRC format n..11,3.

TDR-R-02167 | Field-level requirement | Export declaration | Export B1: DE 6/8 Description of goods at I level is mandatory; cardinality 1x; format an..280.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!118
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is B1.; 6/8 Description of goods at I level is mandatory.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ Description only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format an..280.

TDR-R-02168 | Field-level requirement | Export declaration | Export C1: DE 6/8 Description of goods at I level is mandatory; cardinality 1x; format an..280.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!118
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is C1.; 6/8 Description of goods at I level is mandatory.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ Description only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format an..280.

TDR-R-02169 | Field-level requirement | Export declaration | Export B2: DE 6/8 Description of goods at I level is mandatory; cardinality 1x; format an..280.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!118
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is B2.; 6/8 Description of goods at I level is mandatory.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ Description only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format an..280.

TDR-R-02170 | Field-level requirement | Export declaration | Export B4: DE 6/8 Description of goods at I level is mandatory; cardinality 1x; format an..280.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!118
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is B4.; 6/8 Description of goods at I level is mandatory.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ Description only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format an..280.

TDR-R-02171 | Field-level requirement | Export declaration | Export C21E: DE 6/8 Description of goods at I level is dependent; cardinality 1x; format an..280.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!118
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is C21E.; 6/8 Description of goods at I level is dependent.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ Description only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format an..280.

TDR-R-02172 | Field-level requirement | Export declaration | Export C21EEIDR: DE 6/8 Description of goods at I level is mandatory; cardinality 1x; format an..280.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!118
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is C21EEIDR.; 6/8 Description of goods at I level is mandatory.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ Description only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format an..280.

TDR-R-02173 | Field-level requirement | Export declaration | Export B1: DE 6/9 Type of packages at I level is mandatory; cardinality 99x; format an..2.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!119
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is B1.; 6/9 Type of packages at I level is mandatory.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Packaging/ TypeCode only where this rule permits it.; Respect cardinality 99x.; Value conforms to HMRC format an..2.; Value is drawn from HMRC codelist PackageTypes for these items.

TDR-R-02174 | Field-level requirement | Export declaration | Export C1: DE 6/9 Type of packages at I level is mandatory; cardinality 99x; format an..2.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!119
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is C1.; 6/9 Type of packages at I level is mandatory.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Packaging/ TypeCode only where this rule permits it.; Respect cardinality 99x.; Value conforms to HMRC format an..2.; Value is drawn from HMRC codelist PackageTypes for these items.

TDR-R-02175 | Field-level requirement | Export declaration | Export B2: DE 6/9 Type of packages at I level is mandatory; cardinality 99x; format an..2.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!119
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is B2.; 6/9 Type of packages at I level is mandatory.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Packaging/ TypeCode only where this rule permits it.; Respect cardinality 99x.; Value conforms to HMRC format an..2.; Value is drawn from HMRC codelist PackageTypes for these items.

TDR-R-02176 | Field-level requirement | Export declaration | Export B4: DE 6/9 Type of packages at I level is mandatory; cardinality 99x; format an..2.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!119
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is B4.; 6/9 Type of packages at I level is mandatory.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Packaging/ TypeCode only where this rule permits it.; Respect cardinality 99x.; Value conforms to HMRC format an..2.; Value is drawn from HMRC codelist PackageTypes for these items.

TDR-R-02177 | Field-level requirement | Export declaration | Export C21E: DE 6/9 Type of packages at I level is dependent; cardinality 99x; format an..2.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!119
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is C21E.; 6/9 Type of packages at I level is dependent.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Packaging/ TypeCode only where this rule permits it.; Respect cardinality 99x.; Value conforms to HMRC format an..2.; Value is drawn from HMRC codelist PackageTypes for these items.

TDR-R-02178 | Field-level requirement | Export declaration | Export C21EEIDR: DE 6/9 Type of packages at I level is mandatory; cardinality 99x; format an..2.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!119
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is C21EEIDR.; 6/9 Type of packages at I level is mandatory.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Packaging/ TypeCode only where this rule permits it.; Respect cardinality 99x.; Value conforms to HMRC format an..2.; Value is drawn from HMRC codelist PackageTypes for these items.

TDR-R-02179 | Field-level requirement | Export declaration | Export B1: DE 6/10 Number of packages at I level is mandatory; cardinality 99x; format n..5.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!120
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is B1.; 6/10 Number of packages at I level is mandatory.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Packaging/ QuantityQuantity only where this rule permits it.; Respect cardinality 99x.; Value conforms to HMRC format n..5.

TDR-R-02180 | Field-level requirement | Export declaration | Export C1: DE 6/10 Number of packages at I level is mandatory; cardinality 99x; format n..5.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!120
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is C1.; 6/10 Number of packages at I level is mandatory.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Packaging/ QuantityQuantity only where this rule permits it.; Respect cardinality 99x.; Value conforms to HMRC format n..5.

TDR-R-02181 | Field-level requirement | Export declaration | Export B2: DE 6/10 Number of packages at I level is mandatory; cardinality 99x; format n..5.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!120
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is B2.; 6/10 Number of packages at I level is mandatory.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Packaging/ QuantityQuantity only where this rule permits it.; Respect cardinality 99x.; Value conforms to HMRC format n..5.

TDR-R-02182 | Field-level requirement | Export declaration | Export B4: DE 6/10 Number of packages at I level is mandatory; cardinality 99x; format n..5.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!120
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is B4.; 6/10 Number of packages at I level is mandatory.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Packaging/ QuantityQuantity only where this rule permits it.; Respect cardinality 99x.; Value conforms to HMRC format n..5.

TDR-R-02183 | Field-level requirement | Export declaration | Export C21E: DE 6/10 Number of packages at I level is dependent; cardinality 99x; format n..5.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!120
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is C21E.; 6/10 Number of packages at I level is dependent.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Packaging/ QuantityQuantity only where this rule permits it.; Respect cardinality 99x.; Value conforms to HMRC format n..5.

TDR-R-02184 | Field-level requirement | Export declaration | Export C21EEIDR: DE 6/10 Number of packages at I level is mandatory; cardinality 99x; format n..5.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!120
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is C21EEIDR.; 6/10 Number of packages at I level is mandatory.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Packaging/ QuantityQuantity only where this rule permits it.; Respect cardinality 99x.; Value conforms to HMRC format n..5.

TDR-R-02185 | Field-level requirement | Export declaration | Export B1: DE 6/11 Shipping Marks at I level is mandatory; cardinality 99x; format an..42.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!121
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is B1.; 6/11 Shipping Marks at I level is mandatory.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Packaging/ MarksNumbersID only where this rule permits it.; Respect cardinality 99x.; Value conforms to HMRC format an..42.

TDR-R-02186 | Field-level requirement | Export declaration | Export C1: DE 6/11 Shipping Marks at I level is mandatory; cardinality 99x; format an..42.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!121
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is C1.; 6/11 Shipping Marks at I level is mandatory.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Packaging/ MarksNumbersID only where this rule permits it.; Respect cardinality 99x.; Value conforms to HMRC format an..42.

TDR-R-02187 | Field-level requirement | Export declaration | Export B2: DE 6/11 Shipping Marks at I level is mandatory; cardinality 99x; format an..42.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!121
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is B2.; 6/11 Shipping Marks at I level is mandatory.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Packaging/ MarksNumbersID only where this rule permits it.; Respect cardinality 99x.; Value conforms to HMRC format an..42.

TDR-R-02188 | Field-level requirement | Export declaration | Export B4: DE 6/11 Shipping Marks at I level is mandatory; cardinality 99x; format an..42.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!121
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is B4.; 6/11 Shipping Marks at I level is mandatory.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Packaging/ MarksNumbersID only where this rule permits it.; Respect cardinality 99x.; Value conforms to HMRC format an..42.

TDR-R-02189 | Field-level requirement | Export declaration | Export C21E: DE 6/11 Shipping Marks at I level is dependent; cardinality 99x; format an..42.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!121
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is C21E.; 6/11 Shipping Marks at I level is dependent.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Packaging/ MarksNumbersID only where this rule permits it.; Respect cardinality 99x.; Value conforms to HMRC format an..42.

TDR-R-02190 | Field-level requirement | Export declaration | Export C21EEIDR: DE 6/11 Shipping Marks at I level is mandatory; cardinality 99x; format an..42.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!121
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is C21EEIDR.; 6/11 Shipping Marks at I level is mandatory.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Packaging/ MarksNumbersID only where this rule permits it.; Respect cardinality 99x.; Value conforms to HMRC format an..42.

TDR-R-02191 | Field-level requirement | Export declaration | Export B1: DE 6/12 UN Dangerous Goods code at I level is optional; cardinality 1x; format n…4.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!122
Error code/pattern: CDS10010 | xml_validation_error
Acceptance: Export declaration context is B1.; 6/12 UN Dangerous Goods code at I level is optional.; Populate XML path Declaration/GoodsShipment/GovernmentAgencyGoodsItem/Commodity/DangerousGoods/UNDGID only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format n…4.

TDR-R-02192 | Field-level requirement | Export declaration | Export C1: DE 6/12 UN Dangerous Goods code at I level is optional; cardinality 1x; format n…4.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!122
Error code/pattern: CDS10010 | xml_validation_error
Acceptance: Export declaration context is C1.; 6/12 UN Dangerous Goods code at I level is optional.; Populate XML path Declaration/GoodsShipment/GovernmentAgencyGoodsItem/Commodity/DangerousGoods/UNDGID only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format n…4.

TDR-R-02193 | Field-level requirement | Export declaration | Export B2: DE 6/12 UN Dangerous Goods code at I level is optional; cardinality 1x; format n…4.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!122
Error code/pattern: CDS10010 | xml_validation_error
Acceptance: Export declaration context is B2.; 6/12 UN Dangerous Goods code at I level is optional.; Populate XML path Declaration/GoodsShipment/GovernmentAgencyGoodsItem/Commodity/DangerousGoods/UNDGID only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format n…4.

TDR-R-02194 | Field-level requirement | Export declaration | Export B4: DE 6/12 UN Dangerous Goods code at I level is optional; cardinality 1x; format n…4.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!122
Error code/pattern: CDS10010 | xml_validation_error
Acceptance: Export declaration context is B4.; 6/12 UN Dangerous Goods code at I level is optional.; Populate XML path Declaration/GoodsShipment/GovernmentAgencyGoodsItem/Commodity/DangerousGoods/UNDGID only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format n…4.

TDR-R-02195 | Field-level requirement | Export declaration | Export C21E: DE 6/12 UN Dangerous Goods code at I level is optional; cardinality 1x; format n…4.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!122
Error code/pattern: CDS10010 | xml_validation_error
Acceptance: Export declaration context is C21E.; 6/12 UN Dangerous Goods code at I level is optional.; Populate XML path Declaration/GoodsShipment/GovernmentAgencyGoodsItem/Commodity/DangerousGoods/UNDGID only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format n…4.

TDR-R-02196 | Field-level requirement | Export declaration | Export C21EEIDR: DE 6/12 UN Dangerous Goods code at I level is optional; cardinality 1x; format n…4.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!122
Error code/pattern: CDS10010 | xml_validation_error
Acceptance: Export declaration context is C21EEIDR.; 6/12 UN Dangerous Goods code at I level is optional.; Populate XML path Declaration/GoodsShipment/GovernmentAgencyGoodsItem/Commodity/DangerousGoods/UNDGID only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format n…4.

TDR-R-02197 | Field-level requirement | Export declaration | Export B1: DE 6/13 Commodity Code - CUS code at I level is dependent; cardinality 1x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!123
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is B1.; 6/13 Commodity Code - CUS code at I level is dependent.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ Classification/ only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format -.

TDR-R-02198 | Field-level requirement | Export declaration | Export C1: DE 6/13 Commodity Code - CUS code at I level is dependent; cardinality 1x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!123
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is C1.; 6/13 Commodity Code - CUS code at I level is dependent.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ Classification/ only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format -.

TDR-R-02199 | Field-level requirement | Export declaration | Export B2: DE 6/13 Commodity Code - CUS code at I level is optional; cardinality 1x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!123
Error code/pattern: CDS10010 | xml_validation_error
Acceptance: Export declaration context is B2.; 6/13 Commodity Code - CUS code at I level is optional.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ Classification/ only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format -.

TDR-R-02200 | Field-level requirement | Export declaration | Export B4: DE 6/13 Commodity Code - CUS code at I level is optional; cardinality 1x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!123
Error code/pattern: CDS10010 | xml_validation_error
Acceptance: Export declaration context is B4.; 6/13 Commodity Code - CUS code at I level is optional.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ Classification/ only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format -.

TDR-R-02201 | Field-level requirement | Export declaration | Export C21E: DE 6/13 Commodity Code - CUS code at I level is optional; cardinality 1x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!123
Error code/pattern: CDS10010 | xml_validation_error
Acceptance: Export declaration context is C21E.; 6/13 Commodity Code - CUS code at I level is optional.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ Classification/ only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format -.

TDR-R-02202 | Field-level requirement | Export declaration | Export C21EEIDR: DE 6/13 Commodity Code - CUS code at I level is optional; cardinality 1x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!123
Error code/pattern: CDS10010 | xml_validation_error
Acceptance: Export declaration context is C21EEIDR.; 6/13 Commodity Code - CUS code at I level is optional.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ Classification/ only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format -.

TDR-R-02203 | Field-level requirement | Export declaration | Export B1: DE 6/13 Commodity Code - CUS code - Identifier at I level is mandatory when the group-level item is present; cardinality 1:1; format an8.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!124
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is B1.; 6/13 Commodity Code - CUS code - Identifier at I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ Classification/ ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an8.

TDR-R-02204 | Field-level requirement | Export declaration | Export C1: DE 6/13 Commodity Code - CUS code - Identifier at I level is mandatory when the group-level item is present; cardinality 1:1; format an8.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!124
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is C1.; 6/13 Commodity Code - CUS code - Identifier at I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ Classification/ ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an8.

TDR-R-02205 | Field-level requirement | Export declaration | Export B2: DE 6/13 Commodity Code - CUS code - Identifier at I level is mandatory when the group-level item is present; cardinality 1:1; format an8.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!124
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is B2.; 6/13 Commodity Code - CUS code - Identifier at I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ Classification/ ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an8.

TDR-R-02206 | Field-level requirement | Export declaration | Export B4: DE 6/13 Commodity Code - CUS code - Identifier at I level is mandatory when the group-level item is present; cardinality 1:1; format an8.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!124
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is B4.; 6/13 Commodity Code - CUS code - Identifier at I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ Classification/ ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an8.

TDR-R-02207 | Field-level requirement | Export declaration | Export C21E: DE 6/13 Commodity Code - CUS code - Identifier at I level is mandatory when the group-level item is present; cardinality 1:1; format an8.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!124
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is C21E.; 6/13 Commodity Code - CUS code - Identifier at I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ Classification/ ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an8.

TDR-R-02208 | Field-level requirement | Export declaration | Export C21EEIDR: DE 6/13 Commodity Code - CUS code - Identifier at I level is mandatory when the group-level item is present; cardinality 1:1; format an8.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!124
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is C21EEIDR.; 6/13 Commodity Code - CUS code - Identifier at I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ Classification/ ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an8.

TDR-R-02209 | Field-level requirement | Export declaration | Export B1: DE 6/13 Commodity Code - CUS code - Type Code at I level is mandatory when the group-level item is present; cardinality 1:1; format a3.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!125
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is B1.; 6/13 Commodity Code - CUS code - Type Code at I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ Classification/ IdentificationTypeCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a3.; Value is drawn from HMRC codelist CommodityClassificationType for these items.

TDR-R-02210 | Field-level requirement | Export declaration | Export C1: DE 6/13 Commodity Code - CUS code - Type Code at I level is mandatory when the group-level item is present; cardinality 1:1; format a3.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!125
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is C1.; 6/13 Commodity Code - CUS code - Type Code at I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ Classification/ IdentificationTypeCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a3.; Value is drawn from HMRC codelist CommodityClassificationType for these items.

TDR-R-02211 | Field-level requirement | Export declaration | Export B2: DE 6/13 Commodity Code - CUS code - Type Code at I level is mandatory when the group-level item is present; cardinality 1:1; format a3.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!125
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is B2.; 6/13 Commodity Code - CUS code - Type Code at I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ Classification/ IdentificationTypeCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a3.; Value is drawn from HMRC codelist CommodityClassificationType for these items.

TDR-R-02212 | Field-level requirement | Export declaration | Export B4: DE 6/13 Commodity Code - CUS code - Type Code at I level is mandatory when the group-level item is present; cardinality 1:1; format a3.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!125
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is B4.; 6/13 Commodity Code - CUS code - Type Code at I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ Classification/ IdentificationTypeCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a3.; Value is drawn from HMRC codelist CommodityClassificationType for these items.

TDR-R-02213 | Field-level requirement | Export declaration | Export C21E: DE 6/13 Commodity Code - CUS code - Type Code at I level is mandatory when the group-level item is present; cardinality 1:1; format a3.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!125

Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is C21E.; 6/13 Commodity Code - CUS code - Type Code at I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ Classification/ IdentificationTypeCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a3.; Value is drawn from HMRC codelist CommodityClassificationType for these items.

TDR-R-02214 | Field-level requirement | Export declaration | Export C21EEIDR: DE 6/13 Commodity Code - CUS code - Type Code at I level is mandatory when the group-level item is present; cardinality 1:1; format a3.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!125
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is C21EEIDR.; 6/13 Commodity Code - CUS code - Type Code at I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ Classification/ IdentificationTypeCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a3.; Value is drawn from HMRC codelist CommodityClassificationType for these items.

TDR-R-02215 | Field-level requirement | Export declaration | Export B1: DE 6/14 Commodity code – Combined Nomenclature code at I level is mandatory; cardinality 1x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!126
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is B1.; 6/14 Commodity code – Combined Nomenclature code at I level is mandatory.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ Classification/ only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format -.

TDR-R-02216 | Field-level requirement | Export declaration | Export C1: DE 6/14 Commodity code – Combined Nomenclature code at I level is dependent; cardinality 1x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!126
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is C1.; 6/14 Commodity code – Combined Nomenclature code at I level is dependent.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ Classification/ only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format -.

TDR-R-02217 | Field-level requirement | Export declaration | Export B2: DE 6/14 Commodity code – Combined Nomenclature code at I level is mandatory; cardinality 1x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!126
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is B2.; 6/14 Commodity code – Combined Nomenclature code at I level is mandatory.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ Classification/ only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format -.

TDR-R-02218 | Field-level requirement | Export declaration | Export B4: DE 6/14 Commodity code – Combined Nomenclature code at I level is mandatory; cardinality 1x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!126
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is B4.; 6/14 Commodity code – Combined Nomenclature code at I level is mandatory.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ Classification/ only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format -.

TDR-R-02219 | Field-level requirement | Export declaration | Export C21E: DE 6/14 Commodity code – Combined Nomenclature code at I level is dependent; cardinality 1x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!126
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is C21E.; 6/14 Commodity code – Combined Nomenclature code at I level is dependent.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ Classification/ only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format -.

TDR-R-02220 | Field-level requirement | Export declaration | Export B1: DE 6/14 Commodity code – Combined Nomenclature code - Identifier at I level is mandatory when the group-level item is present; cardinality 1:1; format an8.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!127
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is B1.; 6/14 Commodity code – Combined Nomenclature code - Identifier at I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ Classification/ ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an8.

TDR-R-02221 | Field-level requirement | Export declaration | Export C1: DE 6/14 Commodity code – Combined Nomenclature code - Identifier at I level is mandatory when the group-level item is present; cardinality 1:1; format an8.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!127
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is C1.; 6/14 Commodity code – Combined Nomenclature code - Identifier at I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ Classification/ ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an8.

TDR-R-02222 | Field-level requirement | Export declaration | Export B2: DE 6/14 Commodity code – Combined Nomenclature code - Identifier at I level is mandatory when the group-level item is present; cardinality 1:1; format an8.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!127
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is B2.; 6/14 Commodity code – Combined Nomenclature code - Identifier at I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ Classification/ ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an8.

TDR-R-02223 | Field-level requirement | Export declaration | Export B4: DE 6/14 Commodity code – Combined Nomenclature code - Identifier at I level is mandatory when the group-level item is present; cardinality 1:1; format an8.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!127
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is B4.; 6/14 Commodity code – Combined Nomenclature code - Identifier at I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ Classification/ ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an8.

TDR-R-02224 | Field-level requirement | Export declaration | Export C21E: DE 6/14 Commodity code – Combined Nomenclature code - Identifier at I level is mandatory when the group-level item is present; cardinality 1:1; format an8.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!127
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is C21E.; 6/14 Commodity code – Combined Nomenclature code - Identifier at I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ Classification/ ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an8.

TDR-R-02225 | Field-level requirement | Export declaration | Export B1: DE 6/14 Commodity code – Combined Nomenclature code - Type Code at I level is mandatory when the group-level item is present; cardinality 1:1; format a3.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!128
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is B1.; 6/14 Commodity code – Combined Nomenclature code - Type Code at I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ Classification/ IdentificationTypeCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a3.; Value is drawn from HMRC codelist CommodityClassificationType for these items.

TDR-R-02226 | Field-level requirement | Export declaration | Export C1: DE 6/14 Commodity code – Combined Nomenclature code - Type Code at I level is mandatory when the group-level item is present; cardinality 1:1; format a3.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!128
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is C1.; 6/14 Commodity code – Combined Nomenclature code - Type Code at I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ Classification/ IdentificationTypeCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a3.; Value is drawn from HMRC codelist CommodityClassificationType for these items.

TDR-R-02227 | Field-level requirement | Export declaration | Export B2: DE 6/14 Commodity code – Combined Nomenclature code - Type Code at I level is mandatory when the group-level item is present; cardinality 1:1; format a3.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!128
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is B2.; 6/14 Commodity code – Combined Nomenclature code - Type Code at I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ Classification/ IdentificationTypeCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a3.; Value is drawn from HMRC codelist CommodityClassificationType for these items.

TDR-R-02228 | Field-level requirement | Export declaration | Export B4: DE 6/14 Commodity code – Combined Nomenclature code - Type Code at I level is mandatory when the group-level item is present; cardinality 1:1; format a3.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!128
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is B4.; 6/14 Commodity code – Combined Nomenclature code - Type Code at I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ Classification/ IdentificationTypeCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a3.; Value is drawn from HMRC codelist CommodityClassificationType for these items.

TDR-R-02229 | Field-level requirement | Export declaration | Export C21E: DE 6/14 Commodity code – Combined Nomenclature code - Type Code at I level is mandatory when the group-level item is present; cardinality 1:1; format a3.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!128
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is C21E.; 6/14 Commodity code – Combined Nomenclature code - Type Code at I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ Classification/ IdentificationTypeCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a3.; Value is drawn from HMRC codelist CommodityClassificationType for these items.

TDR-R-02230 | Field-level requirement | Export declaration | Export B1: DE 6/16 Commodity code – TARIC additional code(s) at I level is dependent; cardinality 99x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!129
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is B1.; 6/16 Commodity code – TARIC additional code(s) at I level is dependent.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ Classification/ only where this rule permits it.; Respect cardinality 99x.; Value conforms to HMRC format -.

TDR-R-02231 | Field-level requirement | Export declaration | Export C1: DE 6/16 Commodity code – TARIC additional code(s) at I level is dependent; cardinality 99x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!129
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is C1.; 6/16 Commodity code – TARIC additional code(s) at I level is dependent.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ Classification/ only where this rule permits it.; Respect cardinality 99x.; Value conforms to HMRC format -.

TDR-R-02232 | Field-level requirement | Export declaration | Export B2: DE 6/16 Commodity code – TARIC additional code(s) at I level is dependent; cardinality 99x; format -.

Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!129
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is B2.; 6/16 Commodity code – TARIC additional code(s) at I level is dependent.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ Classification/ only where this rule permits it.; Respect cardinality 99x.; Value conforms to HMRC format -.

TDR-R-02233 | Field-level requirement | Export declaration | Export B4: DE 6/16 Commodity code – TARIC additional code(s) at I level is dependent; cardinality 99x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!129
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is B4.; 6/16 Commodity code – TARIC additional code(s) at I level is dependent.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ Classification/ only where this rule permits it.; Respect cardinality 99x.; Value conforms to HMRC format -.

TDR-R-02234 | Field-level requirement | Export declaration | Export C21E: DE 6/16 Commodity code – TARIC additional code(s) at I level is optional; cardinality 99x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!129
Error code/pattern: CDS10010 | xml_validation_error
Acceptance: Export declaration context is C21E.; 6/16 Commodity code – TARIC additional code(s) at I level is optional.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ Classification/ only where this rule permits it.; Respect cardinality 99x.; Value conforms to HMRC format -.

TDR-R-02235 | Field-level requirement | Export declaration | Export C21EEIDR: DE 6/16 Commodity code – TARIC additional code(s) at I level is optional; cardinality 99x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!129
Error code/pattern: CDS10010 | xml_validation_error
Acceptance: Export declaration context is C21EEIDR.; 6/16 Commodity code – TARIC additional code(s) at I level is optional.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ Classification/ only where this rule permits it.; Respect cardinality 99x.; Value conforms to HMRC format -.

TDR-R-02236 | Field-level requirement | Export declaration | Export B1: DE 6/16 Commodity code – TARIC additional code(s) - Identifier at I level is mandatory when the group-level item is present; cardinality 1:1; format an4.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!130
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is B1.; 6/16 Commodity code – TARIC additional code(s) - Identifier at I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ Classification/ ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an4.

TDR-R-02237 | Field-level requirement | Export declaration | Export C1: DE 6/16 Commodity code – TARIC additional code(s) - Identifier at I level is mandatory when the group-level item is present; cardinality 1:1; format an4.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!130
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is C1.; 6/16 Commodity code – TARIC additional code(s) - Identifier at I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ Classification/ ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an4.

TDR-R-02238 | Field-level requirement | Export declaration | Export B2: DE 6/16 Commodity code – TARIC additional code(s) - Identifier at I level is mandatory when the group-level item is present; cardinality 1:1; format an4.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!130
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is B2.; 6/16 Commodity code – TARIC additional code(s) - Identifier at I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ Classification/ ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an4.

TDR-R-02239 | Field-level requirement | Export declaration | Export B4: DE 6/16 Commodity code – TARIC additional code(s) - Identifier at I level is mandatory when the group-level item is present; cardinality 1:1; format an4.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!130
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is B4.; 6/16 Commodity code – TARIC additional code(s) - Identifier at I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ Classification/ ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an4.

TDR-R-02240 | Field-level requirement | Export declaration | Export C21E: DE 6/16 Commodity code – TARIC additional code(s) - Identifier at I level is mandatory when the group-level item is present; cardinality 1:1; format an4.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!130
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is C21E.; 6/16 Commodity code – TARIC additional code(s) - Identifier at I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ Classification/ ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an4.

TDR-R-02241 | Field-level requirement | Export declaration | Export C21EEIDR: DE 6/16 Commodity code – TARIC additional code(s) - Identifier at I level is mandatory when the group-level item is present; cardinality 1:1; format an4.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!130
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is C21EEIDR.; 6/16 Commodity code – TARIC additional code(s) - Identifier at I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ Classification/ ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an4.

TDR-R-02242 | Field-level requirement | Export declaration | Export B1: DE 6/16 Commodity code – TARIC additional code(s) - Type Code at I level is mandatory when the group-level item is present; cardinality 1:1; format a3.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!131
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is B1.; 6/16 Commodity code – TARIC additional code(s) - Type Code at I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ Classification/ IdentificationTypeCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a3.; Value is drawn from HMRC codelist CommodityClassificationType for these items.

TDR-R-02243 | Field-level requirement | Export declaration | Export C1: DE 6/16 Commodity code – TARIC additional code(s) - Type Code at I level is mandatory when the group-level item is present; cardinality 1:1; format a3.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!131
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is C1.; 6/16 Commodity code – TARIC additional code(s) - Type Code at I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ Classification/ IdentificationTypeCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a3.; Value is drawn from HMRC codelist CommodityClassificationType for these items.

TDR-R-02244 | Field-level requirement | Export declaration | Export B2: DE 6/16 Commodity code – TARIC additional code(s) - Type Code at I level is mandatory when the group-level item is present; cardinality 1:1; format a3.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!131
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is B2.; 6/16 Commodity code – TARIC additional code(s) - Type Code at I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ Classification/ IdentificationTypeCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a3.; Value is drawn from HMRC codelist CommodityClassificationType for these items.

TDR-R-02245 | Field-level requirement | Export declaration | Export B4: DE 6/16 Commodity code – TARIC additional code(s) - Type Code at I level is mandatory when the group-level item is present; cardinality 1:1; format a3.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!131
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is B4.; 6/16 Commodity code – TARIC additional code(s) - Type Code at I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ Classification/ IdentificationTypeCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a3.; Value is drawn from HMRC codelist CommodityClassificationType for these items.

TDR-R-02246 | Field-level requirement | Export declaration | Export C21E: DE 6/16 Commodity code – TARIC additional code(s) - Type Code at I level is mandatory when the group-level item is present; cardinality 1:1; format a3.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!131
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is C21E.; 6/16 Commodity code – TARIC additional code(s) - Type Code at I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ Classification/ IdentificationTypeCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a3.; Value is drawn from HMRC codelist CommodityClassificationType for these items.

TDR-R-02247 | Field-level requirement | Export declaration | Export C21EEIDR: DE 6/16 Commodity code – TARIC additional code(s) - Type Code at I level is mandatory when the group-level item is present; cardinality 1:1; format a3.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!131
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is C21EEIDR.; 6/16 Commodity code – TARIC additional code(s) - Type Code at I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ Classification/ IdentificationTypeCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a3.; Value is drawn from HMRC codelist CommodityClassificationType for these items.

TDR-R-02248 | Field-level requirement | Export declaration | Export B1: DE 6/17 Commodity code – National additional code(s) at I level is dependent; cardinality 99x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!132
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is B1.; 6/17 Commodity code – National additional code(s) at I level is dependent.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ Classification/ only where this rule permits it.; Respect cardinality 99x.; Value conforms to HMRC format -.

TDR-R-02249 | Field-level requirement | Export declaration | Export C1: DE 6/17 Commodity code – National additional code(s) at I level is dependent; cardinality 99x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!132
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is C1.; 6/17 Commodity code – National additional code(s) at I level is dependent.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ Classification/ only where this rule permits it.; Respect cardinality 99x.; Value conforms to HMRC format -.

TDR-R-02250 | Field-level requirement | Export declaration | Export B2: DE 6/17 Commodity code – National additional code(s) at I level is dependent; cardinality 99x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!132
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is B2.; 6/17 Commodity code – National additional code(s) at I level is dependent.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ Classification/ only where this rule permits it.; Respect cardinality 99x.; Value conforms to HMRC format -.

TDR-R-02251 | Field-level requirement | Export declaration | Export B4: DE 6/17 Commodity code – National additional code(s) at I level is dependent; cardinality 99x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!132
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is B4.; 6/17 Commodity code – National additional code(s) at I level is dependent.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ Classification/ only where this rule permits it.; Respect cardinality 99x.; Value conforms to HMRC format -.

TDR-R-02252 | Field-level requirement | Export declaration | Export C21E: DE 6/17 Commodity code – National additional code(s) at I level is optional; cardinality 99x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!132
Error code/pattern: CDS10010 | xml_validation_error
Acceptance: Export declaration context is C21E.; 6/17 Commodity code – National additional code(s) at I level is optional.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ Classification/ only where this rule permits it.; Respect cardinality 99x.; Value conforms to HMRC format -.

TDR-R-02253 | Field-level requirement | Export declaration | Export C21EEIDR: DE 6/17 Commodity code – National additional code(s) at I level is optional; cardinality 99x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!132
Error code/pattern: CDS10010 | xml_validation_error
Acceptance: Export declaration context is C21EEIDR.; 6/17 Commodity code – National additional code(s) at I level is optional.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ Classification/ only where this rule permits it.; Respect cardinality 99x.; Value conforms to HMRC format -.

TDR-R-02254 | Field-level requirement | Export declaration | Export B1: DE 6/17 Commodity code – National additional code(s) - Identifier at I level is mandatory when the group-level item is present; cardinality 1:1; format an..4.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!133
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is B1.; 6/17 Commodity code – National additional code(s) - Identifier at I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ Classification/ ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..4.

TDR-R-02255 | Field-level requirement | Export declaration | Export C1: DE 6/17 Commodity code – National additional code(s) - Identifier at I level is mandatory when the group-level item is present; cardinality 1:1; format an..4.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!133
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is C1.; 6/17 Commodity code – National additional code(s) - Identifier at I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ Classification/ ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..4.

TDR-R-02256 | Field-level requirement | Export declaration | Export B2: DE 6/17 Commodity code – National additional code(s) - Identifier at I level is mandatory when the group-level item is present; cardinality 1:1; format an..4.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!133
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is B2.; 6/17 Commodity code – National additional code(s) - Identifier at I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ Classification/ ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..4.

TDR-R-02257 | Field-level requirement | Export declaration | Export B4: DE 6/17 Commodity code – National additional code(s) - Identifier at I level is mandatory when the group-level item is present; cardinality 1:1; format an..4.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!133
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is B4.; 6/17 Commodity code – National additional code(s) - Identifier at I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ Classification/ ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..4.

TDR-R-02258 | Field-level requirement | Export declaration | Export C21E: DE 6/17 Commodity code – National additional code(s) - Identifier at I level is mandatory when the group-level item is present; cardinality 1:1; format an..4.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!133
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is C21E.; 6/17 Commodity code – National additional code(s) - Identifier at I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ Classification/ ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..4.

TDR-R-02259 | Field-level requirement | Export declaration | Export C21EEIDR: DE 6/17 Commodity code – National additional code(s) - Identifier at I level is mandatory when the group-level item is present; cardinality 1:1; format an..4.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!133
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is C21EEIDR.; 6/17 Commodity code – National additional code(s) - Identifier at I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ Classification/ ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..4.

TDR-R-02260 | Field-level requirement | Export declaration | Export B1: DE 6/17 Commodity code – National additional code(s) - Type Code at I level is mandatory when the group-level item is present; cardinality 1:1; format a2.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!134
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is B1.; 6/17 Commodity code – National additional code(s) - Type Code at I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ Classification/ IdentificationTypeCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a2.; Value is drawn from HMRC

codelist CommodityClassificationType for these items.

TDR-R-02261 | Field-level requirement | Export declaration | Export C1: DE 6/17 Commodity code – National additional code(s) - Type Code at I level is mandatory when the group-level item is present; cardinality 1:1; format a2.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!134
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is C1.; 6/17 Commodity code – National additional code(s) - Type Code at I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ Classification/ IdentificationTypeCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a2.; Value is drawn from HMRC codelist CommodityClassificationType for these items.

TDR-R-02262 | Field-level requirement | Export declaration | Export B2: DE 6/17 Commodity code – National additional code(s) - Type Code at I level is mandatory when the group-level item is present; cardinality 1:1; format a2.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!134
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is B2.; 6/17 Commodity code – National additional code(s) - Type Code at I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ Classification/ IdentificationTypeCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a2.; Value is drawn from HMRC codelist CommodityClassificationType for these items.

TDR-R-02263 | Field-level requirement | Export declaration | Export B4: DE 6/17 Commodity code – National additional code(s) - Type Code at I level is mandatory when the group-level item is present; cardinality 1:1; format a2.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!134
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is B4.; 6/17 Commodity code – National additional code(s) - Type Code at I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ Classification/ IdentificationTypeCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a2.; Value is drawn from HMRC codelist CommodityClassificationType for these items.

TDR-R-02264 | Field-level requirement | Export declaration | Export C21E: DE 6/17 Commodity code – National additional code(s) - Type Code at I level is mandatory when the group-level item is present; cardinality 1:1; format a2.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!134
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is C21E.; 6/17 Commodity code – National additional code(s) - Type Code at I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ Classification/ IdentificationTypeCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a2.; Value is drawn from HMRC codelist CommodityClassificationType for these items.

TDR-R-02265 | Field-level requirement | Export declaration | Export C21EEIDR: DE 6/17 Commodity code – National additional code(s) - Type Code at I level is mandatory when the group-level item is present; cardinality 1:1; format a2.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!134
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is C21EEIDR.; 6/17 Commodity code – National additional code(s) - Type Code at I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ Classification/ IdentificationTypeCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a2.; Value is drawn from HMRC codelist CommodityClassificationType for these items.

TDR-R-02266 | Field-level requirement | Export declaration | Export B1: DE 6/18 Total packages at H level is mandatory; cardinality 1x; format n..7.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!135
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is B1.; 6/18 Total packages at H level is mandatory.; Populate XML path Declaration/ TotalPackageQuantity only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format n..7.

TDR-R-02267 | Field-level requirement | Export declaration | Export C1: DE 6/18 Total packages at H level is optional; cardinality 1x; format n..7.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!135
Error code/pattern: CDS10010 | xml_validation_error
Acceptance: Export declaration context is C1.; 6/18 Total packages at H level is optional.; Populate XML path Declaration/ TotalPackageQuantity only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format n..7.

TDR-R-02268 | Field-level requirement | Export declaration | Export B2: DE 6/18 Total packages at H level is mandatory; cardinality 1x; format n..7.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!135
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is B2.; 6/18 Total packages at H level is mandatory.; Populate XML path Declaration/ TotalPackageQuantity only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format n..7.

TDR-R-02269 | Field-level requirement | Export declaration | Export B4: DE 6/18 Total packages at H level is optional; cardinality 1x; format n..7.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!135
Error code/pattern: CDS10010 | xml_validation_error
Acceptance: Export declaration context is B4.; 6/18 Total packages at H level is optional.; Populate XML path Declaration/ TotalPackageQuantity only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format n..7.

TDR-R-02270 | Field-level requirement | Export declaration | Export C21E: DE 6/18 Total packages at H level is optional; cardinality 1x; format n..7.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!135
Error code/pattern: CDS10010 | xml_validation_error
Acceptance: Export declaration context is C21E.; 6/18 Total packages at H level is optional.; Populate XML path Declaration/ TotalPackageQuantity only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format n..7.

TDR-R-02271 | Field-level requirement | Export declaration | Export C21EEIDR: DE 6/18 Total packages at H level is optional; cardinality 1x; format n..7.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!135
Error code/pattern: CDS10010 | xml_validation_error
Acceptance: Export declaration context is C21EEIDR.; 6/18 Total packages at H level is optional.; Populate XML path Declaration/ TotalPackageQuantity only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format n..7.

TDR-R-02272 | Field-level requirement | Export declaration | Export B1: DE 7/2 Container at H level is mandatory; cardinality 1x; format n1.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!136
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is B1.; 7/2 Container at H level is mandatory.; Populate XML path Declaration/GoodsShipment/ Consignment/ ContainerCode only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format n1.; Value is drawn from HMRC codelist ContainerCategories for this item.

TDR-R-02273 | Field-level requirement | Export declaration | Export C1: DE 7/2 Container at H level is mandatory; cardinality 1x; format n1.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!136
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is C1.; 7/2 Container at H level is mandatory.; Populate XML path Declaration/GoodsShipment/ Consignment/ ContainerCode only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format n1.; Value is drawn from HMRC codelist ContainerCategories for this item.

TDR-R-02274 | Field-level requirement | Export declaration | Export B2: DE 7/2 Container at H level is mandatory; cardinality 1x; format n1.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!136
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is B2.; 7/2 Container at H level is mandatory.; Populate XML path Declaration/GoodsShipment/ Consignment/ ContainerCode only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format n1.; Value is drawn from HMRC codelist ContainerCategories for this item.

TDR-R-02275 | Field-level requirement | Export declaration | Export B4: DE 7/2 Container at H level is mandatory; cardinality 1x; format n1.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!136
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is B4.; 7/2 Container at H level is mandatory.; Populate XML path Declaration/GoodsShipment/ Consignment/ ContainerCode only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format n1.; Value is drawn from HMRC codelist ContainerCategories for this item.

TDR-R-02276 | Field-level requirement | Export declaration | Export C21E: DE 7/2 Container at H level is dependent; cardinality 1x; format n1.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!136
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is C21E.; 7/2 Container at H level is dependent.; Populate XML path Declaration/GoodsShipment/ Consignment/ ContainerCode only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format n1.; Value is drawn from HMRC codelist ContainerCategories for this item.

TDR-R-02277 | Field-level requirement | Export declaration | Export C21EEIDR: DE 7/2 Container at H level is mandatory; cardinality 1x; format n1.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!136
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is C21EEIDR.; 7/2 Container at H level is mandatory.; Populate XML path Declaration/GoodsShipment/ Consignment/ ContainerCode only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format n1.; Value is drawn from HMRC codelist ContainerCategories for this item.

TDR-R-02278 | Field-level requirement | Export declaration | Export B1: DE 7/4 Mode of transport at the border at H level is mandatory; cardinality 1x; format n1.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!137
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is B1.; 7/4 Mode of transport at the border at H level is mandatory.; Populate XML path Declaration/ BorderTransportMeans/ ModeCode only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format n1.; Value is drawn from HMRC codelist TransportModeTypes (Note.

TDR-R-02279 | Field-level requirement | Export declaration | Export C1: DE 7/4 Mode of transport at the border at H level is dependent; cardinality 1x; format n1.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!137
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is C1.; 7/4 Mode of transport at the border at H level is dependent.; Populate XML path Declaration/ BorderTransportMeans/ ModeCode only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format n1.; Value is drawn from HMRC codelist TransportModeTypes (Note.

TDR-R-02280 | Field-level requirement | Export declaration | Export B2: DE 7/4 Mode of transport at the border at H level is mandatory; cardinality 1x; format n1.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!137
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is B2.; 7/4 Mode of transport at the border at H level is mandatory.; Populate XML path Declaration/ BorderTransportMeans/ ModeCode only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format n1.; Value is drawn from HMRC codelist TransportModeTypes (Note.

TDR-R-02281 | Field-level requirement | Export declaration | Export B4: DE 7/4 Mode of transport at the border at H level is mandatory; cardinality 1x; format n1.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!137
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is B4.; 7/4 Mode of transport at the border at H level is mandatory.; Populate XML path Declaration/

BorderTransportMeans/ ModeCode only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format n1.; Value is drawn from HMRC codelist TransportModeTypes (Note.

TDR-R-02282 | Field-level requirement | Export declaration | Export C21E: DE 7/4 Mode of transport at the border at H level is dependent; cardinality 1x; format n1.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!137
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is C21E.; 7/4 Mode of transport at the border at H level is dependent.; Populate XML path Declaration/ BorderTransportMeans/ ModeCode only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format n1.; Value is drawn from HMRC codelist TransportModeTypes (Note.

TDR-R-02283 | Field-level requirement | Export declaration | Export C21EEIDR: DE 7/4 Mode of transport at the border at H level is mandatory; cardinality 1x; format n1.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!137
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is C21EEIDR.; 7/4 Mode of transport at the border at H level is mandatory.; Populate XML path Declaration/ BorderTransportMeans/ ModeCode only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format n1.; Value is drawn from HMRC codelist TransportModeTypes (Note.

TDR-R-02284 | Field-level requirement | Export declaration | Export B1: DE 7/5 Inland mode of transport at H level is dependent; cardinality 1x; format n1.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!138
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is B1.; 7/5 Inland mode of transport at H level is dependent.; Populate XML path Declaration/GoodsShipment/ Consignment/ DepartureTransportMeans/ ModeCode only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format n1.; Value is drawn from HMRC codelist TransportModeTypes for these items.

TDR-R-02285 | Field-level requirement | Export declaration | Export C1: DE 7/5 Inland mode of transport at H level is optional; cardinality 1x; format n1.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!138
Error code/pattern: CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is C1.; 7/5 Inland mode of transport at H level is optional.; Populate XML path Declaration/GoodsShipment/ Consignment/ DepartureTransportMeans/ ModeCode only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format n1.; Value is drawn from HMRC codelist TransportModeTypes for these items.

TDR-R-02286 | Field-level requirement | Export declaration | Export B2: DE 7/5 Inland mode of transport at H level is dependent; cardinality 1x; format n1.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!138
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is B2.; 7/5 Inland mode of transport at H level is dependent.; Populate XML path Declaration/GoodsShipment/ Consignment/ DepartureTransportMeans/ ModeCode only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format n1.; Value is drawn from HMRC codelist TransportModeTypes for these items.

TDR-R-02287 | Field-level requirement | Export declaration | Export B4: DE 7/5 Inland mode of transport at H level is optional; cardinality 1x; format n1.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!138
Error code/pattern: CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is B4.; 7/5 Inland mode of transport at H level is optional.; Populate XML path Declaration/GoodsShipment/ Consignment/ DepartureTransportMeans/ ModeCode only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format n1.; Value is drawn from HMRC codelist TransportModeTypes for these items.

TDR-R-02288 | Field-level requirement | Export declaration | Export C21E: DE 7/5 Inland mode of transport at H level is optional; cardinality 1x; format n1.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!138
Error code/pattern: CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is C21E.; 7/5 Inland mode of transport at H level is optional.; Populate XML path Declaration/GoodsShipment/ Consignment/ DepartureTransportMeans/ ModeCode only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format n1.; Value is drawn from HMRC codelist TransportModeTypes for these items.

TDR-R-02289 | Field-level requirement | Export declaration | Export C21EEIDR: DE 7/5 Inland mode of transport at H level is optional; cardinality 1x; format n1.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!138
Error code/pattern: CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is C21EEIDR.; 7/5 Inland mode of transport at H level is optional.; Populate XML path Declaration/GoodsShipment/ Consignment/ DepartureTransportMeans/ ModeCode only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format n1.; Value is drawn from HMRC codelist TransportModeTypes for these items.

TDR-R-02290 | Field-level requirement | Export declaration | Export B1: DE 7/7 Identity of means of transport at departure at H level is dependent; cardinality 1x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!139
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is B1.; 7/7 Identity of means of transport at departure at H level is dependent.; Populate XML path Declaration/GoodsShipment/Consignment/DepartureTransportMeans only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format -.

TDR-R-02291 | Field-level requirement | Export declaration | Export C1: DE 7/7 Identity of means of transport at departure at H level is optional; cardinality 1x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!139
Error code/pattern: CDS10010 | xml_validation_error

Acceptance: Export declaration context is C1.; 7/7 Identity of means of transport at departure at H level is optional.; Populate XML path Declaration/GoodsShipment/Consignment/DepartureTransportMeans only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format -.

TDR-R-02292 | Field-level requirement | Export declaration | Export B2: DE 7/7 Identity of means of transport at departure at H level is dependent; cardinality 1x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!139
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is B2.; 7/7 Identity of means of transport at departure at H level is dependent.; Populate XML path Declaration/GoodsShipment/Consignment/DepartureTransportMeans only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format -.

TDR-R-02293 | Field-level requirement | Export declaration | Export B4: DE 7/7 Identity of means of transport at departure at H level is optional; cardinality 1x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!139
Error code/pattern: CDS10010 | xml_validation_error
Acceptance: Export declaration context is B4.; 7/7 Identity of means of transport at departure at H level is optional.; Populate XML path Declaration/GoodsShipment/Consignment/DepartureTransportMeans only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format -.

TDR-R-02294 | Field-level requirement | Export declaration | Export C21E: DE 7/7 Identity of means of transport at departure at H level is dependent; cardinality 1x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!139
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is C21E.; 7/7 Identity of means of transport at departure at H level is dependent.; Populate XML path Declaration/GoodsShipment/Consignment/DepartureTransportMeans only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format -.

TDR-R-02295 | Field-level requirement | Export declaration | Export C21EEIDR: DE 7/7 Identity of means of transport at departure at H level is optional; cardinality 1x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!139
Error code/pattern: CDS10010 | xml_validation_error
Acceptance: Export declaration context is C21EEIDR.; 7/7 Identity of means of transport at departure at H level is optional.; Populate XML path Declaration/GoodsShipment/Consignment/DepartureTransportMeans only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format -.

TDR-R-02296 | Field-level requirement | Export declaration | Export B1: DE 7/7 Identity of means of transport at departure - Type of Identification at H level is mandatory when the group-level item is present; cardinality 1:1; format n2.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!140
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is B1.; 7/7 Identity of means of transport at departure - Type of Identification at H level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/Consignment/DepartureTransportMeans/IdentificationTypeCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format n2.; Value is drawn from HMRC codelist TransportMeansIdentificationTypes for these items.

TDR-R-02297 | Field-level requirement | Export declaration | Export C1: DE 7/7 Identity of means of transport at departure - Type of Identification at H level is mandatory when the group-level item is present; cardinality 1:1; format n2.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!140
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is C1.; 7/7 Identity of means of transport at departure - Type of Identification at H level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/Consignment/DepartureTransportMeans/IdentificationTypeCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format n2.; Value is drawn from HMRC codelist TransportMeansIdentificationTypes for these items.

TDR-R-02298 | Field-level requirement | Export declaration | Export B2: DE 7/7 Identity of means of transport at departure - Type of Identification at H level is mandatory when the group-level item is present; cardinality 1:1; format n2.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!140
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is B2.; 7/7 Identity of means of transport at departure - Type of Identification at H level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/Consignment/DepartureTransportMeans/IdentificationTypeCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format n2.; Value is drawn from HMRC codelist TransportMeansIdentificationTypes for these items.

TDR-R-02299 | Field-level requirement | Export declaration | Export B4: DE 7/7 Identity of means of transport at departure - Type of Identification at H level is mandatory when the group-level item is present; cardinality 1:1; format n2.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!140
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is B4.; 7/7 Identity of means of transport at departure - Type of Identification at H level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/Consignment/DepartureTransportMeans/IdentificationTypeCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format n2.; Value is drawn from HMRC codelist TransportMeansIdentificationTypes for these items.

TDR-R-02300 | Field-level requirement | Export declaration | Export C21E: DE 7/7 Identity of means of transport at departure - Type of Identification at H level is mandatory when the group-level item is present; cardinality 1:1; format n2.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!140
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is C21E.; 7/7 Identity of means of transport at departure - Type of Identification at H level is mandatory when the group-level item is present.; Populate XML path

Declaration/GoodsShipment/Consignment/DepartureTransportMeans/IdentificationTypeCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format n2.; Value is drawn from HMRC codelist TransportMeansIdentificationTypes for these items.

TDR-R-02301 | Field-level requirement | Export declaration | Export C21EEIDR: DE 7/7 Identity of means of transport at departure - Type of Identification at H level is mandatory when the group-level item is present; cardinality 1:1; format n2.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!140
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is C21EEIDR.; 7/7 Identity of means of transport at departure - Type of Identification at H level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/Consignment/DepartureTransportMeans/IdentificationTypeCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format n2.; Value is drawn from HMRC codelist TransportMeansIdentificationTypes for these items.

TDR-R-02302 | Field-level requirement | Export declaration | Export B1: DE 7/7 Identity of means of transport at departure - Identification Number at H level is mandatory when the group-level item is present; cardinality 1:1; format an..27.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!141
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is B1.; 7/7 Identity of means of transport at departure - Identification Number at H level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/Consignment/DepartureTransportMeans/ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..27.

TDR-R-02303 | Field-level requirement | Export declaration | Export C1: DE 7/7 Identity of means of transport at departure - Identification Number at H level is mandatory when the group-level item is present; cardinality 1:1; format an..27.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!141
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is C1.; 7/7 Identity of means of transport at departure - Identification Number at H level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/Consignment/DepartureTransportMeans/ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..27.

TDR-R-02304 | Field-level requirement | Export declaration | Export B2: DE 7/7 Identity of means of transport at departure - Identification Number at H level is mandatory when the group-level item is present; cardinality 1:1; format an..27.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!141
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is B2.; 7/7 Identity of means of transport at departure - Identification Number at H level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/Consignment/DepartureTransportMeans/ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..27.

TDR-R-02305 | Field-level requirement | Export declaration | Export B4: DE 7/7 Identity of means of transport at departure - Identification Number at H level is mandatory when the group-level item is present; cardinality 1:1; format an..27.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!141
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is B4.; 7/7 Identity of means of transport at departure - Identification Number at H level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/Consignment/DepartureTransportMeans/ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..27.

TDR-R-02306 | Field-level requirement | Export declaration | Export C21E: DE 7/7 Identity of means of transport at departure - Identification Number at H level is mandatory when the group-level item is present; cardinality 1:1; format an..27.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!141
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is C21E.; 7/7 Identity of means of transport at departure - Identification Number at H level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/Consignment/DepartureTransportMeans/ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..27.

TDR-R-02307 | Field-level requirement | Export declaration | Export C21EEIDR: DE 7/7 Identity of means of transport at departure - Identification Number at H level is mandatory when the group-level item is present; cardinality 1:1; format an..27.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!141
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is C21EEIDR.; 7/7 Identity of means of transport at departure - Identification Number at H level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/Consignment/DepartureTransportMeans/ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..27.

TDR-R-02308 | Field-level requirement | Export declaration | Export B1: DE 7/10 Container identification number at H or I level is dependent; cardinality 9999x (H) 9999x (I); format an..17.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!142
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is B1.; 7/10 Container identification number at H or I level is dependent.; Populate XML path Declaration/GoodsShipment/ Consignment/ TransportEquipment/ ID Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ TransportEquipment/ ID only where this rule permits it.; Respect cardinality 9999x (H) 9999x (I).; Value conforms to HMRC format an..17.

TDR-R-02309 | Field-level requirement | Export declaration | Export C1: DE 7/10 Container identification number at H or I level is dependent; cardinality 9999x (H) 9999x (I); format an..17.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!142
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is C1.; 7/10 Container identification number at H or I level is dependent.; Populate XML path Declaration/GoodsShipment/ Consignment/ TransportEquipment/ ID Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ TransportEquipment/ ID only where this rule permits it.; Respect cardinality 9999x (H) 9999x (I).; Value conforms to HMRC format an..17.

TDR-R-02310 | Field-level requirement | Export declaration | Export B2: DE 7/10 Container identification number at H or I level is dependent; cardinality 9999x (H) 9999x (I); format an..17.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!142

Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is B2.; 7/10 Container identification number at H or I level is dependent.; Populate XML path Declaration/GoodsShipment/ Consignment/ TransportEquipment/ ID Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ TransportEquipment/ ID only where this rule permits it.; Respect cardinality 9999x (H) 9999x (I).; Value conforms to HMRC format an..17.

TDR-R-02311 | Field-level requirement | Export declaration | Export B4: DE 7/10 Container identification number at H or I level is dependent; cardinality 9999x (H) 9999x (I); format an..17.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!142
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is B4.; 7/10 Container identification number at H or I level is dependent.; Populate XML path Declaration/GoodsShipment/ Consignment/ TransportEquipment/ ID Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ TransportEquipment/ ID only where this rule permits it.; Respect cardinality 9999x (H) 9999x (I).; Value conforms to HMRC format an..17.

TDR-R-02312 | Field-level requirement | Export declaration | Export C21E: DE 7/10 Container identification number at H or I level is dependent; cardinality 9999x (H) 9999x (I); format an..17.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!142
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is C21E.; 7/10 Container identification number at H or I level is dependent.; Populate XML path Declaration/GoodsShipment/ Consignment/ TransportEquipment/ ID Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ TransportEquipment/ ID only where this rule permits it.; Respect cardinality 9999x (H) 9999x (I).; Value conforms to HMRC format an..17.

TDR-R-02313 | Field-level requirement | Export declaration | Export C21EEIDR: DE 7/10 Container identification number at H or I level is dependent; cardinality 9999x (H) 9999x (I); format an..17.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!142
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is C21EEIDR.; 7/10 Container identification number at H or I level is dependent.; Populate XML path Declaration/GoodsShipment/ Consignment/ TransportEquipment/ ID Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ TransportEquipment/ ID only where this rule permits it.; Respect cardinality 9999x (H) 9999x (I).; Value conforms to HMRC format an..17.

TDR-R-02314 | Field-level requirement | Export declaration | Export B1: DE 7/14 Identity of active means of transport crossing the border at H level is dependent; cardinality 1x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!143
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is B1.; 7/14 Identity of active means of transport crossing the border at H level is dependent.; Populate XML path Declaration/BorderTransportMeans only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format -.

TDR-R-02315 | Field-level requirement | Export declaration | Export C1: DE 7/14 Identity of active means of transport crossing the border at H level is optional; cardinality 1x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!143
Error code/pattern: CDS10010 | xml_validation_error
Acceptance: Export declaration context is C1.; 7/14 Identity of active means of transport crossing the border at H level is optional.; Populate XML path Declaration/BorderTransportMeans only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format -.

TDR-R-02316 | Field-level requirement | Export declaration | Export B2: DE 7/14 Identity of active means of transport crossing the border at H level is optional; cardinality 1x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!143
Error code/pattern: CDS10010 | xml_validation_error
Acceptance: Export declaration context is B2.; 7/14 Identity of active means of transport crossing the border at H level is optional.; Populate XML path Declaration/BorderTransportMeans only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format -.

TDR-R-02317 | Field-level requirement | Export declaration | Export B4: DE 7/14 Identity of active means of transport crossing the border at H level is optional; cardinality 1x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!143
Error code/pattern: CDS10010 | xml_validation_error
Acceptance: Export declaration context is B4.; 7/14 Identity of active means of transport crossing the border at H level is optional.; Populate XML path Declaration/BorderTransportMeans only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format -.

TDR-R-02318 | Field-level requirement | Export declaration | Export C21E: DE 7/14 Identity of active means of transport crossing the border at H level is optional; cardinality 1x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!143
Error code/pattern: CDS10010 | xml_validation_error
Acceptance: Export declaration context is C21E.; 7/14 Identity of active means of transport crossing the border at H level is optional.; Populate XML path Declaration/BorderTransportMeans only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format -.

TDR-R-02319 | Field-level requirement | Export declaration | Export C21EEIDR: DE 7/14 Identity of active means of transport crossing the border at H level is optional; cardinality 1x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!143
Error code/pattern: CDS10010 | xml_validation_error
Acceptance: Export declaration context is C21EEIDR.; 7/14 Identity of active means of transport crossing the border at H level is optional.; Populate XML path Declaration/BorderTransportMeans only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format -.

TDR-R-02320 | Field-level requirement | Export declaration | Export B1: DE 7/14 Identity of active means of transport crossing the border - Type of Identification at H level is mandatory when the group-level item is present; cardinality 1:1; format n2.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!144
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is B1.; 7/14 Identity of active means of transport crossing the border - Type of Identification at H level is mandatory when the group-level item is present.; Populate XML path Declaration/BorderTransportMeans/IdentificationTypeCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format n2.; Value is drawn from HMRC codelist

TransportMeansIdentificationTypes for these items.

TDR-R-02321 | Field-level requirement | Export declaration | Export C1: DE 7/14 Identity of active means of transport crossing the border - Type of Identification at H level is mandatory when the group-level item is present; cardinality 1:1; format n2.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!144
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is C1.; 7/14 Identity of active means of transport crossing the border - Type of Identification at H level is mandatory when the group-level item is present.; Populate XML path Declaration/BorderTransportMeans/IdentificationTypeCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format n2.; Value is drawn from HMRC codelist TransportMeansIdentificationTypes for these items.

TDR-R-02322 | Field-level requirement | Export declaration | Export B2: DE 7/14 Identity of active means of transport crossing the border - Type of Identification at H level is mandatory when the group-level item is present; cardinality 1:1; format n2.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!144
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is B2.; 7/14 Identity of active means of transport crossing the border - Type of Identification at H level is mandatory when the group-level item is present.; Populate XML path Declaration/BorderTransportMeans/IdentificationTypeCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format n2.; Value is drawn from HMRC codelist TransportMeansIdentificationTypes for these items.

TDR-R-02323 | Field-level requirement | Export declaration | Export B4: DE 7/14 Identity of active means of transport crossing the border - Type of Identification at H level is mandatory when the group-level item is present; cardinality 1:1; format n2.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!144
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is B4.; 7/14 Identity of active means of transport crossing the border - Type of Identification at H level is mandatory when the group-level item is present.; Populate XML path Declaration/BorderTransportMeans/IdentificationTypeCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format n2.; Value is drawn from HMRC codelist TransportMeansIdentificationTypes for these items.

TDR-R-02324 | Field-level requirement | Export declaration | Export C21E: DE 7/14 Identity of active means of transport crossing the border - Type of Identification at H level is mandatory when the group-level item is present; cardinality 1:1; format n2.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!144
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is C21E.; 7/14 Identity of active means of transport crossing the border - Type of Identification at H level is mandatory when the group-level item is present.; Populate XML path Declaration/BorderTransportMeans/IdentificationTypeCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format n2.; Value is drawn from HMRC codelist TransportMeansIdentificationTypes for these items.

TDR-R-02325 | Field-level requirement | Export declaration | Export C21EEIDR: DE 7/14 Identity of active means of transport crossing the border - Type of Identification at H level is mandatory when the group-level item is present; cardinality 1:1; format n2.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!144
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is C21EEIDR.; 7/14 Identity of active means of transport crossing the border - Type of Identification at H level is mandatory when the group-level item is present.; Populate XML path Declaration/BorderTransportMeans/IdentificationTypeCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format n2.; Value is drawn from HMRC codelist TransportMeansIdentificationTypes for these items.

TDR-R-02326 | Field-level requirement | Export declaration | Export B1: DE 7/14 Identity of active means of transport crossing the border - Identification Number at H level is mandatory when the group-level item is present; cardinality 1:1; format an..35.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!145
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is B1.; 7/14 Identity of active means of transport crossing the border - Identification Number at H level is mandatory when the group-level item is present.; Populate XML path Declaration/BorderTransportMeans/ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..35.

TDR-R-02327 | Field-level requirement | Export declaration | Export C1: DE 7/14 Identity of active means of transport crossing the border - Identification Number at H level is mandatory when the group-level item is present; cardinality 1:1; format an..35.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!145
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is C1.; 7/14 Identity of active means of transport crossing the border - Identification Number at H level is mandatory when the group-level item is present.; Populate XML path Declaration/BorderTransportMeans/ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..35.

TDR-R-02328 | Field-level requirement | Export declaration | Export B2: DE 7/14 Identity of active means of transport crossing the border - Identification Number at H level is mandatory when the group-level item is present; cardinality 1:1; format an..35.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!145
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is B2.; 7/14 Identity of active means of transport crossing the border - Identification Number at H level is mandatory when the group-level item is present.; Populate XML path Declaration/BorderTransportMeans/ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..35.

TDR-R-02329 | Field-level requirement | Export declaration | Export B4: DE 7/14 Identity of active means of transport crossing the border - Identification Number at H level is mandatory when the group-level item is present; cardinality 1:1; format an..35.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!145
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is B4.; 7/14 Identity of active means of transport crossing the border - Identification Number at H level is mandatory when the group-level item is present.; Populate XML path Declaration/BorderTransportMeans/ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..35.

TDR-R-02330 | Field-level requirement | Export declaration | Export C21E: DE 7/14 Identity of active means of transport crossing the border - Identification Number at H level is mandatory when the group-level item is present; cardinality 1:1; format an..35.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!145
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is C21E.; 7/14 Identity of active means of transport crossing the border - Identification Number at H level is mandatory when the group-level item is present.; Populate XML path Declaration/BorderTransportMeans/ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..35.

TDR-R-02331 | Field-level requirement | Export declaration | Export C21EEIDR: DE 7/14 Identity of active means of transport crossing the border - Identification Number at H level is mandatory when the group-level item is present; cardinality 1:1; format an..35.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!145
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is C21EEIDR.; 7/14 Identity of active means of transport crossing the border - Identification Number at H level is mandatory when the group-level item is present.; Populate XML path Declaration/BorderTransportMeans/ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..35.

TDR-R-02332 | Field-level requirement | Export declaration | Export B1: DE 7/15 Nationality of active means of transport crossing the border at H level is dependent; cardinality 1x; format a2 Must be Upper Case.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!146
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is B1.; 7/15 Nationality of active means of transport crossing the border at H level is dependent.; Populate XML path Declaration/ BorderTransportMeans/ RegistrationNationalityCode only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format a2 Must be Upper Case.; Value is drawn from HMRC codelist CountryTypes for these items.

TDR-R-02333 | Field-level requirement | Export declaration | Export C1: DE 7/15 Nationality of active means of transport crossing the border at H level is optional; cardinality 1x; format a2 Must be Upper Case.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!146
Error code/pattern: CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is C1.; 7/15 Nationality of active means of transport crossing the border at H level is optional.; Populate XML path Declaration/ BorderTransportMeans/ RegistrationNationalityCode only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format a2 Must be Upper Case.; Value is drawn from HMRC codelist CountryTypes for these items.

TDR-R-02334 | Field-level requirement | Export declaration | Export B2: DE 7/15 Nationality of active means of transport crossing the border at H level is dependent; cardinality 1x; format a2 Must be Upper Case.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!146
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is B2.; 7/15 Nationality of active means of transport crossing the border at H level is dependent.; Populate XML path Declaration/ BorderTransportMeans/ RegistrationNationalityCode only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format a2 Must be Upper Case.; Value is drawn from HMRC codelist CountryTypes for these items.

TDR-R-02335 | Field-level requirement | Export declaration | Export B4: DE 7/15 Nationality of active means of transport crossing the border at H level is optional; cardinality 1x; format a2 Must be Upper Case.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!146
Error code/pattern: CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is B4.; 7/15 Nationality of active means of transport crossing the border at H level is optional.; Populate XML path Declaration/ BorderTransportMeans/ RegistrationNationalityCode only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format a2 Must be Upper Case.; Value is drawn from HMRC codelist CountryTypes for these items.

TDR-R-02336 | Field-level requirement | Export declaration | Export C21E: DE 7/15 Nationality of active means of transport crossing the border at H level is optional; cardinality 1x; format a2 Must be Upper Case.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!146
Error code/pattern: CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is C21E.; 7/15 Nationality of active means of transport crossing the border at H level is optional.; Populate XML path Declaration/ BorderTransportMeans/ RegistrationNationalityCode only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format a2 Must be Upper Case.; Value is drawn from HMRC codelist CountryTypes for these items.

TDR-R-02337 | Field-level requirement | Export declaration | Export C21EEIDR: DE 7/15 Nationality of active means of transport crossing the border at H level is optional; cardinality 1x; format a2 Must be Upper Case.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!146
Error code/pattern: CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is C21EEIDR.; 7/15 Nationality of active means of transport crossing the border at H level is optional.; Populate XML path Declaration/ BorderTransportMeans/ RegistrationNationalityCode only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format a2 Must be Upper Case.; Value is drawn from HMRC codelist CountryTypes for these items.

TDR-R-02338 | Field-level requirement | Export declaration | Export B1: DE 7/18 Seal number at H level is dependent; cardinality 9999x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!147
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is B1.; 7/18 Seal number at H level is dependent.; Populate XML path Declaration/GoodsShipment/Consignment/TransportEquipment/Seal only where this rule permits it.; Respect cardinality 9999x.; Value conforms to HMRC format -.

TDR-R-02339 | Field-level requirement | Export declaration | Export C1: DE 7/18 Seal number at H level is dependent; cardinality 9999x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!147
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is C1.; 7/18 Seal number at H level is dependent.; Populate XML path Declaration/GoodsShipment/Consignment/TransportEquipment/Seal only where this rule permits it.; Respect cardinality 9999x.; Value conforms to HMRC format -.

TDR-R-02340 | Field-level requirement | Export declaration | Export B2: DE 7/18 Seal number at H level is dependent; cardinality 9999x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!147
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is B2.; 7/18 Seal number at H level is dependent.; Populate XML path Declaration/GoodsShipment/Consignment/TransportEquipment/Seal only where this rule permits it.; Respect cardinality 9999x.; Value conforms to HMRC format -.

TDR-R-02341 | Field-level requirement | Export declaration | Export B4: DE 7/18 Seal number at H level is optional; cardinality 9999x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!147
Error code/pattern: CDS10010 | xml_validation_error
Acceptance: Export declaration context is B4.; 7/18 Seal number at H level is optional.; Populate XML path Declaration/GoodsShipment/Consignment/TransportEquipment/Seal only where this rule permits it.; Respect cardinality 9999x.; Value conforms to HMRC format -.

TDR-R-02342 | Field-level requirement | Export declaration | Export C21E: DE 7/18 Seal number at H level is optional; cardinality 9999x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!147
Error code/pattern: CDS10010 | xml_validation_error
Acceptance: Export declaration context is C21E.; 7/18 Seal number at H level is optional.; Populate XML path Declaration/GoodsShipment/Consignment/TransportEquipment/Seal only where this rule permits it.; Respect cardinality 9999x.; Value conforms to HMRC format -.

TDR-R-02343 | Field-level requirement | Export declaration | Export C21EEIDR: DE 7/18 Seal number at H level is optional; cardinality 9999x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!147
Error code/pattern: CDS10010 | xml_validation_error
Acceptance: Export declaration context is C21EEIDR.; 7/18 Seal number at H level is optional.; Populate XML path Declaration/GoodsShipment/Consignment/TransportEquipment/Seal only where this rule permits it.; Respect cardinality 9999x.; Value conforms to HMRC format -.

TDR-R-02344 | Field-level requirement | Export declaration | Export B1: DE 7/18 Seal number - Seal Identifier at H level is dependent; cardinality 1:1; format an..20.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!148
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is B1.; 7/18 Seal number - Seal Identifier at H level is dependent.; Populate XML path Declaration/GoodsShipment/Consignment/TransportEquipment/Seal/ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..20.

TDR-R-02345 | Field-level requirement | Export declaration | Export C1: DE 7/18 Seal number - Seal Identifier at H level is dependent; cardinality 1:1; format an..20.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!148
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is C1.; 7/18 Seal number - Seal Identifier at H level is dependent.; Populate XML path Declaration/GoodsShipment/Consignment/TransportEquipment/Seal/ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..20.

TDR-R-02346 | Field-level requirement | Export declaration | Export B2: DE 7/18 Seal number - Seal Identifier at H level is dependent; cardinality 1:1; format an..20.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!148
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is B2.; 7/18 Seal number - Seal Identifier at H level is dependent.; Populate XML path Declaration/GoodsShipment/Consignment/TransportEquipment/Seal/ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..20.

TDR-R-02347 | Field-level requirement | Export declaration | Export B4: DE 7/18 Seal number - Seal Identifier at H level is optional; cardinality 1:1; format an..20.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!148
Error code/pattern: CDS10010 | xml_validation_error
Acceptance: Export declaration context is B4.; 7/18 Seal number - Seal Identifier at H level is optional.; Populate XML path Declaration/GoodsShipment/Consignment/TransportEquipment/Seal/ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..20.

TDR-R-02348 | Field-level requirement | Export declaration | Export C21E: DE 7/18 Seal number - Seal Identifier at H level is optional; cardinality 1:1; format an..20.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!148
Error code/pattern: CDS10010 | xml_validation_error
Acceptance: Export declaration context is C21E.; 7/18 Seal number - Seal Identifier at H level is optional.; Populate XML path Declaration/GoodsShipment/Consignment/TransportEquipment/Seal/ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..20.

TDR-R-02349 | Field-level requirement | Export declaration | Export C21EEIDR: DE 7/18 Seal number - Seal Identifier at H level is optional; cardinality 1:1; format an..20.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!148
Error code/pattern: CDS10010 | xml_validation_error
Acceptance: Export declaration context is C21EEIDR.; 7/18 Seal number - Seal Identifier at H level is optional.; Populate XML path Declaration/GoodsShipment/Consignment/TransportEquipment/Seal/ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..20.

TDR-R-02350 | Field-level requirement | Export declaration | Export B1: DE 8/2 Guarantee Type at H level is dependent; cardinality 9x; format an1.

Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!149
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is B1.; 8/2 Guarantee Type at H level is dependent.; Populate XML path Declaration/ ObligationGuarantee/ SecurityDetailsCode only where this rule permits it.; Respect cardinality 9x.; Value conforms to HMRC format an1.; Value is drawn from HMRC codelist ExportDeclaredGuaranteeTypes for these items.

TDR-R-02351 | Field-level requirement | Export declaration | Export C1: DE 8/2 Guarantee Type at H level is dependent; cardinality 9x; format an1.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!149
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is C1.; 8/2 Guarantee Type at H level is dependent.; Populate XML path Declaration/ ObligationGuarantee/ SecurityDetailsCode only where this rule permits it.; Respect cardinality 9x.; Value conforms to HMRC format an1.; Value is drawn from HMRC codelist ExportDeclaredGuaranteeTypes for these items.

TDR-R-02352 | Field-level requirement | Export declaration | Export B2: DE 8/2 Guarantee Type at H level is optional; cardinality 9x; format an1.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!149
Error code/pattern: CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is B2.; 8/2 Guarantee Type at H level is optional.; Populate XML path Declaration/ ObligationGuarantee/ SecurityDetailsCode only where this rule permits it.; Respect cardinality 9x.; Value conforms to HMRC format an1.; Value is drawn from HMRC codelist ExportDeclaredGuaranteeTypes for these items.

TDR-R-02353 | Field-level requirement | Export declaration | Export B4: DE 8/2 Guarantee Type at H level is optional; cardinality 9x; format an1.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!149
Error code/pattern: CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is B4.; 8/2 Guarantee Type at H level is optional.; Populate XML path Declaration/ ObligationGuarantee/ SecurityDetailsCode only where this rule permits it.; Respect cardinality 9x.; Value conforms to HMRC format an1.; Value is drawn from HMRC codelist ExportDeclaredGuaranteeTypes for these items.

TDR-R-02354 | Field-level requirement | Export declaration | Export C21E: DE 8/2 Guarantee Type at H level is optional; cardinality 9x; format an1.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!149
Error code/pattern: CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is C21E.; 8/2 Guarantee Type at H level is optional.; Populate XML path Declaration/ ObligationGuarantee/ SecurityDetailsCode only where this rule permits it.; Respect cardinality 9x.; Value conforms to HMRC format an1.; Value is drawn from HMRC codelist ExportDeclaredGuaranteeTypes for these items.

TDR-R-02355 | Field-level requirement | Export declaration | Export C21EEIDR: DE 8/2 Guarantee Type at H level is optional; cardinality 9x; format an1.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!149
Error code/pattern: CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is C21EEIDR.; 8/2 Guarantee Type at H level is optional.; Populate XML path Declaration/ ObligationGuarantee/ SecurityDetailsCode only where this rule permits it.; Respect cardinality 9x.; Value conforms to HMRC format an1.; Value is drawn from HMRC codelist ExportDeclaredGuaranteeTypes for these items.

TDR-R-02356 | Field-level requirement | Export declaration | Export B1: DE 8/3 Guarantee Reference at H level is dependent; cardinality 99x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!150
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is B1.; 8/3 Guarantee Reference at H level is dependent.; Populate XML path Declaration/ ObligationGuarantee/ only where this rule permits it.; Respect cardinality 99x.; Value conforms to HMRC format -.

TDR-R-02357 | Field-level requirement | Export declaration | Export C1: DE 8/3 Guarantee Reference at H level is dependent; cardinality 99x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!150
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is C1.; 8/3 Guarantee Reference at H level is dependent.; Populate XML path Declaration/ ObligationGuarantee/ only where this rule permits it.; Respect cardinality 99x.; Value conforms to HMRC format -.

TDR-R-02358 | Field-level requirement | Export declaration | Export B2: DE 8/3 Guarantee Reference at H level is optional; cardinality 99x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!150
Error code/pattern: CDS10010 | xml_validation_error
Acceptance: Export declaration context is B2.; 8/3 Guarantee Reference at H level is optional.; Populate XML path Declaration/ ObligationGuarantee/ only where this rule permits it.; Respect cardinality 99x.; Value conforms to HMRC format -.

TDR-R-02359 | Field-level requirement | Export declaration | Export B4: DE 8/3 Guarantee Reference at H level is optional; cardinality 99x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!150
Error code/pattern: CDS10010 | xml_validation_error
Acceptance: Export declaration context is B4.; 8/3 Guarantee Reference at H level is optional.; Populate XML path Declaration/ ObligationGuarantee/ only where this rule permits it.; Respect cardinality 99x.; Value conforms to HMRC format -.

TDR-R-02360 | Field-level requirement | Export declaration | Export C21E: DE 8/3 Guarantee Reference at H level is optional; cardinality 99x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!150
Error code/pattern: CDS10010 | xml_validation_error
Acceptance: Export declaration context is C21E.; 8/3 Guarantee Reference at H level is optional.; Populate XML path Declaration/ ObligationGuarantee/ only where this rule permits it.; Respect cardinality 99x.; Value conforms to HMRC format -.

TDR-R-02361 | Field-level requirement | Export declaration | Export C21EEIDR: DE 8/3 Guarantee Reference at H level is optional; cardinality 99x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!150
Error code/pattern: CDS10010 | xml_validation_error
Acceptance: Export declaration context is C21EEIDR.; 8/3 Guarantee Reference at H level is optional.; Populate XML path Declaration/ ObligationGuarantee/ only where this rule permits it.; Respect cardinality 99x.; Value conforms to HMRC format -.

TDR-R-02362 | Field-level requirement | Export declaration | Export B1: DE 8/3 Guarantee Reference - GRN at H level is not allowed; cardinality 9x; format an..24.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!151
Error code/pattern: CDS10002 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is B1.; 8/3 Guarantee Reference - GRN at H level is not allowed.; Populate XML path Declaration/ ObligationGuarantee/ ReferenceID only where this rule permits it.; Respect cardinality 9x.; Value conforms to HMRC format an..24.

TDR-R-02363 | Field-level requirement | Export declaration | Export C1: DE 8/3 Guarantee Reference - GRN at H level is not allowed; cardinality 9x; format an..24.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!151
Error code/pattern: CDS10002 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is C1.; 8/3 Guarantee Reference - GRN at H level is not allowed.; Populate XML path Declaration/ ObligationGuarantee/ ReferenceID only where this rule permits it.; Respect cardinality 9x.; Value conforms to HMRC format an..24.

TDR-R-02364 | Field-level requirement | Export declaration | Export B2: DE 8/3 Guarantee Reference - GRN at H level is not allowed; cardinality 9x; format an..24.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!151
Error code/pattern: CDS10002 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is B2.; 8/3 Guarantee Reference - GRN at H level is not allowed.; Populate XML path Declaration/ ObligationGuarantee/ ReferenceID only where this rule permits it.; Respect cardinality 9x.; Value conforms to HMRC format an..24.

TDR-R-02365 | Field-level requirement | Export declaration | Export B4: DE 8/3 Guarantee Reference - GRN at H level is not allowed; cardinality 9x; format an..24.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!151
Error code/pattern: CDS10002 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is B4.; 8/3 Guarantee Reference - GRN at H level is not allowed.; Populate XML path Declaration/ ObligationGuarantee/ ReferenceID only where this rule permits it.; Respect cardinality 9x.; Value conforms to HMRC format an..24.

TDR-R-02366 | Field-level requirement | Export declaration | Export C21E: DE 8/3 Guarantee Reference - GRN at H level is not allowed; cardinality 9x; format an..24.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!151
Error code/pattern: CDS10002 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is C21E.; 8/3 Guarantee Reference - GRN at H level is not allowed.; Populate XML path Declaration/ ObligationGuarantee/ ReferenceID only where this rule permits it.; Respect cardinality 9x.; Value conforms to HMRC format an..24.

TDR-R-02367 | Field-level requirement | Export declaration | Export C21EEIDR: DE 8/3 Guarantee Reference - GRN at H level is not allowed; cardinality 9x; format an..24.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!151
Error code/pattern: CDS10002 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is C21EEIDR.; 8/3 Guarantee Reference - GRN at H level is not allowed.; Populate XML path Declaration/ ObligationGuarantee/ ReferenceID only where this rule permits it.; Respect cardinality 9x.; Value conforms to HMRC format an..24.

TDR-R-02368 | Field-level requirement | Export declaration | Export B1: DE 8/3 Guarantee Reference - Other Guarantee Reference at H level is dependent; cardinality 1:1; format an..35.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!152
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is B1.; 8/3 Guarantee Reference - Other Guarantee Reference at H level is dependent.; Populate XML path Declaration/ ObligationGuarantee/ ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..35.

TDR-R-02369 | Field-level requirement | Export declaration | Export C1: DE 8/3 Guarantee Reference - Other Guarantee Reference at H level is dependent; cardinality 1:1; format an..35.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!152
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is C1.; 8/3 Guarantee Reference - Other Guarantee Reference at H level is dependent.; Populate XML path Declaration/ ObligationGuarantee/ ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..35.

TDR-R-02370 | Field-level requirement | Export declaration | Export B2: DE 8/3 Guarantee Reference - Other Guarantee Reference at H level is optional; cardinality 1:1; format an..35.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!152
Error code/pattern: CDS10010 | xml_validation_error
Acceptance: Export declaration context is B2.; 8/3 Guarantee Reference - Other Guarantee Reference at H level is optional.; Populate XML path Declaration/ ObligationGuarantee/ ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..35.

TDR-R-02371 | Field-level requirement | Export declaration | Export B4: DE 8/3 Guarantee Reference - Other Guarantee Reference at H level is optional; cardinality 1:1; format an..35.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!152
Error code/pattern: CDS10010 | xml_validation_error
Acceptance: Export declaration context is B4.; 8/3 Guarantee Reference - Other Guarantee Reference at H level is optional.; Populate XML path Declaration/ ObligationGuarantee/ ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..35.

TDR-R-02372 | Field-level requirement | Export declaration | Export C21E: DE 8/3 Guarantee Reference - Other Guarantee Reference at H level is optional; cardinality 1:1; format an..35.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!152

Error code/pattern: CDS10010 | xml_validation_error
Acceptance: Export declaration context is C21E.; 8/3 Guarantee Reference - Other Guarantee Reference at H level is optional.; Populate XML path Declaration/ ObligationGuarantee/ ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..35.

TDR-R-02373 | Field-level requirement | Export declaration | Export C21EEIDR: DE 8/3 Guarantee Reference - Other Guarantee Reference at H level is optional; cardinality 1:1; format an..35.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!152
Error code/pattern: CDS10010 | xml_validation_error
Acceptance: Export declaration context is C21EEIDR.; 8/3 Guarantee Reference - Other Guarantee Reference at H level is optional.; Populate XML path Declaration/ ObligationGuarantee/ ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..35.

TDR-R-02374 | Field-level requirement | Export declaration | Export B1: DE 8/3 Guarantee Reference - Access Code at H level is optional; cardinality 1:1; format an..4.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!153
Error code/pattern: CDS10010 | xml_validation_error
Acceptance: Export declaration context is B1.; 8/3 Guarantee Reference - Access Code at H level is optional.; Populate XML path Declaration/ ObligationGuarantee/ AccessCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..4.

TDR-R-02375 | Field-level requirement | Export declaration | Export C1: DE 8/3 Guarantee Reference - Access Code at H level is optional; cardinality 1:1; format an..4.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!153
Error code/pattern: CDS10010 | xml_validation_error
Acceptance: Export declaration context is C1.; 8/3 Guarantee Reference - Access Code at H level is optional.; Populate XML path Declaration/ ObligationGuarantee/ AccessCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..4.

TDR-R-02376 | Field-level requirement | Export declaration | Export B2: DE 8/3 Guarantee Reference - Access Code at H level is optional; cardinality 1:1; format an..4.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!153
Error code/pattern: CDS10010 | xml_validation_error
Acceptance: Export declaration context is B2.; 8/3 Guarantee Reference - Access Code at H level is optional.; Populate XML path Declaration/ ObligationGuarantee/ AccessCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..4.

TDR-R-02377 | Field-level requirement | Export declaration | Export B4: DE 8/3 Guarantee Reference - Access Code at H level is optional; cardinality 1:1; format an..4.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!153
Error code/pattern: CDS10010 | xml_validation_error
Acceptance: Export declaration context is B4.; 8/3 Guarantee Reference - Access Code at H level is optional.; Populate XML path Declaration/ ObligationGuarantee/ AccessCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..4.

TDR-R-02378 | Field-level requirement | Export declaration | Export C21E: DE 8/3 Guarantee Reference - Access Code at H level is optional; cardinality 1:1; format an..4.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!153
Error code/pattern: CDS10010 | xml_validation_error
Acceptance: Export declaration context is C21E.; 8/3 Guarantee Reference - Access Code at H level is optional.; Populate XML path Declaration/ ObligationGuarantee/ AccessCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..4.

TDR-R-02379 | Field-level requirement | Export declaration | Export C21EEIDR: DE 8/3 Guarantee Reference - Access Code at H level is optional; cardinality 1:1; format an..4.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!153
Error code/pattern: CDS10010 | xml_validation_error
Acceptance: Export declaration context is C21EEIDR.; 8/3 Guarantee Reference - Access Code at H level is optional.; Populate XML path Declaration/ ObligationGuarantee/ AccessCode only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an..4.

TDR-R-02380 | Field-level requirement | Export declaration | Export B1: DE 8/3 Guarantee Reference - Amount of import duty and other charges at H level is optional; cardinality 1:1; format n..16,2.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!154
Error code/pattern: CDS10010 | xml_validation_error
Acceptance: Export declaration context is B1.; 8/3 Guarantee Reference - Amount of import duty and other charges at H level is optional.; Populate XML path Declaration/ ObligationGuarantee/ AmountAmount only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format n..16,2.

TDR-R-02381 | Field-level requirement | Export declaration | Export C1: DE 8/3 Guarantee Reference - Amount of import duty and other charges at H level is optional; cardinality 1:1; format n..16,2.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!154
Error code/pattern: CDS10010 | xml_validation_error
Acceptance: Export declaration context is C1.; 8/3 Guarantee Reference - Amount of import duty and other charges at H level is optional.; Populate XML path Declaration/ ObligationGuarantee/ AmountAmount only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format n..16,2.

TDR-R-02382 | Field-level requirement | Export declaration | Export B2: DE 8/3 Guarantee Reference - Amount of import duty and other charges at H level is optional; cardinality 1:1; format n..16,2.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!154
Error code/pattern: CDS10010 | xml_validation_error
Acceptance: Export declaration context is B2.; 8/3 Guarantee Reference - Amount of import duty and other charges at H level is optional.; Populate XML path Declaration/ ObligationGuarantee/ AmountAmount only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format n..16,2.

TDR-R-02383 | Field-level requirement | Export declaration | Export B4: DE 8/3 Guarantee Reference - Amount of import duty and other charges at H level is optional; cardinality 1:1; format n..16,2.

Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!154
Error code/pattern: CDS10010 | xml_validation_error
Acceptance: Export declaration context is B4.; 8/3 Guarantee Reference - Amount of import duty and other charges at H level is optional.; Populate XML path Declaration/ ObligationGuarantee/ AmountAmount only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format n..16,2.

TDR-R-02384 | Field-level requirement | Export declaration | Export C21E: DE 8/3 Guarantee Reference - Amount of import duty and other charges at H level is optional; cardinality 1:1; format n..16,2.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!154
Error code/pattern: CDS10010 | xml_validation_error
Acceptance: Export declaration context is C21E.; 8/3 Guarantee Reference - Amount of import duty and other charges at H level is optional.; Populate XML path Declaration/ ObligationGuarantee/ AmountAmount only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format n..16,2.

TDR-R-02385 | Field-level requirement | Export declaration | Export C21EEIDR: DE 8/3 Guarantee Reference - Amount of import duty and other charges at H level is optional; cardinality 1:1; format n..16,2.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!154
Error code/pattern: CDS10010 | xml_validation_error
Acceptance: Export declaration context is C21EEIDR.; 8/3 Guarantee Reference - Amount of import duty and other charges at H level is optional.; Populate XML path Declaration/ ObligationGuarantee/ AmountAmount only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format n..16,2.

TDR-R-02386 | Field-level requirement | Export declaration | Export B1: DE 8/3 Guarantee Reference - Currency Code at H level is optional; cardinality 1:1; format a3 Must be Upper Case Defaults to GBP.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!155
Error code/pattern: CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is B1.; 8/3 Guarantee Reference - Currency Code at H level is optional.; Populate XML path Declaration/ ObligationGuarantee/ AmountAmount @currencyID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a3 Must be Upper Case Defaults to GBP.; Value is drawn from HMRC codelist CurrencyTypes for these items.

TDR-R-02387 | Field-level requirement | Export declaration | Export C1: DE 8/3 Guarantee Reference - Currency Code at H level is optional; cardinality 1:1; format a3 Must be Upper Case Defaults to GBP.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!155
Error code/pattern: CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is C1.; 8/3 Guarantee Reference - Currency Code at H level is optional.; Populate XML path Declaration/ ObligationGuarantee/ AmountAmount @currencyID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a3 Must be Upper Case Defaults to GBP.; Value is drawn from HMRC codelist CurrencyTypes for these items.

TDR-R-02388 | Field-level requirement | Export declaration | Export B2: DE 8/3 Guarantee Reference - Currency Code at H level is optional; cardinality 1:1; format a3 Must be Upper Case Defaults to GBP.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!155
Error code/pattern: CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is B2.; 8/3 Guarantee Reference - Currency Code at H level is optional.; Populate XML path Declaration/ ObligationGuarantee/ AmountAmount @currencyID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a3 Must be Upper Case Defaults to GBP.; Value is drawn from HMRC codelist CurrencyTypes for these items.

TDR-R-02389 | Field-level requirement | Export declaration | Export B4: DE 8/3 Guarantee Reference - Currency Code at H level is optional; cardinality 1:1; format a3 Must be Upper Case Defaults to GBP.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!155
Error code/pattern: CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is B4.; 8/3 Guarantee Reference - Currency Code at H level is optional.; Populate XML path Declaration/ ObligationGuarantee/ AmountAmount @currencyID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a3 Must be Upper Case Defaults to GBP.; Value is drawn from HMRC codelist CurrencyTypes for these items.

TDR-R-02390 | Field-level requirement | Export declaration | Export C21E: DE 8/3 Guarantee Reference - Currency Code at H level is optional; cardinality 1:1; format a3 Must be Upper Case Defaults to GBP.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!155
Error code/pattern: CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is C21E.; 8/3 Guarantee Reference - Currency Code at H level is optional.; Populate XML path Declaration/ ObligationGuarantee/ AmountAmount @currencyID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a3 Must be Upper Case Defaults to GBP.; Value is drawn from HMRC codelist CurrencyTypes for these items.

TDR-R-02391 | Field-level requirement | Export declaration | Export C21EEIDR: DE 8/3 Guarantee Reference - Currency Code at H level is optional; cardinality 1:1; format a3 Must be Upper Case Defaults to GBP.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!155
Error code/pattern: CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is C21EEIDR.; 8/3 Guarantee Reference - Currency Code at H level is optional.; Populate XML path Declaration/ ObligationGuarantee/ AmountAmount @currencyID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a3 Must be Upper Case Defaults to GBP.; Value is drawn from HMRC codelist CurrencyTypes for these items.

TDR-R-02392 | Field-level requirement | Export declaration | Export B1: DE 8/3 Guarantee Reference - Customs office of guarantee at H level is optional; cardinality 1:1; format an8.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!156
Error code/pattern: CDS10010 | xml_validation_error
Acceptance: Export declaration context is B1.; 8/3 Guarantee Reference - Customs office of guarantee at H level is optional.; Populate XML path Declaration/ ObligationGuarantee/ GuaranteeOffice/ ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an8.

TDR-R-02393 | Field-level requirement | Export declaration | Export C1: DE 8/3 Guarantee Reference - Customs office of guarantee at H level is optional; cardinality 1:1; format an8.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!156
Error code/pattern: CDS10010 | xml_validation_error
Acceptance: Export declaration context is C1.; 8/3 Guarantee Reference - Customs office of guarantee at H level is optional.; Populate XML path Declaration/ ObligationGuarantee/ GuaranteeOffice/ ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an8.

TDR-R-02394 | Field-level requirement | Export declaration | Export B2: DE 8/3 Guarantee Reference - Customs office of guarantee at H level is optional; cardinality 1:1; format an8.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!156
Error code/pattern: CDS10010 | xml_validation_error
Acceptance: Export declaration context is B2.; 8/3 Guarantee Reference - Customs office of guarantee at H level is optional.; Populate XML path Declaration/ ObligationGuarantee/ GuaranteeOffice/ ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an8.

TDR-R-02395 | Field-level requirement | Export declaration | Export B4: DE 8/3 Guarantee Reference - Customs office of guarantee at H level is optional; cardinality 1:1; format an8.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!156
Error code/pattern: CDS10010 | xml_validation_error
Acceptance: Export declaration context is B4.; 8/3 Guarantee Reference - Customs office of guarantee at H level is optional.; Populate XML path Declaration/ ObligationGuarantee/ GuaranteeOffice/ ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an8.

TDR-R-02396 | Field-level requirement | Export declaration | Export C21E: DE 8/3 Guarantee Reference - Customs office of guarantee at H level is optional; cardinality 1:1; format an8.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!156
Error code/pattern: CDS10010 | xml_validation_error
Acceptance: Export declaration context is C21E.; 8/3 Guarantee Reference - Customs office of guarantee at H level is optional.; Populate XML path Declaration/ ObligationGuarantee/ GuaranteeOffice/ ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an8.

TDR-R-02397 | Field-level requirement | Export declaration | Export C21EEIDR: DE 8/3 Guarantee Reference - Customs office of guarantee at H level is optional; cardinality 1:1; format an8.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!156
Error code/pattern: CDS10010 | xml_validation_error
Acceptance: Export declaration context is C21EEIDR.; 8/3 Guarantee Reference - Customs office of guarantee at H level is optional.; Populate XML path Declaration/ ObligationGuarantee/ GuaranteeOffice/ ID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format an8.

TDR-R-02398 | Field-level requirement | Export declaration | Export B1: DE 8/5 Nature of transaction at H or I level is mandatory; cardinality 1x; format n..2.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!157
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is B1.; 8/5 Nature of transaction at H or I level is mandatory.; Populate XML path Declaration/GoodsShipment/ TransactionNatureCode Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ TransactionNatureCode only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format n..2.; Value is drawn from HMRC codelist TransactionNatureTypes for these items.

TDR-R-02399 | Field-level requirement | Export declaration | Export C1: DE 8/5 Nature of transaction at H or I level is optional; cardinality 1x; format n..2.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!157
Error code/pattern: CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is C1.; 8/5 Nature of transaction at H or I level is optional.; Populate XML path Declaration/GoodsShipment/ TransactionNatureCode Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ TransactionNatureCode only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format n..2.; Value is drawn from HMRC codelist TransactionNatureTypes for these items.

TDR-R-02400 | Field-level requirement | Export declaration | Export B2: DE 8/5 Nature of transaction at H or I level is mandatory; cardinality 1x; format n..2.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!157
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is B2.; 8/5 Nature of transaction at H or I level is mandatory.; Populate XML path Declaration/GoodsShipment/ TransactionNatureCode Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ TransactionNatureCode only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format n..2.; Value is drawn from HMRC codelist TransactionNatureTypes for these items.

TDR-R-02401 | Field-level requirement | Export declaration | Export B4: DE 8/5 Nature of transaction at H or I level is mandatory; cardinality 1x; format n..2.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!157
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is B4.; 8/5 Nature of transaction at H or I level is mandatory.; Populate XML path Declaration/GoodsShipment/ TransactionNatureCode Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ TransactionNatureCode only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format n..2.; Value is drawn from HMRC codelist TransactionNatureTypes for these items.

TDR-R-02402 | Field-level requirement | Export declaration | Export C21E: DE 8/5 Nature of transaction at H or I level is optional; cardinality 1x; format n..2.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!157

Error code/pattern: CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is C21E.; 8/5 Nature of transaction at H or I level is optional.; Populate XML path Declaration/GoodsShipment/ TransactionNatureCode Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ TransactionNatureCode only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format n..2.; Value is drawn from HMRC codelist TransactionNatureTypes for these items.

TDR-R-02403 | Field-level requirement | Export declaration | Export C21EEIDR: DE 8/5 Nature of transaction at H or I level is optional; cardinality 1x; format n..2.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!157
Error code/pattern: CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is C21EEIDR.; 8/5 Nature of transaction at H or I level is optional.; Populate XML path Declaration/GoodsShipment/ TransactionNatureCode Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ TransactionNatureCode only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format n..2.; Value is drawn from HMRC codelist TransactionNatureTypes for these items.

TDR-R-02404 | Field-level requirement | Export declaration | Export B1: DE 8/6 Statistical value at I level is dependent; cardinality 1x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!158
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is B1.; 8/6 Statistical value at I level is dependent.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ StatisticalValueAmount only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format -.

TDR-R-02405 | Field-level requirement | Export declaration | Export C1: DE 8/6 Statistical value at I level is optional; cardinality 1x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!158
Error code/pattern: CDS10010 | xml_validation_error
Acceptance: Export declaration context is C1.; 8/6 Statistical value at I level is optional.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ StatisticalValueAmount only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format -.

TDR-R-02406 | Field-level requirement | Export declaration | Export B2: DE 8/6 Statistical value at I level is dependent; cardinality 1x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!158
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is B2.; 8/6 Statistical value at I level is dependent.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ StatisticalValueAmount only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format -.

TDR-R-02407 | Field-level requirement | Export declaration | Export B4: DE 8/6 Statistical value at I level is dependent; cardinality 1x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!158
Error code/pattern: CDS12070 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is B4.; 8/6 Statistical value at I level is dependent.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ StatisticalValueAmount only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format -.

TDR-R-02408 | Field-level requirement | Export declaration | Export C21E: DE 8/6 Statistical value at I level is optional; cardinality 1x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!158
Error code/pattern: CDS10010 | xml_validation_error
Acceptance: Export declaration context is C21E.; 8/6 Statistical value at I level is optional.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ StatisticalValueAmount only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format -.

TDR-R-02409 | Field-level requirement | Export declaration | Export C21EEIDR: DE 8/6 Statistical value at I level is optional; cardinality 1x; format -.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!158
Error code/pattern: CDS10010 | xml_validation_error
Acceptance: Export declaration context is C21EEIDR.; 8/6 Statistical value at I level is optional.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ StatisticalValueAmount only where this rule permits it.; Respect cardinality 1x.; Value conforms to HMRC format -.

TDR-R-02410 | Field-level requirement | Export declaration | Export B1: DE 8/6 Statistical value - amount at I level is mandatory when the group-level item is present; cardinality 1:1; format n..15,2.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!159
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is B1.; 8/6 Statistical value - amount at I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ StatisticalValueAmount only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format n..15,2.

TDR-R-02411 | Field-level requirement | Export declaration | Export C1: DE 8/6 Statistical value - amount at I level is mandatory when the group-level item is present; cardinality 1:1; format n..15,2.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!159
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is C1.; 8/6 Statistical value - amount at I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ StatisticalValueAmount only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format n..15,2.

TDR-R-02412 | Field-level requirement | Export declaration | Export B2: DE 8/6 Statistical value - amount at I level is mandatory when the group-level item is present; cardinality 1:1; format n..15,2.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!159
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is B2.; 8/6 Statistical value - amount at I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ StatisticalValueAmount only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format n..15,2.

TDR-R-02413 | Field-level requirement | Export declaration | Export B4: DE 8/6 Statistical value - amount at I level is mandatory when the group-level item is present; cardinality 1:1; format n..15,2.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!159

Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is B4.; 8/6 Statistical value - amount at I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ StatisticalValueAmount only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format n..15,2.

TDR-R-02414 | Field-level requirement | Export declaration | Export C21E: DE 8/6 Statistical value - amount at I level is mandatory when the group-level item is present; cardinality 1:1; format n..15,2.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!159
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is C21E.; 8/6 Statistical value - amount at I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ StatisticalValueAmount only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format n..15,2.

TDR-R-02415 | Field-level requirement | Export declaration | Export C21EEIDR: DE 8/6 Statistical value - amount at I level is mandatory when the group-level item is present; cardinality 1:1; format n..15,2.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!159
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Export declaration context is C21EEIDR.; 8/6 Statistical value - amount at I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ StatisticalValueAmount only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format n..15,2.

TDR-R-02416 | Field-level requirement | Export declaration | Export B1: DE 8/6 Statistical value - currency at I level is mandatory when the group-level item is present; cardinality 1:1; format a3 Must be Upper Case Defaults to GBP.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!160
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is B1.; 8/6 Statistical value - currency at I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ StatisticalValueAmount @CurrencyID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a3 Must be Upper Case Defaults to GBP.; Value is drawn from HMRC codelist CurrencyTypes for these items.

TDR-R-02417 | Field-level requirement | Export declaration | Export C1: DE 8/6 Statistical value - currency at I level is mandatory when the group-level item is present; cardinality 1:1; format a3 Must be Upper Case Defaults to GBP.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!160
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is C1.; 8/6 Statistical value - currency at I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ StatisticalValueAmount @CurrencyID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a3 Must be Upper Case Defaults to GBP.; Value is drawn from HMRC codelist CurrencyTypes for these items.

TDR-R-02418 | Field-level requirement | Export declaration | Export B2: DE 8/6 Statistical value - currency at I level is mandatory when the group-level item is present; cardinality 1:1; format a3 Must be Upper Case Defaults to GBP.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!160
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is B2.; 8/6 Statistical value - currency at I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ StatisticalValueAmount @CurrencyID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a3 Must be Upper Case Defaults to GBP.; Value is drawn from HMRC codelist CurrencyTypes for these items.

TDR-R-02419 | Field-level requirement | Export declaration | Export B4: DE 8/6 Statistical value - currency at I level is mandatory when the group-level item is present; cardinality 1:1; format a3 Must be Upper Case Defaults to GBP.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!160
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is B4.; 8/6 Statistical value - currency at I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ StatisticalValueAmount @CurrencyID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a3 Must be Upper Case Defaults to GBP.; Value is drawn from HMRC codelist CurrencyTypes for these items.

TDR-R-02420 | Field-level requirement | Export declaration | Export C21E: DE 8/6 Statistical value - currency at I level is mandatory when the group-level item is present; cardinality 1:1; format a3 Must be Upper Case Defaults to GBP.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!160
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is C21E.; 8/6 Statistical value - currency at I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ StatisticalValueAmount @CurrencyID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a3 Must be Upper Case Defaults to GBP.; Value is drawn from HMRC codelist CurrencyTypes for these items.

TDR-R-02421 | Field-level requirement | Export declaration | Export C21EEIDR: DE 8/6 Statistical value - currency at I level is mandatory when the group-level item is present; cardinality 1:1; format a3 Must be Upper Case Defaults to GBP.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Data Completion Rules!160
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Export declaration context is C21EEIDR.; 8/6 Statistical value - currency at I level is mandatory when the group-level item is present.; Populate XML path Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ StatisticalValueAmount @CurrencyID only where this rule permits it.; Respect cardinality 1:1.; Value conforms to HMRC format a3 Must be Upper Case Defaults to GBP.; Value is drawn from HMRC codelist CurrencyTypes for these items.

TDR-R-02422 | Additional-message requirement | Additional message | Cancellation: FunctionalReferenceID (Declaration/FunctionalReferenceID) is mandatory; format an..35.
Reference: CDS Additional Message Technical Completion Matrix | v1.4 | Data_Completion_Rules!3

Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Additional message context is Cancellation.; Declaration/FunctionalReferenceID FunctionalReferenceID at Message level is mandatory.; Populate XML path Declaration/FunctionalReferenceID only where this rule permits it.; Value conforms to HMRC format an..35.

TDR-R-02423 | Additional-message requirement | Additional message | Amendment: FunctionalReferenceID (Declaration/FunctionalReferenceID) is mandatory; format an..35.
Reference: CDS Additional Message Technical Completion Matrix | v1.4 | Data_Completion_Rules!3
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Additional message context is Amendment.; Declaration/FunctionalReferenceID FunctionalReferenceID at Message level is mandatory.; Populate XML path Declaration/FunctionalReferenceID only where this rule permits it.; Value conforms to HMRC format an..35.

TDR-R-02424 | Additional-message requirement | Additional message | Goods Arrival: FunctionalReferenceID (Declaration/FunctionalReferenceID) is mandatory; format an..35.
Reference: CDS Additional Message Technical Completion Matrix | v1.4 | Data_Completion_Rules!3
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Additional message context is Goods Arrival.; Declaration/FunctionalReferenceID FunctionalReferenceID at Message level is mandatory.; Populate XML path Declaration/FunctionalReferenceID only where this rule permits it.; Value conforms to HMRC format an..35.

TDR-R-02425 | Additional-message requirement | Additional message | Cancellation: ID (Declaration/ID) is mandatory; format an..70.
Reference: CDS Additional Message Technical Completion Matrix | v1.4 | Data_Completion_Rules!4
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Additional message context is Cancellation.; Declaration/ID ID at Message level is mandatory.; Populate XML path Declaration/ID only where this rule permits it.; Value conforms to HMRC format an..70.

TDR-R-02426 | Additional-message requirement | Additional message | Amendment: ID (Declaration/ID) is mandatory; format an..70.
Reference: CDS Additional Message Technical Completion Matrix | v1.4 | Data_Completion_Rules!4
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Additional message context is Amendment.; Declaration/ID ID at Message level is mandatory.; Populate XML path Declaration/ID only where this rule permits it.; Value conforms to HMRC format an..70.

TDR-R-02427 | Additional-message requirement | Additional message | Goods Arrival: ID (Declaration/ID) is mandatory; format an..70.
Reference: CDS Additional Message Technical Completion Matrix | v1.4 | Data_Completion_Rules!4
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Additional message context is Goods Arrival.; Declaration/ID ID at Message level is mandatory.; Populate XML path Declaration/ID only where this rule permits it.; Value conforms to HMRC format an..70.

TDR-R-02428 | Additional-message requirement | Additional message | Cancellation: TypeCode (Declaration/TypeCode) is mandatory; format a3.
Reference: CDS Additional Message Technical Completion Matrix | v1.4 | Data_Completion_Rules!5
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Additional message context is Cancellation.; Declaration/TypeCode TypeCode at Message level is mandatory.; Populate XML path Declaration/TypeCode only where this rule permits it.; Value conforms to HMRC format a3.; Value is drawn from HMRC codelist Y.

TDR-R-02429 | Additional-message requirement | Additional message | Amendment: TypeCode (Declaration/TypeCode) is mandatory; format a3.
Reference: CDS Additional Message Technical Completion Matrix | v1.4 | Data_Completion_Rules!5
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Additional message context is Amendment.; Declaration/TypeCode TypeCode at Message level is mandatory.; Populate XML path Declaration/TypeCode only where this rule permits it.; Value conforms to HMRC format a3.; Value is drawn from HMRC codelist Y.

TDR-R-02430 | Additional-message requirement | Additional message | Goods Arrival: TypeCode (Declaration/TypeCode) is mandatory; format a3.
Reference: CDS Additional Message Technical Completion Matrix | v1.4 | Data_Completion_Rules!5
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Additional message context is Goods Arrival.; Declaration/TypeCode TypeCode at Message level is mandatory.; Populate XML path Declaration/TypeCode only where this rule permits it.; Value conforms to HMRC format a3.; Value is drawn from HMRC codelist Y.

TDR-R-02431 | Additional-message requirement | Additional message | Cancellation: AdditionalInformation (Declaration/AdditionalInformation) is mandatory; format nan.
Reference: CDS Additional Message Technical Completion Matrix | v1.4 | Data_Completion_Rules!6
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Additional message context is Cancellation.; Declaration/AdditionalInformation AdditionalInformation at Message level is mandatory.; Populate XML path Declaration/AdditionalInformation only where this rule permits it.; Value conforms to HMRC format nan.; Value is drawn from HMRC codelist nan.

TDR-R-02432 | Additional-message requirement | Additional message | Amendment: AdditionalInformation (Declaration/AdditionalInformation) is mandatory; format nan.
Reference: CDS Additional Message Technical Completion Matrix | v1.4 | Data_Completion_Rules!6
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Additional message context is Amendment.; Declaration/AdditionalInformation AdditionalInformation at Message level is mandatory.; Populate XML path Declaration/AdditionalInformation only where this rule permits it.; Value conforms to HMRC format nan.; Value is drawn from HMRC codelist nan.

TDR-R-02433 | Additional-message requirement | Additional message | Goods Arrival: AdditionalInformation (Declaration/AdditionalInformation) is nan; format nan.
Reference: CDS Additional Message Technical Completion Matrix | v1.4 | Data_Completion_Rules!6
Error code/pattern: CDS10010 | xml_validation_error | CDS10020
Acceptance: Additional message context is Goods Arrival.; Declaration/AdditionalInformation AdditionalInformation at Message level is nan.; Populate XML path Declaration/AdditionalInformation only where this rule permits it.; Value conforms to HMRC format nan.; Value is drawn from HMRC codelist nan.

TDR-R-02434 | Additional-message requirement | Additional message | Cancellation: StatementDescription (Declaration/AdditionalInformation/StatementDescription) is mandatory; format an…512.
Reference: CDS Additional Message Technical Completion Matrix | v1.4 | Data_Completion_Rules!7
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Additional message context is Cancellation.; Declaration/AdditionalInformation/StatementDescription StatementDescription at Message level is mandatory.; Populate XML path Declaration/AdditionalInformation/StatementDescription only where this rule permits it.; Value conforms to HMRC format an…512.

TDR-R-02435 | Additional-message requirement | Additional message | Amendment: StatementDescription (Declaration/AdditionalInformation/StatementDescription) is mandatory; format an…512.
Reference: CDS Additional Message Technical Completion Matrix | v1.4 | Data_Completion_Rules!7
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Additional message context is Amendment.; Declaration/AdditionalInformation/StatementDescription StatementDescription at Message level is mandatory.; Populate XML path Declaration/AdditionalInformation/StatementDescription only where this rule permits it.; Value conforms to HMRC format an…512.

TDR-R-02436 | Additional-message requirement | Additional message | Goods Arrival: StatementDescription (Declaration/AdditionalInformation/StatementDescription) is nan; format an…512.
Reference: CDS Additional Message Technical Completion Matrix | v1.4 | Data_Completion_Rules!7
Error code/pattern: CDS10010 | xml_validation_error
Acceptance: Additional message context is Goods Arrival.; Declaration/AdditionalInformation/StatementDescription StatementDescription at Message level is nan.; Populate XML path Declaration/AdditionalInformation/StatementDescription only where this rule permits it.; Value conforms to HMRC format an…512.

TDR-R-02437 | Additional-message requirement | Additional message | Cancellation: StatementTypeCode (Declaration/AdditionalInformation/StatementTypeCode) is mandatory; format an..3.
Reference: CDS Additional Message Technical Completion Matrix | v1.4 | Data_Completion_Rules!8
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Additional message context is Cancellation.; Declaration/AdditionalInformation/StatementTypeCode StatementTypeCode at Message level is mandatory.; Populate XML path Declaration/AdditionalInformation/StatementTypeCode only where this rule permits it.; Value conforms to HMRC format an..3.; Value is drawn from HMRC codelist Y.

TDR-R-02438 | Additional-message requirement | Additional message | Amendment: StatementTypeCode (Declaration/AdditionalInformation/StatementTypeCode) is mandatory; format an..3.
Reference: CDS Additional Message Technical Completion Matrix | v1.4 | Data_Completion_Rules!8
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Additional message context is Amendment.; Declaration/AdditionalInformation/StatementTypeCode StatementTypeCode at Message level is mandatory.; Populate XML path Declaration/AdditionalInformation/StatementTypeCode only where this rule permits it.; Value conforms to HMRC format an..3.; Value is drawn from HMRC codelist Y.

TDR-R-02439 | Additional-message requirement | Additional message | Goods Arrival: StatementTypeCode (Declaration/AdditionalInformation/StatementTypeCode) is nan; format an..3.
Reference: CDS Additional Message Technical Completion Matrix | v1.4 | Data_Completion_Rules!8
Error code/pattern: CDS10010 | xml_validation_error | CDS10020
Acceptance: Additional message context is Goods Arrival.; Declaration/AdditionalInformation/StatementTypeCode StatementTypeCode at Message level is nan.; Populate XML path Declaration/AdditionalInformation/StatementTypeCode only where this rule permits it.; Value conforms to HMRC format an..3.; Value is drawn from HMRC codelist Y.

TDR-R-02440 | Additional-message requirement | Additional message | Cancellation: Pointer (Declaration/AdditionalInformation/Pointer) is mandatory; format nan.
Reference: CDS Additional Message Technical Completion Matrix | v1.4 | Data_Completion_Rules!9
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Additional message context is Cancellation.; Declaration/AdditionalInformation/Pointer Pointer at Message level is mandatory.; Populate XML path Declaration/AdditionalInformation/Pointer only where this rule permits it.; Value conforms to HMRC format nan.; Value is drawn from HMRC codelist nan.

TDR-R-02441 | Additional-message requirement | Additional message | Amendment: Pointer (Declaration/AdditionalInformation/Pointer) is mandatory; format nan.
Reference: CDS Additional Message Technical Completion Matrix | v1.4 | Data_Completion_Rules!9
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Additional message context is Amendment.; Declaration/AdditionalInformation/Pointer Pointer at Message level is mandatory.; Populate XML path Declaration/AdditionalInformation/Pointer only where this rule permits it.; Value conforms to HMRC format nan.; Value is drawn from HMRC codelist nan.

TDR-R-02442 | Additional-message requirement | Additional message | Goods Arrival: Pointer (Declaration/AdditionalInformation/Pointer) is nan; format nan.
Reference: CDS Additional Message Technical Completion Matrix | v1.4 | Data_Completion_Rules!9
Error code/pattern: CDS10010 | xml_validation_error | CDS10020
Acceptance: Additional message context is Goods Arrival.; Declaration/AdditionalInformation/Pointer Pointer at Message level is nan.; Populate XML path Declaration/AdditionalInformation/Pointer only where this rule permits it.; Value conforms to HMRC format nan.; Value is drawn from HMRC codelist nan.

TDR-R-02443 | Additional-message requirement | Additional message | Cancellation: SequenceNumeric (Declaration/AdditionalInformation/Pointer/SequenceNumeric) is mandatory; format n..5.
Reference: CDS Additional Message Technical Completion Matrix | v1.4 | Data_Completion_Rules!10
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Additional message context is Cancellation.; Declaration/AdditionalInformation/Pointer/SequenceNumeric SequenceNumeric at Message level is mandatory.; Populate XML path Declaration/AdditionalInformation/Pointer/SequenceNumeric only where this rule permits it.; Value conforms to HMRC format n..5.

TDR-R-02444 | Additional-message requirement | Additional message | Amendment: SequenceNumeric (Declaration/AdditionalInformation/Pointer/SequenceNumeric) is mandatory; format n..5.
Reference: CDS Additional Message Technical Completion Matrix | v1.4 | Data_Completion_Rules!10
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Additional message context is Amendment.; Declaration/AdditionalInformation/Pointer/SequenceNumeric SequenceNumeric at Message level is mandatory.; Populate XML path Declaration/AdditionalInformation/Pointer/SequenceNumeric only where this rule permits it.; Value conforms to HMRC format n..5.

TDR-R-02445 | Additional-message requirement | Additional message | Goods Arrival: SequenceNumeric (Declaration/AdditionalInformation/Pointer/SequenceNumeric) is nan; format n..5.
Reference: CDS Additional Message Technical Completion Matrix | v1.4 | Data_Completion_Rules!10
Error code/pattern: CDS10010 | xml_validation_error
Acceptance: Additional message context is Goods Arrival.; Declaration/AdditionalInformation/Pointer/SequenceNumeric SequenceNumeric at Message level is nan.; Populate XML path Declaration/AdditionalInformation/Pointer/SequenceNumeric only where this rule permits it.; Value conforms to HMRC format n..5.

TDR-R-02446 | Additional-message requirement | Additional message | Cancellation: DocumentSectionCode (Declaration/AdditionalInformation/Pointer/DocumentSectionCode) is mandatory; format an..3.
Reference: CDS Additional Message Technical Completion Matrix | v1.4 | Data_Completion_Rules!11
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Additional message context is Cancellation.; Declaration/AdditionalInformation/Pointer/DocumentSectionCode DocumentSectionCode at Message level is mandatory.; Populate XML path Declaration/AdditionalInformation/Pointer/DocumentSectionCode only where this rule permits it.; Value conforms to HMRC format an..3.

TDR-R-02447 | Additional-message requirement | Additional message | Amendment: DocumentSectionCode (Declaration/AdditionalInformation/Pointer/DocumentSectionCode) is mandatory; format an..3.
Reference: CDS Additional Message Technical Completion Matrix | v1.4 | Data_Completion_Rules!11
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Additional message context is Amendment.; Declaration/AdditionalInformation/Pointer/DocumentSectionCode DocumentSectionCode at Message level is mandatory.; Populate XML path Declaration/AdditionalInformation/Pointer/DocumentSectionCode only where this rule permits it.; Value conforms to HMRC format an..3.

TDR-R-02448 | Additional-message requirement | Additional message | Goods Arrival: DocumentSectionCode (Declaration/AdditionalInformation/Pointer/DocumentSectionCode) is nan; format an..3.
Reference: CDS Additional Message Technical Completion Matrix | v1.4 | Data_Completion_Rules!11
Error code/pattern: CDS10010 | xml_validation_error
Acceptance: Additional message context is Goods Arrival.; Declaration/AdditionalInformation/Pointer/DocumentSectionCode DocumentSectionCode at Message level is nan.; Populate XML path Declaration/AdditionalInformation/Pointer/DocumentSectionCode only where this rule permits it.; Value conforms to HMRC format an..3.

TDR-R-02449 | Additional-message requirement | Additional message | Cancellation: Amendment (Declaration/Amendment) is mandatory; format nan.
Reference: CDS Additional Message Technical Completion Matrix | v1.4 | Data_Completion_Rules!12
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Additional message context is Cancellation.; Declaration/Amendment Amendment at Message level is mandatory.; Populate XML path Declaration/Amendment only where this rule permits it.; Value conforms to HMRC format nan.; Value is drawn from HMRC codelist nan.

TDR-R-02450 | Additional-message requirement | Additional message | Amendment: Amendment (Declaration/Amendment) is mandatory; format nan.
Reference: CDS Additional Message Technical Completion Matrix | v1.4 | Data_Completion_Rules!12
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Additional message context is Amendment.; Declaration/Amendment Amendment at Message level is mandatory.; Populate XML path Declaration/Amendment only where this rule permits it.; Value conforms to HMRC format nan.; Value is drawn from HMRC codelist nan.

TDR-R-02451 | Additional-message requirement | Additional message | Goods Arrival: Amendment (Declaration/Amendment) is optional; format nan.
Reference: CDS Additional Message Technical Completion Matrix | v1.4 | Data_Completion_Rules!12
Error code/pattern: CDS10010 | xml_validation_error | CDS10020
Acceptance: Additional message context is Goods Arrival.; Declaration/Amendment Amendment at Message level is optional.; Populate XML path Declaration/Amendment only where this rule permits it.; Value conforms to HMRC format nan.; Value is drawn from HMRC codelist nan.

TDR-R-02452 | Additional-message requirement | Additional message | Cancellation: ChangeReasonCode (Declaration/Amendment/ChangeReasonCode) is mandatory; format n..2.
Reference: CDS Additional Message Technical Completion Matrix | v1.4 | Data_Completion_Rules!13
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Additional message context is Cancellation.; Declaration/Amendment/ChangeReasonCode ChangeReasonCode at Message level is mandatory.; Populate XML path Declaration/Amendment/ChangeReasonCode only where this rule permits it.; Value conforms to HMRC format n..2.; Value is drawn from HMRC codelist Y.

TDR-R-02453 | Additional-message requirement | Additional message | Amendment: ChangeReasonCode (Declaration/Amendment/ChangeReasonCode) is mandatory; format n..2.
Reference: CDS Additional Message Technical Completion Matrix | v1.4 | Data_Completion_Rules!13
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Additional message context is Amendment.; Declaration/Amendment/ChangeReasonCode ChangeReasonCode at Message level is mandatory.; Populate XML path Declaration/Amendment/ChangeReasonCode only where this rule permits it.; Value conforms to HMRC format n..2.; Value is drawn from HMRC codelist Y.

TDR-R-02454 | Additional-message requirement | Additional message | Goods Arrival: ChangeReasonCode (Declaration/Amendment/ChangeReasonCode) is optional; format n..2.

Reference: CDS Additional Message Technical Completion Matrix | v1.4 | Data_Completion_Rules!13
Error code/pattern: CDS10010 | xml_validation_error | CDS10020
Acceptance: Additional message context is Goods Arrival.; Declaration/Amendment/ChangeReasonCode ChangeReasonCode at Message level is optional.; Populate XML path Declaration/Amendment/ChangeReasonCode only where this rule permits it.; Value conforms to HMRC format n..2.; Value is drawn from HMRC codelist Y.

TDR-R-02455 | Additional-message requirement | Additional message | Cancellation: Pointer (Declaration/Amendment/Pointer) is nan; format nan.
Reference: CDS Additional Message Technical Completion Matrix | v1.4 | Data_Completion_Rules!14
Error code/pattern: CDS10010 | xml_validation_error | CDS10020
Acceptance: Additional message context is Cancellation.; Declaration/Amendment/Pointer Pointer at Message level is nan.; Populate XML path Declaration/Amendment/Pointer only where this rule permits it.; Value conforms to HMRC format nan.; Value is drawn from HMRC codelist nan.

TDR-R-02456 | Additional-message requirement | Additional message | Amendment: Pointer (Declaration/Amendment/Pointer) is mandatory; format nan.
Reference: CDS Additional Message Technical Completion Matrix | v1.4 | Data_Completion_Rules!14
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error | CDS10020
Acceptance: Additional message context is Amendment.; Declaration/Amendment/Pointer Pointer at Message level is mandatory.; Populate XML path Declaration/Amendment/Pointer only where this rule permits it.; Value conforms to HMRC format nan.; Value is drawn from HMRC codelist nan.

TDR-R-02457 | Additional-message requirement | Additional message | Goods Arrival: Pointer (Declaration/Amendment/Pointer) is optional; format nan.
Reference: CDS Additional Message Technical Completion Matrix | v1.4 | Data_Completion_Rules!14
Error code/pattern: CDS10010 | xml_validation_error | CDS10020
Acceptance: Additional message context is Goods Arrival.; Declaration/Amendment/Pointer Pointer at Message level is optional.; Populate XML path Declaration/Amendment/Pointer only where this rule permits it.; Value conforms to HMRC format nan.; Value is drawn from HMRC codelist nan.

TDR-R-02458 | Additional-message requirement | Additional message | Cancellation: SequenceNumeric (Declaration/Amendment/Pointer/SequenceNumeric) is nan; format n..5.
Reference: CDS Additional Message Technical Completion Matrix | v1.4 | Data_Completion_Rules!15
Error code/pattern: CDS10010 | xml_validation_error
Acceptance: Additional message context is Cancellation.; Declaration/Amendment/Pointer/SequenceNumeric SequenceNumeric at Message level is nan.; Populate XML path Declaration/Amendment/Pointer/SequenceNumeric only where this rule permits it.; Value conforms to HMRC format n..5.

TDR-R-02459 | Additional-message requirement | Additional message | Amendment: SequenceNumeric (Declaration/Amendment/Pointer/SequenceNumeric) is mandatory; format n..5.
Reference: CDS Additional Message Technical Completion Matrix | v1.4 | Data_Completion_Rules!15
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Additional message context is Amendment.; Declaration/Amendment/Pointer/SequenceNumeric SequenceNumeric at Message level is mandatory.; Populate XML path Declaration/Amendment/Pointer/SequenceNumeric only where this rule permits it.; Value conforms to HMRC format n..5.

TDR-R-02460 | Additional-message requirement | Additional message | Goods Arrival: SequenceNumeric (Declaration/Amendment/Pointer/SequenceNumeric) is optional; format n..5.
Reference: CDS Additional Message Technical Completion Matrix | v1.4 | Data_Completion_Rules!15
Error code/pattern: CDS10010 | xml_validation_error
Acceptance: Additional message context is Goods Arrival.; Declaration/Amendment/Pointer/SequenceNumeric SequenceNumeric at Message level is optional.; Populate XML path Declaration/Amendment/Pointer/SequenceNumeric only where this rule permits it.; Value conforms to HMRC format n..5.

TDR-R-02461 | Additional-message requirement | Additional message | Cancellation: DocumentSectionCode (Declaration/Amendment/Pointer/DocumentSectionCode) is nan; format an..3.
Reference: CDS Additional Message Technical Completion Matrix | v1.4 | Data_Completion_Rules!16
Error code/pattern: CDS10010 | xml_validation_error
Acceptance: Additional message context is Cancellation.; Declaration/Amendment/Pointer/DocumentSectionCode DocumentSectionCode at Message level is nan.; Populate XML path Declaration/Amendment/Pointer/DocumentSectionCode only where this rule permits it.; Value conforms to HMRC format an..3.

TDR-R-02462 | Additional-message requirement | Additional message | Amendment: DocumentSectionCode (Declaration/Amendment/Pointer/DocumentSectionCode) is mandatory; format an..3.
Reference: CDS Additional Message Technical Completion Matrix | v1.4 | Data_Completion_Rules!16
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Additional message context is Amendment.; Declaration/Amendment/Pointer/DocumentSectionCode DocumentSectionCode at Message level is mandatory.; Populate XML path Declaration/Amendment/Pointer/DocumentSectionCode only where this rule permits it.; Value conforms to HMRC format an..3.

TDR-R-02463 | Additional-message requirement | Additional message | Goods Arrival: DocumentSectionCode (Declaration/Amendment/Pointer/DocumentSectionCode) is optional; format an..3.
Reference: CDS Additional Message Technical Completion Matrix | v1.4 | Data_Completion_Rules!16
Error code/pattern: CDS10010 | xml_validation_error
Acceptance: Additional message context is Goods Arrival.; Declaration/Amendment/Pointer/DocumentSectionCode DocumentSectionCode at Message level is optional.; Populate XML path Declaration/Amendment/Pointer/DocumentSectionCode only where this rule permits it.; Value conforms to HMRC format an..3.

TDR-R-02464 | Additional-message requirement | Additional message | Cancellation: TagID (Declaration/Amendment/Pointer/TagID) is nan; format an..4.
Reference: CDS Additional Message Technical Completion Matrix | v1.4 | Data_Completion_Rules!17
Error code/pattern: CDS10010 | xml_validation_error
Acceptance: Additional message context is Cancellation.; Declaration/Amendment/Pointer/TagID TagID at Message level is nan.; Populate XML path Declaration/Amendment/Pointer/TagID only where this rule permits it.; Value conforms to HMRC format an..4.

TDR-R-02465 | Additional-message requirement | Additional message | Amendment: TagID (Declaration/Amendment/Pointer/TagID) is mandatory; format an..4.
Reference: CDS Additional Message Technical Completion Matrix | v1.4 | Data_Completion_Rules!17
Error code/pattern: CDS10001 | CDS10010 | xml_validation_error
Acceptance: Additional message context is Amendment.; Declaration/Amendment/Pointer/TagID TagID at Message level is mandatory.; Populate XML path Declaration/Amendment/Pointer/TagID only where this rule permits it.; Value conforms to HMRC format an..4.

TDR-R-02466 | Additional-message requirement | Additional message | Goods Arrival: TagID (Declaration/Amendment/Pointer/TagID) is optional; format an..4.
Reference: CDS Additional Message Technical Completion Matrix | v1.4 | Data_Completion_Rules!17
Error code/pattern: CDS10010 | xml_validation_error
Acceptance: Additional message context is Goods Arrival.; Declaration/Amendment/Pointer/TagID TagID at Message level is optional.; Populate XML path Declaration/Amendment/Pointer/TagID only where this rule permits it.; Value conforms to HMRC format an..4.

TDR-R-02467 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type A, and requested procedure 0100 must derive category H1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!4
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals A.; DE 1/10 equals 0100.; The combination derives procedure category H1.; All goods items on the declaration derive the same category.

TDR-R-02468 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type A, and requested procedure 0121 must derive category H1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!4
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals A.; DE 1/10 equals 0121.; The combination derives procedure category H1.; All goods items on the declaration derive the same category.

TDR-R-02469 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type A, and requested procedure 0151 must derive category H1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!4
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals A.; DE 1/10 equals 0151.; The combination derives procedure category H1.; All goods items on the declaration derive the same category.

TDR-R-02470 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type A, and requested procedure 0153 must derive category H1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!4
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals A.; DE 1/10 equals 0153.; The combination derives procedure category H1.; All goods items on the declaration derive the same category.

TDR-R-02471 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type A, and requested procedure 0154 must derive category H1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!4
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals A.; DE 1/10 equals 0154.; The combination derives procedure category H1.; All goods items on the declaration derive the same category.

TDR-R-02472 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type A, and requested procedure 0171 must derive category H1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!4
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals A.; DE 1/10 equals 0171.; The combination derives procedure category H1.; All goods items on the declaration derive the same category.

TDR-R-02473 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type A, and requested procedure 0178 must derive category H1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!4
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals A.; DE 1/10 equals 0178.; The combination derives procedure category H1.; All goods items on the declaration derive the same category.

TDR-R-02474 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type A, and requested procedure 0700 must derive category H1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!4
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals A.; DE 1/10 equals 0700.; The combination derives procedure category H1.; All goods items on the declaration derive the same category.

TDR-R-02475 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type A, and requested procedure 0721 must derive category H1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!4

Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals A.; DE 1/10 equals 0721.; The combination derives procedure category H1.; All goods items on the declaration derive the same category.

TDR-R-02476 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type A, and requested procedure 0751 must derive category H1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!4
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals A.; DE 1/10 equals 0751.; The combination derives procedure category H1.; All goods items on the declaration derive the same category.

TDR-R-02477 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type A, and requested procedure 0753 must derive category H1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!4
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals A.; DE 1/10 equals 0753.; The combination derives procedure category H1.; All goods items on the declaration derive the same category.

TDR-R-02478 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type A, and requested procedure 0754 must derive category H1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!4
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals A.; DE 1/10 equals 0754.; The combination derives procedure category H1.; All goods items on the declaration derive the same category.

TDR-R-02479 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type A, and requested procedure 0771 must derive category H1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!4
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals A.; DE 1/10 equals 0771.; The combination derives procedure category H1.; All goods items on the declaration derive the same category.

TDR-R-02480 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type A, and requested procedure 0778 must derive category H1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!4
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals A.; DE 1/10 equals 0778.; The combination derives procedure category H1.; All goods items on the declaration derive the same category.

TDR-R-02481 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type A, and requested procedure 4000 must derive category H1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!4
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals A.; DE 1/10 equals 4000.; The combination derives procedure category H1.; All goods items on the declaration derive the same category.

TDR-R-02482 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type A, and requested procedure 4051 must derive category H1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!4
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals A.; DE 1/10 equals 4051.; The combination derives procedure category H1.; All goods items on the declaration derive the same category.

TDR-R-02483 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type A, and requested procedure 4053 must derive category H1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!4
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals A.; DE 1/10 equals 4053.; The combination derives procedure category H1.; All goods items on the declaration derive the same category.

TDR-R-02484 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type A, and requested procedure 4054 must derive category H1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!4
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals A.; DE 1/10 equals 4054.; The combination derives procedure category H1.; All goods items on the declaration derive the same category.

TDR-R-02485 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type A, and requested procedure 4071 must derive category H1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!4
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals A.; DE 1/10 equals 4071.; The combination derives procedure category H1.; All goods items on the declaration derive the same category.

TDR-R-02486 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type A, and requested procedure 4078 must derive category H1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!4
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals A.; DE 1/10 equals 4078.; The combination derives procedure category H1.; All goods items on the

declaration derive the same category.

TDR-R-02487 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type A, and requested procedure 4200 must derive category H1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!4
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals A.; DE 1/10 equals 4200.; The combination derives procedure category H1.; All goods items on the declaration derive the same category.

TDR-R-02488 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type A, and requested procedure 4221 must derive category H1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!4
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals A.; DE 1/10 equals 4221.; The combination derives procedure category H1.; All goods items on the declaration derive the same category.

TDR-R-02489 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type A, and requested procedure 4251 must derive category H1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!4
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals A.; DE 1/10 equals 4251.; The combination derives procedure category H1.; All goods items on the declaration derive the same category.

TDR-R-02490 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type A, and requested procedure 4253 must derive category H1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!4
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals A.; DE 1/10 equals 4253.; The combination derives procedure category H1.; All goods items on the declaration derive the same category.

TDR-R-02491 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type A, and requested procedure 4254 must derive category H1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!4
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals A.; DE 1/10 equals 4254.; The combination derives procedure category H1.; All goods items on the declaration derive the same category.

TDR-R-02492 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type A, and requested procedure 4271 must derive category H1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!4
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals A.; DE 1/10 equals 4271.; The combination derives procedure category H1.; All goods items on the declaration derive the same category.

TDR-R-02493 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type A, and requested procedure 4278 must derive category H1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!4
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals A.; DE 1/10 equals 4278.; The combination derives procedure category H1.; All goods items on the declaration derive the same category.

TDR-R-02494 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type A, and requested procedure 4400 must derive category H1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!4
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals A.; DE 1/10 equals 4400.; The combination derives procedure category H1.; All goods items on the declaration derive the same category.

TDR-R-02495 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type A, and requested procedure 4421 must derive category H1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!4
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals A.; DE 1/10 equals 4421.; The combination derives procedure category H1.; All goods items on the declaration derive the same category.

TDR-R-02496 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type A, and requested procedure 4422 must derive category H1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!4
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals A.; DE 1/10 equals 4422.; The combination derives procedure category H1.; All goods items on the declaration derive the same category.

TDR-R-02497 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type A, and requested procedure 4451 must derive category H1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!4
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals A.; DE 1/10 equals 4451.; The combination derives procedure category H1.; All goods items on the declaration derive the same category.

TDR-R-02498 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type A, and requested procedure 4453 must derive category H1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!4
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals A.; DE 1/10 equals 4453.; The combination derives procedure category H1.; All goods items on the declaration derive the same category.

TDR-R-02499 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type A, and requested procedure 4454 must derive category H1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!4
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals A.; DE 1/10 equals 4454.; The combination derives procedure category H1.; All goods items on the declaration derive the same category.

TDR-R-02500 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type A, and requested procedure 4471 must derive category H1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!4
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals A.; DE 1/10 equals 4471.; The combination derives procedure category H1.; All goods items on the declaration derive the same category.

TDR-R-02501 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type A, and requested procedure 4478 must derive category H1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!4
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals A.; DE 1/10 equals 4478.; The combination derives procedure category H1.; All goods items on the declaration derive the same category.

TDR-R-02502 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type A, and requested procedure 5100 must derive category H4.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!4
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals A.; DE 1/10 equals 5100.; The combination derives procedure category H4.; All goods items on the declaration derive the same category.

TDR-R-02503 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type A, and requested procedure 5111 must derive category H4.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!4
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals A.; DE 1/10 equals 5111.; The combination derives procedure category H4.; All goods items on the declaration derive the same category.

TDR-R-02504 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type A, and requested procedure 5121 must derive category H4.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!4
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals A.; DE 1/10 equals 5121.; The combination derives procedure category H4.; All goods items on the declaration derive the same category.

TDR-R-02505 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type A, and requested procedure 5151 must derive category H4.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!4
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals A.; DE 1/10 equals 5151.; The combination derives procedure category H4.; All goods items on the declaration derive the same category.

TDR-R-02506 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type A, and requested procedure 5153 must derive category H4.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!4
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals A.; DE 1/10 equals 5153.; The combination derives procedure category H4.; All goods items on the declaration derive the same category.

TDR-R-02507 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type A, and requested procedure 5154 must derive category H4.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!4
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals A.; DE 1/10 equals 5154.; The combination derives procedure category H4.; All goods items on the declaration derive the same category.

TDR-R-02508 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type A, and requested procedure 5171 must derive category H4.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!4
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals A.; DE 1/10 equals 5171.; The combination derives procedure category H4.; All goods items on the declaration derive the same category.

TDR-R-02509 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type A, and requested procedure 5178 must derive category H4.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!4

Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals A.; DE 1/10 equals 5178.; The combination derives procedure category H4.; All goods items on the declaration derive the same category.

TDR-R-02510 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type A, and requested procedure 5300 must derive category H3.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!4
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals A.; DE 1/10 equals 5300.; The combination derives procedure category H3.; All goods items on the declaration derive the same category.

TDR-R-02511 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type A, and requested procedure 5351 must derive category H3.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!4
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals A.; DE 1/10 equals 5351.; The combination derives procedure category H3.; All goods items on the declaration derive the same category.

TDR-R-02512 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type A, and requested procedure 5353 must derive category H3.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!4
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals A.; DE 1/10 equals 5353.; The combination derives procedure category H3.; All goods items on the declaration derive the same category.

TDR-R-02513 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type A, and requested procedure 5354 must derive category H3.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!4
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals A.; DE 1/10 equals 5354.; The combination derives procedure category H3.; All goods items on the declaration derive the same category.

TDR-R-02514 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type A, and requested procedure 5371 must derive category H3.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!4
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals A.; DE 1/10 equals 5371.; The combination derives procedure category H3.; All goods items on the declaration derive the same category.

TDR-R-02515 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type A, and requested procedure 5378 must derive category H3.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!4
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals A.; DE 1/10 equals 5378.; The combination derives procedure category H3.; All goods items on the declaration derive the same category.

TDR-R-02516 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type A, and requested procedure 6110 must derive category H1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!4
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals A.; DE 1/10 equals 6110.; The combination derives procedure category H1.; All goods items on the declaration derive the same category.

TDR-R-02517 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type A, and requested procedure 6111 must derive category H1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!4
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals A.; DE 1/10 equals 6111.; The combination derives procedure category H1.; All goods items on the declaration derive the same category.

TDR-R-02518 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type A, and requested procedure 6121 must derive category H1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!4
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals A.; DE 1/10 equals 6121.; The combination derives procedure category H1.; All goods items on the declaration derive the same category.

TDR-R-02519 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type A, and requested procedure 6122 must derive category H1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!4
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals A.; DE 1/10 equals 6122.; The combination derives procedure category H1.; All goods items on the declaration derive the same category.

TDR-R-02520 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type A, and requested procedure 6123 must derive category H1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!4
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals A.; DE 1/10 equals 6123.; The combination derives procedure category H1.; All goods items on the

declaration derive the same category.

TDR-R-02521 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type A, and requested procedure 6131 must derive category H1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!4
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals A.; DE 1/10 equals 6131.; The combination derives procedure category H1.; All goods items on the declaration derive the same category.

TDR-R-02522 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type A, and requested procedure 7100 must derive category H2.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!4
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals A.; DE 1/10 equals 7100.; The combination derives procedure category H2.; All goods items on the declaration derive the same category.

TDR-R-02523 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type A, and requested procedure 7110 must derive category H2.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!4
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals A.; DE 1/10 equals 7110.; The combination derives procedure category H2.; All goods items on the declaration derive the same category.

TDR-R-02524 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type A, and requested procedure 7121 must derive category H2.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!4
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals A.; DE 1/10 equals 7121.; The combination derives procedure category H2.; All goods items on the declaration derive the same category.

TDR-R-02525 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type A, and requested procedure 7122 must derive category H2.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!4
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals A.; DE 1/10 equals 7122.; The combination derives procedure category H2.; All goods items on the declaration derive the same category.

TDR-R-02526 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type A, and requested procedure 7123 must derive category H2.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!4
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals A.; DE 1/10 equals 7123.; The combination derives procedure category H2.; All goods items on the declaration derive the same category.

TDR-R-02527 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type A, and requested procedure 7151 must derive category H2.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!4
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals A.; DE 1/10 equals 7151.; The combination derives procedure category H2.; All goods items on the declaration derive the same category.

TDR-R-02528 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type A, and requested procedure 7153 must derive category H2.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!4
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals A.; DE 1/10 equals 7153.; The combination derives procedure category H2.; All goods items on the declaration derive the same category.

TDR-R-02529 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type A, and requested procedure 7154 must derive category H2.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!4
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals A.; DE 1/10 equals 7154.; The combination derives procedure category H2.; All goods items on the declaration derive the same category.

TDR-R-02530 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type A, and requested procedure 7171 must derive category H2.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!4
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals A.; DE 1/10 equals 7171.; The combination derives procedure category H2.; All goods items on the declaration derive the same category.

TDR-R-02531 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type A, and requested procedure 7178 must derive category H2.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!4
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals A.; DE 1/10 equals 7178.; The combination derives procedure category H2.; All goods items on the declaration derive the same category.

TDR-R-02532 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type A, and requested procedure 7800 must derive category H2.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!4
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals A.; DE 1/10 equals 7800.; The combination derives procedure category H2.; All goods items on the declaration derive the same category.

TDR-R-02533 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type A, and requested procedure 7851 must derive category H2.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!4
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals A.; DE 1/10 equals 7851.; The combination derives procedure category H2.; All goods items on the declaration derive the same category.

TDR-R-02534 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type A, and requested procedure 7853 must derive category H2.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!4
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals A.; DE 1/10 equals 7853.; The combination derives procedure category H2.; All goods items on the declaration derive the same category.

TDR-R-02535 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type A, and requested procedure 7871 must derive category H2.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!4
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals A.; DE 1/10 equals 7871.; The combination derives procedure category H2.; All goods items on the declaration derive the same category.

TDR-R-02536 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type A, and requested procedure 7878 must derive category H2.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!4
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals A.; DE 1/10 equals 7878.; The combination derives procedure category H2.; All goods items on the declaration derive the same category.

TDR-R-02537 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type B, and requested procedure 4000 must derive category I1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!5
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals B.; DE 1/10 equals 4000.; The combination derives procedure category I1.; All goods items on the declaration derive the same category.

TDR-R-02538 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type B, and requested procedure 4071 must derive category I1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!5
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals B.; DE 1/10 equals 4071.; The combination derives procedure category I1.; All goods items on the declaration derive the same category.

TDR-R-02539 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type B, and requested procedure 4078 must derive category I1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!5
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals B.; DE 1/10 equals 4078.; The combination derives procedure category I1.; All goods items on the declaration derive the same category.

TDR-R-02540 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type B, and requested procedure 4400 must derive category I1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!5
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals B.; DE 1/10 equals 4400.; The combination derives procedure category I1.; All goods items on the declaration derive the same category.

TDR-R-02541 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type B, and requested procedure 4421 must derive category I1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!5
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals B.; DE 1/10 equals 4421.; The combination derives procedure category I1.; All goods items on the declaration derive the same category.

TDR-R-02542 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type B, and requested procedure 4422 must derive category I1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!5
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals B.; DE 1/10 equals 4422.; The combination derives procedure category I1.; All goods items on the declaration derive the same category.

TDR-R-02543 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type B, and requested procedure 4451 must derive category I1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!5

Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals B.; DE 1/10 equals 4451.; The combination derives procedure category I1.; All goods items on the declaration derive the same category.

TDR-R-02544 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type B, and requested procedure 4471 must derive category I1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!5
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals B.; DE 1/10 equals 4471.; The combination derives procedure category I1.; All goods items on the declaration derive the same category.

TDR-R-02545 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type B, and requested procedure 4478 must derive category I1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!5
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals B.; DE 1/10 equals 4478.; The combination derives procedure category I1.; All goods items on the declaration derive the same category.

TDR-R-02546 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type B, and requested procedure 6110 must derive category I1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!5
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals B.; DE 1/10 equals 6110.; The combination derives procedure category I1.; All goods items on the declaration derive the same category.

TDR-R-02547 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type B, and requested procedure 6123 must derive category I1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!5
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals B.; DE 1/10 equals 6123.; The combination derives procedure category I1.; All goods items on the declaration derive the same category.

TDR-R-02548 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type C, and requested procedure 0100 must derive category I1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!6
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals C.; DE 1/10 equals 0100.; The combination derives procedure category I1.; All goods items on the declaration derive the same category.

TDR-R-02549 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type C, and requested procedure 0121 must derive category I1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!6
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals C.; DE 1/10 equals 0121.; The combination derives procedure category I1.; All goods items on the declaration derive the same category.

TDR-R-02550 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type C, and requested procedure 0151 must derive category I1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!6
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals C.; DE 1/10 equals 0151.; The combination derives procedure category I1.; All goods items on the declaration derive the same category.

TDR-R-02551 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type C, and requested procedure 0153 must derive category I1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!6
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals C.; DE 1/10 equals 0153.; The combination derives procedure category I1.; All goods items on the declaration derive the same category.

TDR-R-02552 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type C, and requested procedure 0171 must derive category I1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!6
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals C.; DE 1/10 equals 0171.; The combination derives procedure category I1.; All goods items on the declaration derive the same category.

TDR-R-02553 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type C, and requested procedure 0178 must derive category I1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!6
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals C.; DE 1/10 equals 0178.; The combination derives procedure category I1.; All goods items on the declaration derive the same category.

TDR-R-02554 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type C, and requested procedure 0700 must derive category I1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!6
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals C.; DE 1/10 equals 0700.; The combination derives procedure category I1.; All goods items on the

declaration derive the same category.

TDR-R-02555 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type C, and requested procedure 0721 must derive category I1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!6
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals C.; DE 1/10 equals 0721.; The combination derives procedure category I1.; All goods items on the declaration derive the same category.

TDR-R-02556 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type C, and requested procedure 0778 must derive category I1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!6
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals C.; DE 1/10 equals 0778.; The combination derives procedure category I1.; All goods items on the declaration derive the same category.

TDR-R-02557 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type C, and requested procedure 4000 must derive category I1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!6
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals C.; DE 1/10 equals 4000.; The combination derives procedure category I1.; All goods items on the declaration derive the same category.

TDR-R-02558 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type C, and requested procedure 4078 must derive category I1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!6
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals C.; DE 1/10 equals 4078.; The combination derives procedure category I1.; All goods items on the declaration derive the same category.

TDR-R-02559 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type C, and requested procedure 4200 must derive category I1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!6
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals C.; DE 1/10 equals 4200.; The combination derives procedure category I1.; All goods items on the declaration derive the same category.

TDR-R-02560 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type C, and requested procedure 4221 must derive category I1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!6
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals C.; DE 1/10 equals 4221.; The combination derives procedure category I1.; All goods items on the declaration derive the same category.

TDR-R-02561 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type C, and requested procedure 4278 must derive category I1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!6
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals C.; DE 1/10 equals 4278.; The combination derives procedure category I1.; All goods items on the declaration derive the same category.

TDR-R-02562 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type C, and requested procedure 4400 must derive category I1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!6
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals C.; DE 1/10 equals 4400.; The combination derives procedure category I1.; All goods items on the declaration derive the same category.

TDR-R-02563 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type C, and requested procedure 4421 must derive category I1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!6
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals C.; DE 1/10 equals 4421.; The combination derives procedure category I1.; All goods items on the declaration derive the same category.

TDR-R-02564 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type C, and requested procedure 4422 must derive category I1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!6
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals C.; DE 1/10 equals 4422.; The combination derives procedure category I1.; All goods items on the declaration derive the same category.

TDR-R-02565 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type C, and requested procedure 4478 must derive category I1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!6
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals C.; DE 1/10 equals 4478.; The combination derives procedure category I1.; All goods items on the declaration derive the same category.

TDR-R-02566 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type C, and requested procedure 5100 must derive category I1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!6
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals C.; DE 1/10 equals 5100.; The combination derives procedure category I1.; All goods items on the declaration derive the same category.

TDR-R-02567 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type C, and requested procedure 5111 must derive category I1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!6
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals C.; DE 1/10 equals 5111.; The combination derives procedure category I1.; All goods items on the declaration derive the same category.

TDR-R-02568 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type C, and requested procedure 5121 must derive category I1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!6
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals C.; DE 1/10 equals 5121.; The combination derives procedure category I1.; All goods items on the declaration derive the same category.

TDR-R-02569 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type C, and requested procedure 5178 must derive category I1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!6
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals C.; DE 1/10 equals 5178.; The combination derives procedure category I1.; All goods items on the declaration derive the same category.

TDR-R-02570 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type C, and requested procedure 5300 must derive category I1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!6
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals C.; DE 1/10 equals 5300.; The combination derives procedure category I1.; All goods items on the declaration derive the same category.

TDR-R-02571 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type C, and requested procedure 5378 must derive category I1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!6
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals C.; DE 1/10 equals 5378.; The combination derives procedure category I1.; All goods items on the declaration derive the same category.

TDR-R-02572 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type C, and requested procedure 6110 must derive category I1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!6
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals C.; DE 1/10 equals 6110.; The combination derives procedure category I1.; All goods items on the declaration derive the same category.

TDR-R-02573 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type C, and requested procedure 6111 must derive category I1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!6
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals C.; DE 1/10 equals 6111.; The combination derives procedure category I1.; All goods items on the declaration derive the same category.

TDR-R-02574 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type C, and requested procedure 6121 must derive category I1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!6
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals C.; DE 1/10 equals 6121.; The combination derives procedure category I1.; All goods items on the declaration derive the same category.

TDR-R-02575 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type C, and requested procedure 6122 must derive category I1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!6
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals C.; DE 1/10 equals 6122.; The combination derives procedure category I1.; All goods items on the declaration derive the same category.

TDR-R-02576 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type C, and requested procedure 6123 must derive category I1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!6
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals C.; DE 1/10 equals 6123.; The combination derives procedure category I1.; All goods items on the declaration derive the same category.

TDR-R-02577 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type C, and requested procedure 6131 must derive category I1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!6

Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals C.; DE 1/10 equals 6131.; The combination derives procedure category I1.; All goods items on the declaration derive the same category.

TDR-R-02578 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type C, and requested procedure 7100 must derive category I1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!6
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals C.; DE 1/10 equals 7100.; The combination derives procedure category I1.; All goods items on the declaration derive the same category.

TDR-R-02579 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type C, and requested procedure 7110 must derive category I1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!6
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals C.; DE 1/10 equals 7110.; The combination derives procedure category I1.; All goods items on the declaration derive the same category.

TDR-R-02580 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type C, and requested procedure 7121 must derive category I1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!6
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals C.; DE 1/10 equals 7121.; The combination derives procedure category I1.; All goods items on the declaration derive the same category.

TDR-R-02581 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type C, and requested procedure 7122 must derive category I1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!6
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals C.; DE 1/10 equals 7122.; The combination derives procedure category I1.; All goods items on the declaration derive the same category.

TDR-R-02582 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type C, and requested procedure 7123 must derive category I1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!6
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals C.; DE 1/10 equals 7123.; The combination derives procedure category I1.; All goods items on the declaration derive the same category.

TDR-R-02583 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type C, and requested procedure 7178 must derive category I1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!6
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals C.; DE 1/10 equals 7178.; The combination derives procedure category I1.; All goods items on the declaration derive the same category.

TDR-R-02584 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type C, and requested procedure 7800 must derive category I1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!6
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals C.; DE 1/10 equals 7800.; The combination derives procedure category I1.; All goods items on the declaration derive the same category.

TDR-R-02585 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type C, and requested procedure 7851 must derive category I1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!6
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals C.; DE 1/10 equals 7851.; The combination derives procedure category I1.; All goods items on the declaration derive the same category.

TDR-R-02586 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type C, and requested procedure 7853 must derive category I1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!6
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals C.; DE 1/10 equals 7853.; The combination derives procedure category I1.; All goods items on the declaration derive the same category.

TDR-R-02587 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type C, and requested procedure 7871 must derive category I1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!6
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals C.; DE 1/10 equals 7871.; The combination derives procedure category I1.; All goods items on the declaration derive the same category.

TDR-R-02588 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type C, and requested procedure 7878 must derive category I1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!6
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals C.; DE 1/10 equals 7878.; The combination derives procedure category I1.; All goods items on the

declaration derive the same category.

TDR-R-02589 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type D, and requested procedure 0100 must derive category H1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!7
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals D.; DE 1/10 equals 0100.; The combination derives procedure category H1.; All goods items on the declaration derive the same category.

TDR-R-02590 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type D, and requested procedure 0121 must derive category H1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!7
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals D.; DE 1/10 equals 0121.; The combination derives procedure category H1.; All goods items on the declaration derive the same category.

TDR-R-02591 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type D, and requested procedure 0700 must derive category H1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!7
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals D.; DE 1/10 equals 0700.; The combination derives procedure category H1.; All goods items on the declaration derive the same category.

TDR-R-02592 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type D, and requested procedure 0721 must derive category H1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!7
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals D.; DE 1/10 equals 0721.; The combination derives procedure category H1.; All goods items on the declaration derive the same category.

TDR-R-02593 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type D, and requested procedure 4000 must derive category H1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!7
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals D.; DE 1/10 equals 4000.; The combination derives procedure category H1.; All goods items on the declaration derive the same category.

TDR-R-02594 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type D, and requested procedure 4200 must derive category H1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!7
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals D.; DE 1/10 equals 4200.; The combination derives procedure category H1.; All goods items on the declaration derive the same category.

TDR-R-02595 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type D, and requested procedure 4221 must derive category H1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!7
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals D.; DE 1/10 equals 4221.; The combination derives procedure category H1.; All goods items on the declaration derive the same category.

TDR-R-02596 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type D, and requested procedure 4400 must derive category H1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!7
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals D.; DE 1/10 equals 4400.; The combination derives procedure category H1.; All goods items on the declaration derive the same category.

TDR-R-02597 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type D, and requested procedure 4421 must derive category H1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!7
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals D.; DE 1/10 equals 4421.; The combination derives procedure category H1.; All goods items on the declaration derive the same category.

TDR-R-02598 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type D, and requested procedure 4422 must derive category H1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!7
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals D.; DE 1/10 equals 4422.; The combination derives procedure category H1.; All goods items on the declaration derive the same category.

TDR-R-02599 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type D, and requested procedure 5100 must derive category H4.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!7
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals D.; DE 1/10 equals 5100.; The combination derives procedure category H4.; All goods items on the declaration derive the same category.

TDR-R-02600 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type D, and requested procedure 5111 must derive category H4.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!7
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals D.; DE 1/10 equals 5111.; The combination derives procedure category H4.; All goods items on the declaration derive the same category.

TDR-R-02601 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type D, and requested procedure 5121 must derive category H4.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!7
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals D.; DE 1/10 equals 5121.; The combination derives procedure category H4.; All goods items on the declaration derive the same category.

TDR-R-02602 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type D, and requested procedure 5300 must derive category H3.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!7
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals D.; DE 1/10 equals 5300.; The combination derives procedure category H3.; All goods items on the declaration derive the same category.

TDR-R-02603 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type D, and requested procedure 6110 must derive category H1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!7
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals D.; DE 1/10 equals 6110.; The combination derives procedure category H1.; All goods items on the declaration derive the same category.

TDR-R-02604 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type D, and requested procedure 6111 must derive category H1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!7
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals D.; DE 1/10 equals 6111.; The combination derives procedure category H1.; All goods items on the declaration derive the same category.

TDR-R-02605 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type D, and requested procedure 6121 must derive category H1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!7
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals D.; DE 1/10 equals 6121.; The combination derives procedure category H1.; All goods items on the declaration derive the same category.

TDR-R-02606 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type D, and requested procedure 6122 must derive category H1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!7
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals D.; DE 1/10 equals 6122.; The combination derives procedure category H1.; All goods items on the declaration derive the same category.

TDR-R-02607 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type D, and requested procedure 6123 must derive category H1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!7
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals D.; DE 1/10 equals 6123.; The combination derives procedure category H1.; All goods items on the declaration derive the same category.

TDR-R-02608 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type D, and requested procedure 6131 must derive category H1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!7
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals D.; DE 1/10 equals 6131.; The combination derives procedure category H1.; All goods items on the declaration derive the same category.

TDR-R-02609 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type D, and requested procedure 7100 must derive category H2.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!7
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals D.; DE 1/10 equals 7100.; The combination derives procedure category H2.; All goods items on the declaration derive the same category.

TDR-R-02610 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type D, and requested procedure 7110 must derive category H2.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!7
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals D.; DE 1/10 equals 7110.; The combination derives procedure category H2.; All goods items on the declaration derive the same category.

TDR-R-02611 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type D, and requested procedure 7121 must derive category H2.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!7

Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals D.; DE 1/10 equals 7121.; The combination derives procedure category H2.; All goods items on the declaration derive the same category.

TDR-R-02612 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type D, and requested procedure 7122 must derive category H2.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!7
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals D.; DE 1/10 equals 7122.; The combination derives procedure category H2.; All goods items on the declaration derive the same category.

TDR-R-02613 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type D, and requested procedure 7123 must derive category H2.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!7
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals D.; DE 1/10 equals 7123.; The combination derives procedure category H2.; All goods items on the declaration derive the same category.

TDR-R-02614 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type D, and requested procedure 7800 must derive category H2.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!7
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals D.; DE 1/10 equals 7800.; The combination derives procedure category H2.; All goods items on the declaration derive the same category.

TDR-R-02615 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type D, and requested procedure 7851 must derive category H2.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!7
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals D.; DE 1/10 equals 7851.; The combination derives procedure category H2.; All goods items on the declaration derive the same category.

TDR-R-02616 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type D, and requested procedure 7853 must derive category H2.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!7
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals D.; DE 1/10 equals 7853.; The combination derives procedure category H2.; All goods items on the declaration derive the same category.

TDR-R-02617 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type D, and requested procedure 7871 must derive category H2.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!7
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals D.; DE 1/10 equals 7871.; The combination derives procedure category H2.; All goods items on the declaration derive the same category.

TDR-R-02618 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type D, and requested procedure 7878 must derive category H2.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!7
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals D.; DE 1/10 equals 7878.; The combination derives procedure category H2.; All goods items on the declaration derive the same category.

TDR-R-02619 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type E, and requested procedure 4000 must derive category I1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!8
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals E.; DE 1/10 equals 4000.; The combination derives procedure category I1.; All goods items on the declaration derive the same category.

TDR-R-02620 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type E, and requested procedure 4400 must derive category I1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!8
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals E.; DE 1/10 equals 4400.; The combination derives procedure category I1.; All goods items on the declaration derive the same category.

TDR-R-02621 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type E, and requested procedure 4421 must derive category I1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!8
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals E.; DE 1/10 equals 4421.; The combination derives procedure category I1.; All goods items on the declaration derive the same category.

TDR-R-02622 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type E, and requested procedure 4422 must derive category I1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!8
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals E.; DE 1/10 equals 4422.; The combination derives procedure category I1.; All goods items on the

declaration derive the same category.

TDR-R-02623 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type E, and requested procedure 6110 must derive category I1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!8
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals E.; DE 1/10 equals 6110.; The combination derives procedure category I1.; All goods items on the declaration derive the same category.

TDR-R-02624 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type E, and requested procedure 6123 must derive category I1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!8
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals E.; DE 1/10 equals 6123.; The combination derives procedure category I1.; All goods items on the declaration derive the same category.

TDR-R-02625 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type F, and requested procedure 0100 must derive category I1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!9
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals F.; DE 1/10 equals 0100.; The combination derives procedure category I1.; All goods items on the declaration derive the same category.

TDR-R-02626 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type F, and requested procedure 0121 must derive category I1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!9
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals F.; DE 1/10 equals 0121.; The combination derives procedure category I1.; All goods items on the declaration derive the same category.

TDR-R-02627 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type F, and requested procedure 0700 must derive category I1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!9
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals F.; DE 1/10 equals 0700.; The combination derives procedure category I1.; All goods items on the declaration derive the same category.

TDR-R-02628 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type F, and requested procedure 0721 must derive category I1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!9
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals F.; DE 1/10 equals 0721.; The combination derives procedure category I1.; All goods items on the declaration derive the same category.

TDR-R-02629 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type F, and requested procedure 0778 must derive category I1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!9
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals F.; DE 1/10 equals 0778.; The combination derives procedure category I1.; All goods items on the declaration derive the same category.

TDR-R-02630 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type F, and requested procedure 4000 must derive category I1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!9
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals F.; DE 1/10 equals 4000.; The combination derives procedure category I1.; All goods items on the declaration derive the same category.

TDR-R-02631 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type F, and requested procedure 4078 must derive category I1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!9
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals F.; DE 1/10 equals 4078.; The combination derives procedure category I1.; All goods items on the declaration derive the same category.

TDR-R-02632 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type F, and requested procedure 4200 must derive category I1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!9
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals F.; DE 1/10 equals 4200.; The combination derives procedure category I1.; All goods items on the declaration derive the same category.

TDR-R-02633 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type F, and requested procedure 4221 must derive category I1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!9
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals F.; DE 1/10 equals 4221.; The combination derives procedure category I1.; All goods items on the declaration derive the same category.

TDR-R-02634 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type F, and requested procedure 4400 must derive category I1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!9
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals F.; DE 1/10 equals 4400.; The combination derives procedure category I1.; All goods items on the declaration derive the same category.

TDR-R-02635 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type F, and requested procedure 4421 must derive category I1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!9
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals F.; DE 1/10 equals 4421.; The combination derives procedure category I1.; All goods items on the declaration derive the same category.

TDR-R-02636 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type F, and requested procedure 4422 must derive category I1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!9
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals F.; DE 1/10 equals 4422.; The combination derives procedure category I1.; All goods items on the declaration derive the same category.

TDR-R-02637 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type F, and requested procedure 5100 must derive category I1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!9
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals F.; DE 1/10 equals 5100.; The combination derives procedure category I1.; All goods items on the declaration derive the same category.

TDR-R-02638 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type F, and requested procedure 5111 must derive category I1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!9
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals F.; DE 1/10 equals 5111.; The combination derives procedure category I1.; All goods items on the declaration derive the same category.

TDR-R-02639 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type F, and requested procedure 5121 must derive category I1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!9
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals F.; DE 1/10 equals 5121.; The combination derives procedure category I1.; All goods items on the declaration derive the same category.

TDR-R-02640 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type F, and requested procedure 5300 must derive category I1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!9
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals F.; DE 1/10 equals 5300.; The combination derives procedure category I1.; All goods items on the declaration derive the same category.

TDR-R-02641 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type F, and requested procedure 6110 must derive category I1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!9
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals F.; DE 1/10 equals 6110.; The combination derives procedure category I1.; All goods items on the declaration derive the same category.

TDR-R-02642 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type F, and requested procedure 6111 must derive category I1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!9
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals F.; DE 1/10 equals 6111.; The combination derives procedure category I1.; All goods items on the declaration derive the same category.

TDR-R-02643 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type F, and requested procedure 6121 must derive category I1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!9
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals F.; DE 1/10 equals 6121.; The combination derives procedure category I1.; All goods items on the declaration derive the same category.

TDR-R-02644 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type F, and requested procedure 6122 must derive category I1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!9
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals F.; DE 1/10 equals 6122.; The combination derives procedure category I1.; All goods items on the declaration derive the same category.

TDR-R-02645 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type F, and requested procedure 6123 must derive category I1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!9

Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals F.; DE 1/10 equals 6123.; The combination derives procedure category I1.; All goods items on the declaration derive the same category.

TDR-R-02646 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type F, and requested procedure 6131 must derive category I1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!9
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals F.; DE 1/10 equals 6131.; The combination derives procedure category I1.; All goods items on the declaration derive the same category.

TDR-R-02647 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type F, and requested procedure 7100 must derive category I1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!9
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals F.; DE 1/10 equals 7100.; The combination derives procedure category I1.; All goods items on the declaration derive the same category.

TDR-R-02648 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type F, and requested procedure 7110 must derive category I1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!9
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals F.; DE 1/10 equals 7110.; The combination derives procedure category I1.; All goods items on the declaration derive the same category.

TDR-R-02649 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type F, and requested procedure 7121 must derive category I1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!9
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals F.; DE 1/10 equals 7121.; The combination derives procedure category I1.; All goods items on the declaration derive the same category.

TDR-R-02650 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type F, and requested procedure 7122 must derive category I1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!9
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals F.; DE 1/10 equals 7122.; The combination derives procedure category I1.; All goods items on the declaration derive the same category.

TDR-R-02651 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type F, and requested procedure 7123 must derive category I1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!9
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals F.; DE 1/10 equals 7123.; The combination derives procedure category I1.; All goods items on the declaration derive the same category.

TDR-R-02652 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type F, and requested procedure 7178 must derive category I1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!9
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals F.; DE 1/10 equals 7178.; The combination derives procedure category I1.; All goods items on the declaration derive the same category.

TDR-R-02653 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type F, and requested procedure 7800 must derive category I1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!9
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals F.; DE 1/10 equals 7800.; The combination derives procedure category I1.; All goods items on the declaration derive the same category.

TDR-R-02654 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type F, and requested procedure 7851 must derive category I1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!9
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals F.; DE 1/10 equals 7851.; The combination derives procedure category I1.; All goods items on the declaration derive the same category.

TDR-R-02655 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type F, and requested procedure 7853 must derive category I1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!9
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals F.; DE 1/10 equals 7853.; The combination derives procedure category I1.; All goods items on the declaration derive the same category.

TDR-R-02656 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type F, and requested procedure 7871 must derive category I1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!9
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals F.; DE 1/10 equals 7871.; The combination derives procedure category I1.; All goods items on the

declaration derive the same category.

TDR-R-02657 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type F, and requested procedure 7878 must derive category I1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!9
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals F.; DE 1/10 equals 7878.; The combination derives procedure category I1.; All goods items on the declaration derive the same category.

TDR-R-02658 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type J, and requested procedure 0002 must derive category C21I.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!10
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals J.; DE 1/10 equals 0002.; The combination derives procedure category C21I.; All goods items on the declaration derive the same category.

TDR-R-02659 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type J, and requested procedure 0003 must derive category C21I.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!10
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals J.; DE 1/10 equals 0003.; The combination derives procedure category C21I.; All goods items on the declaration derive the same category.

TDR-R-02660 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type J, and requested procedure 0004 must derive category C21I.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!10
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals J.; DE 1/10 equals 0004.; The combination derives procedure category C21I.; All goods items on the declaration derive the same category.

TDR-R-02661 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type J, and requested procedure 0005 must derive category C21I.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!10
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals J.; DE 1/10 equals 0005.; The combination derives procedure category C21I.; All goods items on the declaration derive the same category.

TDR-R-02662 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type J, and requested procedure 0006 must derive category C21I.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!10
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals J.; DE 1/10 equals 0006.; The combination derives procedure category C21I.; All goods items on the declaration derive the same category.

TDR-R-02663 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type J, and requested procedure 0007 must derive category C21I.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!10
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals J.; DE 1/10 equals 0007.; The combination derives procedure category C21I.; All goods items on the declaration derive the same category.

TDR-R-02664 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type J, and requested procedure 0008 must derive category C21I.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!10
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals J.; DE 1/10 equals 0008.; The combination derives procedure category C21I.; All goods items on the declaration derive the same category.

TDR-R-02665 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type J, and requested procedure 0009 must derive category C21I.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!10
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals J.; DE 1/10 equals 0009.; The combination derives procedure category C21I.; All goods items on the declaration derive the same category.

TDR-R-02666 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type J, and requested procedure 0020 must derive category C21I.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!10
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals J.; DE 1/10 equals 0020.; The combination derives procedure category C21I.; All goods items on the declaration derive the same category.

TDR-R-02667 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type J, and requested procedure 0024 must derive category C21I.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!10
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals J.; DE 1/10 equals 0024.; The combination derives procedure category C21I.; All goods items on the declaration derive the same category.

TDR-R-02668 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type J, and requested procedure 4000 must derive category C21IEIDR.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!10
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals J.; DE 1/10 equals 4000.; The combination derives procedure category C21IEIDR.; All goods items on the declaration derive the same category.

TDR-R-02669 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type J, and requested procedure 4078 must derive category C21IEIDR.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!10
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals J.; DE 1/10 equals 4078.; The combination derives procedure category C21IEIDR.; All goods items on the declaration derive the same category.

TDR-R-02670 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type J, and requested procedure 4400 must derive category C21IEIDR.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!10
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals J.; DE 1/10 equals 4400.; The combination derives procedure category C21IEIDR.; All goods items on the declaration derive the same category.

TDR-R-02671 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type J, and requested procedure 5100 must derive category C21IEDIR.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!10
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals J.; DE 1/10 equals 5100.; The combination derives procedure category C21IEDIR.; All goods items on the declaration derive the same category.

TDR-R-02672 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type J, and requested procedure 5300 must derive category C21IEIDR.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!10
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals J.; DE 1/10 equals 5300.; The combination derives procedure category C21IEIDR.; All goods items on the declaration derive the same category.

TDR-R-02673 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type J, and requested procedure 6110 must derive category C21IEIDR.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!10
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals J.; DE 1/10 equals 6110.; The combination derives procedure category C21IEIDR.; All goods items on the declaration derive the same category.

TDR-R-02674 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type J, and requested procedure 6111 must derive category C21IEIDR.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!10
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals J.; DE 1/10 equals 6111.; The combination derives procedure category C21IEIDR.; All goods items on the declaration derive the same category.

TDR-R-02675 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type J, and requested procedure 6123 must derive category C21IEIDR.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!10
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals J.; DE 1/10 equals 6123.; The combination derives procedure category C21IEIDR.; All goods items on the declaration derive the same category.

TDR-R-02676 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type J, and requested procedure 6131 must derive category C21IEIDR.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!10
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals J.; DE 1/10 equals 6131.; The combination derives procedure category C21IEIDR.; All goods items on the declaration derive the same category.

TDR-R-02677 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type J, and requested procedure 7100 must derive category C21IEIDR.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!10
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals J.; DE 1/10 equals 7100.; The combination derives procedure category C21IEIDR.; All goods items on the declaration derive the same category.

TDR-R-02678 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type J, and requested procedure 7110 must derive category C21IEIDR.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!10
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals J.; DE 1/10 equals 7110.; The combination derives procedure category C21IEIDR.; All goods items on the declaration derive the same category.

TDR-R-02679 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type J, and requested procedure 7123 must derive category C21IEIDR.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!10

Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals J.; DE 1/10 equals 7123.; The combination derives procedure category C21IEIDR.; All goods items on the declaration derive the same category.

TDR-R-02680 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type J, and requested procedure 7800 must derive category C21IEIDR.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!10
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals J.; DE 1/10 equals 7800.; The combination derives procedure category C21IEIDR.; All goods items on the declaration derive the same category.

TDR-R-02681 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type J, and requested procedure 7851 must derive category C21IEIDR.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!10
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals J.; DE 1/10 equals 7851.; The combination derives procedure category C21IEIDR.; All goods items on the declaration derive the same category.

TDR-R-02682 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type J, and requested procedure 7853 must derive category C21IEIDR.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!10
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals J.; DE 1/10 equals 7853.; The combination derives procedure category C21IEIDR.; All goods items on the declaration derive the same category.

TDR-R-02683 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type J, and requested procedure 7871 must derive category C21IEIDR.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!10
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals J.; DE 1/10 equals 7871.; The combination derives procedure category C21IEIDR.; All goods items on the declaration derive the same category.

TDR-R-02684 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type J, and requested procedure 7878 must derive category C21IEIDR.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!10
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals J.; DE 1/10 equals 7878.; The combination derives procedure category C21IEIDR.; All goods items on the declaration derive the same category.

TDR-R-02685 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type K, and requested procedure 0002 must derive category C21I.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!11
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals K.; DE 1/10 equals 0002.; The combination derives procedure category C21I.; All goods items on the declaration derive the same category.

TDR-R-02686 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type K, and requested procedure 0003 must derive category C21I.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!11
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals K.; DE 1/10 equals 0003.; The combination derives procedure category C21I.; All goods items on the declaration derive the same category.

TDR-R-02687 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type K, and requested procedure 0004 must derive category C21I.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!11
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals K.; DE 1/10 equals 0004.; The combination derives procedure category C21I.; All goods items on the declaration derive the same category.

TDR-R-02688 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type K, and requested procedure 0005 must derive category C21I.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!11
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals K.; DE 1/10 equals 0005.; The combination derives procedure category C21I.; All goods items on the declaration derive the same category.

TDR-R-02689 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type K, and requested procedure 0006 must derive category C21I.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!11
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals K.; DE 1/10 equals 0006.; The combination derives procedure category C21I.; All goods items on the declaration derive the same category.

TDR-R-02690 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type K, and requested procedure 0007 must derive category C21I.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!11
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals K.; DE 1/10 equals 0007.; The combination derives procedure category C21I.; All goods items on

the declaration derive the same category.

TDR-R-02691 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type K, and requested procedure 0008 must derive category C21I.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!11
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals K.; DE 1/10 equals 0008.; The combination derives procedure category C21I.; All goods items on the declaration derive the same category.

TDR-R-02692 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type K, and requested procedure 0009 must derive category C21I.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!11
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals K.; DE 1/10 equals 0009.; The combination derives procedure category C21I.; All goods items on the declaration derive the same category.

TDR-R-02693 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type K, and requested procedure 0020 must derive category C21I.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!11
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals K.; DE 1/10 equals 0020.; The combination derives procedure category C21I.; All goods items on the declaration derive the same category.

TDR-R-02694 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type K, and requested procedure 0024 must derive category C21I.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!11
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals K.; DE 1/10 equals 0024.; The combination derives procedure category C21I.; All goods items on the declaration derive the same category.

TDR-R-02695 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type K, and requested procedure 4000 must derive category C21IEIDR.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!11
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals K.; DE 1/10 equals 4000.; The combination derives procedure category C21IEIDR.; All goods items on the declaration derive the same category.

TDR-R-02696 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type K, and requested procedure 4078 must derive category C21IEIDR.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!11
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals K.; DE 1/10 equals 4078.; The combination derives procedure category C21IEIDR.; All goods items on the declaration derive the same category.

TDR-R-02697 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type K, and requested procedure 4400 must derive category C21IEIDR.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!11
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals K.; DE 1/10 equals 4400.; The combination derives procedure category C21IEIDR.; All goods items on the declaration derive the same category.

TDR-R-02698 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type K, and requested procedure 5100 must derive category C21IEDIR.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!11
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals K.; DE 1/10 equals 5100.; The combination derives procedure category C21IEDIR.; All goods items on the declaration derive the same category.

TDR-R-02699 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type K, and requested procedure 5300 must derive category C21IEIDR.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!11
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals K.; DE 1/10 equals 5300.; The combination derives procedure category C21IEIDR.; All goods items on the declaration derive the same category.

TDR-R-02700 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type K, and requested procedure 6110 must derive category C21IEIDR.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!11
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals K.; DE 1/10 equals 6110.; The combination derives procedure category C21IEIDR.; All goods items on the declaration derive the same category.

TDR-R-02701 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type K, and requested procedure 6111 must derive category C21IEIDR.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!11
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals K.; DE 1/10 equals 6111.; The combination derives procedure category C21IEIDR.; All goods items on the declaration derive the same category.

TDR-R-02702 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type K, and requested procedure 6123 must derive category C21IEIDR.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!11
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals K.; DE 1/10 equals 6123.; The combination derives procedure category C21IEIDR.; All goods items on the declaration derive the same category.

TDR-R-02703 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type K, and requested procedure 6131 must derive category C21IEIDR.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!11
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals K.; DE 1/10 equals 6131.; The combination derives procedure category C21IEIDR.; All goods items on the declaration derive the same category.

TDR-R-02704 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type K, and requested procedure 7100 must derive category C21IEIDR.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!11
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals K.; DE 1/10 equals 7100.; The combination derives procedure category C21IEIDR.; All goods items on the declaration derive the same category.

TDR-R-02705 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type K, and requested procedure 7110 must derive category C21IEIDR.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!11
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals K.; DE 1/10 equals 7110.; The combination derives procedure category C21IEIDR.; All goods items on the declaration derive the same category.

TDR-R-02706 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type K, and requested procedure 7123 must derive category C21IEIDR.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!11
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals K.; DE 1/10 equals 7123.; The combination derives procedure category C21IEIDR.; All goods items on the declaration derive the same category.

TDR-R-02707 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type K, and requested procedure 7800 must derive category C21IEIDR.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!11
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals K.; DE 1/10 equals 7800.; The combination derives procedure category C21IEIDR.; All goods items on the declaration derive the same category.

TDR-R-02708 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type K, and requested procedure 7851 must derive category C21IEIDR.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!11
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals K.; DE 1/10 equals 7851.; The combination derives procedure category C21IEIDR.; All goods items on the declaration derive the same category.

TDR-R-02709 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type K, and requested procedure 7853 must derive category C21IEIDR.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!11
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals K.; DE 1/10 equals 7853.; The combination derives procedure category C21IEIDR.; All goods items on the declaration derive the same category.

TDR-R-02710 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type K, and requested procedure 7871 must derive category C21IEIDR.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!11
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals K.; DE 1/10 equals 7871.; The combination derives procedure category C21IEIDR.; All goods items on the declaration derive the same category.

TDR-R-02711 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type K, and requested procedure 7878 must derive category C21IEIDR.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!11
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals K.; DE 1/10 equals 7878.; The combination derives procedure category C21IEIDR.; All goods items on the declaration derive the same category.

TDR-R-02712 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type Y, and requested procedure 0100 must derive category H1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!12
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals Y.; DE 1/10 equals 0100.; The combination derives procedure category H1.; All goods items on the declaration derive the same category.

TDR-R-02713 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type Y, and requested procedure 0121 must derive category H1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!12

Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals Y.; DE 1/10 equals 0121.; The combination derives procedure category H1.; All goods items on the declaration derive the same category.

TDR-R-02714 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type Y, and requested procedure 0178 must derive category H1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!12
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals Y.; DE 1/10 equals 0178.; The combination derives procedure category H1.; All goods items on the declaration derive the same category.

TDR-R-02715 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type Y, and requested procedure 0700 must derive category H1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!12
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals Y.; DE 1/10 equals 0700.; The combination derives procedure category H1.; All goods items on the declaration derive the same category.

TDR-R-02716 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type Y, and requested procedure 0721 must derive category H1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!12
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals Y.; DE 1/10 equals 0721.; The combination derives procedure category H1.; All goods items on the declaration derive the same category.

TDR-R-02717 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type Y, and requested procedure 0778 must derive category H1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!12
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals Y.; DE 1/10 equals 0778.; The combination derives procedure category H1.; All goods items on the declaration derive the same category.

TDR-R-02718 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type Y, and requested procedure 4000 must derive category H1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!12
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals Y.; DE 1/10 equals 4000.; The combination derives procedure category H1.; All goods items on the declaration derive the same category.

TDR-R-02719 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type Y, and requested procedure 4078 must derive category H1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!12
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals Y.; DE 1/10 equals 4078.; The combination derives procedure category H1.; All goods items on the declaration derive the same category.

TDR-R-02720 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type Y, and requested procedure 4200 must derive category H1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!12
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals Y.; DE 1/10 equals 4200.; The combination derives procedure category H1.; All goods items on the declaration derive the same category.

TDR-R-02721 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type Y, and requested procedure 4221 must derive category H1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!12
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals Y.; DE 1/10 equals 4221.; The combination derives procedure category H1.; All goods items on the declaration derive the same category.

TDR-R-02722 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type Y, and requested procedure 4278 must derive category H1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!12
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals Y.; DE 1/10 equals 4278.; The combination derives procedure category H1.; All goods items on the declaration derive the same category.

TDR-R-02723 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type Y, and requested procedure 4400 must derive category H1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!12
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals Y.; DE 1/10 equals 4400.; The combination derives procedure category H1.; All goods items on the declaration derive the same category.

TDR-R-02724 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type Y, and requested procedure 4421 must derive category H1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!12
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals Y.; DE 1/10 equals 4421.; The combination derives procedure category H1.; All goods items on the

declaration derive the same category.

TDR-R-02725 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type Y, and requested procedure 4422 must derive category H1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!12
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals Y.; DE 1/10 equals 4422.; The combination derives procedure category H1.; All goods items on the declaration derive the same category.

TDR-R-02726 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type Y, and requested procedure 4478 must derive category H1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!12
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals Y.; DE 1/10 equals 4478.; The combination derives procedure category H1.; All goods items on the declaration derive the same category.

TDR-R-02727 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type Y, and requested procedure 5100 must derive category H4.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!12
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals Y.; DE 1/10 equals 5100.; The combination derives procedure category H4.; All goods items on the declaration derive the same category.

TDR-R-02728 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type Y, and requested procedure 5111 must derive category H4.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!12
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals Y.; DE 1/10 equals 5111.; The combination derives procedure category H4.; All goods items on the declaration derive the same category.

TDR-R-02729 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type Y, and requested procedure 5121 must derive category H4.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!12
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals Y.; DE 1/10 equals 5121.; The combination derives procedure category H4.; All goods items on the declaration derive the same category.

TDR-R-02730 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type Y, and requested procedure 5178 must derive category H4.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!12
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals Y.; DE 1/10 equals 5178.; The combination derives procedure category H4.; All goods items on the declaration derive the same category.

TDR-R-02731 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type Y, and requested procedure 5300 must derive category H3.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!12
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals Y.; DE 1/10 equals 5300.; The combination derives procedure category H3.; All goods items on the declaration derive the same category.

TDR-R-02732 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type Y, and requested procedure 5378 must derive category H3.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!12
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals Y.; DE 1/10 equals 5378.; The combination derives procedure category H3.; All goods items on the declaration derive the same category.

TDR-R-02733 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type Y, and requested procedure 6110 must derive category H1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!12
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals Y.; DE 1/10 equals 6110.; The combination derives procedure category H1.; All goods items on the declaration derive the same category.

TDR-R-02734 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type Y, and requested procedure 6111 must derive category H1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!12
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals Y.; DE 1/10 equals 6111.; The combination derives procedure category H1.; All goods items on the declaration derive the same category.

TDR-R-02735 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type Y, and requested procedure 6121 must derive category H1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!12
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals Y.; DE 1/10 equals 6121.; The combination derives procedure category H1.; All goods items on the declaration derive the same category.

TDR-R-02736 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type Y, and requested procedure 6122 must derive category H1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!12
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals Y.; DE 1/10 equals 6122.; The combination derives procedure category H1.; All goods items on the declaration derive the same category.

TDR-R-02737 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type Y, and requested procedure 6123 must derive category H1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!12
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals Y.; DE 1/10 equals 6123.; The combination derives procedure category H1.; All goods items on the declaration derive the same category.

TDR-R-02738 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type Y, and requested procedure 6131 must derive category H1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!12
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals Y.; DE 1/10 equals 6131.; The combination derives procedure category H1.; All goods items on the declaration derive the same category.

TDR-R-02739 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type Z, and requested procedure 4000 must derive category H1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!13
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals Z.; DE 1/10 equals 4000.; The combination derives procedure category H1.; All goods items on the declaration derive the same category.

TDR-R-02740 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type Z, and requested procedure 4051 must derive category H1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!13
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals Z.; DE 1/10 equals 4051.; The combination derives procedure category H1.; All goods items on the declaration derive the same category.

TDR-R-02741 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type Z, and requested procedure 4053 must derive category H1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!13
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals Z.; DE 1/10 equals 4053.; The combination derives procedure category H1.; All goods items on the declaration derive the same category.

TDR-R-02742 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type Z, and requested procedure 4071 must derive category H1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!13
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals Z.; DE 1/10 equals 4071.; The combination derives procedure category H1.; All goods items on the declaration derive the same category.

TDR-R-02743 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type Z, and requested procedure 4078 must derive category H1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!13
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals Z.; DE 1/10 equals 4078.; The combination derives procedure category H1.; All goods items on the declaration derive the same category.

TDR-R-02744 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type Z, and requested procedure 4400 must derive category H1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!13
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals Z.; DE 1/10 equals 4400.; The combination derives procedure category H1.; All goods items on the declaration derive the same category.

TDR-R-02745 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type Z, and requested procedure 4451 must derive category H1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!13
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals Z.; DE 1/10 equals 4451.; The combination derives procedure category H1.; All goods items on the declaration derive the same category.

TDR-R-02746 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type Z, and requested procedure 4453 must derive category H1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!13
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals Z.; DE 1/10 equals 4453.; The combination derives procedure category H1.; All goods items on the declaration derive the same category.

TDR-R-02747 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type Z, and requested procedure 4471 must derive category H1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!13

Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals Z.; DE 1/10 equals 4471.; The combination derives procedure category H1.; All goods items on the declaration derive the same category.

TDR-R-02748 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type Z, and requested procedure 5100 must derive category H4.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!13
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals Z.; DE 1/10 equals 5100.; The combination derives procedure category H4.; All goods items on the declaration derive the same category.

TDR-R-02749 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type Z, and requested procedure 5151 must derive category H4.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!13
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals Z.; DE 1/10 equals 5151.; The combination derives procedure category H4.; All goods items on the declaration derive the same category.

TDR-R-02750 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type Z, and requested procedure 5153 must derive category H4.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!13
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals Z.; DE 1/10 equals 5153.; The combination derives procedure category H4.; All goods items on the declaration derive the same category.

TDR-R-02751 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type Z, and requested procedure 5171 must derive category H4.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!13
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals Z.; DE 1/10 equals 5171.; The combination derives procedure category H4.; All goods items on the declaration derive the same category.

TDR-R-02752 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type Z, and requested procedure 5300 must derive category H3.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!13
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals Z.; DE 1/10 equals 5300.; The combination derives procedure category H3.; All goods items on the declaration derive the same category.

TDR-R-02753 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type Z, and requested procedure 5351 must derive category H3.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!13
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals Z.; DE 1/10 equals 5351.; The combination derives procedure category H3.; All goods items on the declaration derive the same category.

TDR-R-02754 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type Z, and requested procedure 5353 must derive category H3.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!13
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals Z.; DE 1/10 equals 5353.; The combination derives procedure category H3.; All goods items on the declaration derive the same category.

TDR-R-02755 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type Z, and requested procedure 5371 must derive category H3.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!13
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals Z.; DE 1/10 equals 5371.; The combination derives procedure category H3.; All goods items on the declaration derive the same category.

TDR-R-02756 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type Z, and requested procedure 5378 must derive category H3.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!13
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals Z.; DE 1/10 equals 5378.; The combination derives procedure category H3.; All goods items on the declaration derive the same category.

TDR-R-02757 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type Z, and requested procedure 6110 must derive category H1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!13
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals Z.; DE 1/10 equals 6110.; The combination derives procedure category H1.; All goods items on the declaration derive the same category.

TDR-R-02758 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type Z, and requested procedure 6111 must derive category H1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!13
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals Z.; DE 1/10 equals 6111.; The combination derives procedure category H1.; All goods items on the

declaration derive the same category.

TDR-R-02759 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type Z, and requested procedure 6123 must derive category H1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!13
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals Z.; DE 1/10 equals 6123.; The combination derives procedure category H1.; All goods items on the declaration derive the same category.

TDR-R-02760 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type Z, and requested procedure 6131 must derive category H1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!13
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals Z.; DE 1/10 equals 6131.; The combination derives procedure category H1.; All goods items on the declaration derive the same category.

TDR-R-02761 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type IM, additional declaration type Q, and requested procedure 0090 must derive category FSD.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!14
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals IM.; DE 1/2 equals Q.; DE 1/10 equals 0090.; The combination derives procedure category FSD.; All goods items on the declaration derive the same category.

TDR-R-02762 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type CO, additional declaration type A, and requested procedure 0700 must derive category H5.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!15
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals CO.; DE 1/2 equals A.; DE 1/10 equals 0700.; The combination derives procedure category H5.; All goods items on the declaration derive the same category.

TDR-R-02763 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type CO, additional declaration type A, and requested procedure 0751 must derive category H5.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!15
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals CO.; DE 1/2 equals A.; DE 1/10 equals 0751.; The combination derives procedure category H5.; All goods items on the declaration derive the same category.

TDR-R-02764 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type CO, additional declaration type A, and requested procedure 0753 must derive category H5.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!15
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals CO.; DE 1/2 equals A.; DE 1/10 equals 0753.; The combination derives procedure category H5.; All goods items on the declaration derive the same category.

TDR-R-02765 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type CO, additional declaration type A, and requested procedure 0771 must derive category H5.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!15
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals CO.; DE 1/2 equals A.; DE 1/10 equals 0771.; The combination derives procedure category H5.; All goods items on the declaration derive the same category.

TDR-R-02766 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type CO, additional declaration type A, and requested procedure 0778 must derive category H5.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!15
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals CO.; DE 1/2 equals A.; DE 1/10 equals 0778.; The combination derives procedure category H5.; All goods items on the declaration derive the same category.

TDR-R-02767 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type CO, additional declaration type A, and requested procedure 4000 must derive category H5.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!15
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals CO.; DE 1/2 equals A.; DE 1/10 equals 4000.; The combination derives procedure category H5.; All goods items on the declaration derive the same category.

TDR-R-02768 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type CO, additional declaration type A, and requested procedure 4051 must derive category H5.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!15
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals CO.; DE 1/2 equals A.; DE 1/10 equals 4051.; The combination derives procedure category H5.; All goods items on the declaration derive the same category.

TDR-R-02769 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type CO, additional declaration type A, and requested procedure 4053 must derive category H5.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!15
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals CO.; DE 1/2 equals A.; DE 1/10 equals 4053.; The combination derives procedure category H5.; All goods items on the declaration derive the same category.

TDR-R-02770 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type CO, additional declaration type A, and requested procedure 4071 must derive category H5.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!15
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals CO.; DE 1/2 equals A.; DE 1/10 equals 4071.; The combination derives procedure category H5.; All goods items on the declaration derive the same category.

TDR-R-02771 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type CO, additional declaration type A, and requested procedure 4078 must derive category H5.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!15
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals CO.; DE 1/2 equals A.; DE 1/10 equals 4078.; The combination derives procedure category H5.; All goods items on the declaration derive the same category.

TDR-R-02772 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type CO, additional declaration type A, and requested procedure 4200 must derive category H5.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!15
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals CO.; DE 1/2 equals A.; DE 1/10 equals 4200.; The combination derives procedure category H5.; All goods items on the declaration derive the same category.

TDR-R-02773 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type CO, additional declaration type A, and requested procedure 4221 must derive category H5.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!15
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals CO.; DE 1/2 equals A.; DE 1/10 equals 4221.; The combination derives procedure category H5.; All goods items on the declaration derive the same category.

TDR-R-02774 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type CO, additional declaration type A, and requested procedure 4251 must derive category H5.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!15
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals CO.; DE 1/2 equals A.; DE 1/10 equals 4251.; The combination derives procedure category H5.; All goods items on the declaration derive the same category.

TDR-R-02775 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type CO, additional declaration type A, and requested procedure 4253 must derive category H5.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!15
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals CO.; DE 1/2 equals A.; DE 1/10 equals 4253.; The combination derives procedure category H5.; All goods items on the declaration derive the same category.

TDR-R-02776 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type CO, additional declaration type A, and requested procedure 4271 must derive category H5.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!15
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals CO.; DE 1/2 equals A.; DE 1/10 equals 4271.; The combination derives procedure category H5.; All goods items on the declaration derive the same category.

TDR-R-02777 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type CO, additional declaration type A, and requested procedure 4278 must derive category H5.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!15
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals CO.; DE 1/2 equals A.; DE 1/10 equals 4278.; The combination derives procedure category H5.; All goods items on the declaration derive the same category.

TDR-R-02778 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type CO, additional declaration type A, and requested procedure 5100 must derive category H4.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!15
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals CO.; DE 1/2 equals A.; DE 1/10 equals 5100.; The combination derives procedure category H4.; All goods items on the declaration derive the same category.

TDR-R-02779 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type CO, additional declaration type A, and requested procedure 5121 must derive category H4.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!15
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals CO.; DE 1/2 equals A.; DE 1/10 equals 5121.; The combination derives procedure category H4.; All goods items on the declaration derive the same category.

TDR-R-02780 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type CO, additional declaration type A, and requested procedure 5151 must derive category H4.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!15
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals CO.; DE 1/2 equals A.; DE 1/10 equals 5151.; The combination derives procedure category H4.; All goods items on the declaration derive the same category.

TDR-R-02781 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type CO, additional declaration type A, and requested procedure 5153 must derive category H4.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!15

Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals CO.; DE 1/2 equals A.; DE 1/10 equals 5153.; The combination derives procedure category H4.; All goods items on the declaration derive the same category.

TDR-R-02782 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type CO, additional declaration type A, and requested procedure 5171 must derive category H4.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!15
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals CO.; DE 1/2 equals A.; DE 1/10 equals 5171.; The combination derives procedure category H4.; All goods items on the declaration derive the same category.

TDR-R-02783 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type CO, additional declaration type A, and requested procedure 5178 must derive category H4.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!15
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals CO.; DE 1/2 equals A.; DE 1/10 equals 5178.; The combination derives procedure category H4.; All goods items on the declaration derive the same category.

TDR-R-02784 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type CO, additional declaration type A, and requested procedure 5300 must derive category H3.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!15
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals CO.; DE 1/2 equals A.; DE 1/10 equals 5300.; The combination derives procedure category H3.; All goods items on the declaration derive the same category.

TDR-R-02785 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type CO, additional declaration type A, and requested procedure 5351 must derive category H3.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!15
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals CO.; DE 1/2 equals A.; DE 1/10 equals 5351.; The combination derives procedure category H3.; All goods items on the declaration derive the same category.

TDR-R-02786 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type CO, additional declaration type A, and requested procedure 5353 must derive category H3.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!15
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals CO.; DE 1/2 equals A.; DE 1/10 equals 5353.; The combination derives procedure category H3.; All goods items on the declaration derive the same category.

TDR-R-02787 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type CO, additional declaration type A, and requested procedure 5371 must derive category H3.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!15
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals CO.; DE 1/2 equals A.; DE 1/10 equals 5371.; The combination derives procedure category H3.; All goods items on the declaration derive the same category.

TDR-R-02788 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type CO, additional declaration type A, and requested procedure 5378 must derive category H3.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!15
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals CO.; DE 1/2 equals A.; DE 1/10 equals 5378.; The combination derives procedure category H3.; All goods items on the declaration derive the same category.

TDR-R-02789 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type CO, additional declaration type A, and requested procedure 6110 must derive category H5.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!15
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals CO.; DE 1/2 equals A.; DE 1/10 equals 6110.; The combination derives procedure category H5.; All goods items on the declaration derive the same category.

TDR-R-02790 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type CO, additional declaration type A, and requested procedure 6122 must derive category H5.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!15
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals CO.; DE 1/2 equals A.; DE 1/10 equals 6122.; The combination derives procedure category H5.; All goods items on the declaration derive the same category.

TDR-R-02791 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type CO, additional declaration type A, and requested procedure 6123 must derive category H5.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!15
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals CO.; DE 1/2 equals A.; DE 1/10 equals 6123.; The combination derives procedure category H5.; All goods items on the declaration derive the same category.

TDR-R-02792 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type CO, additional declaration type A, and requested procedure 6131 must derive category H5.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!15
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals CO.; DE 1/2 equals A.; DE 1/10 equals 6131.; The combination derives procedure category H5.; All goods items on

the declaration derive the same category.

TDR-R-02793 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type CO, additional declaration type A, and requested procedure 7100 must derive category H2.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!15
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals CO.; DE 1/2 equals A.; DE 1/10 equals 7100.; The combination derives procedure category H2.; All goods items on the declaration derive the same category.

TDR-R-02794 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type CO, additional declaration type A, and requested procedure 7110 must derive category H2.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!15
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals CO.; DE 1/2 equals A.; DE 1/10 equals 7110.; The combination derives procedure category H2.; All goods items on the declaration derive the same category.

TDR-R-02795 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type CO, additional declaration type A, and requested procedure 7122 must derive category H2.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!15
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals CO.; DE 1/2 equals A.; DE 1/10 equals 7122.; The combination derives procedure category H2.; All goods items on the declaration derive the same category.

TDR-R-02796 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type CO, additional declaration type A, and requested procedure 7123 must derive category H2.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!15
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals CO.; DE 1/2 equals A.; DE 1/10 equals 7123.; The combination derives procedure category H2.; All goods items on the declaration derive the same category.

TDR-R-02797 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type CO, additional declaration type A, and requested procedure 7151 must derive category H2.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!15
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals CO.; DE 1/2 equals A.; DE 1/10 equals 7151.; The combination derives procedure category H2.; All goods items on the declaration derive the same category.

TDR-R-02798 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type CO, additional declaration type A, and requested procedure 7153 must derive category H2.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!15
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals CO.; DE 1/2 equals A.; DE 1/10 equals 7153.; The combination derives procedure category H2.; All goods items on the declaration derive the same category.

TDR-R-02799 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type CO, additional declaration type A, and requested procedure 7171 must derive category H2.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!15
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals CO.; DE 1/2 equals A.; DE 1/10 equals 7171.; The combination derives procedure category H2.; All goods items on the declaration derive the same category.

TDR-R-02800 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type CO, additional declaration type A, and requested procedure 7178 must derive category H2.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!15
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals CO.; DE 1/2 equals A.; DE 1/10 equals 7178.; The combination derives procedure category H2.; All goods items on the declaration derive the same category.

TDR-R-02801 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type CO, additional declaration type A, and requested procedure 7800 must derive category H2.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!15
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals CO.; DE 1/2 equals A.; DE 1/10 equals 7800.; The combination derives procedure category H2.; All goods items on the declaration derive the same category.

TDR-R-02802 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type CO, additional declaration type A, and requested procedure 7851 must derive category H2.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!15
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals CO.; DE 1/2 equals A.; DE 1/10 equals 7851.; The combination derives procedure category H2.; All goods items on the declaration derive the same category.

TDR-R-02803 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type CO, additional declaration type A, and requested procedure 7853 must derive category H2.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!15
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals CO.; DE 1/2 equals A.; DE 1/10 equals 7853.; The combination derives procedure category H2.; All goods items on the declaration derive the same category.

TDR-R-02804 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type CO, additional declaration type A, and requested procedure 7871 must derive category H2.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!15
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals CO.; DE 1/2 equals A.; DE 1/10 equals 7871.; The combination derives procedure category H2.; All goods items on the declaration derive the same category.

TDR-R-02805 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type CO, additional declaration type A, and requested procedure 7878 must derive category H2.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!15
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals CO.; DE 1/2 equals A.; DE 1/10 equals 7878.; The combination derives procedure category H2.; All goods items on the declaration derive the same category.

TDR-R-02806 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type CO, additional declaration type B, and requested procedure 4000 must derive category I1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!16
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals CO.; DE 1/2 equals B.; DE 1/10 equals 4000.; The combination derives procedure category I1.; All goods items on the declaration derive the same category.

TDR-R-02807 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type CO, additional declaration type B, and requested procedure 4071 must derive category I1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!16
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals CO.; DE 1/2 equals B.; DE 1/10 equals 4071.; The combination derives procedure category I1.; All goods items on the declaration derive the same category.

TDR-R-02808 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type CO, additional declaration type B, and requested procedure 4078 must derive category I1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!16
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals CO.; DE 1/2 equals B.; DE 1/10 equals 4078.; The combination derives procedure category I1.; All goods items on the declaration derive the same category.

TDR-R-02809 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type CO, additional declaration type B, and requested procedure 6110 must derive category I1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!16
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals CO.; DE 1/2 equals B.; DE 1/10 equals 6110.; The combination derives procedure category I1.; All goods items on the declaration derive the same category.

TDR-R-02810 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type CO, additional declaration type B, and requested procedure 6123 must derive category I1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!16
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals CO.; DE 1/2 equals B.; DE 1/10 equals 6123.; The combination derives procedure category I1.; All goods items on the declaration derive the same category.

TDR-R-02811 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type CO, additional declaration type C, and requested procedure 0700 must derive category I1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!17
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals CO.; DE 1/2 equals C.; DE 1/10 equals 0700.; The combination derives procedure category I1.; All goods items on the declaration derive the same category.

TDR-R-02812 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type CO, additional declaration type C, and requested procedure 0721 must derive category I1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!17
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals CO.; DE 1/2 equals C.; DE 1/10 equals 0721.; The combination derives procedure category I1.; All goods items on the declaration derive the same category.

TDR-R-02813 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type CO, additional declaration type C, and requested procedure 0751 must derive category I1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!17
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals CO.; DE 1/2 equals C.; DE 1/10 equals 0751.; The combination derives procedure category I1.; All goods items on the declaration derive the same category.

TDR-R-02814 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type CO, additional declaration type C, and requested procedure 0753 must derive category I1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!17
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals CO.; DE 1/2 equals C.; DE 1/10 equals 0753.; The combination derives procedure category I1.; All goods items on the declaration derive the same category.

TDR-R-02815 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type CO, additional declaration type C, and requested procedure 0771 must derive category I1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!17

Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals CO.; DE 1/2 equals C.; DE 1/10 equals 0771.; The combination derives procedure category I1.; All goods items on the declaration derive the same category.

TDR-R-02816 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type CO, additional declaration type C, and requested procedure 0778 must derive category I1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!17
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals CO.; DE 1/2 equals C.; DE 1/10 equals 0778.; The combination derives procedure category I1.; All goods items on the declaration derive the same category.

TDR-R-02817 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type CO, additional declaration type C, and requested procedure 4000 must derive category I1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!17
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals CO.; DE 1/2 equals C.; DE 1/10 equals 4000.; The combination derives procedure category I1.; All goods items on the declaration derive the same category.

TDR-R-02818 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type CO, additional declaration type C, and requested procedure 4078 must derive category I1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!17
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals CO.; DE 1/2 equals C.; DE 1/10 equals 4078.; The combination derives procedure category I1.; All goods items on the declaration derive the same category.

TDR-R-02819 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type CO, additional declaration type C, and requested procedure 5100 must derive category I1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!17
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals CO.; DE 1/2 equals C.; DE 1/10 equals 5100.; The combination derives procedure category I1.; All goods items on the declaration derive the same category.

TDR-R-02820 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type CO, additional declaration type C, and requested procedure 5121 must derive category I1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!17
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals CO.; DE 1/2 equals C.; DE 1/10 equals 5121.; The combination derives procedure category I1.; All goods items on the declaration derive the same category.

TDR-R-02821 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type CO, additional declaration type C, and requested procedure 5178 must derive category I1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!17
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals CO.; DE 1/2 equals C.; DE 1/10 equals 5178.; The combination derives procedure category I1.; All goods items on the declaration derive the same category.

TDR-R-02822 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type CO, additional declaration type C, and requested procedure 5300 must derive category I1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!17
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals CO.; DE 1/2 equals C.; DE 1/10 equals 5300.; The combination derives procedure category I1.; All goods items on the declaration derive the same category.

TDR-R-02823 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type CO, additional declaration type C, and requested procedure 5378 must derive category I1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!17
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals CO.; DE 1/2 equals C.; DE 1/10 equals 5378.; The combination derives procedure category I1.; All goods items on the declaration derive the same category.

TDR-R-02824 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type CO, additional declaration type C, and requested procedure 6110 must derive category I1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!17
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals CO.; DE 1/2 equals C.; DE 1/10 equals 6110.; The combination derives procedure category I1.; All goods items on the declaration derive the same category.

TDR-R-02825 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type CO, additional declaration type C, and requested procedure 6123 must derive category I1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!17
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals CO.; DE 1/2 equals C.; DE 1/10 equals 6123.; The combination derives procedure category I1.; All goods items on the declaration derive the same category.

TDR-R-02826 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type CO, additional declaration type C, and requested procedure 6131 must derive category I1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!17
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals CO.; DE 1/2 equals C.; DE 1/10 equals 6131.; The combination derives procedure category I1.; All goods items on the

declaration derive the same category.

TDR-R-02827 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type CO, additional declaration type C, and requested procedure 7100 must derive category I1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!17
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals CO.; DE 1/2 equals C.; DE 1/10 equals 7100.; The combination derives procedure category I1.; All goods items on the declaration derive the same category.

TDR-R-02828 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type CO, additional declaration type C, and requested procedure 7110 must derive category I1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!17
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals CO.; DE 1/2 equals C.; DE 1/10 equals 7110.; The combination derives procedure category I1.; All goods items on the declaration derive the same category.

TDR-R-02829 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type CO, additional declaration type C, and requested procedure 7123 must derive category I1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!17
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals CO.; DE 1/2 equals C.; DE 1/10 equals 7123.; The combination derives procedure category I1.; All goods items on the declaration derive the same category.

TDR-R-02830 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type CO, additional declaration type C, and requested procedure 7178 must derive category I1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!17
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals CO.; DE 1/2 equals C.; DE 1/10 equals 7178.; The combination derives procedure category I1.; All goods items on the declaration derive the same category.

TDR-R-02831 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type CO, additional declaration type C, and requested procedure 7800 must derive category I1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!17
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals CO.; DE 1/2 equals C.; DE 1/10 equals 7800.; The combination derives procedure category I1.; All goods items on the declaration derive the same category.

TDR-R-02832 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type CO, additional declaration type C, and requested procedure 7851 must derive category I1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!17
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals CO.; DE 1/2 equals C.; DE 1/10 equals 7851.; The combination derives procedure category I1.; All goods items on the declaration derive the same category.

TDR-R-02833 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type CO, additional declaration type C, and requested procedure 7853 must derive category I1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!17
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals CO.; DE 1/2 equals C.; DE 1/10 equals 7853.; The combination derives procedure category I1.; All goods items on the declaration derive the same category.

TDR-R-02834 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type CO, additional declaration type C, and requested procedure 7871 must derive category I1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!17
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals CO.; DE 1/2 equals C.; DE 1/10 equals 7871.; The combination derives procedure category I1.; All goods items on the declaration derive the same category.

TDR-R-02835 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type CO, additional declaration type C, and requested procedure 7878 must derive category I1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!17
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals CO.; DE 1/2 equals C.; DE 1/10 equals 7878.; The combination derives procedure category I1.; All goods items on the declaration derive the same category.

TDR-R-02836 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type CO, additional declaration type D, and requested procedure 0700 must derive category H5.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!18
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals CO.; DE 1/2 equals D.; DE 1/10 equals 0700.; The combination derives procedure category H5.; All goods items on the declaration derive the same category.

TDR-R-02837 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type CO, additional declaration type D, and requested procedure 4000 must derive category H5.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!18
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals CO.; DE 1/2 equals D.; DE 1/10 equals 4000.; The combination derives procedure category H5.; All goods items on the declaration derive the same category.

TDR-R-02838 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type CO, additional declaration type D, and requested procedure 4200 must derive category H5.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!18
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals CO.; DE 1/2 equals D.; DE 1/10 equals 4200.; The combination derives procedure category H5.; All goods items on the declaration derive the same category.

TDR-R-02839 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type CO, additional declaration type D, and requested procedure 4221 must derive category H5.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!18
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals CO.; DE 1/2 equals D.; DE 1/10 equals 4221.; The combination derives procedure category H5.; All goods items on the declaration derive the same category.

TDR-R-02840 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type CO, additional declaration type D, and requested procedure 5100 must derive category H4.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!18
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals CO.; DE 1/2 equals D.; DE 1/10 equals 5100.; The combination derives procedure category H4.; All goods items on the declaration derive the same category.

TDR-R-02841 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type CO, additional declaration type D, and requested procedure 5121 must derive category H4.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!18
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals CO.; DE 1/2 equals D.; DE 1/10 equals 5121.; The combination derives procedure category H4.; All goods items on the declaration derive the same category.

TDR-R-02842 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type CO, additional declaration type D, and requested procedure 5300 must derive category H3.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!18
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals CO.; DE 1/2 equals D.; DE 1/10 equals 5300.; The combination derives procedure category H3.; All goods items on the declaration derive the same category.

TDR-R-02843 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type CO, additional declaration type D, and requested procedure 6110 must derive category H5.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!18
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals CO.; DE 1/2 equals D.; DE 1/10 equals 6110.; The combination derives procedure category H5.; All goods items on the declaration derive the same category.

TDR-R-02844 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type CO, additional declaration type D, and requested procedure 6122 must derive category H5.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!18
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals CO.; DE 1/2 equals D.; DE 1/10 equals 6122.; The combination derives procedure category H5.; All goods items on the declaration derive the same category.

TDR-R-02845 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type CO, additional declaration type D, and requested procedure 6123 must derive category H5.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!18
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals CO.; DE 1/2 equals D.; DE 1/10 equals 6123.; The combination derives procedure category H5.; All goods items on the declaration derive the same category.

TDR-R-02846 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type CO, additional declaration type D, and requested procedure 6131 must derive category H5.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!18
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals CO.; DE 1/2 equals D.; DE 1/10 equals 6131.; The combination derives procedure category H5.; All goods items on the declaration derive the same category.

TDR-R-02847 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type CO, additional declaration type D, and requested procedure 7100 must derive category H2.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!18
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals CO.; DE 1/2 equals D.; DE 1/10 equals 7100.; The combination derives procedure category H2.; All goods items on the declaration derive the same category.

TDR-R-02848 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type CO, additional declaration type D, and requested procedure 7110 must derive category H2.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!18
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals CO.; DE 1/2 equals D.; DE 1/10 equals 7110.; The combination derives procedure category H2.; All goods items on the declaration derive the same category.

TDR-R-02849 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type CO, additional declaration type D, and requested procedure 7122 must derive category H2.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!18

Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals CO.; DE 1/2 equals D.; DE 1/10 equals 7122.; The combination derives procedure category H2.; All goods items on the declaration derive the same category.

TDR-R-02850 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type CO, additional declaration type D, and requested procedure 7123 must derive category H2.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!18
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals CO.; DE 1/2 equals D.; DE 1/10 equals 7123.; The combination derives procedure category H2.; All goods items on the declaration derive the same category.

TDR-R-02851 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type CO, additional declaration type D, and requested procedure 7800 must derive category H2.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!18
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals CO.; DE 1/2 equals D.; DE 1/10 equals 7800.; The combination derives procedure category H2.; All goods items on the declaration derive the same category.

TDR-R-02852 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type CO, additional declaration type D, and requested procedure 7851 must derive category H2.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!18
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals CO.; DE 1/2 equals D.; DE 1/10 equals 7851.; The combination derives procedure category H2.; All goods items on the declaration derive the same category.

TDR-R-02853 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type CO, additional declaration type D, and requested procedure 7853 must derive category H2.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!18
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals CO.; DE 1/2 equals D.; DE 1/10 equals 7853.; The combination derives procedure category H2.; All goods items on the declaration derive the same category.

TDR-R-02854 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type CO, additional declaration type D, and requested procedure 7871 must derive category H2.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!18
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals CO.; DE 1/2 equals D.; DE 1/10 equals 7871.; The combination derives procedure category H2.; All goods items on the declaration derive the same category.

TDR-R-02855 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type CO, additional declaration type D, and requested procedure 7878 must derive category H2.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!18
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals CO.; DE 1/2 equals D.; DE 1/10 equals 7878.; The combination derives procedure category H2.; All goods items on the declaration derive the same category.

TDR-R-02856 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type CO, additional declaration type E, and requested procedure 4000 must derive category I1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!19
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals CO.; DE 1/2 equals E.; DE 1/10 equals 4000.; The combination derives procedure category I1.; All goods items on the declaration derive the same category.

TDR-R-02857 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type CO, additional declaration type E, and requested procedure 6110 must derive category I1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!19
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals CO.; DE 1/2 equals E.; DE 1/10 equals 6110.; The combination derives procedure category I1.; All goods items on the declaration derive the same category.

TDR-R-02858 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type CO, additional declaration type E, and requested procedure 6123 must derive category I1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!19
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals CO.; DE 1/2 equals E.; DE 1/10 equals 6123.; The combination derives procedure category I1.; All goods items on the declaration derive the same category.

TDR-R-02859 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type CO, additional declaration type F, and requested procedure 0700 must derive category I1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!20
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals CO.; DE 1/2 equals F.; DE 1/10 equals 0700.; The combination derives procedure category I1.; All goods items on the declaration derive the same category.

TDR-R-02860 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type CO, additional declaration type F, and requested procedure 0721 must derive category I1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!20
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals CO.; DE 1/2 equals F.; DE 1/10 equals 0721.; The combination derives procedure category I1.; All goods items on the

declaration derive the same category.

TDR-R-02861 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type CO, additional declaration type F, and requested procedure 4000 must derive category I1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!20
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals CO.; DE 1/2 equals F.; DE 1/10 equals 4000.; The combination derives procedure category I1.; All goods items on the declaration derive the same category.

TDR-R-02862 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type CO, additional declaration type F, and requested procedure 5100 must derive category I1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!20
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals CO.; DE 1/2 equals F.; DE 1/10 equals 5100.; The combination derives procedure category I1.; All goods items on the declaration derive the same category.

TDR-R-02863 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type CO, additional declaration type F, and requested procedure 5121 must derive category I1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!20
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals CO.; DE 1/2 equals F.; DE 1/10 equals 5121.; The combination derives procedure category I1.; All goods items on the declaration derive the same category.

TDR-R-02864 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type CO, additional declaration type F, and requested procedure 5300 must derive category I1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!20
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals CO.; DE 1/2 equals F.; DE 1/10 equals 5300.; The combination derives procedure category I1.; All goods items on the declaration derive the same category.

TDR-R-02865 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type CO, additional declaration type F, and requested procedure 6110 must derive category I1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!20
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals CO.; DE 1/2 equals F.; DE 1/10 equals 6110.; The combination derives procedure category I1.; All goods items on the declaration derive the same category.

TDR-R-02866 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type CO, additional declaration type F, and requested procedure 6123 must derive category I1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!20
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals CO.; DE 1/2 equals F.; DE 1/10 equals 6123.; The combination derives procedure category I1.; All goods items on the declaration derive the same category.

TDR-R-02867 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type CO, additional declaration type F, and requested procedure 6131 must derive category I1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!20
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals CO.; DE 1/2 equals F.; DE 1/10 equals 6131.; The combination derives procedure category I1.; All goods items on the declaration derive the same category.

TDR-R-02868 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type CO, additional declaration type F, and requested procedure 7100 must derive category I1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!20
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals CO.; DE 1/2 equals F.; DE 1/10 equals 7100.; The combination derives procedure category I1.; All goods items on the declaration derive the same category.

TDR-R-02869 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type CO, additional declaration type F, and requested procedure 7110 must derive category I1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!20
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals CO.; DE 1/2 equals F.; DE 1/10 equals 7110.; The combination derives procedure category I1.; All goods items on the declaration derive the same category.

TDR-R-02870 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type CO, additional declaration type F, and requested procedure 7123 must derive category I1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!20
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals CO.; DE 1/2 equals F.; DE 1/10 equals 7123.; The combination derives procedure category I1.; All goods items on the declaration derive the same category.

TDR-R-02871 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type CO, additional declaration type F, and requested procedure 7178 must derive category I1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!20
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals CO.; DE 1/2 equals F.; DE 1/10 equals 7178.; The combination derives procedure category I1.; All goods items on the declaration derive the same category.

TDR-R-02872 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type CO, additional declaration type F, and requested procedure 7800 must derive category I1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!20
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals CO.; DE 1/2 equals F.; DE 1/10 equals 7800.; The combination derives procedure category I1.; All goods items on the declaration derive the same category.

TDR-R-02873 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type CO, additional declaration type F, and requested procedure 7851 must derive category I1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!20
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals CO.; DE 1/2 equals F.; DE 1/10 equals 7851.; The combination derives procedure category I1.; All goods items on the declaration derive the same category.

TDR-R-02874 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type CO, additional declaration type F, and requested procedure 7853 must derive category I1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!20
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals CO.; DE 1/2 equals F.; DE 1/10 equals 7853.; The combination derives procedure category I1.; All goods items on the declaration derive the same category.

TDR-R-02875 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type CO, additional declaration type F, and requested procedure 7871 must derive category I1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!20
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals CO.; DE 1/2 equals F.; DE 1/10 equals 7871.; The combination derives procedure category I1.; All goods items on the declaration derive the same category.

TDR-R-02876 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type CO, additional declaration type F, and requested procedure 7878 must derive category I1.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!20
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals CO.; DE 1/2 equals F.; DE 1/10 equals 7878.; The combination derives procedure category I1.; All goods items on the declaration derive the same category.

TDR-R-02877 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type CO, additional declaration type J, and requested procedure 0002 must derive category C21I.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!21
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals CO.; DE 1/2 equals J.; DE 1/10 equals 0002.; The combination derives procedure category C21I.; All goods items on the declaration derive the same category.

TDR-R-02878 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type CO, additional declaration type J, and requested procedure 0003 must derive category C21I.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!21
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals CO.; DE 1/2 equals J.; DE 1/10 equals 0003.; The combination derives procedure category C21I.; All goods items on the declaration derive the same category.

TDR-R-02879 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type CO, additional declaration type J, and requested procedure 0004 must derive category C21I.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!21
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals CO.; DE 1/2 equals J.; DE 1/10 equals 0004.; The combination derives procedure category C21I.; All goods items on the declaration derive the same category.

TDR-R-02880 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type CO, additional declaration type J, and requested procedure 0005 must derive category C21I.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!21
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals CO.; DE 1/2 equals J.; DE 1/10 equals 0005.; The combination derives procedure category C21I.; All goods items on the declaration derive the same category.

TDR-R-02881 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type CO, additional declaration type J, and requested procedure 0006 must derive category C21I.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!21
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals CO.; DE 1/2 equals J.; DE 1/10 equals 0006.; The combination derives procedure category C21I.; All goods items on the declaration derive the same category.

TDR-R-02882 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type CO, additional declaration type J, and requested procedure 0007 must derive category C21I.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!21
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals CO.; DE 1/2 equals J.; DE 1/10 equals 0007.; The combination derives procedure category C21I.; All goods items on the declaration derive the same category.

TDR-R-02883 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type CO, additional declaration type J, and requested procedure 0008 must derive category C21I.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!21

Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals CO.; DE 1/2 equals J.; DE 1/10 equals 0008.; The combination derives procedure category C21I.; All goods items on the declaration derive the same category.

TDR-R-02884 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type CO, additional declaration type J, and requested procedure 0020 must derive category C21I.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!21
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals CO.; DE 1/2 equals J.; DE 1/10 equals 0020.; The combination derives procedure category C21I.; All goods items on the declaration derive the same category.

TDR-R-02885 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type CO, additional declaration type J, and requested procedure 4000 must derive category C21IEIDR.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!21
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals CO.; DE 1/2 equals J.; DE 1/10 equals 4000.; The combination derives procedure category C21IEIDR.; All goods items on the declaration derive the same category.

TDR-R-02886 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type CO, additional declaration type J, and requested procedure 4078 must derive category C21IEIDR.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!21
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals CO.; DE 1/2 equals J.; DE 1/10 equals 4078.; The combination derives procedure category C21IEIDR.; All goods items on the declaration derive the same category.

TDR-R-02887 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type CO, additional declaration type J, and requested procedure 5100 must derive category C21IEIDR.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!21
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals CO.; DE 1/2 equals J.; DE 1/10 equals 5100.; The combination derives procedure category C21IEIDR.; All goods items on the declaration derive the same category.

TDR-R-02888 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type CO, additional declaration type J, and requested procedure 5300 must derive category C21IEIDR.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!21
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals CO.; DE 1/2 equals J.; DE 1/10 equals 5300.; The combination derives procedure category C21IEIDR.; All goods items on the declaration derive the same category.

TDR-R-02889 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type CO, additional declaration type J, and requested procedure 6110 must derive category C21IEIDR.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!21
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals CO.; DE 1/2 equals J.; DE 1/10 equals 6110.; The combination derives procedure category C21IEIDR.; All goods items on the declaration derive the same category.

TDR-R-02890 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type CO, additional declaration type J, and requested procedure 6123 must derive category C21IEIDR.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!21
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals CO.; DE 1/2 equals J.; DE 1/10 equals 6123.; The combination derives procedure category C21IEIDR.; All goods items on the declaration derive the same category.

TDR-R-02891 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type CO, additional declaration type J, and requested procedure 6131 must derive category C21IEIDR.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!21
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals CO.; DE 1/2 equals J.; DE 1/10 equals 6131.; The combination derives procedure category C21IEIDR.; All goods items on the declaration derive the same category.

TDR-R-02892 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type CO, additional declaration type J, and requested procedure 7100 must derive category C21IEIDR.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!21
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals CO.; DE 1/2 equals J.; DE 1/10 equals 7100.; The combination derives procedure category C21IEIDR.; All goods items on the declaration derive the same category.

TDR-R-02893 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type CO, additional declaration type J, and requested procedure 7110 must derive category C21IEIDR.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!21
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals CO.; DE 1/2 equals J.; DE 1/10 equals 7110.; The combination derives procedure category C21IEIDR.; All goods items on the declaration derive the same category.

TDR-R-02894 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type CO, additional declaration type J, and requested procedure 7123 must derive category C21IEIDR.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!21
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals CO.; DE 1/2 equals J.; DE 1/10 equals 7123.; The combination derives procedure category C21IEIDR.; All goods

items on the declaration derive the same category.

TDR-R-02895 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type CO, additional declaration type J, and requested procedure 7800 must derive category C21IEIDR.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!21
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals CO.; DE 1/2 equals J.; DE 1/10 equals 7800.; The combination derives procedure category C21IEIDR.; All goods items on the declaration derive the same category.

TDR-R-02896 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type CO, additional declaration type J, and requested procedure 7851 must derive category C21IEIDR.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!21
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals CO.; DE 1/2 equals J.; DE 1/10 equals 7851.; The combination derives procedure category C21IEIDR.; All goods items on the declaration derive the same category.

TDR-R-02897 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type CO, additional declaration type J, and requested procedure 7853 must derive category C21IEIDR.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!21
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals CO.; DE 1/2 equals J.; DE 1/10 equals 7853.; The combination derives procedure category C21IEIDR.; All goods items on the declaration derive the same category.

TDR-R-02898 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type CO, additional declaration type J, and requested procedure 7871 must derive category C21IEIDR.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!21
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals CO.; DE 1/2 equals J.; DE 1/10 equals 7871.; The combination derives procedure category C21IEIDR.; All goods items on the declaration derive the same category.

TDR-R-02899 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type CO, additional declaration type J, and requested procedure 7878 must derive category C21IEIDR.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!21
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals CO.; DE 1/2 equals J.; DE 1/10 equals 7878.; The combination derives procedure category C21IEIDR.; All goods items on the declaration derive the same category.

TDR-R-02900 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type CO, additional declaration type K, and requested procedure 0002 must derive category C21I.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!22
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals CO.; DE 1/2 equals K.; DE 1/10 equals 0002.; The combination derives procedure category C21I.; All goods items on the declaration derive the same category.

TDR-R-02901 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type CO, additional declaration type K, and requested procedure 0003 must derive category C21I.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!22
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals CO.; DE 1/2 equals K.; DE 1/10 equals 0003.; The combination derives procedure category C21I.; All goods items on the declaration derive the same category.

TDR-R-02902 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type CO, additional declaration type K, and requested procedure 0004 must derive category C21I.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!22
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals CO.; DE 1/2 equals K.; DE 1/10 equals 0004.; The combination derives procedure category C21I.; All goods items on the declaration derive the same category.

TDR-R-02903 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type CO, additional declaration type K, and requested procedure 0005 must derive category C21I.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!22
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals CO.; DE 1/2 equals K.; DE 1/10 equals 0005.; The combination derives procedure category C21I.; All goods items on the declaration derive the same category.

TDR-R-02904 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type CO, additional declaration type K, and requested procedure 0006 must derive category C21I.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!22
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals CO.; DE 1/2 equals K.; DE 1/10 equals 0006.; The combination derives procedure category C21I.; All goods items on the declaration derive the same category.

TDR-R-02905 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type CO, additional declaration type K, and requested procedure 0007 must derive category C21I.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!22
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals CO.; DE 1/2 equals K.; DE 1/10 equals 0007.; The combination derives procedure category C21I.; All goods items on the declaration derive the same category.

TDR-R-02906 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type CO, additional declaration type K, and requested procedure 0008 must derive category C21I.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!22
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals CO.; DE 1/2 equals K.; DE 1/10 equals 0008.; The combination derives procedure category C21I.; All goods items on the declaration derive the same category.

TDR-R-02907 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type CO, additional declaration type K, and requested procedure 0020 must derive category C21I.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!22
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals CO.; DE 1/2 equals K.; DE 1/10 equals 0020.; The combination derives procedure category C21I.; All goods items on the declaration derive the same category.

TDR-R-02908 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type CO, additional declaration type K, and requested procedure 4000 must derive category C21IEIDR.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!22
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals CO.; DE 1/2 equals K.; DE 1/10 equals 4000.; The combination derives procedure category C21IEIDR.; All goods items on the declaration derive the same category.

TDR-R-02909 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type CO, additional declaration type K, and requested procedure 5100 must derive category C21IEIDR.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!22
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals CO.; DE 1/2 equals K.; DE 1/10 equals 5100.; The combination derives procedure category C21IEIDR.; All goods items on the declaration derive the same category.

TDR-R-02910 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type CO, additional declaration type K, and requested procedure 5300 must derive category C21IEIDR.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!22
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals CO.; DE 1/2 equals K.; DE 1/10 equals 5300.; The combination derives procedure category C21IEIDR.; All goods items on the declaration derive the same category.

TDR-R-02911 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type CO, additional declaration type K, and requested procedure 6110 must derive category C21IEIDR.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!22
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals CO.; DE 1/2 equals K.; DE 1/10 equals 6110.; The combination derives procedure category C21IEIDR.; All goods items on the declaration derive the same category.

TDR-R-02912 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type CO, additional declaration type K, and requested procedure 6123 must derive category C21IEIDR.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!22
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals CO.; DE 1/2 equals K.; DE 1/10 equals 6123.; The combination derives procedure category C21IEIDR.; All goods items on the declaration derive the same category.

TDR-R-02913 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type CO, additional declaration type K, and requested procedure 6131 must derive category C21IEIDR.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!22
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals CO.; DE 1/2 equals K.; DE 1/10 equals 6131.; The combination derives procedure category C21IEIDR.; All goods items on the declaration derive the same category.

TDR-R-02914 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type CO, additional declaration type K, and requested procedure 7100 must derive category C21IEIDR.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!22
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals CO.; DE 1/2 equals K.; DE 1/10 equals 7100.; The combination derives procedure category C21IEIDR.; All goods items on the declaration derive the same category.

TDR-R-02915 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type CO, additional declaration type K, and requested procedure 7110 must derive category C21IEIDR.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!22
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals CO.; DE 1/2 equals K.; DE 1/10 equals 7110.; The combination derives procedure category C21IEIDR.; All goods items on the declaration derive the same category.

TDR-R-02916 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type CO, additional declaration type K, and requested procedure 7123 must derive category C21IEIDR.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!22
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals CO.; DE 1/2 equals K.; DE 1/10 equals 7123.; The combination derives procedure category C21IEIDR.; All goods items on the declaration derive the same category.

TDR-R-02917 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type CO, additional declaration type K, and requested procedure 7800 must derive category C21IEIDR.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!22

Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals CO.; DE 1/2 equals K.; DE 1/10 equals 7800.; The combination derives procedure category C21IEIDR.; All goods items on the declaration derive the same category.

TDR-R-02918 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type CO, additional declaration type K, and requested procedure 7851 must derive category C21IEIDR.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!22
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals CO.; DE 1/2 equals K.; DE 1/10 equals 7851.; The combination derives procedure category C21IEIDR.; All goods items on the declaration derive the same category.

TDR-R-02919 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type CO, additional declaration type K, and requested procedure 7853 must derive category C21IEIDR.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!22
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals CO.; DE 1/2 equals K.; DE 1/10 equals 7853.; The combination derives procedure category C21IEIDR.; All goods items on the declaration derive the same category.

TDR-R-02920 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type CO, additional declaration type K, and requested procedure 7871 must derive category C21IEIDR.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!22
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals CO.; DE 1/2 equals K.; DE 1/10 equals 7871.; The combination derives procedure category C21IEIDR.; All goods items on the declaration derive the same category.

TDR-R-02921 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type CO, additional declaration type K, and requested procedure 7878 must derive category C21IEIDR.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!22
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals CO.; DE 1/2 equals K.; DE 1/10 equals 7878.; The combination derives procedure category C21IEIDR.; All goods items on the declaration derive the same category.

TDR-R-02922 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type CO, additional declaration type Y, and requested procedure 0700 must derive category H5.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!23
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals CO.; DE 1/2 equals Y.; DE 1/10 equals 0700.; The combination derives procedure category H5.; All goods items on the declaration derive the same category.

TDR-R-02923 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type CO, additional declaration type Y, and requested procedure 0778 must derive category H5.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!23
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals CO.; DE 1/2 equals Y.; DE 1/10 equals 0778.; The combination derives procedure category H5.; All goods items on the declaration derive the same category.

TDR-R-02924 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type CO, additional declaration type Y, and requested procedure 4000 must derive category H5.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!23
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals CO.; DE 1/2 equals Y.; DE 1/10 equals 4000.; The combination derives procedure category H5.; All goods items on the declaration derive the same category.

TDR-R-02925 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type CO, additional declaration type Y, and requested procedure 4078 must derive category H5.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!23
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals CO.; DE 1/2 equals Y.; DE 1/10 equals 4078.; The combination derives procedure category H5.; All goods items on the declaration derive the same category.

TDR-R-02926 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type CO, additional declaration type Y, and requested procedure 4200 must derive category H5.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!23
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals CO.; DE 1/2 equals Y.; DE 1/10 equals 4200.; The combination derives procedure category H5.; All goods items on the declaration derive the same category.

TDR-R-02927 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type CO, additional declaration type Y, and requested procedure 4221 must derive category H5.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!23
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals CO.; DE 1/2 equals Y.; DE 1/10 equals 4221.; The combination derives procedure category H5.; All goods items on the declaration derive the same category.

TDR-R-02928 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type CO, additional declaration type Y, and requested procedure 4278 must derive category H5.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!23
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals CO.; DE 1/2 equals Y.; DE 1/10 equals 4278.; The combination derives procedure category H5.; All goods items on

the declaration derive the same category.

TDR-R-02929 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type CO, additional declaration type Y, and requested procedure 5100 must derive category H4.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!23
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals CO.; DE 1/2 equals Y.; DE 1/10 equals 5100.; The combination derives procedure category H4.; All goods items on the declaration derive the same category.

TDR-R-02930 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type CO, additional declaration type Y, and requested procedure 5121 must derive category H4.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!23
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals CO.; DE 1/2 equals Y.; DE 1/10 equals 5121.; The combination derives procedure category H4.; All goods items on the declaration derive the same category.

TDR-R-02931 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type CO, additional declaration type Y, and requested procedure 5178 must derive category H4.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!23
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals CO.; DE 1/2 equals Y.; DE 1/10 equals 5178.; The combination derives procedure category H4.; All goods items on the declaration derive the same category.

TDR-R-02932 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type CO, additional declaration type Y, and requested procedure 5300 must derive category H3.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!23
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals CO.; DE 1/2 equals Y.; DE 1/10 equals 5300.; The combination derives procedure category H3.; All goods items on the declaration derive the same category.

TDR-R-02933 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type CO, additional declaration type Y, and requested procedure 5378 must derive category H3.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!23
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals CO.; DE 1/2 equals Y.; DE 1/10 equals 5378.; The combination derives procedure category H3.; All goods items on the declaration derive the same category.

TDR-R-02934 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type CO, additional declaration type Y, and requested procedure 6110 must derive category H5.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!23
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals CO.; DE 1/2 equals Y.; DE 1/10 equals 6110.; The combination derives procedure category H5.; All goods items on the declaration derive the same category.

TDR-R-02935 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type CO, additional declaration type Y, and requested procedure 6122 must derive category H5.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!23
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals CO.; DE 1/2 equals Y.; DE 1/10 equals 6122.; The combination derives procedure category H5.; All goods items on the declaration derive the same category.

TDR-R-02936 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type CO, additional declaration type Y, and requested procedure 6123 must derive category H5.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!23
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals CO.; DE 1/2 equals Y.; DE 1/10 equals 6123.; The combination derives procedure category H5.; All goods items on the declaration derive the same category.

TDR-R-02937 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type CO, additional declaration type Y, and requested procedure 6131 must derive category H5.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!23
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals CO.; DE 1/2 equals Y.; DE 1/10 equals 6131.; The combination derives procedure category H5.; All goods items on the declaration derive the same category.

TDR-R-02938 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type CO, additional declaration type Z, and requested procedure 4000 must derive category H5.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!24
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals CO.; DE 1/2 equals Z.; DE 1/10 equals 4000.; The combination derives procedure category H5.; All goods items on the declaration derive the same category.

TDR-R-02939 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type CO, additional declaration type Z, and requested procedure 4051 must derive category H5.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!24
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals CO.; DE 1/2 equals Z.; DE 1/10 equals 4051.; The combination derives procedure category H5.; All goods items on the declaration derive the same category.

TDR-R-02940 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type CO, additional declaration type Z, and requested procedure 4053 must derive category H5.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!24
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals CO.; DE 1/2 equals Z.; DE 1/10 equals 4053.; The combination derives procedure category H5.; All goods items on the declaration derive the same category.

TDR-R-02941 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type CO, additional declaration type Z, and requested procedure 4071 must derive category H5.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!24
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals CO.; DE 1/2 equals Z.; DE 1/10 equals 4071.; The combination derives procedure category H5.; All goods items on the declaration derive the same category.

TDR-R-02942 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type CO, additional declaration type Z, and requested procedure 4078 must derive category H5.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!24
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals CO.; DE 1/2 equals Z.; DE 1/10 equals 4078.; The combination derives procedure category H5.; All goods items on the declaration derive the same category.

TDR-R-02943 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type CO, additional declaration type Z, and requested procedure 5100 must derive category H4.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!24
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals CO.; DE 1/2 equals Z.; DE 1/10 equals 5100.; The combination derives procedure category H4.; All goods items on the declaration derive the same category.

TDR-R-02944 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type CO, additional declaration type Z, and requested procedure 5151 must derive category H4.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!24
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals CO.; DE 1/2 equals Z.; DE 1/10 equals 5151.; The combination derives procedure category H4.; All goods items on the declaration derive the same category.

TDR-R-02945 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type CO, additional declaration type Z, and requested procedure 5153 must derive category H4.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!24
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals CO.; DE 1/2 equals Z.; DE 1/10 equals 5153.; The combination derives procedure category H4.; All goods items on the declaration derive the same category.

TDR-R-02946 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type CO, additional declaration type Z, and requested procedure 5171 must derive category H4.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!24
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals CO.; DE 1/2 equals Z.; DE 1/10 equals 5171.; The combination derives procedure category H4.; All goods items on the declaration derive the same category.

TDR-R-02947 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type CO, additional declaration type Z, and requested procedure 5300 must derive category H3.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!24
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals CO.; DE 1/2 equals Z.; DE 1/10 equals 5300.; The combination derives procedure category H3.; All goods items on the declaration derive the same category.

TDR-R-02948 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type CO, additional declaration type Z, and requested procedure 5351 must derive category H3.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!24
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals CO.; DE 1/2 equals Z.; DE 1/10 equals 5351.; The combination derives procedure category H3.; All goods items on the declaration derive the same category.

TDR-R-02949 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type CO, additional declaration type Z, and requested procedure 5353 must derive category H3.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!24
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals CO.; DE 1/2 equals Z.; DE 1/10 equals 5353.; The combination derives procedure category H3.; All goods items on the declaration derive the same category.

TDR-R-02950 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type CO, additional declaration type Z, and requested procedure 5371 must derive category H3.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!24
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals CO.; DE 1/2 equals Z.; DE 1/10 equals 5371.; The combination derives procedure category H3.; All goods items on the declaration derive the same category.

TDR-R-02951 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type CO, additional declaration type Z, and requested procedure 5378 must derive category H3.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!24

Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals CO.; DE 1/2 equals Z.; DE 1/10 equals 5378.; The combination derives procedure category H3.; All goods items on the declaration derive the same category.

TDR-R-02952 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type CO, additional declaration type Z, and requested procedure 6110 must derive category H5.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!24
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals CO.; DE 1/2 equals Z.; DE 1/10 equals 6110.; The combination derives procedure category H5.; All goods items on the declaration derive the same category.

TDR-R-02953 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type CO, additional declaration type Z, and requested procedure 6123 must derive category H5.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!24
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals CO.; DE 1/2 equals Z.; DE 1/10 equals 6123.; The combination derives procedure category H5.; All goods items on the declaration derive the same category.

TDR-R-02954 | Cross-field integrity | Import declaration | Import procedure derivation: declaration type CO, additional declaration type Z, and requested procedure 6131 must derive category H5.
Reference: CDS 03 Declaration Technical Completion Matrix for Imports | v3.92 | Procedure Category Derivation 2!24
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals CO.; DE 1/2 equals Z.; DE 1/10 equals 6131.; The combination derives procedure category H5.; All goods items on the declaration derive the same category.

TDR-R-02955 | Cross-field integrity | Export declaration | Export procedure derivation: declaration type EX, additional declaration type A, and requested procedure 1007 must derive category B1.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Procedure Category Derivation 1!5
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals EX.; DE 1/2 equals A.; DE 1/10 equals 1007.; The combination derives procedure category B1.

TDR-R-02956 | Cross-field integrity | Export declaration | Export procedure derivation: declaration type EX, additional declaration type A, and requested procedure 1040 must derive category B1.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Procedure Category Derivation 1!5
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals EX.; DE 1/2 equals A.; DE 1/10 equals 1040.; The combination derives procedure category B1.

TDR-R-02957 | Cross-field integrity | Export declaration | Export procedure derivation: declaration type EX, additional declaration type A, and requested procedure 1042 must derive category B1.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Procedure Category Derivation 1!5
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals EX.; DE 1/2 equals A.; DE 1/10 equals 1042.; The combination derives procedure category B1.

TDR-R-02958 | Cross-field integrity | Export declaration | Export procedure derivation: declaration type EX, additional declaration type A, and requested procedure 1044 must derive category B1.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Procedure Category Derivation 1!5
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals EX.; DE 1/2 equals A.; DE 1/10 equals 1044.; The combination derives procedure category B1.

TDR-R-02959 | Cross-field integrity | Export declaration | Export procedure derivation: declaration type EX, additional declaration type A, and requested procedure 1100 must derive category B1.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Procedure Category Derivation 1!5
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals EX.; DE 1/2 equals A.; DE 1/10 equals 1100.; The combination derives procedure category B1.

TDR-R-02960 | Cross-field integrity | Export declaration | Export procedure derivation: declaration type EX, additional declaration type A, and requested procedure 2100 must derive category B2.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Procedure Category Derivation 1!5
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals EX.; DE 1/2 equals A.; DE 1/10 equals 2100.; The combination derives procedure category B2.

TDR-R-02961 | Cross-field integrity | Export declaration | Export procedure derivation: declaration type EX, additional declaration type A, and requested procedure 2144 must derive category B2.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Procedure Category Derivation 1!5
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals EX.; DE 1/2 equals A.; DE 1/10 equals 2144.; The combination derives procedure category B2.

TDR-R-02962 | Cross-field integrity | Export declaration | Export procedure derivation: declaration type EX, additional declaration type A, and requested procedure 2151 must derive category B2.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Procedure Category Derivation 1!5
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals EX.; DE 1/2 equals A.; DE 1/10 equals 2151.; The combination derives procedure category B2.

TDR-R-02963 | Cross-field integrity | Export declaration | Export procedure derivation: declaration type EX, additional declaration type A, and requested procedure 2154 must derive category B2.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Procedure Category Derivation 1!5
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals EX.; DE 1/2 equals A.; DE 1/10 equals 2154.; The combination derives procedure category B2.

TDR-R-02964 | Cross-field integrity | Export declaration | Export procedure derivation: declaration type EX, additional declaration type A, and requested procedure 2200 must derive category B2.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Procedure Category Derivation 1!5
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals EX.; DE 1/2 equals A.; DE 1/10 equals 2200.; The combination derives procedure category B2.

TDR-R-02965 | Cross-field integrity | Export declaration | Export procedure derivation: declaration type EX, additional declaration type A, and requested procedure 2244 must derive category B2.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Procedure Category Derivation 1!5
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals EX.; DE 1/2 equals A.; DE 1/10 equals 2244.; The combination derives procedure category B2.

TDR-R-02966 | Cross-field integrity | Export declaration | Export procedure derivation: declaration type EX, additional declaration type A, and requested procedure 2300 must derive category B1.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Procedure Category Derivation 1!5
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals EX.; DE 1/2 equals A.; DE 1/10 equals 2300.; The combination derives procedure category B1.

TDR-R-02967 | Cross-field integrity | Export declaration | Export procedure derivation: declaration type EX, additional declaration type A, and requested procedure 3151 must derive category B1.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Procedure Category Derivation 1!5
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals EX.; DE 1/2 equals A.; DE 1/10 equals 3151.; The combination derives procedure category B1.

TDR-R-02968 | Cross-field integrity | Export declaration | Export procedure derivation: declaration type EX, additional declaration type A, and requested procedure 3153 must derive category B1.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Procedure Category Derivation 1!5
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals EX.; DE 1/2 equals A.; DE 1/10 equals 3153.; The combination derives procedure category B1.

TDR-R-02969 | Cross-field integrity | Export declaration | Export procedure derivation: declaration type EX, additional declaration type A, and requested procedure 3154 must derive category B1.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Procedure Category Derivation 1!5
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals EX.; DE 1/2 equals A.; DE 1/10 equals 3154.; The combination derives procedure category B1.

TDR-R-02970 | Cross-field integrity | Export declaration | Export procedure derivation: declaration type EX, additional declaration type A, and requested procedure 3171 must derive category B1.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Procedure Category Derivation 1!5
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals EX.; DE 1/2 equals A.; DE 1/10 equals 3171.; The combination derives procedure category B1.

TDR-R-02971 | Cross-field integrity | Export declaration | Export procedure derivation: declaration type EX, additional declaration type B, and requested procedure 1040 must derive category C1.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Procedure Category Derivation 1!6
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals EX.; DE 1/2 equals B.; DE 1/10 equals 1040.; The combination derives procedure category C1.

TDR-R-02972 | Cross-field integrity | Export declaration | Export procedure derivation: declaration type EX, additional declaration type C, and requested procedure 1007 must derive category C1.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Procedure Category Derivation 1!7
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals EX.; DE 1/2 equals C.; DE 1/10 equals 1007.; The combination derives procedure category C1.

TDR-R-02973 | Cross-field integrity | Export declaration | Export procedure derivation: declaration type EX, additional declaration type C, and requested procedure 1040 must derive category C1.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Procedure Category Derivation 1!7
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals EX.; DE 1/2 equals C.; DE 1/10 equals 1040.; The combination derives procedure category C1.

TDR-R-02974 | Cross-field integrity | Export declaration | Export procedure derivation: declaration type EX, additional declaration type C, and requested procedure 1042 must derive category C1.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Procedure Category Derivation 1!7
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals EX.; DE 1/2 equals C.; DE 1/10 equals 1042.; The combination derives procedure category C1.

TDR-R-02975 | Cross-field integrity | Export declaration | Export procedure derivation: declaration type EX, additional declaration type C, and requested procedure 1044 must derive category C1.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Procedure Category Derivation 1!7
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals EX.; DE 1/2 equals C.; DE 1/10 equals 1044.; The combination derives procedure category C1.

TDR-R-02976 | Cross-field integrity | Export declaration | Export procedure derivation: declaration type EX, additional declaration type C, and requested procedure 1100 must derive category C1.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Procedure Category Derivation 1!7
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals EX.; DE 1/2 equals C.; DE 1/10 equals 1100.; The combination derives procedure category C1.

TDR-R-02977 | Cross-field integrity | Export declaration | Export procedure derivation: declaration type EX, additional declaration type C, and requested procedure 2300 must derive category C1.

Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Procedure Category Derivation 1!7
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals EX.; DE 1/2 equals C.; DE 1/10 equals 2300.; The combination derives procedure category C1.

TDR-R-02978 | Cross-field integrity | Export declaration | Export procedure derivation: declaration type EX, additional declaration type C, and requested procedure 3151 must derive category C1.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Procedure Category Derivation 1!7
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals EX.; DE 1/2 equals C.; DE 1/10 equals 3151.; The combination derives procedure category C1.

TDR-R-02979 | Cross-field integrity | Export declaration | Export procedure derivation: declaration type EX, additional declaration type C, and requested procedure 3153 must derive category C1.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Procedure Category Derivation 1!7
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals EX.; DE 1/2 equals C.; DE 1/10 equals 3153.; The combination derives procedure category C1.

TDR-R-02980 | Cross-field integrity | Export declaration | Export procedure derivation: declaration type EX, additional declaration type C, and requested procedure 3171 must derive category C1.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Procedure Category Derivation 1!7
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals EX.; DE 1/2 equals C.; DE 1/10 equals 3171.; The combination derives procedure category C1.

TDR-R-02981 | Cross-field integrity | Export declaration | Export procedure derivation: declaration type EX, additional declaration type D, and requested procedure 1007 must derive category B1.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Procedure Category Derivation 1!8
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals EX.; DE 1/2 equals D.; DE 1/10 equals 1007.; The combination derives procedure category B1.

TDR-R-02982 | Cross-field integrity | Export declaration | Export procedure derivation: declaration type EX, additional declaration type D, and requested procedure 1040 must derive category B1.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Procedure Category Derivation 1!8
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals EX.; DE 1/2 equals D.; DE 1/10 equals 1040.; The combination derives procedure category B1.

TDR-R-02983 | Cross-field integrity | Export declaration | Export procedure derivation: declaration type EX, additional declaration type D, and requested procedure 1042 must derive category B1.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Procedure Category Derivation 1!8
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals EX.; DE 1/2 equals D.; DE 1/10 equals 1042.; The combination derives procedure category B1.

TDR-R-02984 | Cross-field integrity | Export declaration | Export procedure derivation: declaration type EX, additional declaration type D, and requested procedure 1044 must derive category B1.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Procedure Category Derivation 1!8
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals EX.; DE 1/2 equals D.; DE 1/10 equals 1044.; The combination derives procedure category B1.

TDR-R-02985 | Cross-field integrity | Export declaration | Export procedure derivation: declaration type EX, additional declaration type D, and requested procedure 1100 must derive category B1.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Procedure Category Derivation 1!8
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals EX.; DE 1/2 equals D.; DE 1/10 equals 1100.; The combination derives procedure category B1.

TDR-R-02986 | Cross-field integrity | Export declaration | Export procedure derivation: declaration type EX, additional declaration type D, and requested procedure 2100 must derive category B2.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Procedure Category Derivation 1!8
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals EX.; DE 1/2 equals D.; DE 1/10 equals 2100.; The combination derives procedure category B2.

TDR-R-02987 | Cross-field integrity | Export declaration | Export procedure derivation: declaration type EX, additional declaration type D, and requested procedure 2144 must derive category B2.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Procedure Category Derivation 1!8
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals EX.; DE 1/2 equals D.; DE 1/10 equals 2144.; The combination derives procedure category B2.

TDR-R-02988 | Cross-field integrity | Export declaration | Export procedure derivation: declaration type EX, additional declaration type D, and requested procedure 2151 must derive category B2.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Procedure Category Derivation 1!8
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals EX.; DE 1/2 equals D.; DE 1/10 equals 2151.; The combination derives procedure category B2.

TDR-R-02989 | Cross-field integrity | Export declaration | Export procedure derivation: declaration type EX, additional declaration type D, and requested procedure 2154 must derive category B2.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Procedure Category Derivation 1!8
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals EX.; DE 1/2 equals D.; DE 1/10 equals 2154.; The combination derives procedure category B2.

TDR-R-02990 | Cross-field integrity | Export declaration | Export procedure derivation: declaration type EX, additional declaration type D, and requested procedure 2200 must derive category B2.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Procedure Category Derivation 1!8

Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals EX.; DE 1/2 equals D.; DE 1/10 equals 2200.; The combination derives procedure category B2.

TDR-R-02991 | Cross-field integrity | Export declaration | Export procedure derivation: declaration type EX, additional declaration type D, and requested procedure 2244 must derive category B2.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Procedure Category Derivation 1!8
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals EX.; DE 1/2 equals D.; DE 1/10 equals 2244.; The combination derives procedure category B2.

TDR-R-02992 | Cross-field integrity | Export declaration | Export procedure derivation: declaration type EX, additional declaration type D, and requested procedure 2300 must derive category B1.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Procedure Category Derivation 1!8
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals EX.; DE 1/2 equals D.; DE 1/10 equals 2300.; The combination derives procedure category B1.

TDR-R-02993 | Cross-field integrity | Export declaration | Export procedure derivation: declaration type EX, additional declaration type D, and requested procedure 3151 must derive category B1.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Procedure Category Derivation 1!8
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals EX.; DE 1/2 equals D.; DE 1/10 equals 3151.; The combination derives procedure category B1.

TDR-R-02994 | Cross-field integrity | Export declaration | Export procedure derivation: declaration type EX, additional declaration type D, and requested procedure 3153 must derive category B1.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Procedure Category Derivation 1!8
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals EX.; DE 1/2 equals D.; DE 1/10 equals 3153.; The combination derives procedure category B1.

TDR-R-02995 | Cross-field integrity | Export declaration | Export procedure derivation: declaration type EX, additional declaration type D, and requested procedure 3154 must derive category B1.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Procedure Category Derivation 1!8
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals EX.; DE 1/2 equals D.; DE 1/10 equals 3154.; The combination derives procedure category B1.

TDR-R-02996 | Cross-field integrity | Export declaration | Export procedure derivation: declaration type EX, additional declaration type D, and requested procedure 3171 must derive category B1.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Procedure Category Derivation 1!8
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals EX.; DE 1/2 equals D.; DE 1/10 equals 3171.; The combination derives procedure category B1.

TDR-R-02997 | Cross-field integrity | Export declaration | Export procedure derivation: declaration type EX, additional declaration type E, and requested procedure 1040 must derive category C1.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Procedure Category Derivation 1!9
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals EX.; DE 1/2 equals E.; DE 1/10 equals 1040.; The combination derives procedure category C1.

TDR-R-02998 | Cross-field integrity | Export declaration | Export procedure derivation: declaration type EX, additional declaration type F, and requested procedure 1007 must derive category C1.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Procedure Category Derivation 1!10
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals EX.; DE 1/2 equals F.; DE 1/10 equals 1007.; The combination derives procedure category C1.

TDR-R-02999 | Cross-field integrity | Export declaration | Export procedure derivation: declaration type EX, additional declaration type F, and requested procedure 1040 must derive category C1.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Procedure Category Derivation 1!10
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals EX.; DE 1/2 equals F.; DE 1/10 equals 1040.; The combination derives procedure category C1.

TDR-R-03000 | Cross-field integrity | Export declaration | Export procedure derivation: declaration type EX, additional declaration type F, and requested procedure 1042 must derive category C1.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Procedure Category Derivation 1!10
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals EX.; DE 1/2 equals F.; DE 1/10 equals 1042.; The combination derives procedure category C1.

TDR-R-03001 | Cross-field integrity | Export declaration | Export procedure derivation: declaration type EX, additional declaration type F, and requested procedure 1044 must derive category C1.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Procedure Category Derivation 1!10
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals EX.; DE 1/2 equals F.; DE 1/10 equals 1044.; The combination derives procedure category C1.

TDR-R-03002 | Cross-field integrity | Export declaration | Export procedure derivation: declaration type EX, additional declaration type F, and requested procedure 1100 must derive category C1.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Procedure Category Derivation 1!10
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals EX.; DE 1/2 equals F.; DE 1/10 equals 1100.; The combination derives procedure category C1.

TDR-R-03003 | Cross-field integrity | Export declaration | Export procedure derivation: declaration type EX, additional declaration type F, and requested procedure 2300 must derive category C1.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Procedure Category Derivation 1!10
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052

Acceptance: DE 1/1 equals EX.; DE 1/2 equals F.; DE 1/10 equals 2300.; The combination derives procedure category C1.

TDR-R-03004 | Cross-field integrity | Export declaration | Export procedure derivation: declaration type EX, additional declaration type F, and requested procedure 3151 must derive category C1.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Procedure Category Derivation 1!10
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals EX.; DE 1/2 equals F.; DE 1/10 equals 3151.; The combination derives procedure category C1.

TDR-R-03005 | Cross-field integrity | Export declaration | Export procedure derivation: declaration type EX, additional declaration type F, and requested procedure 3153 must derive category C1.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Procedure Category Derivation 1!10
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals EX.; DE 1/2 equals F.; DE 1/10 equals 3153.; The combination derives procedure category C1.

TDR-R-03006 | Cross-field integrity | Export declaration | Export procedure derivation: declaration type EX, additional declaration type F, and requested procedure 3171 must derive category C1.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Procedure Category Derivation 1!10
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals EX.; DE 1/2 equals F.; DE 1/10 equals 3171.; The combination derives procedure category C1.

TDR-R-03007 | Cross-field integrity | Export declaration | Export procedure derivation: declaration type EX, additional declaration type J, and requested procedure 1040 must derive category C21EEIDR.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Procedure Category Derivation 1!11
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals EX.; DE 1/2 equals J.; DE 1/10 equals 1040.; The combination derives procedure category C21EEIDR.

TDR-R-03008 | Cross-field integrity | Export declaration | Export procedure derivation: declaration type EX, additional declaration type J, and requested procedure 1044 must derive category C21EEIDR.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Procedure Category Derivation 1!11
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals EX.; DE 1/2 equals J.; DE 1/10 equals 1044.; The combination derives procedure category C21EEIDR.

TDR-R-03009 | Cross-field integrity | Export declaration | Export procedure derivation: declaration type EX, additional declaration type J, and requested procedure 2300 must derive category C21EEIDR.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Procedure Category Derivation 1!11
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals EX.; DE 1/2 equals J.; DE 1/10 equals 2300.; The combination derives procedure category C21EEIDR.

TDR-R-03010 | Cross-field integrity | Export declaration | Export procedure derivation: declaration type EX, additional declaration type J, and requested procedure 3151 must derive category C21EEIDR.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Procedure Category Derivation 1!11
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals EX.; DE 1/2 equals J.; DE 1/10 equals 3151.; The combination derives procedure category C21EEIDR.

TDR-R-03011 | Cross-field integrity | Export declaration | Export procedure derivation: declaration type EX, additional declaration type J, and requested procedure 3153 must derive category C21EEIDR.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Procedure Category Derivation 1!11
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals EX.; DE 1/2 equals J.; DE 1/10 equals 3153.; The combination derives procedure category C21EEIDR.

TDR-R-03012 | Cross-field integrity | Export declaration | Export procedure derivation: declaration type EX, additional declaration type J, and requested procedure 3171 must derive category C21EEIDR.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Procedure Category Derivation 1!11
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals EX.; DE 1/2 equals J.; DE 1/10 equals 3171.; The combination derives procedure category C21EEIDR.

TDR-R-03013 | Cross-field integrity | Export declaration | Export procedure derivation: declaration type EX, additional declaration type J, and requested procedure 12 must derive category C21E.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Procedure Category Derivation 1!11
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals EX.; DE 1/2 equals J.; DE 1/10 equals 12.; The combination derives procedure category C21E.

TDR-R-03014 | Cross-field integrity | Export declaration | Export procedure derivation: declaration type EX, additional declaration type J, and requested procedure 14 must derive category C21E.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Procedure Category Derivation 1!11
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals EX.; DE 1/2 equals J.; DE 1/10 equals 14.; The combination derives procedure category C21E.

TDR-R-03015 | Cross-field integrity | Export declaration | Export procedure derivation: declaration type EX, additional declaration type J, and requested procedure 15 must derive category C21E.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Procedure Category Derivation 1!11
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals EX.; DE 1/2 equals J.; DE 1/10 equals 15.; The combination derives procedure category C21E.

TDR-R-03016 | Cross-field integrity | Export declaration | Export procedure derivation: declaration type EX, additional declaration type J, and requested procedure 16 must derive category C21E.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Procedure Category Derivation 1!11
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals EX.; DE 1/2 equals J.; DE 1/10 equals 16.; The combination derives procedure category C21E.

TDR-R-03017 | Cross-field integrity | Export declaration | Export procedure derivation: declaration type EX, additional declaration type J, and requested procedure 17 must derive category C21E.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Procedure Category Derivation 1!11
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals EX.; DE 1/2 equals J.; DE 1/10 equals 17.; The combination derives procedure category C21E.

TDR-R-03018 | Cross-field integrity | Export declaration | Export procedure derivation: declaration type EX, additional declaration type J, and requested procedure 18 must derive category C21E.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Procedure Category Derivation 1!11
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals EX.; DE 1/2 equals J.; DE 1/10 equals 18.; The combination derives procedure category C21E.

TDR-R-03019 | Cross-field integrity | Export declaration | Export procedure derivation: declaration type EX, additional declaration type J, and requested procedure 19 must derive category C21E.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Procedure Category Derivation 1!11
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals EX.; DE 1/2 equals J.; DE 1/10 equals 19.; The combination derives procedure category C21E.

TDR-R-03020 | Cross-field integrity | Export declaration | Export procedure derivation: declaration type EX, additional declaration type K, and requested procedure 1040 must derive category C21EEIDR.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Procedure Category Derivation 1!12
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals EX.; DE 1/2 equals K.; DE 1/10 equals 1040.; The combination derives procedure category C21EEIDR.

TDR-R-03021 | Cross-field integrity | Export declaration | Export procedure derivation: declaration type EX, additional declaration type K, and requested procedure 1044 must derive category C21EEIDR.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Procedure Category Derivation 1!12
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals EX.; DE 1/2 equals K.; DE 1/10 equals 1044.; The combination derives procedure category C21EEIDR.

TDR-R-03022 | Cross-field integrity | Export declaration | Export procedure derivation: declaration type EX, additional declaration type K, and requested procedure 2300 must derive category C21EEIDR.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Procedure Category Derivation 1!12
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals EX.; DE 1/2 equals K.; DE 1/10 equals 2300.; The combination derives procedure category C21EEIDR.

TDR-R-03023 | Cross-field integrity | Export declaration | Export procedure derivation: declaration type EX, additional declaration type K, and requested procedure 3151 must derive category C21EEIDR.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Procedure Category Derivation 1!12
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals EX.; DE 1/2 equals K.; DE 1/10 equals 3151.; The combination derives procedure category C21EEIDR.

TDR-R-03024 | Cross-field integrity | Export declaration | Export procedure derivation: declaration type EX, additional declaration type K, and requested procedure 3153 must derive category C21EEIDR.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Procedure Category Derivation 1!12
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals EX.; DE 1/2 equals K.; DE 1/10 equals 3153.; The combination derives procedure category C21EEIDR.

TDR-R-03025 | Cross-field integrity | Export declaration | Export procedure derivation: declaration type EX, additional declaration type K, and requested procedure 3171 must derive category C21EEIDR.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Procedure Category Derivation 1!12
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals EX.; DE 1/2 equals K.; DE 1/10 equals 3171.; The combination derives procedure category C21EEIDR.

TDR-R-03026 | Cross-field integrity | Export declaration | Export procedure derivation: declaration type EX, additional declaration type K, and requested procedure 12 must derive category C21E.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Procedure Category Derivation 1!12
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals EX.; DE 1/2 equals K.; DE 1/10 equals 12.; The combination derives procedure category C21E.

TDR-R-03027 | Cross-field integrity | Export declaration | Export procedure derivation: declaration type EX, additional declaration type K, and requested procedure 14 must derive category C21E.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Procedure Category Derivation 1!12
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals EX.; DE 1/2 equals K.; DE 1/10 equals 14.; The combination derives procedure category C21E.

TDR-R-03028 | Cross-field integrity | Export declaration | Export procedure derivation: declaration type EX, additional declaration type K, and requested procedure 15 must derive category C21E.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Procedure Category Derivation 1!12
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals EX.; DE 1/2 equals K.; DE 1/10 equals 15.; The combination derives procedure category C21E.

TDR-R-03029 | Cross-field integrity | Export declaration | Export procedure derivation: declaration type EX, additional declaration type K, and requested procedure 16 must derive category C21E.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Procedure Category Derivation 1!12
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals EX.; DE 1/2 equals K.; DE 1/10 equals 16.; The combination derives procedure category C21E.

TDR-R-03030 | Cross-field integrity | Export declaration | Export procedure derivation: declaration type EX, additional declaration type K, and requested procedure 17 must derive category C21E.

Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Procedure Category Derivation 1!12
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals EX.; DE 1/2 equals K.; DE 1/10 equals 17.; The combination derives procedure category C21E.

TDR-R-03031 | Cross-field integrity | Export declaration | Export procedure derivation: declaration type EX, additional declaration type K, and requested procedure 18 must derive category C21E.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Procedure Category Derivation 1!12
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals EX.; DE 1/2 equals K.; DE 1/10 equals 18.; The combination derives procedure category C21E.

TDR-R-03032 | Cross-field integrity | Export declaration | Export procedure derivation: declaration type EX, additional declaration type K, and requested procedure 19 must derive category C21E.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Procedure Category Derivation 1!12
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals EX.; DE 1/2 equals K.; DE 1/10 equals 19.; The combination derives procedure category C21E.

TDR-R-03033 | Cross-field integrity | Export declaration | Export procedure derivation: declaration type EX, additional declaration type Y, and requested procedure 1007 must derive category B1.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Procedure Category Derivation 1!13
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals EX.; DE 1/2 equals Y.; DE 1/10 equals 1007.; The combination derives procedure category B1.

TDR-R-03034 | Cross-field integrity | Export declaration | Export procedure derivation: declaration type EX, additional declaration type Y, and requested procedure 1040 must derive category B1.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Procedure Category Derivation 1!13
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals EX.; DE 1/2 equals Y.; DE 1/10 equals 1040.; The combination derives procedure category B1.

TDR-R-03035 | Cross-field integrity | Export declaration | Export procedure derivation: declaration type EX, additional declaration type Y, and requested procedure 1042 must derive category B1.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Procedure Category Derivation 1!13
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals EX.; DE 1/2 equals Y.; DE 1/10 equals 1042.; The combination derives procedure category B1.

TDR-R-03036 | Cross-field integrity | Export declaration | Export procedure derivation: declaration type EX, additional declaration type Y, and requested procedure 1044 must derive category B1.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Procedure Category Derivation 1!13
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals EX.; DE 1/2 equals Y.; DE 1/10 equals 1044.; The combination derives procedure category B1.

TDR-R-03037 | Cross-field integrity | Export declaration | Export procedure derivation: declaration type EX, additional declaration type Y, and requested procedure 1100 must derive category B1.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Procedure Category Derivation 1!13
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals EX.; DE 1/2 equals Y.; DE 1/10 equals 1100.; The combination derives procedure category B1.

TDR-R-03038 | Cross-field integrity | Export declaration | Export procedure derivation: declaration type EX, additional declaration type Y, and requested procedure 2300 must derive category B1.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Procedure Category Derivation 1!13
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals EX.; DE 1/2 equals Y.; DE 1/10 equals 2300.; The combination derives procedure category B1.

TDR-R-03039 | Cross-field integrity | Export declaration | Export procedure derivation: declaration type EX, additional declaration type Y, and requested procedure 3151 must derive category B1.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Procedure Category Derivation 1!13
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals EX.; DE 1/2 equals Y.; DE 1/10 equals 3151.; The combination derives procedure category B1.

TDR-R-03040 | Cross-field integrity | Export declaration | Export procedure derivation: declaration type EX, additional declaration type Y, and requested procedure 3153 must derive category B1.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Procedure Category Derivation 1!13
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals EX.; DE 1/2 equals Y.; DE 1/10 equals 3153.; The combination derives procedure category B1.

TDR-R-03041 | Cross-field integrity | Export declaration | Export procedure derivation: declaration type EX, additional declaration type Y, and requested procedure 3171 must derive category B1.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Procedure Category Derivation 1!13
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals EX.; DE 1/2 equals Y.; DE 1/10 equals 3171.; The combination derives procedure category B1.

TDR-R-03042 | Cross-field integrity | Export declaration | Export procedure derivation: declaration type EX, additional declaration type Z, and requested procedure 1040 must derive category B1.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Procedure Category Derivation 1!14
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals EX.; DE 1/2 equals Z.; DE 1/10 equals 1040.; The combination derives procedure category B1.

TDR-R-03043 | Cross-field integrity | Export declaration | Export procedure derivation: declaration type EX, additional declaration type Z, and requested procedure 1044 must derive category B1.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Procedure Category Derivation 1!14

Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals EX.; DE 1/2 equals Z.; DE 1/10 equals 1044.; The combination derives procedure category B1.

TDR-R-03044 | Cross-field integrity | Export declaration | Export procedure derivation: declaration type EX, additional declaration type Z, and requested procedure 2300 must derive category B1.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Procedure Category Derivation 1!14
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals EX.; DE 1/2 equals Z.; DE 1/10 equals 2300.; The combination derives procedure category B1.

TDR-R-03045 | Cross-field integrity | Export declaration | Export procedure derivation: declaration type EX, additional declaration type Z, and requested procedure 3151 must derive category B1.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Procedure Category Derivation 1!14
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals EX.; DE 1/2 equals Z.; DE 1/10 equals 3151.; The combination derives procedure category B1.

TDR-R-03046 | Cross-field integrity | Export declaration | Export procedure derivation: declaration type EX, additional declaration type Z, and requested procedure 3153 must derive category B1.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Procedure Category Derivation 1!14
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals EX.; DE 1/2 equals Z.; DE 1/10 equals 3153.; The combination derives procedure category B1.

TDR-R-03047 | Cross-field integrity | Export declaration | Export procedure derivation: declaration type EX, additional declaration type Z, and requested procedure 3171 must derive category B1.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Procedure Category Derivation 1!14
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals EX.; DE 1/2 equals Z.; DE 1/10 equals 3171.; The combination derives procedure category B1.

TDR-R-03048 | Cross-field integrity | Export declaration | Export procedure derivation: declaration type CO, additional declaration type A, and requested procedure 1007 must derive category B4.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Procedure Category Derivation 1!15
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals CO.; DE 1/2 equals A.; DE 1/10 equals 1007.; The combination derives procedure category B4.

TDR-R-03049 | Cross-field integrity | Export declaration | Export procedure derivation: declaration type CO, additional declaration type A, and requested procedure 1040 must derive category B4.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Procedure Category Derivation 1!15
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals CO.; DE 1/2 equals A.; DE 1/10 equals 1040.; The combination derives procedure category B4.

TDR-R-03050 | Cross-field integrity | Export declaration | Export procedure derivation: declaration type CO, additional declaration type A, and requested procedure 1042 must derive category B4.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Procedure Category Derivation 1!15
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals CO.; DE 1/2 equals A.; DE 1/10 equals 1042.; The combination derives procedure category B4.

TDR-R-03051 | Cross-field integrity | Export declaration | Export procedure derivation: declaration type CO, additional declaration type A, and requested procedure 2200 must derive category B2.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Procedure Category Derivation 1!15
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals CO.; DE 1/2 equals A.; DE 1/10 equals 2200.; The combination derives procedure category B2.

TDR-R-03052 | Cross-field integrity | Export declaration | Export procedure derivation: declaration type CO, additional declaration type A, and requested procedure 2300 must derive category B4.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Procedure Category Derivation 1!15
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals CO.; DE 1/2 equals A.; DE 1/10 equals 2300.; The combination derives procedure category B4.

TDR-R-03053 | Cross-field integrity | Export declaration | Export procedure derivation: declaration type CO, additional declaration type A, and requested procedure 3151 must derive category B4.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Procedure Category Derivation 1!15
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals CO.; DE 1/2 equals A.; DE 1/10 equals 3151.; The combination derives procedure category B4.

TDR-R-03054 | Cross-field integrity | Export declaration | Export procedure derivation: declaration type CO, additional declaration type A, and requested procedure 3153 must derive category B4.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Procedure Category Derivation 1!15
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals CO.; DE 1/2 equals A.; DE 1/10 equals 3153.; The combination derives procedure category B4.

TDR-R-03055 | Cross-field integrity | Export declaration | Export procedure derivation: declaration type CO, additional declaration type A, and requested procedure 3171 must derive category B4.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Procedure Category Derivation 1!15
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals CO.; DE 1/2 equals A.; DE 1/10 equals 3171.; The combination derives procedure category B4.

TDR-R-03056 | Cross-field integrity | Export declaration | Export procedure derivation: declaration type CO, additional declaration type B, and requested procedure 1040 must derive category C1.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Procedure Category Derivation 1!16
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052

Acceptance: DE 1/1 equals CO.; DE 1/2 equals B.; DE 1/10 equals 1040.; The combination derives procedure category C1.

TDR-R-03057 | Cross-field integrity | Export declaration | Export procedure derivation: declaration type CO, additional declaration type C, and requested procedure 1007 must derive category C1.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Procedure Category Derivation 1!17
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals CO.; DE 1/2 equals C.; DE 1/10 equals 1007.; The combination derives procedure category C1.

TDR-R-03058 | Cross-field integrity | Export declaration | Export procedure derivation: declaration type CO, additional declaration type C, and requested procedure 1040 must derive category C1.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Procedure Category Derivation 1!17
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals CO.; DE 1/2 equals C.; DE 1/10 equals 1040.; The combination derives procedure category C1.

TDR-R-03059 | Cross-field integrity | Export declaration | Export procedure derivation: declaration type CO, additional declaration type C, and requested procedure 1042 must derive category C1.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Procedure Category Derivation 1!17
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals CO.; DE 1/2 equals C.; DE 1/10 equals 1042.; The combination derives procedure category C1.

TDR-R-03060 | Cross-field integrity | Export declaration | Export procedure derivation: declaration type CO, additional declaration type C, and requested procedure 2300 must derive category C1.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Procedure Category Derivation 1!17
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals CO.; DE 1/2 equals C.; DE 1/10 equals 2300.; The combination derives procedure category C1.

TDR-R-03061 | Cross-field integrity | Export declaration | Export procedure derivation: declaration type CO, additional declaration type C, and requested procedure 3151 must derive category C1.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Procedure Category Derivation 1!17
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals CO.; DE 1/2 equals C.; DE 1/10 equals 3151.; The combination derives procedure category C1.

TDR-R-03062 | Cross-field integrity | Export declaration | Export procedure derivation: declaration type CO, additional declaration type C, and requested procedure 3153 must derive category C1.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Procedure Category Derivation 1!17
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals CO.; DE 1/2 equals C.; DE 1/10 equals 3153.; The combination derives procedure category C1.

TDR-R-03063 | Cross-field integrity | Export declaration | Export procedure derivation: declaration type CO, additional declaration type C, and requested procedure 3171 must derive category C1.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Procedure Category Derivation 1!17
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals CO.; DE 1/2 equals C.; DE 1/10 equals 3171.; The combination derives procedure category C1.

TDR-R-03064 | Cross-field integrity | Export declaration | Export procedure derivation: declaration type CO, additional declaration type D, and requested procedure 1007 must derive category B4.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Procedure Category Derivation 1!18
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals CO.; DE 1/2 equals D.; DE 1/10 equals 1007.; The combination derives procedure category B4.

TDR-R-03065 | Cross-field integrity | Export declaration | Export procedure derivation: declaration type CO, additional declaration type D, and requested procedure 1040 must derive category B4.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Procedure Category Derivation 1!18
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals CO.; DE 1/2 equals D.; DE 1/10 equals 1040.; The combination derives procedure category B4.

TDR-R-03066 | Cross-field integrity | Export declaration | Export procedure derivation: declaration type CO, additional declaration type D, and requested procedure 1042 must derive category B4.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Procedure Category Derivation 1!18
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals CO.; DE 1/2 equals D.; DE 1/10 equals 1042.; The combination derives procedure category B4.

TDR-R-03067 | Cross-field integrity | Export declaration | Export procedure derivation: declaration type CO, additional declaration type D, and requested procedure 2200 must derive category B2.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Procedure Category Derivation 1!18
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals CO.; DE 1/2 equals D.; DE 1/10 equals 2200.; The combination derives procedure category B2.

TDR-R-03068 | Cross-field integrity | Export declaration | Export procedure derivation: declaration type CO, additional declaration type D, and requested procedure 2300 must derive category B4.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Procedure Category Derivation 1!18
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals CO.; DE 1/2 equals D.; DE 1/10 equals 2300.; The combination derives procedure category B4.

TDR-R-03069 | Cross-field integrity | Export declaration | Export procedure derivation: declaration type CO, additional declaration type D, and requested procedure 3151 must derive category B4.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Procedure Category Derivation 1!18
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals CO.; DE 1/2 equals D.; DE 1/10 equals 3151.; The combination derives procedure category B4.

TDR-R-03070 | Cross-field integrity | Export declaration | Export procedure derivation: declaration type CO, additional declaration type D, and requested procedure 3153 must derive category B4.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Procedure Category Derivation 1!18
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals CO.; DE 1/2 equals D.; DE 1/10 equals 3153.; The combination derives procedure category B4.

TDR-R-03071 | Cross-field integrity | Export declaration | Export procedure derivation: declaration type CO, additional declaration type D, and requested procedure 3171 must derive category B4.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Procedure Category Derivation 1!18
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals CO.; DE 1/2 equals D.; DE 1/10 equals 3171.; The combination derives procedure category B4.

TDR-R-03072 | Cross-field integrity | Export declaration | Export procedure derivation: declaration type CO, additional declaration type E, and requested procedure 1040 must derive category C1.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Procedure Category Derivation 1!19
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals CO.; DE 1/2 equals E.; DE 1/10 equals 1040.; The combination derives procedure category C1.

TDR-R-03073 | Cross-field integrity | Export declaration | Export procedure derivation: declaration type CO, additional declaration type F, and requested procedure 1007 must derive category C1.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Procedure Category Derivation 1!20
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals CO.; DE 1/2 equals F.; DE 1/10 equals 1007.; The combination derives procedure category C1.

TDR-R-03074 | Cross-field integrity | Export declaration | Export procedure derivation: declaration type CO, additional declaration type F, and requested procedure 1040 must derive category C1.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Procedure Category Derivation 1!20
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals CO.; DE 1/2 equals F.; DE 1/10 equals 1040.; The combination derives procedure category C1.

TDR-R-03075 | Cross-field integrity | Export declaration | Export procedure derivation: declaration type CO, additional declaration type F, and requested procedure 1042 must derive category C1.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Procedure Category Derivation 1!20
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals CO.; DE 1/2 equals F.; DE 1/10 equals 1042.; The combination derives procedure category C1.

TDR-R-03076 | Cross-field integrity | Export declaration | Export procedure derivation: declaration type CO, additional declaration type F, and requested procedure 2300 must derive category C1.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Procedure Category Derivation 1!20
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals CO.; DE 1/2 equals F.; DE 1/10 equals 2300.; The combination derives procedure category C1.

TDR-R-03077 | Cross-field integrity | Export declaration | Export procedure derivation: declaration type CO, additional declaration type F, and requested procedure 3151 must derive category C1.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Procedure Category Derivation 1!20
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals CO.; DE 1/2 equals F.; DE 1/10 equals 3151.; The combination derives procedure category C1.

TDR-R-03078 | Cross-field integrity | Export declaration | Export procedure derivation: declaration type CO, additional declaration type F, and requested procedure 3153 must derive category C1.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Procedure Category Derivation 1!20
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals CO.; DE 1/2 equals F.; DE 1/10 equals 3153.; The combination derives procedure category C1.

TDR-R-03079 | Cross-field integrity | Export declaration | Export procedure derivation: declaration type CO, additional declaration type F, and requested procedure 3171 must derive category C1.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Procedure Category Derivation 1!20
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals CO.; DE 1/2 equals F.; DE 1/10 equals 3171.; The combination derives procedure category C1.

TDR-R-03080 | Cross-field integrity | Export declaration | Export procedure derivation: declaration type CO, additional declaration type J, and requested procedure 1040 must derive category C21EEIDR.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Procedure Category Derivation 1!21
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals CO.; DE 1/2 equals J.; DE 1/10 equals 1040.; The combination derives procedure category C21EEIDR.

TDR-R-03081 | Cross-field integrity | Export declaration | Export procedure derivation: declaration type CO, additional declaration type J, and requested procedure 2300 must derive category C21EEIDR.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Procedure Category Derivation 1!21
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals CO.; DE 1/2 equals J.; DE 1/10 equals 2300.; The combination derives procedure category C21EEIDR.

TDR-R-03082 | Cross-field integrity | Export declaration | Export procedure derivation: declaration type CO, additional declaration type J, and requested procedure 3151 must derive category C21EEIDR.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Procedure Category Derivation 1!21
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals CO.; DE 1/2 equals J.; DE 1/10 equals 3151.; The combination derives procedure category C21EEIDR.

TDR-R-03083 | Cross-field integrity | Export declaration | Export procedure derivation: declaration type CO, additional declaration type J, and requested procedure 3153 must derive category C21EEIDR.

Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Procedure Category Derivation 1!21
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals CO.; DE 1/2 equals J.; DE 1/10 equals 3153.; The combination derives procedure category C21EEIDR.

TDR-R-03084 | Cross-field integrity | Export declaration | Export procedure derivation: declaration type CO, additional declaration type J, and requested procedure 3171 must derive category C21EEIDR.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Procedure Category Derivation 1!21
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals CO.; DE 1/2 equals J.; DE 1/10 equals 3171.; The combination derives procedure category C21EEIDR.

TDR-R-03085 | Cross-field integrity | Export declaration | Export procedure derivation: declaration type CO, additional declaration type J, and requested procedure 12 must derive category C21E.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Procedure Category Derivation 1!21
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals CO.; DE 1/2 equals J.; DE 1/10 equals 12.; The combination derives procedure category C21E.

TDR-R-03086 | Cross-field integrity | Export declaration | Export procedure derivation: declaration type CO, additional declaration type J, and requested procedure 15 must derive category C21E.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Procedure Category Derivation 1!21
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals CO.; DE 1/2 equals J.; DE 1/10 equals 15.; The combination derives procedure category C21E.

TDR-R-03087 | Cross-field integrity | Export declaration | Export procedure derivation: declaration type CO, additional declaration type J, and requested procedure 16 must derive category C21E.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Procedure Category Derivation 1!21
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals CO.; DE 1/2 equals J.; DE 1/10 equals 16.; The combination derives procedure category C21E.

TDR-R-03088 | Cross-field integrity | Export declaration | Export procedure derivation: declaration type CO, additional declaration type J, and requested procedure 17 must derive category C21E.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Procedure Category Derivation 1!21
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals CO.; DE 1/2 equals J.; DE 1/10 equals 17.; The combination derives procedure category C21E.

TDR-R-03089 | Cross-field integrity | Export declaration | Export procedure derivation: declaration type CO, additional declaration type J, and requested procedure 18 must derive category C21E.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Procedure Category Derivation 1!21
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals CO.; DE 1/2 equals J.; DE 1/10 equals 18.; The combination derives procedure category C21E.

TDR-R-03090 | Cross-field integrity | Export declaration | Export procedure derivation: declaration type CO, additional declaration type K, and requested procedure 1040 must derive category C21EEIDR.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Procedure Category Derivation 1!22
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals CO.; DE 1/2 equals K.; DE 1/10 equals 1040.; The combination derives procedure category C21EEIDR.

TDR-R-03091 | Cross-field integrity | Export declaration | Export procedure derivation: declaration type CO, additional declaration type K, and requested procedure 2300 must derive category C21EEIDR.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Procedure Category Derivation 1!22
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals CO.; DE 1/2 equals K.; DE 1/10 equals 2300.; The combination derives procedure category C21EEIDR.

TDR-R-03092 | Cross-field integrity | Export declaration | Export procedure derivation: declaration type CO, additional declaration type K, and requested procedure 3151 must derive category C21EEIDR.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Procedure Category Derivation 1!22
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals CO.; DE 1/2 equals K.; DE 1/10 equals 3151.; The combination derives procedure category C21EEIDR.

TDR-R-03093 | Cross-field integrity | Export declaration | Export procedure derivation: declaration type CO, additional declaration type K, and requested procedure 3153 must derive category C21EEIDR.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Procedure Category Derivation 1!22
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals CO.; DE 1/2 equals K.; DE 1/10 equals 3153.; The combination derives procedure category C21EEIDR.

TDR-R-03094 | Cross-field integrity | Export declaration | Export procedure derivation: declaration type CO, additional declaration type K, and requested procedure 3171 must derive category C21EEIDR.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Procedure Category Derivation 1!22
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals CO.; DE 1/2 equals K.; DE 1/10 equals 3171.; The combination derives procedure category C21EEIDR.

TDR-R-03095 | Cross-field integrity | Export declaration | Export procedure derivation: declaration type CO, additional declaration type K, and requested procedure 12 must derive category C21E.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Procedure Category Derivation 1!22
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals CO.; DE 1/2 equals K.; DE 1/10 equals 12.; The combination derives procedure category C21E.

TDR-R-03096 | Cross-field integrity | Export declaration | Export procedure derivation: declaration type CO, additional declaration type K, and requested procedure 15 must derive category C21E.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Procedure Category Derivation 1!22

Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals CO.; DE 1/2 equals K.; DE 1/10 equals 15.; The combination derives procedure category C21E.

TDR-R-03097 | Cross-field integrity | Export declaration | Export procedure derivation: declaration type CO, additional declaration type K, and requested procedure 16 must derive category C21E.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Procedure Category Derivation 1!22
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals CO.; DE 1/2 equals K.; DE 1/10 equals 16.; The combination derives procedure category C21E.

TDR-R-03098 | Cross-field integrity | Export declaration | Export procedure derivation: declaration type CO, additional declaration type K, and requested procedure 17 must derive category C21E.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Procedure Category Derivation 1!22
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals CO.; DE 1/2 equals K.; DE 1/10 equals 17.; The combination derives procedure category C21E.

TDR-R-03099 | Cross-field integrity | Export declaration | Export procedure derivation: declaration type CO, additional declaration type K, and requested procedure 18 must derive category C21E.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Procedure Category Derivation 1!22
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals CO.; DE 1/2 equals K.; DE 1/10 equals 18.; The combination derives procedure category C21E.

TDR-R-03100 | Cross-field integrity | Export declaration | Export procedure derivation: declaration type CO, additional declaration type Y, and requested procedure 1007 must derive category B4.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Procedure Category Derivation 1!23
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals CO.; DE 1/2 equals Y.; DE 1/10 equals 1007.; The combination derives procedure category B4.

TDR-R-03101 | Cross-field integrity | Export declaration | Export procedure derivation: declaration type CO, additional declaration type Y, and requested procedure 1040 must derive category B4.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Procedure Category Derivation 1!23
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals CO.; DE 1/2 equals Y.; DE 1/10 equals 1040.; The combination derives procedure category B4.

TDR-R-03102 | Cross-field integrity | Export declaration | Export procedure derivation: declaration type CO, additional declaration type Y, and requested procedure 1042 must derive category B4.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Procedure Category Derivation 1!23
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals CO.; DE 1/2 equals Y.; DE 1/10 equals 1042.; The combination derives procedure category B4.

TDR-R-03103 | Cross-field integrity | Export declaration | Export procedure derivation: declaration type CO, additional declaration type Y, and requested procedure 2300 must derive category B4.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Procedure Category Derivation 1!23
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals CO.; DE 1/2 equals Y.; DE 1/10 equals 2300.; The combination derives procedure category B4.

TDR-R-03104 | Cross-field integrity | Export declaration | Export procedure derivation: declaration type CO, additional declaration type Y, and requested procedure 3151 must derive category B4.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Procedure Category Derivation 1!23
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals CO.; DE 1/2 equals Y.; DE 1/10 equals 3151.; The combination derives procedure category B4.

TDR-R-03105 | Cross-field integrity | Export declaration | Export procedure derivation: declaration type CO, additional declaration type Y, and requested procedure 3153 must derive category B4.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Procedure Category Derivation 1!23
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals CO.; DE 1/2 equals Y.; DE 1/10 equals 3153.; The combination derives procedure category B4.

TDR-R-03106 | Cross-field integrity | Export declaration | Export procedure derivation: declaration type CO, additional declaration type Y, and requested procedure 3171 must derive category B4.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Procedure Category Derivation 1!23
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals CO.; DE 1/2 equals Y.; DE 1/10 equals 3171.; The combination derives procedure category B4.

TDR-R-03107 | Cross-field integrity | Export declaration | Export procedure derivation: declaration type CO, additional declaration type Z, and requested procedure 1040 must derive category B4.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Procedure Category Derivation 1!24
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals CO.; DE 1/2 equals Z.; DE 1/10 equals 1040.; The combination derives procedure category B4.

TDR-R-03108 | Cross-field integrity | Export declaration | Export procedure derivation: declaration type CO, additional declaration type Z, and requested procedure 2300 must derive category B4.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Procedure Category Derivation 1!24
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals CO.; DE 1/2 equals Z.; DE 1/10 equals 2300.; The combination derives procedure category B4.

TDR-R-03109 | Cross-field integrity | Export declaration | Export procedure derivation: declaration type CO, additional declaration type Z, and requested procedure 3151 must derive category B4.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Procedure Category Derivation 1!24
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052

Acceptance: DE 1/1 equals CO.; DE 1/2 equals Z.; DE 1/10 equals 3151.; The combination derives procedure category B4.

TDR-R-03110 | Cross-field integrity | Export declaration | Export procedure derivation: declaration type CO, additional declaration type Z, and requested procedure 3153 must derive category B4.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Procedure Category Derivation 1!24
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals CO.; DE 1/2 equals Z.; DE 1/10 equals 3153.; The combination derives procedure category B4.

TDR-R-03111 | Cross-field integrity | Export declaration | Export procedure derivation: declaration type CO, additional declaration type Z, and requested procedure 3171 must derive category B4.
Reference: CDS 03 Declaration Technical Completion Matrix for Exports | v5.7 | Procedure Category Derivation 1!24
Error code/pattern: CDS11004 | CDS11005 | CDS12050 | CDS12052
Acceptance: DE 1/1 equals CO.; DE 1/2 equals Z.; DE 1/10 equals 3171.; The combination derives procedure category B4.

TDR-R-03112 | Global validation | All CDS XML messages | Declaration, amendment, cancellation and goods-arrival payloads must pass HMRC XSD schema validation before CDS processing begins.
Reference: CDS Declaration Submission Service Design | v2.30 | Section 2.2 Technical Validation Carried out on all Declarations
Error code/pattern: BAD_REQUEST | xml_validation_error
Acceptance: Payload conforms to the HMRC-published XSD for the API and version in use.; No datatype, element-order or invalid-element schema errors are returned.; HTTP 400 is not returned by the API gateway.

TDR-R-03113 | Global validation | All CDS XML messages | Payload content must not trigger the HMRC web application firewall regular-expression rules.
Reference: CDS Declaration Submission Service Design | v2.30 | Section 2.2 Web Application Firewall (WAF) Validation
Error code/pattern: HTTP 403 PAYLOAD_FORBIDDEN | HTTP 500 INTERNAL_SERVER_ERROR
Acceptance: Free-text fields do not contain blocked character combinations or keyword patterns.; The API does not return PAYLOAD_FORBIDDEN or Internal server error at WAF stage.

TDR-R-03114 | Global validation | Declaration submission | CDS does not accept batch declaration submission; declarations must be submitted individually.
Reference: CDS Declaration Submission Service Design | v2.30 | Section 2 Scope for Declaration Management
Error code/pattern: DMSREJ validationResultType | API rejection
Acceptance: Each API call contains one declaration message only.; No batch wrapper or multi-declaration payload is sent.

TDR-R-03115 | Global validation | Declaration submission | Local Reference Number (LRN / submitterReference / DE 2/5) must be unique against accepted and registered declarations and cannot be reused within 48 hours.
Reference: CDS Error Codes | 11-03-2026 issue | CDS12003
Error code/pattern: CDS12003
Acceptance: DE 2/5 is unique for the trader among accepted and registered declarations.; A rejected declaration's LRN may be reused; an accepted or registered one may not be reused within 48 hours.

TDR-R-03116 | Cross-field integrity | Declaration submission | DE 1/9 Total Number of Items must equal the number of goods items declared.
Reference: CDS Error Codes | 11-03-2026 issue | CDS11003
Error code/pattern: CDS11003
Acceptance: DE 1/9 matches the count of goods-item structures in the payload.; No extra or missing goods-item nodes exist relative to DE 1/9.

TDR-R-03117 | Cross-field integrity | Import and export declarations | All goods items on a declaration must derive the same procedure category.
Reference: CDS Error Codes | 11-03-2026 issue | CDS11005
Error code/pattern: CDS11005
Acceptance: Every item's DE 1/10 and DE 1/2 combination derives the same declaration category.; No mixed-category declaration is submitted.

TDR-R-03118 | Cross-field integrity | Import and export declarations | Net mass must be lower than gross mass.
Reference: CDS Error Codes | 11-03-2026 issue | CDS11006
Error code/pattern: CDS11006
Acceptance: Where both masses are declared, net mass is less than gross mass for the same scope.

TDR-R-03119 | Additional-message validation | Goods arrival | A goods-arrival notification must follow a pre-lodged declaration in a permissible state.
Reference: CDS Error Codes | 11-03-2026 issue | CDS12014
Error code/pattern: CDS12014 | CDS12015
Acceptance: A pre-lodged declaration exists for the reference used by the goods-arrival message.; The referenced declaration is in a state that permits arrival.

TDR-R-03120 | Additional-message validation | Goods arrival | Goods-arrival notifications must be submitted within 30 days of the pre-lodged declaration.
Reference: CDS Error Codes | 11-03-2026 issue | CDS12031 / CDS12046
Error code/pattern: CDS12031 | CDS12046
Acceptance: Arrival is submitted within the 30-day window measured from the original declaration receipt date.

TDR-R-03121 | Additional-message validation | Amendment and cancellation | A new amendment or cancellation request cannot be submitted while a previous request is still awaiting response.
Reference: CDS Error Codes | 11-03-2026 issue | CDS12036
Error code/pattern: CDS12036
Acceptance: Only one in-flight amendment or cancellation request exists per declaration lifecycle point.

TDR-R-03122 | Additional-message validation | Amendment | The submission channel of an amendment must match the original declaration channel.
Reference: CDS Error Codes | 11-03-2026 issue | CDS12034
Error code/pattern: CDS12034

Acceptance: The amendment uses the same submission channel as the original declaration.

TDR-R-03123 | Format rule | Supporting-document upload | The secure file-upload service accepts at most 10 files, each up to 10 MB, and only jpeg, pdf, doc, docx, xls, xlsx, or png formats.
Reference: CDS Secure File Upload UI User Guide | v0.44 | Section 3.1.5 File Upload
Error code/pattern: HTTP 413 | BAD_REQUEST
Acceptance: No more than 10 files are uploaded in one submission set.; Each file is 10 MB or smaller.; Each file extension is one of jpeg, pdf, doc, docx, xls, xlsx, png.

TDR-R-03124 | Format rule | Supporting-document upload | Avoid %, ?, &, tabs, and other special characters in secure-file-upload filenames because the service may behave unexpectedly.
Reference: CDS Secure File Upload UI User Guide | v0.44 | Section 3.1.5 File Upload
Error code/pattern: BAD_REQUEST | HTTP 403 PAYLOAD_FORBIDDEN | Unexpected file-read failure
Acceptance: Filename characters are HTTP-safe and do not contain %, ?, &, tabs, or special characters flagged by HMRC.

TDR-R-03125 | Format rule | WAF-sensitive free-text fields | Avoid semicolons, equals signs, slash characters in goods descriptions, and SQL-keyword patterns in free text because these combinations are known WAF triggers.
Reference: WAF Trigger Examples | v0.4 | General Advice tab (GA1-GA4)
Error code/pattern: HTTP 403 PAYLOAD_FORBIDDEN | HTTP 500 INTERNAL_SERVER_ERROR
Acceptance: Free-text fields do not contain ';', '=', SQL-keyword strings, or '/' in goodsDescription where HMRC has flagged them as trigger patterns.; Known trigger examples are removed or rewritten before submission.

TDR-R-03126 | Format rule | Export inventory linking | MUCR values must match HMRC's published CDS MUCR formats, contain no more than one hyphen, and MRNs must not be submitted as export movements.
Reference: CDS Guidance for Software Developers - MUCR Format | Baselined | Sections 2 and 4 Appendix
Error code/pattern: MUCR reference is invalid | DMSREJ / ILE NAK
Acceptance: MUCR length is 35 characters or fewer.; MUCR matches one HMRC-published CDS format.; No MRN is used in place of a MUCR on export movement messaging.

TDR-R-03127 | Format rule | Authorisations | Authorisation references declared in DE 2/3 and DE 3/39 must match HMRC-published CDS authorisation formats for the declared authorisation type.
Reference: CDS Guidance for Software Developers - Validation of Authorisations | v1.9 | Authorisations Table
Error code/pattern: CDS12005 | CDS12006 | CDS12007
Acceptance: The declared authorisation or licence reference matches the HMRC format for its type.; The reference belongs to the declared party and is valid for the scenario.

TDR-R-03128 | Business-rule validation | Tariff measures | Where a tariff measure requires a document, CDS returns CDS40045 if the required document is missing; where a measure condition or range is not met, CDS returns CDS40066.
Reference: CDS Declaration Submission Service Design | v2.30 | Section 6.3 Tariff Measure Validation Failures
Error code/pattern: CDS40045 | CDS40066
Acceptance: All document-based measure conditions are declared on the affected commodity lines.; All value, ratio, or other measure conditions are satisfied for the affected commodity lines.

TDR-R-03129 | Integration rule | Trader Dress Rehearsal environment | The Accept header must target the TDR API version for each subscribed CDS API, including Customs Declarations API v1.0 in TDR.
Reference: Developer set up | Customs Declarations End-to-End Service Guide | Web page | API versioning
Error code/pattern: HTTP 406 Not Acceptable
Acceptance: The request Accept header matches the TDR API version subscribed for that environment.; The application is allow-listed and subscribed to that API version.

TDR-R-03130 | Operational rule | Trader Dress Rehearsal proving | TDR should be used for realistic, day-in-the-life declaration proving with real account data, not for performance or exploratory technical testing.
Reference: CDS RunBook | v4.3 | Slide 17 Guidance / Slide 2 Connecting to TDR
Error code/pattern: Support escalation / misuse risk
Acceptance: TDR test scenarios use realistic declarant data and declaration journeys.; The proving pack excludes performance, load, or exploratory protocol testing in TDR.

TDR-R-03131 | Operational rule | Service availability | Submission planning must account for HMRC's published service-availability notices, planned maintenance windows, and queued-processing warnings.
Reference: Customs Declaration Service: service availability and issues | Web page | Current and historical update entries
Error code/pattern: Service queueing / delayed processing
Acceptance: Submission windows are checked against the HMRC service-availability page before go-live or dress-rehearsal runs.; Exports needing Permission to Progress are not first submitted during a published queueing window.