

AvailabilityCalender — Quick Reference

⚡ The most important rule to remember

To make yourself available during a vacation block, prefix the event title with **Exception:**

Example: **Exception: OTD debate prep** — Open to Debate sees "debate prep" with full detail; ABC sees "Not available"; the vacation band still appears at the top of the day.

Without **Exception:**, every event on a vacation day is hidden from clients (only the "Vacation" band shows).

Title prefixes — full list

Every prefix is case-insensitive. The colon is optional. At least one space between the prefix and the rest of the title.

Prefix	Effect
OTD:	Tag this event as Open to Debate work. OTD sees full title; ABC sees "Not available."
ABC:	Tag this event as ABC work. ABC sees full title; OTD sees "Not available."
Vacation:	Block all client views. Both clients see "Vacation" band; everything that day is suppressed except Exception: events.
Exception:	Override vacation suppression. Combine with another prefix to route the event to a client (Exception: OTD ...) or use alone for personal (clients see "Not available").

You can stack **Exception:** with any other prefix:

- Exception: OTD prep call** → vacation override + OTD-tagged
 - Exception: ABC interview** → vacation override + ABC-tagged
 - Exception: Doctor** → vacation override + personal (both clients see "Not available")
-

How events get classified (without prefixes)

If you don't add a prefix, the app looks at the event's attendees and organizer:

- Anyone with `@abc.com` → ABC
- Anyone with `@opentodebate.org` → Open to Debate
- Anything else → personal (both clients see "Not available")

Domain detection works automatically when ABC or Open to Debate sends you an invite. You only need to type prefixes manually for events you create yourself, or when domain detection fails.

What clients see

Event type	ABC view	Open to Debate view
ABC-tagged	Full title in green	"Not available" in pink
OTD-tagged	"Not available" in pink	Full title in lavender
Personal (no tags)	"Not available" in pink	"Not available" in pink
<code>Vacation:</code> all-day	"Vacation" band, day suppressed	"Vacation" band, day suppressed
<code>Exception:</code> event	Visible per its tag	Visible per its tag

Calendar visibility

- **Weekdays Mon-Fri, 8am-6pm** show in the main grid
 - **Weekend events** and **before-8am/after-6pm events** appear as a per-week clickable summary below the grid
 - **All-day events** appear as a band at the top of the affected days
 - The grid shows 3 weeks at a time; navigate with Previous/Next or jump using the right-side month index
-

URLs and access

Three URL patterns. The keys are stored in `.streamlit/secrets.toml` on your laptop and (eventually) in Streamlit Cloud's secrets panel.

- `https://[host]/?key=YOUR_JD_KEY` — full access; can switch between views
- `https://[host]/?key=YOUR_ABC_KEY` — locked to ABC view; no view switcher
- `https://[host]/?key=YOUR_OTD_KEY` — locked to Open to Debate view; no view switcher
- No key, or wrong key → "Calendar private" page, no data shown

To revoke a client's access: regenerate that one key in `secrets.toml` (or in Streamlit Cloud's secrets panel after deployment) and send them the new URL. The old URL becomes dead instantly.

Running the app locally

Double-click `Run AvailabilityCalender.bat` in `C:\Users\jj\Desktop\AvailabilityCalender\`.

A black command window opens, Streamlit launches, browser opens. Visit one of the URLs above (with `localhost:8501` as the host) to see the calendar.

To stop: close the black command window or press Ctrl+C in it.

Troubleshooting quick-reference

"Calendar private" page when you expect to see the calendar

Check the URL has a valid `?key=...` parameter. Compare against `secrets.toml`.

Calendar shows but events look wrong / misclassified

In Your view, scroll to the bottom and expand "How each event was classified." Each event shows what rule was applied. Adjust title prefixes or add domain entries if needed.

Stale data

Click "Refresh now" to force a fresh fetch from Google. Otherwise the app caches data for ~5 minutes.

Recurring event on the wrong day

Google Calendar updates iCal feeds slowly (every few hours). Wait or click "Refresh now."

Files in the project folder

```
C:\Users\jj\Desktop\AvailabilityCalender\
```

app.py	← the Streamlit app
Run AvailabilityCalender.bat	← double-click launcher
README.md	← this file
.streamlit\	
secrets.toml	← iCal URL + 3 access keys (NEVER commit to
GitHub)	