Getting client ID

Do the following:

it is from the website: https://www.dennisrye.com/post/howto-get-twitch-streams-with-powershell/


Setting up Twitch access

First things first, you need an account on <u>Twitch</u>. You should already have that, so far so good.


Next step is to sign up on https://dev.twitch.tv/ and get a key to access their API. Login is just my Twitch account, which I'll then be asked to link to their development site.




Log In	Sign Up	
Usernam	e	
llstrk		
Passwor	d	
•••••	•••••	
Trouble lo	gging in?	
	Log In	




I then need to generate an API key, which I can do in the dashboard by registering a new application.






The name needs to be unique across all of Twitch. The **OAuth Redirect URL** is for more advanced scenarios, for example, if I want to authenticate my users through Twitch. It's not relevant here, and *localhost* is fine. There are multiple options in **Category**, and I think **Application Integration** fits what I'm doing best.




Now that the application is registered, I need to hit Manage to go back and see my Client ID.




Manage Application: DevDevDev Register a new application that uses the Twitch API to interact with Twitch Name DevDevDev À Displayed to users when authorizing your application. OAuth Redirect URL http://localhost Will receive the result of all client authorizations: either an access token or a failure message. This must exactly match the redirect_uri parameter passed to the authorization endpoint. When testing locally, you can set this to http://localhost. Category Application Integration \$ I'm not a robot Client ID 741woihd6b0b0t9bh7kvm7c6dvoisz Passed to authorization endpoints to identify your application. You cannot change your application's client id. Client Secret Passed to the token exchange endpoints to obtain a token. You must keep this confidential. **New Secret** Save

Making the script work for you:


Download the script and files from https://github.com/jjetaylor/LiveTwitchStreamers



Select "clone or download"



Select "Download ZIP"



Navigate to where you downloaded the zip folder and then extract it.


Rename the "LiveTwitchStreamers-master\" folder to "LiveTwitchStreamers".


Move it to where you want it to be ran from. I would suggest under your user's documents folder.

C:\Users\Your_Computer_User_Name_Here\Documents\LiveTwitchStreamers


Making the script run automatically:

Open Task Scheduler






Select "Create Task"



Name: TwitchStreamers

Description: Check for twitch streamers that are live. If they are live, open their stream in internet explorer. If they are no longer live, it will kill all internet explorer browsers and re-open the ones that are live.


Click next.



When do you want the task to start? When the computer Starts


We are choosing this option so that we can reboot the computer and it will always start when the computer turns back on.

Click next.




What action do you want the task to perform? Start a program

Select next




Select Browse




Navigate to the folder where you placed the "LiveTwitchStreamers.ps1" script and the "twitchusers.txt". Select "LiveTwitchStreamers.ps1"

Click next.




Check the box "Open the Properties dialog for this task when I click Finish" box.

Select Finish




In the "TwitchStreamers" property box that should have popped up, select "Run whether user is logged on or not"



Switch to "Triggers" tab at the top.

Select "At startup"

Select "Edit"



Make the following changes:

Confirm "Delay task for:" is unchecked.

Check "repeat task every:" and set it to "5 Minutes". Change the "for a duration of:" field to "Indefinitely".


Confirm the following are unchecked:

"stop task if it runs longer than:"

"activate:"

"Expire:"

Check "enabled if it is not already checked.



Change to the "conditions" tab at the top.

Check the box "Start the task only if the computer is idle for:" and set it to "10 minutes" Set "Wait for idle for: "10 minutes"

Check the box "stop if the computer ceases to be idle"

Check the box "Restart if the idle state resumes".

Leave the power settings as they are if you are using a laptop.

Check the box "Start the task only if the computer is on AC power"

Check the box "Stop if the computer switches to battery power"


Uncheck or do NOT check "Wake the computer to run this task"

Change power settings if you are using a desktop computer

Check the box "Start the task only if the computer is on AC power"

Uncheck or do NOT check the box "Stop if the computer switches to battery power". It should not matter if it's a desktop but we can set the settings correctly anyway.

Uncheck or do NOT check "Wake the computer to run this task"



Change to the "Settings" tab.

Check "allow task to be run on demand"

Uncheck or do NOT check "Run task as soon as possible after a scheduled start is missed"

Check "If the task fails, restart every:" and set it to "5 Minutes".


Change "attempt to restart up to:" to "15" times.

Uncheck or do NOT check "Stop the task if it runs longer than:"

Check "if the running task does not end when requested, force it to stop"

Uncheck or do NOT check "If the task is not scheduled to run again, delete it after:"

Set the "if the task is already running, then the following rule applies:" option to "Stop the existing instance".



When it asks for you to enter the credentials of the user running this task, use your own credentials. Make sure that the "User name:" has the name you use to log into the computer.

Enter your password that you would use to log into the computer.