

# MAGIX


Dave & JJ

# WHAT IS MAGIX

- MAjorana Gas detector Instrumented with Xenon.
- Ton scale HPXe TPC for  $\bar{\nu}\nu$  and DM searches.
- NEXT, a 100 kg HPXe TPC used as springboard of MAGIX.
- Guaranteed huge discovery potential for  $\bar{\nu}\nu$  based on energy resolution and large background suppression rate (due to topological signature).
- Opens up the intriguing possibility to measure directionality using columnar sensing, as proposed by DN.


# ENERGY RESOLUTION

Energy, 662 keV gammas from  $^{137}\text{Cs}$  in NEXT-DBDM



**0.5% FWHM at Q<sub>bb</sub> in central region**

Energy, 511 keV gammas from  $^{22}\text{Na}$  in NEXT-DEMO




**0.8% FWHM at Q<sub>bb</sub> in full fiducial**




# TOPOLOGICAL SIGNATURE


Signature of a bb0nu event: 2 blobs no satellite




Signature of a background event: 1 blob X ray



# DETECTOR IN WATER TANK





# SYMMETRIC APPARATUS





# BARREL ENERGY SYSTEM








R: 1.0 % FWHM  $0.8 \cdot 10^{-4}$  ckky  
 I: 0.5 % FWHM  $0.5 \cdot 10^{-4}$  ckky

Notice that NEXT with 150 kg achieves a sensitivity two times better than EXO in mass. It takes only one year to “catch” EXO in the best case.

NEXT demonstrates the case for MAGIX. The one-ton scale is spectacular (Sinclair got very edgy with the 1-ton plot)







R: 1.0 % FWHM  $0.8 \cdot 10^{-4}$  ckky  
 I: 0.5 % FWHM  $0.5 \cdot 10^{-4}$  ckky

Notice that NEXT with 150 kg achieves a sensitivity two times better than EXO in mass. It takes only one year to “catch” EXO in the best case.

NEXT demonstrates the case for MAGIX. The one-ton scale is spectacular (Sinclair got very edgy with the 1-ton plot)

