



Endocrine Histology


Barb Puder, PhD




Pituitary 2X



Anterior Pituitary 40 X



Pituitary 10 X




Pars nervosa


Nuclei of pituicytes

Herring body


Pineal Gland

Corpora arenacea
or "brain sand"






Thyroid Gland 40 X



Parathyroid 40X

**Adrenal Gland
Chromic Stain**



Medulla

Cortex

Adrenal Gland 2X

Adrenal Gland

A histological section of an adrenal gland stained with hematoxylin and eosin (H&E). The image shows the outer capsule, the inner medulla, and the three zones of the adrenal cortex. The capsule is a thin layer of connective tissue. The medulla is the central, darker region. The cortex is the outer layer, divided into three zones: the outermost zone glomerulosa, the middle zone fasciculata, and the innermost zone reticularis. The zone fasciculata is the largest and most prominent, showing a characteristic fasciculated arrangement of cells. The zone glomerulosa is the outermost layer of the cortex, and the zone reticularis is the innermost layer, adjacent to the medulla.

Capsule

Medulla

Z. fasciculata

Z. glomerulosa

Z. reticularis


Adrenal Cortex

Capsule

Z. glomerulosa

Z. fasciculata


Z. reticularis




**Pancreas-
immunostained with
antibody specific for
insulin**

Exocrine pancreas

**Islet of Langerhans
Beta cells stain red**



Pancreas 10 X



Pancreas 40 X