



Adolescent Health Quiz (Pediatric Module)

Jan 13 at 2:24pm

JH

Instructions



You are required to get a minimum of 70% on each of the 11 quizzes in the Pediatric Module. You must also complete each quiz to receive credit for the module.



You will have 15 minutes per quiz attempt and a maximum of 2 attempts per quiz. You must refer to the material presented in the module when taking the quiz. Please do individual

Pages



Dashboard

Make sure that you find this material interesting and enjoyable. These quizzes are designed to focus on the most high yield material in order to prepare you for your upcoming exams and clinical rotations.



Assignments

1 pts



Notes



Grades



Courses



Calendar



Inbox



Help



The patient is Abigail. Abigail is a 16 yo female whose parents are concerned about her behavior. On entering the room you notice a well-appearing, young female who is sitting on the floor and providing one word answers to your questions. Her parents are in the room and report that their daughter has not been the same for the past 6 weeks. She spends all her time at home in her room on her computer and rarely interacts with her friends. When they do interact she is usually extremely irritable and argumentative. Mom is worried Abigail has Bipolar Disorder because her moods have always seemed to change so quickly in the course of a day. Dad disagrees stating, "She's just a normal teenager but I think something may have happened with a boy or maybe she's on drugs." Abigail endorses sleeping poorly over the past 2 months, feeling exhausted with very little energy, getting angry very easily, having a very hard time focusing in school, and not having an interest in food very much. She has lost 10 pounds since her last doctor's visit 8 weeks ago but her exam is otherwise unremarkable.

Your primary directive is to make sure the patient is not at risk of harming herself or others. To do this, what approach would be most effective next step?

Courses

Ask her if they have any sharp objects in the home with which she could cut herself

10d left



Encourage her to step out of the room and gather further information about her risk factors for suicide

ient and her family to take home a suicide risk assessment scale and send it back to the clinic in tomorrow

Drug urine drug screen to rule out substance abuse

21 pts

Widgets



When speaking with Abigail, you are recalling the adolescent screening tool. You recall that the categories for the Adolescent HEADSS Exam include home, education, drugs, depression, suicide and . . .

Pages



Dashboard



Assignments



Notes

re

dule



Grades

31 pts



Courses

A 16-year-old female, Abigail, tells you that she would like to be started on birth control pills without notifying her parents. After counseling her about the importance of safer sex practices in the state of California the physician:



Calendar

Advise her parents about the birth control pills before they can prescribe them



Inbox

Advise her to see her for "personal problems" and encourage her to go to a free community clinic like Planned Parenthood



Help

Obtain her assent, but not informed consent for birth control pills



Obtain the patient's consent for birth control pills without informing her parents

Courses

Discourage her from having sex and inform her that abstinence is her only option

10d left



41 pts

patient that you see is 14 year old Tony. Tony has not been seen by the pediatrician for 2 or 3 years. He presents today because he needs clearance to play football on the school team. While you are gathering the history, you remember back to all of the components of a sport's physical. One of the most important components of the physical that you relay to your preceptor is

what Tony is doing in school

Widgets



the frequency and severity of concussions Tony has had in the past

whether Tony was born via c-section or vaginal delivery

Pages



when Tony received the Rotavirus vaccine

Dashboard



what sport Tony plays on the team

Assignments

51 pts



Notes

When counseling teens you may have more luck focusing on immediate & superficial consequences (for example, "smoking will stain your teeth and make you smell badly" will have more impact on a teen patient than "smoking causes cancer").



Grades



Courses



Calendar

61 pts

A 14 year old basketball player who presents to the office with 3 weeks of left sided knee pain. She says the pain is just below her kneecap, and her left knee is tender to palpation and there is some swelling at the tibial tubercle. What type of injury would this be considered?



Inbox



Help



Courses

Adolescent Health

10d left



71 pts

Adolescents generally seek medical care frequently.

Widgets



81 pts

Which of the following would be considered precocious puberty?

Pages

Menarche at age 16



Dashboard

Which of the following are normal sexual characteristics in an 8 year old boy?



Assignments

Which of the following is NOT normal in a 13 year old girl?



Notes

Which of the following are normal sexual characteristics in a 10 year old girl?



Grades

91 pts

Which of the following are goals of the pre-participation sports physical EXCEPT:



Courses

Which of the following are risk factors or barriers and conditions that may affect participation or affect the overall well-being of the teen?



Calendar

Which of the following is NOT a goal of pre-participation sports physical?



Inbox

Which of the following is NOT a risk factor for sudden death?



Help

101 pts

Which of the following is the leading cause of death in adolescents?



Courses

Which of the following is NOT a risk factor for sudden death?

10d left



Not saved

Submit Quiz

Widgets



Pages



Dashboard



Assignments



Notes



Grades



Courses



Calendar



Inbox



Help



Courses

10d left

