

NET CONTENTS: 2.14 GALLONS

RESTRICTED USE PESTICIDE

Due to toxicity categories.

For retail sale to and use only by Certified Applicators or persons under their direct supervision and only for those uses covered by the Certified Applicator's certification.

HUSKIE® COMPLETE Herbicide

For Selective Postemergence Control of Annual Grasses and Annual Broadleaf Weeds in Wheat, including Durum Wheat.

ACTIVE INGREDIENTS:

Thiencarbazone-methyl	0.45%
Pyrasulfotole	2.82%
Bromoxynil	22.56%*
OTHER INGREDIENTS	74.17%
TOTAL:	100.00%

*Represents Bromoxynil esters (octanoate+heptanoate).

Bromoxynil is present as bromoxynil phenol and mixed octanoate and heptanoate esters at 15.77% in bromoxynil phenol equivalent.

Contains petroleum distillates.

Contains 0.042 pound Thiencarbazone-methyl, 0.26 pound Pyrasulfotole, 1.46 pounds Bromoxynil as phenol or 2.09 pounds bromoxynil esters per gallon.

EPA Reg. No. 264-1135

KEEP OUT OF REACH OF CHILDREN DANGER PELIGRO

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle.
(If you do not understand the label, find someone to explain it to you in detail.)

Please refer to booklet for additional precautionary statements and directions for use.

For MEDICAL AND TRANSPORTATION

Emergencies **ONLY** Call 24 Hours A Day
1-800-334-7577

For **PRODUCT USE** Information Call
1-866-99BAYER (1-866-992-2937)

FIRST AID

IF IN EYES:	<ul style="list-style-type: none"> Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing. Call a poison control center or doctor for treatment advice.
IF ON SKIN OR CLOTHING:	<ul style="list-style-type: none"> Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
IF SWALLOWED:	<ul style="list-style-type: none"> Immediately call a poison control center or doctor for treatment advice. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person.

For MEDICAL Emergencies Call 24 Hours A Day
1-800-334-7577.

Have the product container or label with you when calling a poison control center or doctor or going for treatment.

NOTE TO PHYSICIAN: No specific antidote is available. Possible mucosal damage may contraindicate the use of gastric lavage. May pose an aspiration pneumonia hazard.

THIENCARBAZONE-METHYL	GROUP 2	HERBICIDE
PYRASULFOTOLE	GROUP 27	HERBICIDE
BROMOXYNIL	GROUP 6	HERBICIDE

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS DANGER

Corrosive. Causes irreversible eye damage. May be fatal if swallowed. Harmful if absorbed through skin. Avoid contact with skin or clothing. Do not get in eyes or on clothing. Wear protective eyewear (goggles, face shield, or safety glasses). Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.

DIRECTIONS FOR USE RESTRICTED USE PESTICIDE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not use this product until you have read the entire label.

STORAGE AND DISPOSAL

Proper pesticide storage and disposal are essential to protect against exposure to people and the environment due to leaks and spills, excess product or waste, and vandalism. Do not allow this product to contaminate water, foodstuffs, feed or seed by storage or disposal.

PESTICIDE STORAGE: Store pesticides away from food, pet food, feed, seed, fertilizers, and veterinary supplies. Keep container closed to prevent spills and contamination.

PESTICIDE DISPOSAL: To avoid wastes, use all material in this container, including rinsate, by application according to label directions. If wastes cannot be avoided, offer remaining product to a waste disposal facility or pesticide disposal program. Such programs are often run by state or local governments or by industry. All disposal must be in accordance with applicable federal, state and local regulations and procedures.

CONTAINER HANDLING AND DISPOSAL:

Nonrefillable container.

For nonrefillable containers of 5-gallon capacity or less

Do not reuse the container to hold materials other than pesticides or dilute pesticides (rinsate). After emptying and cleaning, it may be allowable to temporarily hold rinsate or other pesticide-related materials in the container. Contact your state regulatory agency to determine allowable practices in your state.

Triple rinse or pressure rinse (or equivalent) the container promptly after emptying.

Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container ¼ full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix-tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times.

Pressure rinse as follows: Empty the remaining contents into application equipment or a mix tank and continue to drain for 10 seconds after the flow begins to drip. Hold container upside down over application equipment or mix-tank while rinsing, or collect rinsate for later use or disposal. Insert pressure rinsing nozzle in the side of the container and rinse at about 40 PSI for at least 30 seconds. Drain for 10 seconds after the flow begins to drip.

Warning: This product contains a chemical known to the State of California to cause developmental harm.

Produced for

Bayer CropScience LP

800 N. Lindbergh Blvd.

St. Louis, MO 63167

HUSKIE is a registered trademark of Bayer Group.

©2023 Bayer Group. All rights reserved.

US84995908C

221219C 08/23

7 85740 15952 1