Big Bang theory, 339
elementary particles formed in, 28t
microwave radiation and, 349–350
neutrinos and, 25–26
Bimolecular reaction, energies in, 49–51, 50f
Binding energy (E_B), 72
atomic mass and, 71t
excitation energy and, 318
fission and, 74
fluorescent radiation and, 106
fusion and, 73–74
for helium, 72
in internal conversion, 100
of neutron, 128, 129f
in nuclear stability, 72–74, 73f
nucleon and, 73–74, 73f, 76
Biological affinity, of radioactive tracers, 574–575
autoradiography using, 575, 576f
DNA analysis using, 577
RIA using, 575
Biological effects of radiation, 446, *see also* Radiation biology
biological target, 448f, 449–453
on different cell types, 454f
genetic effects, 467
on molecular level, 449–450
radiation chemistry, 450t, 452–453
radiation physics, 450–452
radiation weighing factors, 453
radiation background, 469–473, 468t–469t
radiation sterilization, 454f, 454t, 466–467
Biological systems, isotope effects in
chemical equilibrium, 49
chemical kinetics, 49–52, 50f
Biosynthesis, radioactive labelling through, 528
Bismuth (Bi), nuclear radius of, 74–75, 75f
Bismuth phosphate process, 710
Bk, *see* Berkelium
Black holes, 343–344, 363
Blueshift, 344
Bohr magneton (B.m.), 134
Bohrium (Bh), 440t, 442
Boiling water reactors (BWRs), 657
coolant for, 598–599
corrosion in, 666–668
data for, 610t
efficiency of, 631
emergency cooling systems of, 636–637, 636f
event tree for, 681, 682f
general principles of, 610t, 626–630, 629f
history of, 12
load factor for, 631–632
overview of, 660–663
prevalence of, 598, 598t
radionuclide release from, 638, 639t
shim control in, 634–635
spent fuel from, 695, 696t
temperatures in, 692, 692f
Boltzmann distribution, 44
Bonding materials, 689
Boron (B), isotopic data for, 34t
Bosons, 22
Bottom quark, 28t
Bq, *see* Becquerel
Bragg peak, 174f, 175
Branched decay, 101f, 103–104, 113
Breeder reactors, 620–621, 669–674, *see also* Fast breeder reactor
thermal breeder, 621, 669–671, 670f
Breeding gain, 620
Bremsstrahlung
of beta particles, 176–177, 176f, 177f, 178f
in neutron stars, 367
Brown dwarfs, 343–344, 353
Bubble chambers, 240–241
liquid hydrogen, 15, 16f
particle moving in, 20
Burners, 619
Burnout, of target material, 524
Burn-up, 619
Cesium and, 695–696, 697f
BWRs, *see* Boiling water reactor, Boiling water reactors

C

^{14}C method, 390–393, 392f, 393f
Calcium
decay scheme for, 141–142, 142f
fission of, 73–74
nuclear radius of, 74–75, 75f
California University Cyclotrons (calutrons), 58
Californium (Cf), 423–424, 441
Calorimetric measurements, of radiation exposure, 229
calutrons, *see* California University Cyclotrons

Cancer
  gamma radiation and frequency of, 474f, 474
  radiation and risk of, 476, 475t
  stochastic induction, 462f, 463f, 465f, 465
CANDU
  history of, 12
  overview of, 659–660
Capture cross-section, 316, 602f
Carbon
  carbon-14
    ^{14}C method, 390–393, 392f, 393f
    cosmogenic, 380–381, 380f
  ^{11}C-labelled compounds, 535
  isotopic data for, 34t
  isotopic ratio of, 41
  neutron moderation with, 606t
Carbon flash, 345f, 359
Carnot cycle, 631
Carrier-free radionuclide, 527
Carriers, 527, 547–548, 562–563
Carriers of force, 22, 28t
Catcher foils, 529
Celestial mechanics, 341
Centrifugal extractors, 796, 791f
Čerenkov detectors, 274
Čerenkov radiation
  with beta particles, 176f, 178, 179f
  photomultiplication detection of, 273
Cesium (Cs)
  fuel burn-up and, 695–696, 697f
  gamma spectrum of, 279, 280f
Cf, *see* Californium
Chain yield, 329–330
Chain yield curves, 328, 328f
  for fission with thermal neutrons, 328, 328f
Chandrasekhar limit, 353
Charge carriers, 246
Charged particle accelerators, 494
Charged particles
  energy transfer with, 210–212, 211t
  velocity of, 174f, 175
Charge-sensitive preamplifiers, 275–276, 275f
Charm quark, 28t
Chemical analysis
  electron spectrometry for, 192–194, 194f
  mass spectrometer for, 37
    instrumental, 40
  for reactions, 38
Chemical dosimeters, 230
Chemical equilibrium, isotope effect in, 43–49
  in biological systems, 49
  isotopic ratio, 47
  kinetic energy and temperature, 44–45, 45f
  for paleotemperatures, 47–49, 48f
  partial partition functions, 45–46
  partition function, 43–44
Chemical exchange, for isotope separation, 55–56, 56f
Chemical exchange rates, radioactive tracers in determination of, 567–568
Chemical kinetics, isotope effect in, 49–52, 50f
Chemical processing, radioactive tracers used in, 588
Chemical quenching, 272
Chemical reaction paths, radioactive tracers in determination of, 564–566, 565f, 566f
Chemical reactions
  equilibrium constant in, 43
  heat of formation, 70–71
  isotopes in, 41–42
Chemically peculiar (CP) stars, 348–349
Chernobyl reactor accident, 381t, 400–402, 400f, 663, 755t
  radionuclide releases from, 754f, 759–761, 759f, 761t
Chlorine (Cl), isotopic data for, 34t
Ci, *see* Curie
CIPS, *see* Crud Induced Power Shift
Cloud chambers, 240–241, 241f
  cosmic rays in, 15, 16f
  of radioactive decay, 170, 171f
  of Rutherford scattering, 308f
Cloudy crystal ball model, *see* Optical model
Cm, *see* Curium
Cn, *see* Copernicium
CNO cycle, for helium formation, 357, 357t
Cockcroft–Walton accelerators, 494–496
Coherent scattering
  gamma ray absorption by, 184, 184f
  of neutrons, 321
Cold fusion, 429
Collective effective dose, 473f, 477–478
Collective nuclear model, 144–145, 145f
Collision radius, 302

Colour, of leptons and quarks, 27, 28t
Colour quenching, 272
Committed dose, 478f, 478–482
Complex formation constants, radioactive tracers in determination of, 568–569, 570f, 571f, 572f
Complexes, of actinide elements, 430t, 433–439, 437f, 438f
Compound nucleus model, 307, 309–310
  direct interaction model, 324–327, 325f, 326f, 327f
  lifetime of, 323–324, 323f
  liquid-drop model, 322
Compton effect, in gamma ray absorption, 184f, 187–188, 188f
Computed tomography (CT), radioactive tracers in
  ECT, 578f, 579–585, 579f, 581t, 582t, 584f, 585f
  TCT, 577–579, 578f
Condenser ion chamber, for radiation measurement, 229, 230f
Conservation laws, 87–88, 297–298, 298f, 298t
Conservation of energy, 51, 298, 298t
Conservation of linear momentum, 298, 298t
Control rods, 634–635
Controlled thermonuclear reactor (CTR), 639–641
  inertial confinement, 640–641
  magnetic confinement, 641, 641f
Conversion coefficient, 100
Conversion electron, 100
Conversion ratios, 619–620, 620f
Converter reactors, 619
Coolant, 598–599, 674
Copernicium (Cn), 440t, 443
Coprecipitation, of radioactive tracers, 551
Corrosion
  of nuclear fuel, 694
  in nuclear reactors, 666–668
  radioactive tracers used in studies of, 588
Cosmic radiation, 349
  annihilation of, 375–376, 376f
  cloud chamber pictures of, 15, 16f
  components of, 374
  discovery of, 373–374
  groups of, 374–375, 375f
  primary, 374–376, 376f, 380f
  secondary reactions in atmosphere, 376–377
  in SSNTD, 242–244, 376f
Cosmochronology, 390
Cosmogenic radionuclides, 378–381
  14-carbon, 380–381, 380f
  survey of, 378–379, 378t
  tritium, 379–380
Cosmological principle, 340
Coulomb barrier, 155, 299–302, 301f, 303f
  excitation energy and, 310
Coulomb energy
  in nuclear reactions, 300
  in semiempirical mass equation, 76–77
  in spontaneous fission, 158–159
Coulomb excitation, 302
Coulomb force
  nucleus distortion with, 333
  protons and, 68
  strong nuclear force compared with, 18–19
Coulomb radius, 300–301
  nuclear radius and, 301–302
Coulomb repulsive force, 300–301, 301f
  in fission, 331, 332f
Coulomb's law, electromagnetic force and, 18
Count rate metre, 278
Counter current solvent extraction, 792f, 793f, 792–793
Counter ion, radioactive tracer response to, 550–551
Counters, 277
Counting, *see* Detection and measurement techniques
Counting efficiency (ψ), 109, 166
  for absolute disintegration rates, 285
CP stars, *see* Chemically peculiar stars
Creys-Malville reactor, 672–673, 673f
Critical size, 611–613
Crookes tubes, 1
Crud, 666
Crud Induced Power Shift (CIPS), 666
Crystallization, of radioactive tracers, 550–552, 552f
Cs, *see* Cesium
CT, *see* Computed tomography
CTR, *see* Controlled thermonuclear reactor
Curie (Ci), 112
Curium (Cm), 420–423

isotopes of, 422
occurrence and production of, 421f, 422–423, 422f
uses of, 423
Cyclotrons, 503f, 505f, 506–508, 506f
FM cyclotrons, 507f, 508–510
synchrotron light sources, 511–512, 511f
synchrotrons, 507f, 508–510

D

D, *see* Absorbed dose, *see* Deuterium
Ḋ, *see* Specific gamma ray dose rate
Dark energy, 340t, 344
Dark matter, 340t, 343–344
Daughter recoil
in alpha decay, 90
in beta decay, 97
in isomeric transition, 106
Db, *see* Dubnium
DBA, *see* Design basis accident
Dead time, 250–253, 250f
Decay, *see* Radioactive decay
Decay energy, 86, *see also* Q value of reaction
of alpha decay, 89–90
of beta decay, 94
of electron capture, 96
of gamma decay, 98
half-life and, 119
Decay heat, of spent fuel, 701, 702f, 702t
Decay rate, 108–109
proportional counter for, 258–259, 259f
Decay scheme, 101f, 103
of actinide elements, 439t
for calcium, 141–142, 142f
Mössbauer effect and, 196–197, 196f
Deformation index, 143, 143f
Deformed nuclei model, 143–145
collective nuclear model for, 144–145, 145f
deformation index, 143, 143f
electric multipoles, 143–144, 143f
unified model of, 145–147, 146f
Degeneracy, 43–44
Degenerate matter, 343
Delayed neutrons, 329
Density measurements, radionuclide gauges for, 201f, 202
Design basis accident (DBA), 632–633
Detection and measurement techniques, 239–296
absolute disintegration rates, 249f, 285–286
Čerenkov detectors, 274
detector properties, 246–253
basic counting systems, 249, 249f, 250f
pulse generation, 247–248, 247f
pulse shape and dead time, 250–253, 250f, 251f
gas counters, 254–262, 255f, 256f
Geiger–Müller counters, 90, 254, 255f, 256f, 260–262, 260t
ion chambers, 255–258, 256f
proportional counters, 88–90, 254, 256f, 258–260, 259f, 260t
microchannel plate detectors, 274
pulse counting electronics, 275–283
amplifiers, 276–277
counters and rate metres, 277–278
gamma spectrometry, 279–283, 280f, 282f
multichannel analysers, 278–279
preamplifiers, 275–276, 275f
single-channel analysers, 277
sample preparation for, 286–288, 287f
scintillation detectors, 268–273, 269f, 271t
gas, 271
liquid, 272–273, 272t, 273f
solid, 269f, 273
semiconductor detectors, 262–268, 263f
for alpha decay, 90
intrinsic detectors, 268, 268f
lithium-drifted detectors, 266–267, 267f, 268f
surface barrier detectors, 264–266, 265f, 266f
special counting systems, 283–284
statistics of counting and associated error, 288–293, 289f
background activity corrections, 290
χ-square test for, 291
one-atom-at-a-time measurements, 291–293, 292f
Poisson or Gaussian distribution for, 288–290, 289f
standard deviation for, 288–291, 289f
track measurements, 240–246
cloud and bubble chambers, 240–241, 241f
SSNTD, 241–246, 243f, 244t