Reprocessing
of thorium fuels, 722–723
of uranium and MOX fuels, 704f, 709–722
engineering aspects and operation safety, 717f, 719–722, 720f
head end plant, 710–713, 711f
Purex separation scheme, 712f, 716–719
separation methods, 713–716, 713t
waste streams from, 723–728, 724t
environmental releases of, 727–728, 727t
gaseous, 723–725
liquid, 725, 726t
organic, 726
solid, 724t, 726–727
Research nuclear reactors, 624–625
Resistor feedback preamplifier, 275–276, 275f
Resolving time, 250–251, 250f
Resonance, 317–319, 318f
Resonance escape probability, 609
Rest mass, 92–93
kinetic energy and, 92–93, 93f
of neutrinos, 25
reaction energy and, 299
Restriction enzymes, 577
Retention of activity, 532–533
Reversed phase LPC, of radioactive tracers, 555
Reversely biased, 263
Rf, *see* Rutherfordium
RFQ accelerator, *see* Radio-frequency quadrupole accelerator
RIA, *see* Radioimmunoassay
Rn, *see* Radon
Roentgen (R), 214
Rotational energy, 46, 129–137
in deformed nuclei model, 144–145, 145f
r-process, *see* Rapid neutron capture
RTG generators, 205
Russell–Saunders coupling, 134–135
in light atoms, 139
Rutherford scattering, 303–304, 304f, 308f
Rutherfordium (Rf), 440t, 442

S

s, *see* Spin quantum number
S, *see* Specific radioactivity
Saddle point, 333, 335f
Saline waters, radiolysis in, 223
Satellites, nuclear power for, 665
Scalers, 277
SCAs, *see* Single-channel analysers
Scattering, *see also* Back scattering
of beta particles, 179–182, 180f, 181f
coherent
gamma ray absorption by, 184, 184f
of neutrons, 321
elastic, 297, 304–305, 306f, 306t
inelastic, 297, 306–307
Rutherford, 303–304, 304f
Scattering coefficient (μ_s), 167, 170
Scattering of photons theory, 19
Scavengers, 223
Schrödinger wave equation, 22–23
for nucleus, 129–130
Scintillation
of alpha particles, 88–89
of beta particles, 90
of gamma particles, 98
Scintillation detectors, 268–273, 269f, 271t
gas, 271
liquid, 272–273, 272t, 273f
solid, 269f, 273
sample preparation for, 286–288, 287f
Scintillator, 268–270
Scram rods, 634–635
SDP, *see* Slowing down power
Sea of instability, 428
Seaborgium (Sg), 440t, 442
Secondary ion mass spectrometry, 192
Secondary ionization, 164–166
Second-order reactions, in radionuclide production, 518–523, 519f
Sector-separated cyclotron, *see* Separated-sector cyclotron
Secular equilibrium, 115–116, 115f
SECURE district heating reactor, 633, 634f
Self-radiolysis, 225, 227–228
Semiconductor detectors, 262–268, 263f
for alpha decay, 90
intrinsic detectors, 268, 268f
lithium-drifted detectors, 266–267, 267f, 268f
parallel plate ionization chamber compared with, 264
surface barrier detectors, 264–266, 265f, 266f
Semiempirical mass equation, 75–77
as function of Z, 77–78, 77f
liquid-drop model, 333–334, 335f

Separated-sector cyclotron (SSC), 504–505, 505f, 506f
Separation factor, in isotope separation, 52–53
Separation potential, 57–58
Separation processes, for isotopes, 52–62
  chemical exchange, 55–56, 56f
  continuous ion-exchange, 60
  cryogenic distillation, 60
  electrolysis, 56
  electromagnetic, 58
  equilibrium processes, 52
  gas centrifugation, 59–60, 59f
  gaseous diffusion, 57–58
  multistage, 52–55, 53f
  photoionization and photoexcitation processes, 61–62
  rate processes, 52
  stationary-walled gas centrifugation, 56f, 60–61
Separations
  fast radiochemical, 534–542
    autobatch procedures, 535–537, 536f, 537f
    ^{11}C-labelled compound production, 535
    mass separator procedures, 541f, 542
    on-line procedures, 537–540, 538f–541f
  radioactive tracer separation methods, 553–555, 554f, 564–566, 565f–566f
  recoil
    hot atom reactions, 531–532
    Szilard–Chalmers process, 532–534
    target recoil products, 529–531, 530f
Separative work, 57–58
Sg, *see* Seaborgium
Shell corrections, for liquid-drop model, 335–336, 335f
Shim rods, 634–635
Short-lived Isotopes Studied by the AKUFVE (SISAK) technique, 540, 541f
Short-lived radionuclides, 534, *see also* Fast radiochemical separations
Single photon emission computed tomography (SPECT), 578f, 579f, 580, 581t, 582t, 584f, 585f
Single stage solvent extraction, 789–790
Single-channel analysers (SCAs), 277
Single-particle shell model, 137–143
  nuclear energy levels with, 138–139, 139t, 140t
  nuclear spin, 140t, 141–143, 142f
  nuclei with nucleon spin–orbit coupling, 139–141, 140t
  nuclei without nucleon spin–orbit coupling, 138–139, 138t
  quantum number rules, 137–138
Single-stage accelerators, 496f, 497–499
Single-strand break, 450–451
Singlet states, fluorescence of, 226
SISAK technique, *see* Short-lived Isotopes Studied by the AKUFVE technique
Slow neutron capture (s-process), 361–362, 365t
Slow neutron irradiation, 224–225
Slowing down power (SDP), 606–607
Small power generators, 440
SN1987A, 363, 364f
SNAP-27, 205
Solar mass ($M_\odot$), 341
Solar neutrinos, detection of, 25
Solar pressure, 19
Solar system
  lifetime of, 346
  planet evolution, 368–371, 369f, 370f
Sol–gel process, 690
Solid scintillation detectors, 269f, 273
  sample preparation for, 286–288, 287f
Solid/liquid extraction, radionuclide separation with, 539–540, 540f
Solids, surface and reaction properties of, radioactive tracers in studies of, 572–573
Solid-state nuclear track detectors (SSNTD), 240–246, 243f, 244t
Solubility, of actinide elements, 769
Solubility products, radioactive tracers in determination of, 568–569
Solution, radioactive tracer chemistry in
  adsorption, 548–549, 549f
  equilibrium reactions, 550
  precipitation and crystallization, 550–552, 552f
  radiocolloid formation, 550
Solvent extraction, 789–797
  counter current, 792–793, 792f–793f
  equipment for, 795–796, 791f–792f
  high loadings for, 793–795, 793f
  multiple stage continuous, 791–793, 791f–792f
  of radioactive tracers, 553–554, 554f

Solvent extraction (*Continued*)
radioactive tracers in studies of, 569
radionuclide separation with, 540, 541f
single stage, 789–790
Spallation, 324–325, 325f
Speciation calculations, 767f, 769–776, 775t
for americium (Am), 768f, 770, 770f
in solution, 771f, 773–776
Specific activity, of radionuclides, 527
Specific charge, of ion, 36
Specific energy loss
with bremsstrahlung, 176–177, 177f
with ionization, 176–177, 177f
Specific gamma ray dose rate ($\dot{D}$), 214–215, 215f
Specific ionization, 173
Specific labelling, radioactive, 528
Specific power, 691
Specific radioactivity (S), 112
SPECT, *see* Single photon emission computed tomography
Spectral redshift, 345–346
Spent fuel
composition and properties of, 695–701, 696t
actinides, 698–701, 701t, 724t
decay heat and physical properties of, 701, 702f, 702t
fission products, 696t, 697–698, 697f, 698f, 699t
management of, 702–705
interim storage facilities, 705
transport of, 703–705, 703f
Spherical nucleus, 143, 143f
Spin, *see also* Intrinsic rotation
of bosons, 22
of elementary particles, 21t, 22
of fermions, 22
of neutrinos, 25
orbital angular moments coupling with, 132–133, 133f
for select nuclides, 137t
Spin quantum number (s), 22, 132
nuclear energy levels with, 138t
Spontaneous fission, 86–87, 102
half-lives for, 315, 334f
liquid-drop model and, 334, 334f
nuclear structure and, 158–161, 160f
s-process, *see* Slow neutron capture
Spur reactions, in water, 220, 221t
χ-Square test, for statistics of counting and associated error, 291
SSC, *see* Separated-sector cyclotron
SSNTD, *see* Solid-state nuclear track detectors
Stability constants, radioactive tracers in determination of, 568–569, 570f, 571f, 572f
Standard deviation, for statistics of counting and associated error, 288–291, 289f
Standard Model, 27
of Stellar Evolution, 349–350
Stars
element synthesis in, 360, 360f
fusion in, 348f, 354–361, 355f
helium burning to iron, 358–361, 359f, 360f
hydrogen burning to helium, 354–358, 356f, 356t, 357t
ignition of, 353–354
Stationary-walled gas centrifugation, 56f, 60–61
Steam generators, 599–600, 658
Stellar light, 347, 347t
Sterilization, 234–235
Stochastic cancer induction, 465, 462f–463f, 465f
Strange particles, 15, 16f
Strange quark, 28t
Strong nuclear force
Coulombic force compared with, 18–19
nucleon and, 26–27
pions for, 376
reaction time of, 18–19
strength and exchange particles of, 17t, 18
weak interaction force compared with, 18–19
Subcritical, 607
Substoichiometric analysis, 562–564
Substoichiometric principle, 562
Successive neutron capture, in radionuclide production, 520–521, 519f
Successive radioactive decay, 113–118, 116f–117f, 120f
in radionuclide production, 519–520, 519f
Supercritical, 607
Superheavy elements, 534
Supernova, 359, 359f
element formation in, 359f, 362–364, 364f
neutrino detection of, 25
Surface barrier detectors, 264–266, 265f, 266f

Surface energy, in semiempirical mass equation, 76–77
Surface weight, of target material, 523
Symmetry, antimatter and, 23
Synchrocyclotrons, *see* Frequency-modulated cyclotrons
Synchrotron light sources, 511–512, 511f
Synchrotron radiation, 505
Synchrotrons, 507f, 508–510
Szilard–Chalmers process, 532–534
Szilard–Chalmers reaction, 525, 532

T

T, *see* Tritium
Tagged compounds, *see* Labelled compounds
Tail pile-up, 250–251, 250f
Target materials, for radionuclide production, 523–526
  chemical properties of, 524–526
  physical properties of, 523–524
Target recoil products, 529–531, 530f
Target theory, 456
Tau, properties of, 28t
Tau-neutrino, 24
  properties of, 25, 28t
Tauons, 24
Tc, *see* Technetium
TC dosimeter, *see* Thermocurrent dosimeter
TCT, *see* Transmission computer tomography
Te, *see* Tellurium
Technetium (Tc)
  as radioisotope generator, 118t, 119
  stability of, 80–82, 81f
Tellurium (Te), as radioisotope generator, 118t, 119
Temperature, *see also* Paleotemperatures
  in BWRs, 692, 692f
  in fuel, 691–692
  kinetic energy and, 44–45, 45f
Test nuclear reactors, 624–625
Th, *see* Thorium
Thermal annealing rate, 217
Thermal breeder, 621, 669–671, 670f
Thermal diffusion length, 611–612
Thermal efficiency, 630
Thermal equilibrium, nuclear radiation absorption and, 164
Thermal neutrons, 305, 306f
  in BWR, 628
  fissile and fertile nuclides and, 604t
  fission with, 328–330, 328f, 329f, 597
Thermal nuclear reactors, 602–603, 625–630, 658–665, *see also* Boiling water reactors, Pressurized water reactors
  fission factor, 605–606
  neutron cycle in, 607–611, 608f, 610t
  neutron moderation in, 606–607, 606t
  neutrons in, 603–605, 603f
  special systems, 605–606
  transuranium element production in, 422f
Thermal utilization factor, 609
Thermocurrent (TC) dosimeter, 231–232
Thermoluminescence dating, 231, 245–246
Thermoluminescent dosimeter (TLD), 231
Thickness detection, radionuclide gauges for, 201f, 202
Thin layer chromatography, of radioactive tracers, 555
Thorium (Th), 410–412
  discovery of, 2
  isotopes of, 410
  lead found with, 41
  nuclear data for, 604t
  occurrence and production of, 411
  radioactivity of, 2–3
  in thermal breeder, 670–671, 670f
  uses of, 411–412
Thorium ores, 411
Thorium radioelement series, 4, 382
Thorium–uranium (Th–U) fuel cycle, 708–709
Threshold energy, 308
Th–U fuel cycle, *see* Thorium-uranium
Time zero, 350–352, 352f
TLD, *see* Thermoluminescent dosimeter
Toll enrichment, 57–58
Top quark, 28t
Total angular momentum, conservation of, 88
Total attenuation coefficient (μ), 167, 170
  of gamma radiation absorption, 182–183, 183f
Total charge, conservation of, 88
Total energy, conservation of, 87
Total magnetic angular momentum quantum number (m_j), 133
Total nuclear spin, 135