INDEX

Note: Page numbers with "*f*" denote figures; "*t*" tables; and "*b*" boxes.

A

A, *see* Mass number, Nucleons
Absolute disintegration rates, 249f, 285–286
Absorbed dose (D), 214
Absorption coefficient (μ_a), 167, 170
Absorption curves, 166–170, 166f, 168f, 169f
  of beta particles, 179–182, 180f, 181f
Absorption of nuclear radiation, 163–208
  absorption curves, 166–170, 166f, 168f, 169f
  analytical applications of, 191–198
    electron spectrometry for chemical analysis, 192–194, 194f
    Mössbauer effect, 196–198, 196f, 197f, 199f
    proton- or particle-induced X-ray emission, 192, 193f
    secondary ion mass spectrometry, 192
    X-ray fluorescence analysis, 194–196, 195f
  beta particles, 165t, 175–182, 176f
    absorption curves and scattering, 179–182, 180f, 181f
    bremsstrahlung, 176–177, 176f, 177f, 178f
    Čerenkov radiation, 176f, 178, 179f
    excitation, 176f
    ionization, 175–176, 176f, 177f
    positron annihilation, 176f, 178–179
  of gamma radiation, 182–188
    attenuation coefficient, 182–183, 183f
    coherent scattering, 184, 184f
    Compton effect, 184f, 187–188, 188f
    dominance regions for, 188, 188f
    partial absorption process, 183
    photoelectric effect, 184–187, 184f, 185f
  of neutrons, 189
  processes of, 164–166, 165t
  of protons and heavier ions, 170–175, 171f, 172t, 173f, 174f
  range of
    in aluminium, 172–173, 173f
    in composite material, 173
    in gases, 172
    ion pair formation, 173, 174f
    in water, 172, 172t
  shielding for, 173f, 181f, 189–191, 190f, 191f
  technical applications of, 199–206, 200t
    radiography, 203–205, 204t
    radionuclide gauges, 200–203, 201f, 204t, 206f
    radionuclide power generators, 205–206, 206f
  thermal equilibrium and, 164
ABWR, *see* Advanced boiling water reactor
Ac, *see* Actinium
Accelerators, *see* Particle accelerators
Accretion, 368–369
Actinide elements, 410–430, *see also* specific elements
  availability of, 439t
  in ecosphere, 765–769
  electronic configuration of, 430t
  elution curves for, 436, 437f
  extraction of, 436, 438f
  hydrolysis of, 766f, 767–769
  ion preparation and stability of, 435t
  isomer shifts for, 198, 199f
  oxidation states of, 430t
  properties of, 430–439
    complexes of, 430t, 433–439, 437f, 438f
    lanthanides compared with, 430–432
    oxidation states, 430t, 432–433, 434f, 435t
    solid state, 432, 438f
  radii of, 430t
  radioactivity of, 700f
  redox reactions of, 760f, 761f, 765–767
  solubilities of, 769
  in spent fuel, 698–701, 701t, 724t
  transactinides, 427–430, 440t
    chemistry of, 442–443
    properties of, 441–443
  uses of, 439–441, 439t
Actinium (Ac), 410
Actinium radioelement series, 5f, 386
Activation analysis, 558–561, 559t, 560f, 562t
Activation cross-section, 316

Activity concentration, 112
Adduct compounds, 710
Adsorption, of radioactive tracers, 548–549, 549f
Adsorption cross-section, 316
Advanced boiling water reactor (ABWR), 657
  prevalence of, 598, 598t
Advanced CANDU, 657
Advanced gas-cooled reactor (AGR), 657
  plutonium formation in, 699–700, 701t
  prevalence of, 598, 598t
Advanced pressurized water reactors, 657
Advanced thermal reactor (ATR), overview of, 661, 661f
Age determination, with radioactive decay, 381t, 390–397
  ^{14}C method, 390–393, 392f, 393f
  ^{238}U decay, 396–397, 397f
  K–Ar method, 393–394, 395f
  Rb–Sr method, 394–395
  Re–Os method, 395
Age of matter, 347
Age of universe, 346
AGR, *see* Advanced gas-cooled reactor
Alpha decay, 4, 86–90
  daughter recoil in, 90
  decay energy of, 89–90
    half-life and, 119
  deflection of, 7
  detection of, 88–89
  energy spectrum of, 97–98, 98f
  half-life of, 155, 158f
  isotopes from, 4
  neutron to proton ratio and, 67
  nuclear structure and, 155–158, 155f, 158f
  scintillator detection of
    gas, 271
    liquid, 272–273
  in SSNTD, 243f, 244–245
  of transuranium elements, 440
  water range of, 172, 172t
Alpha particle
  absorption of, 170–175, 171f, 172t, 173f, 174f
  in biological systems, 450, 450t
Alpha radiolysis, 228–229
Alpha spectroscopy
  sample preparation for, 286
  surface barrier detectors for, 264–265
Aluminium (Al)
  beta particle range in, 180–182, 180f
  bremsstrahlung radiation in, 176–177
  radioactive decay range in, 172–173, 173f
Alvarez linear accelerator, 501, 501f
Am, *see* Americium
Americium (Am), 420–423
  equilibrium constants for, 770, 775t
  isotopes of, 422
  occurrence and production of, 421f, 422–423, 422f
  speciation calculation for, 768f, 770, 770f
  uses of, 423, 440–441
Amine extraction circuit, 416f
Amplifiers, 276–277
amu, *see* Atomic mass unit
Angular momentum, 129–137, 131f
  decoupling of, 150–151
  of deformed nuclei, 145–147
Annihilation peak, 268f, 281
Annihilation radiation, 178–179
Anthropogenic radioactivity, 398–402, 398t
  nuclear power plant accidents, 399–402, 400f
  nuclear power plant releases, 402
  nuclear weapons, 399
Antimatter, 23
Antineutrinos, 25, 92
Antiparticles, 23
Antiproton, annihilation reaction of, 15, 16f
AP600, 657
AP1000, 657
Aqueous solutions, radiation effects on, 223–225, 224f
ARCA II, 539–540, 540f
Asymmetry energy, in semiempirical mass equation, 76–77
Atomic beams, 149–151, 150f
Atomic fraction, 34
Atomic mass, 33–34
  binding energy and, 71t
  of element, 34
  isotopes and, 33
  mass defect, 69–72, 71t
  mass spectrometers for, 37
Atomic mass unit (amu), 33
Atomic models, 7

Atomic nuclei
discovery of, 7
neutron approach to, 128, 129f
nuclear radiation absorption and, 165t
with nucleon spin–orbit coupling, 139–141, 140t
without nucleon spin–orbit coupling, 138–139, 138t
Schrödinger wave equation for, 129–130
species of, 32–33
stability of, 65–84
binding energy in, 72–74, 73f
mass defect, 69–72, 71t
missing elements, 79–82
neutron to proton ratio in, 67–69, 69f
nuclear radius in, 74–75, 75f
other modes of instability, 82
patterns of, 65–67, 66f
promethium, 79, 80f
semiempirical mass equation, 75–77
technetium, 80–82, 81f
valley of β-stability, 77–79, 77f, 78f
Atomic number (Z), 32
mass number relationship to, 32
notation for, 6
in radioactive decay, 6–7
Atomic reaction cross-section, 182–183
Atomic weights (M), 34
ATR, *see* Advanced thermal reactor
Attenuation coefficient, *see* Total attenuation coefficient
Attractive nuclear force, 300–301, 301f
Auger electrons, 106, 186
Autobatch procedures, 535–537, 536f, 537f
Autoradiography, 573
in life sciences, 575, 576f
Availability factor, 631
Azimuthal quantum number (l), 129–130
nuclear energy levels with, 138t

B

B, *see* Dose build-up factor
Back scattering, 180–182
absolute disintegration rates and, 286
of beta particles, 180–182, 181f
of gamma rays, 280–281, 280f
Background eradication, 242, 290
Backing material, of target material, 523
Baryons
mass classification of, 20
properties of, 21t, 26
substructure of, 17
Bateman equations, 520
Becquerel (Bq), 112
Beginning of time, 350–352, 352f
Berkelium (Bk), 423–424
Berthelot-Nernst homogeneous distribution law, 551
Beryllium (Be)
isotopic data for, 34t
neutron moderation with, 606t
Beta decay, 4, 68, 86–87, 90–97, *see also* Electron capture, Electron emission, Positron emission
daughter recoil, 97
decay energy of, 94
half-life and, 119
detection of, 90
double, 94–95
energy spectrum of, 91–92, 91f
fermion creation in, 22
isotopes from, 4
neutrino creation in, 23–25, 92–94, 93f
neutron to proton ratio and, 67
nuclear structure and, 154–155, 154t
process of, 91–92, 91f
water range of, 172, 172t
weak interaction force and, 18
Beta particles, 175
absorption of, 165t, 175–182, 176f
bremsstrahlung, 176–177, 176f, 177f, 178f
Čerenkov radiation, 176f, 178, 179f
excitation, 176f
ionization, 175–176, 176f, 177f
positron annihilation, 176f, 178–179
back scattering of, 180–182, 181f
Čerenkov detectors for, 274
range of, 180, 181f
scintillator detection of, liquid, 272
Beta radiography, 203, 204t
Beta spectroscopy
sample preparation for, 286
surface barrier detectors for, 264–265
Beta-current neutron detector, 257–258
Bh, *see* Bohrium