MSR, *see* Molten salt reactor
Multichannel analysers (MCAs), 278–279
Multiple stage continuous solvent extraction, 791–793, 791f–793f
Multiple-stage linear accelerators, 499f, 501f, 502–505, 502f
Multistage processes, for isotope separation, 52–55, 53f
Muon neutrino
  creation of, 24
  properties of, 25, 28t
Muons
  from cosmic radiation, 377
  creation of, 24, 376–377
  decay of, 24, 376–377
  discovery of, 374
  properties of, 21t
  weak interaction force and, 18
M, *see* Solar mass

N

n, *see* Principal quantum number
N, *see* Neutrons
NAA, *see* Neutron activation analysis
Negatron emission, *see* Electron emission
Neon (Ne)
  fission of, 73–74
  isotopes of, 6
    separation of, 57
Neptunium (Np), 418–419
  isotopes of, 418
  occurrence and production of, 419
  uses of, 419
Neptunium radioelement series, 5f, 386–387
Nernst equation, 552
Net peak area, 282–283, 282f
Neutrinos, 23–26, *see also* Antineutrino
  Big Bang theory and, 25–26
  creation in beta decay, 23–25, 92–94, 93f
  detection of, 23–25
    of solar, 25
    of supernova, 25
  flavours of, 24–25
  properties of, 21t
  rest mass of, 25
  spin of, 92
  weak interaction force and, 18
Neutron activation analysis (NAA), 558–561, 559t, 560f, 562t
Neutron age, 611–612
Neutron capture, 319–320, 320f
  neutron stars, 366–367
  processes, 361–367
  in radionuclide production, 518–523, 519f
  rapid process, 364–366, 365f, 365t
  slow process, 361–362, 365t
  supernova explosions, 359f, 362–364, 364f
Neutron cycle, in nuclear reactors, 607–611, 608f, 610t
Neutron diffraction, 320–321
Neutron emission, 67–68, 86–87
  with fission, 331
Neutron leakage, 611–613
Neutron multiplication factor, 597
Neutron multipliers, 311
Neutron radiography, 204–205, 204t
Neutron reflector, 608
Neutron stars, 343, 366–367
Neutron-deficient isotopes, 514
Neutron-rich isotopes, 514
Neutron-rich nucleus, 67–68
Neutrons (N)
  absorption of, 189
  binding energy of, 128, 129f
  creation of, 350–351
  decay of, 95
  delayed, 329
  detection of
    fission chamber for, 259–260
    proportional counters for, 259
  energy spectrum of, 602–603, 603f
  generators of, 508–510, 509f, 509t
  inorganic substance exposure to, 218
  interaction properties of, 136t
  magnetic moment of, 134
  mass of, 33
  moderation of, 606–607, 606t
  nuclear radiation absorption and, 165t
  in nuclear reactor, 597
  nuclear stability and, 65–67, 66f
    proton ratio to, 67–69, 69f
  nucleus approach of, 128, 129f

Neutrons (N) (*Continued*)
number of, 32
potential well for, 128–129, 130f
prompt, 329
properties of, 21t, 26, 127t
quarks of, 27
decay of, 29f
radioactive sources of, 310–311, 310t
spin of, 26
in spontaneous fission, 102
thermal, 305, 306f
fission with, 328–330, 328f, 329f
Nilsson levels, 146f, 147
N-irradiation
for Am and Cm production, 420–422
for fermium production in, 424
for neptunium production, 418
for protactinium production, 412
Nitrogen (N)
isotopic data for, 34t
in nuclear reactor water, 222
n.m, *see* Nuclear magneton
NMR, *see* Nuclear magnetic resonance
No, *see* Nobelium
Nobelium (No), 424–427
Nonleakage factor, 608
Nonparalysable system, 251–253, 251f
Nova, 362
Np, *see* Neptunium
N-type silicon, 262–263, 263f
Nuclear chain reacting system, 597
design of, 598, 598t
Nuclear dating, 382
Nuclear decay scheme, 101f, 103
Nuclear emulsions, 241–242
Nuclear energy cycle, tritium from, 379
Nuclear energy levels
with principal quantum number, 138t
with single-particle model, 138–139, 139t, 140t
Nuclear explosion
neutron capture in, 364–365, 365t
tritium from, 379
Nuclear fission, *see* Fission
Nuclear force, *see* Strong nuclear force
Nuclear fuel cycle, 685–752, 687f, *see also* Spent fuel
alternatives, 705–709
thorium-uranium, 708–709
uranium once-through, 687f, 706
uranium-plutonium, 706–708, 707t
fuel element production, 688–691, 688f
power generation, 691–695, 692f, 693f, 693t, 694f
reprocessing of thorium fuels, 722–723
reprocessing of uranium and MOX fuels, 704f, 709–722
engineering aspects and operation safety, 717f, 719–722, 720f
head end plant, 710–713, 711f
Purex separation scheme, 712f, 716–719
separation methods, 713–716, 713t
Nuclear fuel material, 598
in BWR, 628–630, 629f
corrosion of, 694
data for, 693t
deformation of, 692, 694f
production of, 688–691, 688f
in PWR, 625, 626f
utilization of, 616–621, 617f, 618f, 620f
efficiencies of, 619, 620f
Nuclear fusion, *see* Fusion
Nuclear geochronology, 390
Nuclear lifetime, 347
Nuclear magnetic moment, 135
for select nuclides, 137t
Nuclear magnetic resonance (NMR), 151–152, 152f
Nuclear magneton (n.m.), 134
Nuclear mass, 33
Nuclear medicine, 579
ECT, 579
gamma camera and SPECT, 578f, 579f, 580, 581t, 582t, 584f, 585f
PET, 582t, 583, 584f, 585f
simple scanners, 578f, 579, 579f
radionuclides applied in, 580–583, 581t, 582t
Nuclear model, 126–129
angular momentum, 129–137, 131f
deformed nuclei, 143–145
collective nuclear model, 144–145, 145f
deformation index, 143, 143f
electric multipoles, 143–144, 143f
unified model of, 145–147, 146f
magnetic moments, 134–135
atoms and nuclei, 134–135
single particles, 132–134

nuclear potential well, 128, 129f, 130f
nuclear spin and electron structure, 147–152
atomic beams, 149–151, 150f
hyperfine spectra, 148–149, 149f
nuclear magnetic resonance, 151–152, 152f
precession, 135–137
properties in, 126–128
quantized energy levels in, 128
radioactive decay and, 152–161
alpha decay, 155–158, 155f, 158f
beta decay, 154–155, 154t
gamma decay, 152–154, 153t
spontaneous fission, 158–161, 160f
rotational energy, 129–137
single-particle shell, 137–143
nuclear energy levels with, 138–139, 139t, 140t
nuclear spin, 140t, 141–143, 142f
nuclei with nucleon spin–orbit coupling, 139–141, 140t
nuclei without nucleon spin–orbit coupling, 138–139, 138t
quantum number rules, 137–138
spin and orbital angular moments, 132–133, 133f
Nuclear naval vessels, 665
Nuclear potential well, 128, 129f, 130f
alpha decay and, 155f, 156–157
rules for, 137–138
with single-particle model, 139, 140t
Nuclear power, 339, 595–654, *see also* Nuclear reactors
by country, 596–597, 596f
history of, 11–12
plant releases, 402
small power generators, 440
Nuclear radiation, 163–164
Nuclear radiation absorption, 163–208
absorption curves, 166–170, 166f, 168f, 169f
analytical applications of, 191–198
electron spectrometry for chemical analysis, 192–194, 194f
Mössbauer effect, 196–198, 196f, 197f, 199f
proton- or particle-induced X-ray emission, 192, 193f
secondary ion mass spectrometry, 192
X-ray fluorescence analysis, 194–196, 195f
of beta particles, 165t, 175–182, 176f
absorption curves and scattering, 179–182, 180f, 181f
bremsstrahlung, 176–177, 176f, 177f, 178f
Čerenkov radiation, 176f, 178, 179f
excitation, 176f
ionization, 175–176, 176f, 177f
positron annihilation, 176f, 178–179
of gamma radiation, 182–188
attenuation coefficient, 182–183, 183f
coherent scattering, 184, 184f
Compton effect, 184f, 187–188, 188f
dominance regions for, 188, 188f
partial absorption process, 183
photoelectric effect, 184–187, 184f, 185f
of neutrons, 189
processes of, 164–166, 165t
of protons and heavier ions, 170–175, 171f, 172t, 173f, 174f
range of
in aluminium, 172–173, 173f
in composite material, 173
in gases, 172
ion pair formation, 173, 174f
in water, 172, 172t
shielding for, 173f, 181f, 189–191, 190f, 191f
technical applications of, 199–206, 200t
radiography, 203–205, 204t
radionuclide gauges, 200–203, 201f, 204t, 206f
radionuclide power generators, 205–206, 206f
thermal equilibrium and, 164
Nuclear radius
of actinide elements, 430t
Coulomb radius and, 301–302
of decaying nucleus, 157
in nuclear stability, 74–75, 75f
Nuclear reactions, *see also* Fission, Fusion
compound nucleus model, 309–310
lifetime of, 323–324, 323f
conservation laws in, 297–298, 298f, 298t
conservation of energy in, 300
Coulomb barrier, 299–302, 301f, 303f
cross-section of, 313–316, 314f
partial, 316, 317f
dissection of, 307–309, 308f–309f
elastic scattering, 297, 304–305, 306f, 306t
electrons in, 33
energy changes in, 71–74

Nuclear reactions (*Continued*)
inelastic scattering, 297, 306–307
mass energy, 298–299
mass spectrometer for product measurement of, 40
models for, 321–327
direct interaction, 324–327, 325f, 326f, 327f
liquid-drop model, 322
optical model, 321
neutron capture and scattering, 319–320, 320f
neutron diffraction, 320–321
photonuclear reactions, 336–337
radioactive neutron sources, 310–311, 310t
resonance and tunnelling, 317–319, 318f
Rutherford scattering, 303–304, 304f
in SSNTD, 244
of uranium, 605f
Nuclear reactors, 597–601, 598t, 599f, *see also* Breeder reactors, Fast nuclear reactor, Thermal nuclear reactor
characteristics of, 655, 656t
concepts of, 623–624
containment vessel of, 348–349
core of, 598
design of, 598, 598t
efficiency of, 630–632
fission factor, 605–606
fission in, 598–599
energy release in, 601
probability of, 602–605, 602f, 603f, 604t
fission products in, 349
balance of, 618f
build-up of, 617f
fuel utilization in, 616–621, 617f, 618f, 620f
generations of, 655, 657–658
kinetics of, 613–616, 615t
moderator in, 600
neutron capture in, 365t
neutron cycle in, 607–611, 608f, 610t
neutron flux in, 600
neutron leakage and critical size, 611–613
Oklo phenomenon, 621–623, 622f, 623f
plant accidents, 399–402, 400f
releases from, 758–762
radioactive waste from, 638–639, 639t, 674–681
decommissioning, 680–681
gaseous, 674–676, 676f
liquid, 676–678, 677f
solid, 677f, 678–680, 679f
radionuclide production in, 514–515
irradiation yields, 516–518, 517f
product specifications, 526–529
second-order reactions in, 518–523, 519f
target considerations, 523–526
research and test, 624–625
safe operation of, 681, 682f
safety of, 632–638
control rods for, 634–635
emergency cooling systems, 636–637, 636f
filtered venting systems, 638
heat after shutdown, 635, 635f
levels of, 632–633
LOCA, 636
main threat to, 633
negative temperature coefficient, 634
nuclear explosion, 637
physical barriers, 637
reactor containment building, 637
systems for, 633, 634f
steam generation in, 599–600
water cooled, 222
chemistry of, 665–668
Nuclear resonance absorption, 196–198, 196f
Nuclear science, historical survey of, 8t–11t
Nuclear spin, 88
alpha decay and, 155–158, 155f, 158f
beta decay and, 91–92, 154–155, 154t
electron structure and, 147–152
atomic beams, 149–151, 150f
hyperfine spectra, 148–149, 149f
nuclear magnetic resonance, 151–152, 152f
gamma decay and, 152–154, 153t
of neutrinos, 92
in single-particle shell model, 140t, 141–143, 142f
spontaneous fission and, 158–161, 160f
total, 135
Nuclear stability, 65–84
binding energy in, 72–74, 73f
mass defect, 69–72, 71t
missing elements, 79–82
promethium, 79, 80f
technetium, 80–82, 81f
neutron to proton ratio in, 67–69, 69f
nuclear radius in, 74–75, 75f

other modes of instability, 82
patterns of, 65–67, 66f
semiempirical mass equation, 75–77
valley of β-stability, 77–79, 77f–78f
Nuclear temperature, 323–324
Nuclear transmutations, 297
dissection of, 307–309, 308f–309f
of HLWs, 738
Nuclear weapons, 646–651
as anthropogenic radionuclide source, 399
explosion with, 649–650
fission, 646–648, 647f
fusion, 648–649, 650f
peaceful uses of, 651
results of, 650–651
sizes of, 649
tritium from, 379
Nuclei volume (V_n), nucleons and, 74–75
Nucleon excitation, in deformed nuclei model, 144–145, 145f
Nucleons (A), 32
binding energy per, 73–74, 73f
creation of, 350–351
interaction properties of, 136t
isobar, 32
nuclear stability and, 65–67, 66f
nuclei volume and, 74–75
orbitals of, 68–69, 69f
spine quantum number of, 22
Nucleus, *see* Atomic nuclei
Nuclides, 32

O

Oblate nucleus, 143, 143f
Ocean, radioactivity of, 398
Odd-even nuclei, 65
half-lives of, 157
spontaneous fission and, 159–161
valley of β-stability and, 78f, 79
Odd-odd nuclei, 65
half-lives of, 157
spontaneous fission and, 159–161
valley of β-stability and, 78f, 79
Oklo phenomenon, 621–623, 622f, 623f, 777–778
OLGA, *see* On-line Gas Chemistry Apparatus
One-atom-at-a-time measurements, 291–293, 292f
On-line Gas Chemistry Apparatus (OLGA), 538–539
On-line separation procedures, 537–540
gas-phase separation, 537–539, 538f–539f
solid/liquid extraction and ion exchange, 539–540, 540f
solvent extraction, 540, 541f
Onsager equation, 225
Onsager radius, 225, 225t
Optical emission spectra, for isotopes, 42–43
Optical model, 321
Orbital angular momentum (p_l), 131
spin coupling with, 132–133, 133f
Orbital quantum number (l), 132
Orbital rotation, 130–131
orbital angular momentum, 131
Organic compounds
energy absorption in, 269–270
radiation effects on, 225–228, 225t, 227t
Oxidation states
of actinide elements, 430t, 432–433, 434f, 435t
of plutonium, 773
Oxidizing conditions, 370–371
Oxygen (O)
isotopic data for, 34t
isotopic ratio of, 41, 42f

P

Pa, *see* Protactinium
Packed columns, 796, 791f
Paleotemperatures, isotope effect for, 47–49, 48f
Paneth and Fajans rule, 548
Paper chromatography, of radioactive tracers, 555, 564–566, 565f, 566f
Parallel plate ionization chamber, 255, 256f
semiconductor detector compared with, 264
Paralysable system, 250–252, 251f
Parsec, 340
Partial decay constant, 113
Partial partition functions, 45–46
Partial reaction cross-sections, 316, 317f
Particle accelerators, 493
Am and Cm production in, 420–422
areas of application for, 510–511, 511f
Bk and Cf production in, 423
charged particle accelerators, 494