Pulse-type detectors
basic counting systems for, 249, 249f, 250f
pulse generation in, 247–248, 247f
pulse shape and dead time for, 250–253, 250f, 251f
Purex separation scheme, 712f, 716–719
Purity, radiochemical, 528–529
PWRs, *see* Pressurized water reactors

Q

Q value of reaction, 89, 298–299
for alpha decay, 155
closed energy cycles and, 106–107, 108f
of electron capture, 96
of internal conversion, 100
of neutron decay, 95
of positron emission, 95–96
for spontaneous fission, 159
QFT, *see* Quantum field theory
Quadrupole moment, for select nuclides, 137t
Quantum chromo dynamics, 27
Quantum field theory (QFT), antimatter and, 23
Quantum states, introduction of, 20
Quarks, 26–29
classification of, 28t
of hadrons, 27
history of, 26–27
neutron decay, 29f
in nuclear reactions, 27
properties of, 28t
Quasars, 343

R

R, *see* Measured count rate, *see* Roentgen
Ra, *see* Radium
Rad (radiation absorbed dose), 214
Radial quantum number, *see* Azimuthal quantum number
Radial velocity, 345–346
Radiation annealing, 217
Radiation background, 469–473, 468t–469t
Radiation biology
concepts of, 454f, 454t
dose–effect curve, 473f
large dose regularities, 450t, 458f–459f, 459–465
radiomimetic substances, 468–469
regulatory recommendations and protection standards, 475
cancer risk with radiation, 476–476, 475t
classifications, working rules, etc., 484f–484f, 485–489
collective dose, 473f, 477–478
committed dose, 478f, 478–482
control of, 489–490
internal radiation and dose coefficients, 480t
radiotoxicity and risks, 475t, 483f, 483–485
recommended dose limits, 476
Radiation chemical yield, 216
Radiation chemistry, 164, 232–235
in biological systems, 450t, 452–453
industrial radiation processing, 234–235
process criteria, 233–234
radiation sources for, 232–233, 233f
radiation-induced synthesis, 234
Radiation chemists, 446
Radiation dose, 214–216, 215f
biological effect of, 446
Radiation effects, 574
Radiation effects on matter, 209–238
aqueous solutions, 223–225, 224f
dose measurements, 229–232, 230f
energy transfer, 210–212
charged particles, 210–212, 211t
uncharged radiation, 212
experimental methods, 228–229
inorganic nonmetallic compounds, 217–219, 218f–219f
metals, 216–217
nonbiological applications of, 232–235
industrial radiation processing, 234–235
process criteria, 233–234
radiation sources for, 232–233, 233f
radiation-induced synthesis, 234
organic compounds, 225–228, 225t, 227t
radiation dose and yield, 214–216, 215f
radiation tracks, 212–214, 213f
small dose rates, 235–236
water, 219–222, 220f, 221t, 222f
Radiation physics, 450–452
Radiation protection agents, 459
Radiation resistance, 459

Radiation shielding, 173f, 181f, 189–191, 190f, 191f
Radiation sickness, 460–461, 461t
Radiation sterilization, 454f, 454t, 466–467
Radiation therapy
  epidemiological effects of, 462–465, 461t
  with internal radionuclides, 586
Radiation tracks, 212–214, 213f, *see also* Track measurements
Radiation weighing factors, 453
Radiation yield, 214–216, 215f
Radiation-induced synthesis, 234
Radical scavengers, 451
Radioactive aerosols, monitoring of, 283–284, 284f
Radioactive decay, 2, 86–87, *see also* Alpha decay, Beta decay, Gamma decay, Internal conversion, Spontaneous fission
  age determination with, 381t, 390–397
    ^{14}C method, 390–393, 392f–393f
    ^{238}U decay, 396–397, 397f
    K–Ar method, 393–394, 395f
    Rb–Sr method, 394–395
    Re–Os method, 395
  branched, 101f, 103–104, 113
  closed energy cycles, 106–107, 108f
  cloud chamber of, 170, 171f
  conservation laws, 87–88
  decay energy and half-life, 119
  decay scheme for, 101f, 103
  distribution of, 253
  of fissile and fertile nuclides, 604t
  half-life for, 6–7, 86
  Heisenberg uncertainty principle, 120–121
  isotope charts, 104, 104f
  isotopic ratios and, 37–40
  kinetics of, 107–110, 110f, 111f
  mixed, 111–112, 115f
  neutron to proton ratio and, 68
  notation for, 6–7
  nuclear stability and, 65
  nuclear structure and, 152–161
    alpha decay, 155–158, 155f, 158f
    beta decay, 154–155, 154t
    gamma decay, 152–154, 153t
    spontaneous fission, 158–161, 160f
  proton emission, 68, 86–87, 102
  in radionuclide production, 518–523, 519f
  range of
    in aluminium, 172–173, 173f
    in composite material, 173
    in gases, 172
    ion pair formation, 173, 174f
    in water, 172, 172t
  secondary processes with, 106
  successive, 113–118, 116f, 117f, 120f
    in radionuclide production, 519–520, 519f
  units for, 112
Radioactive elements, discovery of, 1–2
Radioactive equilibrium, 115
Radioactive fallout, 649–650
Radioactive gas flows, measuring of, 256f, 284
Radioactive liquid flows, measuring of, 256f, 284
Radioactive neutron sources, 310–311, 310t
Radioactive tracers, 562–564, 589
  analytical chemistry of
    activation analysis, 558–561, 559t, 560f, 562t
    isotope dilution analysis, 556–558, 557f
    radiometric analysis, 555–556, 556f
    substoichiometric analysis, 562–564
  assumptions for use of, 546–547
  chemistry of trace concentrations, 547–555
    adsorption, 548–549, 549f
    electrochemical properties, 552–553
    equilibrium reactions, 550
    precipitation and crystallization, 550–552, 552f
    radiocolloid formation, 550
    separation methods, 553–555, 554f, 564–566, 565f, 566f
  environmental applications of, 588–590, 589f
  general chemistry applications of, 564
    chemical exchange rate determination, 567–568
    chemical reaction path determination, 564–566, 565f, 566f
    equilibrium constant determination, 568–572, 570f, 571f, 572f
    solid surface and reaction properties studies, 572–573
  industrial uses of, 586, 587t
    chemical processing, 588

Radioactive tracers (*Continued*)
liquid volume and flow determination, 587–588
mixing, 586
wear and corrosion studies, 588
life sciences applications of, 573–574, 574t
biological affinity applications, 574–577, 576f
ECT, 578f, 579–585, 579f, 581t, 582t, 584f, 585f
radiation therapy with internal radionuclides, 586
TCT, 577–579, 578f
Radioactive waste, 600–601, 638–639, 639t, 674–681, *see also* Waste repositories
beneficial utilization of, 748–749
from decommissioning, 680–681
gaseous, 674–676, 676f
liquid, 676–678, 677f
solid, 677f, 678–680, 679f
Radioactivity
of actinide elements, 700f
discovery of, 1–2
of fission products, 696, 698f
half-life and, 86
of ocean, 398
of radium, 700f
of thorium, 2–3
of uranium, 2, 3
Radiobiologists, 446
Radiochemicals, *see also* Radionuclide production
protective measures for work with, 485–486
high β-γ emitters, 488f, 489
α-laboratories, 487f, 487–489
tracer work with moderate β-γ levels, 486
specifications for, 526–529
labelling, 527–528
processing, 526
purity, 528–529
specific activity, 527
Radiocolloids, radioactive tracers forming, 550
Radioelements in nature, 377
age determination with, 381t, 390–397
^{14}C method, 390–393, 392f, 393f
^{238}U decay, 396–397, 397f
K–Ar method, 393–394, 395f
Rb–Sr method, 394–395
Re–Os method, 395
anthropogenic radioactivity, 398–402, 398t
nuclear power plant accidents, 399–402, 400f
nuclear power plant releases, 402
nuclear weapons, 399
cosmogenic radionuclides, 378–381
14-carbon, 380–381, 380f
survey of, 378–379, 378t
tritium, 379–380
disequilibrium, 388–390, 389f
oceanic radioactivity, 398
primordial radionuclides, 381–387
lighter than lead, 381–382, 381t
in natural radioactive decay series, 382–387, 383f
radium and radon, 387–388
Radio-frequency quadrupole (RFQ) accelerator, 502, 502f
Radiography, 203–205, 204t
Radioimmunoassay (RIA), 575
Radioisotopes, 32
generators of, 118–119, 118t
for radiation chemistry, 232
Radioisotopic purity, 528–529
Radiologists, 446, 577–579
Radiolysis, 218–219
alpha, 228–229
of aqueous solutions, 223–225, 224f
gamma, 228–229
of organic compounds, 225–228, 225t, 227t
pulse, 229
self-radiolysis, 225, 227–228
of water, 209–210, 220–221, 220f, 221t
Radiometric analysis, 555–556, 556f
Radiomimetic substances, 468–469
Radionuclide gauges, 200–203, 201f, 204t, 206f
Radionuclide power generators, 205–206, 206f
Radionuclide production, 513–514
fast radiochemical separations, 534–542
autobatch procedures, 535–537, 536f, 537f
^{11}C-labelled compound production, 535
mass separator procedures, 541f, 542
on-line procedures, 537–540, 538f–541f
general considerations for, 514–515
irradiation yields in, 516–518, 517f
product specifications in, 526–529
labelling, 527–528
processing, 526
purity, 528–529
specific activity, 527

recoil separations
hot atom reactions, 531–532
Szilard–Chalmers process, 532–534
target recoil products, 529–531, 530f
second-order reactions in, 518–523, 519f
target considerations, 523–526
chemical properties, 524–526
physical properties, 523–524
Radionuclides, 32
anthropogenic, 398–402, 398t
nuclear power plant accidents, 399–402, 400f
nuclear power plant releases, 402
nuclear weapons, 399
cosmogenic, 378–381
14-carbon, 380–381, 380f
survey of, 378–379, 378t
tritium, 379–380
of environmental concern, 758
from fission, 697, 699t
primordial, 381–387
lighter than lead, 381–382, 381t
in natural radioactive decay series, 382–387, 383f
radiotoxicity and, 479, 481t
release of, 755–756, 755t–756t, 757t
from nuclear reactor accidents, 758–762
from nuclear reactors, 638, 639t
solubilities of, 771–772, 775t
Radiopharmaceuticals, 573–574
in nuclear medicine, 580–583, 581t, 582t
Radiotoxicity
of radionuclides, 479, 481t
risks with, 475t, 483f, 483–485
Radium (Ra)
applications of, 386
discovery of, 2
in environment, 387–388
radioactivity of, 700f
Radon (Rn)
decay of, 386
in environment, 387–388
as radioisotope generator, 118–119, 118t
SSTND measurement of, 244–245
Random coincidence loss, 250–251
Rankine cycle, 630
Rapid neutron capture (r-process), 364–366, 365f, 365t
Rate constant, 50
Rate metres, 278
Rate of daughter half-life, 387
Rate of reaction, 50
Rate processes, for isotopes separation, 52
RBMK, *see* Reaktor Bolshoy Moshchnosti Kanalniy
Rb–Sr method, 394–395
Reaction cross-section, 313–316, 314f
for neutron capture, 319–320, 320f
partial, 316, 317f
Reaction paths, radioactive tracers in determination of, 564–566, 565f, 566f
Reactor containment building, 637
Reactor spectrum neutrons, fissile and fertile nuclides and, 604t
Reaktor Bolshoy Moshchnosti Kanalniy (RBMK), 657
history of, 12
load factor for, 631–632
overview of, 661, 662f
prevalence of, 598, 598t
radionuclide release from, 638, 639t
Recoil separations
hot atom reactions, 531–532
Szilard–Chalmers process, 532–534
target recoil products, 529–531, 530f
Recoilless absorption, 197–198, 197f
Recommended dose limits, 476
Recovery time, 250–251, 250f
Red giant, 345f, 357–358
Redox diagrams, for actinide elements, 434f
Redox process, 710–712
Redox reactions
of actinide elements, 760f, 761f, 765–767
of radioactive tracers, 552–553
Redshift, 344
spectral, 345–346
Reducing atmosphere, 370–371
Reflectors, 305
Relativistic mass, 92–93
kinetic energy and, 92–93, 93f
of photons, 19
Renography, 579–580, 579f
Re–Os method, 395

Reprocessing
of thorium fuels, 722–723
of uranium and MOX fuels, 704f, 709–722
engineering aspects and operation safety, 717f, 719–722, 720f
head end plant, 710–713, 711f
Purex separation scheme, 712f, 716–719
separation methods, 713–716, 713t
waste streams from, 723–728, 724t
environmental releases of, 727–728, 727t
gaseous, 723–725
liquid, 725, 726t
organic, 726
solid, 724t, 726–727
Research nuclear reactors, 624–625
Resistor feedback preamplifier, 275–276, 275f
Resolving time, 250–251, 250f
Resonance, 317–319, 318f
Resonance escape probability, 609
Rest mass, 92–93
kinetic energy and, 92–93, 93f
of neutrinos, 25
reaction energy and, 299
Restriction enzymes, 577
Retention of activity, 532–533
Reversed phase LPC, of radioactive tracers, 555
Reversely biased, 263
Rf, *see* Rutherfordium
RFQ accelerator, *see* Radio-frequency quadrupole accelerator
RIA, *see* Radioimmunoassay
Rn, *see* Radon
Roentgen (R), 214
Rotational energy, 46, 129–137
in deformed nuclei model, 144–145, 145f
r-process, *see* Rapid neutron capture
RTG generators, 205
Russell–Saunders coupling, 134–135
in light atoms, 139
Rutherford scattering, 303–304, 304f, 308f
Rutherfordium (Rf), 440t, 442

S

s, *see* Spin quantum number
S, *see* Specific radioactivity
Saddle point, 333, 335f
Saline waters, radiolysis in, 223
Satellites, nuclear power for, 665
Scalers, 277
SCAs, *see* Single-channel analysers
Scattering, *see also* Back scattering
of beta particles, 179–182, 180f, 181f
coherent
gamma ray absorption by, 184, 184f
of neutrons, 321
elastic, 297, 304–305, 306f, 306t
inelastic, 297, 306–307
Rutherford, 303–304, 304f
Scattering coefficient (μ_s), 167, 170
Scattering of photons theory, 19
Scavengers, 223
Schrödinger wave equation, 22–23
for nucleus, 129–130
Scintillation
of alpha particles, 88–89
of beta particles, 90
of gamma particles, 98
Scintillation detectors, 268–273, 269f, 271t
gas, 271
liquid, 272–273, 272t, 273f
solid, 269f, 273
sample preparation for, 286–288, 287f
Scintillator, 268–270
Scram rods, 634–635
SDP, *see* Slowing down power
Sea of instability, 428
Seaborgium (Sg), 440t, 442
Secondary ion mass spectrometry, 192
Secondary ionization, 164–166
Second-order reactions, in radionuclide production, 518–523, 519f
Sector-separated cyclotron, *see* Separated-sector cyclotron
Secular equilibrium, 115–116, 115f
SECURE district heating reactor, 633, 634f
Self-radiolysis, 225, 227–228
Semiconductor detectors, 262–268, 263f
for alpha decay, 90
intrinsic detectors, 268, 268f
lithium-drifted detectors, 266–267, 267f, 268f
parallel plate ionization chamber compared with, 264
surface barrier detectors, 264–266, 265f, 266f
Semiempirical mass equation, 75–77
as function of Z, 77–78, 77f
liquid-drop model, 333–334, 335f