


Demo Day Video Storyboard

A simple request becomes a grounded, permission-aware, protected response through Microsoft 365 Copilot.

01 Microsoft Copilot works

You ask Copilot in Word to summarize a project. The request looks simple, but the useful answer depends on more than a language model. It needs the right work context, and it needs to **respect** your access.




Set up the problem0:00–0:16

A simple request needs the right work context and must respect the user’s access.

— Static wide composition; UI and context reveal

02 Microsoft Copilot works

First, Copilot preprocesses your prompt. It uses grounding to connect the request with relevant context, such as files, emails, chats, meetings, and other Microsoft 365 content available through **Microsoft Graph**.




Ground the prompt0:16–0:33

Copilot preprocesses the request and connects it to relevant Microsoft 365 content through Graph.

— Start tight on prompt; pull back as Graph expands

03 Microsoft Copilot works

That grounded prompt goes to a large language model. The model generates a response for the task, and Copilot returns it to the app, with the work context making the result more relevant and **actionable**.




Generate the response0:33–0:47

The grounded prompt reaches the model and returns as a relevant, actionable response.

— Start tight on grounded prompt; reveal model and result

04 Microsoft Copilot works

But grounding does not mean tenant-wide access. Copilot can only surface organizational data the signed-in user is already allowed to view. Documents outside that permission boundary stay **outside** the response.




Enforce permissions0:47–1:02

Only organizational content the signed-in user can already access is eligible for grounding.

— Start on user; widen to allowed and restricted data

05 Microsoft Copilot works

The same Microsoft 365 boundary continues to protect the interaction. Customer data remains within the service boundary, data is encrypted in transit, and prompts, responses, and Graph-accessed data are not used to train **foundation** language models.




Protect the interaction1:02–1:20

Data stays inside the Microsoft 365 boundary, encrypted and excluded from foundation-model training.

— Follow prompt node; widen to boundary and no-training proof

06 Microsoft Copilot works

Finally, Copilot honors the controls your organization already uses, including Conditional Access and multifactor authentication. So the architecture is not a model with unlimited visibility. It is an orchestrated flow: prompt, permitted context, model, **protected** response.



Apply organizational controls1:20–1:40

Conditional Access and MFA govern the complete orchestrated flow from prompt to protected response.

— Static wide composition; controls emphasize in sequence