Flagging and Trust Test Case

Module Name:-	Flagging and Trust Mechanism (Monitoring Points, Levels and Fault Rate)
Test Case ID	FTM-01 to FTM-26
Tester Name	Jara Joaquin T. Jara
Test Case Description	To check that violations add the right points, that the level and action follow the points, and that notices and blocks are applied by the system.
Prerequisites:	1. Backend tests run on a clean in-memory database (bun test). Each case starts with empty accounts. 2. Cases FTM-01 to FTM-22 are system rules and are checked by automated tests. FTM-23 to FTM-26 need a person, a phone and an email inbox, so they are left blank. 3. Points leave after 90 days. Levels: Good, Notice, Warning, 24-hour pause, 3-day pause, Block.
Environmental Information:-	1. OS: Linux 2. Backend API, bun test 235 tests passed, 2026-11-09

Test Case ID	Test Steps	Test Input	Expected Results	Actual Results	Status	Comments
Scenario:	A seller with no violations (Clean Account).					
FTM-01	1. Create a seller account with no violations.	New seller	The seller has 0 points and the Good level. No warning, pause or block is given.	The seller had 0 points and the Good level. No action was given.	**P**	Automated test. Passed in bun test.
	2. Read the seller's trust points and level.	Trust standing				
Scenario:	A buyer reports a seller with no proof (Unproven Report).					
FTM-02	1. A buyer reports the seller for misleading produce.	One report, no record to support it	The first report is saved as an allegation and adds 0 points. A second, different reporter confirms it and adds 2 points.	The first report was saved as an allegation with 0 points. The second reporter confirmed it and 2 points were added.	**P**	Automated test. Passed in bun test.
	2. Read the seller's points.	Trust points				
	3. A second, different person reports the same problem.	Second reporter				
Scenario:	A seller does not reply to a buyer question for 12 hours (Reminder).					
FTM-03	1. A buyer asks a question on an order.	Question sent 13 hours ago	The seller gets a 12-hour reminder and no points.	The seller got the reminder notice and 0 points.	**P**	Automated test. Passed in bun test.
	2. Let the worker run the reply check.	processInquiryDeadlines				
	3. Read the notices and the seller's points.	Notices, points				

Test Case ID	Test Steps	Test Input	Expected Results	Actual Results	Status	Comments
Scenario:	A seller does not reply for 24 hours (Warning).					
FTM-04	1. A buyer asks a question on an order.	Question sent 25 hours ago	The seller gets a 24-hour warning and the buyer is told the seller has not replied. The seller still has 0 points.	The seller got the reminder and the warning, and the buyer got the 24-hour notice. The seller had 0 points.	**P**	Automated test. Passed in bun test.
	2. Let the worker run the reply check.	processInquiryDeadlines				
	3. Read the notices and the seller's points.	Notices, points				
Scenario:	A seller does not reply for 48 hours (Non-Response).					
FTM-05	1. A buyer asks a question on an order.	Question sent 49 hours ago	The seller is marked non-responsive. One verified non-response record is saved and 1 point is added, only once.	One verified non-response record was saved and the seller had 1 point. The second run added nothing.	**P**	Automated test. Passed in bun test.
	2. Let the worker run the reply check twice.	processInquiryDeadlines				
	3. Read the seller's points and violation record.	Trust events				
Scenario:	A seller has many non-response records (Repeated Non-Response).					
FTM-06	1. Save 12 verified non-response records for a seller with few fault orders.	12 records, fault rate under 10%	Each record adds 1 point. A seller with a high score but a low fault rate stays at Warning and is marked Under watch.	The seller stayed at Warning and was marked Under watch.	**P**	Automated test. Passed in bun test.
	2. Evaluate the seller's trust action.	Trust action				
	3. Read the seller's level and flags.	Standing				
Scenario:	A user is inactive for 3 weeks (Inactivity Warning).					
FTM-07	1. Set a seller's last activity to 22 days ago.	last_active_at 22 days ago	One 3-week inactivity warning is sent and the account stays active. The second run sends nothing. A seller active 20 days ago gets nothing.	One warning notice was sent and the account stayed active. The second run sent nothing. The 20-day seller got nothing.	**P**	Automated test. Passed in bun test.
	2. Run the inactivity job twice.	checkUserInactivity				
	3. Read the notices and the account status.	Notices, is_active				
Scenario:	A user is inactive for 1 month (Inactivity Block).					
FTM-08	1. Set a seller's last activity to 31 days ago.	last_active_at 31 days ago	The account is blocked, a one-month inactivity notice is sent, and a block action is saved. Other roles such as admin are never timed.	The account was set to inactive, the notice was sent and a blocked action was saved. The admin account was not touched.	**P**	Automated test. Passed in bun test.
	2. Run the inactivity job.	checkUserInactivity				
	3. Read the account status and trust action.	is_active, trust action				

Test Case ID	Test Steps	Test Input	Expected Results	Actual Results	Status	Comments
Scenario:	A buyer does not come for pickup (No-Show).					
FTM-09	1. Reserve produce as a buyer.	Pickup in the past	A no-show cannot be marked before the QR time is over or twice. After that it adds 2 points to the buyer. Old points fade after 90 days.	The early and second marks were refused. The valid no-show added 2 points.	**P**	Automated test. Passed in bun test.
	2. Try to mark a no-show before the QR time is over, then after.	Mark No-Show				
	3. Read the buyer's points.	Trust points				
Scenario:	A user collects violations (Level Ladder).					
FTM-10	1. Add points step by step to a buyer.	0 to 12 points	0 to 1 points is Good, 2 to 3 Notice, 4 to 5 Warning, 6 to 7 a 24-hour pause, 8 to 11 a 3-day pause, and 12 or more a block. One serious violation blocks at any score. The same level is never applied twice.	Every point total gave the level in the table. The buyer reached the block and was set to inactive.	**P**	Automated test. Passed in bun test.
	2. Evaluate the trust action after each step.	Trust action				
Scenario:	A buyer cancels close to pickup (Late Cancel).					
FTM-11	1. Reserve produce and confirm nothing.	Pickup soon	A cancellation within 3 hours of pickup adds 1 point. An earlier one adds none.	The late cancellation added 1 point. The earlier one added none.	**P**	Automated test. Passed in bun test.
	2. Cancel within 3 hours of pickup, then cancel an order with a pickup farther away.	Two cancellations				
	3. Read the buyer's points.	Trust points				
Scenario:	A seller cancels an order (Seller Cancel).					
FTM-12	1. Confirm an order and then cancel it as the seller.	Confirmed order	Cancelling a confirmed order adds 2 points to the seller. Cancelling an unconfirmed one adds none.	The confirmed cancellation added 2 points. The unconfirmed one added none.	**P**	Automated test. Passed in bun test.
	2. Cancel an unconfirmed order as the seller.	Unconfirmed order				
	3. Read the seller's points.	Trust points				
Scenario:	A buyer declines at pickup (Decline).					
FTM-13	1. The buyer declines with a valid reason and a fresh photo.	Valid reason, photo	A valid decline the seller accepts adds 2 points to the seller and 0 to the buyer, and the stock is not put back. An invalid reason adds 1 point to the buyer, 0 to the seller, and the produce goes back in stock.	Both results matched. A photo already used on another decline was closed as false or reused.	**P**	Automated test. Passed in bun test.
	2. The seller accepts, then repeat with an invalid reason.	Accept; invalid reason				
	3. Read both sides' points and the stock.	Points, stock				

Test Case ID	Test Steps	Test Input	Expected Results	Actual Results	Status	Comments
Scenario:	A buyer explains a no-show (Excuse).					
FTM-14	1. Record a no-show.	No-show order	A confirmed explanation removes the points. It works once per 30 days and only within 24 hours. A rejected one keeps the points.	The accepted explanation removed the points. A rejected one kept them.	**P**	Automated test. Passed in bun test.
	2. The buyer sends an explanation inside 24 hours, and the seller accepts it.	Excuse				
	3. Read the buyer's points.	Trust points				
Scenario:	A user disputes a penalty (Dispute).					
FTM-15	1. Receive a penalty that the records do not support.	Wrong penalty	A dispute within 7 days is upheld when the record disagrees, and the event is removed. It works at exactly 7 days and not after.	The event was removed and the levels were recalculated. A late dispute was refused.	**P**	Automated test. Passed in bun test.
	2. Dispute it within 7 days, then try after 7 days.	Dispute				
	3. Read the points.	Trust points				
Scenario:	A seller has a high fault rate (Fault Gate).					
FTM-16	1. Create a seller with 10 orders and a 10% fault rate.	10 orders, 1 fault	At 10 orders and a 10% rate the seller is paused for 24 hours and cannot list or use Priority Boost. At 15% or more the seller is flagged High fault rate and cannot use Priority Boost. Fewer than 10 orders never meets the gate.	The pause and the High fault rate flag were applied as described. 9 orders never met the gate.	**P**	Automated test. Passed in bun test.
	2. Raise the fault rate to 15% or more.	15% fault rate				
	3. Read the seller's level and what they can do.	Standing				
Scenario:	A seller orders from their own stall (Self-Order).					
FTM-17	1. A seller reserves produce from their own stall.	Own listing	The order is refused, 3 points are added, and the account is blocked at once.	The order was refused, 3 points were added and the account was blocked.	**P**	Automated test. Passed in bun test.
	2. Read the result and the seller's account.	Order, account				
Scenario:	Many fake low ratings arrive (Review Bomb).					
FTM-18	1. Send 5 low ratings from accounts under 7 days old inside 24 hours.	5 new accounts	The new-account ratings are ignored, the buyers get 0 points and a notice. Ratings from older accounts are never ignored.	The new-account ratings were ignored with a notice. The older ones counted.	**P**	Automated test. Passed in bun test.
	2. Repeat with older accounts.	Older accounts				
	3. Read the seller's rating and the buyers' points.	Rating, points				

Test Case ID	Test Steps	Test Input	Expected Results	Actual Results	Status	Comments
Scenario:	A user shares contact details in chat (Chat Rules).					
FTM-19	1. Send a chat message with a phone number or email.	Message with a phone number	The message is hidden. The 3rd in 90 days adds 1 point. The same message 5 times in 10 minutes pauses sending for 10 minutes, and the 2nd time in 90 days adds 1 point.	The messages were hidden, the points were added and sending was paused as described.	**P**	Automated test. Passed in bun test.
	2. Do it 3 times in 90 days, and repeat the same message 5 times in 10 minutes.	Repeated messages				
	3. Read the result and points.	Message, points				
Scenario:	A seller goes Away (Away Mode).					
FTM-20	1. Turn Away on for a seller with an open order.	Away, 14 days	Away stops the 48-hour reply clock and lasts at most 14 days. Orders are not changed. Time spent Away does not count. A reply at 47 hours is never flagged.	The clock stopped while Away and the seller had 0 points. After the Away time, the remaining wait counted and added 1 point.	**P**	Automated test. Passed in bun test.
	2. Ask a question that is 49 hours old.	Old question				
	3. Read the seller's points.	Trust points				
Scenario:	Old points leave after 90 days (Expiry).					
FTM-21	1. Save a violation 89 days old and one 90 days old.	Two old events	The 89-day event still counts. The 90-day event leaves and the level comes down without a new penalty.	The 89-day event counted. The 90-day event no longer counted.	**P**	Automated test. Passed in bun test.
	2. Read the points and the level.	Points, level				
Scenario:	A seller earns the Trusted Seller badge (Badge).					
FTM-22	1. Create sellers with a 4.5 rating, 20 orders, 0 points and a fault rate under 15%.	Qualifying seller	The badge shows only when all four conditions are met. Missing any one removes it.	The qualifying seller got the badge. Each changed condition removed it.	**P**	Automated test. Passed in bun test.
	2. Change one condition at a time.	4.49, 19 orders, any point, 15% rate				
Scenario:	A trust notice looks right in the app (Notice Screen).					
FTM-23	1. Cause a warning on a test seller.	Warning	The notice names the rule, the points, the level, how to avoid it and how to dispute, and is easy to read on the screen.			
	2. Open Notifications in the seller app.	Seller app				
Scenario:	A trust notice email arrives (Email).					
FTM-24	1. Cause a warning on a test seller with a real email.	Warning	The seller receives the notice email with the same message as the app.			
	2. Open the inbox.	Email inbox				

Test Case ID	Test Steps	Test Input	Expected Results	Actual Results	Status	Comments
Scenario:	A trust push alert reaches the phone (Push).					
FTM-25	1. Cause a warning on a test seller who is signed in on a phone.	Warning	A push alert arrives and opens the Notifications screen.			
	2. Look at the phone.	Android phone				
Scenario:	A blocked user sees how to get back in (Block Screen).					
FTM-26	1. Block a test buyer.	Blocked account	The user sees a blocked message with the way to restore the account, not a pause message.			
	2. Open the app and the website.	App and web				