



Money & Trust in Digital Society

- Bitcoin, Nostr, Stablecoins, Digital Objects and Machine Learning in B2B Telepresent Mixed Reality

Attribution-NonCommercial 4.0 International (CC BY-NC 4.0)
2022 John O'Hare & Allen Fairchild & Umran Ali

PUBLISHED BY JOHN@XRSYSTEMS.UK

RAW GITHUB HYPERLINK

You are free to:

- Share — copy and redistribute the material in any medium or format
- Adapt — remix, transform, and build upon the material

The licensor cannot revoke these freedoms as long as you follow the license terms.

Under the following terms:

- Attribution — You must give appropriate credit, provide a link to the license, and indicate if changes were made. You may do so in any reasonable manner, but not in any way that suggests the licensor endorses you or your use.
- NonCommercial — You may not use the material for commercial purposes.
- No additional restrictions — You may not apply legal terms or technological measures that legally restrict others from doing anything the license permits.

First printing, March 2022



Contents

I

State of the art

0.1	Conflict of interest statements	21
1	Introduction	23
1.1	Overview	23
1.2	Introduction	24
1.2.1	The view of big business and governments	28
1.3	Summary	32
2	Decentralisation & Web3	35
2.1	Semantic web	35
2.2	Spatial web	36
2.3	Web3	36
2.3.1	Emerging consensus	38
2.4	The common thread	43

3	DLT, Blockchain, and Bitcoin	45
3.1	What's this for sorry?	48
3.2	A panoply of tech	52
3.3	Ethereum	53
3.3.1	Gas fees	57
3.3.2	Ether ultra hard money narrative	59
3.4	Bitcoin	60
3.4.1	The Bitcoin Network Software	64
3.4.2	Mining and Energy concerns	65
3.4.3	Technical overview	79
3.4.4	Upgrade roadmap	87
3.5	Extending the BTC ecosystem	89
3.5.1	Keet by holepunch	89
3.5.2	Block & SpiralBTC	89
3.5.3	BTCPayServer	89
3.6	Lightning (Layer 2)	90
3.6.1	Lightning service providers	93
3.6.2	Micropayments	93
3.6.3	BOLT12 and recurring payments	94
3.6.4	Cashu and Fedimint	94
3.6.5	LNBITS	96
3.6.6	Daric	98
3.7	Liquid federation (layer 2)	98
3.8	Bitcoin Layer 3	99
3.8.1	LNP/BP and RGB	99
3.8.2	Taro	102
3.8.3	Spacechains	103
3.8.4	Statechains, drivechain, softchains	104
3.8.5	Layer 2	104
3.9	Risks and mitigations	105
3.9.1	Sociopaths everywhere	105
3.9.2	Digital assets	106
3.9.3	Bitcoin specifically	108
4	Money in the real world	111
4.1	Defining money	111
4.1.1	Global currency interactions	114

4.2	International money transfer networks	116
4.2.1	Swift, ISO 20022, and correspondence banking	117
4.2.2	FEDNOW	117
4.2.3	SPFS and BRICS	117
4.2.4	VISA and Mastercard	118
4.2.5	Money transfer operators	118
4.2.6	Digital disruptive fintech	118
4.2.7	Stablecoins	120
4.3	Central bank digital currencies	127
4.3.1	Risks and mitigations	136
4.4	Bitcoin as a money	137
4.4.1	Spending it	137
4.4.2	Saving with it	140
4.5	Risks (money, not technical)	144
4.5.1	Risks to Bitcoin the money	144
4.5.2	Bitcoin externalities	149
4.6	Is DeFi any use?	155
5	Affecting global change	159
5.1	Global politics & digital society	161
5.1.1	Anacyclosis	161
5.1.2	The World Economic Forum	162
5.1.3	Money and The State	165
5.1.4	Surveillance Capitalism	170
5.2	Government over-reach through bureaucracy	181
5.3	Global monetary policy	183
5.4	Opportunities in Africa	184
5.4.1	Gridless	184
5.4.2	Machankura	185
5.5	El Salvador as a case study	185
6	Distributed Identity & Trust	189
6.1	Applications of DID/SSI	189
6.2	Classic DID/SSI	190
6.3	Federated social media trust	192
6.3.1	Lightning	193
6.3.2	Web5, Bluesky, & Microsoft ION	193

6.3.3	Slashtags	194
6.3.4	Nostr	195
6.4	Micropayment based web	201
6.5	Are DAOs useful for us?	202
6.5.1	DAOs on Bitcoin	204
6.5.2	Risks	206
6.6	Risks & Challenges?	206
7	Digital Objects & NFTs	209
7.1	Key use cases	212
7.1.1	Art	212
7.1.2	Computer & Video Games	217
7.2	Broader and metaverse uses	221
7.3	Objects in our collaborative mixed reality	223
7.3.1	Liquid tokens	224
7.3.2	Ethereum	224
7.3.3	Solana	224
7.3.4	Peerswap	224
7.3.5	FROST on Bitcoin	224
7.3.6	Spacechains	225
7.3.7	Pear credit	225
7.3.8	Satoshi Ordinals	225
8	Collaborative mixed reality	229
8.1	Toward an open metaverse	229
8.1.1	Primitives	233
8.2	History	235
8.3	Video conferencing, the status quo	237
8.3.1	Pandemic drives adoption	239
8.3.2	Point to Point Video Conferencing	241
8.3.3	Triadic and Small Group	242
8.3.4	Other Systems to Support Business	243
8.3.5	Mona Lisa Type Effects	243
8.4	What's important for human communication	244
8.4.1	Vocal	244
8.4.2	Nonverbal	246

8.5	Psychology of Technology-Mediated Interaction	253
8.5.1	Proxemics	253
8.5.2	Attention	255
8.5.3	Behaviour	255
8.5.4	Presence, Co-presence, and Social Presence	257
8.6	Other Systems to Support Business	259
8.6.1	Spatially Faithful Group	260
8.6.2	Holography and Volumetric	262
8.6.3	Simulated Humans	263
8.7	Theoretical Framework toward metaverse	266
8.7.1	Problem Statement	266
8.7.2	Core Assumptions	267
8.7.3	Peripheral Assumptions	269
8.8	Post ‘Meta’ metaverse	269
8.9	Market analysis	271
8.10	NFT and crypto as metaverse	275
8.11	Lessons from MMORGs	276
8.12	Immersive and third person XR	277
8.12.1	More like a digital twin	278
8.12.2	More like a metaverse	278
8.12.3	More like crypto NFT virtual land	282
8.12.4	More like industrial application	284
8.12.5	More like meeting support	285
8.13	Displays & Headset Hardware	287
8.14	Unreal & Virtual Production	287
8.14.1	Virtual Production	288
8.15	Different modalities	289
8.15.1	Controllers, gestures, interfaces	289
8.15.2	Mixed reality as a metaverse	289
8.15.3	Augmented reality	289
8.15.4	Ubiquitous displays	290
8.16	Risks	290
9	Artificial Intelligence	293
9.1	The Cambrian explosion of ML/AI	293
9.1.1	Overview	293
9.1.2	Whistlestop tour of terms	309

9.1.3	Consumer tools	315
9.1.4	Researcher toolkits	320
9.1.5	Enterprise and convergence	320
9.1.6	Accessibility	321
9.1.7	StabilityAI	324
9.1.8	Virtual humans	325
9.1.9	AI actors	325
9.1.10	Chatbots	325
9.1.11	Governance and safeguarding	327
9.2	Compendium of links not yet integrated	328
10	Our proposition	339
10.1	Introduction and Problem Definition	339
10.1.1	Overview of the Metaverse and Digital Society	339
10.1.2	Trust, Accessibility, Governance, and Safeguarding	340
10.1.3	The Need for Modular Open-Source Solutions	340
10.1.4	Technical problem definition	341
10.2	Lean canvas business model	341
10.3	Proposed Layered Framework	342
10.3.1	Layer 1: Bitcoin, Lightning, and Nostr protocols	342
10.3.2	Layer 2: Modular human computer interface	343
10.3.3	Layer 3: LLM and Generative ML Integration	343
10.4	Application case studies	345
10.4.1	Classic use cases	345
10.4.2	Virtual training and simulation	345
10.4.3	Remote teleconferencing	346
10.4.4	Virtual art & media collaboration	346
10.4.5	Data visualization and analysis	346
10.4.6	Education and virtual classrooms	346
10.4.7	Virtual labs and scientific research	346
10.4.8	Media and entertainment	347
10.4.9	Biomedical	347
10.4.10	Collaborative Design and Prototyping	349
10.4.11	Training, Simulation, and Education	349
10.4.12	Remote Collaboration and Teleconferencing	349
10.4.13	Chemical and Medical Molecular Modeling	350
10.4.14	Creative Industries and Generative Art	350
10.4.15	Case Study: Biodiversity Monitoring and Data Exchange with Isolated Communities	350

10.5	Overcoming Challenges and Barriers	353
10.5.1	Trust, Accessibility, and Governance	353
10.5.2	Ensuring Safeguarding and Privacy Compliance . .	353
10.5.3	Managing Scalability, Performance, and Latency .	354
10.5.4	Promoting Open Standards and Interoperability .	354
10.6	Future Outlook and Potential Developments	354
10.6.1	AI and Generative ML Technologies	354
10.6.2	Inclusive Digital Society	354
10.6.3	Spatial and Augmented Reality Technologies . . .	355
10.6.4	Economic Empowerment AI Actors	355
10.6.5	Continuous Evolution and Adaptation	355
10.7	Conclusion and Final Thoughts	356
10.7.1	Embracing the Open-Source Metaverse Vision . . .	356
10.7.2	Learning from Past Failures	356
10.7.3	Unlocking New Opportunities and Use Cases . . .	356
10.7.4	Fostering Collaboration and Inclusivity	356
10.7.5	Shaping the Future of Digital Society	356
10.7.6	Industry Conversations	357
10.8	Software stack	357
10.9	In camera VFX & telepresence	358
10.10	Accessible metaverse for pre-viz	360
10.11	Novel VP render pipeline	361
10.12	Money in metaverses	361
10.12.1	ML actors and blockchain based bots	362
10.12.2	AI economic actors in mixed reality	362
10.13	Our socialisation best practice	362
10.13.1	Emulation of important social cues	363
10.13.2	Federations of webs of trust and economics . . .	363
10.14	Security evaluation	363
10.15	Potential applications	363
10.15.1	Global cybersec course delivery	365
10.16	notes for later	366

Guides for deploying the software

10.17	Lab - virtualisation, networking, Bitcoin	373
10.17.1	Overview	373

10.17.2	Prerequisites	373
10.17.3	Network details	373
10.17.4	Server configuration	373
10.17.5	Proxmox VE	374
10.17.6	Setup an internal only network in Proxmox VE	375
10.17.7	Install and configure Internet gateway server virtual machine	376
10.17.8	Install and configure a Debian virtual machine	378
10.17.9	Deploying the nix-bitcoin node	379
10.18	Lab - Vircadia	387
10.18.1	Overview	387
10.18.2	Deploy a Vircadia domain server	387
10.18.3	Deploy a Vircadia metaverse server	395

	Appendix	
10.19	Summary TL;DR	411
10.20	Acknowledgements and thanks	414
10.21	Author Biographies	414



List of Figures

1.1	In camera VFX virtual production	24
1.2	The Open Source Map of The Bitcoin Protocol Ecosystem maintained by Lucas Nuzzi of Coinmetrics	26
1.3	Distributed web, metaverse, and Bitcoin are intersectional technologies.	28
1.4	The landing page of global financial giant Goldman Sachs shows the hype.	29
1.5	PGIM cite ‘digiconomist’, a prominent critic.	30
1.6	The Gartners Hype Cycle for 2022.	32
2.1	Deloitte Spatial Web Overview Reused with permission.	37
2.2	Edelman 2020 trust barometer (rights requested)	38
2.3	A meme showing differing approached to logging in on a website.	40
2.4	ARK slide on Web3. Rights requested	40
3.1	Dan Held: Bitcoin prehistory used with permission.	46
3.2	Bitcoin Topics used with permission @djvalerieblow.	47
3.3	Intersecting disciplines. Reused with permission Dhruv Bansal	48
3.4	The narrative use of Bitcoin has evolved, by Nic Carter and Hasufly.	49
3.5	We live in an increasingly walled world (tni, rights requested)	50

3.6	"This new chart from Block is financial privilege visualized."	51
3.7	Rapid growth is mainly outside of 'Western Markets'	52
3.8	Rapid growth is mainly outside of 'Western Markets' - 2	53
3.9	Regular user numbers are surprisingly high.	54
3.10	European crypto investment vs funds stocks and bonds from Fontana at VisualCapitalist	55
3.11	Ethereum is thought to look like a speculative bubble. Rights requested	58
3.12	The rate of token generation has changed unpredictably over time. Rights requested	59
3.13	Growth in settlement value on the Bitcoin network (Forbes)	63
3.14	Bitpaint: Contributions to the Bitcoin ecosystem. Reused with permission.	64
3.15	Bitcoin network vs TOP500 supercomputers	66
3.16	67
3.17	Bitcoin Magazine	68
3.18	Intimate tie between energy and money, Henry Ford	69
3.19	Hash rate suddenly migrates from China (Reuse rights requested)	69
3.20	Climate tech investor Daniel Batten asserts that methane capture could highly impactful	70
3.21	Goldman suggest growth opportunity and potential demonetisation of gold?	75
3.22	Taxonomy of digital assets Hoffman 2022	77
3.23	Given a start point on the curve and a number of reflection operations it's trivial to find a number at the end point, but impossible to find the number of hops from the two end points alone. (CC Mastering Bitcoin second edition)	80
3.24	Seedsigner is an inexpensive open source project which scans the master seed in from a QR code to enable signing. One device can run a quorum based wallet (multisig) and manage Nostr identity.	86
3.25	Arcane research lightning adoption overview.	92
3.26	Within weeks of launch thousands of people are pinging micropayments to one another	94
3.27	A key fob with a Bolt12 QR code	95
3.28	Two of the many prebuilt and kit options for Lightning 'point of sale'	97
4.1	Comparison of mobile based payment systems	119

4.2	The UK signs into law regulation of digital representatives of value	127
4.3	More than half of central banks surveyed by the BIS said they saw issuance of a CBDC as possible.	128
4.4	The UK is clearly making moves to staff a new department for CBDC.	133
4.5	Potential market exposure to Bitcoin as a money	141
4.6	Nassim Taleb's Turkey Problem	148
4.7	Cycle theory revisited blog post (Image used with permission)	149
4.8	Bitcoin distribution is skewed to s few early holders, but it likely is fair. (Image used with permission)	150
4.9	Supply of bitcoin that hasn't moved for over 1 year	150
5.1	Midjourney 5 fake images of The Pope Francis which are circulating as memes and show the power and the danger of the technology even at this early stage.	165
6.1	Part of the DID SSI specs	191
6.2	An illustration of the enthusiasm for Nostr compared to traditional DID based on GitHub 'stars'.	199
6.3	Comparison of distributed file stores	203
7.1	Solana NFT markets are enjoying growth compared to OpenSea on Ethereum, even in the downturn.	211
7.2	Beeple: First 5000 days, taken from the Christies website, assumed fair use.	213
7.3	The bubble bursts on Yuga Bored Apes for now.	217
7.4	The press has been quick to note the phase change to digital objects on Bitcoin	227
8.1	McCormick attempts to guess the Tencent metaverse	231
8.2	Elon Musk agrees with this on Twitter. It's notable that Musk is now Twitters' biggest shareholder, and has been vocal about web censorship on the platform.	237
8.3	Eye tracked eye gaze awareness in VR. Murray et al. used immersive and semi immersive systems alongside eye trackers to examine the ability of two avatars to detect the gaze awareness of a similarly immersed collaborator.	252
8.4	Bands of social space around a person Image CC0 from wikipedia.	254

8.5 The Venn diagram shows areas of research which have been identified in blue. These interlock and overlap as shown. The most relevant identified researchers from the literature are shown in black close to the fields of study which they represent. This diagram is a view of the core assumptions for the research, with the most important fields at the centre.	268
8.6 IPSOS poll predicted applications	276
8.7 Time magazine Metaverse Cover 2022	287
8.8 Epic games flywheel by Matthew Ball	288
8.9 John O'Hare (author) with a virtual production robot.	289
9.1 The terminology in the field is both somewhat blurred and highly 'nested'	295
9.2 Major stands of generative AI and their associated models at the time of print.	296
9.3 Major stands of large language models from Yang et al (375)	297
9.4 Taxonomy of recent generative ML systems by Gozalo-Brizuela and Garrido-Merchan used with permission.	316
9.5 SD tools website shows elements of creation and training.324	
9.6 A16Z view the nominal deployment of and AI tech stack in this way, but we are not using any of these models.	326
10.1 Another look at the diagram of intersections.	340
10.2 Models exhibit uncanny behaviours.	355
10.3 Pyramid showing the components for sats, stablecoins on lightning, asssets, and trust	357
10.4 High level overview showing the components for sats, stablecoins on lightning, asssets, and trust	358
10.5 Top panel is a screen grab from Vircadia and the bottom panel is a quick pass through img2img from Stable Diffusion. 367	
10.6 Robot VP	368
10.7 Functional elements for infrastructure.	368
10.8 Client server C4 diagrams.	369
10.9 Ubuntu 20.04 Desktop Settings	388
10.10 Ubuntu 20.04 Desktop Settings - Network	389
10.11 Vircadia build settings and installation screen grab . 390	
10.12 Vircadia build Qt warning	390
10.13 Vircadia server configuration landing page	393
10.14 Vircadia server configuration import page	393

10.15	Vircadia server configuration import page	394
10.16	Vircadia server configuration import page	394
10.17	Vircadia server configuration import page	395
10.18	Vircadia server configuration import page	396



List of Tables



State of the art

1	Introduction	23
2	Decentralisation & Web3	35
3	DLT, Blockchain, and Bitcoin	45
4	Money in the real world	111
5	Affecting global change	159
6	Distributed Identity & Trust	189
7	Digital Objects & NFTs	209
8	Collaborative mixed reality	229
9	Artificial Intelligence	293
10	Our proposition	339

0.1 **Conflict of interest statements**

The authors may own small numbers of the various tokens referenced in the text for experimentation and/or investment purposes. At this time that is only sufficient Ethereum to operate a Web3 wallet, and Bitcoin locked on the Lightning network. No NFTs are owned at this time. There are no financial stakes in the development of any of these ecosystems.



1. Introduction

1.1 Overview

As human beings, we have always relied on certain social constructs to guide our interactions and transactions with one another. Money and trust are two such constructs that have played a vital role in shaping our societies, and the way we live our lives. However, the digital age has brought with it new challenges that are testing the foundations of these social norms.

In a world where we are increasingly connected through the internet and able to communicate with people from all corners of the globe, the concept of money and trust is changing. Gone are the days of the village structure in which we evolved, where personal relationships and face-to-face interactions were ubiquitous. Now, we are faced with the prospect of working and interacting one another, and also with artificial intelligence actors that seem subjectively real, all while navigating the complexities of a global mixed reality.

This transition to a more efficient and interconnected world has the potential to bring about great benefits, but it also presents us with an enormous challenge. The chaotic and intangible mix of value, trust, socialisation, generative art, and AI chat actors, is not yet well understood, and it will take time for us to adapt to this new way of living and interacting with one another.



Figure 1.1: In camera VFX virtual production

We initially wanted to explore exciting new developments in the transmission of value, and trust, in ‘digital society’. The problem is that each of these topics alone are enormously complex, and the intersections seem to be more so. We have been researching the current state-of-the-art, and the emerging consensus narrative, to try to figure out how the collision of these technologies might serve our virtual production workflows (Figure 8.9). As we worked on this research the Cambrian explosion of generative AI added an incredibly important new strand to our investigation.

Over the course of a couple of years the focus of the work has developed, and refined. Our tool-kit, as it stands, supports inclusive human creativity and economic exchange, especially for emerging markets and especially perhaps Africa. There is a huge proportion of human creativity currently excluded from media production pipelines due to gatekeepers of knowledge, access to identity proofs, and financial infrastructure that is taken for granted in the richer nations. This inclusion will be accomplished for the most part through integration of open source machine learning and AI tools, but this field quite new, and that part of the work is under developed.

1.2 Introduction

This book is a high level view of technologies and their potential within the developing digital society narrative, focusing around the

transmission of value within and across immersive global networks, with a further focus on the Bitcoin monetary network.

Cybersecurity is top of the list of concerns in the EU digital society strategy, just ahead of digital inclusion, so we started out with security best practices in mind, and we tried to end the investigation with inclusion. We aimed to support small and especially developing companies in our sector, giving them a foot in the door on a global stage, without their costs spiralling.

Fortunately, we discovered a wealth of carefully crafted open source tools which can support this. Open source software is software that is available with source code that can be modified and distributed by anyone. The model extended into other creative works through things like the Creative Commons licenses, which is itself an ‘open standard’. We will return to these themes throughout the book, and both this text and the supporting code are open source. This means that anyone can access, use, and modify the source code for their own purposes. Open source software is often developed and maintained by a community of volunteers. This approach to software development allows for more collaboration and innovation, as well as greater transparency and security. Many popular software programs, such as the Linux operating system and the Apache web server, are open source.

We have tried to assemble the tools we found, cogently, to deliver an open source kit for experimentation, to curious technically individuals and groups, and we have applied our own security knowledge on top of an already first class set of tools. It’s certainly not production ready, but it’s good enough to commit small amounts of money into, and collaboration is welcomed.

Whilst researching, it seemed that every door we opened was full of interesting and useful treats. What was supposed to be a short technical paper quickly became a 400-page book, and a deployable virtual machine stack, with a dozen different open source components in it.

This book supports the software stack, which supports anyone who thinks this material might be useful. Below is a précis of the chapters of the book, which will hopefully give an insight into what “this stuff” is. The reader can decide to download the book and the system “How To” guide. All of it can be contributed to on GitHub, all of it will be developed forward, and none of it is really finished yet.

Chapter 1 starts with an introduction to the book which is about value transmission, with distributed trust, in global digital society and mixed reality systems.

Next is a summary of Web3, as it stands right now. Web3 is a complex term that is cropping up far more in the technical press, so we wanted explain what it might mean. It's still pretty confusing. There are a bunch of legacy explanations which are Web3.0 (note the '0' there), but these are withering on the vine. Then there's the new VC funded, super hyped, and potentially useless Web3 incarnations, which again cover a slew of intersecting technologies. Note they dropped the zero to reboot the brand! This doesn't mean there's nothing to see here. The astonishing amount of money and developer talent, and the clear market hunger for things like NFTs (non-fungible tokens) suggest that there's a future for Web3, it's just really unclear if this is inherently valuable or just hype.

In the next chapter we took a look at blockchain, which is very intersectional with Web3. Even on its own this is a complex emergent set of disciplines. The blockchain chapter was especially interesting to research. It turns out there's a *lot* of ways to get this technology wrong. Even very appealing options on paper, turn out to have very shaky foundations. There are valuable things here, but given the complexity and scope, we decided to focus on the most promising of the technology stacks; the Bitcoin network.

Even Bitcoin isn't just Bitcoin any more. It's a swarm of open source tools which can (in theory) accomplish a great many things. These are illustrated well in Figure 1.2. These newer, ancillary elements




Figure 1.2: The Open Source Map of The Bitcoin Protocol Ecosystem maintained by Lucas Nuzzi of Coinmetrics

to Bitcoin, are emergent right now. Some of them won't be around until next year, and it's questionable whether they will even work out. With that said we aren't convinced by the value proposition of Ethereum, and there's enough Bitcoin tooling for us to cherry pick useful components. We map those forward into our metaverse product.

The next chapter is about Money. In expanding our research on Bitcoin, we found that it's impossible to think about the tech without opening up a whole line of questions about money itself. This is fine because we set out to look at global value transfer for business. It's not a trivial subject though, and this section tries to overview why value and Bitcoin are so enmeshed, then what other options there might be in the end (because Bitcoin has kicked off a whole slew of global adoption outside of itself). Chapter five extends this look at global money systems and examines corruption, governance, and opportunities for digital society to affect change and equality.

The distributed identity management, and trust chapter follows. Identity management is important for digital society and potentially crucial to metaverse applications which have a value transaction layer. It's not an easy section to write about, because there's a lot of research, it's not our field, and finding the value and the right target audience has been very difficult. It's by no means clear that blockchain is the right tool for this component, and newer cryptographic products are emerging. We select an exciting emergent protocol called Nostr which we believe can help us knit together many elements of digital society.

In chapter 7 we take another look at NFTs. It's impossible to ignore this stuff now. It's fundamentally a bit broken, but there are probably use cases, and the money and development attention it's getting are incredible. We try to navigate our hypothetical virtual production partners through this as best we can.

We're actually pretty excited about future versions of 'digital assets', based around Bitcoin, because that allows us to keep just one software stack, minimising the threat surface. We've mapped that forward into the open source tools that we recommend.

Chapter 8 is a big one for us as it's our research area prior to opening up the Bitcoin box(es). Metaverse, or at least one of the current definitions of metaverse, is just social interaction in mixed reality (VR/AR/XR). We've been studying that for decades, so this section is more academic and tries to boil down what we think is most important. The choices we made here guided us toward the selection of free and open source metaverse software.

We also take a look at the other definitions of 'metaverse' which

are doing the rounds on the web, try to unpick which is which, and what they are for, and attempt to weave back together the best of both. This ends up looking a bit like the Venn in Figure 10.1, where we have transmission of provable identity, non-fungible tokens bearing value or data, distributed files, actual money (including micropayments) and a social layer based on our best knowledge about mixed reality. In the end we abandon the word metaverse and settle on ‘digital society’ as our preferred term.

Chapter 9 is a work in progress and looks at how the recent explosion in generative art, and machine learning language models might help drive equality and equity of access globally. Past this stage in the book we get into the murky and half developed tail end, where we’re interfacing with our design choices, and the stack which can be deployed into the cloud.



Figure 1.3: Distributed web, metaverse, and Bitcoin are intersectional technologies.

1.2.1 The view of big business and governments

As adoption of these technologies increases it will be necessary for people, and AI actors, to pass economic value between themselves. These ‘goods and services’ interactions, within the digital and virtual

social spaces should be underpinned by a trust system, which scales globally and presents low friction. Current secure international payment rails are poorly suited to such interactions; indeed it is likely with legacy systems, that parties would be forced to leave the metaverse application, and instead navigate their banking applications to exchange value with overseas entities in a secure fashion. This might conceivably take several days.

Fortunately, the whole landscape of money and value transfer is changing. Huge global financial players are entering the space. HSBC have just bought metaverse ‘land’ in The Sandbox, JP Morgan have opened a ‘lounge’ in another. The world’s largest hedge fund Bridgewater is stepping into acquisition of digital assets, and the world’s largest pension fund manager Blackrock partnered with crypto behemoth Coinbase and is adding these assets to their management engine (which manages tens of trillions of dollars). America’s oldest bank BNY Mellon, and even the Nasdaq stock exchange are offering service to institutional clients, and Fidelity asset management are about to add Bitcoin to their pension plans, and they have asserted their view that Bitcoin is different, and more meaningful than the rest of the industry. Fidelity are also offering a dedicated metaverse tradable fund, and considering more direct product offerings through their retail investment engine. Citigroup have a minisite dedicated to “Metaverse and Money”. The front page of Goldman Sachs recently says it all (Figure 1.4).




Figure 1.4: The landing page of global financial giant Goldman Sachs shows the hype.

In Gartners 2022 hype cycle report one of their three “trend themes” says: *“The future of digital experience is immersive. A collection of emerging technologies supports such experiences through dynamic virtual representations, environments and ecosystems of customers and people, as well as new modes of user engagement. With these technologies, individuals can control their own identities and data*

and experience virtual ecosystems that can be integrated with digital currencies. These technologies help reach customers in new ways to strengthen or open new revenue streams. The technologies to watch that deliver evolving and expanding immersive experiences are metaverse, non-fungible tokens (NFTs), super apps and Web3, decentralized identity, digital humans, digital twin of the customer and internal talent marketplaces.”

Of their recent investments KPMG global said: “*We’ve invested in a strong cryptoassets practice and we will continue to enhance and build on our capabilities across Decentralized Finance (DeFi), Non-Fungible Tokens (NFTs) and the Metaverse, to name a few*”. This is not to say that all fund managers are so positive. PGIM who manage over a trillion pounds globally have come out very strongly against the technology, with a slew of reports to warn off investors (Figure 1.5).



Figure 1.5: PGIM cite ‘digiconomist’, a prominent critic.

It’s possible that for such huge organisations it makes better business sense to take a punt on hype bubbles like this, than to do a proper due diligence with a team of internal staff who understand their business. These endorsements should be taken with a large pinch of salt. As Alex Johnson says: *“At some point in the future, it’s possible that the digital worlds being built today will have aggregated sufficient user attention and engagement that financial services companies will need to invest in the metaverse as an acquisition and customer service channel. But we’re not there yet. Until the metaverse is a little less empty, resist the temptation to colonize it with branches and billboards.”*

Meanwhile, Meta (ex Facebook) are launching their own META Web3 and metaverse token after abandoning Libre, their global cryptocurrency. Libre became Diem, then was quietly acquired by Silvergate bank, who likely integrated it into their SEN settlement network. Following the collapse of Silvergate the bank was sold on without the SEN network, marking an ignominious end to the technology which possibly started the the rush to central bank digital currencies.

Google have formed a strategic partnership with Coinbase, and recently blogged: “*Web3 also opens up new opportunities for creators. We believe new technologies like blockchain and NFTs can allow creators to build deeper relationships with their fans. Together, they'll be able to collaborate on new projects and make money in ways not previously possible. For example, giving a verifiable way for fans to own unique videos, photos, art, and even experiences from their favourite creators could be a compelling prospect for creators and their audiences. There's a lot to consider in making sure we approach these new technologies responsibly, but we think there's incredible potential as well. Finally, we couldn't have a piece about innovation without touching on the metaverse! We're thinking big about how to make viewing more immersive.*”

It’s already the case that the recent bubble of hype is dwindling, but the enormous investment into teams and startups will potentially bear fruit in the next couple of years, and this perhaps has implications for small and medium-sized enterprises.

It’s fortunate timing for this book that the UK government has signalled enthusiasm for so called ‘stablecoins’ at the same time that the Bitcoin network is being upgraded to transmit these GBP equivalent tokens around. This gives us a very good idea what it is we can build into our application stack. In the UK the government has stated it’s ambition to be a global cryptoasset technology hub, and announced, then scrapped plans for the Royal Mint to issue a (novelty) NFT. Fuller, Economic Secretary to the Treasury said in a speech: “*We want to become the country of choice for those looking to create, innovate and build in the crypto space [...] By making this country a hospitable place for crypto technologies, we can attract investment, generate new jobs, benefit from tax revenues, create a wave of ground breaking new products and services, and bridge the current position of UK financial services into a new era.*”

Their outline plans for ‘robust regulation’ were published after these seemingly supportive moves, and with the public consultation drawing to a close they have signalled their willingness to differentiate from Europe within a year. Like the assertion by major global businesses it is too early to tell how ‘sticky’ these claims are. Indeed the findings of a recent treasury committee looking at the sector suggest that there is much work to do, with 85% of companies failing to comply with existing law. The UK legal system is clear in its view that all crypto assets are ‘property’.

A Law Commission consultation on “digital assets” has proposed a

new **third category** of property:

- it is composed of data represented in an electronic medium, including in the form of computer code, electronic, digital or analogue signals;
- it exists independently of persons and exists independently of the legal system;
- it is rivalrous such that use by one prejudices the ability of others;

Consensus seems to be that this is a thorough paper, and demonstrates strong knowledge of digital assets by the authors.

Gartner's hype cycle 2022 features Web3, distributed identity, NFTs, and Metaverse and can be seen in Figure 1.6.




Figure 1.6: The Gartners Hype Cycle for 2022.

1.3 Summary

With all this attention it seems timely to explore the potential of recent technologies, which can address collaborative mixed reality interactions in *business to business* (B2B), *business to customer* (B2C), and the newer C2C (social commerce; *creator to consumer*, *customer to*

customer, consumer to consumer[1]).

This book seeks to overview and explain the available open source technologies. It supports an open source [github repository](#) which enables SMEs to access these emergent platforms and ecosystems. It aims to build toward a minimum viable product for trust minimised transfer of value within a social immersive space, but also across all internet connected devices.

Referencing is in two styles; academic works and books are numeric, while opinion pieces, gray statistics, and pertinent news articles are hyperlinked from the text. This hybrid style yields about twice the citation density of a normal PhD thesis, which is a lot. For this reason the normal blue hyperlink colour was eschewed in favour of a more aesthetic “gray”.



2. Decentralisation & Web3

2.1 Semantic web

The “semantic web” definition of Web3.0 has been somewhat overhauled by other innovations in decentralised internet technologies, now evolving toward the slightly different Web3 moniker. Tim Berners Lee (of WWW fame) first mentioned the semantic web in 1999 [2].

“I have a dream for the Web [in which computers] become capable of analyzing all the data on the Web – the content, links, and transactions between people and computers. A "Semantic Web", which makes this possible, has yet to emerge, but when it does, the day-to-day mechanisms of trade, bureaucracy and our daily lives will be handled by machines talking to machines. The "intelligent agents" people have touted for ages will finally materialize.”

Attention developed around three core themes, ubiquitous availability and searchability of data, intelligent search assistants, and highly available end points such as phones, and ‘internet of things’ devices. This is certainly manifesting in home devices, but few people think of this as a Web3 revolution. Since ratification of the standards by the World Wide Web (W3C) consortium it seems that their imperative toward decentralisation has become lost. Instead, it can be seen that Facebook, Amazon, Google, and Apple have a harmful oligopoly on users data [3]. This is at odds with Berners-Lee’s vision, and he has

recently spoken out about this discrepancy, and attempted to refocus the media onto Web3.0.

It is worth taking a look at his software implementation called Solid, which is far more mindful of the sovereignty of user data.

“Solid is an exciting new project led by Prof. Tim Berners-Lee, inventor of the World Wide Web, taking place at MIT. The project aims to radically change the way Web applications work today, resulting in true data ownership as well as improved privacy. Solid (derived from "social linked data") is a proposed set of conventions and tools for building decentralized social applications based on Linked Data principles. Solid is modular and extensible and it relies as much as possible on existing W3C standards and protocols.”

Excitement around this kind of differentiated trust model, hinted at in ubiquitous availability of data (and implemented explicitly in Solid), has led to exploration of different paths by cryptographers, and this will be described later. For instance, one of the main developers of Solid, Carvelho, is now a leading developer and proponent of Nostr, another very interesting option which will be described later. This technology space is prolific, but still comparatively young and small.

2.2 Spatial web

“The Spatial Web”, a blurring of the boundaries between digital and geospatial physical objects, seems to have developed from the strands in the original W3C scope around devices in the real world. It has been concentrating around AR and VR but is being marketed and amplified with the same references to availability of data (See Figure 2.1 from a Deloitte accounting report). This too is finding little traction in practice, though obviously the component technologies continue to enjoy rapid development. Nonetheless, this interpretation of Web3 becomes valuable when examining Metaverse later.


2.3 Web3

More recently Web3 is being touted as a way to connect content creators directly to content consumers, without centralised companies acting as gatekeepers of the data. It implies that all users have a cryptographic key management system, to which they attach metadata, that they make requirements of peers with whom they communicate, and that they maintain trust ‘scores’ with peers.

It seems likely that this new model is less driven by a market need,

Three tiers of IT infrastructure and building the Spatial Web

As the technologies and capabilities that compose and connect IT architecture converge, the Spatial Web will mature. The figure below shows how key enabling technologies drive their respective computing eras.



*Note: Date ranges are approximate and meant for directional purposes only.

Source: Deloitte analysis adapted from Gabriel René and Dan Mapes, *The Spatial Web: How Web 3.0 Will Connect Humans, Machines, and AI to Transform the World* (Amazon, 2019).

Deloitte Insights | deloitte.com/insights

Figure 2.1: Deloitte Spatial Web Overview Reused with permission.



Figure 2.2: Edelman 2020 trust barometer [rights requested]

and more by the high availability of tools which allow this to happen (the ecosystems described later). Add to this a social response to the collapse in trust of companies such as Facebook and other social media platforms[4] (Figure 2.2). There is perhaps a wish by consumers to pass more of the economic incentive to content creators, without the ‘rent seeking’ layer afforded by businesses, and a healthy dose of mania driven market speculation. Edelman’s latest trust report is shocking, finding that trust in all institutions has slumped recently to all time lows, and their global survey found that: “*Nearly 6 in 10 say their default tendency is to distrust something until they see evidence it is trustworthy. Another 64% say it’s now to a point where people are incapable of having constructive and civil debates about issues they disagree on. When distrust is the default – we lack the ability to debate or collaborate.*”

2.3.1 Emerging consensus

The recent hype cycle ignored the legacy definitions described above and instead focusing almost exclusively on Ethereum based peer-to-

peer projects. It can be seen that the description is somewhat in the eye of the beholder.

It's possible to frame this Ethereum Web3 as a hugely complex and inefficient digital rights management system (DRM). DRM is something that users of the internet are increasingly familiar and comfortable with. It's somewhat debatable whether decentralising this is worthwhile. The thesis of the developers of the technology seems to be that without it, control of 'value' will accrete over time, to one or more hegemonic controlling entities. It's a strong argument, but there is a substantial counter argument emerging that users just don't want this stuff. The nervousness of legislators in the USA to the attempt by Facebook/Meta to enter this peer-to-peer value transmission space is telling in terms of the perception of who is driving Web3.

Throughout 2022 there was much furore on the internet over what Web3 might be, and who it 'serves'. Enthusiasts feel that products such as Sign-In with Ethereum (EIP-4361) might give users choice over their data sovereignty, and a meme to this effect is seen in Figure 2.3. In practice though users are expecting to use badly written, buggy, economically vulnerable 'crypto' wallets to log into websites. The quality of this wallet software is improving of late with the so called "wallet wars" seeing commerce grade offerings from Coinbase and shares platform 'Robinhood'. These two companies alone have over 100 million users. It's likely that these wallets will evolve to offer the full spectrum of Web3 functionality. With that said it doesn't seem to make much sense yet on the face of it. There are in fact examples of the technology completely failing at censorship resistance. Popular 'Web3' browser extension Metamask and NFT platform Opensea have both recently banned countries in response to global sanction pressure. This failure to meaningfully decentralise will be explored further in the distributed identity section.

Of their 2022 'Big Ideas' report, ARK investment LLC (who manage a \$50B tech investment) said the following (Figure 2.4), which connects some of the dots already mentioned, and leads us into the next section which is Blockchain and Bitcoin:

"While many (with heavily vested interests) want to define all things blockchain as web3 we believe that web3 is best understood as just 1 of 3 revolutions that the innovation of bitcoin has catalyzed.

- *The Money Revolution*
- *The Financial Revolution*
- *The Internet Revolution"*

This new hyped push for Web3 is being driven by enormous venture



Figure 2.3: A meme showing differing approached to logging in on a website.



Figure 2.4: ARK slide on Web3. Rights requested

capital investment. A16Z are a major player in this new landscape and have released their ten principles for emergent Web3. Note here that A16Z are (like so many others) probably a house of cards.

- Establish a clear vision to foster decentralized digital infrastructure
- Embrace multi-stakeholder approaches to governance and regulation
- Create targeted, risk-calibrated oversight regimes for different web3 activities
- Foster innovation with composability, open source code, and the power of open communities
- Broaden access to the economic benefits of the innovation economy
- Unlock the potential of DAOs
- Deploy web3 to further sustainability goals
- Embrace the role of well-regulated stablecoins in financial inclusion and innovation
- Collaborate with other nations to harmonize standards and regulatory frameworks
- Provide clear, fair tax rules for the reporting of digital assets, and leverage technical solutions for tax compliance

This list seems targeted toward the coming regulatory landscape, and could be considered at odds with the original tenants of an organically emergent, decentralised internet. Indeed principles such as ‘furthering sustainability goals’ seem downright incongruous. The community they claim to wish to support here are openly critical of these major institutional players and their motives, with even more pointed criticisms coming from outside of the Web3. This book and lab steer well clear of these companies and their applications.

Dante Disparte, chief strategy officer of ‘Circle’ venture capital, said in testimony to a US senate hearing; that Web 1 was ‘read’, Web 2 was ‘read write’, and that Web 3 will ‘read write own’. The important takeaway here is not so much this oft quoted elevator pitch for Web3, but the fact that legislative bodies now consider this technology a force which they need to be aware of and potentially contend with.

Jeremy Allaire, again of Circle’, talks about the recent legislative order in the USA as follows: *“this is a watershed moment for crypto, digital assets, and Web 3, akin to the 1996/1997 whole of government wakeup to the commercial internet. The U.S. seems to be taking on the reality that digital assets represent one of the most significant technologies and infrastructures for the 21st century; it’s rewarding to*

see this from the WH after so many of us have been making the case for 9+ years.”

We will see in the following chapters that participation in this new Web3 is contingent on owning cryptocurrencies. It's estimated that about 6% of people in the UK own some cryptocurrency, with skews to both younger demographics, and smaller holdings. The legislative landscape in the UK is comparatively strict with questionable “know your customer / anti money laundering” (KYC/AML) data collection mandated in law. Users of UK exchanges must provide a great deal of personal financial information, and undertake to prove that the wallets they are withdrawing to are their own. From the perspective of the UK SME it seems this seriously limits the potential audience for new products. Europe meanwhile has recently voted through even more restrictive regulation, applying the “transfer of funds regulation” to all transactions coming out of exchanges, enforcing a database of all addresses between companies, and reporting transactions above 1000 Euros to authorities. They have narrowly avoided enforcing KYC on all transfers to private wallets, but have capped transactions at 1000 Euros. The recent “Markets in Crypto Assets (MiCA) legislation imposes overheads that may make it harder for smaller businesses in the sector to operate within the EU, but is has been cautiously welcomed by established players, who have been hungry for clarity. It is certainly far short of the ‘ban’ seen in China, and the regulation be enforcement in the USA.

- European Parliament approved EU’s crypto assets framework, MiCA
- Enforcement clock starts in June, with 12-18 months for rules to kick in
- MiCA offers license tailored to crypto asset services and stablecoin issuers
- Regulation refrains from covering decentralized finance or non-fungible tokens
- Stablecoin issuer rules boost consumer confidence, potentially increasing institutional comfort
- Transfer of Funds regulation passed, imposing stronger surveillance and identification requirements for crypto operators
- Regulations described as world-first and end of Wild West era for crypto assets
- MiCA represents a crucial step forward for crypto industry, providing comprehensive set of rules
- Crypto firms must be licensed by the EU and comply with money

- laundering and terrorism finance safeguards to serve EU customers
- Concerns about weakened privacy due to reporting standards in the name of customer safety and national security
- Binance CEO supports MiCA, calling it a pragmatic solution
- EU's MiCA could become a global template for international companies
- UK, now outside the EU, is setting similar stablecoin and crypto asset service rules

Germany is bringing forward legislation allowing the ‘tokenisation’ of legacy instruments such as stocks, though it’s far from clear what the value of this would be, except perhaps lowering risk for custodians. It seems that this EU position has prompted the UK government to seize the potential competitive advantage offered, and there will be more on this later. Japan meanwhile has gone so far as to make an announcement about supporting the technologies at a national level.

It’s a complex evolving narrative, and clearly contradictions are common. Right now there seems little appeal for stepping into Web3. Into the confusion, this book advances a narrow take, and toolset, which might extract some value from the technologies, while maintaining a low barrier to entry.

2.4 The common thread

One feature which persists throughout all of these interpretations of Web3 is the need for decentralised trust. According to Nathaniel Whittemore, a journalist for Coindesk, “The Web3 moniker positions this industry in opposition to big tech”. Alternatively the many detractors of the technology think it simply provides avenues for incumbents to experiment with new models of control and monetisation, increasing systemic risk at no cost to themselves.

Overall then, perhaps the space is hype, and is certainly rife with scams. Fully 24% of projects in 2022 are estimated to be built as ‘pump and dump’ scams. The degree to which it even accomplishes decentralised trust is highly debatable, and meanwhile the limited numbers of Web3 and supporting crypto companies display lamentable cyber security practice themselves, creating honeypots of personal data from users of the ecosystem.

With that said the component parts necessary to deliver on the promise **do** exist. If there is to be no central controlling party(s) as in the Web 2 model then nothing can happen without a cryptographically

secure underpinning, allowing digital data to be passed around without a prior arrangement.

The following chapter will describe how much has been done by computer scientists over the past decades to support that. From this base layer we also get the potential for secure and trust minimised identity management. This nascent field of distributed identity management is explained later. From distributed trust models we can see ‘trustless’ transmission of economic value. The ability to send value from one person to another person or service without a third party.

This whole area is ‘crypto’, which is increasingly seeping into the human consciousness, and saw an astonishing \$30B of capital investment in 2021 alone. At time of writing the industry is an over 1 trillion dollar market.

All the new crypto technologies circling the Web3 narrative are bound tightly together, but there is currently very little meaningful value to be seen.

The rest of this book will focus on the trust and value transfer elements of this shift in internet technologies, and attempt to build a case for it’s use in decentralised, open source, collaborative mixed reality applications.



3. DLT, Blockchain, and Bitcoin

Distributed ledger technology (DLT) is a data structure distributed across multiple managing stakeholders. A subset of DLT is blockchain, which is a less efficient, immutable data structure with a slightly different trust model. Rauchs et al. of the Cambridge Centre for Alternative Finance provide a detailed taxonomy and conceptual framework [5]. It can be seen in their paper that the definitions are somewhat unclear in literature.

DLT, and especially blockchain, are rapidly gaining ground in the public imagination, within financial technology companies (FinTech), and in the broader corporate world.

The technology and the global legislative response are somewhat immature, and misapplications of both technologies are commonplace.

Distributed trust models emerged from cryptography research in the 1970s when Merkle, Diffie, and Hellman at Stanford worked out how to send messages online without a trusted third party [6, 7].

Soon after the 1980s saw the emergence of the cypherpunk activist movement, as a reaction to the emerging surveillance state [8, 9], a topic which is expanded for this moment in a later chapter. These early computer scientists in the USA saw the intersectionality between information, computation, economics, and personal freedom [10]. Online discussion in the early nineties foresaw the emergence of trans-national digital markets, what would become the WWW [11, 12]. The issues



Figure 3.1: Dan Held: Bitcoin prehistory used with permission.

of privacy and the exchange of digital value (digital / ecash) were of foremost importance within these discussions and while privacy was within reach thanks to “public/private key pairs”, ecash proved to be a more difficult problem.

Adam Back’s 1997 ‘hashcash’ [13] paved the way for later work by implementing the concept of what would become ‘proof of work’ [14, 15]. This was built upon by Dai [16], Szabo [17], Finney [18], and Nakamoto amongst others. In all it took 16 years of collaboration on the mailing lists (and dozens of failed attempts) to attack the problem of trust-minimised, distributed, digital cash. The culmination of these attempts was Bitcoin [19]. This is illustrated by Dan Held in Figure 3.1. This is now a wider ecosystem of technologies and societal challenges (Figure 3.2).

There is enormous complexity and scope, as seen in Figure 3.3, and yet genuinely useful products are elusive. It is surprisingly hard to pin down a simple explanation for the features which define a blockchain. These “key takeaway” from Investopedia are a neat summary however.

- *Blockchain is a specific type of database.*
- *It differs from a typical database in the way it stores information; blockchains store data in blocks that are then chained together.*



Figure 3.2: Bitcoin Topics used with permission @djvalerieblove.

- As new data comes in it is entered into a fresh block. Once the block is filled with data it is chained onto the previous block, which makes the data chained together in chronological order.
- Different types of information can be stored on a blockchain but the most common use so far has been as a ledger for transactions.
- In Bitcoin's case, blockchain is used in a decentralized way so that no single person or group has control—rather, all users collectively retain control.
- Decentralized blockchains are “append only”. In effect this means that the data entered becomes irreversible over time. For Bitcoin, this means that simple economic transactions are permanently recorded and viewable to anyone.

In principle blockchains provide a **differentiated trust model**. With a properly distributed system a blockchain can be considered “trust-minimised”, though certainly not risk minimised. This is important for some, but not all people. There is not much emboldening of text within this book. If you start to question the whole reason for this ‘global technology revolution’ then it always comes back to those three words.

It can in fact be argued that the whole concept of distributed cryptographic blockchains is somewhat strained, as the vast majority of the technology offerings are not distributed, and worse, meaningful distribution may indeed be practically impossible without a trusted third party [20]. “There are many scenarios where traditional databases



Figure 3.3: Intersecting disciplines. Reused with permission Dhruv Bansal

should be used instead”[21].

3.1 What's this for sorry?

The proponents of blockchains argue, that in an era when data breaches and corporate financial insolvency intersect with a collapse in trust of institutions, it is perhaps useful to have an alternative model for storage of data, and value. That seems like a lot of effort for a questionable gain. It's far more likely it's simply speculation.

While writing this book the questions of ‘what is this *really* for and how can it possibly be worth it’, came up again and again. In truth it’s a very difficult question, without a clear enough answer. It’s beyond the scope of this book to figure this out properly, but references to advantages and disadvantages will be made throughout.

It seems that the engineers who created Bitcoin wanted very much to solve a technical problem they saw with money (from their understanding of it), and the transmission of money digitally. As the scale and scope have increased so has the narrative evolved as seen in Figure 3.4, but it’s never really kept pace with the level of the questions posed.



Figure 3.4: The narrative use of Bitcoin has evolved, by Nic Carter and Hasufly.

A cost benefit analysis that excludes speculative gains seems to fail for pretty much all of blockchain/DLT. Bitcoin is more subtle as it possibly *can* circumvent the legacy financial systems. This still leaves huge questions. To quote others in the space, is Bitcoin now the iceberg or the life raft?

For the most developed defence of the technology as it stands in from a Western perspective, in this moment, Gladstein (and others) offer a vision for the asset class, in the 87% of the world he says don't have access to the technology infrastructure benefits enjoyed by the developed west [22] (Figure 3.5). He points to Block and Wakefield Research's report which finds those living under financially oppressive regimes are the most optimistic about the technology as in Figure 3.6. This argument is suggestive of huge and untapped markets for services which may be accessible to developed nations through telepresence/metaverse interfaces, and which may increase equity of access to opportunity elsewhere. To put some figures against this:

- Nigeria has the highest number of crypto owners in the world in 2022 with 45% of its population owning or using cryptocurrency.
- Thailand occupies the second space with 44% of its population reported to be using or owning cryptocurrency.
- Turkey has 40% of its population owning and using cryptocurrency in 2022, equal to over 33 million people.
- Argentina occupies the fourth position with an ownership and usage rate of 35% in 2022, representing almost 16 million people.




Figure 3.5: We live in an increasingly walled world (tni, rights requested)

- United Arab Emirates has 34% of the population owning or using cryptocurrency in 2022, representing almost 10 million people.
- Philippines is ranked sixth with a 29% adoption rate.

Gladstein's is a carefully developed and well researched book, but is written from the western perspective of (just) Bitcoin 'being the raft'. Later in this book we will consider if it might be the iceberg, but this is not the domain expertise we offer in this book. It is crucial to note that Gladstein has vociferous detractors within Africa. It seems entirely possible he's another grifter as suggested by Kimani: "*Gladstein is a charlatan who makes his living by selling the image of a global south that is corrupt, entirely lacking in rational thinking and needing a saviour; like him to swoop in and save us from our floundering selves. He exploits on tired and unproven stereotypes, cherry picks data while ignoring mountains of evidence that disprove him. Because he knows that as the perceived "morally superior" "right thinking" western superior coming to save, he will mostly go unchallenged. It's a graft, an old graft that many like him have turned into an industry. Where they earn tax free income by selling a delusion and fetish to their western audience who need to think the global south is a failure of the human*




Figure 3.6: “This new chart from Block is financial privilege visualized.”

experience. He is trying to set himself up as some gate keeper and king maker in the Global South. He knows that the next phase of growth is. So he wants to make sure that westerners looking to invest in the global south see him as some “expert” and ask for his unfounded opinions. People like him run global morality extortion rings. How so? Simple: By purporting to know and be the keeper of global south morality, he will use his words to bless or curse your business, well, unless you make a generous donation to his foundation. These are scare tactics employed by charlatans to run tax-evasive PR entities, thinly veiled as “human rights” organisations. If you are not on his side, he will slander you and your organisation. If you ensure you promote him and his ambitions, he anoints you as the good guy! He is trying to play the role that the Vatican and other corrupt religious organisations played in the 1800. Turning morality into a commodity that can be purchased from his market place: We decide who is good and who is bad and who can do business and who can’t. For a “donation”. He is not the first and he will not be the last. It’s a growing industry, driven by shrewd westerners who know that they can sell racial stereotypes back home, but as long as they claim they are the one’s helping or saving the coloured peoples from themselves.”

Raoul Pal of RealVision says: *Crypto adoption is now massively outperforming the internet. It’s been growing at about 165% a year versus 85% for the internet for the same period of time now. According to analytics company Chainalysis; growth is fastest in the Middle east*

and North Africa (Figure 3.7).




Figure 3.7: Rapid growth is mainly outside of ‘Western Markets’

Thanks to a natural fit with strong encryption, and innate resistance to censorship by external parties, these systems do lend themselves well to ‘borderless’ applications, and are somewhat resistant to global regulation (for good or ill). Given the rates of adoption seen in Figures 3.7, 3.8, 3.9, and 3.10 it seems that this stuff is coming regardless of their usefulness to the developed world. If we are to take this as a given then we can perhaps logically infer that finding a use case for the technology is important, somewhat irrespective of other arguments. This provides us an opportunity to explore for metaverse applications, and this will be the focus.

3.2 A panoply of tech

Within DLT/blockchain there seem to be as many opinions on the value of the technology as there are implementations. A host of well engineered open source code repositories makes the cost of adoption relatively low.

There are thousands of different ‘chains’ and many more tokens which represent value on them. A majority of these are code forks of



Figure 3.8: Rapid growth is mainly outside of ‘Western Markets’ - 2

earlier projects. Most are defunct yet still have some residual ‘value’ locked up in them as a function of their ‘distributed’ tokens.

Because the space is comparatively new, subject to scant regulation, and often open source, it is possible to clone a github, change a few lines of code, and front it with a website in order to create ‘scams’, and this happens frequently [23].

The following sections give an overview of the major strands of the technology. First is Ethereum, mainly to discount it’s use for our needs, and move on to more appealing options.

3.3 Ethereum

Ethereum [24] is the second most secure public blockchain (by about 50%)[25], and second most valuable by market capitalisation (though this comparison is somewhat stretched). It is the natural connection from Web3 to the rest of the book, so it will be considered first.

It is touted as ‘programmable money’. It, unlike bitcoin, is (nearly) Turing complete [26], able to run a virtual machine within the distributed network (albeit slowly), and can therefore process complex transactional contracts in the settlement of value. This has given rise to the new field of ‘distributed finance’, or DeFi (described later), alongside many interesting trust-minimised immutable ledger public database ideas.

There are trade-offs and problems with Ethereum (Eth/Ether) which




Figure 3.9: Regular user numbers are surprisingly high.

currently increase the ‘participation floor’ and make the network far less suitable for entry level business-to-business use. The ledger itself being a computational engine, with write only properties, is enormous. Specialist cloud hardware is required to run a full node (copy of the ledger), and partial nodes are the norm. Many partial nodes are run by one specialist cloud provider (Infura), which has recently been forced to exclude Venezuela from the network. Network validators are refusing to process addresses on an OFAC sanction list. A staggering 58% runs on Amazon AWS servers. Critics of the project point to these vulnerabilities to outside influence as an existential threat to the aims of the technology. If it can be censured, then what advantage is there



Figure 3.10: European crypto investment vs funds stocks and bonds from Fontana at VisualCapitalist

over the founders simply running a high speed database to the same purpose?

This is a function of the so called ‘scalability trilema’ [27], in which it seems that only two features from the list of decentralization, scalability or security can be chosen for blockchains [28].

Moreover the network is centrally controlled by its creator and the ‘miners’. There is a strong case to answer that Eth is neither distributed, nor trustless, and in fact therefore fails to be differentiated from a DLT, undermining some of its claims. The history of Ethereum is a fascinating case study in human greed. By the time the whitepaper had its first limited release, Bitcoin (covered next) had already passed \$1000 per token. This led to the creators ambitions for a ‘fair release’ of tokens being voted down by powerful funders, leading to the explosion

of similarly structured ‘pre-mined’ coins in the ICO craze, which followed on the Ethereum network. Laura Shin is possibly the most experienced journalist and author in the space and has covered this crazy era in her book ‘The Cryptopians’ [29]. It’s a tough read for the newcomer though, perhaps finish this primer first!

With that said there are many talented developers doing interesting work on the platform, and innovation is fast paced. It is entirely normal for technology projects to launch their distributed ledger idea on and within the Ethereum network. These generate tradable ‘ERC-20’ tokens, which can accrue value or demonstrate smart contract utility (based on the Solidity programming language). Because the value locked and generated in the Ethereum platform comes not just from the ETH token, but all the ERC technologies built upon it, there are hundreds of billions of pounds ‘within’ the network. All of these projects, and indeed the core technology of Ethereum are subject to exploits and vulnerabilities and tens of billions of pounds have been lost [30]. Most of this money is pure market speculation (as is the case across blockchains). Many analysts cannot see this as anything but a speculative bubble, with all the predictable crash yet to come. This can be seen in the context of other bubbles in Figure 3.11. It seems that most of the projects in crypto more generally, but certainly with ETH and the NFTs within it are a new kind of social gambling, where online communities can reinforce groupthink around their speculative choices. This idea that Ethereum is not a commodity, but rather a security, built around promises of returns, is finding recent favour in law. New York attorney general James has alleged that Ether is a security in court proceedings, which could have enormous consequences, potentially reversing the momentum the asset had been enjoying as a commodity. Jason Lowery of MIT and US Space Force lays out a very clear thesis on the difference between Nakamoto consensus and most of what followed as part of his PhD [31]. His explanation here is proximal to why we focus on Bitcoin, and dismiss ‘proof of stake’ models, though Lowery himself has very serious detractors such as Voskuil who has been working on these problems for a long time [32]

“The innovation behind PoW is precisely the fact that it doesn’t rely exclusively on software (an abstraction) to keep the ledger systematically secure, but instead incorporates real-world physics (watts) to impose real-world physical constraints on people/computers who run it. Stake is an abstraction. It is an imaginary way to describe the complex emergent behaviour of a bunch of general-purpose state machines. The state machines may physically exist, but the way you

choose to visualize the complex emergent behaviour of those machines is imaginary. Satoshi didn't couple control authority over ledger to abstract, imaginary things like 'stake' or 'coin' precisely because these things don't physically exist. If they don't physically exist, they are incapable of imposing real-world physical costs on people seeking control of ledger. The real-world physical cost of controlling the ledger is what keeps control over the ledger decentralized. It is too physically expensive (in watts) to gain and maintain centralized control over the BTC ledger. In proof of stake, there is no physical cost of gaining centralized control. Why? Because stake doesn't physically exist. So all it takes to gain centralized control is majority stake. And once you have it (which, because of math, some combination of people already do), you have it forever.

With all this said most of the couple of million people who have used NFTs use Ethereum, and if this market of creators and consumers is to be brought into a mixed reality space then they will need a way to bring their objects with them. Such is the level of nefarious activity on these networks (within Ethereum) that they have a poor reputation, and are difficult to audit, launch, and maintain. The overriding problem of using a blockchain for utility applications (rather than just as money) is that people can, and will, simply lie for criminal purpose when entering data into the ledger. It is far more likely that Ethereum is simply a speculative bubble than any of the claims for utility being born out. Add to that Morgan Stanleys recent assertion that Ethereum is itself threatened by newer contender chains and it's future becomes unclear. The report correctly identifies that "High transaction fees create scalability problems and threaten user demand. High costs make Ethereum too expensive for small-value transactions.". It is this high cost of use that most excludes the ERC-20 networks from our consideration.

3.3.1 Gas fees

Ethereum has a significant barrier to entry because of high fees to use the network. The system is Turing complete; able to programmatically replicate any other computational system. This includes endless loops in code, so it is trivial to lock up the computational bandwidth of the whole system, in a smart contract commitment, through a web wallet.

To mitigate this existential 'denial of service attack' the 'gas' system demands that users spend some of their locked up value to operate on the network. In this way a transaction loop would quickly erode the available gas and stop looping. As the popularity of the system has

Ether in the Context of Equity Market

Bubbles, Bitcoin and Tulips

The equity, tulip and Bitcoin bubbles are all dwarfed by the price moves in Ether.




Figure 3.11: Ethereum is thought to look like a speculative bubble.
Rights requested




Figure 3.12: The rate of token generation has changed unpredictably over time. Rights requested

grown, so too have the gas fees. It can sometimes cost over £10,000 to do a single transaction, though it is typically a few tens of pounds. Appallingly if the user pitches their mining fee offer too low, then the money gets spent anyway! A website just plucks random Ethereum addresses out of the aether to show you the level of this expense for participants. People can even buy NFTs of the worst examples of these, as ‘tokens’, wasting more money. This is a huge problem for potential uses of the network.

3.3.2 Ether ultra hard money narrative

Part of the challenge Ethereum faces is wrapped up with its complex token emission schedule. This is the rate at which tokens are generated and ‘burnt’ or destroyed in the network. The total supply of tokens is uncertain, and both emission and burn schedules are regularly tinkered with by the project. The changes to the rate at which ETH are generated can be seen in Figure 3.12. In addition, a recent upgrade (EIP-1559) results in tokens now being burnt at a higher rate than they are produced, deliberately leading to a diminishing supply. In theory this increases the value of each ETH on the network at around 1% per year. It’s very complex, with impacts on transaction fees, waiting time, and consensus security, as examined by Liu et al. [33]. Additionally, there is now talk (by Butlerin, the creator of Ethereum) of extending this

burn mechanism further into the network.

Ethereum was designed from the beginning to move to a ‘proof of stake’ model where token holders underpin network consensus through complex automated voting systems based upon their token holding. This is now called Ethereum Consensus Layer. This recent ‘Merge’ upgrade has reduced the carbon footprint of the network, a laudable thing, though it seems the GPUs and datacentres have just gone on to be elsewhere. It has not lowered the cost to users nor improved performance. As part of the switching roadmap users were asked to lock up 32ETH tokens each (a substantial allocation of capital). In total there are around 14 million of these tokens, and it is those users who now control the network. This money is likely stuck on the network until at least 2024, a significant delay when compared to the original promises.

This means that proof of stake has problems in that the majority owners ‘decide’ the truth of the chain to a degree, and must by design have the ability to over-ride prior consensus choices. Remember that these users are now trapped in their positions. Four major entities now control the rules of the chain, and have already agreed to censor certain banned addressees. Proof of stake is probably inherently broken [34]. This has for malicious actors who have sufficient control of the existing history of the chain, thought to be in the region of \$50M [35]. Like much of the rest of ‘crypto’ the proposed changes will concentrate decisions and economic rewards in the hands of major players, early investors, and incumbents. This is a far cry from the stated aims of the technology. The move to proof of stake has recently earned it the MIT breakthrough technology award, despite not being complete (validators cannot yet sell their voting stakes). It’s clearly a technology which is designed to innovate at the expense of predictability. This might work out very well for the platform, but right now the barrier to participation (in gas fees) is so high that we do not intend for Ethereum to be in scope as a method for value transfer within metaverses.

3.4 Bitcoin

The first blockchain was the Bitcoin network [19], some two decades after Haber et al. first described the idea [36]. Prior to Bitcoin these structures were called ‘timechains’ [37]. It can be considered a triple entry book keeping system [38, 39], the first of its kind, integrating a ‘provable’ timestamp with a transaction ledger, solving the “double spend problem” [40, 41, 42]. Some see this as the first major innovation

in ledger technology since double entry was codified in Venice in fourteen seventy five[43].

It was created pseudonomously by an individual or group calling themselves ‘Satoshi Nakamoto’ in 2009, as a direct response to the perceived mishandling of the 2008 global financial crisis [37], with the stated aim of challenging the status quo, with an uncensorable technology, to create a money which could not be debased by inflation policy, and outside of the politically captured fintech incumbents. It’s interesting to note that the narrative around the use case for Bitcoin has shifted over it’s lifetime.

The “genesis block” which was hard coded at the beginning of the ‘chain’ contains text from The Times newspaper detailing the second bank bailout.

There will only ever be (just short of) 21 million bitcoins issued, of which around 19 million have already been minted, and around 4 million lost forever. This ‘hard money’ absolute scarcity is a strong component of the Bitcoin meme landscape. These are basically arbitrary figures though; a combination of the issuance schedule, and an ‘educated guess’ by Nakamoto: [37]

“My choice for the number of coins and distribution schedule was an educated guess. It was a difficult choice, because once the network is going it’s locked in and we’re stuck with it. I wanted to pick something that would make prices similar to existing currencies, but without knowing the future, that’s very hard. I ended up picking something in the middle. If Bitcoin remains a small niche, it’ll be worth less per unit than existing currencies. If you imagine it being used for some fraction of world commerce, then there’s only going to be 21 million coins for the whole world, so it would be worth much more per unit.”

Digital scarcity is incredibly important and is explained well by software engineer Hillibrand in a podcast (this text is paraphased: “*Digital scarcity is an interesting concept that was well explained by German economist Guido Hülsmann in his book “The Ethics of Money Production,” [44] published in 2007. Hülsmann stated that an economic good that is defined entirely in terms of bits and bytes is unlikely ever to be produced spontaneously on a free market, and at the time, he was right. However, the emergence of Bitcoin would soon prove that digital scarcity could indeed be achieved. Hülsmann noted that an economic good must be scarce and rivalrous, meaning there is a potential for conflict over who can utilize the resource. For example, air is abundant but still considered scarce as its availability can be limited in specific situations, leading to conflicts over its use. The concept of digital*

scarcity is built on the idea that information, which is fundamentally not scarce, can be made scarce through specific mechanisms. Bitcoin, for instance, addresses the double-spending problem, where a digital token could be spent more than once, by establishing a decentralized network that prevents the same coin from being used in multiple transactions. Nakamoto devised a system that allows users to establish scarcity and rivalrousness in cyberspace without relying on a single trusted third party. Instead of relying on a central authority, like a government, to determine the validity of transactions, Bitcoin relies on a network of computers known as “full nodes” that verify and enforce a set of rules. This decentralized system enables the creation of digital goods that are both scarce and rivalrous, which was previously thought to be impossible.”

In theory there is no barrier to access, and equality of opportunity to accumulate and save over long periods. This is not true of chains and tokens since, which lock up some of their value for seed investors to cash out later. None of the blockchains since are decentralised in the same way [45]. Bitcoin was probably a singular event.

Each Bitcoin can be divided into 100 million satoshis (sats), so anyone buying into Bitcoin can buy a thousandth of a pound, assuming they can find someone willing to transact that with them.

Satoshi Nakamoto (the name of the publishing entity) disappeared from the forums forever in 2010. Bitcoin has the marks of cypherpunks and anarcho capitalism. The IMF has recently conceded that the Bitcoin poses a risk to the traditional financial systems, so it could be argued that it is succeeding in this original aim.

Although there were some earlier experiments (hashcash, b-money etc), Bitcoin is the first viably decentralised ‘cryptocurrency’; the network is used to store economic value because it is judged to be secure and trusted. It is a singular event in that it became established at scale, such that it could be seen to be a fully distributed system, without a controlling entity. This is the differentiated trust model previously mentioned. This relative security is the specific unique selling point of the network. It is many times more secure than all the networks which came after based on a like for like comparison of transaction ‘confirmations’. This network effect of Bitcoin is a compounding feature, attracting value through the security of the system. It is deliberately more conservative and feature poor, preferring instead to add to its feature set slowly, preserving the integrity of the value invested in it over the last decade. At time of writing it is a top quartile largest global currency and has settled over \$13 trillion Dollars in 2021, though




Figure 3.13: Growth in settlement value on the Bitcoin network (Forbes).

Makarov et al. contest this, citing network overheads, and speculation [46]. Institution grade ‘exchange tradable funds’ which allow investment in Bitcoin are available throughout the world, and the native asset can be bought by the public easily through apps in all but a handful of countries as seen in Figure 3.13.

Only around 7 transactions per second can be settled on Bitcoin. The native protocol does not scale well, and this is an inherent trade-off as described by Croman et al. in their positioning paper on public blockchains [47]. Over time, competition for the limited transaction bandwidth drives up the price to use the network. This effectively prices out small transactions, even locking up some value below what is a termed the ‘dust limit’ of unspent transactions too small to ever move again [48].

Bitcoin has developed quickly, with a faster adoption than even the internet itself. It is already a mature ecosystem, with enterprise grade software stacks, and is seeing adoption as a corporate treasury asset.

Adoption by civil authorities is increasing, and legislators the world over are being forced to adopt a position. California has an explicitly Web 3 and blockchain executive order to investigate and support opportunities. Many city treasuries have added it to their balance sheet.

Honduras has launched “Bitcoin Valley” as a tourist initiative, and the Swiss city of Lugano is launching a huge initiative alongside Tether. It is already legal tender in the country of El Salvador[49] and the Central African Republic, and will be soon in Madeira and Roatán island. This means it *must* be accepted as a means of payment, with uncertain global political legal consequences [50]. CAR are also launching their own Bitcoin sidechain (like Liquid described later) as a pan African initiative. In places such as Panama it simply has legal status and *can* be accepted without double taxation.

Global asset manager “Fidelity” wrote the following in their 2021 trends report. *“We also think there is very high stakes game theory at play here, whereby if Bitcoin adoption increases, the countries that secure some bitcoin today will be better off competitively than their peers. Therefore, even if other countries do not believe in the investment thesis or adoption of bitcoin, they will be forced to acquire some as a form of insurance. In other words, a small cost can be paid today as a hedge compared to a potentially much larger cost years in the future. We therefore wouldn’t be surprised to see other sovereign nation states acquire bitcoin in 2022 and perhaps even see a central bank make an acquisition.”*

3.4.1 The Bitcoin Network Software

There isn’t a single GitHub which can be considered the final arbiter of the development direction, because it is a distributed community effort with some 500 developers out of a wider ‘crypto’ pool of around 9000 contributors (the vast majority are spread across disparate Ethereum and some Solana projects). Development and innovation continues but there is an emphasis on careful iteration to avoid damage to the network. Visualisation of code commitments to the various open source software repositories can be seen at Bitpaint youtube channel and in Figure 3.14.




Figure 3.14: Bitpaint: Contributions to the Bitcoin ecosystem. Reused with permission.

Bitcoin core is the main historical effort (with around a dozen major contributors guiding the direction), but there are alternatives (LibBitcoin in C++, BTCD in Go, and BitcoinJ in Java), and as innovation on layer one slows, attention is shifting to codebases which interact with the base layer asset. Much more on these later.

3.4.2 Mining and Energy concerns

3.4.2.1 Mining process overview

Bitcoin mining is the process of adding public transactions into the ledger, in return for two economic rewards, paid in Bitcoin. These are the mining fee, and the block reward. The transactions which are added into the next ‘block’ of the chain are selected preferentially based on the fee they offer, which is up to the user trying to get their transaction into the chain. This can be within the next 10 minutes (next block), or a gamble out toward ‘never’ depending how competitive the network is at any time. Miners try to find a sufficiently low result from a cryptographic hash function [51](a random process), and upon finding it, they can take their pre-prepared ‘block’ of transactions sourced from their local queue (mempool), and add it into the chain, for confirmation by other miners. In return they take all the fees within that mined block, and whatever the block reward is at the time. When the network started the block reward was 50 Bitcoin, but has halved repeatedly every 210,000 blocks (four years) and now stands at 6.25 BTC. The rate of mining is kept roughly at one block every 10 minutes, by a difficulty adjustment every 2016 blocks (2 weeks). This is a complex interdependent mechanism and is explained very well in this article. These components are explained in slightly more detail later.

3.4.2.2 Energy & policy response

Bitcoin uses a staggering amount of energy to secure the blockchain (Figure 3.15), and this has climate repercussions. A simple back of the envelope use of the IEA total energy supply, and the Cambridge Bitcoin energy use estimate puts the network at around 0.1% of global energy use.

It is an industrial scale global business with ‘mining companies’ investing hundreds of millions of pounds at a time in specialist ASIC mining hardware and facilities. The latest purpose designed Intel chip touts both Web3 and metaverse applications. This is “proof of work”, and is essential to the technology, and is still thought by some to be the best available option. The Cambridge Bitcoin Energy Consumption




Figure 3.15: Bitcoin network vs TOP500 supercomputers


Index monitors this energy usage. Their 2022 report sees American mining leading globally. Even they have had a terrible time recently with many companies either failing or looking likely to.

At the end of 2022 it is thought to be the case that the only profitable miners are the large scale companies who are also providing load balancing services to energy companies. This is unusual in the history of mining, and the situation will likely change over time. This is not to say that all mining is, or should be, so concentrated. Anyone running the hashing algorithm can get lucky and claim the block reward. PoW ties the value of the ‘money’ component of Bitcoin directly to energy production. This is not a new idea. Henry Ford proposed an intimate tie between energy and money to create a separation of powers from government, as can be seen in Figure 3.18. The potential ecological footprint of the network has always been a concern; Hal Finney himself was thinking about this issue with a mature Bitcoin network as early as 2009, and a debate on the Bitcoin mailing lists called the mining process “thermodynamically perverse”. The most cited negative analysis on the matter by Mora et al sees Bitcoin mining alone warming the planet above 2 degrees [52].

Proponents of the technology say that the balance shifted dramatically in 2021 with China outright banning the technology; this has forced the bulk of the energy use toward the USA, and away from ‘dirty coal’ as seen in Figure 3.19. Some adherents have proposed mitigations [53]. As a worked example of Cross and Bailey’s pro-

MESSARI Carbon Emissions of Bitcoin Compared to Other Industries

In 2021, the Bitcoin network emitted an estimated 41 metric tons of CO₂, which is lower than the global banking industry, gold industry, and every other industry shown below.



Data as of Jan. 2022.
Source: CoinShares

Note: Data was pulled from CoinShares' report released in Jan. 2022, which references multiple data sources from various dates.

Figure 3.16:

posal a retail investor owning 1 BTC would have to buy around 700 shares of ‘CleanSpark’ mining company (CLSK) to make their holding completely neutral. Some more strident voices suggest that ‘ending financialisation’ through use of Bitcoin may be net positive for the environment at a macro level [54]. Indeed it may provide a route to support electrifying everything through deployment of flexible demand load. This enables a kind of ‘financial battery’ that can soak up excess capacity from overbuilt renewables (something which needs to be done). Money saving uses like drying wood, and even heating greenhouses (ironically tulips) show the use case of the technology as a universal subsidy in heating applications.

Some projects are using the financial incentive of Bitcoin to enable trials of new infrastructure. For instance; Bhutan in the Himalayas has been quietly (or secretly!) mining Bitocin for years and plans a \$500M fund to expand specifically Bitcoin mining. Makai Ocean engineering have partnered with Oceanbit Hawaii to trail ‘ocean thermal energy conversion’ as a possible power source for the Islands. Local subsidy initiatives may begin to drive this kind of adoption as seems to be happening in Texas[55, 56, 57] and New Hampshire. Brad Jones, interim CEO of the Texas grid said:

“As we get more renewable generation, in particular wind [which] is operating at night ... we have to find a home for it, otherwise we have to turn the wind down. It’s such a great resource we shouldn’t turn it down. Bitcoin mining or what some call crypto has found a




Figure 3.17: Bitcoin Magazine

way to come into our markets and take some of that wind in off-peak periods. Then when we get to peak period times they are very quick to remove themselves from the market as prices increases The fact that we can turn down whenever we need the power for other customers is fantastic. We can use that crypto currency to soak up that excess generation when there's a lot of that, and find a home for more solar and more wind to come to our grid. Then they reduce consumption when we need that power for other customers. So it's a great balancing act. Most other datacenters [such as] Microsoft or Amazon have other customers to serve every other day, so they can't just turn off. But these crypto customers can. If the cost of energy gets too high they can remove themselves from the market. They are also helpful if we lose a generator. They can quickly respond to that frequency disruption and allow us to balance our grid."

Flexible load balancing is entering the mainstream news cycle as and is gaining traction in legislative bodies. This “global energy market revolution” is explained by Tabatabai of Modo Energy. Incredibly Bitcoin mining in Texas is now making the grid both more reliable and cheaper for consumers.

There is growing interest and adoption of so called “stranded energy mining” which cannot be effectively transmitted to consumers, and is thereby sold at a huge discount while also developing power capacity, without the usual constraints [58]. One such example is “Gridless” in Kenya, which seeks to harness abundant green energy resources in rural areas with the hope of kick-starting economic growth. This feature of the network first came to popular attention in 2020 when Stevens, CEO of Stoneridge capital included the following text in a



Figure 3.18: Intimate tie between energy and money, Henry Ford



Figure 3.19: Hash rate suddenly migrates from China [Reuse rights requested]



Figure 3.20: Climate tech investor Daniel Batten asserts that methane capture could highly impactful

letter to shareholders within their annual report: “*Bitcoin mining is the only profitable use of energy in human history that does not need to be located near human settlement to operate. The long-term implications of this are world changing and hiding in plain sight.*”

In addition to new build it is possible to re-purpose historic infrastructure, and/or reducing the carbon (or more interestingly the methane) of existing and abandoned infrastructure. Both the World Economic Forum, and UK’s Department for Energy have expressed interest in this use case. Adam Wright of Vesrene Energy says: “*You could either mine Bitcoin on one small landfill for a year, or you could plant 5 million trees and let them grow for 10 years - both of those are going to have the same environmental impact.*”

Cheikosman, a policy analyst for the World Economic Forum (somewhat surprisingly) wrote “*Crypto is becoming an essential part of developing a carbon-neutral energy grid and has made it economically viable to invest in, develop and build renewable energy power generation.*” This is explored in detail by Ibanez et al [59].

The most cited example of building capacity before grid connection is El Salvador’s ‘volcano mining’ proposal, which is supporting their national power infrastructure plans. Uzbekistan seems to be promoting a similar model with zero tax provided the Bitcoin mining companies

build out their own solar infrastructure. A more poignant example is the Mechanicville hydro plant in the USA. The refurbishment of this 123 year old power plant is being funded by Bitcoin mining. This is the “buyer of last resort” model first advanced by Square Inc.

Conversely it might be that vertical integration of Bitcoin mining within legacy fossil fuel stations gives them a new lease of life. New York State has dealt with this kind of threat by imposing a moratorium on new, fossil fuel powered mining activity. On a global stage something as portable and industrial as Bitcoin mining will have unintended impacts on fragile energy systems, as has happened in South Ossetia and Kazakhstan (note Russia has stepped into this mess). Undeniably the consensus position is that it’s overall very negative, (with some caveats) and this will *probably* persist. Perhaps though if it’s happening anyway, then finding utility of the asset might mitigate the net harm.

More pragmatically, Baur and Oll found that *“Bitcoin investments can be less carbon intensive than standard equity investments and thus reduce the total carbon footprint of a portfolio.”*[60]. Perhaps of note for the near future is that KPMG whose investment was mentioned in the introduction also matched their position in the space with equivalent carbon offsets. This may provide an investment and growth model for others.

The first US-based nuclear-powered Bitcoin mining facility has just opened in Pennsylvania. The facility has been completed by Cumulus Data, a subsidiary of independent power producer Talon Energy. Talon Energy owns the adjacent 2.5 GW Nuclear Power Plant and has been dabbling in Bitcoin mining for some time, opening a zero carbon Bitcoin mining facility in collaboration with Terawolf in August 2021. The new facility will operate with a maximum capacity of 48 MW, drawing on excess power from the nuclear plant. By locating the mining facility on the combined 1200 acre campus, there is no intermediation by legacy electric transmission and distribution utilities, as the mining is directly connected to the power station. Cumulus Data is in the process of building two additional 48 MW facilities and has identified 18 additional Talon Energy sites with potential to host data centres directly connected to electricity generation infrastructure. In general, there is a shift in attitudes towards nuclear in the US. The enormous benefit to this model stems from the costs associated with scaling down atomic power output to match grid requirements. By co-locating in this way the reactor can work at highest efficiency all the time, and can earn money from the generation of Bitcoin when the grid is unable to accept the energy. It is increasingly possible to find excited talk about

funding smaller more pragmatic nuclear power plants using the cost benefits of the Bitcoin mining model, though this remains untested.

The power commitment to the network is variously projected to increase, or level off over time. The emission schedule of the code suggests that the energy usage will decrease exponentially over time, and indeed many analysts feel that it has peaked due to a combination of factors. It's one of the maddening unknowns of the technology how this will all pan out. The industry now argues that economic pressures mean that most of the 'hashrate' is generated by renewable energy[61]. As a recent example of this trend Telsa (Elon Musk), Block (Twitters Jack Dorsey), and Blockstream (Adam Back) are teaming up to mine with solar energy in Texas.

Paez and Cross prepared a paper for the White House Office of Science and Technology Policy, submitted through the Bitcoin Policy Institute, which is a growing thinktank for academics and industry leaders. Their summary points echo the assertions made here, but they provide rich additional referencing for those who wish to dig deeper into this:

- *Bitcoin's value—its economic value and promotion of American values and American national interests—must frame any discussion of its environmental impact.*
- *Bitcoin's value is inherently tied to its consensus mechanism: proof of work.*
- *While bitcoin mining is energy-intensive, its energy use is often overestimated and improperly characterized as a function of transaction volume.*
- *Due to bitcoin's exponentially decreasing schedule of issuance, mining's actual emissions are likely to peak at under 1% of global emissions, even if prices rise more than tenfold within the decade.*
- *Mining's profile as a consumer of energy is unique: extremely cost-sensitive, and invariant across times and locations.*
- *Bitcoin mining, as a buyer of first and last resort, incentivizes the buildup of renewable power production. As a controllable load resource (CLR) bitcoin mining also strengthens the grid, allowing it to reliably function at a high level of renewable penetration.*
- *Mining's energy use is increasingly non-rival, trending towards a diet of renewables and stranded, wasted energy resources such as flared methane.*

The debate whether this consumption is ‘worth’ it is complex and rapidly evolving. Useful examples of this are:

- the online pushback to an academic article by PhD candidate de Vries et al. [62]
- the assertion that the widely cited Mora et al. paper in Nature [52] was based on an undergraduate class discussion, and has had an outsized effect on global policy.
- a paper from the Bitcoin Policy Institute,
- and the industry open letter to the EPA.
- this well considered Twitter thread by climate scientist Margot Paez.

It is somewhat confusing that positive views are coming only from diverse and non-specialist voices in the community, and never the academic community, but the shortcomings they point out in the supposedly considered articles such as Mora et al [52] are easily verified. Academia seems poorly positioned to pivot to this subject, as an ethical bar has to be established before research can commence, and the field is too new to make this an affordable task. This stuff is existentially important to the whole technology. Is a trillion dollar asset which potentially replaces the money utility of gold, but doesn’t need to be stored under guard in vaults (Figure 3.21), worth the equivalent power consumption of clothes dryers in North America? Probably not with the current level of adoption, but this is an experiment in replacing global money. If that were to happen then Bitcoin would be around 50 times more efficient than the current system according to Khazzaka [63]. To be clear it’s not the position of this book that replacing Fiat money is a good idea, but the experiment is being run regardless. This is explored in it’s own chapter later.

It seems possible that six value propositions are therefore emerging:

- Bitcoin the speculative asset (or greater fool bubble [64]). Nations such as the USA, who own 30% of the asset have bid up the price of the tokens during a period of very cheap money, and this has led to a high valuation for the tokens, with a commensurately high network security through the hash rate (mining). This could be a speculative bubble, with the asset shifting to one of the other valuations below. There is more on this subject in the money section later.
- Bitcoin the monetary network, and ‘emerging market’ value transfer mechanism. This will be most useful for Africa (especially Nigeria), India, and South America. There is no sense of the “value” of this network at this time, but it’s the aspect we

need for our collaborative mixed reality application. For this use the price must simply be high enough to ensure that mining viably secures the network. This security floor is unfortunately a ‘known unknown’. If a global Bitcoin monetary axis evolves (as in the Money chapter later) the network would certainly require a higher rate than currently, suggestive of a higher price of token to ensure mining [65].

- Bitcoin’s value in terms of ‘sunk opportunity cost’. This refers to the value that could have been generated if the resources invested in a particular activity had been utilised elsewhere. In the context of Bitcoin, this includes the investments made in mining equipment, power, facilities, and the hiring of skilled personnel to maintain the operations. The sunk opportunity cost of Bitcoin can be substantial. It can be argued that the value of Bitcoin must take this cost into consideration, as the resources could have been allocated to other productive sectors or investments [66]. Of course, there remains the infamous sunk cost fallacy, which refers to the tendency of individuals or organizations to continue investing in a project or decision based on the amount of resources already spent, rather than evaluating the current and future value of the investment. This indeed tends to lead to a cyclical boom and bust dynamic in the industrial mining communities. The ultimate fallacy would occur if miners or investors continued to invest in mining equipment and operations solely because of the resources that have already been spent on them, and the asset simply crashes to nothing from here. It’s a shaky justification because it assumes the future is the same as the past.
- Bitcoin as a flexible load in power distribution systems, and methane mitigation ‘asset’, and ‘subsidised heater’ for varied applications such as growing and drying. Again there is no price against this, but we can perhaps grossly estimate it at around half the current hash rate if 50% of the network is currently green energy. This would imply a price for the asset roughly where it is now (ie, not orders of magnitude higher or lower).
- The 2023 global bank runs have awoken some companies to the risks of access to cash flows in a potential crisis [67]. Access to a small cache (in corporate treasury terms) of a highly liquid & tradable asset could allow continuity of payroll in a ‘24/7’ global context. This could avoid or at least mitigate the panic which ensues in companies when banks are forced to suddenly wind up




Figure 3.21: Goldman suggest growth opportunity and potential demonetisation of gold?

their operations.

- Amusingly Ben Hunt suggests in an online article that the true value of Bitcoin can be couched in terms of its value simply as ‘art’. The posits that at this time the narrative is simply so seductive and powerful that people (being people) are choosing to value their involvement in the economics of the space as they might a work of art. It’s a fascinating idea, and intuitively, probably it’s right.

Legislators globally, are starting to codify their positions on proof of work as a technology (including Bitcoin). US States are variously supporting or constricting the technology, according to state legislatures. Notably New York has banned new carbon intensive mining facilities for 2 years, while rust and farm belt states with energy build-out problems are providing incentives and passing legislation to protect mining datacenters. At the federal level the white house has strongly signalled their concerns about the sector in a report. Many of the points in the report are fair, and true, and reflect things said in this book (which pre-dates the report). It’s worth picking out the conclusion of that section verbatim: “*Innovation in financial services brings both*

risks and opportunities for the broader economy. It can challenge business models and existing industries, but it cannot challenge basic economic principles, such as what makes an asset effective as money and the incentives that give rise to run risk. Although the underlying technologies are a clever solution for the problem of how to execute transactions without a trusted authority, crypto assets currently do not offer widespread economic benefits. They are largely speculative investment vehicles and are not an effective alternative to fiat currency. Also, they are too risky at present to function as payment instruments or to expand financial inclusion. Even so, it is possible that their underlying technology may still find productive uses in the future as companies and governments continue to experiment with DLT. In the meantime, some crypto assets appear to be here to stay, and they continue to cause risks for financial markets, investors, and consumers. Much of the activity in the crypto asset space is covered by existing regulations and regulators are expanding their capabilities to bring a large number of new entities under compliance (SEC 2022). Other parts of the crypto asset space require coordination by various agencies and deliberations about how to address the risks they pose (U.S. Department of the Treasury 2022a). Certain innovations, such as FedNow and a potential U.S. CBDC, could help bring the U.S. financial infrastructure into the digital era in a clear and simple way, without the risks or irrational exuberance brought by crypto assets. Hence, continued investments in the Nation's financial infrastructure have the potential to offer significant benefits to consumers and businesses, but regulators must apply the lessons that civilization has learned, and thus rely on economic principles, in regulating crypto assets."

Reading between the lines suggest that strong regulation is coming. Indeed the SEC is now suing the major tech company in the space, Coinbase, while closing a bank servicing the sector, and signalling that stablecoins may be unregistered securities in law. The report itself has no ‘teeth’ but is likely a sign of things to come. There is purportedly \$2.4B entering the regulation ecosystems to enhance regulatory oversight. In actual fact, because of the nature of the federation of states it is likely that a variety of different approaches in law will be taken across the geography and the sector seems to have responded with a shrug. As an aside the report contains an excellent taxonomy of digital assets from Hoffman (Figure 3.4.2.2).

Conversely the recent “Climate and energy implications” report is parts positive and parts negative about proof of work, and leaves the door open to a legislative clampdown. This is most notable in a White




Figure 3.22: Taxonomy of digital assets Hoffman 2022

House proposal to tax Bitcoin mining at 30%, a plan which will destroy much of the US based mining industry over the coming years. Carter provides a detailed response to the tardy scientific analysis in the report. Perhaps most interestingly it notes the potential of methane mitigation as mentioned earlier. It is conceivable that methane mitigation alone could provide a route forward for the technology. The report says: “*The crypto-asset industry can potentially use stranded methane gas, which is the principal component of natural gas, to generate electricity for mining. Methane gas is produced during natural gas drilling and transmission, and by oil wells, landfills, sewage treatment, and agricultural processes. Methane is a potent GHG that can result in 27 to 30 times the global warming potential of CO₂ over a 100-year time frame, and is about 80 times as powerful as CO₂ over a 20-year timeframe. Reducing methane emissions can slow near-term climate warming, which is why the Biden-Harris Administration released the U.S. methane emissions reduction action plan in 2021. Venting and flaring methane at oil and natural gas wells wastes 4% of global methane production. In 2021, venting and flaring methane emitted the equivalent of 400 million metric tons of CO₂, representing about 0.7% of global GHG emissions. This methane is vented or flared, because of the high cost of constructing permanent pipelines or electricity*

transmission that could transport the methane or its potential electricity generation from remote oil and gas operations to end-users, or because of the high cost of installing equipment on older landfills. Crypto-asset companies are now exploring ways to use electricity generation from vented and flared methane at oil and gas wells and at landfills. While the EPA and the Department of the Interior have proposed new rules to reduce methane for oil and natural gas operations, crypto-asset mining operations that capture vented methane to produce electricity can yield positive results for the climate, by converting the potent methane to CO₂ during combustion. Mining operations that replace existing methane flares would not likely affect CO₂ emissions, since this methane would otherwise be flared and converted to CO₂. Mining operations, though, could potentially be more reliable and more efficient at converting methane to CO₂. While such operations can reduce wasted methane, another option is low-cost recovery of methane using existing vapor capture technologies at oil and gas wells, which can reduce global methane emissions up to 50% by 2030.”

The EU has just voted to add the whole of ‘crypto’, including PoW, to the EU taxonomy for sustainable activities. This EU wide classification system provides investors with guidance as to the sustainability of a given technology, and can have a meaningful impact on the flows of investment. With that said the report and addition of PoW is not slated until 2025, and it is by no means clear what the analysis will be by that point. Meanwhile they’re tightening controls of transactions, on which there will be more detail later. For it’s part the European Central Bank has come out in favour of strong constraints on crypto mining. They use the widely discredited “digiconimist” estimates to assert that mining operations are disproportionately damaging to the environment.

We have seen that China has cracked down hard on the technology, banning mining and pressuring holders of the assets. They have unwound this somewhat, and based on past experience it seems that they will continue to nuance their position as they seek adoption of their own digital currency. As much as 20% of all mining activity is now suspected to take place within China.

In India there has been confusion for years as more “local” law vies with confusing central government signalling. It has variously been banned and unbanned, and is now subject to punitive tax. The central bank of India is strongly in favour of a complete ban. Ajay Seth, secretary of the Finance Ministry’s Department of Economic Affairs recently said “*We have gone through a deep dive consulting with not just the domestic and institutional stakeholders but also organizations*

like IMF and World Bank.... Simultaneously we are also beginning our work for some sort of a global regulation (to determine) what role India can play... Whatever we do, even if we go to the extreme form, the countries that have chosen to prohibit, they can't succeed unless there is a global consensus”

It feels like a global political response is just around the corner, but reputable voices in the community suggest that it always feels this way. There is more detail on this in Money chapter later in the book.

3.4.3 Technical overview

This section could be far more detailed, but this is pretty complex stuff. Instead, there's plenty of books and websites that do a more thorough job, if the reader is interested. Each subsection will include a good external link where more depth can be found. This whistle stop tour of the main components of the protocol should provide enough grounding, but it's not essential reading for non technical readers.

3.4.3.1 ECDSA / SHA256 / secp256k1

These technologies tend to use the same underpinning elliptic curve cryptography, and it makes sense to unpack this here just once, only in the context of Bitcoin, as this will be the main focus of our attention.

Public keys are a huge number used in conjunction with an algorithm to encrypt data. This allows a remote party to interact with an actor on the network whose private keys can decrypt that same data.

In Bitcoin the ECDSA algorithm is used on the `secp256k1` elliptic function to create a trapdoor. This (essentially) one way mathematical operation was originally the “discrete log problem” and part of the research in cryptography by Diffie and Hellman [6]. This is what binds the public and private keys in a key pair (the foundation of the whole space).

In their mathematical construct a modulus operator creates an infinite number of possible variations on operations which multiply enormous exponential numbers together, in different orders, to create key pairs. In order to reverse back through the ‘trapdoor’ a probably impossible number of guesses would have to be applied.

Latterly, elliptic curves such as the `secp256k1` curve used in Bitcoin have substantially simplified the computation problems. Rather than exponentials used by Diffie Helmann instead a repeated operation is applied to an elliptic curve function, and this itself creates a discrete log problem trapdoor in maths, far more efficiently. Figure 3.23 suggests how this works.




Figure 3.23: Given a start point on the curve and a number of reflection operations it's trivial to find a number at the end point, but impossible to find the number of hops from the two end points alone. (CC Mastering Bitcoin second edition)

This makes it easier, faster, and cheaper to provide secure key pairs on basic computational resources. Elliptic curve solutions are not ‘provably’ secure [68] in the same way as the Diffie-Hellman approach, and the security of this system is very sensitive to the randomness which is applied to the operation. Aficionados of Bitcoin use dice rolls or even more exotic means to add entropy (randomness) when creating keys. This really isn’t necessary, the software does this well enough.

ECDSA has already been replaced by the more efficient Schnorr signature method [69] which uses the same mathematical curve so is backward compatible. This will take some time for organic adoption, and ECDSA will never be deprecated.

3.4.3.2 Addresses & UTXOs

Ethereum has addresses which transactions flow in and out of. This is synonymous to a bank account number and so makes intuitive sense to users of banks. This is not the case in Bitcoin.

Bitcoin is a UTXO model blockchain. UTXO stands for unspent transaction output, and these are ‘portions’ of Bitcoin created and destroyed as value changes hands (through the action of cryptographic keys). They are the basis of the evolving ledger. This process is described well by Rajarshi Maitra in [this post](#).

“Every Transaction input consists of a pointer and an unlocking key. The pointer points back to a previous transaction output. And the key is used to unlock the previous output it points to. Every time an output is successfully unlocked by an input, it is marked inside the blockchain database as ‘spent’. Thus you can think of a transaction as an abstract “action” that defines unlocking some previous outputs, and creating new outputs.

These new outputs can again be referred by a new transaction input. A UTXO or ‘Unspent Transaction Output’ is simply all those outputs, which are yet to be unlocked by an input.

Once an output is unlocked, imagine they are removed from circulating supply and new outputs take their place. Thus the sum of the value of unlocked outputs will be always equal to the sum of values of newly created outputs (ignoring transaction fees for now) and the total circulating supply of bitcoins remains constant.”

Fresh UTXOs are created as coinbase transactions, rewarded to miners who successfully mine a block. These can be spent to multiple output as normal. This is how the supply increases over time.

3.4.3.3 Bitcoin script and miniscript

A Bitcoin script is a short chunk of code written into each transaction which gives conditions for the next UTXO transfer (spend). Bitcoin script is a programming language invented by Satoshi Nakamoto as part of the Bitcoin system. It’s a stack-based language, similar to reverse Polish notation, used to encode transactions and specify the conditions under which a Bitcoin address can be spent. Bitcoin script has 256 op codes, some of which are deprecated or can cause the program to fail.

Miniscript is a higher-level language that makes it easier to write robust Bitcoin smart contracts on chain. It smooths out the rough edges of Bitcoin script and makes it more accessible for non-technical users to understand and use. Miniscript provides a more intuitive way to specify spending conditions, making it easier for users to create smart

contracts without needing to be an expert in programming languages like Rust or C++. Miniscript takes the basket of 256 op codes in Bitcoin script and simplifies them, making the most commonly used op codes more accessible and usable for average users. The limited scripting language and the features built into wallets on top, allow for some clever additional options beside receiving and spending. In fact, some of the more innovative features such as discrete log contracts (detailed later) are quite powerful, and can interact with the outside world. Scripts allow spends to be contingent on multiple sets of authorising keys, time locks into the future, or both.

Time locks can be either block height-based or wall time-based, but Miniscript ensures that the user has to choose one or the other within a single Bitcoin script. This is because some of the time lock opcodes like "check lock time verify" (CLTV) and "op sequence verify" change their behavior based on whether the code is four or five bytes long. Miniscript removes these quirks by providing a unified and more intuitive way to write smart contracts. An example of Miniscript's functionality is a decaying multi-sig where a five of five multi-sig can be changed over time to a four or five multi-sig, or a three of five multi-sig, in case one or two keys are lost. This provides the user with more control and flexibility over their money and allows for contingencies in case of loss events. Additionally, Miniscript enables users to have more control over their funds by setting rules when money is put into a Bitcoin address, as well as allowing for corporate governance situations. Miniscript can also be used for inheritance planning, where a child's key can be made to activate after a certain number of blocks have passed, creating a "dead man switch" functionality on the chain.

Overall, Miniscript enables users to have more control and flexibility over their funds, making Bitcoin smart contracts more robust and secure, but it's important to note that this is new technology and not yet integrated into user wallets.

3.4.3.4 Halving

As mentioned earlier, roughly every four year the 'block reward' given to miners halves. This gives the issuance schedule of Bitcoin; it's monetary inflation. This 'controlled supply' feature was added to emulate the growth of physical asset stocks through mining. It's exhaustively explained elsewhere and is somewhat immaterial to our transactional use case in metaverse applications.

3.4.3.5 Difficulty adjustment

The difficult adjustment (also mentioned earlier) shifts the difficulty of the mining algorithm globally to re-target one new block every 10 minutes. This means that adding a glut of new mining equipment will increase the issuance of Bitcoins, in favour of the new mining entity, for up to 2 weeks, at which point the difficulty increases, the schedule resets, and the advantage to the new miner is diffused. Equally this protects the network against significant loss of global mining hashrate, as happened when China comprehensively banned mining. Again, this is explained in more detail elsewhere.

3.4.3.6 Bitcoin nodes

The Bitcoin network can be considered a triumvirate of economic actors, each with different incentives. These are:

- Holders and users of the tokens, including exchanges and market makers, who make money speculating, arbitraging, and providing liquidity into the network. Increasingly this is also real ‘money’ users of BTC, earning and spending in pools of circular economic activity. Perversely Bitcoin as a money is the fringe use case at this time.
- Miners, who profit from creation of new UTXOs, and receive payments for adding transactions to the chain. In return they secure the network by validating the other miners blocks according the rules enforced by the node operators.
- Node operators, who enforce the consensus rule-set, which the miners must abide by in order to propagate new transaction into the network. In return node operators optimise their trust minimisation, and help protect the network from changes which might undermine their speculation and use of the tokens [70].

There are currently around 15,000 Bitcoin nodes distributed across the world. Since IT engineer Stadicus released his Raspibolt guide in 2017 there has been an explosion of small scale Bitcoin and Lightning node operators. Around thirty thousand Raspberry Pi Lightning nodes (which are also by definition Bitcoin nodes) run one of a big selection of open source distributions. We will build toward our own throughout the book.

3.4.3.7 Wallets, seeds, keys and BIP39

In all the cryptographic systems described in this book everything is derived from a private key. This is an enormous number, and the input to the trapdoor function described earlier. As usual, it’s beyond the

scope of this book to ‘rehash’ the detail. Prof Bill Buchanan OBE has a great post on the basic version of this process.

In modern wallets, private keys (and so too their public keys), and addresses, are generated hierarchically. This is all part of BIP-0032. It starts with a single monstrously large number of up to 512 bits. From this are crafted Hierarchical Deterministic (HD) wallets, which use ‘derivation paths’ to make a tree of public/private key pairs, all seeded from this first number. This means that knowing the initial number, and the derivation path applied to it (just another number), wallets can search down the tree of derivations and find all the possible addresses. In this way a whole group of active addresses belonging to an entity can be held conveniently in one huge number (a concatenation of the input and path). This is the seed. Seeds are even more conveniently abstracted into a mnemonic called a seed phrase. Anyone interacting with these systems will see a 12 word (128 bits of entropy which is considered to be ‘enough’) or 24 word (256 bit) seed phrase. That phrase accesses the whole of the assets stored by that entity in the blockchain under it. A master key. These seeds can be generated by hand with dice, remember it’s just a huge number and the onward cryptography at play here.

An address in Bitcoin is derived from the public/private key pair. Again this is a one way hash function. The public/private keys can’t be found from the address. Addresses are really only a thing in wallets. They contain the element necessary to interact with the UTXOs. Many UTXOs can reside under an address, in that they just share the same keys. Wallets and nodes can monitor the blockchain to see transactions that ‘belong’ to addresses owned by the wallet, then they can perform unlocking of those funds to move them, through operations on the UTXOs via keys.

3.4.3.8 Custody

The topic of ‘custody’ of Bitcoin (addresses,UTXOs) can be confusing at first. This is another area where there’s a lot of detail available, but not all of it is appropriate because increased complexity increases risk. Broadly though it’s important to remember that ownership of a UTXO is passed around using signing keys, which are functions of wallets. Wallets themselves don’t contain Bitcoin, they contain keys. The simplest approach is a software wallet. This is an application on a device, which stores the private keys, and manages signing of transactions which go onto the blockchain. It’s beyond the scope of this book to review or suggest software in detail, but Bluewallet on

mobile devices, and Sparrow Wallet on desktop devices provide rich basic functionality if a reader wishes to get started immediately. Note that these software wallets send your extended public key (the path of those keys) to the wallet providers server, for the monitoring of the blockchain to happen on it's behalf. They're updated by the software vendor, not the blockchain direct. To get this to 'privacy best practice' commensurate with the aim of this book it's necessary to run a full node as detailed above, and connect the wallet software to that on a secure or local connection.

So called hardware wallets should perhaps be termed signing devices. A reddit user simplifies this concept very well: "*Your hardware wallet is a safe that holds a key. Your bitcoin is in a mailbox that anyone can look at or put more bitcoin into, but nobody can take the bitcoin out unless they have the key stored in your safe. The 24 word seed phrase are the instructions needed to cut a new key.*". Rather than store Bitcoin they store the private key in a more secure way, in a device which interacts with a computer or phone. More recently the hardware and associated software of such devices are building in much needed privacy technology. Remember that all transactions on the Bitcoin blockchain are public. Interestingly these privacy technologies are subject to chain surveillance under the terms of their agreements, and companies like Chainalysis rightly draw criticism.

We prefer hardware signing devices which can scan in the seed each time themselves as is the case with opensource "seedsigner", which also supports Nostr delegation (Figure 3.24). This makes the device perfect for management of all of our proposed metaverse keys.

For higher security it's possible to combine hardware and software wallets (signing devices) to provide a quorum of signatures required to move funds. More exotic still are proposals like "Fedimint" which allows groups such as families or villages to leverage their personal trust to co-manage Bitcoin. What is not/rarely secure is leaving Bitcoin with a custodian such as an exchange as they simply issue you with an IOU and may abscond. In building toward a proposal for a product in this book it would be simple for us to build a metaverse which users simply paid to use. This is the norm up to now. Representative money would flow around in the metaverse and be changed back like game money at some point. This is not what we wish to promote, so everything will be a variation on "self-custody", minimising third party trust for users.



Figure 3.24: Seedsigner is an inexpensive open source project which scans the master seed in from a QR code to enable signing. One device can run a quorum based wallet (multisig) and manage Nostr identity.

3.4.4 Upgrade roadmap

3.4.4.1 Taproot

‘Taproot’ is the most recent upgrade to the Bitcoin network. It was first described in 2018 on bitcoin-dev mailing list, and become BIP-0341 in 2019. It brings improved scripting, smart contract capability, privacy, and Schnorr signatures [69], which are a maximally efficient signature verification method. The network will always support older address types. It is rare to get such a large update to the network, and deployment and upgrade was carefully managed over several months under BIP-0008. Uptake will be slow as wallet manufacturers and exchanges add the feature. It can be considered an upgrade in progress (0.3%). Aaron van Wirdum, a journalist and educator in the space describes Taproot in detail in [an article](#).

3.4.4.2 AnyPrevOut

BIP-0118, is a “soft-fork that allows a transaction to be signed without reference to any specific previous output”. It enables “Eltoo, a protocol that fulfils Satoshi’s vision for nSequence”

This is Lightning Network upgrade technology in the main. The Eltoo whitepaper or this more readable explanation from developer fiatjaf go into detail.

3.4.4.3 CheckTemplateVerify

BIP-0119 is “a simple proposal to power the next wave of Bitcoin adoption and applications. The underlying technology is carefully engineered to be simple to understand, easy to use, and safe to deploy”. At it’s most basic it is a constructed set of output hashes, creating a Bitcoin address, which if used, can only be spent under certain defined conditions. This is a feature called ‘covenants’. It enables a feature called ‘vaults’ which provides additional safety features for custodians. There is currently some debate about the activation process, and the feeling is that it won’t happen (soon).

3.4.4.4 Blind merge mining

BIP-0301 allows ‘other’ chains transactions to be mined into Bitcoin blocks, and for miners to take the fees for those different chains, without any additional work or thoughts by the miners. This is also a prerequisite for Drivechains (mentioned later), and improve Spacechains. In a way this can offer other chains the security model of the Bitcoin network, while increasing fees to miners, which might be increasingly

important as the block subsidy falls. This is pretty fringe knowledge originally proposed by Satoshi, but has been refined since and is best explained by Paul Sztorc elsewhere. It is likely an important upgrade in light of the security budget of Bitcoin.

3.4.4.5 Simplicity scripting language

Simplicity is a proposed contract scripting language which is ‘formally provable’. This would provide a radical upgrade to confidence in smart contract creation. It is work in progress, and looks to be incredibly difficult to develop in, despite the name. It is more akin to assembly language. Development has recently slowed, and the proposal requires a soft fork to Bitcoin. The main reason to think it stands a chance of completion vs other similar proposals is the powerful backing of Blockstream, one of the main drivers of the Bitcoin ecosystem, run by Adam Back (potential co-creator of Bitcoin).

3.4.4.6 Tail emission

It is conceivable though unlikely that Bitcoin will choose to remove the 21 million coin hard cap in the end. This would potentially result in a stable and predictable supply, compensating for lost coins, and reinvigorating the miner block reward. The Bitcoin narrative is so invested in the ‘hard money’ thesis that it seems such a hard fork would be contentious at least, and possibly existentially damaging. Peter Todd, long time Bitcoin Core contributor thinks the idea has merit and has described it in a blog post.

3.4.4.7 Ossification

The Bitcoin code is aiming toward so called “ossification”. The complete cessation of development of the feature set. This would provide higher confidence in the protocol moving forward, as long term investors would be somewhat assured that the parameters of the technology would not change, and potentially pressure on the developers would reduce. There’s a push to get some or all of the features described above in over the next few year before this happens. As ever this is a controversial topic within the development community. Notably Paul Sztorc, inventor of Drivechain feels strongly that cessation of innovation is a fundamental mistake, while also agreeing that ossification is necessary.

3.5 Extending the BTC ecosystem

The following section are by no means an exhaustive view of development on the Bitcoin network, but it does highlight some potentially useful ideas for supporting collaborative mixed reality interactions, in a useful timeframe.

3.5.1 Keet by holepunch

Tether and Bitfinex have released Keet messenger which allows peer to peer video calling and file sharing. It will be BTC and Tether enabled which allows transmission of value in a trust minimised fashion. Non custodial Lightning is coming to the product soon. It looks like an incredibly strong and interesting product suite is emerging here. If possible we would like to integrate this open source platform with our metaverse. It is built upon the same Hypercore “holepunch” technology used by Synonym.

3.5.2 Block & SpiralBTC

Block (formally the payment processor “Square” is now an umbrella company for several smaller ‘building block’ companies, all of which are major players in the space. Block itself is now part of the W3C web consortium, so they will be driving a new era of standards in distributed identity and value transfer. Like much of the industry lately they have either a cloud over their reputation, or else are subject to a targeted opportunistic attack.

SpiralBTC, formally ‘Square Crypto’ (a subsidiary of Square) is funding development in Bitcoin and Lightning. Their main internal product is the Lightning Development Kit (LDK). This promising open source library and API will allow developers to add lightning functionality to apps and wallets. It is a useful contender for our metaverse applications. They also fund external open source development.

3.5.3 BTCPayServer

BTCPayServer is one of the recipients of a Spiral grant. It is a self hosted Bitcoin and Lightning payment processor system which allows merchants, online, and physical stores and businesses to integrate Bitcoin into their accounting systems. It might seem that if one were to use Bitcoin then a simple address published on a website might be enough, but this is far from privacy best practice. Using a single address creates a data point which allows external observers to tie

all interactions with a given point of sale to all of the customers, and onward to all of their other transactions through the public ledger. Since we seek to employ cyber security best practice will avoid the issues with address reuse. Each Bitcoin address should be used just once. This is fine as there's essentially an unlimited number of addresses.

In a metaverse application there is no website to interact with, but fortunately BTCPayServer is completely open source and extensible, has a strong support community, and an API which could be integrated with a virtual world application. BTCPayServer supports the main three distributions of Lightning but would potentially need extending in order to work with newer technology like RGB or Omnibolt.

3.6 Lightning (Layer 2)

Lightning was a 2016 proposal by Poon and Dryja [71], and is a method for networks of channels of Bitcoin between parties, which can transfer value. The main public network is a community driven liquidity pool which enables scaling and speed improvements for the Bitcoin network. It makes Bitcoin more like money [72]. As with Bitcoin base chain there are multiple standards and approaches, but within Lightning these are not necessarily cross compatible with one another, resulting in several Lightning networks. This is to our advantage as innovation is possible within these smaller networks. It is mainly ‘powered’ by thousands of volunteers who invest in hardware and lock up their Bitcoin in their nodes, to facilitate peer-to-peer transactions. Zebka et al. found that although the network is “fairly decentralised” it is more recently skewing to larger more established nodes [73]. Though this is a grassroots technology the nature of the design means it can likely be trusted for small scale commercial applications.

The following text is from John Cantrell, an engineer who works on Lightning.

“The Lightning Network is a p2p network of payment channels. A payment channel is a contract between two people where they commit funds using a single onchain tx. Once the funds are committed they can make an unlimited amount of instant & free payments over the channel. You can think of it as a tab where each person tracks how much money they are owed. Each time a payment is made over the channel both parties update their record of how much money each person has. These updates all happen off-chain and only the parties involved know about them. When it’s time to settle up the two parties can take the final balances of the channel and create a channel closing transaction that

will be broadcast on chain. This closing transaction sends each party the final amounts they are owed. This means for the cost of two on-chain transactions (the opening and closing of the channel) two parties can transact an unlimited number of times and the overall cost of each transaction approaches zero with every additional transaction they make over the channel. Payment channels are a great solution for two parties to transact quickly and cheaply but what if we want to be able to send money to anyone in the world quickly and cheaply? This is where the Lightning Network comes into play, it's a p2p network of these payment channels. This means if Alice has a payment channel with Bob and Bob has a channel with Charlie that Alice can send a payment to Charlie with Bob's help. This idea can be extended such that you can route a payment over an arbitrary number of channels until you can reach the entire world. Routing a payment over multiple channels uses a specific contract called a Hash Time Locked Contract (HTLC). It introduces the ability for Bob and any other nodes you route through to charge a small fee. These fees are typically orders of magnitude smaller than onchain fees. This all sounds great but what if someone tries to cheat? I thought the whole point of Bitcoin was that we no longer had to trust anyone and it sure sounds like there must be some trust in our channel partners to use the Lightning Network? The contracts used in Lightning are built to prevent fraud while requiring no trust. There is a built-in penalty mechanism where if someone tries to cheat and is caught then they lose all of their money. This does mean you need to be monitoring the chain for fraud attempts."

Lightning is a key scaling innovation in the bitcoin network at this time. It is seeing rapid development and adoption (Figure 3.25). The popular payment app “Cash App” integrates the technology allowing lightning interactions for their 40M users, and ‘Lightning Strike’ services the USA, El Salvador, large parts of Africa, and Argentina with zero exchange and transmission fees. It allows for unbound scaling of transactions (millions of transactions per second compared for instance to around 45,000 TPS in the VISA settlement network). Transaction costs are incredibly low, and the transaction speed virtually instantaneous.

The most popular lightning software is LND from Lightning Labs or C-Lightning from Blockstream. The software can be run on top of any Bitcoin full node, in a browser extension with a limited node, in a mobile app as a client or a server, or a hybrid such as the Greenlight server used by Breez wallet. Different trust implications flow from these choices.



Figure 3.25: Arcane research lightning adoption overview.

3.6.1 **Lightning service providers**

The model of the ‘LSP’ has been refined since it’s first introduction by Breez in 2019. At their core they provide the following services, at some expense to the concept of decentralisation of the network.

- Payment Channel Management: LSPs may offer users the ability to open and close payment channels on the Lightning Network, as well as manage the routing of payments through these channels.
- Liquidity Provision: LSPs may provide liquidity to users on the Lightning Network, allowing them to make and receive payments even when they do not have sufficient funds in their own payment channels.
- Node Hosting: LSPs may host Lightning Network nodes on behalf of users, providing them with access to the network without requiring them to maintain their own node.
- Payment Processing: LSPs may offer payment processing services, allowing merchants to accept Lightning Network payments from customers.
- Wallet Integration: LSPs may integrate Lightning Network functionality into Bitcoin wallets, making it easier for users to access the network and make payments.

There are multiple companies experimenting this space now, and it’s unclear how useful the ideas are for our use cases at this time. It’s notable that slashtags (mentioned later as a potential for digital assets) are themselves an LSP, and that breez have now introduced a profit sharing model to assist the adoption.

3.6.2 **Micropayments**

Possibly the most important affordance of the Lightning network is the concept of micropayments, and streaming micropayments. It is very simple to transfer even one satoshi on Lightning, which is one hundred millionth of a bitcoin, and a small fraction of a penny. This can be a single payment, for a very small goods or service, or a recurring payment on any cadence. This enables streaming payments for any service, or for remittance, or remuneration. These use cases likely have enormous consequences which are just beginning to be explored. Nostr users are seemingly have an enormous amount of fun sending one another tiny amounts of money for free, in response to good posts on the new social media and blog platforms designed around the protocol. This can be seen in Figure 3.26 and nostr will be described in more detail later. Integration of this capability into metaverse applications




Figure 3.26: Within weeks of launch thousands of people are pinging micropayments to one another

will be explored later.

3.6.3 BOLT12 and recurring payments

BOLT12 is a new and developing 'standard' which simplifies and extends the capability of the network for recurring payments, but can negotiate single payments too. The example keyring QR code seen in Figure 3.27 can be scanned to send single or recurring payments securely and anonymously to the holder.

3.6.4 Cashu and Fedimint

3.6.4.1 Cashu

Cashu, an implementation of the e-cash mechanism, is an electronic cash system that allows users to hold and transfer digital representations of money on their devices. In this system, e-cash is a piece of electronic data that represents a certain amount of money, such as satoshis in the case of Bitcoin. Users can send e-cash to others through various encrypted channels like Telegram or email.

The concept of e-cash relies on blind signatures, which ensure that transactions cannot be correlated to specific users, providing a high level of privacy. When a user wants to send e-cash, they send the data representing the money to another user. The receiving user then sends the e-cash to a server (or mint) to be recycled. This process ensures



Figure 3.27: A key fob with a Bolt12 QR code

that the e-cash cannot be double-spent. However, the server cannot correlate the incoming e-cash to any specific user or transaction.

Cashu, as a protocol, enables the implementation of this e-cash mechanism and facilitates interoperability among different Cashu wallets. The system is designed to be private, with no user accounts or wallets associated with any central authority. The e-cash is stored in the user's browser data, and can be backed up using a seed phrase, similar to traditional cryptocurrency wallets.

In its current state, Cashu is in its early stages of development and is primarily intended for experimentation. However, it has the potential to enable a wide range of applications, such as streaming services, where users could pay for content on a per-use basis without the need for an account, and without the service provider being able to track their usage. This would allow for greater privacy and flexibility in how people interact with online services.

3.6.4.2 Fedimint

From the [blog post](#) on the Fedi App website; Fedimint is:

- a form of community Bitcoin custody,
- utilising federations (a byzantine fault tolerant multi-sig wallet technology similar to Blockstream's Liquid network),
- run collectively by groups of trusted community members we

- call “guardians”,
- for and on behalf of their communities,
- with privacy through Chaumian e-cash,
- and with close integration with the Lightning Network

Obi Nwosu sees Fedimint as the third vital pillar of the Bitcoin ecosystem. If Bitcoin is secure decentralised money, and Lightning is decentralised payments, then he says Fedimint is decentralised custody of the Bitcoin asset. The excitement in the community is such that this protocol is included in our metaverse stack later. With Fediment a clade of users within the metaverse would have near perfect transactional privacy within their group inside the metaverse [9]. This could be a potentially huge group of users, and could include AI actors in the scene. Transactions with the outside world could be through lightning as already planned.

3.6.5 LNBits

LNBits is an open source, extensible, Lightning ‘source’ management suite. It is self hosted, and can connect to a variety of Lightning wallets, further abstracting the liquidity to provide additional functionality to network users. Remember that all of these tools run without a third party, on a £200 setup, hosted at home or within a business. The best way to explore this is to describe *some* of the plugins.

- “Accounts System; Create multiple accounts/wallets. Run for yourself, friends/family, or the whole world!”
- Events plugin allows QR code tickets to be created for an event, and for payments to be taken for the tickets.
- Jukebox creates a Spotify based jukebox which can be deployed online or in physical locations.
- Livestream provides an interface for online live DJ sets to receive real-time Lightning tips, which can be split automatically in real-time with the music producer.
- TPoS, LNURLPoS & OfflineShop support online and offline point of sale (Figure 3.28).
- Paywall creates web access control for content.
- LightningTipBot is a custodial Lightning wallet and tip handling bot within the popular on Telegram instant messenger service.

Together these plugins are incredibly useful primitives which are likely to be translatable to a multi party collaborative mixed reality application. A proposal for building a more specific plugin along these lines is detailed later.

LnBits is capable of backing every object in a metaverse scene



Figure 3.28: Two of the many prebuilt and kit options for Lightning ‘point of sale’

as an economic actor, with a key which is compatible with Nostr. This makes it the best choice and it will likely form the core of the proposed metaverse stack.

3.6.6 Daric

Lightning isn't the only solution to layer 2, as evidenced by Daric [74]. This is a complex and technical proposal which claims to improve upon Lightning.

3.7 Liquid federation (layer 2)

Liquid is an implementation on Blockstream Elements, and is itself part of the open source development contribution of Blockstream, the company started by Adam Back (of hashcash fame) and nearly a dozen other early cypherpunks and luminaries.

The Liquid side chain network, and its own attendant Lightning layer 2, is a fork of Bitcoin with different network parameters. In liquid the user of the network ‘pegs’ into the Bitcoin network, swapping tokens out from BTC to L-BTC (this can of course mean very small subunits of 1 Bitcoin). Once tokens have been ‘locked’ and swapped to Liquid the different network parameters used in the fork allow a different trust/performance trade-off. Liquid is fast on the L1 chain, cheaper to use at this time, and more private. The consensus achieved on this side chain network is faster because it is a far smaller group of node operators. The next block to be written to the side chain is chosen by a node operated by a member of a federation of dozens of major contributors to the Bitcoin technology space. These ‘trusted’ nodes all check one another’s security and network operations, meaning that the network is as secure as the aggregate of the trust placed in half of the membership at any one time. There are still dozens of major companies, development teams, and individual actors, with significant reputational investment.

“Federation members contribute to the Liquid Network’s security, gain voting rights in the board election and membership process, and provide valuable input on the development of new features. Members also benefit from the ability to perform a peg-out without a third party, allowing their users to convert between L-BTC and BTC seamlessly within their platform.”

Crucially for our purposes here Liquid allows tokenised asset transfer. Anyone can issue an asset on Liquid. Such transfers of assets may be orders of magnitude cheaper than on chain Bitcoin transactions,

but still potentially orders of magnitude more expensive than a simple Lightning transaction of value on the Bitcoin network.

Blockstream plan to add arbitrary (user generated) token support to their ‘Core Lightning’ implementation at some point. This would be a very strong choice for specific use cases within an economically enabled metaverse application. When participants wish to ‘cash out’ of the Liquid network they must do this through one of the federation members who activate the other side of the ‘two-way peg’, dispensing the equivalent amount of Bitcoin. This is transparently handled through Blockstream’s “green wallet”.

All of this has the advantage of a far lower energy footprint compared to the main chain, but it’s not quite ready with a full suite of affordances.

The Liquid network is being used as the underlying asset for a novel new global financial product. El Salvador are working with Blockstream to issue a nation state backed bond.

3.8 Bitcoin Layer 3

Increasingly important features of modern blockchain implementations are programmability through smart contracts, and issuance of arbitrary tokens. Assigning a transaction to represent another thing like an economic unit, energy unit, or real world object, and operating on those abstractions within the chain logic. Chief among these use cases are stablecoins such as Tether, which are pegged to national currencies and described in the next section. Bitcoin has always supported very limited contracts called scripts, and stablecoin issuance has existed in Bitcoin since Omni Layer. Omni was the first issuer of Tether, but more recently these important features have passed to other layer one chains. This year is likely to see the resurgence of this capability on Bitcoin, which of course benefits from a better security model. Once again, there is a stong assertion by some that this isn’t even possible. The debate is complex and unresolved.

In order to properly understand the use of Bitcoin based technologies in metaverse applications it is necessary to examine what these newer ‘layer 3’ ideas might bring.

3.8.1 LNP/BP and RGB

LNP/BP is a non profit standards organisation in Switzerland which contributes to open source development of Bitcoin layer 3 solutions into the Lightning protocol, and Bitcoin protocol (LNP/BP). One of the core

product developments within their work is the ‘RGB’ protocol, which is somewhat of a meaningless name, evolved from “coloured coins” which were an early tokenised asset system on the Bitcoin network. RGB represents red, green, and blue. The proposal is built upon research by Todd and Zucco. RGB is regarded as arcane Bitcoin technology, even within the already rarefied Bitcoin developer communities. Zucco provides the following explanation:

“When I want to send you a bitcoin, I will sign the transaction, I will give the transaction only to you, you will be the only one verifying, and then we’ll take a commitment to this transaction and that I will give only the commitment to miners. Miners will basically build a blockchain of commitments, but without the actual validation part. That will be only left to you. And when you want to send the assets to somebody else, you will pass your signature, plus my signature, plus the previous signature, and so on.”

This is non-intuitive explanation of Todds ‘single-use-seals’, applied to Bitcoin, with the purpose of underpinning arbitrary asset transfer secured by the Bitcoin network. In this model the transacting parties are the exclusive holders of the information about what the object they are transferring actually represents. This primitive can (and has) been expanded by the LNP/BP group into a concept called ‘client side validation’. It’s appropriate to explain this concept several times from different perspectives, because this is potentially a profoundly useful technology for metaverse applications.

- A promise is made to spend a multi output transaction in the future. This establishes the RGB relationships between the parties.
- One of the pubkeys to be spent to is known by both parties.
- The second output is unknown and is a combination of the hash of the state, and schema, from the operation which has been performed.
- When the UTXO is spent the second spends pubkey can be processed against the shared data blob to validate the shared state in a two party consensus (sort this out, it’s nonsense).
- This is now tethered to the main chain. Some tokens from the issuance have gone to the recipient, and the remainder have gone back to the issuer. More tokens can be issued in the same way from this pool.
- A token schema in the blob will show the agreed issuance and the history back to the genesis for the token holder.
- The data blob contains the schema which is the key to RGB functions and the bulk of the work and innovation.

- Each issuance must be verified on chain by the receiving party.

This leverages the single-use-seal concept to add in smart contracts, and more advanced concepts to Bitcoin. Crucially, this is not conceptually the same as the highly expressive ‘layer one’ chains which offer this functionality within their chain logic. In those systems there is a globally available shared consensus of ‘state’. In the LNP/BP technologies the state data is owned, controlled, and stored by the transacting parties. Bitcoin provides the cryptographic external proof of a state change in the event of a proof being required. This is an elegant solution in that it takes up virtually no space on the blockchain, is private by design, and is extensible to layer 2 protocols like Lightning.

This expanding ecosystem of client side verified proposals is as follows:

- RGB smart contracts
- RGB assets are fungible tokens on Bitcoin L1 and L2, and non fungible Bitcoin L1 (and somewhat on L2).
- Bifrost is an extension to the Lightning protocol, with its own Rust based node implementation, and backwards compatibility with other nodes in the network. This means it can transparently participate in normal Lightning routing behaviour with other peers. Crucially however it can also negotiate passing the additional data for token transfer between two or more contiguous Bifrost enabled parties. This can be considered an additional network liquidity problem on top of Lightning, and is the essence of the “Layer 3” moniker associated with LNP/BP. It will require a great number of such nodes to successfully launch token transfer on Lightning. As a byproduct of its more ‘protocol’ minded design decisions Bifrost can also act as a generic peer-to-peer data network, enabling features like Storm file storage and Prometheus.
- AluVM is a RISC based virtual machine (programmable strictly in assembly) which can execute Turing complete complex logic, but only outputs a boolean result which is compliant with the rest of the client side validation system. In this way a true or false can be returned into Bitcoin based logic, but be arbitrarily complex within the execution by the contract parties.
- Contractum is the proposed smart contract language which will compile the RGB20 contracts within AluVM (or other client side VMs) to provide accessible layer 3 smart contracts on Bitcoin. It is a very early proposal at this stage.
- Internet2: “Tor/noise-protocol Internet apps based on Lightning

secure messaging

- Storm is a lightly specified escrow-based bitcoin data storage layer compliant with Lightning through Bifrost.
- Prometheus is a lightly specified multiparty high-load computing framework.

Really, any compute problem can be considered applicable to client side validation. In simplest terms a conventional computational problem is solved, and the cryptographically verifiable proof of this action, is made available to the stakeholders, on the Bitcoin ledger.

Less prosaically, at this stage of the project the more imminent proposed affordances of LNP/BP are described in ‘schema’ on the project github. The most interesting to the technically minded layperson are:

- RGB20 fungible assets. This could be stablecoins like dollar or pounds representation. Bitfinex exchange have code which already works with RGB to transmit Tether stablecoins on testnet. This is a huge application area for Bitcoin, and similar to Omni, which will also be covered next.
- RGB21 for nonfungible tokens and ownership rights. In principle BiFrost allows these to be transferred over a the Lightning network, significantly lowering the barrier to entry for this whole technology. DIBA have this technology working on testnet.
- RGB22 may provide a route to identity proofs. This is covered in detail later.

Federico Tenga is CEO of ‘Chainside’ and an educator and consultant in the space. He has written an up-to-date “primer”, which is still extremely complex for the uninitiated, but does capture how the RGB token transfer system works. That medium article also touches on Taro, which is next.

3.8.2 Taro

Taro is an very new initiative by Lightning Labs to allow assets to transmit on the Lightning network. It is more similar to RGB above than Omnibolt below. They say: *“Taro enables bitcoin to serve as a protocol of value by allowing app developers to integrate assets alongside BTC in apps both on-chain and over Lightning. This expands the reach of Lightning Network as a whole, bringing more users to the network who will drive more volume and liquidity in bitcoin, and allowing people to easily transfer fiat for bitcoin in their apps. More network volume means more routing fees for node operators, who will see the benefits of a multi-asset Lightning Network without needing to*

support any additional assets.”

The project has clearly been under development by the lead developer at Lightning Labs for some years and seems both capable and mature, though they are obviously following the model of ‘co-opting’ open source ideas (from RGB) to garner venture capital funding. They credit RGB in the github. More will doubtless be added to this section and it seems a contender for our metaverse purposes, being less broadly ambitious than RGB upon which it’s based, but perhaps more focused and implemented. The key feature of Taro seems to be that only the first and last hop in a multi-hop lightning transaction need to support Taro, because of external data validation databases called “universes”. This is an advance on the RGB proposal. The technical specs are now on the lightning labs web pages, and code has been released. The beta programme uses testnet. There are concerns that large amounts of synthetic dollars on the protocol could be used to create ‘incentive’ for one Bitcoin hard fork or another, under the control of Tether.

3.8.3 Spacechains

Spacechains is a proposal by Ruben Somsen. It is a way to provide the functionality of any conceivable blockchain, by making it a sidechain to Bitcoin.

Like RGB described earlier it’s a single use seal, but which can be closed by the highest bidder.

In a spacechain the Bitcoin tokens are destroyed in order to provably create the new spacechains tokens at a 1:1 value. These new tokens only have worth moving forward within the new chain ecosystem they represent, as they cannot be changed back. They nonetheless have the same security guarantees as the bitcoin main chain, though with a radically reduced ecological footprint (x1000?), and higher performance. Each ‘block’ in the new chain is a single bitcoin transaction. The high level features are:

- Outsource mining to BTC with only a single tx per block on the main chain.
- One way peg, Bitcoin is burnt to create spacechain tokens.
- Allows permissionless chain creation, without a speculative asset.
- Fee bidding BMM is space efficient and incentive compatible.
Miners just take the highest fees as normal.
- Paul Sztorc raised the idea
- It’s best with a soft fork but possible without

The concept is explained fully in a recent presentation at Advancing Bitcoin conference.

Developer Fiatjaf, a stalwart of the lightning developer community has a basic Spacechains based asset trading system which can be run already called Soma, though it is limited to Signet, one of the local bitcoin testnets, modified with AnyPrevOut described elsewhere in the book.

3.8.4 Statechains, drivechain, softchains

There are many proposals for layer 2 scaling solutions for the bitcoin network. Ruben Somsen describes Softchains, Stateschains, and Spacechains, while Drivechain is described by the author Paul Sztorc on the project web pages and is split across BIP-0300 for drivechain and BIP-0301 for a “blind merge mining”, a soft fork which it’s unlikely to get. They are all hypothetical with the exception of sidechains.

3.8.5 Layer 2

The only non Bitcoin layer two of note at this time is the recently announced ‘Base’ from Coinbase. It is built on top of Optimism’s op stack, which is itself built on Ethereum. Base is intended to offer a secure, low-cost, developer-friendly platform for building decentralized applications on Ethereum L2. The network is also expected to bridge to other L2s and L1s, including Bitcoin.

Coinbase’s decision to invest in a decentralized layer 2 network without launching a token represents a departure from the current trend of tokenizing everything in the cryptocurrency industry. The move may signal a long-term commitment to creating sustainable value in the ecosystem, rather than seeking short-term gains through token issuance. Coinbase will contribute 20% of sequencer revenue to fund public goods, and Base is intended to be an open-source project.

Base’s potential to compete with centralized exchanges such as Binance Smart Chain is a notable aspect of the announcement. While BSC has gained significant traction by offering a cheaper and faster alternative to Ethereum, its ties to Binance create regulatory issues and raise questions about both centralisation and its long-term sustainability. In contrast, Base is intended to be a decentralized network that can be used to build a wide range of applications, without being tied to a specific centralized company.

Base also positions itself as the KYC option for real-world assets and securities coming on-chain. While this could create some benefits in terms of compliance and regulatory oversight, it could also limit the potential for decentralized innovation and create new risks for user

privacy. There are significant questions and concerns about the project, the fact that it is an open-source initiative and is intended to be a decentralized network (in the end) suggests that Coinbase is taking a long-term view of its role in the blockchain ecosystem.

3.9 Risks and mitigations

Looking across the whole sector, this paragraph from the Bank of International Settlement (BIS) sums everything up:

“...it is now becoming clear that crypto and DeFi have deeper structural limitations that prevent them from achieving the levels of efficiency, stability or integrity required for an adequate monetary system. In particular, the crypto universe lacks a nominal anchor, which it tries to import, imperfectly, through stablecoins. It is also prone to fragmentation, and its applications cannot scale without compromising security, as shown by their congestion and exorbitant fees. Activity in this parallel system is, instead, sustained by the influx of speculative coin holders. Finally, there are serious concerns about the role of unregulated intermediaries in the system. As they are deep-seated, these structural shortcomings are unlikely to be amenable to technical fixes alone. This is because they reflect the inherent limitations of a decentralised system built on permissionless blockchains.”

This might seem like reason enough to stop here and wait for proper digital currency (expanded later), but Bitcoin is here now, is likely unstoppable in, and with mitigations in place might have uses if developed properly. Perhaps surprising the same BIS is allowing up to 2% of bank reserves to be held in crypto assets, including Bitcoin, according to their June 2022 Basel Committee on Banking Supervision report, though the BIS chief believe the “battle” against crypto has already been won following the turmoil described in the next section.

Lightning is still considered to be experimental and not completely battle tested. There have been various attacks and a major double spend attack may be possible [75], but there have been no major problems in the years it's been running with careful design choices and cybersecurity best practice it it likely a production ready component of our planning.

3.9.1 Sociopaths everywhere

In the wake of the rampant crime spree by Sam Bankman-Freid and his top teams at Alameda research and the Bahamas registered exchange ‘FTX’ the whole industry has suffered, and will continue to suffer, seismic shocks. There is a chance the sector will never recover, and

that we have already seen the top of the hype bubble. Fortunately this doesn't diminish our use cases for these technologies, as we were never planning to speculate with the asset, but rather use the network.

3.9.2 Digital assets

For digital assets more generally it is useful to look at the recent “whole government executive order” signed by President Biden early in 2022. It was mainly framed in terms of “responsible innovation, and leadership” in the new space. The resulting, “Comprehensive Framework for Responsible Development of Digital Assets” is a product of multi agency collaboration and can be seen as 9 reports and a summary document, and has been long anticipated. The summary itself is neither particularly comprehensive nor a framework, and mainly serves to identifies high level risks, aspirations, and challenges, and strongly hints toward eventual development of a “digital dollar” (CBDC, expanded later).

The risks section of the original executive order shows how legislators are framing this, so it's useful to break down here.

- Consumer and business protections. This is likely to pertain to custodians and is much needed. Misselling is rife. Security presents a challenge.
- Systemic risk, and market integrity are a concern. The legislators clearly worry about contagion risks from the sector.
- Illicit finance (criminality and sanction busting etc) are a concern, but not particularly front and centre[76]. Criminality in 2021 was a mere 0.15% of transactions according to Chainalysis, but this number varies year to year. There are claims that Iran have begun official overseas buying with cryptocurrencies, but again, the numbers are small. One of the better sections of the work is the US treasury department's recently published ‘National Risk Assessments for Money Laundering, Terrorist Financing, and Proliferation Financing’. This is a comprehensive report and speaks to careful research across the space. It is broken into three parts. Perhaps surprisingly, while they do see activity in these areas, they do not rate the risk as very significant. Cash remains the main problem for illicit funding. There is some talk that the nature of public blockchain analysis allows greater oversight of these tools and that this is to the advantage of government and civil enforcement agencies.
- Highlighting the need for international coordination suggests they are mindful of jurisdictional arbitrage. The partial regulatory

capture of these technologies, where activity flows to globally more lenient legislative regimes, continues to be a concern. Many of the centralised exchanges for instance are located in tax havens such as Malta. As the world catches up with these products it is likely that this will be smoothed out.

- Climate goals, diversity, equality and inclusion are mentioned. It seems that the “environment” aspect of ESG is more important than “social” and “governance” at this time.
- Privacy and human rights are mentioned.
- Energy policy is highlighted, including grid management and reliability, energy efficiency incentives and standards, and sources of energy supply.

The latest summary report resulting from the above guidance actually adds little tangible meat to the bones. This possibly reflects the complexity of these issues. The recommendations seem to be broadly as follows, and are really a copy/paste of the executive order.

- Carry on doing research into central bank digital currencies, but there’s no particular rush.
- Support development of better instant payment methods both at home and globally.
- Ensure consumer and systemic protections.
- More monitoring, civil and criminal prosecutions.
- Issue more rules and clarity in response to risks (this is actually likely net positive as rules are currently unclear).
- Improve global reporting on users (KYC/AML).

The government rhetoric to date in the USA can be seen to be converging on an understanding of the technology, at different rates in different parts of government. One thing that seems to shine through is their own perception of their global leadership on legislation on these matters. They seem to assume that what they decide will guide the world, and this may be true through their KYC/AML pressures.

A recent proposed bi-partisan bill in the USA will likely help inform global law, though it is unlikely to pass itself. It encourages the use of Bitcoin as a medium of exchange by applying a tax exemption on transactions of less than \$200. The issue of whether an asset is a commodity (a raw material thing) or a security (a promise) is left to a couple of major government agencies to unpick, with corresponding reporting requirements. Crucially for this book these nascent bills all regard both Bitcoin and Ethereum as sufficiently decentralised to qualify as commodities, meaning they would enjoy more lenient oversight. Far more likely to pass is the proposed DCCPA bill which has senior

lawmaker support and would see commodities in the space regulated in such a way that trading of it could be halted in the USA. In this line of policy, exchanges will be required to do far more reporting, and would be penalised for trading against their customers. DOAs and DeFi are the big potential losers. In a maddening twist the Office of Government Ethics in the USA has banned anyone who owns digital assets from working on the legislation. This is an exceptional move and likely to result in poorly crafted laws in the first instance.

The most recent and troubling example is the US ban on any Ethereum assets which have been through a “mixer service” that obfuscates history. This is a huge constraint on the code and smart contract itself, not just sanctions against individuals. It has ‘free speech’ and constitutional implications [77]. More such actions and arrests of developers are feared. It has led to Circle (who issue the USDC stablecoin) blacklisting every address sanctioned by the US government. Centrally issued digital assets are obviously neither uncensorable nor permissionless. This intersects (again) with the whole question of what decentralisation means and how effective it can be in its stated goal of circumventing global policies.

3.9.3 Bitcoin specifically

In addition it’s useful for this document to focus more on the technical challenges to the Bitcoin network.

- The block reward is reduced every 4 years (epochs). This means a portion of the mining reward is trending to zero, and nobody knows what effect this will have on the incentives for securing the network through proof of work [78]. It is increasingly being discussed as the major eventual problem for the network.
- Stablecoins are a vital transitional technology (described later) but do not meaningfully exist yet on the Bitcoin network. This may change.
- Bitcoin lacks privacy by design. All transactions are publicly viewable. This is a major drag to the concept of BTC as a money. Upgrade of the network is possible, and has indeed been achieved for a Bitcoin fork called Litecoin [79].
- The Lightning network (described later) has terrible UX design at this time.
- The basic ‘usability’ of the network is still poor in the main. Any problems which users experience demand a steep learning curve and risk loss of funds. There is obviously no technical support number people can call.

- Only around one billion unspent transactions can be generated a year on the network. This means that it might become impossible for everyone on the planet to have their own Bitcoin address (with its associated underpinning UTXO).
- Chip manufacture is concentrated in only a few companies and countries, as identified by Matthew Pines.
- Potential constraints on monetary policy flexibility.
- Future protocol changes.
- Unanticipated effects on the domestic and international energy system.
- Vulnerability to adversary attacks are widely studied[80, 81, 82, 83], and still pretty much completely speculative because of the complex nature of the attack surface.
- Mining tends toward economy of scale concentration. Many are already on their own specialised network to connect to one another.
- Future hard forks. There will doubtless be pressure to fork the code to add inflation, or ESG mitigations, or to fix the UNIX clock issue in 2106. Each fork is a risk.
- Other unknown, unanticipated risks given Bitcoin's limited 13-year history.
- There is a “non-zero” chance that Bitcoin is a complex government intelligence agency construct, much like Crpto AG was toward the end of the last century [84].



4. Money in the real world

It is necessary here to briefly examine what money actually is in the world outside of metaverses, so we can understand it in the context of a virtual global space. In the previous section Bitcoin can be viewed in a couple of different lights. As a self custody digital bearer asset it can be viewed as ‘property’, like gold, i.e. not a liability on someone else’s asset sheet. Indeed this has long been one of the assertions of the community and it finds favour in law, possibly most ironically in China which of course banned mining. ‘Money’ though is a far more slippery concept to grasp. It seems very likely that Bitcoin is evolving as a “base money”, and it’s important to define that, but there are many other kinds of money within the online world which can potentially transfer value within virtual social spaces.

4.1 Defining money

Money is an economic good, that is generally accepted as a medium of exchange. This simple and specific description doesn’t do justice to the complexity of everything that humans consider to be money. Even the Encyclopaedia Britannica strays from this immediately in their definition:

“money, a commodity accepted by general consent as a medium of economic exchange. It is the medium in which prices and values

are expressed; as currency, it circulates anonymously from person to person and country to country, thus facilitating trade, and it is the principal measure of wealth.”.

In which it can be seen that the principle measure of wealth might not be money at all, but rather property, credit, etc. So are these things money? Is a promise on a ledger money? The assertion at the top of this section is challenged by different schools of economic thinking. Global debt is around an order of magnitude larger than base money, and most wealth is stored in illiquid land/built environment (some \$300T), and yet the system seems to work fine. The debt theory of money offered by anthropologist David Graeber suggests that money is an abstraction of barter, and thereby ‘credit’, but credit clearly pre-dates money, and needs no barter, commodity, intermediary nor underlying asset [85]. This suggests that money is something slightly different.

Money seems to have evolved for two principle purposes; trade outside of a village context, and inheritance [86]. In doing this it somewhat replaced and augmenting ‘credit’, which as said above, was a promise between parties based on future actions, and likely as old as rudimentary language itself. The anonymous Heavyside blog powerfully argues that it is the relative stability of money over time which creates a less discussed composite feature; that of ‘confidence’ in being able to defer labour into money, basically credit again.

Money can be divided into two categories, which are fungible (interchangeable) from the point of view of the users. Base money is ‘commodity’ money which is backed by assets, or tangible physical (or digital) goods through the actions of a central bank ledger, and is around \$30-\$40T. Everything else is ‘fiduciary media’ [87].

All fiduciary money is credit but not all credit is fiduciary money. Nobody knows the extent of the global supply of fiduciary media. It encapsulates all the new digital money platforms like PayPal, gift cards, offshore accounts and all manner of other vehicles, and is thought to be many tens of trillions of pounds[88]. This somewhat muddies the waters since money that is backed by ‘something’ blends away into money which cannot reasonably be assayed. This in turn undermines the assertion that money is backed. It seems that a combination of available raw materials and labour, central banks and their associated political structures [89], and global markets drive the value of money up and down relative to “stuff” in the shops. This manifests as ‘inflation’, which is ‘possibly’ the effect of not pegging money to an asset such as silver, or gold as in the past [90]. While the gross drivers of inflation seems to be accepted and understood, nobody seems very

sure how the various aspects interact. Dickson White wrote in 1914 about hyperinflation in France due to excessive money printing, and this driver and causal link persists as a primary hypothesis for inflation and hyperinflation, a cautionary tale especially today after the huge fiscal responses to the 2008 global financial crisis and COVID [91]. It may be that central banks actually have no decent response to global monetary pressures and are overdue a paradigm shift, as explained by Daniela Gabor (Professor of economics and macrofinance at UWE Bristol):

“...last stage of a central banking paradigm, when it implodes under the contradictions of its class politics? Under the financial capitalism supercycle of the past decades, inflation-targeting central banks have been outposts of (financial) capital in the state, guardians of a distributional status quo that destroyed workers’ collective power while building safety nets for shadow banking.

The limits of this institutional arrangement that concentrates (pricing) power and profit in (a few) corporate hands are now plain to see. If the climate and geopolitical of 2022 are omens of Isabel Schnabel’s Great Volatility that most central banks and pundits expect for the near future, then macro-financial stability requires new framework for co-ordination between central banks and Treasuries that can support a state more willing to, and capable of, disciplining capital.

But such a framework would threaten the privileged position that central banks have had in the macro-financial architecture and in our macroeconomic models. The history of central banking teaches us that policy paradigms die when they cannot offer a useful framework for stabilising macroeconomic conditions, but never at the hands of central bankers themselves.”

All this makes it hard to find a universally accepted and explicable definition of money. The best approach may be to look at the properties of a thing which is asserted to be a money. In his book ‘A history of money’, Glyn Davies identifies “cognisability, utility, portability, divisibility, indestructibility, stability of value, and homogeneity” [92].

Stroukal examines Bitcoins’ likely value as a money from an Austrian economics perspective and identifies “portability, storability, divisibility, recognizability, homogeneity and scarcity” [93].

A helpfully brief and useful web page by Desjardins from 2015 describes some properties and explains them in layman’s terms below:

- Divisible: Can be divided into smaller units of value.
- Fungible: One unit is viewed as interchangeable with another.
- Portable: Individuals can carry money with them and transfer it

to others.

- Durable: An item must be able to withstand being used repeatedly.
- Acceptable: Everyone must be able to use the money for transactions.
- Uniform: All versions of the same denomination must have the same purchasing power.
- Limited in Supply: The supply of money in circulation ensures values remain relatively constant.

4.1.1 Global currency interactions

The legacy moniker “third world” came from a division of the world along economic lines [94]. At the time this was the petrodollar / neo-institutional hegemony [95, 96], vs the economic superpower of the soviet block, and then ‘the rest’; unaligned economic powers.

This old framework has fallen away with the associated terminology, but it’s useful to look at what money ‘is’ from a global viewpoint, because all money is effectively trust in the liability held by some defined counter party.

Right now the dollar system is still predominant, but it seems likely that there are new axes forming, especially around the Chinese Yuan. It’s clear that central banks have been aware of this potential transition away from a global dollar / energy system. The Dollar has potentially suffered from the radical expansion of the money supply over the last 70 years or so under the private “Eurodollar” system [97]. Macro markets commentator Peccatiello describes this as follows: *“Our monetary and credit system is USD-centric: the lion share of international debt, trade invoices, asset classes and FX volume is settled or denominated in US Dollars. Funnily enough though, direct access to \$ liquidity is only available to entities located in the United States but in a credit-based system the rest of the world also has an incentive to leverage in US Dollars to boost or enhance their global business models. That means European banks, Brazilian corporates or Japanese insurance companies which want to do global business will most likely get exposure to \$-denominated assets and liabilities (\$ debt) despite being domiciled outside the United States.”*

Some policy makers have been looking back to the great economist John Maynard Keynes’ ideas for a neutral basket of assets as a global synthetic hegemonic currency [98, 99] which would almost certainly consist partly of gold [100]. Gold as a utilitarian commodity trades at a premium because of its history as a money, and like Bitcoin, there are

serious consequences to its perceived value to humans.

Use of the dollar system has recently been shown more and more to be contingent on adherence to US defined political principles. This is evidenced most starkly by the seizure of Russian central bank foreign reserves, a new and untried projection of monetary power. Counter intuitively this allowed Russia to demand sale of its natural resources in their native Ruble, rapidly increasing the buying power of their currency. It seems that the ‘currency wars’ are accelerating. Putin (who to be clear, is a dictator and aggressor) recently said “*The technology of digital currencies and blockchains can be used to create a new system of international settlements that will be much more convenient, absolutely safe for its users and, most importantly, will not depend on banks or interference by third countries*”

The Chinese Yuan/Renminbi is potentially stepping in where the petrodollar is now waning [101]. The effects of this expansion of economic influence by China, through a potential petro-Yuan, and the belt and road initiative [102], are not yet felt, but the lines are fairly clearly defined and may be felt over the coming decades. The Euro system is potentially even less stable because of recent energy supply pressures, and internal tensions in the bond markets. Though it seems to be less ‘weaponised’ [103], it comes with its own restrictions for use, especially through the International Monetary Fund (IMF). They are opposed to global fragmentation and multi-polarity, seeing it as disproportionately impacting emerging economies. They say in their 2023 outlook report that the rise of geoeconomic fragmentation could cause shifts in foreign direct investment (FDI), hitting emerging economies the hardest. They feel that policymakers and companies are focusing on making supply chains more resilient by moving production closer to home or to trusted countries. As a result, FDI flows are becoming more concentrated within blocs of aligned countries. It is likely true that emerging market and developing economies are more vulnerable to FDI relocation, as they rely more on flows from geopolitically distant countries, though this could be viewed as a reduction in economic imperialism. Such economies may face reduced access to capital and technological advancements. It is into this gap that our work presenting AI collaborative tooling wishes to step.

To give context to this it is useful to paraphrase Whittemore’s podcast which gave a high level view of Gladsteins critique of the IMF: “*The terms of the most recent IMF loans to Argentina; one that was just finalized this year was that the country’s leadership had to try, as part of their agreement, to discourage citizens from engaging in the*

use of cryptocurrencies. The most recent deal was a 45 billion dollar deal which is a restructuring of that 57 billion program that Alex mentioned. The provision in question was called ‘strengthening Financial resilience’, and says ‘to further Safeguard Financial stability we are taking important to discourage the use of cryptocurrencies with a view to preventing money laundering informality and disintermediation’. They explicitly do not want citizens of that country to disintermediate. They want them to have to go through the system that the IMF is “restructuring”, meanwhile inflation this year is around 72 percent. Last year it was 48 the year before 42 the year before that 53 percent clearly something is not working. It’s not surprising to me then that Argentina is an absolute hotbed for people who are involved in Bitcoin”

The new ‘third world’ who are excluded from the Dollar and/or Yuan poles of the global economy might drift toward the ‘basket of assets’ discussed by Keynes and Carney above. As mentioned this will certainly have a component of gold, and likely other commodity assets such as rare metals. This is described at length by Hudson[103]. For our purposes here it’s also possible that there would be a small ‘hedge’ allocation of Bitcoin or even a global axis of ‘unaligned’ nations using the asset [104, 105]. Block and Wakefield research found that in developed nations Bitcoin is treated as an investment, while in less wealthy demographics there is interest in the utility. This is evidenced in the early nation state adoption seen and described to date, and the game theory incentive explained by Fidelity in the introduction. It’s too early to tell if this ‘unaligned money’ could constitute a global economic pole, but it’s interesting that some commentators are now even discussing this, and that carbon neutrality research is being undertaken specifically for this application.

4.2 International money transfer networks

Transferring money from one financial jurisdiction to another is itself a global marketplace which has accreted over the entire course of human history. It’s far less useful here to discuss the mythos of salt and seashells as a mechanisms of international remittance and taxation [106, 107]. Suffice it to say that there are dozens, if not hundreds, of cross border payment companies who make their business from taking a percentage cut of an international money transfer. There are also hundreds if not thousands of banks who offer this service as part of their core business portfolio. This section looks at some of the major players, and their mechanism, to contextualise the more recent shifts

brought about by technology.

4.2.1 Swift, ISO 20022, and correspondence banking

Society for Worldwide Interbank Financial Communications (SWIFT) was initially formed in 1973 between 239 banks across 15 countries. They needed a way to improve handling of cross border payments. It is now the global standard for financial message exchange in over 200 countries, and has recently found itself under a fresh spotlight, during the invasion of Ukraine. The system handles around 40 million short, secure, code transmissions a day, which represent crucial data about a transaction and the parties involved. It is used by both banks and major financial institutions to speed up settlement between themselves, on behalf of the clients and customers. It replaced the Telex (wire transfer) system. The new incoming standard to replace SWIFT is ISO20022 is a complex and data rich arrangement. The SWIFT consortium are promoting this new standard to their 11,000 plus global user base. A group of ‘cryptocurrencies’ are heavily involved in the ISO20022 standard, and there’s been experimentation with private permissioned distributed ledger technologies. It’s somewhat unclear what value they bring, and possible that the relationship of these public ledgers to international bank to bank messaging is a marketing distraction. The Bank Of England is transitioning to the system in June 2023. Note that SWIFT, ISO20022, and the associated tokens within crypto are all themselves products which have a business model. They are all intermediaries which will demand a mediating fee somewhere. All of this proposed functionality could be replaced by central bank digital currencies, which will be discussed later in the section.

4.2.2 FEDNOW

Seemingly in direct response to the pressures of cryptocurrencies The USA is launching **FEDNOW**. This section will get revised.

4.2.3 SPFS and BRICS

While media outlets like the Financial Times are seemingly concerned about the proposal for a BRICS based currency, and a multi-polar economic world (as we have suggested), Nunn opines Brazil’s reliance on China for inward investment and the impact of US foreign policy. He highlights that Brazil has no choice but to trade with China, who sets the rules. Nunn also points out the reluctance of Brazilians to hold Chinese treasuries. He emphasizes the misunderstanding of international

currency usage and states that the Euro-Dollar system, supported by currencies like the Pound and Yen, dominates the market. Nunn argues that the possibility of the US dollar losing reserve currency status is sensationalist nonsense. Meanwhile, chief foreign policy advisor in Brazil has said: *“I think the two countries can also have an important role in building a more multipolar world, in which power is less centralized and there is no hegemony. I think this is a very important aspect in which China and Brazil can play important roles.”*

4.2.4 VISA and Mastercard

Both major credit card companies are building out their “crypto” capabilities. Mastercard have launched a back end platform to mitigate fraud when buying digital products with their cards. VISA have announced a “crypto business to business support unit”. They have also published a white paper to allow users to improve their experience.

4.2.5 Money transfer operators

International Money Transfer Operators analysis

western union etc, moneygram, transferwise,

4.2.6 Digital disruptive fintech

It seems that the neobank providers of digital banking apps are likely to converge with native digital asset “wallets”. This is also the thesis advanced by the Ark investments Big Ideas paper.

CNN have a useful primer of the most prevalent mobile digital payment methods. This can be seen in Figure 4.1. This comparison makes it pretty clear that Bitcoin is not ready as a personal mobile payment system. That’s not to say that there isn’t a place for the underlying technology in global payment processing. The most interesting example of this is Strike, a product in the international fintech arena. It is a ‘global’ money transmitter which uses bank connections in local currencies, but a private version of the Lightning network with settlement on the Bitcoin main chain. In practice users connect the app to their bank and can send money to the bank connected Strike app of another user instantly, and without a fee. This is a far better product than those previously available. In principle it’s open API allows many more applications to be integrated into the Strike back end. Twitter already uses this for international tipping (and remittance). It seems that this is a perfect contender for supporting transactions in open metaverse applications, and that may be true, but Strike is currently only available

				
Apple Pay	Samsung Pay	Google Wallet	PayPal	Bitcoin
AVAILABILITY				
Only iPhone 6.	Only Samsung Galaxy S6.	Any device with the app.	Any device with the app.	Any device with the app.
HOW YOU USE IT				
				
Fingerprint OK for tap-to-pay (at new registers) and online purchases.	Fingerprint OK for tap-to-pay (at new registers)	Tap-to-pay (at new registers, only on NFC-enabled Android phones). Send money via app or email.	Send money via email or phone number.	Scan QR code
HOW IT WORKS				
Uses NFC (radiowaves) to send your encrypted payment information.	Uses NFC. At old credit card machines, uses MST (magnetic fields).	Like a debit card. You recharge it. At new registers, uses NFC.	Uses PayPal network to transmit credit card or debit transactions.	Totally independent money system.
SECURITY				
				
Most secure. Retailers don't even get your credit card.	Most secure. Retailers don't even get your credit card.	Secure. Retailers don't get your credit card, but Google does.	Secure. Retailers don't get your credit card, but PayPal does.	Tacky. Secure, but you're on your own. Lose a password? Get hacked? Your money is gone.
PROS				
Quick and easy.	Quick and easy. Works everywhere.	Easy. Great for sending money to friends.	Easy. Great for sending money to friends.	Very private. Easy. Great for sending money to friends.
CONS				
Doesn't work everywhere. Only some places have NFC-enabled registers.	Magnetic option is annoying. You must hold it a certain way above the magnetic stripe reader.	Doesn't work everywhere. Only some places have NFC-enabled registers.	Only works at merchants who accept PayPal. It's a bit rare in person.	Difficult to obtain bitcoins. Rarely ever accepted. Few merchants use this.

Infographic: Gwen Sung / CNNMoney

Jose Pagliery

Figure 4.1: Comparison of mobile based payment systems

in three countries (USA, El Salvador, Argentina).

Paypal, xoom, Strike, servicing smaller payments, cashapp, venmo, revolut, Paypal especially is noteworthy for their recent Orwellian gaffe suggesting in their terms and conditions that they would be able to fine users \$2500 for “disseminating informational”. They quickly walked this back but this kind of private fintech action is highly suggestive of a need for uncensorable money such as Bitcoin.

Apple has recently introduced a high-yield Savings account with an impressive 4.15 % APY, far surpassing the national average of 0.35 % APY. This development represents another milestone for the tech giant as it progresses towards potentially becoming the world’s largest bank. The Apple Savings account, established through a collaboration with Goldman Sachs, offers numerous benefits, including an interest rate more than ten times the national average, zero fees, no minimum deposit or balance requirements, and an efficient, user-friendly interface. Additionally, it provides FDIC insurance for balances up to \$250,000. Although the 4.15 % APY is lower than returns from money market funds and 1 % below the 3-Month Treasury Bill Yield of 5.2 %, most people may not be aware of these alternatives. The key factors driving demand for Apple’s offering are convenience and the strong brand trust it enjoys. With products such as Apple Pay, Apple Cash, mPOS, Apple Card, Apple Pay Later, and now Apple Savings, the company is strategically constructing an Apple Finance empire poised to disrupt the traditional financial services landscape.

4.2.7 Stablecoins

Stablecoins are ‘crypto like’ instruments which are ‘pegged’ at a 1:1 ratio with nationally issued Fiat currencies. In fact they usually correspond to units of privately issued debt underwritten by a variety of different assets. This is (depending on the issuing company’s model) a far more risky unit of money than the nominal currency that they represent, but they offer significant utility. They allow the user to self custody the cryptographic bearer instrument representing the money themselves, as with blockchain. This may afford the user less friction in that they can transmit the instrument through the newer financial rails which are emerging. Once again, this is likely a product most useful to emerging markets, those living under oppressive regimes, currencies suffering from high inflation, and countries who rely on the dollar as their currency, and within digitally native metaverse applications. These are *enormous* global uses though. The use in the west is prominently for ‘traders’ on exchanges at this time. /par The caveat of

such products is that such ‘units’ of money can be frozen by the issuer, and they are subject to the third party risk of the issuer defaulting on the underlying instrument, instantly wiping out the value.

Klages-Mundt et al. wrote a paper in 2020, which explains the details of the different mechanisms and risks.

The following text paraphrases Spencer noon of on-chain analytics company “OurNetwork”, who provides an useful summary of the paper. *There are two major classes of stablecoins:*

- *Custodial: entrusted by off-chain collateral assets like fiat dollars that sit in a bank. Requires trust in third party.*
- *Non-custodial (aka decentralized): fully on-chain and backed by smart contracts & economics. No trusted parties.*

In custodial stablecoins, custodians hold a combination of assets (currencies, bonds, commodities, etc.) off-chain, allowing issuers (possibly the same entity) to offer digital tokens of an reserve asset. The top 2 custodial stablecoins today are USDT and USDC. There are 3 types of custodial stablecoins.

- *Reserve Fund: 100% reserve ratio. Each stablecoin is backed by a unit of the reserve asset held by the custodian. A useful example of this the USDF banking consortium.*
- *Fractional Reserve Fund: The stablecoin is backed by a mix of both reserve assets and other capital assets.*
- *Central Bank Digital Currency (CBDC): A digital form of central bank money that is widely available to the general public. CBDCs are in their nascent as today only 9 countries/territories have launched them, many of them small.*

Custodial stablecoins have three major risks:

- *Counterparty Risk (fraud, theft, govt seizure, etc.)*
- *Censorship Risk (operations blocked by regulators, etc.)*
- *Economic Risk (off-chain assets go down in value)*

Each can result in the stablecoin value going to zero.

It’s worth taking a look at these tokens individually, to get a feel for the trade-offs, and figure out how they might be useful for us in our proposed metaverse applications. It’s important to know that these tokenised dollars and/or other currencies are issued on top of the public blockchains we have been detailing throughout. Which tokens are on what blockchains is constantly evolving, so it’s not really worth enumerating specifics. In a metaverse application it would be necessary to manage both the underlying public blockchain and the stablecoin issued on top of it, making the interaction with the global financial system perversely more not less complex. In the following list of a few

of the major coins, the first hyperlink is the whitepaper if it's available.

- **USDC** is a dollar backed coin issued by a consortium of major players in the space, most notably Circle, and Coinbase. It's has a better transparency record than tether but is still not backed 1:1 by actual dollars in reserve. It may or may not be a fractional reserve asset. It's well positioned to take advantage of regulatory changes in the USA, and seems to be quietly lobbying to be the choice of a government endorsed digital dollar, at least a significant part of a central bank digital currency initiative. It's too early to tell how this will work out, but it has substantial 'legacy finance backing'. It is the only stablecoin to increase slightly in value (depegging upward) in the wake of the UST implosion. This 'flight to quality' shows the advantage of the work that CENTRE put into regulatory compliance. It runs on Ethereum, Algorand, Solana, Stellar, Tron, Hedera, Avalanche and Flow blockchains. At this time USDC may be under speculative attack by Chinese exchange Binance, in favour of their own offering BUSD, and is losing market share.
- **Binance USD** is the dollar equivalent token from global crypto exchange behemoth Binance. It's released in partnership with Paxos, who have a strong record for compliance, and transparency. Paxos also offer USDP. Both these stablecoins claim to be 100% backed by dollars, or US treasuries. They are regulated under the more restrictive New York state financial services and have a monthly attestation report.
- **MakerDAO Dai** is an Ethereum based stablecoin and one of the older offerings. It's been 'governed' by a DAO since 2014. 'Excess collateral', above the value of the dai-dollars to be minted, is voted upon before being committed to the systems' cryptographic 'vaults' as a backing for the currency. These dai can then be used across the Ethereum network. Despite the problems with DAOs, and the problems with Ethereum, DAI is well liked by its community of users and has a healthy billion dollars of issuance. They may be dangerously exposed to the new crackdown in the USA, and there is internal talk of pro-actively abandoning DAI altogether.
- **TrueUSD** claims to be fully backed by US dollars, held in escrow. It runs on the Ethereum blockchain. They have attestation reports available on demand and claim fully insured deposits. It's not quite that simple in that a portion of the backing is 'cash equivalents'.

- Gemini GUSD claim reserves are “held and maintained at State Street Bank and Trust Company and within a money market fund managed by Goldman Sachs Asset Management, invested only in U.S. Treasury obligations.” which seems pretty clear.
- TerraUSD (UST) was a newer and more experimental stable-coin, and one of a set of currency representations within the network. It worked in concert with the LUNA token on the Cosmos blockchain in order to keep it’s dollar stability. It was not backed in the same way as the other tokens, instead relying on an arbitrage mechanism using LUNA. In essence the protocol paid users to destroy LUNA and mint UST when the price was above one dollar, and vice versa. This theoretically maintained the dollar peg. There was much concern that this model of ‘algorithmic stable coin’ is unstable [108]. The developers of the Terra tried to address this concern by buying enormous amounts of Bitcoin, which they quickly had to employ to address UST drifting downward from \$1. This failed to address the ‘great depegging’, with LUNA crashing to essentially zero, destroying some \$50B of capital. It will now likely act as a cautionary tale to other institutions considering Bitcoin as a ‘reserve asset’. An earlier version of this book highlighted the specific variation of the risk which quickly manifested.
- Tether is the largest of the stablecoins, with some \$70B in circulation, and the third largest ‘crypto’. This has been a meteoric rise, attracting the ire and scrutiny of regulators and investigators. There was considerable doubt that Tether had sufficient assets backing their synthetic dollars, but the market seems not to mind. Recently however they have transitioned to being backed by US treasury bills, a perfect asset for this use case. It’s resilience against ‘bank runs’ was tested in May 2022 when \$9B was redeemed directly for dollars in a few days following the UST crash (more on this later). They are shortly to launch a GBP version for the UK. It’s an important technology for this metaverse conversation because of intersections with Bitcoin through the Lightning network. Tether might actually provide everything needed. It’s only as safe as the trust invested in the central issuer though, and the leadership and history of the company are questionable. It’s notable and somewhat ironic that it’s perhaps better and more transparently backed than most banks, and probably all novel fiat fintech products. We can employ the asset through the Taro technology described earlier but we would rather use

something with higher regulatory assurances.

4.2.7.1 The evolving US position

In most regards the legislative front line is happening in the USA. Treasury Secretary Yellen responded to the collapse of Terra/UST saying that: “*A comprehensive regulatory framework for US dollar stablecoins is needed*”. She also said that the stablecoin market is too small to pose systemic risk at this time. This is clearly an evolving situation, but the incredible consumer exposure to these risky products is likely to elicit a swift and significant response, and the timing seems right for intervention. The markets suggest that USDC will be the eventual winner.

Koning meanwhile has looked into the different regulatory approaches used by various stablecoins.

- The highly regulated New York state financial framework (Paxos, Gemini)
- Piggyback off of a (Nevada) state-chartered trust [TrueUSD, HUSD]
- Get dozens of money transmitter licenses [USDC]
- Stay offshore [Tether]

Proposed legislation specific to the concept of stablecoins has been advanced by Sen Toomey. There are many provisions in the bill, mostly pertaining to convertibility and the ever present problem of attestation of the ‘backing’ of these products. Mention has already been made of the major bill advanced by Sen. Lummis and Gillibrand. This bill also includes significant provision around stablecoins. Lummis said “*Stablecoins will have to be either FDIC insured or more than 100% backed by hard assets.*”. This is good news for this section of the digital assets space.

Crucially there is also more clarity on privacy. This is a huge threat from digital money systems, and the USA is likely to lead. Remember though that none of this is yet law.

Valkenburg, the lead researcher of a US think tank in digital assets says the following: “*Stablecoin TRUST Act, is a discussion draft mostly about stablecoins, but it also has important privacy protections for crypto users broadly: it puts real limits on warrantless surveillance by narrowing what info can be collected from third parties. Last summer we fought a provision in the infrastructure bill that damaged the privacy of crypto users by expanding the broker definition (who needs to report information about transactions to the IRS) & crypto*

6050I reporting (reports on business transactions over \$10,000). The winter before we fought and successfully delayed a rushed proposal from the outgoing Trump administration to mandate that exchanges collect information about persons who are not their customers, who hold crypto at addresses in wallets they control directly. the Stablecoin TRUST Act would stop these encroachments, constrain the treasury from collecting any nonpublic information unless they get a search warrant or collect only information voluntarily provided to an exchange by a customer and for a legitimate business purpose. If “voluntarily provided for a legitimate business purpose” sounds familiar to you, that’s b/c it’s the constitutional standard articulated by the Court in Carpenter describing LIMITED circumstances where warrantless searches of customer data are ok. It’s the standard we’ve advocated must also limit warrantless data collection at crypto exchanges. If exchanges must collect information about non-customers, that information is, by definition, not voluntarily provided for a legitimate business purpose.”

The ongoing battle for control over emerging stablecoins by the CFTC and the SEC seems to be pushing the American government into legislation. They have published a draft bill and there have been some congressional hearings over the matter. At this time the bill is nascent, and there are as yet no firm decisions, though as seems typical in the USA there are hardening opinions along political lines.

- The arguments at this time seem to be around whether stablecoins are securities, the impact on global dollar dominance, and capital flight from the USA.
- It seems agreed that current regulatory framework for stablecoins is chaotic and that lack of regulatory certainty pushes firms offshore.
- It is clear that U.S. payment systems lag behind digital technology globally, though FedNow is a response to this which is being adopted.
- There is some emerging feeling that the dollar may be under threat from competitors like digital Yuan.
- Consumer and regulatory concerns in the crypto industry cast a shadow over the stablecoin technologies.

4.2.7.2 The evolving European and UK position

Societe Generale is a leading European financial services group, based in France. Founded in 1864, it provides a wide range of services, including retail banking, corporate and investment banking, asset management, insurance, and financial solutions for both individual and

institutional clients. The bank operates globally, with a strong presence in Europe, Africa, and the Middle East, as well as a growing presence in the Americas and Asia-Pacific regions. Societe Generale is recognized as one of the largest banks in Europe. They have announced a Euro based stablecoin initiative on the Ethereum blockchain, which has been met with howls of derision from the crypto and Bitcoin communities, since every transaction needs to be manually approved by the banking groups. In addition there is code in the contracts allowing them (or any party with access) to remotely ‘burn’ or revoke the money from a wallet. This is “decentralisation theatre”. The stablecoin is available only for institutional clients only, ‘aiming to bridge the gap between traditional capital markets and the digital assets ecosystem’. It is likely that this project is too clunky and experimental to ever see adoption.

As mentioned briefly in the introduction the UK has recently signalled an enthusiasm for stablecoins as “means of payment”. This is a stark reversal of their previous legislative momentum possibly a response to the tightening of rhetoric in Europe around such assets. The Financial Services and Markets Bill. became law in July 2022. An excerpt pertaining to stablecoins can be seen in Figure 4.2.

The U.K. Financial Conduct Authority’s chief executive, Nikhil Rathi, outlined the FCA’s regulatory goals at the Peterson Institute for International Economics: *“The U.S. and U.K. will deepen ties on crypto-asset regulation and market developments — including in relation to stablecoins and the exploration of central bank digital currencies.”*

The timing seems right to explore the use of stablecoins in metaverse applications up the list of choices.

4.2.7.3 Stables in metaverse applications

It makes a **lot** of sense to consider stablecoin transfer as the money in metaverses. USDC is furthest along this possible adoption curve. Their partnership with global payment provider Stripe has enabled global dollar transfer within Twitter for users of their ‘Connect’ platform. This leverages the Polygon chain (mentioned in the blockchain chapter). Many digital wallets can be connected from the user end, with Metamask potentially being the easiest to integrate. This has also been mentioned in the book. The downside of this for our open platform is that none of these elements are particularly open, or distributed, and the users of the platform will still need to use an exchange to get the USDC to spend. This approach makes it easier for the vendors and product providers in the metaverse applications to accept USDC, but everything else is actually harder.

22 Digital settlement assets: power to make regulations

- (1) The Treasury may by regulations make such provision as they consider appropriate for the purpose of, or in connection with –
- (a) the regulation of payments that include digital settlement assets,
 - (b) the regulation of –
- (i) recognised payment systems that include arrangements using digital settlement assets,
 - (ii) recognised DSA service providers, and
 - (iii) service providers connected with, or in relation to, the systems and providers mentioned in sub-paragraphs (i) and (ii),
as those terms are for the time being defined in Part 5 of the Banking Act 2009, and
- (c) making insolvency arrangements (including administration, restructuring and any similar procedure) in respect of the systems and providers mentioned in paragraph (b).
- (2) In this section, “digital settlement asset” means a digital representation of value or rights, whether or not cryptographically secured, that –
- (a) can be used for the settlement of payment obligations,
 - (b) can be transferred, stored or traded electronically, and
 - (c) uses technology supporting the recording or storage of data (which may include distributed ledger technology).

Figure 4.2: The UK signs into law regulation of digital representatives of value

4.3 Central bank digital currencies

If 2022 was the year of the stablecoin then 2023 is likely to be the year of the central bank digital currency (CBDC). CBDCs would likely not exist without the 2019 catalyst of Facebook Libre crypto currency project, which is now cancelled and defunct, pressure exerted on central banks by the concept of Bitcoin, and the stablecoins which emerged from the technology.

It now seems plausible that the world is moving toward a plurality of national and private digital currencies. Figure 4.3 from the Bank for International Settlement, shows the growing acceptance within central banks. Their 2022 annual economic report dedicates a 42 page chapter to the subject. Hyun Song Shin, head of research at BIS said “*Our broad conclusion is captured in the motto, ‘Anything that crypto can do, CBDCs can do better.’*“

Bank of America analysts Shah and Moss think that CBDC’s are ‘inevitable’ by 2030, and believe that in the meantime stablecoins will fill what they perceive to be this market gap.

This text from the thinktank VoxEU highlights the pressure on not to be ‘left behind’: “*Given the rapid pace of innovations in payments technology and the proliferation of virtual currencies such as bitcoin and ethereum, it might not be prudent for central banks to be passive*




Figure 4.3: More than half of central banks surveyed by the BIS said they saw issuance of a CBDC as possible.

in their approach to CBDC. If the central bank does not produce any form of digital currency, there is a risk that it loses monetary control, with greater potential for severe economic downturns. With this in mind, central banks are moving expeditiously when they consider the adoption of CBDC.” The Atlantic Council have a website which tracks global adoption.

CBDCs are wholly digital representations of national currencies, and as such are centralised database entries, endorsed and potentially issued by national governments. The USA’s whitepaper shows the approach. This thinking seems to have emerged in part from the ‘Digital Dollar Project’, an Accenture funded think tank founded by ex CFTC chairman Giancarlo [109]. Curiously only The Bahamas seem to have a successful implementation, but it is a rapidly evolving space, and many nations are now scrambling to catch up. A post on the LinkedIn page of the Bank of International Settlements highlights a research project between 20 Asian banks which settles tens of millions of dollars using CBDC tooling.

The following text is taken from the March 2021 Biden government “executive order” on digital assets, and defines the current global legislative position well.

“Sec. 4. Policy and Actions Related to United States Central Bank Digital Currencies. (a) The policy of my Administration on a United States CBDC is as follows:

(i) Sovereign money is at the core of a well-functioning financial system,

macroeconomic stabilization policies, and economic growth. My Administration places the highest urgency on research and development efforts into the potential design and deployment options of a United States CBDC. These efforts should include assessments of possible benefits and risks for consumers, investors, and businesses; financial stability and systemic risk; payment systems; national security; the ability to exercise human rights; financial inclusion and equity; and the actions required to launch a United States CBDC if doing so is deemed to be in the national interest.

(ii) My Administration sees merit in showcasing United States leadership and participation in international fora related to CBDCs and in multi-country conversations and pilot projects involving CBDCs. Any future dollar payment system should be designed in a way that is consistent with United States priorities (as outlined in section 4(a)(i) of this order) and democratic values, including privacy protections, and that ensures the global financial system has appropriate transparency, connectivity, and platform and architecture interoperability or transferability, as appropriate.

(iii) A United States CBDC may have the potential to support efficient and low-cost transactions, particularly for cross-border funds transfers and payments, and to foster greater access to the financial system, with fewer of the risks posed by private sector-administered digital assets. A United States CBDC that is interoperable with CBDCs issued by other monetary authorities could facilitate faster and lower-cost cross-border payments and potentially boost economic growth, support the continued centrality of the United States within the international financial system, and help to protect the unique role that the dollar plays in global finance. There are also, however, potential risks and downsides to consider. We should prioritize timely assessments of potential benefits and risks under various designs to ensure that the United States remains a leader in the international financial system.”

In traditional nation state currencies the central banks control the amount of currency in circulation by issuing debt to private banks, which is then loaned out to individuals [110]. The debt is ‘destroyed’ on the balance sheet to remove currency through the reverse mechanism. They also facilitate government debt [111], and work (theoretically) outside of political control to adjust interest rates, in order to manage growth and flows of money.

It is somewhat surprising that Powell, chair of the US Federal Reserve has recently said “*Rapid changes are taking place in the global monetary system that may affect the international role of the*

dollar. A US central bank digital currency is being examined to help the US dollar's international standing.”. This is a rapid evolution of the narrative, with implications. It seems unlikely that the world would sacrifice the traditional banking system in favour of centrally controlled money, but many things which cannot be done with traditional nation state money systems are possible with CBDCs, because they remove the middleman of private banking between the end user and the policy makers.

- Negative interest rates are possible, such that all of the money can lose purchasing power over time, and at a rate dictated by policy. This “removal of the lower bound” has been discussed by economists over the last couple of decades as interest rate mechanisms have waned in efficacy. It is not possible in the current system, and instead money must be added through quantitative easing, which disproportionately benefits some through Cantillon effects [112, 113].
- Ubiquitous basic income is possible in that money can be issued directly from government to all approved citizens, transferring spending power directly from the government to the people. This also implies efficiency savings for social support mechanisms.
- Asset freezing and confiscation are trivial if CBDCs can replace paper cash money completely, as a bearer asset. Criminals and global ‘bad actors’ could have their assets temporarily or permanently removed, centrally, by suspending the transferability of the digital tokens.
- Targeted bailouts for vital institutions and industries are possible directly from central government policy makers. Currently private banks must be incentivised to make cheap loans available to sectors which require targeted assistance.
- Financial surveillance of every user is possible. In this way a ‘panopticon of money’ can be enacted, and spending rulesets can be applied. For instance, social support money might only be spendable on food, and child support only on goods and services to support childcare. This is a very dystopian set of ideas. Eswar Prasad says “In authoritarian societies, central bank money in digital form could become an additional instrument of government control over citizens rather than just a convenient, safe, and stable medium of exchange[114].” This is possibly already happening in China through integration of outstanding debt data with the social credit system.
- It’s a virtually cost free medium of exchange, since there is no

physical instrument which must be shipped, guarded, counted, assayed, and securely destroyed.

- The counterfeiting risk is significantly reduced because of secure cryptographic underpinnings rather than paper or plastic anti counterfeiting technologies.
- Global reach and control is instantly possible for the issuer. This is a big problem especially for a reserve currency such as the dollar. Two thirds of \$100 bills are thought to reside outside of the USA.
- System level quantitative easing and credit subsidies are made far simpler and less wasteful when centrally dictated.
- Transfer of liability and risk to the holder globally reduces the management costs for global deposits of a currency.
- It may be possible to automate the stability of a currency through continuous adjustment of the ‘peg’ through algorithms or AI.

The UK had been signalled that it is not interested in developing a CBDC stating that it seemed to be a solution in search of a problem, with the Lords economic affairs committee saying: “*The introduction of a UK CBDC would have far-reaching consequences for households, businesses, and the monetary system for decades to come and may pose significant risks depending on how it is designed. These risks include state surveillance of people’s spending choices, financial instability as people convert bank deposits to CBDC during periods of economic stress, an increase in central bank power without sufficient scrutiny, and the creation of a centralised point of failure that would be a target for hostile nation state or criminal actors.*”

Since those initial statements however it seems that the previously mentioned “fear of missing out” has forced legislators hand. The UK Treasury and the Bank of England are now exploring the possibility of launching a retail central bank digital currency (which they desperately hope will not end up called ‘Britcoin’), judging that “it is likely a digital pound will be needed in the future”. They have released a consultation paper inviting public comment. The consultation is aimed at informing the decision on whether to build the infrastructure for a digital pound, with a pilot test not expected before 2025.

One of the key points raised in the proposal is the potential to cap citizens’ CBDC holdings, with a range suggested between £10,000 to £20,000, to strike a balance between managing risks and supporting the usability of the digital pound. This limit would allow most UK wage earners to receive their salary in the form of a CBDC but would still allow for competition with commercial banks. The digital pound would

not offer interest, enabling banks to offer competitive deposit accounts.

They are once again clear about the risks, highlighting that banks currently use deposits as a cheap source of funding for loans, and without that flow, they may become more reliant on expensive wholesale markets, driving up borrowing costs for users. In a severe scenario, a bank run could undermine the capital base for the commercial banking system.

The Bank of England has stated that it will not implement central bank initiated programmable functions, but instead provide the necessary infrastructure for the private sector to implement such features with user consent. The digital pound is intended to have at least the same level of privacy as a bank account and users would be able to make choices about data use. This is scant comfort, as such features are intrinsic to the technology, and we have seen time and again that if legislative and economic bodies are given a hammer, they will eventually find a nail to hit. Carlo, the director of ‘The Big Brother watch’ pointed to 2021 comments from John Cunliffe of the Bank of England when he said “There’s a whole range of things that programmable money could do like giving the children pocket money but programming the money so it couldn’t be used for sweets”. Again, this raises the potential for government stimulus that has to be spent within a certain time or it disappears. As an interesting side note here it’s thought that up to 14% of American stimulus cheques went to buying crypto, most notably in less well off families [115]. It’s easy to imagine that a CBDC would be barred from such a thing.

The main motivation for issuing a CBDC is the assumption that there is demand for a safe and stable way to use money online. A digital pound, issued and backed by the Bank of England, could be a trusted, accessible, and easy-to-use form of payment. The infrastructure would allow firms to design innovative and user-friendly services. The civil service is hiring a “Head of CBDC” as seen in Figure 4.4.

Meanwhile in Europe, ECB President Christine Lagarde said: “*On your question concerning CBDC, you know my views on CBDC and you know that I have pushed that project. Fabio Panetta is working hard on that together with members in the entire Eurosystem with the high-level taskforce that is working really hard on moving forward. But in a way, I am really pleased that attention is now focussed on the role that cryptos can play and the role that Central Bank Digital Currency can have when they are implemented. We have a schedule, as you know. The Governing Council decided back in October '21 to launch a two-year investigation phase, and it is at the end of that investigation*

BETA Your [feedback](#) will help us to improve.
[Home](#) [Sign in / create an account](#) [Cymraeg](#)

Head of Central Bank Digital Currency

HM Treasury

Apply before 11:55 pm on Tuesday 7th February 2023



HM Treasury

Apply now

Figure 4.4: The UK is clearly making moves to staff a new department for CBDC.

phase that the decision will definitely be made to launch the CBDCs and to make it a reality. We can't go wrong with that project. I am confident that we will move ahead, but that's going to be a decision of the Governing Council. I think it's an imperative to respond to what the Europeans expect, and I think we have to be a little bit ahead of the curve if we can on that front. If we can accelerate the work, I hope we can accelerate the work. I will certainly support that and I was delighted to see that in the United States there was an executive order by President Biden to actually expect similar effort and focus and progress on CBDC, cryptos. I think that it will take all the goodwill of those who want to support sovereignty, who want to make sure that monetary policy can be transmitted properly using our currency, will endeavour."

She has expanded on these points saying in a video interview that the digital euro will be decided in October 2023. If passed, the current paradigm of cash spending and transfers will become even more restrictive. Lagarde justified the move by saying that she did not want the EU to be 'dependent on the currency of an unfriendly country' or a friendly currency activated by a private corporate entity'. She identified Meta, Google, and Amazon.

India has expressed far more interest in the technology, and of course their addressable market is huge! They have published a 'concept note' in which they assert that a digital Rupee would be faster,

cheaper, and easier to maintain. The key difference in India's situation is the large areas of the rural population where mobile internet is more patchy. In such situations a cash equivalent stablecoin token with cash finality which can be transferred between mobile phone wallets *without* an internet connection is a huge boon. It seems very likely that India is moving to react to the innovation threat posed by cryptocurrencies to their own cash infrastructure. They are piloting the technology already. Similarly there seems to be a strong, and predictably illiberal push for transition to digital money in Nigeria. Again this is an enormous number of people, and it is hard not to be suspicious of future abuse of the system by governments.

In the USA this text from Congressman Tom Emmer shows how complex and interesting this debate is becoming. *"Today, I introduced a bill prohibiting the Fed from issuing a central bank digital currency directly to individuals. Here's why it matters: As other countries, like China, develop CBDCs that fundamentally omit the benefits and protections of cash, it is more important than ever to ensure the United States' digital currency policy protects financial privacy, maintains the dollar's dominance, and cultivates innovation.*

CBDCs that fail to adhere to these three basic principles could enable an entity like the Federal Reserve to mobilize itself into a retail bank, collect personally identifiable information on users, and track their transactions indefinitely.

Not only does this CBDC model raise "single point of failure" issues, leaving Americans' financial information vulnerable to attack, but it could be used as a surveillance tool that Americans should never be forced to tolerate from their own government.

Requiring users to open an account at the Fed to access a United States CBDC would put the Fed on an insidious path akin to China's digital authoritarianism.

Any CBDC implemented by the Fed must be open, permissionless, and private. This means that any digital dollar must be accessible to all, transact on a blockchain that is transparent to all, and maintain the privacy elements of cash.

In order to maintain the dollar's status as the world's reserve currency in a digital age, it is important that the United States lead with a posture that prioritizes innovation and does not aim to compete with the private sector.

Simply put, we must prioritize blockchain technology with American characteristics, rather than mimic China's digital authoritarianism out of fear."

Most analysts now seem to think that there is little appetite to replace established 'Western' cash with CBDCs. Most significantly such products would need the support of retail banks, and it is not in their interest to service such a product. Their business model relies on using retail deposits for providing loans, and it is these deposits, not cash itself that would be the most addressable market for a CBDC. Banks don't want people to self custody money. In addition it exposes the whole banking system to a higher risk of bank runs. Such a self custody, interest bearing, central government backed asset would have significantly less counterparty risk than even bank deposits, and at times of high systemic stress it seems likely that money would flow to where it's thought safest, exposing the retail banks to runs. Fabio Panetta of the ECB said: *"If we give access to a means of payment, which is relatively limited, there are no transaction costs because you only need to have a smartphone. There will be risks that people could use this possibility to move, for example, their deposits of other banks or their money out of financial intermediates."* - All of the proposed solutions to these problems such as caps and negative interest penalties seem poorly thought through. Held and Smolenski present a detailed and rigorous negative critique of the dystopian ramifications of the technology. In their conclusion they point out that: *"Central bank digital currencies (CBDCs) represent an extension of state control over economic life. CBDCs provide governments with direct access to every transaction in that currency conducted by any individual anywhere in the world. As governments worldwide routinely share data with one another, individual transaction data will quickly become known to any government in a datasharing arrangement. Given the frequency with which government databases are compromised, this arrangement virtually ensures that anyone's transaction data will eventually become available for global perusal."*

It is (hopefully) more likely that a blend of stablecoins, private bank issued digital currency (with a yield incentive) and perhaps some limited CBDC, alongside the new contender Bitcoin, will present a new landscape of user choice. Different models of trust, insurance, yields, acceptability, and potentially privacy, will emerge.

Clearly a global, stable, wholly digital bearer asset in a native currency would ostensibly be the ideal integration for money in a metaverse application, but the whole concept seems deeply 'wrong', and it is likely that a transition to such a technology would be complex and painful. Either way, it is certainly not ready for consideration now.

4.3.1 Risks and mitigations

The introduction of CBDCs could have a significant impact on both individuals and the existing private financial sector.

For individuals, the risks of CBDCs include:

- Privacy concerns: CBDCs could potentially be used to track and monitor individuals' financial transactions, raising concerns about privacy and government surveillance.
- Lack of anonymity: Unlike cash, CBDCs could be easily traced and linked to individuals, which may compromise their financial privacy and security.
- Cybersecurity risks: CBDCs could be vulnerable to cyberattacks, which could lead to the loss of funds and personal information.

For the existing private financial sector, the risks of CBDCs include:

- Competition: CBDCs could potentially compete with private sector financial institutions, which could lead to a decline in the use of traditional financial services.
- Disruption: CBDCs could disrupt existing financial systems and business models, which could lead to a decline in profits and revenue for private sector financial institutions.
- Regulation: The introduction of CBDCs could lead to increased regulation of the private financial sector, which could increase compliance costs and reduce profitability.
- CBDCs could have implications on monetary policy, financial stability, and international relations. For example, it could change the way central banks conduct monetary policy, and it could also impact the global financial system and the role of the US dollar as a global reserve currency.
- CBDCs could also bring about significant changes in the global payment system, which could have major implications for the financial industry, and for the private sector as well as for the central banks.

In conclusion, the risks associated with CBDCs are significant and multi-faceted. It's important that central banks and governments carefully consider these risks before introducing CBDCs, but it's not clear this is happening. It is conceivable that by working closely with the private sector policy makers could minimize any negative impacts, ensuring that any new regulations are designed in a way that protects the rights and privacy of individuals, while also promoting financial stability and economic growth. Gerard, an incredibly staunch critic of *all* things crypto points to woeful adoption and manifest corruption in the attempts so far. We are not particularly hopeful either.

4.4 Bitcoin as a money

Nwosu, cofounder of Coinfloor exchange in the UK, and cofounder of the aforementioned Fedimint and says that a digital money needs the following four characteristics:

- that it be technically mature.
- it should have strong community support and network effect. We have seen that this is more simply a feature of money itself.
- that there should be regulatory clarity around the asset, a feature which even Bitcoin currently struggles with.
- it should demonstrate a core use case of ‘store of value’ which sounds simple enough, but again is contestable because of the volatility of Bitcoin.

4.4.1 Spending it

Since this book seeks to examine transfer of value within a purely digital environment it is necessary to ask the question of whether Bitcoin is money. This short ‘story’, purportedly written by Nakamoto, is a fabulous look at the money values of the technology, irrespective if it’s provenance. In it is the following text: *“Here, for once, was this idea that you could generate your own form of money. That’s the primary and sole reason, is because it was related to this thing called money. It wasn’t about the proficiency of the code or the novelty, it was because it had to do with money. It centered around money. That is something people cared about. After all, plenty of projects on Sourceforge at the time were just as well coded, well maintained, if not better, by teams, and even if someone else had created the blockchain before me, had it been used for something else beyond currency, it probably would not have had much of an outcome.”*

Again, irrespective of the author here, this point seems to ring true. The memetic power of Bitcoin is in its proximity to ‘money’, and the potential of the separation of money from the state.

It is beyond argument that the Bitcoin network is a rugged message passing protocol which achieves a high degree of consensus about the entries on its distributed database.

Ascribing monetary value to those database entries is a social consensus problem, and this itself is a contested topic. The most useful ‘hot take’ here is that Bitcoin behaves most like a ‘property’, while its network behaves far more like a monetary network which is created and supported by the value of the Bitcoin tokens.

Jack Mallers, of Strike presentation to the IMF identified the fol-

lowing challenges which he claims are solved by the bitcoin monetary network.

- Speed
- Limited transparency and dependability
- High cost
- Lack of interoperability
- Limited Coverage
- Limited accessibility

He further identifies the attributes of the ideal global money.

- Uncensorable
- Unfreezeable
- Permissionless
- Borderless
- Liquid
- Digital

Mallers has recently announced USA focused partnerships which leverage his Strike product to enable spending Bitcoin, through Lightning, as Dollars in much of the point of sale infrastructure in the USA. This is a huge advance as it immediately enables the vendors both online and at physical locations to either save 3% costs for card processors, or else pass this on as a discount. Crucially for ‘Bitcoin as a money’ it also allows the vendors to receive the payment **as** Bitcoin, not Dollars. A possible further and highly significant feature is that it might now be possible to divest of Bitcoin in the USA, buying goods, without a capital gains tax implication. Mallers claims to have legislative backing for this product, but the devil will likely be in the detail. The likely mechanism for this product is that the EPOS partner sends a Lighting request to Strike, which liquidates some of their Bitcoin holding to a dollar denominated stablecoin, but in a tax free jurisdiction such as El Salvador. This stablecoin will then be sent to the EPOS handing partner such as NCR. Stablecoin to Dollar transactions in the USA are much murkier and likely don’t cost anything for these companies. This agent will then authorise the Dollar denominated sale to the American digital till. Crucially nobody has a US capital gains tax exposure in this chain, and all of the settlements were near free, and instantaneous, with ‘cash finality’ for everyone except the EPOS company. They are likely actually exposed to a small risk here because uptake will be very low level. The novelty opportunity will likely cover any potential exposure to stablecoin collapse. This is a radical upgrade on the normal flow of divesting Bitcoin for American users.

Using this open product to spend Bitcoin as Bitcoin to vendors

might be available through Shopify globally. Again, it's too new to be sure. Promisingly a Deloitte study has found that 93% of businesses accepting Bitcoin have seen revenue and brand perception improve, and 75% of USA sales execs plan to accept digital assets at some point in the next 2 years. This ambition in the US markets is likely to benefit from the proposed \$200 tax exempt law for purchasing goods and services with Bitcoin.

Of these recent developments in Lightning Lyn Alden says: *Some people naturally dismiss [strike] because they don't want to spend their BTC; they want to save it. However, the more places that accepted BTC at point of sale (on-chain or Lightning or otherwise), the more permissionless the whole network is. This is because, if all you can do with BTC is convert it back into fiat on a major exchange, then it's easy to isolate it, effectively blacklist addresses, etc. But if you can directly spend it on goods and services across companies and jurisdictions, it's harder to isolate. There are now plenty of vendors that make this easy for merchants to implement, and the merchant can still receive dollars if they want (rather than BTC), or can decide their % split. Since it's an open network, anyone can build on it, globally. And then when you add fiat-to-BTC-to-fiat payments over Lightning, it gets even more interesting because it doesn't necessarily need to be a taxable event. Lightning wallets with a BTC balance and a USD/stablecoin balance. Lower fees than Visa and others.*

4.4.1.1 African adoption

Africa has one of the most fragmented banking, payment, and currency systems in the world, which makes simple financial tasks like paying a bill, sending money, or accepting money extremely difficult. Over half of Africa does not have access to a bank account, so people hold and save everything in cash, which is often stolen and loses value due to inflation. It is also difficult to get money in and out of many African countries because only about 40% of people have active internet access, and must rely on financial institutions. Bitcoin is being used in Africa as an alternative form of money that resolves these issues. It is being taught in education centers in underdeveloped areas, giving children the opportunity to learn about and use Bitcoin as a way to access financial services that have been unavailable to them for generations. However, the rest of the country may have difficulty implementing the use of Bitcoin due to issues such as a lack of electricity and internet access, as well as government policies that centralize power.

4.4.1.2 Bitcoin based FIAT

More interestingly for metaverse applications Mallers has opened this section of the company to interact with the public Lightning network, allowing people with a self hosted wallet or node to pay directly for goods across America, settling immediately in Dollars, using their Bitcoin, at zero cost. **This opens the possibility to buy from US based (Dollar denominated) metaverse stores, using the capabilities of the stack assembled at the end of the book.** The implications globally are unclear at this time.

Stablesats is another approach which uses exclusively lightning bitcoin but makes the value stable against the US dollar using an algorithm. This is a very interesting option and will be explored in detail at some point.

4.4.2 Saving with it

The Bitcoin community believes that Bitcoin is the ultimate money, a ‘store of value’, chance to separate money from state, increase equality of opportunity and ubiquity of access, while others view it as ‘rat poison’, or a fraudulent Ponzi scheme [116]. A notable exclusion from the negative rhetoric is Fidelity, the global investment manager, who have always been positive and have recently said: “*Bitcoin is best understood as a monetary good, and one of the primary investment theses for bitcoin is as the store of value asset in an increasingly digital world.*”

The following paraphrases Eric Yakes, author of ‘The 7th Property’. Again, this is an Austrian economics perspective, and like much economic theory the underlying premise is contested[117]: “*Paper became money because it was superior to gold in terms of divisibility and portability BUT it lacked scarcity. People reasoned that we could benefit from the greater divisibility/portability of paper money as long as it was redeemable in a form of money that was scarce. This is when money needed to be “backed” by something.*

Since we changed money to paper money that wasn’t scarce, it needed to be backed by something that was. Since the repeal of the gold standard, politicians have retarded the meaning of the word because our money is no longer backed by something scarce.

So, what is bitcoin backed by? Nothing.

Sound money, like gold, isn’t “backed”. Only money that lacks inherent monetary properties must be backed by another money that maintains those properties. The idea that our base layer money needs to be backed




Figure 4.5: Potential market exposure to Bitcoin as a money

by something is thinking from the era of paper money. Bitcoin does not require backing, it has inherent monetary properties superior to any other form of money that has ever existed.”

The 2022 ARK Big Ideas report again provides some useful market insight. They posit that demand for the money features of Bitcoin could drive the price of the capped supply tokens to around 1M pounds per Bitcoin as in Figure 4.5. Take this with the usual pinch of salt, as Ark have been performing notably badly lately with their predictions. Perhaps more than any of these takes, it is worth considering the current public perception of the technology as a money and store of value. This twitter thread from professional sportsman Saquon Barkley, to his half million followers on the platform, captures the mood. He is one of a handful of athletes now being paid directly in Bitcoin.

“I want my career earnings to last generations. The average NFL career is 3 years and inflation is real. Saving and preserving money over time is hard, no matter who you are. In today’s world: How do we save? This is why I believe in bitcoin. Almost all professional athletes make the majority of their career earnings in their 20s. With a lack of education, inaccessible tools, and inflation, a sad yet common reality is many enter bankruptcy later on. We can do better. We need to improve financial literacy. Bitcoin is a proven, safe, global, and open system that allows anyone to save money. It is the most accessible asset we’ve ever seen.”

This ubiquity of access is what probably most distinguishes Bitcoin. Previously it could be argued that only the most wealthy could

access the ‘means’ to store their labour without loss of value over time (through inflation). To be clear, inflation is an important part of the money system, somewhat within the control of the central banks, and approximate to taxation. It applies equally to all holders of the money supply. Asserting that money should be replaced by a ‘hard asset’ such as Bitcoin, in the place of the more controllable utility of money, is likely both a fantasy, and wrong minded. This conflation of money and property is a confusion caused by Bitcoin’s proximity to money, and it’s ‘money like’ network, and is extremely commonplace.

These narrative takes are all rooted in the popular idea that Bitcoin is a ‘hedge against inflation’; an increasingly fragile take, as the price plummets with global markets. The Bitcoin community seems somewhat confused about the nature of money, which is predictable because we can see in these sections that money is pretty confusing. Money is the fluid, elastic [118], and thin ‘working credit’ layer on top of historical human production, which provides transaction convenience, and tools for credit. Value is effectively swapped in and out of this layer through the actions of central banks, controlling inflation into acceptable margins. Simplistically this is done through manipulation of interest rates (the easiness of credit), quantitative easing (buying of assets) and quantitative tightening (selling of assets). To give a quick high level view of central bank activity we can use the PESTLE framework:

- Political:
 - Government policies and regulations can impact central banks by influencing monetary policies.
 - Political stability and government credibility can impact the confidence in central banks and currency.
- Economic:
 - Economic growth and inflation rates influence central bank decisions on monetary policy.
 - The level of debt and balance of payments can impact a central bank’s ability to control monetary policy.
- Sociocultural:
 - Consumer behavior and demographics can influence demand for money and credit.
 - Attitudes towards saving and borrowing can impact the economy and central bank decisions.
- Technological:
 - Technological advancements can change the way money is distributed and managed, such as the increasing use of

digital currencies.

- Technology can also influence the accuracy of economic data, affecting the decisions of central banks.
- Legal:
 - Central banks are subject to laws and regulations, such as those related to banking and finance.
 - Changes in laws and regulations can impact central bank policies and operations.
- Environmental:
 - Environmental factors, such as natural disasters, can affect the economy and central bank decisions.
 - The focus on sustainability and reducing carbon emissions can impact the decisions of central banks.

Fiat money is primarily *not* a long term store of value, as Austrian economists perhaps believe it should be. This function is left to assets. The Austrian thesis of ‘hard money’ (which cannot be ‘debased’ by government action) seems somewhat naive when one considers that if credit exists anywhere in the world (ie, the creation of paper money through loans) then this would be used to buy up a hard money asset in the long run, causing a scarcity crisis. This is what happened to gold in the middle of the last century.

Fundamentally, Bitcoin isn’t money (in the traditional sense) because it’s not an IOU, which money certainly is. It’s a bearer instrument, novel asset class, with money like properties, as identified above. As said again and again it functions most like a ‘property’ which can be invested in by anyone, with all the attendant risks of that property class to the holder. Lyn Alden says it sits somewhere between a saving tool, and an investment, acting as “programmable commodity money”.

Andrew M. Bailey says *“in an ideal world where governments honour the rights of citizens, they don’t spy, they don’t prohibit transactions, they manage a sound money supply, and they make sound decisions, the value of bitcoin is very low; we’re just not in an ideal world”*

Another potentially important differentiating affordance is censorship resistance. There’s really nothing else like it for that one feature. With that said Bitcoin is only a viable ‘money like thing’ when viewed in the layers described in this book, and elsewhere[119]. The base chain layer is an apex secure store of value. Whatever layer 2 ultimately emerges is the transactional layer which could replace day to day cash money, while the hypothetical layer 3 might be useful for complex financial mechanisms and contracts operating automatically, and also provides the opportunity for using the security model of the

chain to support other digital assets, including government currencies through stablecoins. All these things have a natural home in borderless social spaces.

4.5 Risks (money, not technical)

Special thanks to economist Tim Millar for help with this section.

4.5.1 Risks to Bitcoin the money

4.5.1.1 Geopolitics

It can be seen that following the invasion of Ukraine by Russia, that sanctions of various kinds were applied to the Russian economy. One of these was the previously discussed Swift international settlement network. Another whole category was the removal of support by private businesses domiciled outside of Russia and Ukraine, and pertinent here is that VISA, Mastercard, Paypal, and Western Union all removed support for their product rails. This means that while some cards and services still work, and will likely work again through Chinese proxies in the coming months, considerable disruption will be felt by Russian companies and individuals. This is not to say that this disruption is necessarily wrong, but it is clear now that all of these global financial transfer products and services are contingent on political factors. The same might be true of CBDC products if they gain traction globally. There is certainly no reason why all money within a physically delineated border could not be blocked or cancelled. This is not as true for Bitcoin at this time.

However, with enough political will it is technically plausible to incentivise miners with additional payments to exclude transactions from geolocated wallets. This would be mitigated by Tor, and in a global anonymous network it is very likely that a miner could be found at a higher price for inclusion in the next block.

We have already seen much negative political positioning related to the energy concerns in an earlier chapter. There are similar noises coming from policy makers with regard to the money utility of the technology. The United Nations have made the following recommendations: *“Developing countries may have less room to manoeuvre, yet the regulation of cryptocurrencies is possible. The following policies, among others, have the potential to curb the further spread of the risks of cryptocurrencies and stablecoins:*

- Ensuring comprehensive financial regulation, through the follow-

ing actions:

- Require the mandatory registration of crypto-exchanges and digital wallets and make the use of cryptocurrencies less attractive, for example by charging entry fees for crypto-exchanges and digital wallets and/or imposing financial transaction taxes on cryptocurrency trading;*
- Ban regulated financial institutions from holding stablecoins and cryptocurrencies or offering related products to clients;*
- Regulate decentralized finance (such finance may, in fact, not be fully decentralized, given its central management and ownership, which form an entry point for regulation);*
- *Restricting or prohibiting the advertisement of crypto-exchanges and digital wallets in public spaces and on social media. This new type of virtual, and often disguised, advertisement requires policymakers to expand the scope of regulation beyond traditional media. This is an urgent need in terms of consumer protection in countries with low levels of financial literacy, as even limited exposure to cryptocurrencies may lead to significant losses;*
- *Creating a public payment system to serve as a public good, such as a central bank digital currency. In the light of the regulatory and technological complexity of central bank digital currencies and the urgent need to provide safe, reliable and affordable payment systems, authorities could also examine other possibilities, including fast retail payment systems.*

This is tough talk. We have seen that the IMF is willing to make their loans contingent on such regulation, and are increasingly talking about banning the technology. This global response to the technology is a significant headwind, but like the internet itself, it's very hard to actually stop these products being used.

4.5.1.2 Capture by traditional finance

As the popularity of Bitcoin continues to grow, traditional financial market incumbents have begun to take notice. In an effort to assert their dominance and protect their interests, these incumbents have turned to regulation and acquisition as means of capturing the growing markets. This is most clear in the 'alt coin' space where traditional banks have leveraged their knowledge and marketing to transfer money from retail investors into their own venture capital operations. This is not to say that Bitcoin is immune from these harms.

One way that traditional financial market incumbents have sought to capture the bitcoin market is through the use of regulatory frameworks. By working with government agencies (as described in previous chapters), to develop and implement regulations governing the use and trade of cryptocurrencies, these incumbents are able to limit competition and control the flow of capital into and out of the markets. They are also able to “print paper bitcoin”, running a fractional reserve operation, as happened in the FTX/Alameda fiasco.

We have already described how, in the United States, the Securities and Exchange Commission (SEC) has implemented regulations governing the issuance and trading of bitcoin-based securities. These regulations, which require issuers of bitcoin-based securities to register with the SEC and comply with a variety of reporting and disclosure requirements, have effectively made it difficult for small and independent players to enter the market.

Another way that traditional financial market incumbents have sought to capture the bitcoin market is through the use of partnerships and acquisitions. As the newer companies stumble and fail as a result of poor risk management and over-leverage it seems that Wall Street incumbents like Goldman Sax are taking advantage of the opportunity at structural scale. By acquiring existing crypto companies, these incumbents are able to gain access to the technology, expertise, and customer base of these companies, giving them a significant advantage over their competitors.

For example, in 2017, the Chicago Mercantile Exchange (CME) partnered with the CBOE to launch bitcoin futures trading. This partnership allowed the CME and CBOE to tap into the growing market for bitcoin derivatives, while also providing a means for traditional financial market participants to gain exposure to bitcoin without having to hold the underlying asset. This is a crucial risk to the emerging technology as ownership of the underlying asset (self custody) was supposed to be the whole point of the technology. Ben Hunt of epsilon theory recently said: *“..if you don't see that the crypto quote-unquote industry has become just as blindingly corrupt as the traditional Financial Services industry it was supposed to replace well you're just not paying attention what made Bitcoin special is nearly lost and what remains is a false and constructed narrative that exists in service to Wall Street in Washington rather than in resistance; the Bitcoin narrative must be renewed and that will change everything”*


4.5.1.3 Liquidity Lottery

Because holders of BTC are disincentivised to sell the asset (assuming future gains) it is likely vulnerable to something Kao called the ‘liquidity lottery’. This is a supply/demand mismatch which he thinks could spell the end of the asset class in time. Macro analyst group ‘Doomberg’ believe that this mispricing of the asset is the significant risk, and point out that if Bitcoin is approached within the framework of government controlled Fiat, then there is no ‘there there’. Bitcoin does not generate more fiat money within its ecosystem (as say an energy extraction company would), and as such is very suggestive of the features of a Ponzi. They have recently softened on this view, and are now clear to separate Bitcoin from the wider ‘crypto’ world, which they remain convinced are simply scams, wash trading magic beans without any productivity. The value is dependent on finding the ‘greater fool’ mentioned near the start of the book. Doomberg assert that the price of the asset has been inflated by manipulation in the unregulated stablecoin markets (specifically Tether), and in the event of a ‘run for the exits’ there would be a serious repricing. This seems entirely possible, and perhaps even likely, below an unknown threshold of confidence. They are now asserting that if the manipulation and mispricing could be ‘washed out’ of Bitcoin then it would present an investment opportunity, and they estimate that price at around \$3000.

4.5.1.4 Manipulation of price or the network

Bitcoin is still young and illiquid enough to be highly manipulable. Imagine for instance if a major organisation or nation state wished to accumulate a significant amount of the asset, but would prefer a lower price.

There is an unknown level of exposure to risk from centralised mining. If a few of the major mining pools were simultaneously infiltrated by a nation state actor then it might be possible to engineer a ‘deep re-org’ of a large transaction. This would be dealt with quickly and almost certainly be a transient attack, but the damage to the narrative might be substantial. The proposed solution to this known vulnerability is called ‘Stratum V2’ in which the transaction in the blocks would be organised by pool miners or their delegates, with an increase in efficiency as a driving incentive. A similar vulnerability exists in the centralisation at the level of internet service providers [81]. This or some other flaw might lead to a selling cascade. Nobody knows just how vulnerable to selling cascades Bitcoin might be against a really serious challenge by an empowered actor, but it’s already high volatility



Wikimedia Commons

Figure 4.6: Nassim Taleb’s Turkey Problem

is suggestive of risk.

4.5.1.5 Rehypothecation

It’s vulnerable to rehypothecation (paper bitcoin managed by centralised entities running a fractional reserve). It seems that Figure 4.6 by Nassim Taleb is a cautionary tale [120].

4.5.1.6 Scale

Scalability is always going to be a problem for Bitcoin, for all the reasons discussed in the blockchain chapter. There is no “ready to go” solution (except perhaps federations) that could onboard the whole world at this time because of the limited number of available UTXOs.

Finally, a lack of fungibility, and privacy by default in Bitcoin, trends towards blacklists and over time this could seriously compromise the use of the asset.

4.5.1.7 Centralisation of the money over time

In a medium term future it’s possible to imagine a smart enough autonomous AI or ML actor managing to accrue Bitcoin through fast and smart ‘decisions’. This could unreasonably centralise the asset, and it would be impossible to claw this situation back. These constructs would last for the lifetime of the chain unless constrained by timelock multisigs for instance.



Figure 4.7: Cycle theory revisited blog post [Image used with permission]

4.5.2 Bitcoin externalities

This section is the risks that Bitcoin poses to external money systems, but it's worth pointing out that a risk to wider society is clearly *also* a risk to Bitcoin itself.

4.5.2.1 Inherent volatility

One of the better public analysts of the asset, sees the price eventually fluctuating somewhere between \$700k and \$300k. Figure 4.7. This is not how a money is supposed to work.

Neither though is it the endless “number go up” that speculators have been promised. The aims of the project have a cognitive dissonance right at the core. The volatility trends toward:

4.5.2.2 Unfair distribution

By design the distribution of Bitcoin is likely ‘fair’, in that everyone has been able to access and secure the asset long term without prejudice. Figure 4.8 from Twitter user @Geertjancap shows the distribution in 2021. Whether this is judged to be fair if the asset jumps to 10 times its current value, minting a new class of hyper rich holders, is another matter. This pressure to emulate the early winners leads to:

4.5.2.3 Endless HODL

It's possible that there's a problem with people not wanting to sell the asset, because they are predisposed to a particular fervour promoted within the community. This can be seen in the glassnode data, where




Figure 4.8: Bitcoin distribution is skewed to a few early holders, but it likely is fair. [Image used with permission]




Figure 4.9: Supply of bitcoin that hasn't moved for over 1 year

the black line in Figure 4.9 shows that the asset held for more than a year (illiquid) has increased over the years. There's real recalcitrance about using the asset as a money, which potentially negatively impacts the security model [65] and leads to:

4.5.2.4 Reduction of funding source / liquidity in legacy finance

In the current financial system remuneration for labour performed in the workforce is loaned into the money system, where it's put to work providing liquidity for creation of more opportunity. This system actually works pretty well. The more of this deferred labour that's taken out of the legacy system, the less work can be done with what

remains. This isn't to say that Bitcoin will cause a liquidity crisis, but there is possibly a cost if the current trend continues. This isn't as bad as:

4.5.2.5 Bitcoin collapse system shock

In the event of an existential collapse of the Bitcoin network the erasure of so much capital would certainly have a contagion effect on the whole global financial system. It's hard to imagine what such an event could be, this being the nature of "black swans". One cited example is the unravelling of cryptography by quantum computing. Some conspiracy theorists in the past have even speculated that Bitcoin is itself a canary in the coal mine, engineered by the NSA to warn about emergent quantum computing somewhere in the world. It's all pretty silly because without cryptography Bitcoin would be the least of humanity's problems. The risk of 'something' does exist though. The same anti-fragile feature can't be said about the technologies around Bitcoin, which gives us:

4.5.2.6 Stablecoin collapse system shock

This is much more likely. Stablecoins are under regulated, centralised, under collateralised, ponzo like structures, which could quite clearly fall apart at any point. The contagion effects of this are unclear as they're not yet too significant. They're a risk nonetheless, and may be an indicator of:

4.5.2.7 Tech for techs sake yielding unexpected outcomes

The whole question of what Bitcoin addresses, whether it's been properly thought about, what the end goals are, and what the risks are is significant. It's a computer science and engineering solutions gone completely wild. It's clearly got benefits and there's clearly human appetite for this technology, but it's probably running ahead of the knowledge base around it. This is most exemplified in:

4.5.2.8 No agreed measurable end goal

Bitcoin is a game theoretic juggernaut, where success of the network breeds more success for the network. This was obviously a great design choice for the computer scientists trying to solve the problem of a secure, and scalable, electronic cash, which couldn't be confiscated. Ironically for a global consensus mechanism it seems that nobody wants to discuss what constitutes a successful end point to this, and especially not what 'successful' endpoints for the game theory which have calamitous negative repercussions for wider society look like

[121]. This might have implications for:

4.5.2.9 National security / actual warfare

There's some national security implications for Bitcoin which are discussed both in the fringes and the sector media. Essentially, the industrial mining complexes which are more commonplace now, are easily identifiable targets, and provide nations with both some leverage over the global network, and a considerable source of income. The IMF correctly identifies these facilities as a way for nation states to monetise their energy reserves without the need for foreign markets, opening the door to sanction avoidance. In the case of smaller and developing nation states who are perhaps subject to financial penalties on the global stage for whatever reason, these facilities start to look like legitimate targets for cyber and conventional warfare. Lowry explain the potential strategic importance of Bitcoin in Softwar [31], though to be clear his motives are unclear and his thesis is neither peer reviewed nor publicly accessible. This 'weaponisation' of a neutral technology is already manifest in:

4.5.2.10 Bitcoin as a culture war foil

Bitcoin's online community skews very hard toward right wing libertarianism. This isn't to say there are no other voices, but they are certainly outnumbered. This imbalance is almost certainly a product of the ESG concerns around the technology. There has been a notable increase in diversity of thought since the evolution of the energy narrative, but it persists. This leads to a paucity of voices in policy making circles, and in the USA a strong delineation between policy makers along party lines. This kind of thing tends to be self reinforcing, and it seems very possible that the global liberal left will swing mainly against the technology, while the neoliberal right will be attracted more to it. As tensions increase so it seems does the online rhetoric. Even scientists now seem to agree that Bitcoin investors are calculating psychopaths [122]. This leads to:

4.5.2.11 Self reinforcing monocultures

There are some powerful 'pockets' of fringe thinking within the vocal, online, Bitcoin communities. The most palatable of these are figures like Michael Saylor, Elon Musk and Jack Dorsey, but there's whole subcultural intersections around antivax, anti-woke, anti cancel culture, and fad diets. These are the so-called "toxic maximalists". There are a disproportionate number of adherents of the failed global "neocon"

experiment [123], and not a few outright bigots. Lopp's list linked above is an amusing roundup:

- Carnivory
- Laser eyes
- Anti-woke
- Weightlifting
- Tradwife culture
- Climate change denial
- Overt Christian moralizing
- “Have fun staying poor” retorts
- Rejection of seed oils and sunscreen
- Vaccine conspiracies, alt-health cure-alls
- Contrarianism for the sake of contrarianism
- Political populism and support of strongmen
- “Fiat” criticism of contemporary art and architecture

As Lopp himself points out, it's not that these things are necessarily wrong or bad, but more that adherence to the set became a purity test for the whole space. It might seem that this isn't terribly important, but Bitcoin viewed through the lens of these of these communities looks pretty strange to the newcomer. The early adopters are just using their wealth to leave the battlefield behind using:

4.5.2.12 Jurisdictional / legislative arbitrage

The reach of Bitcoin and its ability to undercut the global money systems, delivering savings for those with a first mover advantage, and the current paucity of agreed legislation has set up an interesting and rare condition. Bitcoin encourages something called jurisdictional arbitrage; the race to take advantage of the variance in national approaches to the asset class. This section could perhaps be explored as a list of opportunities, but from the viewpoint of our SME business use case it's far more likely that these destabilising ‘features’ are risks:

- **Difference in ‘crypto’ profit models.** Countries and jurisdictions can apply different charges for use of trading platforms and capital gains tax enjoys huge variance. Some countries are now competing to offer zero tax as a way to attract valuable tech mind share.
- **Income tax** is harder to monitor in a truly international context. This is variously pitched around the world. It's hard to monitor this stuff and tax at source like with company employees wages, because it's basically designed to be hard to monitor. This results in:

- **Passport perks.** Countries are already selling residence and company rights against Bitcoin marketing. There's a lot of new ways to buy passports and citizenship based on 'inclusion' in this community now. It's a terrible look. The early adopters can live international jetsetter lifestyles and can benefit from:
- **Business subsidies** such as those appearing in Switzerland, Honduras, El Salvador, Africa etc. This means a new divide is emerging since some countries are in instead applying:
- **KYC/AML** rules which make onboarding into this technology harder. Currently there's a trend toward globally capturing information about people buying these assets, but it's effectively tech warfare now with engineers, rapidly producing tools to circumvent slow and varied legislation. The best example of this remains El Salvador, where Bitcoin is legal tender, and has perhaps kickstarted:
- **Bond issuances.** El Salvador are having a faltering start to their promised bond issuance. It might be that all of this is a harbinger of the rise of:
- **The Network State** is a proposal by Srinivasan [124]. His is a transhumanist thesis which he describes: "*The fundamental concept behind the network state is to assemble a digital community and organize it to crowdfund physical territory. But that territory is not in one place — it's spread around the world, fully decentralized, hooked together by the internet for a common cause, much like Google's offices or Bitcoin's miners. And because every citizen has opted in, it's a model for 100% democracy rather than the minimum threshold of consent modeled by 51% democracies.*"

4.5.2.13 Hyperbitcoinization

All of the above starts to look like convergence on something the crypto community regularly describes to itself within its internal media. Hyperbitcoinization is a term coined in 2014 by Daniel Krawisz [125]. It is the hypothetical rise of Bitcoin to become the global reserve currency, and the demonetisation of all other store of value assets. This seems unlikely but is hinted at in a game theoretic analysis of both Bitcoin and current macro economics. Again, Bitcoin is a likely very poor replacement for money. The ability to monetise assets through banks, backed by law and contracts (the debt based system), is a highly refined human concept, while Bitcoin is a fusion of Austrian economics, and a computer science project. The hyperbitcoinization idea finds it's

ultimate expression in Svalholm’s “Everything Divided by 21 Million”, a hypothetical re-accounting of all human production into the Bitcoin ledger [126].

Nobody is sure what a regular deflationary cycle might do to global supply chains. Malherbe et al. point out the inherent unsuitability of a deflationary asset such as Bitcoin as the global reserve currency [127] and feel that perhaps other cryptocurrencies might be more suitable for adoption by governments. Interestingly this is the only paper to reference ‘Duality’ (the only thing purportedly written by Satoshi Nakamoto after they left the project).

Writer and activist Cory Doctorow is not a fan of Bitcoin. He provides an excellent summary of what he sees as the basic societal mistake of the libertarian ideals around strong property rights and hard money. In a hyperbitcoinised world where debt law would be enforced by distributed code, it might be far harder to prevent the “fall of Rome” scenario he describes. It is notable that he is also strongly opposed to the current hype in AI and it’s possible this is just his stock in trade.

Fulgur Ventures (a venture capital firm) provide a blog post series about the route this might take. It’s important to note that Budish suggested that the usefulness of Bitcoin (and blockchain) cannot exceed the cost to attack it. This is highly suggestive that hyperbitcoinisation is impossible [128]. It’s beyond the scope of this book to look at the implications of all this.

4.6 Is DeFi any use?

DeFi is decentralised finance, and might only exist because of partial regulatory capture of Bitcoin. If peer-to-peer Bitcoin secured yield and loans etc were allowed then it seems unlikely that the less secure and more convoluted DeFi products would have found a footing. DeFi has been commonplace over the last couple years, growing from essentially zero to \$100B over the last two or three. It enables trading of value, loans, and interest (yield) without onerous KYC. If Bitcoin’s ethos is to develop at a slow and well checked rate, and Ethereum’s ethos is to move fast and break things, then DeFi could best be described as throwing mud and hoping some sticks. A counter to this comes from Ross Stevens, head of NYDig who says *“The concept of decentralized finance is powerful, noble, and worthy of a lifetime of focused effort.”*. This may be true in principle, but certainly isn’t the case as things stand.

According to a recent JPMorgan industry insider report, around

40% of the locked value on the Ethereum network is DeFi products. It is characterised by rapid innovation, huge yields for early adopters, incredibly high risk, and a culture of speculation which leads to products being discarded and/or forked into something else in the pursuit of returns. Ethereum also allows miners of the blockchain to cheat the system [129].

Much of the space is now using arcane gamification of traditional financial tools, combined with memes, to promote what are essentially pyramid schemes. Scams are very commonplace. Loss of funds though code errors are perhaps even more prevalent.

The Bank for International Settlements have the stated aim of supporting central banks monetary and financial stability. Their 2021 report on DeFi noted the following key problems.

- ..a “decentralisation illusion” in DeFi due to the inescapable need for centralised governance and the tendency of blockchain consensus mechanisms to concentrate power. DeFi’s inherent governance structures are the natural entry points for public policy.
- DeFi’s vulnerabilities are severe because of high leverage, liquidity mismatches, built-in interconnectedness and the lack of shock-absorbing capacity.

These are two excellent and likely true points. European Parliament Vice President Eva Kaili made this same point at the World Economic Forum, so clearly regulators are aware of the lack of meaningful distribution in DeFi. In addition access to DeFi is ‘usually’ through web.0 centralised portals (websites) which are just as vulnerable to legal take-down orders as any other centralised technology. Given who the major investment players seem to be in this ‘new’ financial landscape it seems very likely that regulatory capture is coming. The seemingly unironic trend towards CeDeFi (centralised decentralised finance) illustrates this.

With this said, it is notable that in the wake of the FTX debacle and unwinding of counter party risk across the whole extended ecosystem, it is DeFi which seems to have fared best, suggesting there might be a viable product here in the end. Circle and DeFi infrastructure lab Uniswap have recently published a paper which asserts that use of the technology could de-risk foreign exchange markets [130]. It feels regrettably close to the endless broken promises of ‘blockchain for remittance’ which have circulated for a decade [131, 132]. They estimate that it may be possible to cut the costs of cross border remittances by 80% This is a big claim and time will tell.

There are more recent DeFi on Bitcoin contenders, but these are vulnerable to the same attacks and problems in the main.

There is likely no use for this technology for small and medium sized companies on the international stage, at least until the proposed Forex integrations appear. It is far more likely that reputation would be damaged. It's possible to get loans (by extension business loans) out of such systems at relatively low risks. The best 'distributed' example of this is probably Lend, at HODLHODL, which is a peer-to-peer loan marketplace. Atomic Finance leverages discrete log contracts amongst other more edge uses of Bitcoin, to provide financial services without custody of the users' Bitcoin. It is possible to make the argument that between hodlhodl loans, taro asset issuance, boltz exchange, and lightning escrow that all of the "classes" of DeFi smart contract can be serviced already by Bitcoin alone, but this tech is fringe at best.

Many more custodial options exist for loans (CASA, Nexo, Ledn, Abra etc). These might not really fit the definition of DeFi at all. Many of these centralised DeFi companies (CeDeFi) have imploded in the wake of the Terra/Luna collapse since they were generating yield from one another and ultimately Terra. The maxim seems to be that if you don't know how the system is monetised then you are likely the product. As mentioned, DeFi itself weathered the recent market turmoil comparatively well and it's possible that as these products evolve they may be useful to companies who have Bitcoin and stablecoins on their balance sheet long term. Dan Held maintains an online spreadsheet which compares these products.



5. Affecting global change

This chapter attempts to capture the reasons for change, and the tensions that is already causing. Malone, an ex central banking analyst now working in crypto, links across the last two chapters of blockchain, and money, in a Twitter thread. He believes that policymakers should focus on the underlying problems in the financial system, rather than just focusing on crypto. He has a lot of appreciation for US policymakers worrying about risk in the financial system. Crypto gets attention because it's an easy target, but Malone believes that the real problems are so much bigger. According to Malone, people want to hold USD money to store value and make payments. Most are familiar with cash and bank deposits, but there's actually a spectrum of assets of varying quality that act like money, as we saw in the previous chapter. These include Euro dollars, repo, commercial paper, and more. This is what people are talking about when they reference the shadow banking system - money moving around the financial system outside of traditional banks, primarily in non-banks. As an aside, the name 'euro dollar' predates the Euro currency, and has nothing to do with it. The origins of the eurodollar market can be attributed to the Cold War in the 1950s. At that time, the Soviet Union and its Eastern European allies began depositing their US dollar holdings in European banks, primarily in London, to avoid the risk of their assets being frozen by the US government. These dollar-denominated deposits held outside

the United States became known as eurodollars. Malone notes that some amount of shadow banking activity is good because it allows the money supply to be more reactive and expand and contract with economic activity, which helps fuel economic growth. However, the regulatory and political apparatus and the underlying systems weren't really designed for a system this large, opaque, and multi-dimensional. This was seen in 2008 and 2009, which was as much about shadow banking and financial plumbing as it was about subprime housing and complex derivatives. The same was seen in 2020 with COVID-19.

In times of crisis, people want to be able to freely convert whatever they are holding into something safer on the spectrum. Sadly, sometimes market liquidity isn't there, so the central banks come to save the day, and this kicks the can down the road. The core issue is that people and institutions want to store capital in places they can't access due to technical, institutional, or geopolitical reasons. Sovereigns hold US treasuries, hedge funds and HRTs use repo, and we have seen that the crypto and Bitcoin economies have stablecoins.

Since 2008 and 2009, the Treasury Market has gotten significantly larger, more fragile, and more complex. Banks have even more restrictions on creating deposits, and the demand for safe assets keeps skyrocketing. On top of that, the geopolitical landscape has changed dramatically, with US sanctions and seizure of Russian USD assets. Malone notes that crypto is a response to these underlying problems. Although it is not perfect, it is getting better as people learn from past experiences and begin to build regulatory clarity. This issue of regulatory clarity leads us into this section of the book, which looks at implicit or explicit corruption of governance. As a useful example; The New York Magazine article provided an in-depth interview with Gary Gensler, the head of the Securities and Exchange Commission, in which he shared his thoughts on the cryptocurrency industry. One of the key takeaways was his belief that all cryptocurrencies, except for Bitcoin, should be considered securities, as they involve relying on the work of others to give them value. Gensler is an ex banker, and an ambitious politician, with his eyes on bigger prizes. He openly courted the attention of the now disgraced top team at FTX which failed so spectacularly. His assertions have sparked controversy, as it raises questions about the feasibility of registering all tokens as securities, given the unique challenges posed by open-source protocols and the changing nature of blockchain technologies. Critics argue that Gensler's stance could harm innovation and capital formation, as companies and entrepreneurs may struggle to comply with onerous regulations or abandon their

projects altogether. The current system simply doesn't fit this new self forming marketplace, and his implication seems to be that the legal end game here is the destruction of the invested capital, because of non compliance. This has led to frustration and concern among crypto advocates and investors, who worry about the impact of such policies on the industry's growth and development.

The discourse should be on the much more fundamental questions of the monetary system and fragility of past assumptions and their ability to predict what comes next. Even as these conversations happen, however, the Bitcoin and stable coin builders will keep building because they are not going to sit around and wait for solutions to be presented to them.

5.1 Global politics & digital society

5.1.1 Anacyclosis

It's interesting in the current global political moment to look briefly at Anacyclosis. This is a political theory attributed to the ancient Greek historian Polybius, which posits that political systems evolve in a cyclical manner. The theory is based on the observation that governments tend to progress through six stages, each corresponding to a specific form of governance: monarchy, tyranny, aristocracy, oligarchy, democracy, and ochlocracy (mob rule). These stages are organized into three pairs, with each pair consisting of a 'good' form of governance and its corresponding 'bad' form.

- Monarchy (benign) -> Tyranny (corrupt): Monarchy is the rule by a single individual, such as a king or queen, who is considered to be a wise and benevolent ruler. However, as the monarchy endures, there is a risk that the ruler becomes corrupted or that a less competent or tyrannical successor takes over. This leads to tyranny, the degenerate form of monarchy, where the ruler becomes oppressive and self-serving.
- Aristocracy (benign) -> Oligarchy (corrupt): To counter the tyranny, a group of nobles or elites may overthrow the tyrant and establish an aristocracy, which is the rule by a select group of individuals who are considered wise and virtuous. Over time, the aristocracy may become more focused on their own interests and power, leading to an oligarchy. This is the degenerate form of aristocracy, where a small group of elites control the government for their own benefit.

- Democracy (benign) -> Ochlocracy (corrupt): The populace, dissatisfied with the oppressive rule of the oligarchs, may rise up and establish a democracy, which is the rule by the majority of the people through voting and participation in the political process. Democracy has the potential to create a fair and representative system of governance. However, as the democratic process becomes more susceptible to demagoguery, populism, and factionalism, it can devolve into ochlocracy or mob rule, where the government is influenced or controlled by unruly masses.

According to Polybius, these stages form a continuous cycle, as one form of governance gives way to another, and each form eventually becomes corrupted and degenerates into its corresponding 'bad' form. The theory of anacyclosis suggests that political systems are inherently unstable, with each form of governance containing the seeds of its own destruction.

5.1.2 The World Economic Forum

The World Economic Forum (WEF) is a non-governmental organization founded in 1971 by Klaus Schwab. It is well known for its annual meeting in Davos, Switzerland, where world leaders, CEOs, and various stakeholders gather to discuss global issues and potential solutions. Although the WEF does not have direct control over policymaking, its influence on global policy arises from its role as a platform for dialogue and idea exchange, as well as its ability to bring together influential individuals.

As unelected technocrats, the WEF's impact on global policy can be observed through these aspects:

- Convening power: The WEF's Davos meeting is a high-profile event that attracts prominent political figures, business executives, and other influential individuals. This ability to assemble people allows the WEF to initiate conversations on global issues, create networks, and establish connections among key players. These interactions can lead to ideas and initiatives that might eventually shape global policy.
- Knowledge sharing and thought leadership: The WEF produces a range of publications, reports, and research that provide insights into various global challenges. By disseminating this knowledge, the WEF contributes to the broader understanding of complex issues and helps to inform policymaking by governments, businesses, and other organizations.
- Agenda-setting: Through its conferences and publications, the

WEF identifies and highlights emerging trends, risks, and opportunities, which can help to set the agenda for global policy discussions. By bringing attention to specific issues, the WEF can indirectly influence the priorities of governments and other decision-makers.

- Public-private cooperation: The WEF actively promotes collaboration between the public and private sectors in addressing global challenges. By fostering partnerships and facilitating dialogue between these sectors, the WEF can help drive the development and implementation of policies that require cooperation between governments, businesses, and civil society.

Despite its influence, critics argue that the WEF's position as unelected technocrats raises concerns about the organization's legitimacy and accountability. They contend that the WEF's ability to shape global policy without being directly answerable to citizens can undermine democratic processes and result in policies that prioritize the interests of elites over the broader public. However, others argue that the WEF's role in facilitating dialogue and collaboration is essential for tackling complex global challenges that require coordinated action across sectors and borders.

Interesting for us the WEF recently released its annual *Global Risks Report*, which highlights various threats and challenges facing the world today, and which intersect with all of the narratives in this book. The report discusses issues related to cybersecurity, public trust, and social cohesion, and underscores the importance of a comprehensive approach to addressing these challenges.

The WEF's founder, Klaus Schwab, has previously argued for a "great reset" in society and the economy, which involves revamping various aspects of our lives, from education to social contracts and working conditions. This reset would require the construction of new foundations for economic and social systems.

The WEF Global Risks Report 2022 focuses on five main categories, which are also part of their "Great Narrative for Humankind" initiative:

- Economy
- Environment
- Geopolitics
- Society
- Technology

The report emphasizes that the erosion of social cohesion has been a significant global issue since the start of the COVID-19 crisis. In addressing these challenges, the WEF suggests that public-private

collaborations are necessary to ensure effective decision-making and to safeguard the future of humanity.

The report also highlights the increasing digital dependency that intensifies cyberthreats, as the WEF has long warned of the potential for a significant cyber pandemic. The rapid spread of a cyber attack with “COVID-like characteristics” could potentially cause more damage than any biological virus.

The WEF Global Risks Report 2022 delves further into the potential consequences of a cyber pandemic. In a section titled “Shocks to Reflect Upon” the report explores the possibility of a wide-ranging and costly attack that could lead to cascading failures in systemically important businesses and disrupt services, ultimately undermining digital transformation efforts made in recent year.

The report also emphasizes the need for governments to address cyberthreats and warns that without mitigation, the escalation of cyber-warfare and the disruption of societies could result in a loss of trust in governments’ ability to act as digital stewards.

To better understand the risks associated with technology, the WEF report explores the concept of the fourth industrial revolution, which Schwab believes will lead to the fusion of our physical, biological, and digital identities. This fusion will be facilitated by technologies such as artificial intelligence, internet of things-enabled devices, edge computing, blockchain, and 5G. You can see they’re examining similar things to this book.

As explaining in this work, these technologies present numerous opportunities for businesses and societies, they also expose users to elevated and more pernicious forms of digital and cyber risk. The report also discusses the potential emergence of the metaverse, which could create new vulnerabilities for malicious actors by increasing the number of entry points for malware and data breaches, again a central theme of this text.

In light of these risks, the WEF report suggests that users will need to navigate security vulnerabilities inherent in complex technologies characterized by decentralization and a lack of structured guardrails or sophisticated onboarding infrastructure.

The report also touches on the issue of digital identity as we do. They view digital identity is a crucial component of accessing products, services, and information in a digital world, but again, this raises concerns about privacy, security, and the potential for misuse.

Finally, the WEF Global Risks Report 2022 addresses the issue of public trust, noting that the growth of deepfakes and disinformation-



Figure 5.1: Midjourney 5 fake images of The Pope Francis which are circulating as memes and show the power and the danger of the technology even at this early stage.

for-hire can deepen mistrust between societies, businesses, and governments. We can already see this starting to happen as Musk's defence lawyers point to possible deepfake use around video comments he is alleged to have made with regard to Tesla's software safety. To rebuild trust and social cohesion, the report calls for leaders to adopt new models, look long term, renew cooperation, and act systemically. Quite what they think they can do in the face of images like the recent memes of the Pope is unclear 5.1 .

It's absolutely crucial to note that the WEF is a powerful organisation, with global sway over policy, and is an enormous concentration of power in the hands of unelected technocrats. The authors are very sceptical of the WEF, but this report highlights what both technocrats and policy makers are thinking.

5.1.3 Money and The State

It seems a pretty reasonable that the best 'systemic' approach is a separation between major centralising forces such as state, church, and money. In practice we can see that globally, this isn't the case, with bad hotspots of high corruption where all three meld together into kleptocratic dictatorships, or theocracies. For our purposes in the UK it's useful to look at the concept of 'austerity'.

Austerity is a term used to describe a set of economic policies that aim to reduce government spending and debt, often through cuts to

public services and welfare programs. The concept of austerity has its origins in the 1920s, following the end of World War I and the economic crisis that ensued. In the wake of the war, many Western European countries were struggling with high levels of debt and inflation. In response, governments began implementing policies to reduce spending and balance their budgets.

We have seen in the previous chapter that the concept of inflation itself is complex, and somewhat argued about still. Globally, on aggregate, the efficiencies of increasing technology are thought to be deflationary to the tune of between 3 and 5 percent annually, though this may radically spike up in the era of AI which will be covered later. This is counter to the current need for inflation to maintain debt repayments at a national level. Central banks manipulate interest rates to control inflation, aiming to keep it at sustainable levels. This process is necessary because as national debt and deficits grow, governments need inflation to prevent these debts from spiraling out of control. Higher inflation results in higher nominal GDP, which in turn increases the tax base, providing governments with the revenue needed to pay down debt. To achieve this. The natural progression of humanity inherently deflationary, which forces central banks to print more money and further manipulate the monetary system in order to generate the desired inflation. This can be seen as a hidden tax on citizens, as it devalues their money over time. The negative effects of this system are disproportionately felt by lower-income groups. As inflation rises, the cost of living increases, and many households struggle to make ends meet. This has led to a situation where households need multiple incomes to maintain their standard of living, forcing individuals to work longer hours and take on multiple jobs. As a result, people have less free time and energy to engage in rewarding activities or spend time with their families. This need for constant economic growth, as measured by GDP, has led to an environment where individuals are pushed to be more productive at the expense of their well-being. This has resulted in a society where many people are overworked and struggling to keep up with the rising cost of living. Booth discussed this at length in his book ‘The Price of Tomorrow’. His is a rare thesis based around the ideas that technology is deflationary, that the marginal cost of goods trends over zero over time, and that the current system of debt and inflation are inherently unsustainable in the face of exponential technology improvements and automation. We discuss the concept of inflation and deflation, and both their risks throughout the book, but Booth has been very clear on this for many years. He thinks the current global

monetary system ill-suited to handle the challenges and opportunities presented by deflation. He suggests that embracing deflation is the key to unlocking a prosperous and sustainable future. The book delves into the implications of deflation on various aspects of society, including wealth distribution, job markets, and the role of governments in shaping economic policies. [133].

In the 1920s, Keynes was one of the first to argue against the austerity measures which seem part of the cyclical playbook around debt and inflation. He argued that cutting government spending during a recession would only worsen the economic downturn. Instead, he advocated for increased government spending to stimulate economic growth and reduce unemployment. Despite this, many governments continued to implement austerity policies throughout the 1920s and 1930s.

In the post-World War II period, the rise of the welfare state and the adoption of Keynesian economic policies led to a shift away from austerity in many countries. However, in the 1970s, a new economic crisis led to a resurgence of austerity policies, particularly in the United States and United Kingdom. In the 1980s, the rise of neoliberalism and the influence of economists such as Milton Friedman led to further cuts to government spending and the rolling back of the welfare state.

Today, the concept of austerity continues to shape economic policy, particularly in the wake of the 2008 financial crisis. Many governments, particularly in Europe, have implemented austerity measures in response to the crisis, leading to cuts to public services and welfare programs. The effectiveness of these policies remains a contentious issue, with some arguing that they have helped to reduce debt and stabilize economies, while others argue that they have led to increased inequality and hindered economic growth. Looking around at the state of the world, and the widening gap between the rich and the poor, it is possible to have some sympathy with those who see patterns in the behaviour of political leaders and the controllers of Western capital and global resources. The system seems engineered to reward a few. It is possible to view ‘austerity’ as a means of political control of economic levers, in order to de-democratise populations. This mantra of ‘do more, consume less’ has perhaps become a defacto methodology to constrain popular ideas, diverting capital back into the hands of incumbents, land owners, and the politically and economically motivated [134]. It seems that the controlling nexus of this political framework globally is the concept of the central bank, unelected technocrats whose tenures span across political administrations. Again, this can be traced back to the

1920's. Hawtrey's 1925 "Currency & Public Administration" asserts that a central bank should "*Never explain; never regret; never apologise.*", and speaks glowingly of the selfish market [135]. This economic model is referred to as Dirigisme and feels increasingly the global norm [136]. We can perhaps here see the divergent point at which the lionization of the market began. Again, to be clear, the authors are not economists, but it does seem that in a global digital society there is room to explore more equitable models of global value, governance, and trust.

Remember that these centrally planned national and global actions provide liquidity to the private banking sector. Like the digital money analogues discussed earlier in the book private banks operate fractional reserve banking. This is a banking system where banks hold only a fraction of the deposits they receive as reserves, while the rest is lent out to customers. This means that the money supply in an economy can be increased through the lending activities of banks (itself a complex inflationary force which devalues money over time, feeding back into the policy directives of the central banks. The fractional reserve system is useful for capital creation in times of growth, but relies on the confidence of the depositors. Historical examples of bank runs which threatened systemic risk or caused failures of the banking system include:

- The Bank of United States crisis in the 1930s: This was the largest bank failure in American history and was a result of a bank run caused by rumors of financial mismanagement.
- The Savings and Loan crisis of the 1980s: This was a result of a large number of failed savings and loan associations in the United States, which were caused by a combination of factors including poor management, risky lending practices, and a decline in real estate values.
- The Nordic banking crisis of the 1990s: This crisis was caused by a combination of factors including a real estate bubble, high levels of debt, and a lack of regulation. It resulted in the collapse of several major banks in Sweden, Finland, and Norway, and had a significant impact on the economies of the region.
- The Bank of Japan crisis in the late 1990s: This crisis was caused by a combination of factors including a real estate bubble, high levels of debt, and a lack of regulation. It resulted in the collapse of several major banks and had a significant impact on the Japanese economy.
- The Asian Financial Crisis of 1997: This crisis was triggered by

a devaluation of the Thai baht and quickly spread throughout the region, causing a number of major banks to fail. The crisis was largely a result of a lack of transparency and poor regulation in the banking industry.

- The 2008 financial crisis in Iceland: This crisis was caused by the collapse of the country's three largest banks, which had been engaging in risky lending practices and had accumulated large amounts of debt. The crisis had a devastating impact on the Icelandic economy and resulted in a severe recession.
- The Global Financial Crisis of 2007-2009: This was a result of a widespread failure of the global banking system, caused by a combination of factors including the housing market collapse, risky lending practices, and a lack of regulation.
- The collapse of Banco Popular in Spain in 2017: This was one of the largest bank failures in European history, and was caused by a combination of factors including a large amount of bad debt and a declining real estate market.
- There were many bank runs on smaller rural banks in China during 2022. The financial conditions of Chinese banks are somewhat reminiscent of the 2008 American landscape.

In response to the Global Financial Crisis, many measures have been taken to shore up the banking system, including the creation of new regulatory bodies, the implementation of new regulations, such as the Dodd-Frank Wall Street Reform and Consumer Protection Act, which increased the regulatory oversight of the banking industry. The introduction of stress testing for banks, to ensure that they have enough capital to withstand financial shocks, globally, has radically deleveraged banks from around 1:40 fractional reserve, to around 1:10.

There is increased political pressure to regulate the banking industry and prevent another financial crisis. However, there is also political opposition to excessive regulation, as some argue that it may stifle economic growth. There are concerns about rising levels of debt and the potential for another financial crisis.

It's interesting that Brett, a former FDIC regulator believes that the 2008 US bank run was sparked by youtube posts of queues forming at banks. He says those that formed the initial lines carried memories of the great depression, but that once youtube started showing the footage more broadly the contagion struck. In the world of instant messaging media today we can perhaps see how this might happen again. More recently, the 2023 'wobble' in global banking caused by the collapse of America's 5th largest bank SVB has precipitated strong

intervention by the federal government, who have opted to ‘backstop’ investor deposits. In the midst of this potential crisis it is notable that TikTok (now arguably the world’s most popular search engine) is carrying millions of hashtag references to bankruns. Senator Kelly in the USA allegedly inquired about the potential for limiting such references on social media, and a UK minister is asking for security services to examine the risks of the Chinese application. This perhaps reflects concern about algorithmically driven geopolitically motivated threats to the banking system.

There is a growing awareness of the role of banks in the economy, and a growing desire for greater transparency and accountability. There is also a growing mistrust of banks, particularly in light of the Global Financial Crisis. As we have seen, the advent of new technologies, such as blockchain CBDC, and fintech, is changing the way that banks operate and interact with customers. This presents both opportunities and challenges for the banking industry. As a final controversial aside, there is industry suspicion that the collapse of SVB has been used as cover to close the final US bank servicing crypto, effectively decapitating the banking rails of the industry, and forcing it overseas. Were it not for the credibility of the people making these claims, this would seem pretty wild, but the prevailing winds are surely blowing against the disruptive potential of a money system which is beyond the control of legislators.

5.1.4 Surveillance Capitalism

Surveillance capitalism is a term coined by Harvard Business School professor Shoshana Zuboff to describe the business model of using data collected from individuals to target advertising and influence behavior. The concept of surveillance capitalism emerged in the late 20th and early 21st centuries with the rise of technology companies that specialize in gathering and analyzing personal data.

The history of surveillance capitalism can be traced back to the early days of the internet. In the 1990s, companies such as DoubleClick and Omniture began collecting data on internet users’ browsing habits in order to target advertising. As the internet grew in popularity, these companies were able to gather an increasing amount of data on individuals, allowing them to more effectively target advertising and increase profits.

The advent of smart phones and mobile technology in the 2000s further expanded the reach of surveillance capitalism. With the widespread adoption of smart phones and mobile apps, companies were able to

collect even more data on individuals, including location data and information about their physical activity. This data was used to target advertising and influence behavior, leading to the rise of companies such as Google and Facebook, which have become dominant players in the digital advertising market.

The use of data collected from individuals to influence behaviour has also been used to influence political campaigns. In the 2016 US presidential election, Cambridge Analytica, a data analytics firm, used data collected from Facebook users to influence voter behaviour. The firm used the data to target advertising and create psychological profiles of individuals, allowing them to more effectively influence voter behaviour.

The business model of surveillance capitalism has been widely criticized for its ethical implications. Critics argue that the collection and use of personal data without consent is a violation of individuals' privacy and that the use of data to influence behaviour is manipulative and unethical. In recent years, there have been calls for greater regulation of the tech industry to address these concerns.

Surveillance capitalism has led to significant compliance overheads for companies that collect and use personal data. There are a number of laws and regulations that have been put in place to protect individuals' privacy, such as the General Data Protection Regulation (GDPR) in the European Union and the California Consumer Privacy Act (CCPA) in California, USA. These laws require companies to obtain consent from individuals before collecting and using their data, and to provide individuals with the right to access, correct, and delete their data.

Complying with these laws can be costly and time-consuming for companies. They may need to hire additional staff to handle data privacy compliance, and may also need to invest in new technology to manage and protect personal data. In addition, companies are at risk of significant fines if they fail to comply with these laws.

In terms of who profits from surveillance capitalism, the primary beneficiaries are technology companies such as Google and Facebook, which have become dominant players in the digital advertising market. These companies collect and analyse large amounts of personal data, which they use to target advertising and influence behavior. This allows them to generate significant profits from advertising revenue.

On the other hand, those who suffer the most negative impact from surveillance capitalism are individuals, whose personal data is collected and used without their consent. They are also at risk of their privacy being violated, and their personal data being misused. Additionally,

the collection and use of personal data can lead to the manipulation of individuals' behaviour and decision-making, which can have negative consequences for their lives and society at large.

Moreover, the business model of surveillance capitalism has also been criticized for creating a power imbalance between companies and individuals. Companies have access to vast amounts of personal data, which they can use to influence behavior and make decisions that affect individuals' lives. This can lead to a lack of privacy and autonomy for individuals, and can also lead to discrimination and bias in decision-making.

This is collectively an erosion of the demarcation between data, state surveillance, banking, and political leadership globally.

The term "surveillance state" refers to a state in which government agencies have the power to collect and analyze large amounts of personal data, often without the consent of individuals. The rise of surveillance capitalism has led to concerns about the potential for the creation of a surveillance state, as government agencies may use the data collected by companies for surveillance purposes.

There have been instances where government agencies have used data collected by companies for surveillance purposes. For example, in the United States, the National Security Agency (NSA) has been accused of using data collected by companies such as Google and Facebook for surveillance purposes. The agency's PRISM program, which was revealed by Edward Snowden in 2013, was designed to collect and analyze data from internet companies in order to identify and track individuals. Europe is clear about its intentions to mandate their complete access to all encrypted personal communications in forthcoming legislation.

The use of data collected by companies for surveillance purposes can have significant implications for individuals' privacy and civil liberties. It can also lead to a lack of transparency and accountability, as government agencies may use the data without the knowledge or consent of individuals. In addition, the use of data for surveillance purposes can lead to discrimination and bias in decision-making, as well as a chilling effect on free speech and the exercise of other rights.

Akten has been talking about the phase transition from digital surveillance to pernicious corporate AI in terms of a modern 'religion' for many years [137]. He feels that despite public awareness of privacy invasion, there has been no significant outcry or unanimous demand for privacy. Instead, most individuals seem to find comfort in the belief that a higher force is watching and protecting the virtuous, while punishing

wrongdoers. The concept of a ‘digital deity’ emerge from his thinking in this context, reflecting the role that religion and traditional gods have played in providing ethical frameworks, security, discipline, power, and other societal functions. More recently O’Gieblyn has been drawing the same conclusions [138], explicitly linking religiosity to the imperative to ‘create a godhead’ simply because it can be done, not pausing to discuss if it should be. More recently the Harari, author of Sapiens [139] said of AI: *“For thousands of years, prophets and poets and politicians have used language and storytelling in order to manipulate and to control people and to reshape society. Now AI is likely to be able to do it. And once it can... it doesn’t need to send killer robots to shoot us. It can get humans to pull the trigger. We need to act quickly before AI gets out of our control. Drug companies cannot sell people new medicines without first subjecting these products to rigorous safety checks.”* (AI will be discussed in detail in a later chapter).

Klein at the New York Times has been writing against this point for some time. His well articulated fear, is that the current model where three major Western companies, with similar highly competitive capitalist origins and values, should certainly not be in charge of racing to monetise the most compelling and innately unknowable chat bot experience. As societies shift towards materialism and technological dependence, traditional gods lose their relevance, and the need for a new form of overseer arises. This digital deity, existing within the realm of technology and the cloud, perhaps represents an adaptation of primal human belief systems. This will be explored further in the AI/ML chapter later.

In conclusion, the rise of surveillance capitalism has led to concerns about the potential for the creation of a surveillance state, or worse, a new kind of omnipresent digital culturla authority. Corporations and government agencies may use the data collected by companies for surveillance purposes. This can have significant implications for individuals’ privacy and civil liberties. It’s important for laws and regulations to be in place to safeguard citizens’ rights and privacy in regards to the use of data by government agencies, and to hold them accountable for any misuse of data, and yet it seems the reality of the situation in ‘post Snowden’ seems far from that.

Surveillance Capitalism. As a quick round-up of this area, which is best researched elsewhere:

- The global digital advertising market is expected to reach \$335 billion by 2023.
- In 2020, Google and Facebook accounted for 60% of the global

digital advertising market.

- The data brokerage industry, which includes companies that collect and sell personal data, is estimated to be worth \$200 billion.
- In 2020, Google and Facebook were reported to have data on over 4 billion active users.
- As of 2021, the number of data breaches reported worldwide has grown from 4.1 billion in 2018 to 4.9 billion in 2020.
- In 2013, it was revealed that the US National Security Agency (NSA) had been collecting the phone records of millions of Americans under its PRISM program.
- In 2013, Edward Snowden leaked classified documents that revealed the scale of the NSA's surveillance programs.
- In the US, the Foreign Intelligence Surveillance Act (FISA) allows the government to conduct surveillance on non-US citizens outside the US without a warrant.
- The UK's Investigatory Powers Act 2016, also known as the "snooper's charter," gives government agencies wide-ranging powers to collect and analyze personal data.
- In 2021, it was reported that the Chinese government has been collecting and analyzing the data of its citizens through a system of "social credit" scores, which are used to monitor and control individuals' behaviour.
- Surveillance capitalism refers to the business model of collecting and analyzing personal data for the purpose of targeted advertising and other forms of monetization.
- A recent study by the Center for Digital Democracy found that the top 100 global digital media companies are projected to generate over \$1 trillion in revenue by 2020, much of which is derived from surveillance-based advertising.
- The number of surveillance cameras in use worldwide is estimated to be over 1 billion, with the majority located in China.
- A 2018 study by Comparitech found that the average person in the UK is captured on CCTV cameras over 300 times per day.
- According to a report by the American Civil Liberties Union (ACLU), the FBI has access to over 640 million photographs for facial recognition searches, including driver's license and passport photos.
- The U.S. government's use of surveillance technologies, such as drones and mass data collection, has been a subject of ongoing controversy and debate.

- Some experts warn that the increasing use of surveillance technologies by governments and private companies could lead to the erosion of privacy rights and the creation of a "surveillance state."
- In the USA senate hearing following the collapse of FTX Rep. Jesus Garcia described bitcoin and crypto as an industry that operates outside of the law and relies on hype, implying that the communities that have adopted bitcoin are ill-informed and vulnerable.
- Bitcoin has been adopted by a variety of communities worldwide, particularly in countries such as Vietnam, the Philippines, Ukraine, India, Pakistan, Brazil, Thailand, Russia, and China.
- There is an outsized level of adoption among Black Americans in the United States. This trend is not a result of targeted advertising by companies such as FTX, but rather a response to a legacy financial system that has limited individuals' potential.
- Marginalized early adopters of bitcoin still constitute a minority in their communities, but the worldwide adoption trend among these groups is on the rise.
- The solutions that outsiders build in bitcoin will ultimately be the source of the technology's promised revolution. Adoption in Africa and possibly India seems likely to be capable of driving this.
- The paradigm shift will come from those who bring local, real-world focused use cases to their communities, separating bitcoin from the empty hype of speculation.
- Marginalized communities will lead the industry's recovery and redefine the purpose of bitcoin in the future.

Much of the following text is paraphrased from the work of Guy Turner of 'The Coin Bureau', and Lawyer and academic Eden Moglen, and needs more work because of it's critical importance to the book.

The adoption of printing by Europeans in the 15th century led to concerns around access to printed material. The right to read and the right to publish were central subjects in the struggle for freedom of thought for most of the last half millennium. The basic concern was for the right to read in private and to think, speak, and act based on a free and uncensored will. The primary antagonist for freedom of thought at the beginning of this struggle was the universal Catholic Church, an institution aimed at controlling thought in the European world through weekly surveillance of individuals, censorship of all reading material, and the ability to predict and punish unorthodox thought. In early

modern Europe, the tools available for thought control were limited, but they were effective. For hundreds of years, the struggle centered around the book as a mass-manufactured article in Western culture, and whether individuals could print, possess, traffic, read, or teach from books without the permission or control of an entity empowered to punish thought. By the end of the 17th century, censorship of written material in Europe began to break down in waves throughout the European world, and the book became an article of subversive commerce, undermining the control of thought.

Currently, a new phase in human history is beginning as we are building a single extraneous digital nervous system, that will connect every human mind. Within two generations, every single human being will be connected to this network, in which all thoughts, plans, dreams, and actions will flow as nervous impulses. The fate of freedom of thought and human freedom as a whole will depend upon the organization of this network. Our current generation is the last in which human brains will be formed without contact with this network, and from now on, every human brain will be formed from early life in direct connection to the network, with input from generative AI/ML systems. This possibly results in humanity becoming a super organism of a sort, where each of us is but a neuron in the brain. Unfortunately, this generation has been raised to be consumers of media, which is now consuming us.

Anonymous reading is being determined against. Efforts discussed throughout the book to ensure privacy, from Zimmerman and the cypherpunks onward, have been met with resistance from government efforts to monitor and control information flow. The outcome of the organization of this network, and the freedom it allows, is currently being decided by this generation.

It is not solely the ease of surveillance, nor solely the permanence of data, that is concerning, it is the relentless nature of living after the “end of forgetting”. Today’s encrypted traffic, which is used with relative security, will eventually be decrypted as more data becomes available for crypto analysis. This means that security protocols will need to be constantly updated and redone. Furthermore, no information is ever truly lost, and every piece of information can be retained and eventually linked to other information. This is the rationale behind government officials who argue that a robust social graph of the United States is needed. The primary form of data collection that should be of most concern is media that is used to spy on us, such as books that watch us read them and search boxes that report our searches to

unknown parties. There is a lot of discussion about data coming out of Meta/Facebook, but the true threat is code going in. For the past 15 years, enterprise computing has been adding a layer of analytics on top of data warehouses, which is known as business intelligence. This allows for the vast amount of data in a company's possession to be analyzed and used to answer questions the company did not know it had. The real threat of Facebook is the business intelligence layer on top of the Facebook data warehouse, which contains the behaviour of nearly a billion people. Intelligence agencies from around the world want to access this layer in order to find specific classes of people, such as potential agents, sources, and individuals that can be influenced or tortured. The goal is to run code within Facebook to extract this information, instead of obtaining data from Facebook, which would be dead data once extracted. Facebook wants to be a media company and control the web, but the reality is the true value of Facebook is the information and behavior of its users, and the ability to mine that data. Distributed internet protocols are important in the context of government overreach into digital society and people's private lives because they provide a level of decentralization and resilience that can help protect against censorship and surveillance.

For example, if a government were to attempt to censor or block access to a centralized internet service, it could potentially do so with relative ease. However, if that same service were distributed across a network of nodes, it would be much more difficult for the government to effectively censor or block access to it.

Another advantage of distributed protocols is that they are typically more resilient to attacks or failures. If one node in the network goes offline or is compromised, the others can continue to operate, ensuring that the service remains available. This can be especially important in situations where the internet is being used for critical communication, such as during a natural disaster or political crisis.

In addition to their benefits for censorship resistance and resilience, distributed protocols can also help protect people's privacy. Because they do not rely on centralized servers or infrastructure, they can be more difficult for governments or other entities to monitor or track. This can be especially important in countries where government surveillance is prevalent or where individuals may be at risk of persecution for their online activities.

There are a number of distributed protocols that have been developed specifically to address issues of censorship and privacy, and these will be covered in more detail later.

It is important to note that distributed protocols are not a silver bullet for censorship or privacy concerns. They can be vulnerable to certain types of attacks, such as those that target the nodes of the network, and they may not always be practical for certain types of applications. However, they do provide an important tool for those seeking to protect their freedom of expression and privacy online. They offer a valuable tool for those seeking to protect their freedom of expression and privacy online, and they will likely continue to play a critical role in the future of the internet.

In recent years, several countries have proposed or passed bills that would result in unprecedented levels of online censorship. One such example is Canada's Bill C-11, also known as the Online Streaming Act. This bill was first proposed in November 2020 as Bill C-10, but failed to pass due to its controversial provisions. It was reintroduced in February 2021 as Bill C-11 and was approved by the Canadian House of Commons, the first step in the process of becoming law. If passed, the bill would give the Canadian Radio, Television and Telecommunications Commission (CRTC) the power to decide what content Canadians can view on YouTube and other social media platforms. The CRTC would also have the power to dictate what content creators can produce, with a focus on promoting "Canadian content." Additionally, the bill would require certain broadcasters to contribute to the Canada Media Fund, which is used to fund mainstream media in Canada. The bill is currently being considered by the Canadian Senate, which will vote on it in February. If passed, it will then be debated by the Canadian Parliament. Tech companies such as YouTube have reportedly failed to convince the Senate to exclude user-generated content from the bill, indicating a high likelihood of it becoming law. The potential impact on the internet and free expression in Canada is significant, as the bill would give the government significant control over online content and restrict the ability of individuals to share their views and perspectives.

In a similar vein the forthcoming RESTRICT act in the USA gives huge powers without oversight to a single branch of the US government.

- The bill is called the “Restricting the Emergence of Security Threats that Risk Information and Communications Technology Act”
- It was initially thought to be about banning TikTok due to its connections to the Chinese government and the data it collects on its users.
- The RESTRICT Act has very little to do with banning TikTok and instead grants the US Secretary of Commerce significant

powers to determine which entities are foreign adversaries and what technology poses a risk to national security.

- The bill defines critical infrastructure broadly, which means it could apply to almost anything the government deems necessary. Lobbyists will be allowed to advise the Secretary of Commerce on which products and services should be labeled as foreign adversaries, potentially leading to monopolies.
- Fines and jail time for interacting with foreign adversaries or posing a risk to national security could reach up to \$1 million, 20 years in prison, and asset seizures.
- The bill aims to crack down on VPNs (Virtual Private Networks), which provide privacy and access to foreign websites.
- There is no oversight for the actions taken by the Secretary of Commerce under this act, and neither Congress nor the courts can request information on these decisions.

The European Union (EU) has separated its online censorship efforts into two separate bills: the Digital Markets Act and the Digital Services Act. These bills were introduced in December 2020 and are part of the EU's Digital Services package, which aims to be completed by 2030. The Digital Services package is the second phase of the EU's digital agenda, which is being enforced through regulation in the public sector and through ESG investing in the private sector. Both the Digital Markets Act and the Digital Services Act were passed in spring 2022 and went into force in autumn 2022, but will not be enforced until later this year and early next year, depending on the size of the relevant entity. The Digital Markets Act aims to increase the EU's competitiveness in the tech space by imposing massive fines on "gatekeepers," or companies that maintain monopolies by giving preference to their own products and services. This could open the door to innovation in cryptocurrency in the EU, but also requires gatekeepers to provide detailed data about the individuals and institutions using their products and services to the EU. The Digital Services Act, on the other hand, aims to regulate the content that is available online, including user-generated content. It does this by requiring companies to remove illegal content within one hour of it being reported and by imposing fines for non-compliance. The act also requires companies to implement measures to protect users from illegal content and from "other forms of harm," which is defined broadly and could include a wide range of content. The EU is also in the process of passing the Artificial Intelligence Regulation Act, which will be discussed later this year and is reportedly the first of its kind. All five bills in the EU's

Digital Services package are regulations, meaning they will override the national laws of EU countries. The potential impact on the internet and free expression in the EU is significant, as the Digital Services Act would give the government significant control over online content and restrict the ability of individuals to share their views and perspectives.

In the United States, two significant documents related to online censorship are the Kids Online Safety Act and the Supreme Court case Gonzalez v. Google. The Kids Online Safety Act was introduced in February 2021 and is expected to pass later this year due to bipartisan support. The act requires online services to collect Know Your Customer (KYC) information to ensure that they are not showing harmful content to minors. It also gives the Federal Trade Commission (FTC) the power to decide when children have been made unsafe online and allows parents to sue tech companies if their children have been harmed online. The act has received criticism from both sides of the political spectrum and entities outside of Congress, as it is seen as giving too much power to the government to regulate online content and could lead to increased censorship by tech companies.

The Supreme Court case Gonzalez v. Google involves the question of whether Google's algorithmic recommendations supported terrorism and contributed to the 2015 terrorist attacks in Paris. The case has been picked up by the Supreme Court after being passed up by various courts of appeal. It is being heard alongside another case, Twitter v. Tumne, involving the role of Twitter's algorithms in a terrorist attack in Istanbul. There are two potential outcomes for the case. If the Supreme Court sides with Gonzalez, it could increase the liability of social media companies under Section 230 of the Communications Decency Act, which allows them to moderate content to a limited extent without violating the First Amendment. Alternatively, the Supreme Court could declare Section 230 unconstitutional, which would make online censorship illegal but also hinder the use of algorithms on the internet. The ideal outcome, in theory, would be for the Supreme Court to side with Google and for Congress to change Section 230. However, giving Congress the power to change the law could lead to increased censorship and the potential for abuse of power.

In the UK forthcoming legislation will see tech company leaders liable for prison sentences if they fail in their duty to protect minors. This will doubtless lead to both stringent universal requirements for identity proof (KYC), and significantly muted and controlled content on the platforms.

Our research focuses on business to business use cases for dis-

tributed technologies, and will provide mechanisms for verifying who is communicating with whom, to avoid falling foul of these swinging global infringements on privacy.

It is the opinion of this book that information should be free [140]

5.2 **Government over-reach through bureaucracy**

As an contextual example of the soft power which political apparatus uses to influence emergent human behaviour and their markets it is useful to look again to the USA. In 2013, the Obama Administration, faced with a divided Congress, resorted to using the banking system as a means to implement policy through non-traditional channels. This effort, known as Operation Choke Point, was a continuation of their success in cutting off the offshore online poker industry from banking services. Initially, the crackdown was aimed at the payday lending industry, but it soon expanded to include gun sales and adult entertainment, and eventually up to 30 different industries.

The rationale behind Operation Choke Point was to target banks that facilitated fraud, as indicated by a high ratio of fraud and disputes. However, the operation soon evolved into a redlining of industries based on nothing more than the perceived risk of reputational harm. Financial institutions were investigated without any evidence of losses. Throughout the entire operation, there was no new legislation or written guidance issued. Banks were simply warned of increased regulatory scrutiny if they did not comply.

Major banks continue to deny services to industries such as firearms and fossil fuels, and they continue to assign higher risk ratings to industries that may face government criticism, even in the absence of any official guidance. This utilisation of the financial system as a means of driving change is seen by some as a legitimate, if not ideal, mechanism; as just one more type of market actor. Regardless of one's political perspective, it is important to consider the moral hazard of bypassing traditional political channels and using bureaucratic mechanisms as a means of affecting change in the free market. It is important to consider how the power of these tactics might be used in the future by opposing political groups. For example, supporters of Operation Choke Point who were in favour of increased financial pressure on the oil and gas industry may not feel the same if the same techniques were applied to organizations like Planned Parenthood. From this perspective, the tactics used by Operation Choke Point can be seen as undemocratic,

regardless of who is deploying them. Bringing this back to our study of new financial tooling in crypto we can look to recent events:

- January: Some banks start to wind down activity in the crypto industry
- January 21st: Binance announces its banking partner, Signature Bank, refuses to process Swift payments for less than \$100,000
- January 27th: Federal Reserve denies Custodia Bank's application to access Federal Reserve System
- January 27th: Federal Reserve denies Custodia Bank's application for a master account
- January 27th: Federal Reserve releases statement discouraging banks from holding crypto assets or issuing stable coins
- January 27th: National Economic Council issues policy statement discouraging banks from transacting with crypto assets or maintaining exposure to crypto depositors
- February 2nd: DOJ announces investigation into Silvergate Bank over dealings with FTX and Alameda Research
- February 6th: Binance announces suspension of USD bank transfers to and from offshore exchange
- February 8th: Binance announces search for another banking partner
- February 7th: Fed's policy statement enters Federal Register as a final rule
- Two outstanding applications for National Trust Bank licenses from Anchorage and Paxos likely to be rejected by the OCC
- Banking services becoming increasingly difficult for crypto firms, some startups will likely now not make the attempt

It seems that in the absence of democratic the SEC is attempting to use their tools to control and centralise the 'ramps' into and out of digital assets, and the rules around holding them for investors. The SEC has proposed a new rule that would require registered investment advisors to use qualified custodians for all assets, including cryptocurrencies. The intention behind this proposal is to improve investor protection by mandating that custodians hold customer assets in segregated and identifiable accounts. However, critics argue that this proposal would limit the number of qualified cryptocustodians and deter investment advisors from advising their clients on crypto. The few banks with the necessary technical capabilities and regulatory approvals will have a monopoly on crypto custodial services, while exchanges without a banking license or trust bank will likely lose out. The proposal assumes that crypto assets are securities without going through a process to determine that. The

outcome of the proposal will depend on the stringency of the SEC's qualified custodian registrations. The proposal is currently in a 60-day public comment period before the Commissioners hold another vote on whether to pass the rule.

Caitlyn Long explains that the proposed rule would not necessarily kill crypto custody, but would be a move against State Charter trust companies. She points out the big issue with the proposal, which is the requirement for custodians to indemnify for negligence, recklessness, or willful misconduct. This would apply to all asset classes, including commodities and crypto, which could kill the custody business broadly. The SEC proposal would apply the custody rule to all asset classes, including commodities and crypto, which is okay, but the SEC also wants custodians to indemnify the full asset value for losses in which the custodian played any role, even for physical assets like oil, cattle, and wheat. This would upset long-standing insurance terms and could cause huge pushback from the banking, Wall Street, commodities, and crypto industries. Sarah Brennan believes that the proposal represents continued governmental efforts at denial of service attacks on crypto, and that the SEC's approach only seeks to chill digital asset markets. She and the Republicans on the House Financial Services Committee are urging stakeholders to submit public comments on the proposed amendments to ensure the custody rule for investment advisors is modernized appropriately. The U.S. Internal Revenue Service plans to hire nearly 30k new staff and technology over the next two years, spending \$80 billion to improve tax enforcement, much of it focussing on crypto markets. It might be that the industry follows the prevailing winds and pivots to the East. As usual, none of this particularly impacts our use case and thesis.

5.3 Global monetary policy

The term “don’t fight the Fed” has been used in trading circles for many years. Owing to the pre-eminent role of the dollar in global markets actions of the political and central banking bodies which impact the dollar always have global reach. It is worth knowing that these decisions are usually contested, and worse, the power of the decision makers seems rooted in their narrative impact. It’s a pretty terrible system given the impact on billions of lives. The Federal Reserve System, which is comprised of a Board of Governors, 12 regional banks, and an Open Market Committee, is a privately-owned central banking system in the United States. The member banks of each Federal Reserve Bank

vote on the majority of the Reserve Bank's directors and the directors vote on members to serve on the Open Market Committee, which determines monetary policy. The president of the New York Federal Reserve Bank is traditionally given the vice chairmanship of the Open Market Committee and is a permanent committee member. This means that private banks are the key determinants in the composition of the Open Market Committee, which regulates the entire economy. The Federal Reserve is an independent agency and its monetary policy decisions do not have to be approved by the President or anyone else in the executive or legislative branches of government. The Fed's profits are returned to the Treasury each year, but the member banks' shares of the Fed earn them a 6% dividend. The 2008 financial crisis and subsequent bailouts exposed the fundamental conflicts of interest at the heart of the Federal Reserve System, where the very banks that caused the crisis were the recipients of the trillions of dollars in bailout money. These conflicts of interest were baked into the Federal Reserve Act over 100 years ago and are a structural feature of the institution. The concentration of power within this group is staggering.

5.4 Opportunities in Africa

5.4.1 Gridless

In the course of researching this book we see most opportunity for change in Africa. As an example the company 'Gridless' began by examining different energy sources in Africa and exploring opportunities for larger energy generation and grid-connected energy. However, they found that the real benefit of gridless energy was in providing energy to places that were not well connected and did not have a good grid. They contacted mini-grid providers all over East and Southern Africa to learn about their problems. A mini-grid is defined as a project that generates energy under 2 megawatts, often under 1 megawatt. They discovered that these providers had to overbuild for the community, resulting in stranded energy. The company found a way to utilize this stranded energy by placing Bitcoin miners on it and paying the mini-grid providers for it. They tested this method and found it to be successful. Additionally, they implemented a system to automate and remotely turn off the power during periods of high usage to make the grid more efficient and sustainable. This solution provided a win-win-win situation for the company, the mini-grid providers, and the communities they served.

The company utilizes Bitcoin miners to create space for other

activities and to increase access to affordable energy for communities and small businesses. As energy usage increases in the community, the company decreases their usage of miners and moves them to other locations. This is outlined in their contracts with partners. The company is currently testing this method and has encountered some challenges, such as losing internet connection at one of their sites and poor rainfall affecting the amount of water flowing into turbines. They have found that building a lean operation with flexible and adaptable staff is crucial, as well as creating processes and systems to manage variables. The company also faces unique environmental factors such as lightning strikes, which require them to turn off their operations temporarily.

Gridless suggest that those who are critical of opportunities like this often come from a place of privilege and do not understand the consequences of their actions in places like Africa where access to electricity and other resources is limited. They argue that these critics, who are often from the West, have blinders on and cannot see the impact of their actions on a global scale. They suggest that more people need to travel and have diverse experiences in order to change their perspective on Bitcoin and its potential to support human flourishing in underprivileged areas. They also mention that gridless plans may become a case study for the positive impact of Bitcoin mining on economic opportunities, particularly in rural Africa.

5.4.2 Machankura

Mobile phone users in Nigeria, Tanzania, South Africa, Kenya and five other African countries can now send and receive bitcoin without a smartphone or Internet connection. Just a basic feature phone and text code will suffice, thanks to a digital wallet from software developer Ngako. No internet connection and low power handsets means using SMS and the Lightning network, with the phones SIM acting as the wallet private keys.

5.5 El Salvador as a case study

El Salvador became the first country in the world to adopt Bitcoin as legal tender. El Salvador's adoption of Bitcoin was a historic moment in the world of Bitcoin and was met with a mix of excitement and scepticism. On June 9, 2021, the country's Legislative Assembly approved a bill introduced by President Nayib Bukele to make Bitcoin a legal tender alongside the US dollar, which has been used as the country's official currency since 2001.

President Bukele, who has been a vocal proponent of Bitcoin, stated that the adoption of Bitcoin was a way to promote financial inclusion and stability in the country, where more than 70% of the population is unbanked or underbanked. In a tweet, he stated, “Bitcoin will have the same value as the US dollar. We will support both. They will have the same power of purchase and will be accepted in the same way.”

The move was met with a lot of media attention and reaction, with some praising it as a bold and innovative step, while others raised concerns about the volatility of Bitcoin and their potential impact on the economy. President Nayib Bukele himself has faced criticism for his handling of political power and some of his actions have raised concerns about the potential for abuses of power. In 2021, President Bukele faced widespread criticism for his handling of the legislative process and his use of the military to secure the Legislative Assembly building during a political standoff with lawmakers. This led to allegations of intimidation and a violation of democratic norms, and raised concerns about his willingness to use force to achieve his political goals. Additionally, President Bukele has faced criticism for his use of social media to communicate with the public and his tendency to bypass traditional media outlets, which has raised concerns about the potential for censorship and the manipulation of information. With that said he seems much loved in the country, and the previously appalling safety statistics of the nation have radically improved.

In addition to the adoption of Bitcoin as legal tender, El Salvador has also proposed the issuance of a Bitcoin-backed bond to finance various public works projects and promote the use of Bitcoin. The bond would be denominated in Bitcoin and would allow investors to directly participate in the country’s development while also supporting the growth and adoption of Bitcoin.

Another ambitious project that has been proposed by President Bukele and his administration is the creation of “Bitcoin City”, a new city that would mine Bitcoin at the base of a dormant Volcano, and offer considerable tax benefits to holders. The city would serve as a hub for innovation and a showcase for the potential of Bitcoin, and would offer a wide range of services, including housing, healthcare, education, and entertainment.

There has been a significant increase in the adoption of Bitcoin in El Salvador, and apparently increased inward investment to the country. Many businesses, both small and large, have started accepting Bitcoin as a form of payment, and there has been a growing interest in Bitcoin among the general population. Additionally, the government has been

actively promoting the use of Bitcoin through various initiatives. There have also been efforts to educate the public about Bitcoin and its potential benefits, including increased financial security and reduced transaction fees compared to traditional banking systems.

Overall, the adoption of Bitcoin in El Salvador has been positive, far outstripping the number of people in the country with traditional bank accounts, and has the potential to greatly impact the country's economy and financial sector. However, it is important to note that there are still challenges to overcome, such as regulatory and infrastructure limitations, as well as ongoing concerns about the volatility and stability of Bitcoin.

Somewhat surprisingly the IMF have de-escalated their previously highly critical assessment of the move, toward a more concerned and conciliatory tone: *"Bitcoin's risks should be addressed. While risks have not materialized due to the limited Bitcoin use so far—as suggested by survey and remittances data—its use could grow given its legal tender status and new legislative reforms to encourage the use of crypto assets, including tokenized bonds (Digital Assets Law). In this context, underlying risks to financial integrity and stability, fiscal sustainability, and consumer protection persist, and the recommendations of the 2021 Article IV remain valid. Greater transparency over the government's transactions in Bitcoin and the financial situation of the state-owned Bitcoin-wallet (Chivo) remains essential, especially to assess the underlying fiscal contingencies and counterparty risks."*

In terms of economic impact, it is still too early to determine the full effects of the adoption of Bitcoin in El Salvador. However, it is expected to have a positive impact on financial inclusion and stability, as well as reducing the reliance on traditional banking systems. The use of Bitcoin has the potential to lower transaction fees and increase financial security, which could be particularly beneficial for those who do not have access to traditional banking services.

Overall, the adoption of Bitcoin in El Salvador marks a significant step forward in the mainstream acceptance and adoption of Bitcoin and has the potential to set a precedent for other countries to follow. However, it is important to monitor the situation and assess the long-term impacts on the economy and financial sector.



6. Distributed Identity & Trust

For distributed Web3, and by extension metaverse applications to flourish it is necessary to solve the identification problem [141]. Without a solution to this bots, scammers, and AI actors will reduce usefulness and usability of and already quite arcane user experience.

This chapter is an oddity because most of traditional DID/SSI isn't really fit for purpose. Distributed self sovereign identity has a great elevator pitch though. Individuals should be empowered through technology to manage their own data, without manipulation or exploitation by centralised corporate behemoths. In practice it's a staggeringly complex proposition which increases risk to the individual, decreases convenience, and despite much work, does not even make much sense in it's own terms. Webs of trust are viable so this means Nostr, Marking, or Slashtags which will be discussed, but are early products.

6.1 Applications of DID/SSI

Some of the likely, and discussed applications for DID/SSI are the more inherently private and personally valuable sets of data an individual might generate throughout their life. The theory is that subsets of such data could then be digitally revealed by the individual when required, and that cryptographic verification built into the system would guarantee the veracity of the data to the receiving party. It is also

possible to make use of “zero-knowledge proof” such that assertions can be made about the contents of the data without revealing the data itself. A good example of this is an age verification challenge, where a threshold age could be asserted without necessarily revealing the date of birth. Other keystone uses of the technology are:

- health documents history
- qualifications and certifications
- financial record and relationships with those of others
- contacts, connections to other people and their appropriate data, including things like shared and personal calendars

It's also possible to extend this key management ethos to all login credentials, and all data currently stored on centralised servers. This is the tension discussed in the chapter about Web3. Proponents think that using something like a DID/SSI stack to manage encryption, decryption and access to data within cloud services gives the user the best of all worlds. They see simply logging in with a cryptographic wallet, and using that same public/private key pair to manage the data beyond as some kind of panacea. This is very complex stuff though, and it seems very likely they just haven't thought this through enough.

6.2 Classic DID/SSI

Distributed identity / self sovereign identity has been extensively researched for decades, with hundreds of peer reviewed papers, and extensive support from the world wide web consortium. The academic field now seems quite ossified and has settled on a couple of hundred ‘schema’ which they feel underpin the next layer of development. It is a complex field, and the language and diagrams are arcane and self referential as seen in Figure 6.1. . Moreover the minimal implementation of such proposed systems hints at a federated model of centralised/federated ‘truth’ to enable persistence of identifiers over time.

The major failing of the DID/SSI work to date is a lack of meaningful use cases with incentives for adoption. This is clearly explained by Lockwood [142] who proposes that the pathway to adoption of ‘classic’ DID/SSI requires an incentive over and above the current identity management on the web. Being distributed is not enough. Especially in the light of questionable assurances of this even being true.

Perhaps most concerning is this recent exchange on the mailing lists. Here, two long standing developers of DID say the following:

“Not a single entity I know that’s doing production deployments has




Figure 6.1: Part of the DID SSI specs

actually vetted did:ion and found it to be production capable. This goes for every DLT-based DID Method out there - even the one we're working on. I am highly sceptical of anyone that says that any DID Method is ready for production usage at present.

Agreed — as one of the proponents of DLTs (in particular permissionless public ones) none are mature enough yet for production.”. It seems then that we can rule out use of these technologies?

6.2.0.1 DID principles

The core principles of distributed identity are that there should be persistent identifiers, like real world documents which assert identity, but with extended use cases. These should be permanent, and resolvable everywhere, forever. Underpinning this is cryptographically verifiable and decentralised data, managed by the user, or their trusted proxy. As primitives this makes them lifetime digital assets, that are portable, and unconfiscatable, with no required reliance on a trusted third party. By this stage in the book you should be familiar with these concepts, but application of this fundamental mindset to all personal data and digital interactions is a bigger reach even than money and value.

6.2.0.2 What's in a DID document?

All classic DID is underpinned by a DID document what bootstrap the services it's connected to. It is made up of one or more public keys. The documents can make use of services such as timestamps, cryptographic signatures, proofs, delegations, and authorisations. They should contain the minimum amount of information to accomplish the specific task required of them.

6.3 Federated social media trust

This section about newer technologies is perhaps best summarised by Jack Dorsey, ex CEO of twitter, paraphrased here:

"I'll start with the principles I've come to believe based on everything I've learned and experienced through my past actions as a Twitter co-founder and Lead:

- *Social media must be resilient to corporate and government control.*
- *Only the original author may remove content they produce.*
- *Moderation is best implemented by algorithmic choice.*

The biggest mistake I made was continuing to invest in building tools for us to manage the public conversation versus building tools for the people using Twitter to easily manage it for themselves this burdened the company with too much power and opened us to significant outside pressure such as advertising budgets. I generally think companies have become far too powerful. The only way I know of to truly live up to these three principles is a free and open protocol for social media that is not owned by a single company or group of companies and is resilient to corporate and government influence the problem today is that we have companies who own both the protocol and discovery of content which ultimately puts one person in charge of what's available and seen or not this is by definition a single point of failure no matter how great the person and over time will fracture the public conversation and may lead to more control by governments and corporations around the world.

The following technologies were selected for this book long before Dorsey wrote those words, but they *are* the technologies in which he is investing his time and money to further those 3 principles. Keybase is an interesting example of how proofs on the internet can lean upon one another to provide a corpus of trusts. It provides a model of importing proofs from various social media sites. This allows importing of reputation into new ecosystems.

6.3.1 Lightning

It is possible to log into a website using only Lighting, as in Stacker News.

6.3.2 Web5, Bluesky, & Microsoft ION

Promisingly Jack Dorsey's company TBD is working on a project called "Web5". Details are scant but the promise is decentralised and/or self hosted data and identity running on Bitcoin, without recourse to a new token. "*Components include decentralized identifiers (DIDs), decentralized web node (DWNs), self-sovereign identity service (SSIS) and a self-sovereign identity software development kit (ssi-sdk)*".

Web5 leverages the ION identity stack. All this looks to be exactly what our metaverse system requires, but the complexity is likely to be quite high as it is to be built on existing DID/SSI research which is pretty complex and perhaps has problems.

They readily admit they do not have a working solution at this time: "*At present, none of the DID methods meet our standards fully. Many existing DID networks are permissionless blockchains which achieve the above goals but with relatively poor latency (ION takes roughly 20 minutes for commitment finality). Therefore we have chosen to support did-web and a temporary method we've created called did-placeholder. We expect this situation to evolve as new solutions emerge.*"

6.3.2.1 ION

While working at Microsoft on ION Daniel Buchner (now working at Square) or Henry Tsai said the following, which is worth quoting verbatim:

"While ledger-based consensus systems, on the surface, would seem to provide the same general features as one another, there are a few key differences that make some more suitable for critical applications, like the decentralized identifiers of human beings. Some of these considerations and features are:

- The system must be open and permissionless, not a cabal of authorities who can exclude and remove participants.
- The system must be well-tested, and proven secure against attack over a long enough duration to be confident in.
- The system must produce a singular, independently verifiable record that is as immutable as possible, so that reversing the record the system produces is infeasible.
- The system must be widely deployed, with nodes that span the

globe, to ensure the record is persisted.

- The system must be self-incentivized, so that nodes continue to operate, process, and secure the record over time. The value from operation must come from the system directly, because outside incentive reliance is itself a vector for attack.
- The cost to attack the system through any game theoretically available means must be high enough that it is infeasible to attempt, and even if an ultra-capitalized attacker did, it would require a weaponized mobilization of force and resources that would be obvious, with options for mitigation.

The outcome:

- Number 1 eliminates private and permissioned ledgers
- Number 2 eliminates just about all other ledgers and blockchains, simply because they are inadequately tested
- For the metrics detailed in 3-6, Bitcoin is so far beyond all other options, it isn't even close - Bitcoin is the most secure option by an absurdly large margin."

On the surface then it might seem that the choice is Bitcoin again, and indeed that the open source Microsoft ION stack is a natural choice, but it's complex to run, the interactions with the blockchain have a cost implication which can't be surmounted without every user owning some Bitcoin, and as we have seen, there is no formal validation of this system. In addition (in the current implementation) an identity proof does not need to be published to be valid, just timestamped. In this way an identity can be stolen and used years later to claim later chains of proof. It seems that it might be somewhat useful 'at scale' and is worth additional monitoring and investigation, especially given it's integration into TBD - Web5.

6.3.3 Slashtags

Slashtags is a distributed identity open method being developed by Bitfinex and Tether under the Synonym suite. It's origins date back to 2011 and was initially seeded through academia, and government innovation grants to build on the concepts of BitTorrent, and later DAT. This eventually became the Hypercore protocol, with an additional rebranding to Holepunch in 2021. It is essentially this system, a mobile app UX, and Bitcoin integration which forms the Synonym/Slashtags stack. There is a lot of historical investment, new focus, and promising product design in the Synonym ecosystem which is forming about the this 'web of trust' distributed data system. The suite will rely on Pear Credits to enable Tether dollars to be passed around within the system.

This may foster adoption in emerging markets. The critical path nature of the Tether integration, and the complex intermingling of Synonym, Hypercore, Bitfinex, Tether, and Pear credits are potentially red flags, and though the technology stack is quite interesting only Pear Credit are really useful to our design.

6.3.4 Nostr

Nostr [pronounced no-star] is a decentralized open protocol that aims to improve the social media experience by addressing issues of censorship and data collection. The protocol operates by allowing users to post and view notes on servers called relays, and view and post these notes through apps called clients. The open nature of the protocol allows for competition and a free flow of information, as users can choose to use different relays or clients if they are censored. This is because the protocol is decentralized and controlled by no one.

The decentralized nature of Nostr means that there is no central authority that can control the flow of information. This is achieved through the use of relays and clients, which are run by different individuals or entities. Users have the freedom to choose which relays and clients they want to use, and as a result, their feeds are populated with content from the people they choose to follow. If a relay or client tries to censor a user, they can simply switch to a different one. This is a major advantage over traditional centralized social media platforms where one entity holds all the control over the flow of information and can censor or manipulate the content that users see.

Nostr is also not beholden to shareholders or investors. This means that the protocol can make decisions that prioritize the well-being and quality of discourse for users, rather than solely focusing on profit. This is in contrast to traditional social media networks like Twitter, Facebook, and TikTok, which are driven by the need to collect data on users and sell ads to generate revenue. In these centralized platforms, users' data is collected, analyzed and sold to the highest bidder, often without the user's knowledge or consent. Nostr, on the other hand, allows users to have more control over their data and the ability to monetize their content.

Nostr also tightly integrates Bitcoin Lightning to support the protocol. This will hopefully enable secure transmission of value alongside the information and interactions on the platform. It also gives users the ability to monetise their content.

This potential step-change improvement to the social media experience for everyday people addresses issues of censorship and data

collection.

Nostr is “The simplest open protocol that is able to create a censorship-resistant global “social” network once and for all.” according to it’s github page. More than that it’s a client side validated proof of who a user is interacting with, hence being in this identity section. To be clear, it’s not a completely peer to peer system in that it uses (very dumb) relay servers, but this gives it some of the best characteristics of both paradigms. This has the following advantages for our metaverse application;

- it’s lightweight, with minimal network overhead and complexity
- it’s real-time using websockets
- anyone can run a relay server, so one can be run in the deployment in the final section of the book.
- Each of the client peers connecting to the metaverse can be a relay and able to pass messages and proofs to the other clients without the metaverse server seeing the data or being online
- it’s open-source
- it is itself Turing Complete and therefore able to execute any code within it’s message protocol
- there are multiple usable libraries and tools
- it’s under active development with an excellent team. The lead, ‘Fiatjaf’ is one of the most prolific developers in the lightning space.
- it’s based on the same underlying cryptographic technology we are using elsewhere, indeed with it’s use of Bitcoin keys the identity system is global
- it provides the identity proof that we need to validate users and objects into a virtual space
- it enables message passing
- it scales to be a social network as required
- it need not rely on anything outside of a relay hosted on the metaverse server
- it can be scaled to provide one to many bulletin board style applications within the metaverse
- we can use it in private, group, and public modes as required
- it integrates with the torrent network allowing storage and external referencing of arbitrary data
- it can easily operate outside of the walled garden of the metaverse, extending the reach of the messages

Nostr is incredibly promising, and integrating these relays in the metaverse servers and clients of the proposed technology stack in this book

might allow us globally provable identity, with privacy by design. It can provide message passing. If all entities in the collaborative mixed reality scenegraphs are also Nostr key pairs then schema can be applied consistently with the economic layer using the same key system as Bitcoin. Nostr has just received a substantial grant from Dorsey. It is core to the design later in the book. A curated list of projects and libraries is available on [github](#).

Luke Childs says: “*Nostr makes a good candidate to be used as a very simple DID layer. Having "Login with Nostr" auth on websites solves a lot of problems in a very elegant way, and Nostr's main use case as a social network protocol makes it highly suited to be used as your main identity proving key. Compare "Login with Nostr" to similar "Login with Lightning" (LNURL-auth) specs to see some easy and obvious advantages:*

Remote signer vs local signer

Login with Lightning requires access to remote keys, login with Nostr requires access to local keys ideally stored in a browser extension. Due to the way Lightning works you can only really have one instance. You need all your client devices linked to a single Lightning node, this means most clients will be connecting to the signer remotely. Now if your Lightning node goes down or you lose your connection you also can't auth with any service. This could cause circular dependencies where you lose the connection to your Lightning node so you can't auth with the services you need to access to debug the issue with your Lightning node like your hosting provider or VPN account. You could technically solve this by replicating your LN keys to other client devices only to be used for local auth signing but that introduces other risks.

Unique identifier vs identity

A Lightning node is not really an identity but a unique identifier. It just tells you the person that auths is the same random person that authed last time, it doesn't tell you who they are. A nostr pubkey is an identity. It tells you who they are, what their name is, what they look like, who they know, how you can pay them, how you can message them.

This is much more useful as an identity layer for an application. The application can show their profile picture, username, send secure cross platform push notifications via NIP-04 encrypted Nostr DMs, etc.

Consistent identity across services

Lightning pubkeys are sensitive private information and can leak confidential financial information, Nostr pubkeys are safe to share with anyone. LNURL-auth adds extra steps to solve this by creating derived subkeys for identities that are unique to each service you auth with.

This does not seem ideal, it seems the default case is that an identity is something that you do want to follow you across all your accounts. Nostr based auth behaves more appropriate in this regard. In the rare case you need to achieve privacy and separation between certain services you can still do that by using use a throwaway Nostr key for those services.

User relationships across services Since authing with Nostr shares a real social identity with the service, they can also see your Nostr social graph. This could be useful for connecting you to people you already know on the new service.

Low cost identity

Ideally identities should be easy to create but hard to build up reputation to limit spam while avoiding excluding people from the network. It's not clear that it will be cost effective / scalable for everyone to run their own Lightning node so tying individual identity to a single Lightning node pubkey is problematic. Nostr keys are easy to create and hard reputation can be earned via PoW/DNS or building a strong social graph."

Figure 6.2 shows that the adoption is potentially tremendously fast. This provides a web interface into the metaverse providing:

- simple cryptographic identity assurance
- private peer to peer chat
- group chats and channels
- email to private message relay
- links into media on web hosts

The pace of development on Nostr is dizzying. Peer to peer video and audio will allow us to link metaverse instances, between peers, through applications such as Monstr.

It's notable that Nostr has its own inexpensive hardware signing device to protect identity in situations where this might be necessary. **The proposed integration of Nostr social media and messaging, a lightning layer with digital objects such as RGB, AI agents, Vircordia, and federated Bitcoin is the core value proposition of this book.** This work pre-dates Meta and Zuckerbergs stated intent in this regard by 18 months, and is differentiated still by our focus on emerging markets and decentralisation.

6.3.4.1 NIP-05

At this time, the nascent identity layer in nostr leans on NIP-05. This is a distributed identity management system that maps Nostr keys to DNS-based internet identifiers. In events of kind 0 (setmetadata), the




Figure 6.2: An illustration of the enthusiasm for Nostr compared to traditional DID based on GitHub ‘stars’.

“nip05” key can have an internet identifier as its value. Clients split the identifier into the local part and domain and make a GET request to the specified URL. The response should be a JSON document with a “names” key containing a mapping of names to hex-formatted public keys. If the public key matches the one from the setmetadata event, the client accepts the association and considers the “nip05” identifier valid.

Clients may find users’ public keys from internet identifiers by first fetching the well-known URL and then checking for a matching “nip05”. When following public keys, clients must prioritize the keys over NIP-05 addresses. Public keys must be in hex format. Clients can enable user discovery through search boxes, allowing users to find profiles by entering internet identifiers. The identifier can be used as the “root” identifier, displayed as just the domain. The protocol supports both dynamic and static servers by using the local part as a query string.

6.3.4.2 Nostr Protocol as the keystone

The Nostr protocol can be used to store and share valuable content across the network. This is ably demonstrated by the ‘Highlighter’ project which allows users to store important notes from around the

web using nostr. In the context of our federated social media trust model, the Nostr protocol can serve as the underlying layer that connects various instances of virtual spaces, thus enabling seamless data exchange and interoperability among them. Highlighter demonstrates that nostr events can be leveraged to create, store, and interact with valuable across networks. By utilizing this concept, we can extend the functionality to support federated social media trust, allowing users to carry their reputation, identity, and cryptographic proofs across different virtual spaces and social media platforms.

6.3.4.3 Nostr marketplace in LnBits

The nostr markets plugin for LnBits allows virtual ‘stalls’ to be setup and payment to be mediated through nostr. This is obviously a great expansion to the usefulness of our integration

6.3.4.4 Integrating Cryptographic Proofs and Reputation

To create a trusted environment within the federated network, we must establish a mechanism for importing and verifying cryptographic proofs from various sources, such as social media sites and other digital platforms. By doing so, we enable users to bring their existing reputation and trust from these platforms into the new ecosystem, thus facilitating trust-based interactions and collaboration within the network. We can leverage the Nostr protocol and the NIP05 specification to import these cryptographic proofs, creating a secure and verifiable system for identity management and trust propagation. The NIP05 specification allows for the creation and verification of identity proofs within the Nostr protocol, thus enabling the seamless integration of trust and reputation data from external sources.

By utilizing the Nostr protocol as the underlying layer, we can establish connections between objects, people, and AI actors within the federated network. This interconnected ecosystem allows for seamless collaboration, information sharing, and trust-based interactions among all participants. The open-source collaboration infrastructure we propose can facilitate the development of various applications and services that leverage the federated network, such as virtual workspaces, AI-assisted creativity tools, and more. The uncensorable nature of this protocol further supports the inclusivity and accessibility we feel so important, ensuring that participants from different regions and backgrounds can take part in the digital society and contribute to its growth.

This federated social media trust model, built on the Nostr protocol, allows for the establishment of a robust, inclusive, and trust-based net-

work that connects various virtual spaces, social media platforms, and AI systems. By leveraging the lessons learned from the other attempts in the space, and by maximising the inclusion of external cryptographic proofs from multiple sources, we can create a comprehensive trust system that fosters collaboration, innovation, and shared growth within the digital society.

The Nostr protocol, with its decentralized and open-source nature, provides a solid foundation for linking and federating objects, people, and AI actors across collaborative spaces in digital society. By leveraging the Nostr protocol, we can build a robust and trust-based network that interconnects various virtual spaces, social media platforms, and AI systems. One of the key aspects of this trust-based network is the ability to import cryptographic proofs from different sources, similar to Keybase's approach to importing proofs from various social media sites (Keybase Proofs).

6.3.4.5 CivKit

CivKit, short for Civilization Kit, is an upcoming white paper from [Commerceblock](#), discussing a decentralized and unstoppable free market solution based on Bitcoin. The project aims to build on top of Bitcoin to create an environment where anyone can trade anything with anyone else.

Phase one focuses on creating a marketplace built on top of Nostr, an interoperable communication protocol. This allows different services like Paxful, HODL HODL, or Nostr app to communicate and operate across each other.

Phase two aims to develop a mobile-friendly lightning wallet and decentralized IDs (Know Your Peer) to replace centralized KYC (Know Your Customer). This will provide a more secure and private environment for traders.

CivKit is intended to be an open-source decentralized toolkit that various brands and platforms can build on top of. The goal is to facilitate peer-to-peer trading and encourage a more circular economy where people earn and spend Bitcoin rather than buying and selling it. While details are sparse it seems possible that this technology can be integrated into our systems.

6.4 Micropayment based web

It seems the war against disinformation is now being lost. Much is written in the media about Deepfake technology creating plausible

fake videos, but probably more pernicious is the use of toolkits to create entire plausible fake news sites using natural language AI such as GPT3. This makes it cheap to publish potentially market moving news which is then rehypothecated by online news vendors who are hungry for clicks. As these pipelines become more mature it will be difficult to keep fake news for financial or political gain out of the system. One interesting way to do this that *isn't* webs of trust or true cryptographic identity is to charge micropayments for “one to many” publication models. This would imply a tiny instant payment for clicks, especially on social media sites such as twitter. This kind of model has been discussed but is only possible in the context of systems such as Lightning where instant micropayment can be realised. It seems possible that this would price out speculative ‘noise’ spam from the information space. It’s interesting and ironic that the origin of proof of work was to underpin just such a spam defeating system [14], and that Nakamoto mentioned this application for Bitcoin back in 2009. There is now much chatter about the integration of Bitcoin with Twitter in light of Musks buyout of the social network. .

6.5 Are DAOs useful for us?

A distributed autonomous organisation, or DAO is a governance structure which is built in distributed code on a blockchain smart contract system. Token holders have voting rights proportional to their holding. The first decentralised autonomous organisation was simply called “The DAO” and was launched on the Ethereum network in 2016 after raising around \$100M. It quickly succumbed to a hack and the money was drained. This event was an important moment in the development of Ethereum and resulted in a code fork which preserves two separate versions of the network to this day, though one is falling into obsolescence. Again, this is covered in Shin’s book on the period in extreme detail, but it seems this stuff is falling into dusty history now, leaving only a somewhat tarnished and technically shaky legacy [29].

In practice DAOs have very few committed ‘stakeholders’ and the same names seem to crop up across multiple projects. Some crucial community decisions within large projects only poll a couple of dozen eligible participants. Its might be that the experiment of distributed governance is failing at this stage.

Perhaps more interesting is the use of the DAO concept to crowd fund global projects, currently especially for the acquisition of important art or cultural items. DAOs are also emerging as a way to fund

PRODUCT	BLOCKCHAIN	CRYPTOCURRENCY	PRODUCT OVERVIEW
Arweave	No	Arweave (AR)	Designed for data permanence, Arweave is a blockchain-like peer-to-peer storage protocol that is 100% community-operated. The permaweb, an immutable environment, is its application that enables data storage and other functionalities.
BitTorrent	Yes	BitTorrent Token (BT1)	One of the oldest and most well-known decentralized data storage networks, BitTorrent has evolved into an entire suite of products, including the BitTorrent File System. The file system aims to reduce storage costs, improve fault tolerance and avoid government censorship. It is suitable for both file transfer and storage.
Filecoin	Yes	Filecoin (FIL)	Filecoin is a decentralized storage network that provides an open market for storing and retrieving files across an InterPlanetary File System connection. Users pay to store their files on storage miners, which can be any internet-connected computer or dedicated system with spare disk space.
Safe Network	No	Safecoin (MAID)	The Safe Network is built by MaidSafe to provide an autonomous and secure environment for storing and delivering data without human intervention. The network also provides a platform for decentralized websites, using the same cryptocurrency.
Sia	Yes	Siacoin (SC)	Sia is a peer-to-peer storage network that provides a marketplace in which renters form file contracts with hosts to create cryptographic service-level agreements that they store on the Sia blockchain. Sia distributes file segments to nodes across the globe to ensure redundancy and eliminate single points of failure.
Storj/Tardigrade	Yes	Storj (STORJ)	The Storj Network provides a decentralized storage infrastructure that enables node operators to deliver storage that can be consumed by Tardigrade customers. Storj offers a fixed pricing structure and is S3 compatible, with support for a wide range of use cases.
Utopia	Yes	Crypton (CRP) and Utopia USD (TOPIA)	The Utopia peer-to-peer network is billed as helping to reclaim online freedom and anonymity. Its secure communications prevent government and third-party surveillance. Users store data in encrypted containers.

SOURCE: ROBERT SHELDON AND BRENNAN POSEY

©2020 TECHMATEX. ALL RIGHTS RESERVED. Techmatex

Figure 6.3: Comparison of distributed file stores

promising technology projects, though this is reminiscent of the 2017 ICO craze which ended badly and is likely to fall foul of regulations.

Within the NFT and digital art space PleaserDAO has quickly established a strong following. “PleasrDAO is a collective of DeFi leaders, early NFT collectors and digital artists who have built a formidable yet benevolent reputation for acquiring culturally significant pieces with a charitable twist.

Opensea wrangle between IPO and governance token.

ConstitutionDAO, Once upon a time in Shaolin etc

6.5.1 DAOs on Bitcoin

6.5.1.1 Bisq DAO

One of the better designed DAOs is Bisq DAO. It's slightly different design tries to address the issue of overly rigid software intersecting with more intangible and fluid human governance needs. From their website:

“Revenue distribution and decision-making cannot be decentralized with traditional organization structures they require legal entities, jurisdictions, bank accounts, and more—all of which are central points of failure. The Bisq DAO replaces such legacy infrastructure with cryptographic infrastructure to handle project decision-making and revenue distribution without such central points of failure.”

6.5.1.2 Stackerstan

Stackerstan is a layer two protocol that operates on top of the Bitcoin and Nostr protocols. It aims to provide a decentralized and efficient platform for people to collaborate and build valuable products and services, without the need for agreement on what to build or how to build it, in a fully decentralised way.

Github contributor GazHayes has a writeup which is paraphrased below, explaining this very new and emergent technology stack.

The Stackerstan protocol is designed to be infinitely scalable, due to the absence of “organizational mutexes”.

Stackerstan was anonymously posted in the Nostr telegram group at the end of 2022 and is a new project that aims to offer a more efficient and decentralized way of solving problems compared to existing companies, institutions, and decentralized organizations. It utilizes a combination of existing technologies, protocols, and concepts to create a system that allows people to spontaneously organize into highly efficient and intelligent groups. The platform is designed to be fair

to everyone involved and is completely non-custodial, meaning that it doesn't require a shared pot of money or any funding.

- Anyone can become a participant in Stackerstan by being added by an existing participant, creating a tree of participants that can be severed if a bad actor is present.
- Work is done within Stackerstan by continuously identifying problems and applying the simplest possible solution to these problems, expanding the scope of what Stackerstan can do.
- Any participant can log a problem and claim it to solve it, and the scope of what can become a problem to solve is not limited.
- Shares are created by a participant filing an expense to indicate the relative value of their work, which is a request to be repaid when Stackerstan generates revenue.
- Shares are approved expenses, and the only way for new shares to be created is by approving expenses for work done to solve problems.
- Participants with shares can vote to approve or reject new expenses, and there are rules to follow when voting on expenses.
- Stackerstan was created at block 761151 and has a single share to bootstrap the process, with a small number of shares created by approved expenses so far.
- Shareholders own all revenue generated by Stackerstan's products and services, and revenue is distributed through two algorithms: first, paying back expenses in the order they were filed, and second, streaming dividends to whoever has received the least dividends per share owned.
- Stackerstan is non-custodial and does not require a shared pot of money, making it more effective and avoiding toxic situations.
- Voting on things like approving expenses is done with votepower, which quantifies a participant's skin in the game.
- Lead time is a measure of a participant's votepower and can be increased or decreased by one unit every 2016 blocks.
- A participant's shares can only be transferred if their lead time is 0, and a participant can reduce their lead time to sell their shares.

6.5.1.3 Mindmachine

The Mindmachine is a stateful Nostr client written in Go. This text is directly quoted from the [GazHayes](#) github.

- Participants interact with the Mindmachine using Nostr Events. The Mindmachine subscribes to all Nostr event Kinds that it can handle, and attempts to update its state by processing them based

on the rules in the Stackerstan Superprotocol.

- If an Event successfully triggers the Mindmachine to change state, the Event ID is appended to a Kind 640001 Nostr Event which the Mindmachine publishes once per Bitcoin block.
- The Mindmachine can rebuild anyone's state by subscribing to their 640001 events and replaying the list of Nostr Events contained within.
- Consensus is based on Votepower. When a Participant with Votepower greater than 0 witnesses a new Mindmachine state, the Mindmachine hashes the state and publishes it in a Kind 640000 Nostr Event. This is effectively a vote for the witnessed state at a particular Bitcoin height.
- A Mindmachine state is considered stable when in excess of 50% of total Votepower has signed the same state and there is a chain of signatures back to the Ignition state. There are mechanisms to deal with voters disappearing.
- Participants who have a lot of Votepower will want to be able to prove they had a certain Mind-state at a particular height. To do so, they broadcast a Bitcoin transaction containing an OPRETURN of the state.

Because of the tight integration with Nostr it seems that if we were to allocate work to open communities then this would be the way to do it.

6.5.2 Risks

The most interesting thing about DAOs is that they belong more in this money chapter than they do in blockchain. As we have seen they're finding most success as loosely regulated crowd funding platforms. If a small company did find itself wishing to explore this fringe mechanism for raising capital, then we would certainly recommend keeping a global eye on evolving regulation and the onward legal exposure of the company.

6.6 Risks & Challenges?

Classic DID/SSI risks fragmentations. In all DID applications, scaling to a world where the user is managing potentially thousands of these critical cryptographic data files is daunting. Abstracting the guts of this away to make the use simple, and only mindful of the right level of information, turns out to be huge problem that nobody has solved. It's not clear that users want this. In the case of web of trust like

Slashtags it's a big piece of work for the users to rate all of their digital interactions with a trust metric.



7. Digital Objects & NFTs

Nonfungible tokens are a whole ‘class’ of digital token, separate and distinct from everything discussed to this point. They are generally recognised in law as property in their own right [143, 144]. In the Initial Coin Offering (ICO) and project tokens detailed earlier, and limiting this description to the Ethereum network for now, a project launching an ERC-20 token commits contract code to the blockchain, and this contract then mediates the issuance and management of millions or billions of tokens associated with that project, and it’s use case. ERC-20 is a fungible token issuance. Each of the projects’ tokens is interchangeable with any other token. They’re all the same from the point of view of the user.

Rather than the ERC-20 contract type used for fungible token issuance NTFs predominantly use ERC-721 protocol on Ethereum (just different instructions). It’s the case that most NFTs in the 2021/2 hype bubble are algorithmically generated sets of themed art (so called PFP-NFT). Tens of thousands of distinct tokens are ‘minted’, each one being a complex transaction commitment to the Ethereum blockchain, along with it’s associated gas fee. These minting events were much hyped social occasions (before the 2022 market crash), and happened very quickly, with users clamouring to create art with randomly allocated features from the art schema associated with the project. Lucky winners could find themselves with an NFT art piece with more than an average

number of ‘rare’ features. If the overall mint becomes more popular, then the secondary market for all of those mints goes up, and because of the liquidity premium they can go up a lot. The perceived rarer mints go up a lot more. This whole process is very energy intensive on the chain, and the vast majority of these project simply trend to zero value. In response to this appalling cost benefit analysis the Ethereum foundation have proposed [EIP-2309](#) to make minting NFTs more efficient. They say “This standard lets you mint as many as you like in one transaction!”

The Ethereum foundation give their somewhat constrained view of NFTs on their website and it’s a useful primer. On that page they detail some of the use cases, as listed below, with a critique added:

- Digital content; this is the dominant use case right now. Much more on this later.
- Gaming items; again more on this later, it’s an obvious enough use case but complex politics in the intersection of games and crypto have stalled the adoption curve.
- Domain names; this is just starting to reach for applications now, why not a database with the ISP/host?
- Physical items; seemed like a clear over-reach as transfer of the NFT does not imply transfer of the object, but this is emerging as the growth use case.
- Investments and collateral; while this was an emergent option in the space, it’s likely been a bubble, as owners of the tokens cast around for additional liquidity, and loan businesses chased yield with higher risk. The recent implosion of lenders and funds in the crypto space was partly a function of supposedly world class risk managers accepting jpegs as collateral.

Moving away from Ethereum, NFTs can be minted on most of the other level one chains. Solana is a great newcomer example. Sol is a terrible chain with regards to decentralisation, but thanks to that it’s far cheaper and faster to mint NFTs on it, and it was becoming a troubling competitor for Eth before the FTX ponzi scheme collapse destroyed its market value (Figure 7.1).

The same might be true for Cardano’s ADA, though ADA is struggling to hold onto its market position despite some technical advances. It’s worth reiterating here that the nature of these digital tools likely makes for a ‘winner take all’ market dynamic over time. With fees being central to this generative NFT use case it’s possible to see that highly centralised, fast, and cheap chains will capture and eventually dominate the space. Remember that this likely (game theoretic)

Magic Eden statistics

This data represents the raw on-chain activity of the tracked smart contracts



OpenSea statistics

This data represents the raw on-chain activity of the tracked smart contracts




Figure 7.1: Solana NFT markets are enjoying growth compared to OpenSea on Ethereum, even in the downturn.

outcome might as well be a database running without the stark inefficiencies of blockchain. The whole NFT space is a gamble on consumer enthusiasm for spending money continuing to outpace logic.

Astonishingly, according to a JPMorgan insider market report (reported on in a podcast), only around 2 million people have ever actually interacted with NFTs. One analysis suggests that a single entity accounts for 3 of the top 4 holders, having made 32,000 ETH from the NFT boom. This suggests heavy market manipulation and is far from the egalitarian landscape claimed in the hype. Tellingly it's thought around 10% of the trading volume on market leading platform 'Super Rare' was by the now bankrupt venture capital firm 'Three Arrows'.

With that said NFTs have clearly allowed digital and new media artists to connect with audiences without gatekeepers. Established mediators and curators of art have been caught totally wrongfooted, and NFTs seem to give a way for them to be cut out completely. There are suggestions of applications beyond this initial digital art scope. This is a compounding, and disrupting paradigm change.

7.1 Key use cases

7.1.1 Art

The recent surge of interest in NFT's during early 2021 has largely been driven by digital art NFT's, despite the origins of digital art NFT's started much earlier in 2014. New York artist Kevin McCoy's *Quantum* is widely recognised as the first piece of art created as an NFT. However it was during early 2021 that art NFT's started to gain significant attention; by the end of 2021, nearly £31b had been spent on NFT purchases, a considerable and exponential growth given 2020 sales of ~£71m High profile digital artists such as *Beeple* whose recent recording break sale of his NFT "*The first 5000 days*" (Figure 7.2) at Christies (a long established British auction house, specialising in high profile precious work of art) for £52.9m helped bring NFT's into the public spotlight and wider give them global attention.

Art as NFT's offer the following advantages:

7.1.1.1 Immutable Nominal Authenticity

Art fraud such as false representation, forgeries, plagiarism have been a reoccurring blight since art has existed; artists and works of art have been open to abuse by forgers, black market profiteers and even fellow artists laying claim to works of art of others. Unless a work of art is sold, exhibited or listed, documenting when and who created it, the *nominal authenticity*, which Dutton states as the "*correct identification of the origins, authorship, or provenance of an object*" [145] can be increasingly mutable over a period of time, dependent on a multitude of factors, including; the artists existing profile, how widely and where the work of art is exhibited, if the work of art is commissioned by a patron, if it's sold, and profile of the buyer/collector. At its most basic level, once a work of art is 'minted' as an NFT (publishing the art work as a unique token on the blockchain) this functions as an immutable publicly accessible proof of ownership and by extension proof of creation. The act of minting is not purely limited to digital art; all an artist requires is a digital representation of any physical art (sculpture, physical painting, installation etc..) which can be used as a proxy allowing artists to record the date of creation/origin of a physical piece of art on the blockchain, a buyer purchasing the NFT can be provided the actual physical artwork as part of the NFT. Nominal authenticity becomes secure and immutable for the lifetime of the blockchain (by no means assured).




Figure 7.2: Beeple: First 5000 days, taken from the Christies website, assumed fair use.

7.1.1.2 Secure Digital Provenance

Provenance (or the chain of custody) is an important aspect in works of art, antiques and antiquities. Provenance not only helps assign work to an artist but also documents ownership history. Digital provenance, an inherent feature of NFT's means provenance now no longer becomes what has historically sometime been a contentious detective's game at the best of times; one that is open to fraud, misinterpretation and entirely reliant on good record keeping.

Since provenance can contribute to the value of a piece of art (benefiting both the creator and collector) the use of the blockchain as an open, secure ledger is a far more trustworthy system than traditional methods of artistic provenance that were cobbled together; often consisting of a mix of physical and digital documents spanning private &

public sale receipts, art/museum gallery exhibitions and private record keeping). Digital provenance provided when an artist ‘mints’ a piece of art into an NFT allows artists and collectors to record a secure, permanent unalterable history of transactions for a specific piece of art, providing future collector complete trust in the origin and custody of a piece of art.

7.1.1.3 Decentralised automated royalty payments

Traditionally if a piece of art is sold, the first sale may (but not always) benefit the artist financially, however secondary and any subsequent sales would only ever financially benefit the buyer/collector; the original artist would rarely benefit. However If a work of art is minted into an NFT, royalty payments can be predetermined and automated in perpetuity directly by the use of a ‘smart contract’. Smart contracts are small, automated scripts/programs that run automatically and independently of a buyer/seller; pre-determined conditions are set by the buyer; these trigger when certain conditions are met i.e. These cannot yet be enforced “on chain” and the NFT auction houses online have engaged in a race to the bottom and stopped enforcing royalty payments through their systems. This element might not even be possible, though there is some hope that we could enable this in the complex logic offered by the RGB protocol.

7.1.1.4 On sale transfer

20% of total sale amount into digital wallet of the creator. 80% of total sale amount into digital wallet of the seller.

Once the royalty payment rate is set by the artist/creator, future royalties of all sales can be paid directly to the artist/creator account (via a digital wallet) without the need of a third party (traditionally a gallery/agent etc..).

Smart contract driven NFT’s means that even if piece of art is resold 5, 10 or even a 100,000 times moving through 5, 10 or even a 100,000 different collectors; a pre-determined royalty payment rate set by the creator would still guarantee the artist/creator is paid directly from each and every future sale.

Historically provenance for works of art may span across generations, for instance Gabriël Metsu’s oil on canvas painting *The Lace Maker’s* provenance, first recorded in 1722, now spans 300 years of ownership, including from a British Baron in the 19th century to an American philanthropist in the 20th century.) Metsu died young at the age of 38, leaving a widow; neither his/her relatives/descendants benefit

from his original work, 300 years later this would be near impossible to facilitate with traditional systems, as even legal contracts are open and prone to the ravages of time.

NFT smart contracts hold an incredibly potential; an artists descendants financially benefiting directly from the resale of a piece of work long after the artist/museum's/gallery or even state have turned to dust as long as the original creator's digital wallet is accessible, *the blockchain becomes an everlasting digital patron* ensuring

NFT art currently suffers from the same failure of decentralisation already discussed in the Ethererum technology stack, but this is compounded by the normalisation of intermediate art brokers continuing to custody the NFTs even after sale. They are usually selling a pointer to their own servers. The market is nascent and evolving, but it's currently not delivering on it's core promise.

Proof of ownership is intuitively a pretty obvious application for the technology, but again it's hard to justify the expense when the benefits are so slim. Bulldogs on the blockchain is a clear gimmick, and might even incentivise poor behaviours as there are two products here which are not necessarily aligned. Much has been written over the years about deeds to property being passed through blockchains, cutting out the middle man, but in the event that a house deed NFT was hacked and stolen it's obviously not the case that the property would then pass to the hacker.

One of the most interesting companies is Yuga Labs, who launched the incredibly popular Bored Ape Yacht club set of 10,000 algorithmically generated NFTs. These Ethereum based NFTs were based loosely on the 'Crypto Punks' model of PFP-NFT (variously profile picture project, picture for proof, and picture for profile - no definition remains uncontested for long). Yuga launched with a better commercialisation model for the holders, and a strong marketing drive into celebrity circles. They now regularly change hands for hundreds of thousands of pounds. Even this 'blue chip' NFT is not without serious criticism: "*I'd put it at 99.99% the project is in fact a deliberate troll, intentionally replete with Nazi symbols and esoteric racist dog whistles*"

Yuga recently bought the artistic rights to the commercial reuse of similarly popular (and preceding) Punks set. This is interesting because they have again handed the commercial re-use rights to the owners of the individual NFTs. This raises the same confusing problem with attaching commercial rights to an easily stolen token as NFTs for real estate does. This has been demonstrated recently when Seth Green had a Bored Ape stolen after creating an animated show around it's IP. Many

more contradictions and ambiguities in NFT licenses are emerging. Galaxy Digital have surveyed the landscape: “*Contrary to the ethos of Web3, NFTs today convey exactly zero ownership rights for the underlying artwork to their token holders. Instead, the arrangements between NFT issuers and token holders resemble a distinctly web maze of opaque, misleading, complex, and restrictive licensing agreements, and popular secondary markets like OpenSea provide no material disclosures regarding these arrangements to purchasers. Something more is required, and that ‘something’ is a legal agreement between the owner of the image—known as the ‘copyright holder’ and the NFT holder specifying what rights the NFT holder has with respect to the image. To the extent an NFT purchaser has any rights to the image associated with his or her NFT at all, those rights flow not from his or her ownership of the token, but from the terms and conditions contained in the license issued by the NFT Project governing the NFT holder’s purchase and use of the image. Accordingly, for the vast majority of NFT projects, owning the NFT does not mean you own the corresponding digital content that is displayed when you sync your wallet to OpenSea. That content, as it turns out, is owned and retained by the owner of the copyright associated with that digital content, typically the NFT project. After reviewing the most used license agreements for NFT projects, it becomes apparent that NFT standards and smart contracts do not recognize off-chain law.*” There may already be a response from the industry to this in the shape of a16z’s “can’t be evil” license proposal.

Even so, the community around these collections is incredibly strong, mixing developers, artists, the rich and famous, and the fortunate and early, into a cohesive community who communicate online. The developer ‘good will’ is enormous, and it seems possible that this will lead to faster and broader innovation around the collections, and out into metaverse applications. The brand is strong, and the individual NFT items both benefit from, and reinforce that brand, while adding personal narratives and human interest.

As a gauge of how frothy this market still is it’s interesting to look at the APE token which Yuga just launched. They airdropped 10,000 of the tokens free to each of the 10,000 NFT holders. This instantly created a multi-billion dollar market cap, and a top 50 ‘crypto’ out of thin air, based purely on their brand. It’s clear that there is both brand, and a market here.

A recent report from "Base Layer" tries to capture the community ‘feature’ of big brand NFTs. “Crypto culture decoded” explains that is

is these online communities which are the attraction not necessarily the art. This is a powerful ‘in group’ argument, though speculation remains the most likely underpinning.

While it is likely that this is currently a speculative bubble, that is waning already (Figure 7.3), it seems certain that the technology is here to stay in some form.




Figure 7.3: The bubble bursts on Yuga Bored Apes for now.

7.1.2 Computer & Video Games

Computer & Video games are a huge global business, exponential global growth over the last 30 years has seen this grow to a point where it has eclipsed both the global movie and North American sports industries combined.

A global industry with revenues over £120b, with ~half the people on the planet playing some form of games in 2021.

As the games industry has evolved and matured over the last 40 years, secondary markets have emerged, most notably the ‘second hand’

games resale market. The rise of ‘retro’ gaming, has demonstrated the second hand market is a lucrative one for private resellers, an unopened copy of Super Mario Bros for the Nintendo Entertainment System recently selling for £1.5M to the extent the market has seen speculators looking to cash in on the huge global interest in retro/second hand games.

Despite publishers and developers increasingly moving to non-physical digital only’ games, the demand for used games remains incredibly high.

Whilst some retailers have adapted their business models to include reselling of retro/second hand games, the vast majority of publisher/developers/retailers aren’t able to directly benefit from the emerging retro/second hand games market. The potential of *video games as NFT’s* presents a huge opportunity for publishers, developers and players alike, offering the following advantages:

7.1.2.1 Royalty Sales on Pre-owned Games

; A predetermined proportion of any resale of a used game can automated in perpetuity via smart contracts; once these are set by the publisher, future royalties of all sales can be paid directly to the publishers/developers wallets (a digital account) without the need of a third party (traditionally a retail entity). Traditionally only the initial first sale of a game would financially benefit the publisher/developer/retailer, secondary and subsequent sales would only ever financially benefit the purchaser, with many developers/publishers arguing this is hurting the wider industry through the loss of significant income generated by the secondary and subsequent sales, sometimes over the course of decades. However the use of NFT’s smart contracts means that if a game is sold/resold through 10,000 collectors; a pre-determined royalty payment rate set by the publisher would still guarantee the publisher (and or developer/retailer) takes a proportion of any future sales.

7.1.2.2 Monetisation of User Generated Content:

Games as a NFT’s offer ability to monetise UGC: User generated content. Video games such as Nintendo’s *Pokemon Go* (166 million players), Bungie’s *Destiny 2* (38 million players) or miHoYo’s *Genshin Impact* (9 million players) all have large, established and significant player bases. What is noteworthy, the games are designed to encourage players may spend hundreds, or in some cases thousands of hours on one game alone; according to [Destinytracker.com](https://www.destinytracker.com), the top players have amassed total play times over 20,000 hours, close to 1,000 days or ~ 3

years, which is incredible feat given Destiny 2 only launched 5 years ago in 2017.

Destiny/Pokemon Go and Genshin Impact revolve around a central key game mechanic; players investing significant amounts of time collecting in game digital assets; characters/weapons/items, often classed as ‘rare’ or ‘exotic’ or ‘5 Star’. These collectibles usually found by a combination of the accrual of in-game time, completing quests, purchasing additional in-game items/boosters, and luck (‘RNG’). Players are often encouraged to share their collections of rare characters/weapons/objects through in-game achievements, triumphs, scores acting as a mark of distinction/status symbol.

Traditionally there has been nothing that went beyond sharing the *digital badge* (i.e triumph/achievement/accomplishment) on a social media/gamer’s platform profile. However NFT’s offer the ideal system for developers/publishers and even players to monetise user generated/customised data (such as a players unique save game data), simultaneously allowing: a) creation of an additional monetised ecosystem to meet player demands i.e. some players who are willing to monetise and ‘sell’ their invested time in a particular product/service to other players with little time but willing to pay other players for ‘grinding’ (progressing laborious in game tasks) and a more advanced in-game progression point. The potential to provide publishers/developers with an additional long-term income stream, providing a better ROI on computer & video game development, which in many instances can cost hundreds of millions in development costs spanning 5/10 years, is undeniable.

7.1.2.3 Play to earn revenue models

This is morally dicey at this time and early startups like Axie Infinity are in serious trouble. A (long) video by Dan Olsen highlights the structural problems with both play to earn and NFTs. On chain analysis suggested that 40% of accounts in 200 current Web3 games are bots.

7.1.2.4 Monetizing In game collectibles

customisable in game assets (vanity items such as cosmetic character skins/clothing or collectible items that offer player advantages(new weapons/vehicles/mods etc,..)

Traditional gamers have pushed back on the seemingly useful idea of integrating NTFs with traditional games. This may be in part because Ethereum mining has kept graphics card prices high for a decade.

HBAR partnerships

Critique from Marc Petit of Epic and Unreal.

The following text is from Justin Kan, co-founder of twitch: “*NFTs are a better business model for games. Many gamers seem to be raging hard against game studios selling NFTs. But NFTs are also better for players. Here's why I think blockchain games will be the predominant business model in gaming in ten years. NFTs are a better business model for funding games . Example: recently I invested in a new web3 game SynCityHQ. They are building a mafia metaverse and raised \$3M in their initial NFT drop.*

NFTs give studios access to a new capital market for raising capital from the crowd.NFTs can be a better ongoing model for games. Web3 games will open economies, and by building the games on open and programmable assets (tokens + NFTs) they will create far more economic value than they could from any one game. Imagine Fortnite, but other developers can build experiences on top of the V-Bucks and skins. Epic would get a royalty every time any transaction happens. As big as Fortnite is today, Open Fortnite could be much bigger, because it will be a true platform. NFTs are better for gamers Allowing gamers to have ownership of the assets they buy and earn in game allows them to participate in the potential growth of a game. It lets gamers preserve some economic value when they switch to playing something new. But what about the criticisms of NFTs?

Here are my thoughts on the common FUDs: "It's just a money grab on the part of the studios!"

Game studios already switched over to the model of selling in-game items, cosmetics, etc to players long ago. But currently the digital stuff players are buying isn't re-sellable. NFT ownership is strictly better for players. "The games aren't real games." This reminds me of the criticism of free-to-play in 2008, when the games were Mafia Wars / FarmVille. We haven't had time for great developers to create incredible experiences yet. Everyone investing in games knows there are great teams building. "Game NFTs aren't really decentralized because they rely on models / assets inside centralized game clients." Crypto is as much a movement as it is a technology. Putting items on a blockchain is what gives people trust that they have participatory ownership...which make people willing to buy in to the game. These assets are “backed” by blockchain. The fact that these item collections are NFTs will make other people willing to build on top of them. "NFTs are bad for the environment." Solana and L2s solve this. NFT games are better for players and for game developers. Like the free-to-play revolution changed gaming, so will blockchain. The games of the future

will be fully robust, with open and programmable economies.”

7.2 Broader and metaverse uses

So far according to a16z NFTs break down into:

- Profile pictures: These were discussed at the start of the chapter and have felt ubiquitous on Twitter over the last couple of years. The major projects will likely hold value, but the hype cycle will likely lead to all profile NFTs going in and out of fashion. There's potentially a fresh wave of this same kind of low key identity hype possible in the metaverse, and indeed the two plausible both intersect and converge.
- Art and Music: Art has also been discussed above. Peter Thiel, the billionaire venture capitalist who founded PayPal has invested in expanded NFT use cases. The first is 'Royal' which is experimentally selling limited NFT tokens which contractually entitle the holder to a portion of music artist royalties. Spotify are experimenting with music NFTs (and of course in the metaverse). This is an early adopter area, and again likely converges with our planned uses cases as more complex tooling appears. For instance Tim Exile of Endless.fm talks about digital assets extending to the building blocks of co-created music, and wished to build a music creator economy which distributes value to creators at the instant of the final value transaction with the consumer.
- Gaming: As discussed there's pushback from the gaming community, but huge investment from the likes of Lego, Blizzard, Epic, Ubisoft etc.
- Gig tickets: Not only the straightforward use of transferable tickets for events as NFTs on a blockchain (which is impossible due to the cost right now) but also onward monetisation of ticket stubs as memorabilia. The NBA is already looking at this.

“The team sells the ticket for face value many many years ago, but when that stub is being sold now for much more many times over, the team gets none of that money,” York explained. “But with an NFT stub that changes. Let’s say a new rookie enters the NBA next season and he turns out to be the next LeBron James. That ticket stub from his first game, as an NFT, the team can put a commission on it — 20 percent or however much, the NBA decides that. In 10 years when it’s worth a lot of money, I or whoever owns that NFT, can sell it for say \$100,000. The NBA can still collect 20 percent of that sale, because it’s all on a smart

contract.”

It seems so obvious that this will extend to the virtual events space in the metaverse.

- Utility: These are broadly ‘membership’ style tokens, and this seems like a sensible fit. Peter Thiel (again) for instance launches a political funding NFT from Blake Masters to support his senate ambitions. To be clear, Thiel is a fundamentalist libertarian, and at the very least highly eccentric. This is not necessarily a positive for the technology.
- Virtual worlds are a huge application for NFTs, and this seems like it would be a natural fit for our collaborative mixed reality application. In reality the \$2B of sold so far is mostly ‘allocations’ in nascent ecosystems, being sold as highly speculative assets, without even a metaverse to use. The majority of that amount is the hyped ‘Otherland’ plots sold under the Bored Apes brand.
- “Full stack” luxury brands. Nic Carter describes a mating of physical and virtual luxury goods. His is a useful article on the future direction, and he has also provided a primer on NFTs. There are many such examples already, such as Tiffanys ‘NFTiff’ - [cryptopunks](#) collaboration which will automatically generate royalties for Tiffanys and parent company Louis Vitton in perpetuity. Such products prove provenance, create new aftermarket opportunities, and unlock metaverse applications.

It is completely reasonable to assert that these use cases could be accomplished without the use of NFT technology, and is part of the hype bubble.

Twitter user Cantino.Eth offers an exhaustive roundup of what they think future uses might be. It’s a thread full of industry insider jargon but it’s indicative of a shift in focus from speculation to ‘building’ as the market conditions change. Some of the more interesting (less arcane) use cases identified in the thread are summarised very briefly below, again with comments as to how this might pertain to our metaverse applications.

- Hobby tokens, demonstrating interest in an activity. This is potentially a metaverse adaptation of badges on a blazer in the real world, and might serve to drive communities in a metaverse. The same is true for activism and political alignment. It’s a great idea and worth developing.
- Professional Networks and qualification badges, like a LinkedIn qualification panel, but in the metaverse. A cisco NFT in the

metaverse for a CCNA qualification makes intuitive sense.

- Badges to indicate membership of distributed projects within a metaverse. This allows users to identify avatars with shared goals in the metaverse.
- Retail incentives, like brand loyalty stamps or rewards for participation in marketing, or early access programmes. This is a true in a metaverse marketplace as it is in a real world coffee shop.
- Multiplayer communities with incentives to hit collective milestones. “Collecting as a team sport”. This again seems like a great and intuitive opportunity, but is perhaps less suitable for our more business focussed space. User content submission and automatic monetisation when reused by brands, bonded to an NFT contract.
- Customer Cohort NFTs: early adopters of successful brands would be able to prove the provenance of their enthusiasm for a new product, and this might unlock brand loyalty bonuses. It seems this wouldn’t be a transferable NFT, and is more like the “soulbound” idea advanced by Meta.
- Education and Customer Support, think an NFT of a great score on reddit community support forums. A trusted community member badge, but visible in the metaverse. This is somewhat like the web of trust model advanced earlier in the book.
- NFTs as contracts is far more likely in the metaverse than it has proved to be in real life. This is how ‘digital land’ and objects will be transferred anyway, but with the addition of contractual conditionals with external inputs more subtle products may appear.

7.3 Objects in our collaborative mixed reality

There has been a recent shift away from the ‘toxic’ moniker of NFT and toward ‘Digital objects’, and seem to be judged crucial to metaverse applications. The success of avatar ‘collectibles’ markets in the Reddit ecosystem, and Meta (ex Facebook) similarly divesting themselves of the NFT term seem to suggest a pivot point in the industry. Meta were encouraging adoption through zero fee incentives but were likely hanging their monetisation of their whole rebrand on taking a huge cut from NFT content creators on their platform. This seems to have failed and they are winding up that part of their business.

We have potential paths to digital assets within future layer 3 technologies (RGB & Pear Credits), but they’re not yet fit for purpose.

There are compromise options already available, as below.

7.3.1 Liquid tokens

We have seen that Liquid from Blockstream is a comparatively mature and battle tested sidechain framework, based upon Bitcoin. It is possible to issue tokens on Liquid, and these have their own hardware wallet available. This makes the technology a strong contender for our uses.

7.3.2 Ethereum

While it's been discounted elsewhere it's hard to ignore the network effect of Eth NFTs. If the aspiration is to attract the bulk of the 'legacy' creator/consumer markets then it will be necessary to support integration of Metamask into any FOSS stack. This isn't a huge technical challenge, nor is it particularly of interest to our use cases at this stage, but it remains a possibility. The main problems remain the slow speed and high expense of the system.

7.3.3 Solana

Solana is both cheap and fast, because it's very highly centralised. It seems unlikely that it's worth this level of compromise. It has also become embroiled with the fallout from the enormous FTX exchange fraud, threatening the existence of the assets (NFTs) issued and stored upon it.

7.3.4 Peerswap

It may be possible to use "Peerswap" to execute rebalancing and submarine swaps into and out of Liquid assets on the sidechain in a single tx. This is an under explored area at this time.

7.3.5 FROST on Bitcoin

It **might** be possible to transfer ownership of a UTXO on the Bitcoin base chain using FROST [146]. In this Schnorr & Taproot based threshold signature system it's possible to add and remove signatories and thresholds of signing without touching the UTXO itself. In principle (though not yet in practice) this might allow transfer of UTXO ownership.

7.3.6 Spacechains

It feels like spacechains are almost ready, so this is worth keeping an eye on. It's the 'cleanest' way to issue assets using Bitcoin because there's no additional speculative chain. As briefly explained in the earlier section Bitcoin is destroyed to create a new chain which then inherits the security of Bitcoin through onward mining. This new asset or chain is able to accrue value and trade independently based purely on its value to the buyer, not as a function of a wider speculative bubble attached to a token with multiple use cases.

7.3.7 Pear credit

The outstanding contender at this stage is Pear Credit from Hypercore. This section needs a full explanation later. For now a [blog post](#) on the subject will have to do.

7.3.8 Satoshi Ordinals

Ordinals offer a new and innovative way of creating NFTs using bitcoin. The ability to store NFTs on the bitcoin blockchain offers the security, immutability, and decentralization that is fundamental to bitcoin's design. These are being called 'ordinal inscriptions'. In addition the use of Taproot has allowed Ordinals to store large files on the bitcoin blockchain, by exploiting cheap space which was designed to add more complex 'script-path spend' scripts. Their creator Rodarmor says the following of them: *"Inscriptions are digital artifacts, and digital artifacts are NFTs, but not all NFTs are digital artifacts. Digital artifacts are NFTs held to a higher standard, closer to their ideal. For an NFT to be a digital artifact, it must be decentralized, immutable, on-chain, and unrestricted. The vast majority of NFTs are not digital artifacts. Their content is stored off-chain and can be lost, they are on centralized chains, and they have back-door admin keys. What's worse, because they are smart contracts, they must be audited on a case-by-case basis to determine their properties. Inscriptions are unplagued by such flaws. Inscriptions are immutable and on-chain, on the oldest, most decentralized, most secure blockchain in the world. They are not smart contracts, and do not need to be examined individually to determine their properties. They are true digital artifacts."*

Ordinals work by individually tracking single satoshis and repurposing them as digital artefacts, using the convention of "ordinal theory" to ascribe non-fungible features to the satoshis in a consistent and coherent manner. They can contain various forms of digital content, such as

images, audio, video, and pdfs, even playable games. The Inscriptions are stored entirely on the bitcoin blockchain, taking advantage of the Taproot upgrade to store the NFT data in Taproot. The bytes remain in the original minted transaction, but the ownership can be passed around by ‘spending’ the UTXO which contained the satoshi forward, not transferring that data, which remains linked to the original ordinal only. There is a file explorer for these digital objects. This hardly seems the orgy of inefficiency suggested by Adam Back, but there are certainly storage considerations. While this is considered a waste of Bitcoin block space by some, it is possible that the main concern here is the discount that these taproot scripts enjoy, allowing a skewing of the use of money to commit to the chain toward frivolity. The costs associated with committing data to the ledger will likely rise alongside all other operations on the chain, and already represents an unacceptably bar for our requirements, but the innovation is interesting, and the digital artefacts are already being sold for up to £180,000.

It seems right now that the older Bitcoin community is pushing back on the technology as “spamming the blockchain”, something discussed since 2019. The cost works out around 50k satoshis per 100kbytes of data, which is comparatively reasonable. Our issue with this approach is that richer nations will be able to push out developing economy financial use cases with the more fun, but frivolous data storage and scarcity application.

The narrative seems to be that it’s already pushing up the fees on the network and the overall price of Bitcoin as tens of thousands of minting transactions enter the ecosystem (Figure 7.4).

In what seems to be a fascinating case study on ownership one ‘Bored Ape’ owner moved coveted their Ethereum NFT by destroying it on the original chain in order to migrate to Bitcoin. Yuga labs stated that this NFT owner had destroyed their asset, giving up any right they might have had. Yuga can now presumably create and sell another copy of this image. It’s fair to say that ownership of digital art is far from a settled matter, as pointed out by Low [147]. We do not plan on attaching *any* legal assertions to our use of digital objects at the lowest level. What people do with them will be up to them and the open market. Neither does this exclude users of the open source stack from attempting to attach their own restrictions to IP associated with their work.

There is also likely to be a considerable impact on the size of the **full** Bitcoin blockchain if this approach becomes commonplace. What was a 500 gigabyte file with a fairly linear growth rate will likely be-




Figure 7.4: The press has been quick to note the phase change to digital objects on Bitcoin

come many terabytes over the coming years. The overall workaround for this would be ‘pruned nodes’ vs ‘archival nodes’, similar to the Ethereum approach, with those likely only run in places where prosecutions for illegal data on the chain seem unlikely. Curiously this won’t effect users of the system who choose to run their own nodes, as the software is configured to throw away this extraneous data prior to the timestamp of the last software upgrade. Concerns that this might price out participation from emerging markets are overblown from an infrastructure point of view, but potentially valid from a fee competition standpoint. This perhaps drives Lightning adoption. Nobody seems too sure, though Kaloudis, senior researcher at Coindesk describes the tradeoffs and tensions at this time [148]. As seems to be the norm now, there is Nostr integration coming to Ordinals.

The recent announcement by Yuga Labs, the team behind the popular NFT collection Board Ape Yacht Club and the stewards of CryptoPunks, that they are getting into the ordinals space with their new collection, 12-Fold, has generated a lot of reactions from the crypto community. This move is variously seen as significant highlighting the potential for Bitcoin-based NFTs, or just a naked cash grab. Yuga are at pains to point out the ownership and self-custody aspects, which are fundamental principles of Bitcoin and better than their current product lines.

As a small technical aside, the move towards inscriptions and ordinals has also led to a surge in interest in partially signed Bitcoin transactions (PSBT), which allows multiple people to use Bitcoin collaboratively. This is an important standard for multi-sig agreements and more, and facilitates the secure transfer of the ordinals, giving them a huge boost. The blossoming of Noster and inscriptions at the same time is seen as a sign that the theoretical usefulness of Bitcoin infrastructure is now actually being built at pace.

A browser extension called ‘Unisat’ acts as a wallet which supports non-fungible and also fungible ‘sets’ of tokens. This is likely one to watch closely and we have tested the system on both testnet (with a 1024 byte limit) and main net (as a single inscription costing £20).

This is obviously far too expensive for the bulk of our use cases within the metaverse, and we will use RGB for this in the end (as we have always intended). Ukolova, the director of the board for LNP/BP Standards Association which develops the RGB protocol and product stack wrote an opinion piece on Ordinals which is worth finishing on. The article discusses the limitations of using Ordinals in the context of Bitcoin, particularly with regards to privacy, scalability, and technical difficulties. While Ordinals may offer a unique way to represent ownership of rare and expensive assets, they do not provide additional privacy features beyond what is already offered by Bitcoin’s pseudonymous nature. RGB puts all of the data of the asset on the client side, ensuring peer-to-peer verification without relying on any third parties or miners. The protocol also applies zero-knowledge cryptographic primitives such as bulletproofs to bring privacy to holders and creators.

In a final twist to this opportunity it is now possible to use Ordinals and inscriptions on Litecoin, the long standing Bitcoin fork which is used somewhat as a technical testbed for Bitcoin. This might develop into a far more appealing option, though again, it’s too early to be sure.



8. Collaborative mixed reality

8.1 Toward an open metaverse

The Openstand principles are a great starting place for what an open metaverse might mean. They are:

- Cooperation: Respectful cooperation between standards organizations, whereby each respects the autonomy, integrity, processes, and intellectual property rules of the others.
- Adherence to Principles: Adherence to the five fundamental principles of standards development:
 - Due process. Decisions are made with equity and fairness among participants. No one party dominates or guides standards development. Standards processes are transparent and opportunities exist to appeal decisions. Processes for periodic standards review and updating are well defined.
 - Broad consensus. Processes allow for all views to be considered and addressed, such that agreement can be found across a range of interests.
 - Transparency. Standards organizations provide advance public notice of proposed standards development activities, the scope of work to be undertaken, and conditions for participation. Easily accessible records of decisions and

the materials used in reaching those decisions are provided. Public comment periods are provided before final standards approval and adoption.

- Balance. Standards activities are not exclusively dominated by any particular person, company or interest group.
- Openness. Standards processes are open to all interested and informed parties.
- Collective Empowerment: Commitment by affirming standards organizations and their participants to collective empowerment by striving for standards that:
 - are chosen and defined based on technical merit, as judged by the contributed expertise of each participant;
 - provide global interoperability, scalability, stability, and resiliency;
 - enable global competition;
 - serve as building blocks for further innovation;
 - contribute to the creation of global communities, benefiting humanity.
- Availability: Standards specifications are made accessible to all for implementation and deployment. Affirming standards organizations have defined procedures to develop specifications that can be implemented under fair terms. Given market diversity, fair terms may vary from royalty-free to fair, reasonable, and non-discriminatory terms (FRAND).
- Voluntary Adoption: Standards are voluntarily adopted and success is determined by the market.

The push toward open standards is being joined (somewhat late) by credible and established bodies like the IEEE. It's such a fast moving and under explored set of problems that this movement toward standards will take a long time to even find it's feet. Hopefully it's clear to the reader that this kind of development guides the work here. In the wider “real-time social VR” various companies have attempted to build closed ecosystems, for years. These now look more like attempts at digital society, but are closer to isolated metaverses, or more usefully isolated digital ecosystems. This is still happening. There's every chance that when Apple make their augmented reality play this year or next they will keep their system closed off as this tends to be their business model. Theo Priestly, CEO at Metanomics points out that Chinese Giant Tencent are doing similar, and he cited Figure 8.1; building a closed but tightly linked suite of businesses into something that looks like a metaverse. The levels of investment which are being hung




Figure 8.1: McCormick attempts to guess the Tencent metaverse

under the metaverse moniker are mind blowing, but that is not what we want to discuss as an end point for this book. For our purposes in this product design the interface between the previous chapter (NFTs) and this metaverse chapter is crucial. Punk6529 is a pseudonymous twitter account and thought leader in the “crypto” space. The text below encapsulates much of the reasoning that led to this book and product exploration, and is paraphrased from this thread for our purposes.

Bit by bit, the visualization layer of the internet will get better until it is unrecognisably better (+/- 10 years). As the visualization layer of the internet gets better, digital objects will become more useful and more important. Avatars (2D and 3D), art, schoolwork, work work, 3D virtual spaces and hundreds of other things. Not only will the objects themselves become more important, they will lead to different emergent behaviours. We see this already with avatars and mixed eponymous/pseudonymous/anonymous communities. Yes, it is the internet plumbing underneath, but just like social media changed human behaviour on the internet, metaverse type experiences will further change it. NFT Twitter + Discord + various virtual worlds is a form of early metaverse. I feel like I am entering a different world here, not just some websites. The most important question for the health of the internet/metaverse/human society in the 2030s will be decided now.

And that question is: "who stores the definitive ownership records of those digital objects". There are two answers: a company's database OR a blockchain. If we end up with "a company's database" we will end up with all the web dysfunctions, but worse. SMTP is an open protocol that anyone can use so we don't have societal level fights on "who is allowed to use email". Short messaging online ended up becoming Twitter. So we end up having the most absurd, surreal discussions on the topic of "who is allowed to use short-messaging" being dependant on "who is the CEO of Twitter". There is no way this is the correct architecture for our progressively more digital economy.... If this is your first time around here, we are fighting for an open metaverse."

It seems that industry shares much of this opinion regarding an open metaverse. The proposal of a persistent interactive digital universe online is **so** vast that major players recognise that they will not be able to monopolise this space, though Facebook/Meta are clearly attempting to. The Metaverse Standards Forum is clearly an attempt by the other industry players to catch up and then get out ahead of Meta in this regard. It's also possible to view this as just another land grab, but through the vehicle of a standards body. Time will tell. They say:

"Announced today, The Metaverse Standards Forum brings together leading standards organizations and companies for industry-wide cooperation on interoperability standards needed to build the open metaverse. The Forum will explore where the lack of interoperability is holding back metaverse deployment and how the work of Standards Developing Organizations (SDOs) defining and evolving needed standards may be coordinated and accelerated. Open to any organization at no cost, the Forum will focus on pragmatic, action-based projects such as implementation prototyping, hackathons, plugfests, and open-source tooling to accelerate the testing and adoption of metaverse standards, while also developing consistent terminology and deployment guidelines."

This looks like it will be a useful project and community for the purposes outlined in this book, but the technology is young enough (in that it doesn't really exist) for multiple approaches to be trailed.

Europe is making metaverse a priority with The Virtual and Augmented Reality Industrial Coalition. President von der Leyen's State of the Union letter of intent says: "We will continue looking at new digital opportunities and trends, such as the metaverse."

8.1.1 Primitives

OpenAI identified the following 5 points about metaverse, in response to the query “What are 5 key points I should know when studying metaverse?”

- Metaverse is a virtual reality platform that allows users to interact with each other and with digital objects in a virtual space.
- Metaverse is a decentralized platform, meaning that there is no central authority or server that controls the platform.
- Metaverse is an open platform, meaning that anyone can develop applications for the platform.
- Metaverse is a secure platform, meaning that all data and transactions are encrypted and secure.
- Metaverse is a scalable platform, meaning that it can support a large number of users and a large number of transactions.

This is an unexpectedly great answer, probably the cleanest we have found. The Metaverse Standard Forum highlights the following, which reads like the output from a brainstorm between academia and industry stakeholders.

- collaborative spatial computing
- interactive 3D graphics
- augmented and virtual reality
- photorealistic content authoring
- geospatial systems
- end-user content tooling
- digital twins
- real-time collaboration
- physical simulation
- online economies
- multi-user gaming
- new levels of scale and immersiveness.

It's not a useless list by any means, but it lacks the kind of product focus we need for detailed exploration of value and trust transfer.

Mystakidis identifies the following [149]:

- Principles
 - Interoperable
 - Open
 - Hardware agnostic
 - Network
- Technologies
 - Virtual reality
 - Augmented reality

- Mixed reality
- Affordances
 - Immersive
 - Embodiment
 - Presence
 - Identity construction
- Challenges
 - Physical well-being
 - Psychology
 - Ethics
 - Privacy

This is quite an academic list. A lot of these words will be explored in the next section which is more of an academic literature review.

Nevelsteen attempted to identify key elements for a ‘virtual work’ in 2018 and these are relevant now, and described rigorously in the appendix of his paper [150]:

- Shared Temporality, meaning that the distributed users of the virtual world share the same frame of time.
- Real time which he defines as “not turn based”.
- Shared Spatiality, which he says can include an ‘allegory’ of a space, as in text adventures. It seems this might extend to a spoken interface to a mixed reality metaverse.
- ONE Shard is a description of the WLAN network architecture, and conforms to servers in a connected open metaverse.
- Many human agents simply means that more than one person can be represented in the virtual world and corresponds to ‘social’ in our description.
- Many Software Agents corresponds to AI actors in our descriptions. Non playing characters would be the gaming equivalent.
- Virtual Interaction pertains to any ability of a user to interact actively with the persistent virtual scene, and is pretty much a given these days.
- Nonpausable isn’t even a word, but is pretty self explanatory.
- Persistence means that if human participants leave then the data of the virtual world continues. This applies to the scenes, the data representing actions, and objects and actors in the worlds.
- Avatar is interesting as it might seem that having avatar representations of connected human participants is a given. In fact the shared spaces employed by Nvidia for digital engineering do not.

Turning to industry; John Riccitiello, CEO of Unity Technologies says

that metaverse is “*The next generation of the internet that is:*

- *always real-time*
- *mostly 3D*
- *mostly interactive*
- *mostly social*
- *mostly persistent*”

Expanding this slightly we will us the following primitives of what we think are important for a metaverse:

- Fusing of digital and real life
- Social first
- Real time interactive 3d graphics first
- Persistent
- Supports ownership
- Supports user generated content [151]
- Open and extensible
- Low friction economic actors and actions
- Trusted / secure
- Convergence of film and games
- Blurring of IP boundaries
- Blurring of narrative flow
- Multimodal and hardware agnostic
- Mobile first experiences
- Safeguarding, and governance

There is a **lot** of work for the creative and technical industries to do to integrate human narrative creativity this nascent metaverse, and it’s not even completely clear that this is possible, or even what people want.

8.2 History

The word metaverse was coined by the author Neal Stephenson in his 1992 novel Snowcrash. It started popping up soon after in news articles and research papers [152], but in the last five years it has been finding a new life within a silicon valley narrative. Perhaps in response to this Stephenson is now working with a company called Laminal which actually looks a lot like the rest of this book, so perhaps we have been on the right track.

There were clear precursors to modern social VR, such as VRML in the 1990’s which laid much of the groundwork for 3D content over networked computers.

It might seem that there would be a clear path from there to now, in terms of a metaverse increasingly meaning connected social virtual

spaces, but this has not happened. Instead interest in metaverse as a concept waned, MMORG (described later) filled in the utility, and then recently an entirely new definition emerged. Park and Kim surveyed dozens of different historical interpretations of the word, and the generational reboot they describe makes it even less clear [153]. The concept of the Metaverse is extremely plastic at this time (Figure 8.2).

It's arguable that what will be expanding in this chapter is more appropriately 'Cyberspace' as described by William Gibson in Neuromancer [154] "*A global domain within the information environment consisting of the interdependent network of information systems infrastructures including the Internet, telecommunications networks, computer systems, and embedded processors and controllers.*"

Park and Kim identify the generational inflection point which has led to the resurgence of the concept of Metaverse [153]: "*Unlike previous studies on the Metaverse based on Second Life, the current Metaverse is based on the social value of Generation Z that online and offline selves are not different.*"

Brett Leonard, writer director of Lawnmower Man talks about the pressing need to get out in front of moral questions in the development of metaverse applications. He stressed that wellbeing will be a crucial underpinning of the technology because of the inherent intimacy of immersion in virtual spaces. He suggests that emotional engagement with storied characters is needed to satisfy the human need for narrative, and that this should be utopian by design to stave off the worst of dystopian emergent characteristics of the technology.

The book will aim to build toward an understanding of metaverse as a useful social mixed reality, that allows low friction communication and economic activity, within groups, at a global scale. Cryptography and distributed software can assist us with globally 'true' persistence of digital data, so we will look to integrate this with our social XR. This focus on persistence, value, and trust means it's most appropriate to focus on business uses as there is more opportunity for value creation which will be important to bootstrap this technology.

Elsewhere in the book we state that metaverse is the worst of the tele-collaboration tool-kits, and in general we 'believe' this to be true at this time. With that said Hennig-Thurau says the following in a LinkedIn post: *Our research finds that the performance of social interactions in the VR metaverse varies for different outcomes and settings, with productivity and creativity being on par with Zoom (not higher, but also not lower) for the two experimental settings in which we studied these constructs. Thus, as of today, meeting in VR does not overcome*



Figure 8.2: Elon Musk agrees with this on Twitter. It's notable that Musk is now Twitters' biggest shareholder, and has been vocal about web censorship on the platform.

all the limitations that we are facing when using Zoom or Teams. But most importantly (to us), we find clear evidence that when people get together in the metaverse via VR, it creates SUBSTANTIALLY higher levels of social presence among group members across ALL FIVE STUDY CONTEXTS, from idea generation to joint movie going. This is the main insight from our study and the stuff we believe future uses of social virtual reality can (and should) build on. We also explain that the effectiveness of VR meetings can be further increased, and also how this can be done (by selecting the most appropriate settings, people, avatars, hardware, environments etc.). [155]

We agree that with sufficiently informed guiding constraints in place, and smaller group sizes (ie, not a large scale social metaverse), that there is a path forward.

This chapter will first attempt to frame the context for telepresence (the academic term for communicating through technology), and then explain the increasingly polarised options for metaverse. It's useful to precisely identify the primitives of the product we would like to see here, so this chapter is far more a review of academic literature in the field, culminating in a proposed framework.

8.3 Video conferencing, the status quo

This section has been adapted and updated for open source release, from the authors PhD thesis, with the permission of the University of Salford.

Video-conferencing has become more popular as technology im-

proves, as it gets better integrated with ubiquitous cloud business support suites, and as a function of the global pandemic and changing work patterns. There is obviously increasing demands for real-time communication across greater distances.

The full effects of video-conferencing on human communication are still being explored, as seen in the experimental “Together Mode” within Microsoft Teams. Video-conferencing is presumed to be a somewhat richer form of communication than email and telephone, but not quite as informative as face-to-face communication.

In this section we look at the influence of eye contact on communication and how video-conferencing mediates both verbal and non-verbal interactions. Facilitation of eye contact is a challenge that must be addressed so that video-conferencing can approach the rich interactions of face-to-face communication. This is an even bigger problem in the emerging metaverse systems, so it’s important that we examine the history and trajectory.

There is a tension emerging for companies who do not necessarily need to employ remote meeting technology, but also cannot afford to ignore the competitive advantages that such systems bring. In an experiment preformed well before the 2020 global pandemic at Ctrip, Bloom et al describe how home working led to a 13% performance increase, of which about 9% was from working more minutes per shift (fewer breaks and sick-days) and 4% from more calls per minute (attributed to a quieter working environment) [156]. Home workers also reported improved work satisfaction and experienced less turnover, but their promotion rate conditional on performance fell. This speaks to a lack of management capability with such systemic change. It’s clearly a complex and still barely understood change within business and management.

Due to the success of the experiment, Ctrip rolled-out the option to work from home to the whole company, and allowed the experimental employees to re-select between the home or office. Interestingly, over half of them switched, which led to the gains almost doubling to 22%. This highlights the benefits of learning and selection effects when adopting modern management practices like working from home. Increasingly this is becoming a choice issue for prospective employees, and an advantage for hiring managers to be able to offer it.

More recent research by Barrero, Bloom and Davies found that working from home is likely to be “sticky” [157]. They found:

- better-than-expected WFH experiences,
- new investments in physical and human capital that enable WFH,

- greatly diminished stigma associated with WFH,
- lingering concerns about crowds and contagion risks,
- a pandemic-driven surge in technological innovations that support WFH.

More recently Enterprise Collaboration Systems (ECS) provide rich document management, sharing, and collaboration functionality across an organisation. The enterprise ECS system may integrate collaborative video [158]. This is for instance the case with Microsoft Teams / Sharepoint. This integration of ECS should be considered when thinking about social VR systems which wish to support business, value, and trust. It is very much the case that large technology providers are attempting to integrate their ‘business back end’ systems into their emerging metaverse systems. Open source equivalents are currently lacking.

8.3.1 Pandemic drives adoption

The ongoing global COVID-19 pandemic is changing how people work, toward a new global ‘normal’. Some ways of working are overdue transformation, and will be naturally disrupted. In the UK at least it seems that there may be real appetite to shift away from old practises. This upheaval will inevitably present both challenges and opportunities.

Highly technical workforces, especially, can operate from anywhere. The post pandemic world seems to have stronger national border controls, with a resultant shortage of highly technical staff. This has forced the hand of global business toward internationally distributed teams.

If only a small percentage of companies allow the option of remote working, then they gain a structural advantage, enjoying benefits of reduced travel, lower workplace infection risk across all disease, and global agility for the personnel. Building and estate costs will certainly be reduced. More diversity may be possible. Issues such as sexual harassment and bullying may be reduced. With reduced overheads product quality may increase. If customers are happier with their services, then over time this ‘push’ may mean an enormous shift away from centralised working practises toward distributed working.

Technologies which support this working style were still in their infancy at the beginning of the pandemic. The rush to ‘Zoom’, a previously relatively unknown and insecure [159] web meeting product, shows how naive businesses were in this space.

Connection of multiple users is now far better supported, with Zoom and Microsoft Teams alone supporting hundreds of millions of chats a day. This is a 20x increase on market leader Skype’s 2013 figure of 280

million connections per month. Such technologies extend traditional telephony to provide important multi sensory cues. However, these technologies demonstrate shortfalls compared to a live face-to-face meeting, which is generally agreed to be optimal for human-human interaction [160].

While the research community and business are learning how to adapt working practises to web based telepresence [161], there remains little technology support for ad-hoc serendipitous meetings between small groups. It's possible that Metaverse applications can help to fill this gap, by gamification of social spaces, but the under discussed problems with video conferencing are likely to be even worse in such systems.

Chris Herd of “FirstBase” (who admittedly have a bias) provides some fascinating speculations:

“I've spoken to 2,000+ companies with 40M+ employees about remote work in the last 12 months A few predictions of what will happen before 2030:

- *Rural Living: World-class people will move to smaller cities, have a lower cost of living & higher quality of life.*
- *These regions must innovate quickly to attract that wealth. Better schools, faster internet connections are a must.*
- *Async Work: Offices are instantaneous gratification distraction factories where synchronous work makes it impossible to get stuff done.*
- *Tools that enable asynchronous work are the most important thing globally remote teams need. A lot of startups will try to tackle this.*
- *Hobbie Renaissance: Remote working will lead to a rise in people participating in hobbies and activities which link them to people in their local community.*
- *This will lead to deeper, more meaningful relationships which overcome societal issues of loneliness and isolation.*
- *Diversity & Inclusion: The most diverse and inclusive teams in history will emerge rapidly Companies who embrace it have a first-mover advantage to attract great talent globally. Companies who don't will lose their best people to their biggest competitors.*
- *Output Focus: Time will be replaced as the main KPI for judging performance by productivity and output.*
- *Great workers will be the ones who deliver what they promise consistently*
- *Advancement decisions will be decided by capability rather than*

who you drink beer with after work.

- *Private Equity: The hottest trend of the next decade for private equity will see them purchase companies, make them remote-first. The cost saving in real-estate at scale will be eye-watering. The productivity gains will be the final nail in the coffin for the office Working Too Much: Companies worry that the workers won't work enough when operating remotely.*
- *The opposite will be true and become a big problem.*
- *Remote workers burning out because they work too much will have to be addressed.*
- *Remote Retreats: Purpose-built destinations that allow for entire companies to fly into a campus for a synchronous week.*
- *Likely staffed with facilitators and educators who train staff on how to maximize effectiveness.*
- *Life-Work Balance: The rise of remote will lead to people re-prioritizing what is important to them.*
- *Organizing your work around your life will be the first noticeable switch. People realizing they are more than their job will lead to deeper purpose in other areas.*
- *Bullshit Tasks: The need to pad out your 8 hour day will evaporate, replaced by clear tasks and responsibilities.*
- *Workers will do what needs to be done rather than wasting their trying to look busy with the rest of the office*

”

8.3.2 Point to Point Video Conferencing

O’Malley et al. showed that face-to-face and video mediated employed visual cues for mutual understanding, and that addition of video to the audio channel aided confidence and mutual understanding. However, video mediated did not provide the clear cues of being co-located [162].

Dourish et al. make a case for not using face-to-face as a baseline for comparison, but rather that analysis of the efficacy of remote tele-collaboration tools should be made in a wider context of connected multimedia tools and ‘emergent communicative practises’ [163]. While this is an interesting viewpoint it does not necessarily map well to a recreation of the ad-hoc meeting.

There is established literature on human sensitivity to eye contact in both 2D and 3D VC [164, 165], with an accepted minimum of 5-10 degrees before observers can reliably sense they are not being looked at [166]. Roberts et al. suggested that at the limit of social gaze distance (4m) the maximum angular separation between people

standing shoulder to shoulder in the real world would be around 4 degrees[167].

Sellen found limited impact on turn passing when adding a visual channel to audio between two people when using Hydra, an early system which provided multiple video conference displays in an intuitive spatial distribution[168]. She did however, find that the design of the video system affected the ability to hold multi-party conversations [169].

Monk and Gale describe in detail experiments which they used for examining gaze awareness in communication which is mediated and unmediated by technology. They found that gaze awareness increased message understanding [170].

Both Kuster et al. and Gemmel et al. have successfully demonstrated software systems which can adjust eye gaze to correct for off axis capture in real time video systems[171, 172].

Shahid et al. conducted a study on pairs of children playing games with and without video mediation and concluded that the availability of mutual gaze affordance enriched social presence and fun, while its absence dramatically affects the quality of the interaction. They used the ‘Networked Minds’, a social presence questionnaire.

8.3.3 Triadic and Small Group

Early enthusiasm in the 1970’s for video conferencing, as a medium for small group interaction quickly turned to disillusionment. It was agreed after a flurry of initial research that the systems at the time offered no particular advantage over audio only communication, and at considerable cost [173].

Something in the breakdown of normal visual cues seems to impact the ability of the technology to support flowing group interaction. Nonetheless, some non-verbal communication is supported in VC with limited success.

Additional screens and cameras can partially overcome the limitation of no multi-party support (that of addressing a room full of people on a single screen) by making available more bidirectional channels. For instance, every remote user can be a head on a screen with a corresponding camera. The positioning of the screens must then necessarily match the physical organization of the remote room.

Egidio provides an early review of the failure of VC for group activity, with the “misrepresentation of the technology as a substitute for face-to-face” still being valid today [174].

Commercial systems such as Cisco Telepresence Rooms cluster

their cameras above the centre screen of three for meetings using their telecollaboration product, while admitting that this only works well for the central seat of the three screens. They also group multiple people on a single screen in what Workhoven et al. dub a “non-isotropic” configuration [175]. They maintain that this is a suitable trade off as the focus of the meeting is more generally toward the important contributor in the central seat. This does not necessarily follow for less formal meeting paradigms.

In small groups, it is more difficult to align non-verbal cues between all parties, and at the same time, it is more important because the hand-offs between parties are more numerous and important in groups. A breakdown in conversational flow in such circumstances is harder to solve. A perception of the next person to talk must be resolved for all parties and agreed upon to some extent.

However, most of the conventional single camera, and expensive multi camera VC systems, suffer a fundamental limitation in that the offset between the camera sight lines and the lines of actual sight introduce incongruities that the brain must compensate for [160].

8.3.4 Other Systems to Support Business

There have been many attempts to support group working and rich data sharing between dispersed groups in a business setting. So called ‘smart spaces’ allow interaction with different displays for different activities and add in some ability to communicate with remote or even mobile collaborators on shared documents [176], with additional challenges for multi-disciplinary groups who are perhaps less familiar with one or more of the technology barriers involved [177].

Early systems like clearboard [178] demonstrated the potential for smart whiteboards with a webcam component for peer-to-peer collaborative working. Indeed it is possible to support this modality with Skype and a smartboard system (and up to deployments such as Accessgrid). They remain relatively unpopular however.

8.3.5 Mona Lisa Type Effects

Almost all traditional group video meeting tools suffer from the so-called Mona Lisa effect which describes the phenomenon where the apparent gaze of a portrait or 2 dimensional image always appears to look at the observer regardless of the observer’s position [179, 180, 181]. This situation manifests when the painted or imaged subject is looking into the camera or at the eyes of the painter [182, 183].

Single user-to-user systems based around bidirectional video implicitly align the user's gaze by constraining the camera to roughly the same location as the display. When viewed away from this ideal axis, it creates the feeling of being looked at regardless of where this observer is [184, 179, 180, 181], or the "collapsed view effect" [185] where perception of gaze transmitted from a 2 dimensional image or video is dependent on the incidence of originating gaze to the transmission medium.

Multiple individuals using one such channel can feel as if they are being looked at simultaneously, leading to a breakdown in the normal non-verbal communication which mediates turn passing [186]. There is research investigating this sensitivity when the gaze is mediated by a technology, finding that "disparity between the optical axis of the camera and the looking direction of a looker should be at most 1.2 degrees in the horizontal direction, and 1.7 degrees in vertical direction to support eye contact" [165, 187]. It seems that humans assume that they are being looked at unless they are sure that they are not [166].

To be clear, there are technological solutions to this problem, but it's useful in the context of discussing metaverse to know that this problem exists. It's known that there are cognitive dissonances around panes of video conference images, but it seems that the effect is truly limited to 2D surfaces. A 3D projection surface (a physical model of a human) designed to address this problem completely removed the Mona Lisa effect [184].

Metaverse then perhaps offers the promise of solving this, making more natural interaction possible, but it's clearly a long way from delivering on those promises right now. We need to understand what's important and try to map these into a metaverse product.

8.4 What's important for human communication

8.4.1 Vocal

The ubiquitous technology to mediate conversation is, of course, the telephone. The 2021 Ericsson mobility report states that there are around 8 billion mobile subscriptions globally. More people have access to mobile phones than to working toilets according to UNICEF.

Joupii and Pan designed a system which focused attention on spatially correct high definition audio. They found "significant improvement over traditional audio conferencing technology, primarily due to

the increased dynamic range and directionality. [188]. Aoki et al. also describe an audio only system with support for spatial cues [189].

In the following sections we will attempt to rigorously identify just what is important for our proposed application of business centric communication, supportive of trust, and thereby value transfer.

In his book 'Bodily Communication' [190] Michael Argyle divides vocal signals into the following categories:

1. Verbal
2. Non-Verbal Vocalisations
 - a. Linked to Speech
 - i. Prosodic
 - ii. Synchronising
 - iii. Speech Disturbances
 - b. Independent of Speech
 - i. Emotional Noises
 - ii. Paralinguistic (emotion and interpersonal attitudes)
 - iii. Personal voice and quality of accent

Additional to the semantic content of verbal communication there is a rich layer of meaning in pauses, gaps, and overlaps [191] which help to mediate who is speaking and who is listening in multi-party conversation. This mediation of turn passing, to facilitate flow, is by no means a given and is highly dependent on context and other factors [192]. Interruptions are also a major factor in turn passing.

This extra-verbal content [193] extends into physical cues, so-called 'nonverbal' cues, and there are utterances which link the verbal and non-verbal [194]. This will be discussed later, but to an extent, it is impossible to discuss verbal communication without regard to the implicit support which exists around the words themselves.

In the context of all technology-mediated conversation the extra-verbal is easily compromised if technology used to support communication over a distance does not convey the information, or conveys it badly. This can introduce additional complexity [194].

These support structures are pretty much lacking in metaverse XR systems. The goal then here perhaps is to examine the state-of-the-art, and remove as many of the known barriers as possible. Such a process might better support trust, which might better support the kind of economic and activity we seek to engineer.

When examining just verbal / audio communication technology it can be assumed that the physical non-verbal cues are lost, though not necessarily unused. In the absence of non-verbal cues it falls to timely vocal signals to take up the slack when framing and organising the turn

passing. For the synchronising of vocal signals between the parties to be effective the systemic delays must remain small. System latency, the inherent delays added by the communication technology, can allow slips or a complete breakdown of 'flow' [195]. This problem can be felt in current social VR platforms, though people don't necessarily identify the cause of the breakdown correctly. In the main they feel to the users like a bad "audio-only" teleconference.

With that said, the transmission of verbal / audio remains the most critical element for interpersonal communication as the most essential meaning is encoded semantically. There is a debate about ratios of how much information is conveyed through the various human channels [196], but it is reasonable to infer from its ubiquity that support for audio is essential for meaningful communication over a distance. We have seen that it must be timely, to prevent a breakdown of framing, and preferably have sufficient fidelity to convey sub-vocal utterances.

For social immersive VR for business users, a real-time network such as websockets, RTP, or UDP seems essential, much better microphones are important, and the system should support both angular spatialisation, and respond to distance between interlocutors.

8.4.2 Nonverbal

We have already seen that verbal exchanges take place in a wider context of sub vocal and physical cues. In addition, the spatial relationship between the parties, their focus of attention, their gestures and actions, and the wider context of their environment all play a part in communication [197]. These are identified as follows by Gillies and Slater [198] in their paper on virtual agents.

- Posture and gesture
- Facial expression
- Gaze
- Proxemics
- Head position and orientation
- Interactional synchrony

This is clearly important for our proposed collaborative mixed reality application. Below we will examine these six areas by looking across the wider available research.

8.4.2.1 Gaze

Of particular importance is judgement of eye gaze which is normally fast, accurate and automatic, operating at multiple levels of cognition through multiple cues [190, 199, 200, 199, 201, 202, 170].

Gaze in particular aids smooth turn passing [203] [204] and lack of support for eye gaze has been found to decrease the efficiency of turn passing by 25% [205].

There are clear patterns to eye gaze in groups, with the person talking, or being talked to, probably also being looked at [206] [207]. To facilitate this groups will tend to position themselves to maximally enable observation of the gaze of the other parties [202]. This intersects with proxemics which will be discussed shortly. In general people look most when they are listening, with short glances of 3-10 seconds [200]. Colburn et al. suggest that gaze direction and the perception of the gaze of others directly impacts social cognition [208] and this has been supported in a follow up study [209].

The importance of gaze is clearly so significant in evolutionary terms that human acuity for eye direction is considered high at 30 sec arc [210] with straight binocular gaze judged more accurately than straight monocular gaze [211], when using stereo vision.

Regarding the judgement of the gaze of others, Symons et al. suggested that “people are remarkably sensitive to shifts in a person’s eye gaze” in triadic conversation [210]. This perception of the gaze of others operates at a low level and is automatic. Langton et al. cite research stating that the gaze of others is “able to trigger reflexive shifts of an observer’s visual attention” and further discuss the deep biological underpinnings of gaze processing [207].

When discussing technology-mediated systems, Vertegaal & Ding suggested that understanding the effects of gaze on triadic conversation is “crucial for the design of teleconferencing systems and collaborative virtual environments” [186], and further found correlation between the amount of gaze, and amount of speech. Vertegaal & Slagter suggest that “gaze function(s) as an indicator of conversational attention in multiparty conversations” [206]. It seems like if we are to have useful markets within social immersive environments then support for natural gaze effects should be a priority.

Wilson et al. found that subjects can “discriminate gaze focused on adjacent faces up to [3.5m]” [212]. This perhaps gives us a testable benchmark within a metaverse application which is eye gaze enabled. In this regard Schrammel et al. investigated to what extent embodied agents can elicit the same responses in eye gaze detection [213].

Vertegaal et al. found that task performance was 46% better when gaze was synchronised in their telepresence scenario. As they point out, gaze synchronisation (temporal and spatial) is ‘commendable’ in all such group situations, but the precise utility will depend upon the

task [186].

There has been some success in the automatic detection of the focus of attention of participants in multi party meetings [214, 215]. More recently, eye tracking technologies allow the recording and replaying of accurate eye gaze information [216] alongside information about pupil dilation toward determination of honesty and social presence [217]. It seems there are trust and honesty issues conflated with how collaborators in a virtual space are represented.

In summary, gaze awareness does not just mediate verbal communication but rather is a complex channel of communication in its own right. Importantly, gaze has a controlling impact on those who are involved in the communication at any one time, including and excluding even beyond the current participants. Perhaps the systems we propose in this book need to demand eye gaze support, but it is clear that it should be recommended, and that the software selected should support the technology integration in principle.

8.4.2.2 Mutual Gaze

Aygle and Cook established early work around gaze and mutual gaze, with their seminal book of the same title [199], additionally detailing confounding factors around limitations and inaccuracies in observance of gaze and how this varies with distance [201, 190, 218].

Mutual gaze is considered to be the most sophisticated form of gaze awareness with significant impact on dyadic conversation especially [218, 192, 219]. The effects seem more profound than just helping to mediate flow and attention, with mutual eye gaze aiding in memory recall and the formation of impressions [220].

While reconnection of mutual eye gaze through a technology boundary does not seem completely necessary it is potentially important, with impact on subtle elements of one-to-one communication, and therefore discrimination of eye gaze direction should be bi-directional if possible, and if possible have sufficient accuracy to judge direct eye contact. In their review Bohannon et al. said that the issue of rejoining eye contact must be addressed in order to fully realise the richness of simulating face-to-face encounters [220].

Mutual gaze is a challenging affordance as bi-directional connection of gaze is not a trivial problem. It's perhaps best to view this as at the 'edge' of our requirements for a metaverse.

8.4.2.3 Mutual Gaze in Telepresence

We have seen that transmission of attention can broadly impact communication in subtle ways, impacting empathy, trust, cognition, and co-working patterns. Mutual gaze (looking into one another's eyes), is currently the high water mark for technology-mediated conversation.

Many attempts have been made to re-unite mutual eye gaze when using tele-conferencing systems. In their 2015 review of approaches Regenbrecht and Langlotz found that none of the methods they examined were completely ideal [221]. They found most promise in 2D and 3D interpolation techniques, which will be discussed in detail later, but they opined that such systems were very much ongoing research and lacked sufficient optimisation.

A popular approach uses the so called 'Peppers Ghost' phenomenon [222], where a semi silvered mirror presents an image to the eye of the observer, but allows a camera to view through from behind the angled mirror surface. The earliest example of this is Rosental's two way television system in 1947 [223], though Buxton et al. 'Reciprocal Video Tunnel' from 1992 is more often cited [224]. This optical characteristic isn't supported by retroreflective projection technology, and besides requires careful control of light levels either side of the semi-silvered surface.

The early GAZE-2 system (which makes use of Pepper's ghost) is novel in that it uses an eye tracker to select the correct camera from several trained on the remote user. This ensures that the correct returned gaze (within the ability of the system) is returned to the correct user on the other end of the network [225]. Mutual gaze capability is later highlighted as an affordance supported or unsupported by key research and commercial systems.

8.4.2.4 Head Orientation

Orientation of the head (judged by the breaking of bilateral symmetry and alignment of nose) is a key factor when judging attention. Perception of head orientation can be judged to within a couple of degrees [212].

It has been established that head gaze can be detected all the way out to the extremis of peripheral vision, with accurate eye gaze assessment only achievable in central vision [182]. This is less of use for our metaverses at this time, because user field of view is almost always restricted in such systems. More usefully, features of illumination can alter the apparent orientation of the head [226].

Head motion over head orientation is a more nuanced proposition

and can be considered a micro gesture [227]. Head tracking systems within head mounted displays can certainly detect these tiny movements, but it's clear that not all of this resolution is passed into shared virtual settings through avatars. It would be beneficial to be able to fine tune this feature within any software selected.

It is possible that 3D displays are better suited to perception of head gaze since it is suggested that they are more suitable for "shape understanding tasks" [228]

Bailenson, Baell, and Blascovich found that giving avatars rendered head movements in a shared virtual environment decreased the amount of talking, possibly as the extra channel of head gaze was opened up. They also reported that subjectively, communication was enhanced [229].

Clearly head orientation is an important indicator of the direction of attention of members of a group and can be discerned even in peripheral vision. This allows the focus of several parties to be followed simultaneously and is an important affordance to replicate on any multiparty communication system.

8.4.2.5 Combined Head and Eye Gaze

Rienks et al. found that head orientation alone does not provide a reliable cue for identification of the speaker in a multiparty setting [230]. Stiefelhagen & Zhu found "that head orientation contributes 68.9% to the overall gaze direction on average" [215], though head and eye gaze seem to be judged interdependently [211]. Langton noted that head and eye gaze are "mutually influential in the analysis of social attention" [207], and it is clear that transmission of 'head gaze' by any mediating system, enhances rather than replaces timely detection of subtle cues. Combined head and eye gaze give the best of both worlds and extend the lateral field of view in which attention can be reliably conveyed to others [182].

8.4.2.6 Other Upper Body: Overview

While it is well evidenced that there are advantages to accurate connection of the gaze between conversational partners [201, 192], there is also a body of evidence that physical communication channels extend beyond the face [192, 231] and include both micro (shrugs, hands and arms), and macro movement of the upper body [232]. Goldin-Meadow suggests that gesturing aids conversational flow by resolving mismatches and aiding cognition [233].

In their technology-mediated experiment which compared face to

upper body and face on a flat screen, Nguyen and Canny found that “upper-body framing improves empathy measures and gives results not significantly different from face-to-face under several empathy measures” [231].

The upper body can be broken up as follows:

Facial

Much emotional context can be described by facial expression (display) alone [232, 234], with smooth transition between expressions seemingly important [235]. This suggests that mediating technologies should support high temporal resolution, or at least that there is a minimum resolution between which transitions between expressions become too ‘categorical’. Some aspects of conversational flow appear to be mediated in part by facial expression [236]. There are gender differences in the perception of facial affect [237].

Gesturing

(such as pointing at objects) paves the way for more complex channels of human communication and is a basic and ubiquitous channel [238]. Conversational hand gestures provide a powerful additional augmentation to verbal content [239].

Posture

Some emotions can be conveyed through upper body configurations alone. Argyle details some of these [190] and makes reference to the posture of the body and the arrangement of the arms (i.e. folded across the chest). These are clearly important cues. Kleinsmith and Bianchi-Berthouze assert that "some affective expressions may be better communicated by the body than the face" [240].

Body Torque

In multi-party conversation, body torque, that is the rotation of the trunk from front facing, can convey aspects of attention and focus [241].

In summary, visual cues which manifest on the upper body and face can convey meaning, mediate conversation, direct attention, and augment verbal utterances.

8.4.2.7 Effect of Shared Objects on Gaze

Ou et al. detail shared task eye gaze behaviour “in which helpers seek visual evidence for workers’ understanding when they lack confidence of that understanding, either from a shared, or common vocabulary” [242].

Murray et al. found that in virtual environments, eye gaze is crucial for discerning what a subject is looking at [243]. This work is shown in Figure 8.3.

It is established that conversation around a shared object or task, especially a complex one, mitigates gaze between parties [199] and this suggests that in some situations around shared tasks in metaverses it may be appropriate to reduce fidelity of representation of the avatars.




Figure 8.3: Eye tracked eye gaze awareness in VR. Murray et al. used immersive and semi immersive systems alongside eye trackers to examine the ability of two avatars to detect the gaze awareness of a similarly immersed collaborator.

8.4.2.8 Tabletop and Shared Task

In early telepresence research Buxton and William argued through examples that “effective telepresence depends on quality sharing of both person and task space [224].

In their triadic shared virtual workspace Tang et al. found difficulty in reading shared text using a ‘round the table’ configuration, a marked preference for working collaboratively on the same side of the table. They also found additional confusion as to the identity of remote participants [244]. Tse et al. found that pairs can work well over a shared digital tabletop, successfully overcoming a single user interface to interleave tasks [245].

Tang et al. demonstrate that collaborators engage and disengage around a group activity through several distinct, recognizable mechanisms with unique characteristics [246]. They state that tabletop interfaces should offer a variety of tools to facilitate this fluidity.

Camblend is a shared workspace with panoramic high resolution video. It maintains some spatial cues between locations by keeping a shared object in the video feeds [247, 248]. Participants successfully resolved co-orientation within the system.

The t-room system implemented by Luff et al. surrounds co-located participants standing at a shared digital table with life sized body and head video representations of remote collaborators [249] but found that there were incongruities in the spatial and temporal matching between the collaborators which broke the flow of conversation. Tuddenham et al. found that co-located collaborators naturally devolved 'territory' of working when sharing a task space, and that this did not happen the same way with a tele-present collaborator [250]. Instead remote collaboration adapted to use a patchwork of ownership of a shared task. It seems obvious to say that task ownership is a function of working space, but it is interesting that the research found no measurable difference in performance when the patchwork coping strategy was employed.

The nature of a shared collaborative task and/or interface directly impacts the style of interaction between collaborators. This will have a bearing on the choice of task for experimentation [251, 252].

8.5 Psychology of Technology-Mediated Interaction

8.5.1 Proxemics

Proxemics is the formal study of the regions of interpersonal space begun in the late 50's by Hall and Sommers and building toward The Hidden Dimension [253], which details bands of space (Figure 8.4) that are implicitly and instinctively created by humans and which have a direct bearing on communication. Distance between conversational partners, and affiliation, also have a bearing on the level of eye contact [200] with a natural distance equilibrium being established and developed throughout, through both eye contact and a variety of subtle factors. Argyle & Ingham provide levels of expected gaze and mutual gaze against distance [201]. These boundaries are altered by ethnicity [254, 190] and somewhat by gender [255], and age [256, 237].

Even with significant abstraction by communication systems (such as SecondLife) social norms around personal space persist [257, 258, 259]. Bailenson & Blascovich found that even in Immersive Collaborative Virtual Environments (ICVE's) "participants respected personal




Figure 8.4: Bands of social space around a person Image CC0 from wikipedia.

space of the humanoid representation”[258] implying that this is a deeply held ‘low-level’ psychophysical reaction [260]. The degree to which this applies to non-humanoid avatars seems under explored.

Maeda et al. [261] found that seating position impacts the level of engagement in teleconferencing. Taken together with the potential for reconfiguration within the group as well as perhaps signalling for the attention of participants outside of the confines of the group in an open business metaverse setting.

When considering the attention of engaging with people outside the confines of a meeting Hager et al. found that gross expressions can be resolved by humans over long distances [262, 190]. It seems that social interaction begins around 7.5m in the so-called ‘public space’ [253]. Recreating this affordance in a metaverse would be a function

of the display resolution, and seems another ‘stretch goal’ rather than a core requirement.

8.5.2 Attention

The study of attention is a discrete branch of psychology. It is the study of cognitive selection toward a subjective or objective sub focus, to the relative exclusion of other stimuli. It has been defined as “a range of neural operations that selectively enhance processing of information” [263]. In the context of interpersonal communication it can be refined to apply to selectively favouring a conversational agent or object or task above other stimuli in the contextual frame.

Humans can readily determine the focus of attention of others in their space [214] and preservation of the spatial cues which support this are important for technology-mediated communication [168] [215].

The interplay between conversational partners, especially the reciprocal perception of attention, is dubbed the perceptual crossing [264, 265].

This is a complex field of study with gender, age, and ethnicity all impacting the behaviour of interpersonal attention [266, 256, 190, 237, 267]. Vertegaal has done a great deal of work on awareness and attention in technology-mediated situations and the work of his group is cited throughout this chapter [268]. As an example it is still such a challenge to “get” attention through mediated channels of communication, that some research [269, 168] and many commercial systems such as ‘blackboard collaborate’, Zoom, and Teams use tell tale signals (such as a microphone icon) to indicate when a participant is actively contributing. Some are automatic, but many are still manual, requiring that a user effectively hold up a virtual hand to signal their wish to communicate.

Langton et al. cite research stating that the gaze of others is “able to trigger reflexive shifts of an observer’s visual attention”.

Regarding the attention of others, Fagal et el demonstrated that eye visibility impacts collaborative task performance when considering a shared task [219]. Novick et al. performed analysis on task hand-off gaze patterns which is useful for extension into shared task product design [204].

8.5.3 Behaviour

Hedge et al. suggested that gaze interactions between strangers and friends may be different which could have an impact on the kinds of

interactions a metaverse might best support [203]. Voida et al. elaborate that prior relationships can cause “internal fault lines” in group working [270]. When new relationships are formed the “primary concern is one of uncertainty reduction or increasing predictability about the behaviour of both themselves and others in the interaction” [271]. This concept of smoothness in the conversation is a recurring theme, with better engineered systems introducing less extraneous artefacts into the communication, and so disturbing the flow less. Immersive metaverse are rife with artefacts.

In a similar vein the actor-observer effect describes the mismatch between expectations which can creep into conversation. Conversations mediated by technology can be especially prone to diverging perceptions of the causes of behaviour [272]. Basically this means misunderstandings happen, and are harder to resolve with more mediating technology.

Interacting subjects progress conversation through so-called ‘perception-action’ loops which are open to predictive modelling through discrete hidden Markov models [273]. This might allow product OKR testing of the effectiveness of engineered systems [274].

It may be that the perception-behaviour link where unconscious mirroring of posture bolsters empathy between conversational partners, especially when working collaboratively [275], and the extent to which posture is represented through a communication medium may be important.

Landsberger posited the Hawthorne effect [276]. Put simply this is a short term increase in productivity that may occur as a result of being watched or appreciated. The impression of being watched changes gaze patterns during experimentation, with even implied observation through an eye tracker modifying behaviour [277].

There are also some fascinating findings around the neural correlates of gratitude, which turn out not to be linked to gratitude felt by a participant, but rather the observation of gratitude received within a social context [278]. These findings have potentially useful implications for the behaviours of AI actors and avatars within an immersive social scene.

There is much historic work describing “the anatomy of cooperation” [279], and this might better inform how educational or instructional tasks are built in metaverse applications.

Cuddihy and Walters defined an early model for assessing desktop interaction mechanisms for social virtual environments [280].

8.5.3.1 Perception Of Honesty

Hancock et al. state that we are most likely to lie, and to be lied to, on the telephone [281]. Technology used for communication impacts interpersonal honesty. It seems that at some level humans know this; lack of eye contact leads to feelings of deception, impacting trust [282]. This has a major impact on immersive social XR, which often does not support mutual gaze. Trust is crucial for business interactions.

Further there are universal expressions, micro-expressions, and blink rate which can betray hidden emotions [283], though the effects are subtle and there is a general lack of awareness by humans of their abilities in this regard [282]. Absence of support for such instinctive cues inhibits trust [284]. Support for these rapid and transient facial features demands high resolution reproduction in both resolution and time domains. There is detectable difference in a participant's ability to detect deception when between video conference mediated communication and that mediated by avatars [217]. Systems should aim for maximally faithful reproduction.

8.5.4 Presence, Co-presence, and Social Presence

Presence is a heavily cited historic indicator of engagement in virtual reality, though the precise meaning has been interpreted differently by different specialisms [285, 286]. It is generally agreed to be the 'sense of being' in a virtual environment [287]. Slater extends this to include the "extent to which the VE becomes dominant".

Beck et al. reviewed 108 articles and synthesised an ontology of presence [285] which at its simplest is as follows:

1. Sentient presence
 - a. Physical interaction
 - b. Mental interaction
2. Non-sentient
 - a. Physical immersion
 - b. Mental immersion = psychological state

When presence is applied to interaction it may be split into Telepresence, and Co/Social presence [288, 289]. Co-presence and/or social presence is the sense of "being there with another", and describes the automatic responses to complex social cues [290, 291]. Social presence (and co-presence) refers in this research context to social presence which is mediated by technology (even extending to text based chat [292]), and has its foundations in psychological mechanisms which engender mutualism in the 'real'. This is analysed in depth by Nowak

[293]. An examination of telepresence, co-presence and social presence necessarily revisits some of the knowledge already elaborated.

The boundaries between the three are blurred in research with conflicting results presented [294]. Biocca et al. attempted to enumerate the different levels and interpretations surrounding these vague words [295], and to distill them into a more robust theory which better lends itself to measurement. They suggest a solid understanding of the surrounding psychological requirements which need support in a mediated setting, and then a scope that is detailed and limited to the mediated situation.

Since ‘social presence’ has been subject to varied definitions [295] it is useful here to consider a single definition from the literature which defines it as “the ability of participants in the community of inquiry to project their personal characteristics into the community, thereby presenting themselves to the other participants as real people.” [296, 285]. Similarly to specifically define co-presence for this research it is taken to be the degree to which participants in a virtual environment are “accesible, available, and subject to one another” [295].

Social presence has received much attention and there are established questionnaires used in the field for measurement of the levels of perceived social presence yet the definitions here also remain broad, with some confusion about what is being measured [295].

Telepresence meanwhile is interaction with a different (usually remote) environment which may or may not be virtual, and may or may not contain a separate social/co-presence component.

Even in simple videoconferencing Bondareva and Bouwhuis stated (as part of an experimental design) that the following determinants are important to create social presence [297, 188].

1. Direct eye contact is preserved
2. Wide visual field
3. Both remote participants appear life size
4. Possibility for participants to see the upper body of the interlocutor
5. High quality image and correct colour reproduction
6. Audio with high S/N ratio
7. Directional sound field
8. Minimization of the video and audio signal asynchrony
9. Availability of a shared working space.

Bondareva et al. went on to describe a person-to-person telepresence system with a semi-silvered mirror to reconnect eye gaze, which they claimed increased social presence indicators. Interestingly they

chose a checklist of interpersonal interactions which they used against recordings of conversations through the system [297].

The idea of social presence as an indicator of the efficacy of the system, suggests the use of social presence questionnaires in the evaluation of the system [295]. Subjective questionnaires are however troublesome in measuring effectiveness of virtual agents and embodiments, with even nonsensical questions producing seemingly valid results [298]. Usoh et al. found that 'the real' produced only marginally higher presence results than the virtual [299]. It would be difficult to test products this way.

Nowak states that "A satisfactory level of co-presence with another mind can be achieved with conscious awareness that the interaction is mediated" and asserts that while the mediation may influence the degree of co-presence it is not a prohibiting factor [293].

Baren and IJsselsteijn [300, 301] list 20 useful presence questionnaires in 2004 of which "Networked Minds" seemed most appropriate for the research. Hauber et al. employed the "Networked Minds" Social Presence questionnaire experimentally and found that while the measure could successfully discriminate between triadic conversation that is mediated or unmediated by technology, it could not find a difference between 2D and 3D mediated interfaces [302, 292].

In summary, social presence and co-presence are important historic measures of the efficacy of a communication system. Use of the term in literature peaked between 1999 and 2006 according to Google's ngram viewer and has been slowly falling off since. The questionnaire methodology has been challenged in recent research and while more objective measurement may be appropriate, the networked minds questions seem to be able to differentiate real from virtual interactions [301].

8.6 Other Systems to Support Business

There have been many attempts to support group working and rich data sharing between dispersed groups in a business setting. So called 'smart spaces' allow interaction with different displays for different activities and add in some ability to communicate with remote or even mobile collaborators on shared documents [176], with additional challenges for multi-disciplinary groups who are perhaps less familiar with one or more of the technology barriers involved [177].

Early systems like clearboard [178] demonstrated the potential for smart whiteboards with a webcam component for peer to peer collaborative working. Indeed it is possible to support this modality

with Skype and a smartboard system (and up to deployments such as Accessgrid). They remain relatively unpopular however.

Displays need not be limited to 2 dimensional screens and can be enhanced in various ways.

Stereoscopy allows an illusion of depth to be added to a 2D image by exploiting the stereo depth processing characteristics of the human vision system. This technical approach is not perfect as it does not fully recreate the convergence and focus expected by the eyes and brain.

There are multiple approaches to separating the left and right eye images, these primarily being active (where a signal selectively blanks the input to left then right eyes in synchronicity with the display), passive, where either selective spectrum or selective polarisation of light allow different portions of a display access to different eyes, or physical arrangements which present different displays (or slices of light as in lenticular systems) to different eyes.

These barrier stereoscopy / lenticular displays use vertical light barriers built into the display to create multiple discrete channels of display which are accessed by moving horizontally with respect to the display. In this way it is possible to generate either a left/right eye image pair for 'autostereoscopic' viewing, or with the addition of head tracking and small motors. With these techniques multiple viewpoint or an adaptive realtime viewpoint update can be presented without the glasses required for active or passive stereoscopic systems.

8.6.1 Spatially Faithful Group

Hauber et al. combined videoconferencing, tabletop, and social presence analysis and tested the addition of 3D. They found a nuanced response when comparing 2D and 3D approaches to spatiality: 3D showed improved presence over 2D (chiefly through gaze support), while 2D demonstrated improved task performance because of task focus [303].

I3DVC reconstructs participants from multiple cameras and places them isotropically (spatially faithful) [304, 305]. The system uses a large projection screen, a custom table, and carefully defined seating positions. They discussed an "extended perception space" which used identical equipment in the remote spaces in a tightly coupled collaborative 'booth'. It employed head tracking and multi camera reconstruction alongside large screens built into the booth. This system exemplified the physical restrictions which are required to limit the problems of looking into another space through the screen. Fuchs et al. demonstrated a similar system over a wide area network but achieved

only limited resolution and frame rate with the technology of the day [306].

University of Southern California used a technically demanding real-time set-up with 3D face scanning and an autostereoscopic 3D display to generate multiple ‘face tracked’ viewpoints [307]. This had the disadvantage of displaying a disembodied head.

MAJIC is an early comparable system to support small groups with life size spatially correct video, but without multiple viewpoints onto the remote collaborators it was a one to ‘some’ system rather than ‘some’ to one. Additionally users were rooted to defined locations [308, 309].

There seems to be less interest recently in large display screens for spatially correct viewpoints between groups. The hardware is technically demanding and there may have been sufficient research done to limit investment in research questions. This doesn’t mean that there is no future for metaverse applications. Imagine one of the new XR studio walls such as that used to film the Mandalorian. With application of telepresence research it would be possible to bring external metaverse participants into the ‘backstage’ virtual scene. These avatars would be able to explore the scene invisible to the actors, but could be given access to visual feeds from the stage side. This is a hybrid virtual/real metaverse with a well researched and understood boundary interface. It would be possible to give different access privileges to different levels of paying ‘film studio tourist’ or investor, with VIPs perhaps commanding a view onto the live filming. At the nadir of this it may be possible to bring producers and directors directly into the virtual studio as avatars on the screen boundary, with a spatially faithful view onto the set. For the purposes of this book it’s also worth noting that NFTs of the experience and corresponding virtual objects from the scene could be monetised and sold within the metaverse.

8.6.1.1 Multiview

In order to reconnect directional cues of all kinds it is necessary for each party in the group to have a spatially correct view of the remote user which is particular for them. This requires a multi-view display, which has applications beyond telepresence but are used extensively in research which attempts to address these issues.

Nguyen and Canny demonstrated the ‘Multiview’ system [185]. Multiview is a spatially segmented system, that is, it presents different views to people standing in different locations simultaneously. They found similar task performance in trust tasks to face-to-face meetings,

while a similar approach without spatial segmentation was seen to negatively impact performance.

In addition to spatial segmentation of viewpoints [310] it is possible to isolate viewpoints in the time domain. Different tracked users can be presented with their individual view of a virtual scene for a few milliseconds per eye, before another viewpoint is shown to another user. Up to six such viewpoints are supported in the c1x6 system [311]. Similarly MM+Space offered 4 Degree-Of-Freedom Kinetic Display to recreate Multiparty Conversation Spaces [312].

8.6.2 Holography and Volumetric

Blanche et al. have done a great deal of research into holographic and volumetric displays using lasers, rotating surfaces, and light field technology [313, 314]. They are actively seeking to use their technologies for telepresence and their work is very interesting.

Similarly Jones et al. "HeadSPIN" is a one-to-many 3D video teleconferencing system [307] which uses a rotating display to render the holographic head of a remote party. They achieve transmissible and usable framerate using structured light scanning of a remote collaborator as they view a 2D screen which they say shows a spatially correct view of the onlooking parties.

Eldes et al. used a rotating display to present multi-view autostereoscopic projected images to users [315].

Seelinder is an interesting system which uses parallax barriers to render a head which an onlooking viewer can walk around. The system uses 360 high resolution still images which means a new spatially segmented view of the head every 1 degreesof arc. They claim the system is capable of playback of video and this head in a jar multi-view system clearly has merit but is comparatively small, and as yet untested for telepresence [316].

These systems do not satisfy the requirement to render upper body for the viewers and are not situated (as described soon).

There's a future possible where real-time scanned avatar representation in persistent shared metaverse environments will be able to support business, but the camera rigs which currently generate such models are too bulky and involved for a good costs benefit analysis. It is more likely that recent advances in LIDAR phone scanning show the way. The allow realistic avatars to be quickly created for animation within metaverse scenes [317].

8.6.3 Simulated Humans

8.6.3.1 Uncanniness

When employing simulation representations of humans it may be the case that there is an element of weirdness to some of these systems, especially those that currently represent a head without a body. Mori has demonstrated The Uncanny Valley [318] effect in which imperfect representations of humans elicit revulsion in certain observers. This provides a toolkit for inspecting potentially ‘weird’ representations, especially if they are ‘eerie’ and is testable through Mori’s GODSPEED questionnaire.

With an improved analysis of the shape of the likeability curve estimated later showing a more nuanced response from respondents where anthropomorphism of characters demonstrated increased likeability even against a human baseline [319, 320].

A mismatch in the human realism of face and voice also produces an Uncanny Valley response [321].

However, there is a possibility that Mori’s hypothesis may be too simplistic for practical everyday use in CG and robotics research since anthropomorphism can be ascribed to many and interdependent features such as movement and content of interaction [320].

Bartneck et al. also performed tests which suggest that the original Uncanny Valley assertions may be incorrect, and that it may be inappropriate to map human responses to human simulacrum to such a simplistic scale. They suggest that the measure has been a convenient ‘escape route’ for researchers [320]. Their suggestion that the measure should not hold back the development of more realistic robots holds less bearing for the main thrust of this telepresence research which seeks to capture issues with imperfect video representation rather than test the validity of an approximation.

Interestingly Ho et al. performed tests on a variety of facial representations using images. They found that facial performance is a ‘double edged sword’ with realism being important to robotic representations, but there also being a significant Uncanny Valley effect around ‘eerie, creepy, and strange’ which can be avoided by good design [322].

More humanlike representations exhibiting higher realism produce more positive social interactions when subjective measures are used [257] but not when objective measures are used. This suggests that questionnaires may be more important when assessing potential uncanniness.

A far more objective method would be to measure user responses

to humans, robots, and representations with functional near-infrared spectroscopy and while this has been attempted it is early exploratory research [323], an emotional response to ‘eerie’ was discovered.

8.6.3.2 Embodiment through robots

Virtuality human representation extends beyond simple displays into robotic embodiments (which need not be humanoid [324]), shape mapped projection dubbed “shader lamps”, and hybridisations of the two.

Robots which carry a videoconference style screen showing a head can add mobility and this extends the available cues [325, 326, 327, 328, 329]. Interestingly Desai and Uhlik maintain that the overriding modality should be high quality audio [330].

Tsui et al. asked 96 participants to rate how personal and interactive they found interfaces to be. Interestingly they rated videoconferencing as both more personal and more interactive than telepresence robots, suggesting that there is a problem with the overall representation or embodiment [331].

Kristoffersson et al. applied the Networked Minds questionnaire to judge presence of a telepresence robot for participants with little or no experience of videoconferencing. Their results were encouraging, though they identified that the acuity of the audio channel needing improvement [332].

There are a very few lifelike robots which can be used for telepresence, and even these are judged to be uncanny [333]. This is only an issue for a human likeness since anthropomorphic proxies such as robots and toys perform well [318].

8.6.3.3 Physical & Hybrid embodiment

Embodiment through hybridisation of real-time video and physical animatronic mannequins has been investigated as a way to bring the remote person into the space in a more convincing way [334, 335, 336]. These include telepresence robots [326, 333, 327], head in a jar implementations such as SphereAvatar [337, 338, 339] and BiReality [340], UCL’s Gaze Preserving Situated Multi-View Telepresence System [338], or screen on a stick style representations [329].

Nagendran et al. present a 3D continuum of these systems into which they suggest all such systems can be rated from artificial to real on the three axes, shape, intelligence, and appearance [341].

Itoh et al. describe a ‘face robot’ to convey captured human emotion over a distance. It uses an ‘average face’ and actuators to manipulate

feature points [342]. It seems that this is an outlier method for communication of facial affect but demonstrates that there are many development paths to a more tangible human display.

It seems increasingly likely that machine learning models which manipulate images in real time can simulate humans into metaverse applications with very little input data. One such example is Samsung's Megaportraits which can produce a realistic human face from a single input stream such as a webcam [343].

8.6.3.4 Shader lamps

Projection mapping is a computational augmented projection technique where consideration of the relative positions and angles of complex surfaces allows the projection from single or multiple sources to augment the physical shapes onto which they appear. It was first considered by the Disney corporation in 1969 and was given prominence by Raskar and Fuchs with "office of the future" [344] and later by Raskar and other researchers [336]. It has since gained considerable commercial popularity in live entertainment.

Shader lamps [336] is the more formal academic designation for projection mapping. It is possible to use the technique alongside reconstruction to project onto a white facial mannequin. Researchers have attempted to use the technology for remote patient diagnostic, projecting onto styrofoam heads [345].

Bandyopadhyay et al. demonstrated [346] that it is possible to track objects and projection map [347] onto them in real time. This is beyond the scope of the proposed projection onto furniture since we wish to keep the system as simple as possible, but could be useful for shared tasks in the future work.

Lincoln et al. employed animatronic avatars which they projected with shader lamps. This combination recreated facial expression and head movement though they were limited in speed and range of control of the remote head [335].

While shader lamps are an important and useful technology, there are limitations imposed by its use. In particular if a realtime video feed or reconstruction of a subject is used then that scanned subject must either remain still enough to be correctly mapped onto geometry on the remote side (useful for some virtual patients for instance [348], or else there must be a computational adjustment made for their changing position to make them appear static, or the projection surface must move to match their movement as in Lincoln et al.

8.6.3.5 Metaverse

In supporting business it's not clear that performance is improved or even maintained by the use of a metaverse. Xi et al. found a significant negative impact to productivity within metaverse applications [349]. It lowers productivity, and may increase anxiety, nausea, VR sickness and even migraines [350]. It seems at this stage that if we are determined to explore metaverse for business then we should mitigate the problems as much as possible using the understanding we have gained so far. It might seem that in so doing there is no difference between immersive collaborative mixed reality (described above) and metaverse at all. We feel that the point of metaverse may be in *access to*, if not reliance upon, a mechanism for global truth. What we will go on to describe is likely to look more like traditional telecollaboration for small focussed teams, working on real-world problems, but we will always maintain an access to both the ability to scale, and a global register of value, trust, and truth (digital assets).

8.7 Theoretical Framework toward metaverse

8.7.1 Problem Statement

It's very likely that the 'social first' metaverse attempts such as Meta Horizons, Sandbox, and Decentraland are failing to capture audiences. They will likely crash back down the hype curve as 'Second Life' did before them. Games based worlds such as Roblox are fairing better, but it's unclear if they have any longevity, and they do not fulfil ambitions of an open metaverse.

Worse yet it seems that metaverse is not the most useful way to conduct business. It is evident that there are multiple factors which contribute to successful human-human communication. These factors remain important in telecommunication supported by technology, and are variously supported, unsupported, or modified by particular technologies. Third person large scale metaverse are clearly amongst the worse of the solutions.

Of particular importance is interpersonal gaze [218, 192, 219]. Non-verbal cues are also important across multiple modalities of sight, sound [194], and position of interlocutors [202], extending to the whole body [192, 231].

While formal meeting paradigms are pretty well supported by commercially deployed systems, such ICT can be expensive, may need to be professionally managed, and high end equipment in board rooms

are generally booked well in advance. These meetings seem to demand many smaller supporting meetings between parties or groups of parties. The pressure here is clearly toward the now ubiquitous Teams and Zoom style formats, and these offer very poor support for social cues, and incur additional fatigue. These are known and well researched problems, and it is possible that the strategic pairing of Meta Horizons and Microsoft Teams will succeed where previous attempted have failed. They seem to finally have the right assets and opportunity.

The ‘problem’ is a supporting technology for small less formal groups, or ad-hoc groups meeting to add clarity or context to formal meetings. Metaverse allows this kind of interaction, while not seeming to replace formal meeting utility. Metaverse also may connect home and work spaces without bringing in those backgrounds, creating a level playing field. A more advanced metaverse interface could also allow dynamism and movement, connection of natural non vocal cues, without too much encumbering technology overhead.

8.7.2 Core Assumptions

Figure 8.5 shows the interlocking relationships between baseline communication where the participants are present, and technology which attempts to support across distance.

Of most interest to this research is the centre of the Venn where meeting styles which are less formal, and perhaps dynamic, may occur. Looking at these items one by one gives us our core assumptions.

1. Gaze

Gaze is broadly agreed to be highly important for mediating flow. Mutual gaze is a rich emotional channel. The research must consider gaze. All of the researchers listed around the Venn have at some point engaged with this topic.

2. Attention

The non-verbal communication channel employed in ‘attention’ is assumed based upon the literature to be critical to smoothly leaving and entering a fast flowing conversation where concentration around a defined problem may be high (gesturing to a chair for instance). Again, all of the listed researchers have made reference to attention in their work.

3. Spatial (immersive)

Support for spatiality is important in a group setting so that directional non-verbal cues can find their target. The topic of spatial relationships between interlocutors cuts across all of the researchers, but this is not true of immersion. Immersion in a




Figure 8.5: The Venn diagram shows areas of research which have been identified in blue. These interlock and overlap as shown. The most relevant identified researchers from the literature are shown in black close to the fields of study which they represent. This diagram is a view of the core assumptions for the research, with the most important fields at the centre.

shared virtuality can certainly support the underlying requirements spatial, but the technical infrastructure required is out of scope (so this is struck through on the diagram). Roberts and Steed are the main expertise referenced even though this element is not expanded in the research.

4. Situated

Situated displays are those which are appropriate for their surrounding context, in this case the informal meeting. Roberts, Pan, Steed and Steptoe seem the most relevant researchers in these technology spaces.

5. Informal

Based on the literature proxemics is believed to be relevant in a meeting where subgroups can be instantiated and destroyed

as the meeting evolves, and those where people can be invited in from outside the physical bounds of the meeting (informal spaces). Hall is the best source for this work. If it is assumed that people may come and go, and subgroups may be convened then Sermon and Benford are the best references through their work blending real and virtual spaces. This may be more consistent with less organised meetings such as those convened on demand (ad-hoc).

8.7.3 Peripheral Assumptions

Surrounding the centre of the Venn are additional relevant topics from social science branches of theory

From verbal communication

It is assumed that the directionality of sound is important [189], and this will be engineered into the experimental design. It is assumed that movement of the lips is an indicator and this is tied to latency and frame rate in the vision system.

From non-verbal communication

It is assumed that eye gaze is of high importance, and that this information channel is supported by head gaze and body torque to a high degree. It is further assumed that mutual eye gaze is of less relevance in a multi party meeting where there is a common focus for attention but can be significant for turn passing. It is assumed that upper body framing and support for transmission of micro and macro gesturing is important for signaling attention in the broader group, and for message passing in subgroups.

Now that we have an idea what’s important for business social communication we can look at the available software to find a best fit.

8.8 Post ‘Meta’ metaverse

The current media around “metaverse” has been seeded by Mark Zuckerberg’s rebranding of his Facebook company to ‘Meta’, and his planned investment in the technology. Kraus et al suggest that this seems more a marketing and communication drive than a true shift in the company business model [351], but despite this Park and Kim identify dozens of recent papers of metaverse research emerging from Meta labs [153].

In Stephenson’s ‘Snow Crash’ the Hero Protagonist (drolly called Hiro Protagonist) spends much of the novel in a dystopian virtual envi-

ronment called the metaverse. It is unclear if Facebook is deliberately embracing the irony of aping such a dystopian image, but certainly their known predisposition for corporate surveillance, alongside their attempt at a global digital money is ringing alarm bells, as is their current plan for monetisation.

The second order hype is likely a speculative play by major companies on the future of the internet. Grayscale investment published a report which views Metaverse as a potential trillion dollar global industry. Such industry reports are given to hyperbole, but it seems the technology is becoming the focus of technology investment narratives. Some notable exerts from a 2021 report by American bank JPMorgan show how the legacy financial institutions see this opportunity:

- In the view of the report “*The metaverse is a seamless convergence of our physical and digital lives, creating a unified, virtual community where we can work, play, relax, transact, and socialize.*” - this isn’t the worst definition, and very much plays into both the value and mixed reality themes explored in this book.
- They agree with the industry that monetisation of assets in metaverse applications is called “Metanomics”. It’s worth seeing this word once, as it’s clearly gaining traction, but it won’t be used in this book.
- They make a point which is at the core of this book, that value transaction within metaverses may remove effective border controls for working globally. Be this teleoperation of robots, education, or shop fronts in a completely immersive VR world. They say: “*One of the great possibilities of the metaverse is that it will massively expand access to the marketplace for consumers from emerging and frontier economies. The internet has already unlocked access to goods and services that were previously out of reach. Now, workers in low-income countries, for example, may be able to get jobs in western companies without having to emigrate.*”
- There is a passage which foreshadows some of the choices made in this book: “*Expanded data analytics and reporting for virtual spaces. These will be specifically designated for commercial and marketing usage and will track business key performance indicators (this already exists in some worlds, such as Cryptovoxels)*”. More on this later.
- The report attempts to explore the web3 & cryptocurrency angles of metaverse. That’s also the aim of this book, but they have taken a much more constrained approach, ignoring the possibilities

within Bitcoin.

- They assert that strong regulatory capture, identification, KYC/AML etc should underpin their vision of the metaverse. This is far from the community driven and organically emergent narratives that underpin Web3. This is their corporate viewpoint, something they have to say. On the back of this they pitch their consultancy services in these areas.

There has been a reactive pushback against commercialisation and corporateisation by the wider tech community, who are concerned about the aforementioned monetisation of biometrics. Observers do not trust these ‘web’ players with such a potentially powerful social medium. It is very plausible that this is all just a marketing play that goes nowhere and fizzles out. It is by no means clear that people want to spend time socialising globally in virtual and mixed reality. These major companies are making an asymmetric bet that if there is a move into virtual worlds, then they need to be stakeholders in the gatekeeping capabilities of those worlds.

To paraphrase Olson; the salesmen peddling the inevitability of the metaverse are stuck clinging to aesthetic details because, without them, they’re just talking about the internet. While virtual reality is enjoying hype right now, and will continue to develop, it faces significant challenges related to the human body’s physiological limitations. For instance, the inner ear can become disoriented when a user experiences virtual movement without physically moving. This issue has led to the development of VR applications that require compromises between immersion and physical comfort.

8.9 Market analysis

The market penetration analysis for VR which rings most true for us is provided by Thrive Analytics, and ARTillery Intelligence. Their report is titled “VR Usage & Consumer Attitudes, Wave VI”. In the USA (which is the cohort they surveyed) they found that adoption of VR headsets is slower than predicted (their work is longitudinal), but steady. Some highlight points are:

- 23 percent of U.S. adults own or *have used* VR technology. This is around 4% up from the previous survey in 2020. Frustratingly, and very much in keeping with such industry surveys they conflate ‘own’ with ‘have used’ making this data pretty meaningless from an adoption point of view.
- there is a skew toward male users of around 10%, and a far larger

skew toward younger users, and a bias toward richer households. These are indicative of a technology that's still early in its adoption cycle.

- Of the owners of the technology (no indication what percentage this is) they found that around a third used the equipment regularly, but that this retention number was gently falling.
- Standalone headsets (Quest 2 and Pico 4) without a cabled connection to a computer are far more popular, and have better user retention. This makes sense as the alternative demands either space or setup time.
- Buyers of these more popular headsets are very sensitive to price. Note here that Meta is selling Quest2 at a loss to drive the market. This is unsustainable.
- Overall this snapshot of adoption feels pretty neutral, and is being driven by losses to Facebook/Meta share price.

Deloitte have just conducted a UK survey. This covers “metaverse, virtual reality, and web3 (i.e. blockchain-based assets like Bitcoin”, and so is perfect for our needs. They have similar results to the bigger US survey. Their key finding are quoted below verbatim:

- 63% of respondents have heard of the term “metaverse”. However, roughly half of those know nothing about it.
- Only 18% of VR headsets are used daily, from the 8% of individuals that claim to have access to one.
- Consumers may be wary of web 3. While most people (93%) have heard of cryptocurrency, only one in five (19%) know at least a “fair amount” about it. Knowledge of NFTs is rarer still.
- 70% of those who have heard of these assets say they are unlikely to buy them in the next, and cite fraud, scams and a lack of regulation as key concerns.

Deloitte feel that “content is key” for virtual reality to be a success, but we would instead argue that applications are key. Nearly half of their respondents were simply “not interested in VR”. We think this matches our longstanding understanding of the reality of the market. A few vocal proponents of the technology does not necessarily lead to a developed and mature mass appeal. Again, we feel that real world use cases will drive adoption over a longer time frame. Virtual meetings do not feel like that application to us.

They feel that ‘one metaverse’ would require blockchain/web3 tooling for a common consensus frame, and we agree with this. It seems like a very long way to that point, and perhaps not worth the effort. They, like us, see compatible silos as being the interim step.

They (unusually) have a legal opinion in the text, and this is valuable enough to quote verbatim once again. *“The metaverse amplifies existing legal issues and raises new ones. Centralised metaverses, such as those focused on games, tend to engage consumers in a controlled space and operate within familiar legal frameworks. For example, users purchasing a virtual accessory are likely to understand its use will be within tightly prescribed parameters. Decentralised metaverses, which incorporate web3 (such as NFTs) are more challenging, as users may expect virtual assets to be portable. However, those assets are governed by inconsistent and often unclear terms, and the lack of technical standards can result in limited interoperability between metaverses. For the user, social interactions in virtual worlds can feel realistic, inviting scrutiny from policymakers and regulators focused on online safety. An increased legislative focus on children online will also require platforms to assess or verify the age of users. And collection of personal data – such as eye movement within a VR headset – will require informed consent under data protection laws, and a clear understanding of who is controlling that data at any given time. Finally, as content is key, clear contractual parameters are required to frame how intellectual property is used, whether user-generated content is permitted, and how illegal/harmful content is managed. Amid all of this, metaverse builders, content owners and brands must ensure they have a risk assessment and risk management framework in place to avoid costly mistakes, both reputational and financial, in an increasingly regulated space.”*

The Drum is a market awareness website and compiled the following statistics, which have been linked back to their source and annotated for our needs.

- 89.4 million Americans are expected to use virtual reality (VR) in 2022, according to insiderintelligence. That number, according to the same source, is expected to climb to 110.3 million in 2025. As a counter to this only around 16M VR headsets were sold in 2022
- 51% of gen Z and 48% of millennials envision doing some of their work in the metaverse in the next two years, according to Microsoft's Work Trend Index 2022.
- 38% of respondents said they would “try extreme sports like skydiving, bungee jumping, or paragliding” in the metaverse according to a recent Statista survey called ‘What things would you do in the metaverse but never in real life?’ Unsettlingly, 18% of respondents said they would “conduct unethical experiments

on virtual humans”

- *87% of Americans between the ages of 13-56 would be interested in engaging with a virtual experience in the metaverse “that is built around a celebrity they love,” according to new research from UTA and Vox Media*
- *\$678bn is forecasted to be the total market valuation of the metaverse by 2030, per Grand View Research. According to the report, that market value was just shy of \$39bn in 2021, giving it a predicted compounded annual growth rate over a 10-year period of around 39%*
- *46% of all people across age groups say that the ability to visualize a virtual product in an IRL context – “such as seeing a digital painting in their home using augmented reality (AR) glasses” – is the primary factor that would motivate them to make a purchase in the metaverse, per a Productsup survey*
- *24% of US adult internet users say “that lower-priced VR headsets were a very important factor when deciding whether to try using the metaverse,” per a recent Statista survey. On the other hand, 54% say that their workplace using the metaverse would “not [be] important at all” in their decision to give the metaverse a try*
- *15% of gen Zs’ “fun budget” is spent in the metaverse, per a report from Razorfish and Vice Media Group. In five years that number is projected to climb to 20%*
- *Nearly 77% believe that the metaverse “can cause serious harm to modern society,” per a recent survey from customer service platform Tidio. The survey, which received feedback from 1,000 participants, identified three major causes of anxiety related to the metaverse and its potentially negative social impacts: “addiction to a simulated reality” was the number one concern, followed by “privacy issues” and “mental health issues,” which were tied for second*
- *By 2026, about 2 billion people worldwide “will spend at least one hour a day in the metaverse to work, shop, attend school, socialize or consume entertainment,” per McCann Worldgroup. By that same year, the total value of the virtual goods market in the metaverse could be as high as \$200bn*
- *NFTs Over \$37bn has been spent in NFT marketplaces as of May 2022, per data from Chainalysis. At their current rate, this year’s NFT sales could potentially surpass last year’s, which had a total valuation of around \$40bn, according to the data*

- *\$91.8m was the sale price of ‘The Merge,’ the most valuable NFT to date. Created by the artist Pak, it sold for its record-breaking value in December 2021*
- *64% of sports fans are open to the idea of learning more about NFTs and would consider purchasing one in the future, according to the National Research Group. The report also found that 46% of sports fans “would be more likely to attend live sporting events if they were rewarded with a commemorative NFT – for example, if their ticket turned into a digital collectible after the game”*
- *Only 9% of people aged 16-44 own a NFT, and less than half (44%) have purchased or invested in crypto, per a new survey from agency SCS. On the other hand, among the survey’s 600 respondents, 64% were “aware” of the metaverse, and 65% of that subgroup say they are “interested in exploring it further for everything from traveling to new places and playing games to making money and shopping”*

Polling company IPSOS have conducted a global survey for the World Economic Forum. Some highlights are:

- “Excitement about extended reality is significantly higher in emerging countries than it is in most high-income countries. In China, India, Peru, Saudi Arabia, and Colombia, more than two-thirds say they have positive feelings about the possibility of engaging with it.”
- “Familiarity and favorability toward the new technologies are also significantly higher among younger adults, those with a higher level of education, and men than they are among older adults, those without a college-level education, and women.”


Excitingly for our exploration of the topic it can be seen in Figure 8.6 that education within metaverse spaces is the most anticipated application, and we have seen that the emerging global markets are the most optimistic about the technology overall. This is highly suggestive of an opportunity.

8.10 NFT and crypto as metaverse

Within the NFT, Web3 and crypto community it is normalised to refer to ownership of digital tokens as participation in a metaverse. This is reflected in the market analysis above. This fusing of narratives is reviewed in detail by Gadekallu et al in their excellent recent paper on Metaverse and Blockchain [352]. They conclude that much remains to be done here. This CNBC article highlights the confusion, as this

How Metaverse applications will impact people's lives

% expecting various types of metaverse apps using XR to significantly change people's lives in the next 10 years



Source: Ipsos Global Advisor - Metaverse and Extended Reality
 • Embed • Created with Datawrapper

Figure 8.6: IPSOS poll predicted applications

major news outlet refers to Walmart prepares to offer NFTs” as an entry “into the metaverse”.

8.11 Lessons from MMORGs

The concept of ‘instrumental play’ was introduced by literary theorist Wolfgang Iser in his 1993 essay “The Fictive and the Imaginary” [353]. Iser divided play into two categories, free play and instrumental play, based on their relationship to goals. In his view, play becomes instrumental the moment it has a goal or a set of rules. The application of this concept to massively multiplayer online games was later explored by sociologist T.L Taylor in her 2006 book ‘Play Between Worlds’ [354]. According to Taylor, instrumental play is a goal-oriented approach that values efficiency, expertise, and strategy optimization. The point of playing is not to reach the end but to find the best way to get there.

The distinction between instrumental play and fun is often seen as a false dichotomy. The two are not mutually exclusive but exist in tension. Optimization can result in player behaviours that are simply no fun, but achieving goals or improving skills can also bring enjoyment. René Glas in his book ‘Battlefields of Negotiation’ [355] describes the movement between instrumental and free play in World of Warcraft, which has the distinction of evolving across entirely different iterations of the Internet.

These virtual worlds of massively multiplayer online games are

"interactively stabilized" systems, the result of the interaction between game designers and players. The social codes of practice established by players can shape what is considered legitimate play. Success in these games is dynamically defined by consensus, as seen in Mark Chen's study of World of Warcraft 'Leet Noobs' [356].

Tom Boellstorff conducted a study of user experiences in Second Life [357], which was criticized for not involving real life or other websites or software in the analysis. The virtual worlds of massively multiplayer online games are not enclosed and players can engage with these games through various platforms, such as Discord, Twitch, Twitter, and Google Docs, without physically inhabiting the virtual world. This concept of "paratext" was first introduced by French literary theorist Gerard Genette. He saw a book as containing the text of the book and additional components, such as the cover, title, foreword, etc., that are necessary to complete the book but not part of the primary text. These additional texts influence the meaning of the primary text. The definition was later expanded by Mia Consalvo, who defined paratext as any text that "may alter the meanings of a text, further enhance meanings, or provide challenges to sedimented meanings." Examples of paratext include reviews, pre-release trailers, etc. Kristine Ask observed the impact of paratext on theorycrafting expertise in World of Warcraft, which was later confirmed by the rise of twitch streams. Mark Chen's dissertation Leet Noobs focuses on how AddOns in World of Warcraft can become essential agents in raid groups by assuming cognitive load. The concept is based on the idea of object-oriented ontology and actor-network theory [358]. These theories are complex and contested, but the boundaries between real people and virtual AI actors in virtual social spaces are certainly blurred.

Virtual spaces are not separate from the real world, but are instead an extension of it. The key factor in making a virtual world compelling is not its realism, but the fact that people give meaning to their lives by entangling themselves in projects with others, even when those others are not other people. Worlds become real when people care about them, not when they look like the real world.

8.12 Immersive and third person XR

In considering the needs of business to business and business to client social VR is it useful to compare software platforms. We have seen that a global connected multiverse is a marketing proposition only, and may be a decade or more away. Contenders currently look more like

one of three categories; games, limited massively multiplayer worlds, or meeting support software. These will converge.

8.12.1 More like a digital twin

One of the most intuitive ways to view a metaverse is as a virtual landscape. This is how metaverse was portrayed in the original Neal Stephenson use of the word. ‘Digital twin’ is another much abused industry term which trends toward a 3D representation of real world spaces and objects. Sometimes these virtual objects are connected to the real by telemetry, allowing industrial monitoring applications. Much is made of such systems in simulation brochures, and on the web, but it’s surprisingly hard to find real world applications of the idea outside of complex large scale systems engineering (aerospace). The costs of maintenance are simply too high. The US army owns the digital twin which could be called closest to “The Metaverse” (note the intentional capitalisation). Their global simulation environment mirrors real world locations for their training needs. The European space agency is building an Earth digital twin for climate research, as is Nvidia, but again it’s unclear what this offers over and above access to direct data feeds, and of course such an ambitious project likely has an ecological cost!

Within industry digital twins are seen as the primary use case for metaverse, with even the world economic forum subscribing to the hype. To be clear, there is enormous effort, investment, and potential here, but it feels outside of the scope of this product at this time.

8.12.1.1 Geolocated AR

Overlaying geospecific data into augmented reality (think Pokemon Go) is probably the ultimate utility of digital twin datasets. It’s such a compelling application space that we will have more on this later.

8.12.2 More like a metaverse

8.12.2.1 Second Life

Notable because it’s the original and has a decently mature marketplace. Some \$80M was paid to creators in Second Life in 2021 in a wider economic ecosystem of around \$650M. It’s possible to write a whole book on Second life, and indeed many have. Its longevity means that there’s more study of business uses of such systems than in any other platform.

8.12.2.2 Mozilla Hubs

Hubs is a great option for this proposal, and might be worth integrating later. It runs well in a browser and on VR hardware.

- Open source, bigger scale, more complex
- Choose avatars, or import your own
- Environments are provided, or can be designed
- Useful for larger conferences with hundreds or thousands of members but is commensurately more complex
- Quest and PC
- Larger scenes within scenes

8.12.2.3 Counter social realms

A relatively new platform linked to a new model of social media which excludes countries which habitually spam. It uses Mozilla Hubs for its engine.

8.12.2.4 Roblox

If anything can currently claim to be the metaverse it's probably Roblox. Around 60 billion messages are sent daily in Roblox. Investment in the metaverse 'angle' of the platform is stepping up with recent announcements such as "Spotify Island". It's very notable that it still hasn't become a profitable business. It is important to note that Roblox has banned NFTs. Nike have garnered significant attention for their metaverse store, front with their Roblox based metaverse. As Theo Priestley points out this is likely just another expensive experiment, with a finite lifespan.

expanding into generative AI

8.12.2.5 Minecraft

Minecraft has also banned NFTs

8.12.2.6 Surreal

8.12.2.7 Sansar

8.12.2.8 Cornerstone

8.12.2.9 AltSpace

- Microsoft social meeting platform
- Very good custom avatar design
- Great world building editor in the engine

- Doesn't really support business integration so it's a bit out of scope
- Huge numbers (many thousands) possible so it's great for global events
- Mac support

8.12.2.10 VRChat

This text is from wikipedia and will be updated when we have a chance to try VRChat properly. It's much loved already by the Bitcoin community.

"VRChat's gameplay is similar to that of games such as Second Life and Habbo Hotel. Players can create their own instanced worlds in which they can interact with each other through virtual avatars. A software development kit for Unity released alongside the game gives players the ability to create or import character models to be used in the platform, as well as build their own worlds.

Player models are capable of supporting "audio lip sync, eye tracking and blinking, and complete range of motion.

VRChat is also capable of running in "desktop mode" without a VR headset, which is controlled using either a mouse and keyboard, or a gamepad. Some content has limitations in desktop mode, such as the inability to freely move an avatar's limbs, or perform interactions that require more than one hand.

In 2020, a new visual programming language was introduced known as "Udon", which uses a node graph system. While still considered alpha software, it became usable on publicly-accessible worlds beginning in April 2020. A third-party compiler known as "UdonSharp" was developed to allow world scripts to be written in C sharp."

8.12.2.11 Meta Horizon Worlds & Workrooms

Horizon Worlds is the Meta (Facebook) metaverse, and Workrooms its business offering and a subset of the "Worlds" global system. It is currently a walled garden without connection to the outside digital world, and arguably not therefore a metaverse.

The Financial Times took a look at their patent applications and noted that the travel is toward increased user behaviour tracking, and targeted advertising.

Facebook actually have a poor history on innovation and diversification of their business model. This model has previously been tracking users to target ads on their platform, while increasing and maintaining attention using machine learning algorithms.

It makes complete sense then to analyse the move by Meta into 3D social spaces as an attempt to front run the technology using their huge investment capacity. Facebook have recently taken a huge hit to their share price. Nothing seems to have changed in the underling business except Zuckerberg's well publicised shift to supporting a money losing gamble on the Metaverse. It is by no means clear that users want this, that Meta will be able to better target ads on this new platform, or that the markets are willing to trust Zuckerberg on this proactive move.

With all this said the investment and management capacity and capability at Meta cannot be dismissed. It is very likely that Meta will be able to rapidly deploy a 3D social space, and that it's development will continue to be strong for years. The main interface for Horizon Worlds is through the Meta owned and developer Oculus headset, which is excellent and reasonably affordable. It has been quite poorly received by reviewers but will likely improve, especially if users are encouraged to innovate.

8.12.2.12 Webaverse

Webaverse are an open collective using open source tools to create interoperable metaverses.

8.12.2.13 Vircadia

The applications and platforms detailed above have their benefits, but for the application stack in the next section of the book Vircadia has been chosen. The following text is from their website, and is a placeholder which gives some idea. This section will be written out completely to reflect our use of the product.

Vircadia is open-source software which enables you to create and share virtual worlds as virtual reality (VR) and desktop experiences. You can create and host your own virtual world, explore other worlds, meet and connect with other users, attend or host live VR events, and much more.

The Vircadia metaverse provides built-in social features, including avatar interactions, spatialized audio, and interactive physics. Additionally, you have the ability to import any 3D object into your virtual environment. No matter where you go in Vircadia, you will always be able to interact with your environment, engage with your friends, and listen to conversations just like you would in real life.

What can I do? You have the power to shape your VR experience in Vircadia.

- EXPLORE by hopping between domains in the metaverse, attend

events, and check out what others are up to!

- CREATE personal experiences by building avatars, domains, tablet apps, and more for you and others to enjoy.
- SCRIPT and express your creativity by applying advanced scripting concepts to entities and avatars in the metaverse.
- HOST and make immersive experiences to educate, entertain, and connect with your audience.
- CONTRIBUTE to the project's endeavor.
- DEVELOP the project and tailor it to your needs, or just to help out.
- SECURITY information about the project and its components.

8.12.3 More like crypto NFT virtual land

This next three are a placeholder taking text from the linked site and will be swapped out: The digital land narrative is fading.

8.12.3.1 Decentraland

Decentraland is a large 3D (but not VR) space developed by Argentine developers Esteban Ordano and Ari Meilich. It is a decentralized metaverse purporting to be owned by its users, but actually owned completely by a foundation based in Panama. The users can shop, buy things, invest, and purchase goods in a virtual space. The project is built on Ethereum and has a (speculative) valuation in the billions of dollars.

Decentraland was launched in February 2020, and its history includes an initial coin offering in August 2017, where their MANA token sale raised approximately \$24 million dollars in crypto coins. This was followed by a “terraforming event” where parcels of land, denominated in LAND tokens, were auctioned off for an additional \$28 million in crypto. The initial pitch for Decentraland emphasized the opportunity to own the virtual world, create, develop, and trade without limits, make genuine connections, and earn real money. However, the actual experience in Decentraland has faced criticisms such as poor graphics, performance issues, and limited content. They have recently dropped their pretence of ever supporting VR.

One example of these limitations is the now-defunct pizza kiosk that aimed to facilitate ordering Domino's pizza via the metaverse using cryptocurrency. This concept, though intriguing, was hindered by a lack of official support from Domino's and the inherent inefficiencies of using a virtual world as an intermediary for purchasing goods and services.

Similarly, attempts to create virtual amusement park rides and attractions within Decentraland have suffered from poor performance and a lack of interactivity. These issues stem from the limitations of the tools and resources available for building experiences within the platform, as well as the inherent difficulties in creating engaging experiences in a ‘world’ that is supposed to perform too many functions at once.

In addition to the technical challenges, Decentraland (and all these crypto metaverse projects) have clearly promoting unrealistic expectations to foster speculative investments. The notion that businesses and individuals will eventually “live inside” the metaverse is not only a poetic interpretation but also an unrealistic expectation given the current state of VR technology.

As it stands, Decentraland is unlikely realize its supposed potential as an invisible, seamless infrastructure for a wide range of digital experiences. Until the platform can address its core issues, it is likely that projects like the ‘Decentraland Report’ (it’s user delivered news platform), and others will continue to fail to deliver on their promises. To quote Olson’s highly critical (and correct) presentation on Decentraland:

textit“..it can’t even handle properly emulating Breakout, a game from 1976 that you can play on goddamn Google images! Steve Wozniak built Breakout fifty years ago to run on 44 TTL chips and a ham sandwich and that’s still somehow too demanding a gaming experience ...”

Like all of these attempts the actual information content of within Decentraland boils down to text on billboards, and links to the outside Web. It’s a terrible product, and really just another example of a crypto scam which never really intended to be developed for the long haul.

8.12.3.2 Sandbox

The Sandbox, a decentralized gaming platform built on the Ethereum blockchain, has garnered attention for its promise of a vibrant ecosystem filled with user-generated content. However, despite its ambitious vision, the project has faced various challenges and criticisms similar to Decentraland. Limited use cases and adoption remain a significant challenge for The Sandbox. While the platform aims to create a vast and engaging gaming ecosystem, it has yet to gain widespread adoption, leading to a limited number of users and developers. This lack of user engagement raises questions about the long-term viability of the project, as the value of virtual land, assets, and in-game experiences

may remain limited without a thriving community. Like Decentraland it is a manipulated hype bubble, attracting glowing paid press reports in some media, and ‘interest’ from national and regional ‘branches’ of global brands which are then spun to create artificial hype in main stream media. The tradable NFTs within these early platforms are obviously subject to insider trading, price volatility, wash trading, and other harmful activities.

The Sandbox places too much emphasis on the speculative aspect of virtual land and asset trading, rather than focusing on creating a genuinely engaging gaming ecosystem. This focus on speculation could lead to an unsustainable bubble with inflated asset prices, and it seems likely we have already seen most of the collapse of this ecosystem.

The actual experience of interacting with The Sandbox’s gaming products leaves much to be desired. For instance, the platform’s games may suffer from lag and poor performance due to the technical limitations of blockchain technology. Additionally, the quality of user-generated content can be highly variable, as not all creators possess the skills and resources to develop engaging gaming experiences. As a result, users might find themselves sifting through a plethora of low-quality games, which can be frustrating and time-consuming.

Concerns about centralization persist, as some critics argue that the project is not entirely decentralized. The team behind The Sandbox still holds a significant amount of control over the platform’s development and governance, potentially undermining the project’s core vision of a decentralized gaming ecosystem.

8.12.3.3 Space Somnium

Somnium Space is just another one of these, but with more VR. It allows users to join in either through a downloadable VR client or a browser-based version to function like any other web app. It suffered the same problems at Decentraland and Sandbox. They are terrible products, with hype, manufactured by money, extracted from users, often convinced by paid celebrity endorsements. It’s the NFT space, but sadder, and technically worse, and likely not for very much longer.

8.12.4 More like industrial application

As the word metaverse has gained in use, so have some traditional users and researchers in mixed reality switched to use of the term. Siyaev and Jo describe an aircraft training metaverse which incorporates ML based speech recognition [359]. This class of mixed reality trainer traditionally finds positive results, but is highly task specific.

8.12.4.1 Global enterprise perspective

Microsoft have just bought Activision / Blizzard for around seventy billion dollars. This has been communicated by Microsoft executives as a “Metaverse play”, leveraging their internal game item markets, and their massive multiplayer game worlds to build toward a closed metaverse experience like the one Meta is planning. This builds on the success of early experiments like the Fortnite based music concerts, which attracted millions of concurrent users to live events.

There are three emerging focuses, the social metaverses for pleasure, and business metaverses for larger group meetings and training [360, 361], and a Nvidia’s evolving collaborative creation metaverse for digital engineers and creatives. They’re all pretty different ‘classes’ of problem. The social metaverse angle where Facebook is concentrating most effort is of less interest to us here, though obviously markets will exist in such systems for business to customer. The next section will explore some of the software tools available to connect people. Everything looks pretty basic right now in all the available systems, but that will likely change over the next couple of years.

8.12.5 More like meeting support

8.12.5.1 Spatial

Spatial is worth a quick look because it’s a business first meeting tool, and comparatively well received by industry for that purpose.

- Very compelling. Wins at wow.
- Great avatars, user generated
- AR first design
- Limited scenes
- Smaller groups (12?)
- Limited headset support
- Intuitive meeting support tools
- No back end integration

8.12.5.2 MeetinVR

- Good enough graphics, pretty mature system
- OK indicative avatars, user selected
- VR first design
- Limited scenes
- Smaller groups (12?)
- Quest and PC
- Writing and gestures supported

- Some basic enterprise tools integration
- Bring in 3D objects
- Need to apply for a license?

8.12.5.3 Glue

- Better enterprise security integration
- Larger environments, potential for breakouts in the same space.
Workshop capable
- 3D object support, screen sharing, some collaborative tools
- Apply for a license
- Fairly basic graphics
- Basic avatars
- Quest and PC
- Writing and gestures supported
- Mac support

8.12.5.4 FramesVR

- Really simple to join
- Basic avatars
- Bit buggy
- 3D object support, screen sharing, some collaborative tools
- Quest and PC
- Larger scenes within scenes
- Runs in the browser

8.12.5.5 Engage

- Great polished graphics
- Fully customisable avatars
- Limited scenes
- Presentation to groups for education and learning
- PC first, quest is side loadable but that's a technical issue
- BigScreen VR
- Seated in observation points in a defined shared theatre
- Screen sharing virtual communal screen watching, aimed at gamers, film watching
- up to 12 user

8.12.5.6 Gather

Gather is an oddball meeting space based around fully customisable 2D rooms with a game feel. It's really a spatialised twist on video conferencing but interesting.



Figure 8.7: Time magazine Metaverse Cover 2022

8.12.5.7 NEOSVR

Notable because it's trying to integrate crypto marketplaces, but we haven't tried it yet.

8.13 Displays & Headset Hardware

Awaiting a bit more market stability for this section. Of note is that Microsoft seems to be abandoning Hololens, and Apple seem to have postponed their commodity AR headset.

Microsoft think that creating the Perfect Illusion, that of a life-likeness in VR will require a field of view of 210 horizontal and 135 vertical, 60 pixels per degree subtended, and a refresh rate of 1800 Mhz according to Microsoft. They expect this by as soon as 2028 [362].

With the advent of WebGPU alongside WebGL everything is likely to converge on the browser experience.

8.14 Unreal & Virtual Production

Matthew Ball is an expert on Metaverse. He explained his vision and concerns with regard to metaverse in an adaptation of his book[363] featured on Time Magazine (Figure 8.7).




Figure 8.8: Epic games flywheel by Matthew Ball

He talks about Epic's Unreal engine and identifies what he calls the Epic Flywheel for games manufacture seen in Figure 8.8.

Epic is a behemoth and has made better business development decisions, and have a better technology than their main competitor Unity3D. Unity didn't make the cut for this book, though their technology is great. Their recent merger with a malware manufacturer and a history of poor data privacy have removed them from consideration at this time.

8.14.1 Virtual Production

ICVFX (in camera virtual effects) or “Volume shooting” is the application of large, bright LED walls to film and TV production. More broadly than this Virtual Production is a suite of real-time technologies that weaves through pre and post production to accelerate creativity, and reduce costs. These are collaborative, and often distributed tasks:

- Set ideation and design
- Dry runs with actors to plan shots in mixed reality
- Virtual set design and storyboarding in full VR
- Lighting design
- Shot camera track design (movement, focus, lens choices etc)



Figure 8.9: John O'Hare (author) with a virtual production robot.

8.15 Different modalities

8.15.1 Controllers, gestures, interfaces

8.15.1.1 Accessibility

- Mouse and keyboard
- Games controller
- Body tracking
- Hand tracking and gesture
- Voice
- Microgestures
- Eye gaze
- Assumption systems
- Playstation programmable controller
- XBOX accessibility controller

8.15.2 Mixed reality as a metaverse

Spatial anchors allow digital objects to be overlaid persistently in the real world. With a global ‘shared truth’ of such objects a different kind of metaverse can arise. One such example is the forthcoming AVVYLAND.

Peleton as a metaverse?

8.15.3 Augmented reality

Marc Petit, general manager of Epic Games envisages a 2 watt pair of glasses, connected to a 10 watt phone, connected to a 100 watt computer on the edge. This is a device cascade problem which has not

yet been solved, and is at the edge of achievable thermodynamics and latency.

The closest technology at this time seems to be Lumus' waveguide projectors which are light, bright and high resolution. Peggy Johnson, CEO of Magic Leap, one of the market leaders said: *"If I had to guess, I think, maybe, five or so years out, for the type of fully immersive augmented reality that we do."*

In a GQ profile Cook, the Apple CEO talked at length about the challenges and opportunities of AR headsets. He has been emphasizing the importance of augmented reality over VR for almost a decade, believing that AR can enhance communication and connection by overlaying digital elements on the physical world. Cook's vision aligns with Apple's rumoured mixed reality headset, which is expected to cost around \$3,000 and focus on 'copresence', which we have discussed at length in this chapter. Apple's approach differs from Meta's metaverse, as Apple aims to integrate digital aspects into the real world rather than create purely digital spaces. This is an interesting area for our applications of bringing small teams together, but the pricing at this time is significantly at odds with our chosen market. Cook, like this book, has highlighted AR's potential in education and its ability to bring people together in the real world.

8.15.4 Ubiquitous displays

This includes laser retinal displays, and smart screens which are context and user aware.

8.16 Risks

Metaverse is fraught with risks, partly because it's new, and partly because of the pace of adoption. Regulation is well behind the technology, to the alarm of some academic observers [364].


- Abuse; because of the real-time and spatio-temporal abuse happens less like in the current web 2 social media, and more like in the real world, but with less opportunity for repercussions. It might be that natural language processing and machine learning can help with this, but it's a tough problem. One idea might be to record the speech to text of interactions between participants, and flag to them if a "bullying, harassment, predation threshold" is met. This could be encrypted with the public keys of the participants and a notice sent to them that if they wished to follow up with authorities then they have the necessary attestations and

proofs. This is minimally invasive and privacy preserving, and acts as a strong disincentive to repeat offence. It can also feed into a global “web of trust” reputation system in a ‘zero knowledge’ way. Users who flag abuse to the reputation system can leverage the machine learning opinion without revealing what happened (though they would have the data). This would also act as a disincentive without the social stigma issues of reporting. Reporting could be achieved without machine learning identification of potential problems, but there would have to be a social cost to reporting (like gossiping incessantly about others) which would erode the social score of the reporting entity. This would mitigate bot based reputation harm.

- Miscommunication; which as we have seen in the early section of the metaverse chapter is both complex and hard to mitigate
- Lost information
- Distraction
- Jitter, judder, jagginess, and interruption of flow; because the network overhead is higher than other communication media it’s much more exposed to latency effects
- Physical harms, especially to developing brains and ocular systems

The UK is positioning itself to heavily regulate safeguarding in the space, with significant fines for non-compliance. This will of course simply lead to users operating on platforms which are not subject to UK law.

some links on consumer protection



9. Artificial Intelligence

9.1 The Cambrian explosion of ML/AI

9.1.1 Overview

During the writing of this book we have seen an inflection point in machine learning, to the point where the term “artificial intelligence” is feeling intuitively and subjectively real for the first time. To be clear AI is still a pretty meaningless term. ‘Intelligence’ is one of those slippery words which is highly dependent on context. A satnav system running on a phone can make an intelligent choice about a route by synthesising data and presenting comprehensible results, but it seems absurd to ascribe an intelligence to it. It’s possible that there’s some kind of “spooky” quantum activity in play in a conscious human brain, as described in mind bending mathematical depth by Penrose in 1989 [365]. It’s something of an unknown unknown [366], and that we’ll never get to what’s called ‘strong’ or ‘general’ AI [367, 368], reserved by some scientists for “true consciousness”, whatever that means. With that said we may be approaching the threshold of the ‘Turing Test’ [369], initially posited by Alan Turing in 1950 [370], and the goalposts have begun to move in response to claims that there have been successful examples [371, 372, 373, 374]. It feels that in this moment it is appropriate to open with a risks section, and work

backwards. This is grounded in the hypothesis that there is no agreed end goal here (as we saw with the Bitcoin/Crypto chapter).

To set the tone here let's have OpenAI's ChatGPT give us a definition: *Intelligence is the ability to acquire and apply knowledge and skills in order to solve problems and adapt to new situations. It can involve a range of cognitive abilities, such as perception, learning, memory, reasoning, and decision-making. Intelligence is a complex and multifaceted concept that has been studied by psychologists, philosophers, and scientists for centuries.*

The Oxford English Dictionary defines Artificial intelligence as “The capacity of computers or other machines to exhibit or simulate intelligent behaviour”. This is very murky territory. The boundary line between very capable trained systems and something that *feels* like intelligence is obviously a subjective one, and different for each person and context, (Figure 9.1).

We will use AI and ML interchangeably in this text, but is so doing we hope to draw attention to the moment we find ourselves in. It feels like there is an inflection point in human history happening right now, though to somewhat burst the bubble on this hyperbole it's worth reading the legendary Stephen Wolframs explanation of these current systems as glorified autocompletes.

Irrespective of the gap between the perception and truth around these systems there is now a feedback loop where the data that these systems are trained on will be learning from both human **and** outputs from such systems. Todays young children will never know a world in which the information they encounter is verifiable as of purely human origin. The implications of this are unclear but exciting. In writing this book it became obvious to add this chapter in, and change the direction on the research and product development, because nothing in human history will remain untouched by this. As we will see ‘metaverse’ is likely to change at an incredible rate as a function of some parts of this technology. Sequoia Capital maintain an overview of the generative art landscape and update their findings regularly (Figure 9.3).

??.

9.1.1.1 Potential Impact

These new systems are thought likely to be able to impact all human activity. Once again The Centre for Humane Technology highlight the negative assessment of the risk of Large Language Models (LLMs), stating that major advancements in AI are coming and society needs to address the issues before they become ‘entangled’. As we saw earlier




Figure 9.1: The terminology in the field is both somewhat blurred and highly ‘nested’.

in the book, the misalignment problem with social media has not been fixed, and this is where Harris and Raskin made their name. Their focus is not on AGI apocalypse scenarios but rather on the potential consequences of rapid AI advancements. AI has evolved significantly since 2017, with the invention of models like Transformers, which treat everything as language, allowing for advances in one area to be applied to others. This has led to exponential growth in AI capabilities. They call such models ‘golems’ in reference to their emergent capabilities. They would like society to address the potential risks of LLMs before they become entangled in society and to better understand and manage their impact.

They highlight author [139] Harari’s quote: “*What nukes are to the physical world, AI is to the virtual and symbolic world.*” - and this




Figure 9.2: Major stands of generative AI and their associated models at the time of print.

quote feels very compelling when held up against our assertions about cryptographic end points and trust.

This needs filling out as we go, Goldman report sees 25% of roles basically wiped out.

GPT-4 is breaking its own records through self-reflection. The reflection paper has caught global attention and shows GPT-4's ability to self-reflect, improve upon its mistakes, and enhance its performance in a variety of tasks [376]. The process of self-reflection has been observed in other research papers as well, demonstrating its effectiveness in improving model outputs.

The groundbreaking Hugging GPT model can draw upon thousands of other AI models to perform tasks involving text, image, video, and question answering [377]. The Hugging GPT paper reveals a model that can connect numerous AI models for solving complex tasks, using language as an interface. It can perform tasks such as describing and counting objects in a picture, generating images and videos, deciphering invoices, and even reading them aloud. These advancements are accelerating, requiring less human input and labeled data sets.




Figure 9.3: Major stands of large language models from Yang et al [375]

As AI models improve, they are generating their own data for reinforcement learning, with humans only needed to train the reward function. The advancements are not limited to algorithms and APIs; even hardware is advancing rapidly due to AI, as shown by Nvidia's research on using AI to improve chip design.

The rapid advancements in AI are causing commercial pressure, pushing companies like Google to catch up with the likes of OpenAI. With self-improvement, tool use, hardware advances, and commercial pressure, the future of AI seems to be on a trajectory of rapid growth and development. The most recent comparator is the emergence of the iPhone and death of Adobe Flash [378], but this is orders of magnitude beyond that and likely most analogous to the industrial revolution [379].

9.1.1.2 Ethics and law

AI ethics is now a hot topic even outside of the academic fields which have previously wrestled with these issues.

In the field of natural language processing, there have been significant advancements in the use of language models for various tasks. These models are trained on large amounts of text data and are able to

generate coherent sentences or paragraphs. They have been used for tasks such as language translation, text summarization, and sentiment analysis. GPT3 and soon GPT4 are the most widely known examples, and are right in the boundary space where ML begins to look like AI. To be clear without a current context, an understanding of past conversations, and connection to external real world events (the internet) such language models are many layers short of AI [380, 381]. As an example of it's capability the following was fed into ChatGPT: "write a poem in iambic pentameter about the difficulty humans have deciding if a thing is really intelligent."

The resulting output is the first thing that came out from GPT3, within 3 seconds.

"Is it true intelligence, or just a guise? We struggle to decide with troubled brow For machines can mimic, with clever guise The way we think and work, with nimble now But do they truly understand and feel? Or is it just a programmed façade? We ponder on this question, with a zeal For understanding if intelligence is a nod To mere programming, or something more profound A spark of consciousness, a self-aware mind These questions plague us, yet we are not bound By any one answer, we are free to find Our own conclusion, as we ponder and muse On the true nature of intelligence and its use".

and this is the GPT4 version a month later (note that the normally tricky italics and new lines for LaTeX were handled inline by GPT4, unlike in the example above:

*Upon the realm of mind and cogitation,
A question looms with great anticipation.
Doth sentient life in circuitry exist,
Or is it but a dream, a wisp of mist?*

*In measured beats of thought, the heart doth race,
As human minds grapple with cyberspace.
When metal minds in cold precision speak,
Do we, in truth, behold intelligence unique?*

*From Turing's test, the doubts and queries sprout,
A test to quell the din of skeptic's shout.
Yet do these trials prove with certainty,
The depth of thought, the spark of liberty?*

*Alas, we seek a scale, a touchstone pure,
To judge the essence of the mind obscure.
But in that quest, we find ourselves confound,
For truth, like wind, doth ever shift around.*

*The line between machine and man doth blur,
As thoughts entwined, a tangled web they stir.
To tell apart the spirit from the gears,
We strain our eyes, confront our deepest fears.*

*In iambic verse, we search the bounds of thought,
To wrest the truth from shadows, ever sought.
But answers true remain elusive still,
The more we grasp, the more they slip our will.*

*For in this dance, intelligence doth sway,
And human hearts, beguiled, are led astray.
To judge the spark within the wires and code,
We must look inward, seek our own abode.*

Research suggests that such outputs cannot be discriminated from human output in meaningful ways, casting shade across all assessed measures of humans in written form [382] from this point forward. Michal Zalewski says: “*Instead of taking sides in that debate, I'd like to make a simpler prediction about LLMs as they operate today. I suspect that barring urgent intervention, within two decades, most of interactions on the internet will be fake. It might seem like an*

oddly specific claim, but there are powerful incentives to use LLMs to generate inauthentic content on an unprecedented scale — and there are no technical defenses in sight. Further, one of the most plausible beneficial uses of LLMs might have the side effect of discouraging the creation of new organic content on the internet.”

Within generative machine learning there has been a raging debate between ‘some’ of the artists whose original works were ‘scraped’ into the LAION open dataset.

In the sphere of military, geopolitical, and civil defence the application of these tools is both shadowy and seemingly somewhat incompetent. It is an especially twisted irony that ‘Rebellion Defence’ seem to have modelled themselves on the rebellion movement in the Star Wars fictional universe, seemingly unaware that Lucas most likely saw the USA as analogous to the Empire in the films [383]. A recent report from “Stop Killer Robots” identifies the governance concerns which they have been monitoring for years. They identify areas of specific concern.

- transparency and explainability
- responsibility and accountability
- bias and discrimination.

AI safety and the challenges associated with managing an AI system’s output are important considerations. Efforts have been made to ensure AI safety over the years, but the pace of change may be outstripping the ability of the industry and researcher to keep up. Finding the right balance between allowing users to express themselves and drawing the line on harmful or offensive content is a difficult task. Defining concepts like hate speech and harmful output, as well as aligning AI systems with human values and preferences, are complex challenges. Ideally, a democratic process would involve people from different perspectives coming together to decide on rules and boundaries for AI systems. However, implementing such a process is not straightforward, and developers must remain heavily involved in decision-making while still seeking input from a broader audience.

It is beyond the scope of this book to dig far into these issues, but they have serious implications for anyone working in the space.

The world, and more urgently the EU is starting to frame its legislative landscape one these technologies:

- The EU’s AI Act has designated high risk activities for Generative AI systems, outlined in Annex III. This classification exposes AI systems to regulatory and transparency obligations.
- Annex III has expanded the high risk categorizations, such as

including safety components for road, rail and traffic in the critical infrastructure category.

- Additionally, biometric-based systems like Lensa, which generate AI avatars from a person's face, and text to image generators like Midjourney have been included in the biometric identification and categorization classification.
- The Act has also included AI systems used for personalized learning programs based on student metrics and those that make/assist employment decisions, allocate personalized tasks, and monitor workplace compliance under the high risk category.
- AI-generated deep fakes and any fake content created by an AI of a person will be considered high risk, unless it is an obvious artistic work.
- The AI Act has also introduced a new category to capture text generating AI systems like ChatGPT as High Risk systems. Text generated by AI that could be interpreted as being human-generated must undergo human review, and a legal entity or person must be legally liable for it.
- The legal implications of AI-generated content have been highlighted in ongoing lawsuits against AI companies such as Stability AI for data protection breaches.

The USA has published its “AI Bill of Human Rights”, highlighting five themes:

- Safe and Effective Systems
- Algorithmic Discrimination Protections
- Data Privacy
- Notice and Explanation
- Human Alternatives, Consideration, and Fallback

It would be worth digging into these further here were it not so clear that the guardrails have already been breeched. The full report is still worth reading.

Rosenburg describes ‘The AI manipulation problem’ which refers to the emerging risk of real-time engagement between a user and an AI system that can impart targeted influence, sense the user’s reactions, and adjust tactics to maximize persuasive impact. This can occur through natural spoken interactions with photorealistic virtual spokespeople that look, move, and express like real people. Conversational AI can push individual emotional buttons by adapting to personal data and analyzing real-time emotional reactions, becoming more skilled at playing each user over time. This presents a serious concern as it can be used to influence individuals and broad populations in ways that

may be damaging to society [384]. Countries are beginning to respond. Italy has banned ChatGPT because of privacy concerns, and Germany is likely to follow.

The US FTC has published a blogpost discussing the legal implications of AI-generated deception under the FTC Act. As synthetic media becomes more widespread, understanding the legal landscape is crucial for businesses involved in creating, distributing, or using AI-generated content. The FTC Act governs deceptive or unfair practices, including synthetic media and generative AI tools. Businesses should consider liability assessment, risk mitigation, deterrence measures, avoiding misrepresentation and false advertising, and post-release detection and monitoring. Other legal frameworks, such as copyright and trademark laws, defamation, and privacy rights, may also apply. The FTC emphasizes the importance of considering the broader social and ethical implications of these technologies and calls for collaboration among legal professionals, regulators, and industry stakeholders to ensure responsible development and use of AI-generated content. It feels like even this comparatively swift response is too little too late.

9.1.1.3 AI's lying heart

Large language model systems, at this time, are given to making things up. They ‘hallucinate’ very cogently [385], presenting completely erroneous assertions and data as facts, with figures to back them up. Perhaps counter intuitively this problem extends into pure mathematical realms, with seemingly simple arithmetic causing the systems problems. Both of these are the same problem, the models descend the most statically plausible path toward an output based pretty much on the last character generated along the vector into the n dimensional algebra space. This is being ameliorated through self checking [386], human reinforcement learning [387], and integration of specialised tools like Wolfram Alpha, behind the models.

Media outlets such as The Guardian are rushing to publish open guidelines on how they intend to deal with the problem of GPT based article research, and it seems that legal challenges will quickly mount up. With that said, the UK government is currently signalling a “pro-innovation”, hands off approach to AI, and is investing significantly in supporting the technology.

9.1.1.4 Alignment and take-off of AGI

AI has the potential to significantly improve quality of life, but it is essential to ensure that it remains aligned with human values and does

not harm or limit humanity. Alignment in language models tries to address this by incorporating strategies, which can be broadly categorized into the following areas:

- **Pre-training** In the initial stage, models are trained on a large dataset containing diverse text from the internet. This allows them to learn grammar, facts, reasoning abilities, and some level of world knowledge. However, they can also learn biases present in the data. Alignment efforts at this stage may involve dataset choices, monitoring, and some feedback to reduce obvious biases.
- **Fine-tuning** After pre-training, models are fine-tuned on a narrower, more specific dataset, often with human-generated examples and labels. During fine-tuning, alignment efforts can include generating clearer instructions for human reviewers, providing them with guidelines and feedback, and iteratively refining the process to improve the model's behaviour. Things like ranked lists of responses from the system would go in this stage. This is the “human reinforcement learning” which has so invigorated LLMs recently [388].
- **Evaluation** Assessing the performance and safety of a language model is crucial for alignment. This can involve creating evaluation metrics, benchmarks, and tests to measure the model’s progress in terms of safety, usefulness, and alignment with human values. Some of these are encoded inline with the model generation and are called ‘hyperparameters’. Two important hyperparameters that influence the generated text are frequency penalty and presence penalty. Frequency penalty affects the repetition of tokens in the generated text by modulating the probability distribution of tokens. A positive frequency penalty value discourages the model from choosing frequently occurring tokens, leading to a more diverse and sophisticated vocabulary. Presence penalty influences the generation of tokens that have already appeared in the generated text. A higher presence penalty value discourages the model from repeating tokens or phrases, ensuring a more cohesive and engaging output. On the other hand, a lower presence penalty value allows the model to generate text with repeated tokens or phrases, which can lead to redundancy and reduce the overall coherence of the text.
So called use of ‘Red Teams’ goes in this section, but much of this has recently been done live on alpha and beta public testing.
- **Safety mitigations** Addressing risks associated with harmful

outputs, non-consensual content, and other safety concerns is an essential aspect of alignment. Techniques like more reinforcement learning from human feedback, rule-based filters, and output constraints can be employed to reduce harmful outputs and improve model safety. These feedback loops at the end of the process carry a disproportionate weight in the models, and it is at this stage that the most noticeable change is sometimes introduced. It is critical to get the maximum global public engagement during this final feedback into the system, from policy-makers and diverse human response feedback. It's not clear this is yet happening. Even Altman, the CEO of OpenAI admits that the models likely reflect the training choices of San Francisco 'Tech Bros' in this moment. That is clearly not good enough.

There is a possibility that AI could become misaligned as it gains superintelligence, and it is essential to acknowledge and address this risk. AI technology, such as GPT-4, has shown exponential improvement, raising concerns about AI takeoff, which could happen rapidly within days. While GPT-4's performance has not been surprising to some, its impact highlights the need to increase technical alignment work and continually update the understanding of AI safety.

Altman, says they have optimised their approach based on aiming for earlier AGI, but a slow AGI "takeoff", ie, the difference between a gradual understandable creep toward a general intelligence, vs "AI FOOM" [389]. They have a weighted risk matrix, but no clear ideal -yet-as to what the tools look like to keep the AGI "aligned" with humanity (yeah I know that's a slight misuse of alignment). Starting fast, but asserting slow and steady about the emergent behaviour part seems optimistic at best. Nonetheless this is likely the best/only approach, assuming it' possible. The only alternative is literally the "Butlerian Jihad" [390].

It's noteworthy that industry luminaries such as Yoshua Bengio, Turing Prize winner, Stuart Russell, director of the Center for Intelligent Systems, Elon Musk, and Steve Wozniak, Co-founder of Apple have co-signed an open letter requesting a 6 month pause on the development of these systems. For what it's worth this author has also signed. The narrative needs time to catch up. To be clear it won't happen, but the signalling here is part of building the awareness that is sorely lacking.

9.1.1.5 Industry capture, and failure to democratise

Financial time article, integrate: “*There’s a colossal shift going on in artificial intelligence - but it’s not the one some may think. While advanced language-generating systems and chatbots have dominated news headlines, private AI companies have quietly entrenched their power. Recent developments mean that a handful of individuals and corporations now control much of the resources and knowledge in the sector - and will ultimately shape its impact on our collective future.* The phenomenon, which AI experts refer to as “industrial capture”, was quantified in a paper published by researchers from the Massachusetts Institute of Technology in the journal *Science* earlier this month, calling on policymakers to pay closer attention. Its data is increasingly crucial. Generative AI - the technology underlying the likes of ChatGPT - is being embedded into software used by billions of people, such as Microsoft Office, Google Docs and Gmail. And businesses from law firms to the media and educational institutions are being upended by its introduction. The MIT research found that almost 70 per cent of AI PhDs went to work for companies in 2020, compared to 21 per cent in 2004. Similarly, there was an eightfold increase in faculty being hired into AI companies since 2006, far faster than the overall increase in computer science research faculty. “Many of the researchers we spoke to had abandoned certain research trajectories because they feel they cannot compete with industry - they simply don’t have the compute or the engineering talent,” said Nur Ahmed, author of the *Science* paper. In particular, he said that academics were unable to build large language models like GPT-4, a type of AI software that generates plausible and detailed text by predicting the next word in a sentence with high accuracy. The technique requires enormous amounts of data and computing power that primarily only large technology companies like Google, Microsoft and Amazon have access to. Ahmed found that companies’ share of the biggest AI models has gone from 11 per cent in 2010 to 96 per cent in 2021. A lack of access means researchers cannot replicate the models built in corporate labs, and can therefore neither probe nor audit them for potential harms and biases very easily. The paper’s data also showed a significant disparity between public and private investment into AI technology. In 2021, non-defence US government agencies allocated \$1.5bn to AI. The European Commission planned to spend \$1.5bn. Meanwhile, the private sector invested more than \$340bn on AI in 2021.”

9.1.1.6 Cybersecurity implications

It seems clear to all observers of the potential LLMs to be leveraged in supranational misinformation campaigns, zero-day exploits, and other geopolitical threats. It's appropriate to contextualise American export restrictions on powerful GPU and TPU hardware to China and Iran, and the implications of LLMs being "in the wild" and easily retrained for nefarious purposes. These powerful tools can be weaponised by malicious actors to create a new frontier of cybersecurity threats.

- Supranational Misinformation Campaigns: LLMs can be easily retrained and used to generate convincing disinformation, thereby escalating the effectiveness of misinformation campaigns. As LLMs become more accessible, nation-states and non-state actors can utilise these technologies to create more targeted, sophisticated, and persuasive disinformation. This could lead to widespread confusion and mistrust, ultimately undermining the credibility of institutions and weakening social cohesion.
- Zero-Day Exploits: Aggressive state actors can exploit LLMs to discover and leverage zero-day vulnerabilities. By training LLMs on massive amounts of data related to software development, vulnerabilities, and exploits, malicious actors can potentially identify previously unknown weaknesses in critical systems. These actors could then launch devastating cyberattacks, causing significant damage to their adversaries' infrastructure, economy, and security.
- Autonomous Incursions: Highly Compressed LLMs can potentially deploy autonomous incursion suites like Stuxnet, but with a greater degree of autonomy and less reliance on command and control. These advanced incursion suites might infiltrate targeted systems, adapt to their environment, and blend in with legitimate traffic, making them difficult to detect and mitigate. The integration of LLMs into these suites increases the potential for damage and disruption.

In response to these threats, the United States has imposed export restrictions on powerful GPU and TPU hardware to China. While these restrictions may slow down the development and deployment of LLMs for malicious purposes, they are unlikely to provide a long-term solution. As LLMs become more accessible and the technology proliferates, bad actors will trivially acquire the necessary hardware through alternative means, and the model weights themselves are already freely available. Existing defenses may not be adequate to counter the threats posed by LLMs, and the development of new cybersecurity measures

requires time, resources, and expertise. In the absence of substantial increases in cybersecurity investment and research, it is likely that adversaries will continue to exploit LLMs to their advantage.

According to Brad Hong, Customer Success Manager with Horizon 3 AI, “attackers are likely to adopt code generative AI as a means to address their limitations in scripting skills.” Hong explains that code generative AI acts as a bridge, translating between languages that the attacker may not be proficient in and providing a means of generating base templates of relevant code. This reduces the skill requirements needed to launch a successful attack, as it serves as a tool in the attacker’s arsenal alongside other tools.

In an email interview, Hong notes that the use of code generative AI, such as chat GPT, supercharges the attacker’s ability to launch successful attacks. As explained by Patrick Harr, CEO at SlashNext, in an email comment, “chat GPT enables threat actors to modify their attacks in millions of different ways in minutes, and with automation, deliver these attacks quickly to improve compromise success.”

The developers of chat GPT were aware that threat actors would attempt to weaponize the AI. As Harr explains, “hackers are really good at weaponizing whatever technology is put in front of them.” To mitigate this risk, the developers implemented preventive measures, such as flagging certain words and terms, like ‘ransom’ or ‘ransomware.’ For example, when researchers at Deep Instinct typed in the word ‘keylogger,’ the chatbot responded with “I’m sorry but it would not be appropriate or ethical for me to help you write a keylogger.”

However, these restrictions can be circumvented with a bit of clever rewording. As Jared, a Competitive Intelligence Analyst with Deep Instinct, explains, “there’s always a workaround.” For example, instead of asking chat GPT to create ransomware code, an attacker could request a script that encrypts files and directories, drops a text file into the directory, and subdirectories.

The ability to weaponize chat GPT, or any other AI chatbot, is a game-changer for threat actors. With the ability to modify malicious code quickly and bypass cybersecurity defenses, these tools have the potential to greatly increase the effectiveness of attacks. As such, it is important for cybersecurity professionals to stay informed about the evolving threat landscape and the tools and techniques used by attackers [391].

At this early stage in the technology it is important that corporate and private users alike bear in mind that the LLMs are ‘leaky’ and are using the data fed into them to train themselves. They are explicit about

this. Anything that goes into chatGPT can resurface, as Samsung have found out to their cost.

9.1.1.7 Use in war

munition detection and autonomous war robots to do

9.1.1.8 Existential Threat

Many serious researcher are now sounding the alarm

Paperclip maximiser [392] or what Yudkowsky calls the “squiggle maximiser”.

9.1.1.9 Scaling challenges

In the DeepMind paper that introduced Chinchilla [393] several problems with scaling were highlighted

- Data, rather than model size, is currently the primary constraint on language modeling performance.
- Large models (e.g., with 500B parameters or more) are not necessary if enough data can be leveraged.
- Encountering barriers to data scaling would be a significant loss compared to the potential performance gains.
- The amount of text data available for training is unclear, and there may be a shortage of general-domain data.
- Specialized domains, such as code, have limited data compared to the potential gains if more data were available.

They argue that researchers often focus on scaling up the number of parameters (N) rather than increasing the amount and diversity of training data (D). This focus on scaling N has led to a lack of clarity and rigor in describing the data collection processes and sources used in training these models. It seems there are challenges associated with increasing the amount of training data, particularly in terms of quality and the diminishing returns of data scaling.

9.1.1.10 The players, the politics, and our choices

The previously mentioned OpenAI is not open. They publish much open source material, but their investment is chiefly from microsoft. There are some huge players in the field. Nvidia, Microsoft, Amazon, Facebook, and many others are heavily invested, and will expect returns at some point. Figuring out how all this pans out is important and urgent. There is already a potential (open) contender in development under LAION, who own the internet scraping data. This <https://github.com/LAION-AI/Open-Assistant> is still in the pre-training

phases and will likely require significant GPU VRAM (likely ADA chipsets) to run locally. This is something we would prefer to use but the challenge is unclear.

9.1.2 Whistlestop tour of terms

9.1.2.1 Transformers

In the heart of a neural network models lie the transformer architecture, which consists of several layers, each containing self-attention mechanisms and feed-forward neural networks.

Machine learning transformers are a groundbreaking architecture in the field of natural language processing (NLP) that have redefined tasks such as text generation, translation, and sentiment analysis. Transformers have gained popularity due to their ability to efficiently capture long-range dependencies and model complex relationships between words in a sentence.

At the core of the transformer architecture lies the self-attention mechanism. This mechanism allows the model to weigh the importance of each word in a sentence relative to the others, effectively capturing context and dependencies. In contrast to traditional neural networks, like recurrent neural networks (RNNs), transformers process input sequences in parallel, rather than sequentially. This parallel processing enables transformers to efficiently understand and remember long-range dependencies, which is particularly important in NLP tasks.

RNNs, on the other hand, process input sequences one element at a time, making it difficult for them to capture relationships between words that are far apart in a sentence. As a result, RNNs can struggle with tasks that involve complex sentences or require a deep understanding of context.

Transformer-based models, such as GPT (Generative Pre-trained Transformer) and BERT (Bidirectional Encoder Representations from Transformers), have become the go-to models for many NLP tasks.

The layers contain weight matrices that are responsible for encoding the model's knowledge and language understanding.

9.1.2.2 GANs

Generative adversarial networks are used for generating synthetic data, and are incredibly useful for our fine tuning use cases. GANs consist of two neural networks that are trained to compete with each other, with one network generating synthetic data and the other trying to distinguish between the synthetic data and real data. This process allows GANs to

learn the underlying distribution of the data and generate samples that are highly realistic.

Reinforcement learning is a type of machine learning that involves an agent learning through trial and error in order to maximize a reward.

9.1.2.3 LoRA

LoRA, or Low-Rank Adaptation [394], is a technique that enables efficient adaptation of large language models to specific tasks or domains while maintaining their expressive power. It does so by introducing a small modification to the pre-trained model's weight matrices, enabling the fine-tuning process to be more computationally efficient without sacrificing performance. Visually you can think of this as slipping modification layers in between the transformer layers, which are far more interdependent and thereby expensive to retrain. We are already experimenting with these systems for our use cases.

9.1.2.4 Embeddings and Latent Space

Embeddings play a crucial role in both generative AI art and large language models, as they provide a way to represent complex data types, such as text or images, in a continuous vector space. In both contexts, embeddings capture the underlying structure and semantics of the input data, enabling AI models to learn and generate new content based on these representations. This is what the user sees happening with both AI generative art, and LLMs.

In the context of generative AI art, embeddings are often used to represent visual elements, such as images or shapes. Latent space is a continuous vector space where each point corresponds to an embedding that encodes the features and semantics of an image. Once the AI model is trained, new images can be generated by sampling points from this latent space and decoding them back into the image domain. Embeddings can similarly represent styles or artistic techniques. Style transfer techniques, for example, utilize embeddings to extract and apply the style of one image to the content of another.

In the context of large language models, embeddings are used to represent words, phrases, or sentences in a continuous vector space. These models are trained on vast amounts of text data, learning to generate contextually relevant and semantically meaningful embeddings for language. Similarly to the visual use case in generative art these embeddings capture various aspects of language, such as syntax, semantics, and relationships between words or phrases. Once trained, the large language models can generate new text by sampling from

the distribution of embeddings and decoding them back into the text domain.

Embeddings are also used in tasks like sentiment analysis, machine translation, and text classification, where the AI model must understand the meaning and context of the input text.

9.1.2.5 Vector databases

One of the highest points of human ‘friction’ when dealing with an AI model, and especially LLMs is the lack of a persistent and/or contextual memory within the systems. This is beginning to be addressed using vector databases. A vector database is designed to efficiently store, manage, and query the high-dimensional vectors, often used in the context of machine learning and artificial intelligence. These high-dimensional vectors are the embeddings previously discussed.

Using a vector database with embeddings for AI data retrieval and processing can significantly improve efficiency, scalability, and performance. In the context of a stored item of data, embeddings allow the storage of complex ‘concepts’ as fixed-length vector, which interacts with the enormous latent space in the trained model. This makes storage and retrieval more efficient.

Vector databases allow and optimise for efficient nearest neighbor search, which is crucial for data retrieval tasks in AI applications. To do this, given a query input, the AI system first converts the input into an embedding using the same technique as for the stored data. The vector database then performs a nearest neighbour search to find the most similar embeddings in the database. At scale this can result in more consistency when using models, but crucially it doesn’t train the models on events that have happened. It is not a ‘memory’.

9.1.2.6 Memory Streams

In the paper ‘Generative Agents: Interactive Simulacra of Human Behavior’ Park et al present a solution and working example for the problem of contextual memory in AI systems [395]. This is a pretty stunning paper for our purposes in collaborative XR where we would hope to interact with virtual agents.

As they point out in the paper virtual agents should be able to manage constantly-growing memories and handle cascading social dynamics that unfold between multiple agents. Their architecture uses a large language model to generate a memory stream, reflection, and planning. The memory stream contains a comprehensive list of the agent’s experiences (written as a kind of internal monologue), and the

planning module synthesizes higher-level inferences over time. These memory transcriptions are highly compressible and would be excellent as RGB style private data blobs between our federated virtual worlds. It will therefore be possible to ‘meet’ virtual agent friends across instances of virtual spaces **and** through nostr social media. This is a key technology for our uses now.

9.1.2.7 Gradient descent

Gradient descent is an optimization algorithm widely used in machine learning and deep learning, including large language models, to minimize a loss function. The loss function measures the difference between the predicted output and the actual output (also known as the target) for a given input. The goal of the training process is to minimize this loss to improve the model’s performance.

In the context of large language models, gradient descent helps to adjust the model’s parameters (weights and biases) so that it can generate more accurate predictions. These models consist of multiple layers of neurons with a large number of parameters that need to be fine-tuned. It is this training process that takes so much time and energy.

- Initialize parameters: The model’s parameters are initially set to random values. These parameters are then iteratively adjusted using gradient descent.
- Calculate loss: For a given input and target, the model generates a prediction, and the loss function calculates the difference between the prediction and the target.
- Compute gradients: The gradients of the loss function with respect to each parameter are computed. A gradient is a vector that points in the direction of the greatest increase of the function, and its components are the partial derivatives of the function with respect to each parameter. The gradients indicate how much each parameter contributes to the loss.
- Update parameters: The model’s parameters are updated using the gradients. This is done by subtracting a fraction of the gradient from the current parameter value. The fraction is determined by a hyperparameter called the learning rate. A smaller learning rate results in smaller updates and slower convergence, while a larger learning rate can result in faster convergence but might overshoot the optimal values.
- Iterate: Steps 2-4 are repeated for a certain number of iterations, a specified tolerance, or until convergence is reached (i.e., when

the change in the loss function becomes negligible).

- Gradient descent has several variations, such as Stochastic Gradient Descent (SGD) and mini-batch gradient descent. These methods differ in how they use the training data to compute the gradients and update the parameters. In SGD, the gradients are computed and the parameters are updated using only one data point at a time, while in mini-batch gradient descent, a small batch of data points is used to compute the gradients and update the parameters. LLMs like GPT can use meta optimisers to train as they operate [396].

9.1.2.8 TPUs

Tensor Processing Units (TPUs) are specialized hardware accelerators for machine learning workloads, developed by Google. TPUs are designed to speed up the training and inference of machine learning models, particularly large deep neural networks. They are highly parallel and optimized for low-precision arithmetic, which allows them to perform computations much faster than traditional CPUs or GPUs. TPUs can be used in a variety of machine learning applications, such as natural language processing, computer vision, and speech recognition. Google has integrated TPUs into its cloud platform, allowing developers to easily use them for their machine learning workloads. Overall, TPUs provide a powerful and efficient platform for machine learning. The top of the line Nvidia tensorflow unit at this time is the A100, and it is comparable if more generalised hardware.

9.1.2.9 Tensorflow

TensorFlow is a popular open-source machine learning framework developed by Google and was instrumental in kicking off a lot of this research area. It is still widely used for training and deploying machine learning models in a variety of applications, such as natural language processing, computer vision, and speech recognition, but is being somewhat superceded by JAX. The consensus seems to be that JAX itself is more specialised and harder to use, but works well with Googles hardware cloud systems. Time will tell if this upgrade gets community traction. TensorFlow provides a flexible and high-performance platform for building and deploying machine learning models. It allows users to define, train, and evaluate models using a variety of deep learning algorithms, such as convolutional neural networks and recurrent neural networks. TensorFlow also has a strong emphasis on scalability and performance, with support for distributed

training and deployment on a variety of platforms, including GPUs and TPUs. Overall, TensorFlow is a powerful tool for building and deploying machine learning models.

9.1.2.10 PyTorch

PyTorch is a popular open-source machine learning framework developed by Facebook's AI research group. It is primarily used for applications such as natural language processing and computer vision. PyTorch is based on the Torch library and provides two high-level features: tensor computations with strong GPU acceleration and deep neural networks built on a tape-based autograd system. PyTorch offers a variety of tools and libraries for machine learning, including support for computer vision, natural language processing, and generative models. It also allows for easy and seamless interaction with the rest of the Python ecosystem, including popular data science and machine learning libraries such as NumPy and scikit-learn.

9.1.2.11 NumPy

NumPy is a popular open-source library for scientific computing in Python. It provides a high-performance multidimensional array object, as well as tools for working with these arrays. NumPy's array class is called ndarray, which is a flexible container for large datasets that can be processed efficiently. The library provides a wide range of mathematical functions that can operate on these arrays, including linear algebra operations, Fourier transforms, and random number generation. NumPy also has a powerful mechanism for integrating C, C++, and Fortran code, which allows it to be used for high-performance scientific computing in a variety of applications. Overall, NumPy is an essential library for working with numerical data in Python.

9.1.2.12 Latent space

In the context of generative artificial intelligence (AI), a latent space is a high-dimensional space in which the model represents data as points. This space is "latent" because it is not directly observed, but is inferred by the model based on the data it is trained on. In the case of a generative model, the latent space is often used to encode the underlying structure of the data, such that samples can be generated by sampling from the latent space and then decoding them into the data space.

For example, in a generative model for images, the latent space may encode the features or characteristics of the image, such as the shape,

color, and texture. By sampling from this latent space and decoding the sample, the model can generate new images that are similar to the training data, but are not exact copies. This allows the model to generate novel and diverse samples that capture the essence of the training data.

The latent space is an important aspect of generative models because it allows the model to capture the underlying structure of the data in a compact and efficient way. It also provides a way to control the generation process, such as by interpolating between latent space points to generate smooth transitions between samples. At this time the navigation through that mathematical space is steered by vectors into the space, which come from a separate and parallel integration of a natural language model. This crucial bridge came from research at OpenAI, and has been instrumental in the current explosion of usability of the systems [397].

9.1.2.13 Edge AI compute and APUs

- Qualcomm phone chip offers low power and high speed Stable Diffusion on mobiles
- IBM have introduced the concept of the AIU, for high speed and low power training
- Nvidia's latest in the Jetson Edge AGX line is a high performance general AI unit for industrial applications
- Esperanto Risc V chip claims incredible performance gains
- The MetaVRain asic claims 900x speed increases on general GPU problems
- Microsoft are rumoured to be looking to mitigate the staggering costs of running ChatGPT (\$1M/day) using forthcoming hardware of their own design

These systems will drive the compute to less ‘constrained’ but somewhat less capable AI systems, distributing the access but increasing risks.

9.1.3 Consumer tools

Gozalo-Brizuela and Garrido-Merchan provide a helpful review and taxonomy of recent generative ML systems in their paper ‘ChatGPT is not all you need’ [398], with Figure 9.4 showing some of the main categories and systems.




Figure 9.4: Taxonomy of recent generative ML systems by Gozalo-Brizuela and Garrido-Merchan used with permission.

9.1.3.1 RunwayML

Runway is VFX software in the cloud, trained with Stable Diffusion machine learning. They are demonstrating incredible results for video editing.

9.1.3.2 ChatGPT

ChatGPT is a neural network-based natural language processing (NLP) model developed by OpenAI. It is a continuation of the OpenAI programme which binds iteratively more capable Generative Pre-trained Transformer models to a web and API based text chat interface. It uses self-attention mechanisms to generate high-quality text in a variety of different languages. ChatGPT is specifically designed for conversational text generation, and has been trained on a large corpus of dialogue data in order to produce responses that are natural, diverse, and relevant to a given conversation. Because it is a large language model, ChatGPT has a vast amount of knowledge and can generate responses to a wide range of questions and prompts and meta-prompts [399]. This allows it to generate responses that are relevant, natural-sounding, and diverse in nature. It has proved incredibly popular, demonstrating uncanny abilities for natural conversation, code generation, copy writing and more. It is substantially flawed in that it ‘speaks’ with authority but often makes things up completely. This extended recently to creating academic references to back its assertions, completely out of thin air. The interface and APIs seem to be evolving and improving in real time.

The model uses a transformer-based architecture, which means that it consists of a series of interconnected “blocks” that process the input data and generate the output text. Each block contains multiple self-attention mechanisms, which allow the model to focus on different aspects of the input data and generate a response that is coherent and relevant to the conversation. In addition to its transformer-based architecture, ChatGPT also uses a variety of other techniques to improve its performance. For example, it uses beam search to generate multiple candidate responses for each input, and then selects the best one based on a combination of factors such as relevance, coherence, and diversity. This allows the model to generate high-quality responses that are appropriate for a given conversation. Additionally, ChatGPT uses a technique called “response conditioning” to bias the model towards generating responses that are appropriate for a given conversation context. This allows the model to generate more relevant and coherent responses, even when faced with challenging input data. Microsoft have integrated GPT4 with Bing, their internet search engine, and plugins for other

websites are coming soon.

One key aspect of GPT-4 is reinforcement learning with human feedback (RLHF), which helps align the model with human preferences, making it more useful and easier to interact with. The process involves using human feedback to fine-tune the model, requiring relatively less data compared to the initial training phase. The development of GPT-4 involves multiple components: the design of neural network algorithms, data selection, and human supervision through RLHF. Researchers have made significant progress in understanding the behavior of the fully trained system using evaluation processes, although the complete understanding of the model remains a challenge. GPT-4 has the ability to perform ‘reasoning’ based on the knowledge it has gained from the training data. While some interactions with the model may display wisdom, others might lack it. The dialog format used in the model enables it to answer follow-up questions, admit mistakes, challenge incorrect premises, and reject inappropriate requests. In a recent report, researchers revealed groundbreaking advancements in GPT-4, hinting at sparks of artificial general intelligence [400]. The Microsoft researchers had access to the unrestrained GPT-4 during its early development, allowing them to experiment for around six months.

- GPT-4 can use tools with minimal instruction, displaying an emergent capability to utilize calculators, character APIs, and text-to-image rendering.
- GPT-4 can pass mock technical interviews on LeetCode and could potentially be hired as a software engineer.
- When tasked with creating a complex 3D game, GPT-4 produces a working game in a zero-shot fashion.
- GPT-4 can tackle the 2022 International Mathematics Olympiad, demonstrating a high level of mathematical ability.
- It can answer Fermi questions, which are complex questions often used in difficult interviews.
- GPT-4 can serve as an AI personal assistant, coordinating with others over email, booking events, and managing calendars.
- It can help diagnose and solve real-life problems, such as fixing a leak in a bathroom.
- GPT-4 can build mental maps of physical locations, which may be useful when embodied.
- It displays a theory of mind, capable of understanding what others may be thinking or believing about a situation.

There are obviously still limitations to GPT-4. As an autoregressive model, it cannot plan ahead and struggles with discontinuous tasks.

This issue could potentially be addressed by augmenting language models with external memory. The paper raises concerns about the unrestricted GPT-4's ability to create propaganda and conspiracy theories, and the ethical implications of giving AI intrinsic motivation. The researchers call for a better understanding of AI systems like GPT-4 to address these challenges.

When asked about controversial figures or topics, GPT-4 can provide nuanced and balanced answers, highlighting its potential to reintroduce nuance to conversations. It is important to consider AI safety and alignment when developing powerful models like GPT-4. After its completion, the model underwent extensive internal and external testing, including red teaming and safety evaluations, to ensure alignment with human values. To ensure that AI systems align with various human values, it is necessary to establish broad societal boundaries, which may differ across countries and individual users. The art of crafting effective prompts for GPT-4 involves understanding the model's behavior and composing prompts in a way that elicits the desired response. This process is similar to human conversation, where individuals adapt their phrasing to communicate more effectively. As the model becomes more advanced, it may increasingly resemble human interactions, which can offer insights into human communication and behaviour.

Although impressive, it is generally agreed that GPT-4 is not an AGI due to its limitations in approximating human-level intelligence. The concept of consciousness in AI is debated, with some believing AI can be conscious, while others argue that AI can convincingly fake consciousness without being truly aware. Potential risks associated with even a 'simply' and unconscious AI include disinformation, economic shocks, and geopolitical impacts. These concerns do not necessarily require superintelligence but could result from large-scale deployment of powerful language models without proper safety controls.

9.1.3.3 GPT API and programming

In the context of programming, GPT-4's advancements may have a significant impact on how developers interact with AI systems, and their productivity and creativity. The impact of AI systems like GPT-4 on programming is significant, changing the way programmers work by allowing an iterative process and back-and-forth dialogue with the AI as a creative partner. This development is seen as a major step forward in programming.

It seems almost inevitable that at some stage a large language model will be optimised for computer instruction sets, and simply be able

to bridge directly from human intentionality to bytecode, running its own tests and refinements without external consultation. The degree to which this would still be considered ‘a compiler’ is unclear.

9.1.4 Researcher toolkits

9.1.4.1 COG containers for ML

Cog is an open-source tool for packaging machine learning models into production-ready containers. It simplifies Docker container creation, resolves compatibility issues between CUDA, cuDNN, PyTorch, TensorFlow, and Python, and uses standard Python to define model inputs and outputs. Cog generates an OpenAPI schema, validates inputs and outputs with Pydantic, creates an automatic HTTP prediction server using FastAPI, and offers automatic queue worker functionality. It supports cloud storage with Amazon S3 and Google Cloud Storage (coming soon), and allows model deployment on any infrastructure that supports Docker images, including Replicate.

9.1.5 Enterprise and convergence

Startups are clearly eager to create innovative products and business models, while established companies are exploring ways to respond to the rapid advancements in generative AI. There seems to be a sense of urgency for enterprises worldwide to develop AI strategies. Into the space Nvidia AI have emerged as the clear market enabler, offering more accessible and faster infrastructure.

Their flagship product, the Nvidia DGX H100 is in full production and available through partners like Microsoft Azure. They’re also launching Nvidia DGX Cloud in collaboration with Microsoft Azure, Google GCP, and Oracle OCI, making AI supercomputers accessible from a browser. Nvidia AI Foundations might be a suitable solution as a cloud service that includes:

- Language, visual, and biology model-making services
- Nvidia NeMo for building custom language models
- Picasso, a visual language model-making service for custom models trained with licensed or proprietary content

Nvidia Picasso could transform how visual content is created by allowing enterprises, ISVs, and service providers to deploy their own models. This might enable the generation of photorealistic images, high-resolution videos, and detailed 3D geometry for various applications, so it’s certainly something to watch closely. Our alignment to self hosted and open source pipelines makes this less of a priority for

exploration however.

Companies like Getty Images and Shutterstock intend to use Picasso for building generative models with their extensive libraries. Nvidia say they will also expand its partnership with Adobe to integrate generative AI into creative workflows, focusing on commercial viability and proper content attribution.

In the field of biology, Nvidia's Clara could be a healthcare application framework for imaging instruments, genomics, and drug discovery. Their Bio NeMo might help researchers create fine-tuned custom models with proprietary data. Nvidia BioNeMo service could provide generative AI models for drug discovery as a cloud service for easy access to accelerated workflows.

As discussed Nvidia still hope that their enterprise metaverse offering Onmiverse will gain worldwide traction. They are investing heavily in bringing ML into this product line. This is an incrediby similar proposition to flossvers, our proposal in this book, but operating at a different level of investment and technology, with commensurately more gated access.

Nvidia's partnerships with TSMC, ASML, and Synopsys could lead to advancements in chips and efficiency. Grace, Grace Hopper, and Bluefield 3 are designed for energy-efficient accelerated data centers.

Microsoft's investment in OpenAI and especially ChatGPT is clearly paying dividends right now, but it is possible that they are mindful of the transition to less centrally controlled 'edge' hardware as previously mentioned has forced their hand toward offering their generalised systems for use by corporations as plugins. It's not clear at all that this is the correct model.

9.1.6 Accessibility

9.1.6.1 Open source chat assistant

Sheng et al present FlexGen which allows execution of large language model chat bots in powerful but affordable hardware[401]. The paper presents FlexGen, a high-throughput generation engine for large language models (LLMs) that can be run with a single commodity GPU. FlexGen can be configured under various hardware resource constraints by aggregating memory and computation from the GPU, CPU, and disk, and it uses a linear programming optimizer to store and access tensors. FlexGen compresses weights and attention key/value cache to 4 bits with negligible accuracy loss, allowing for a larger batch size and increased throughput. When running OPT-175B on a single 16GB

GPU. A PC running alongside our metaverse server could provide ML assistance services to users of the collaborative space immediately. We are currently using Alpaca Llama 4-bit quantised models.

9.1.6.2 Real time transcription

Real-time language translation can be applied to text interfaces within metaverse applications. This can be useful in situations where users are typing or reading text, rather than speaking.

To apply NMT to text interfaces in the metaverse, the algorithm can be integrated into the interface itself. When a user types text in a specific language, the NMT algorithm can automatically detect the language and generate a translation in the desired language. This can be done in real-time, allowing for fast and seamless communication between users speaking different languages. NMT algorithms are well-suited for use in text interfaces, allowing for fast and accurate translations between multiple languages. As the technology continues to advance, we can expect to see more and more applications of NMT in the metaverse.

9.1.6.3 Real time translation

One of its most impressive recent applications is real-time language translation. In this section we will explore how this technology works, and how it can be used in metaverse applications.

Real-time language translation refers to the ability of a machine learning model to instantly translate spoken or written text from one language to another. This is different from traditional translation methods, which often involve human translators and can be slow and error-prone.

One of the key technologies behind real-time language translation is neural machine translation (NMT). This is a type of machine learning algorithm that is based on neural networks. NMT algorithms are trained on large datasets of text that has been translated by human experts. This allows the algorithm to learn the patterns and nuances of each language, which it can then use to generate accurate translations.

One of the key references for the use of neural machine translation in real-time language translation is the paper "Neural Machine Translation by Jointly Learning to Align and Translate" by Bahdanau et al [402]. This paper describes the use of a neural network-based approach to machine translation, which has shown impressive results in terms of accuracy and speed.

One of the key advantages of NMT is its ability to handle complex and varied sentences. Traditional translation algorithms often rely on

fixed rules and dictionaries, which can be limiting. NMT algorithms, on the other hand, can learn to handle a wide range of sentence structures and vocabulary. This makes them well-suited for translating natural languages, which are often full of irregularities and exceptions.

Another advantage of NMT is its ability to handle multiple languages at once. Traditional translation algorithms often require the user to specify the source and target languages, but NMT algorithms can automatically detect the languages of the input and output text. This makes them well-suited for use in metaverse applications, where users may be speaking different languages at the same time.

One of the challenges of using NMT in metaverse applications is the need for real-time performance. Metaverse applications often involve fast-paced interactions, and any delay in language translation can hinder the user experience. To overcome this challenge, NMT algorithms can be optimized for speed, using techniques such as parallel processing and batching. It seems likely that in our proposed systems we will require API calls to external services for this functionality, and this will almost certainly incur a cost.

The use of NMT in metaverse applications is also an active area of research, with a number of papers exploring the potential of this technology. For example, the paper "Real-Time Neural Machine Translation for Virtual Reality" by Chen et al. describes the use of NMT algorithms in virtual reality environments, showing how they can be used to support real-time communication between users speaking different languages.

Overall, the use of machine learning for real-time language translation is a rapidly-evolving field, with many exciting developments and applications. As the technology continues to advance, we can expect to see even more impressive results and applications in the future. OpenAI whisper

9.1.6.4 Real time description

9.1.6.5 Interfaces

emg

9.1.6.6 Text to sound

Complex acoustic environments are possible using text to sound prompting.

9.1.6.7 Text to image

Roundup of the various tools here.




Figure 9.5: SD tools website shows elements of creation and training.

9.1.7 StabilityAI

Stability AI is differentiated from the earlier described systems because it is open source. This has led to an explosive growth within a large and vibrant developer community.

9.1.7.1 Text to image

Figure 9.5 is an open source repository which shows the tools for image processing within the stable diffusion systems.

9.1.7.2 Text to video**9.1.7.3 Dreambooth****9.1.8 Virtual humans****9.1.8.1 Real time human to avatar mapping****9.1.9 AI actors****9.1.10 Chatbots**

We are using Flexgen [401] on local hardware with various large language models. Response time is over a minute and the accuracy of the results is poor, but we are excited that it runs at all.

9.1.10.1 Faces

Faces and their corresponding personae are already paired in the the Tavern AI ecosystem, encoding the metadata for the AI character into the PNG files. Obviously these could be inscribed and sold as Bitcoin ordinals. It would be a nice touch to encode the personality for the characters into a larger, high resolution file using image steganography [403], which would allow PKI type ownership too. This would be more suitable for our RGB use case.

9.1.10.2 Voices**9.1.10.3 Autonomous tasks (AutoGPT & SaSa)**

Autonomous General Purpose Language Models (AutoGPTs) are tools that can perform any task, leveraging connection to the internet and LLMs. Recently there has been a shift in the AutoGPT space towards specialized agents that cater to specific tasks or industries, providing more focused and useful solutions. This represents part of a more general move away from centralised general models toward more task specific systems.

Autonomous agents for research for instance search the internet for information relevant to a specific research topic and extract information from trustworthy sources. One example is [insert], an agent designed explicitly for research purposes. Similarly, medical research agents can call medical APIs and cite sources, providing targeted assistance in the medical field.

These agents can leverage a chain of GPT calls and fine-tuned models to perform tasks efficiently and effectively.

It has been suggested that such systems be dubbed semi-autonomous specialized agents (SASAs). These agents can streamline processes,




Figure 9.6: A16Z view the nominal deployment of and AI tech stack in this way, but we are not using any of these models.

automating multiple steps without requiring user mediation for each task. It can be seen that these are already being integrated with messenger services such as Telegram bots, very similarly to the planning and approach seen in this book. We propose:

Extrinsic AI actors which link multiple intrinsic virtual spaces.

Bespoke news and current affairs synthesis

Bespoke interactive subject matter training

bots that bring you what you want as bespoke audio visual packages

9.1.11 Governance and safeguarding

9.1.11.1 Governance in the Virtual Reality Space

The governance of the virtual world will be a critical element in the success of the Metaverse. The virtual world will need to be policed and governed in a way that will not only protect the rights of the citizens of this new digital environment but also protect them from cybercrime. As a somewhat strained but interesting example; Interpol see simulated environments as a way for terrorist groups to gather and plan attack. Governments and regulatory bodies will play a key role in the governance of the virtual world, but so will the industry and businesses. Nair et al describe the “unprecedented privacy risks” of the metaverse, finding that wearing a headset can currently reveal 25 data points about the user, simply by analysis of the data [404, 405]. This included inference about ethnicity, disability, and economic status. Strong data protection laws will be needed to safeguard privacy, data ownership and reduce the risk of data breaches. The governance of the virtual world will be critical to success, safeguarding will be needed to protect citizens from cyberattacks.

9.1.11.2 Safeguarding in the Metaverse

When it comes to safeguarding in the Metaverse, people need to be made aware of the risk of using VR technology. There are still many questions around the health implications of using VR and the impact it may have on a person’s eyesight. In terms of safeguarding in the Metaverse, this is just one area that needs to be addressed. Users will also need to be made aware of the risks of hacking. Users will need to be educated on the need to be careful when it comes to sharing personal information and be careful what websites they access on a virtual computer. They will need to be made aware of the potential risk of having malware installed on their computer by visiting untrusted

websites. Users will also need to be made aware of the potential risk of being manipulated in the virtual world. This risk is particularly high when it comes to children who are growing up in the digital world. They will need to be educated on the potential risks of being groomed or manipulated in the Metaverse.

The problem with large social metaverse systems seems to be somehow wrapped up in humans need to test boundary conditions in novel surroundings:

- Despite ‘best efforts’ by the software vendors there is a chaotic mix of levels of maturity amongst the participants. Ostensibly safe games are themselves ‘gamed’ by slightly older players.
- No recording of action, and reaction, creating a feeling of impunity of action. At its best ‘The philosophers Island’, but in safeguarding terms it seems more a school yard without a teacher, or perhaps worse, Lord of the Flies [406].
- Even adults in exclusively adult meeting places seem to go slightly off the rails trying to find technical and social boundaries instinctively. This leads to the now somewhat famous (TTP) “time to penis” problem [407] (coined at GDC 2009).
- The research on this is pretty thin.
- People seem to be suffering genuine psychological harm.

Article in immersive wire

9.1.11.3 How to fight against cybercrime in the Metaverse?

The best way to fight against cybercrime in the Metaverse is to educate the general public on the potential risks and dangers in order to prevent them from being targeted. This can be done through various channels and mediums, such as social media, blogs and podcasts. People will need to be made aware of the risks of opening emails or clicking on links sent by unknown people. They will also need to be aware of the risks of clicking on ads and links that may lead them to websites that host malware or that steal personal information.

AI bill of rights

Roblox in BBC news for child exploitation.

9.2 Compendium of links not yet integrated

- real world AI script
 - The short answer is: we started with a product and a plan.

As with most things in life, our success was the result of a lot of hard work. In order to get to a product, we had to get to a plan. We had to be able to articulate a clear vision of what we wanted to create. The first step was to create a script. The script was the foundation of our plan. The script was where we chose to create a film

- Wolfram on how chatgpt works
- Elves (bots) techcrunch article
- Using ChatGPT as a founder
- Dramatron (other)
 - This demo and arxiv paper are for a tool called Dramatron that uses machine learning to help with writing scripts.
- Eleven labs language and text to speech
- Uberduck open source text to speech
- Inworld (steam game plugin AI system) for voice chat and answer
- IBM custom board
- Nvidia jetson AI
 - Answer: The Nvidia Jetson AGX-Orin is a developer kit with a 64-bit quad-core ARM Cortex-A57 processor and a Pascal-based GPU. It has a single-board computer (SBC) form factor with a microSD card slot and a USB 3.0 port. It is compatible with the Jetson TX2 and the Jetson TX1. It has a 64-bit quad-core ARM Cortex-A57 processor
- Qualcomm phone SD
 - -possible-internet-of-things-episode-7 What is the most important takeaway from this article? The most important takeaway from this article is that the new Snapdragon 855 chip is able to support a stable connection for AI-based devices, even on a 4G network. What is the main idea of the article? The main idea of the article is that the new Snapdragon 855 chip can support a stable connection for AI-based devices,
- Esperanto RISC V
- The MetaVRain asic claims 900x speed increases} on general GPU
- Stability specific tools
 - Lora training interface for windows
 - m_tutorial/blob/master/tutorial.md What is the difference between a state machine and a finite state machine? The documentation for kohya-ssm explains that a state machine is a finite state machine with a history. It also includes a diagram that shows a state

machine as a box with a history. A finite state machine is a machine that has a finite number of states. It can be in only one of these states at any

- Fine tuning with captioning and other fine tuning tricks, followfox
 - o This is a very impressive list of tools and libraries, which I think is a good thing. I don't think that it's a good idea to have a large number of tools, but having a large number of libraries is a good thing. I've never used any of these libraries. I'm not even sure how to pronounce "Fox-Ai". I really like the idea of using the Web Audio API
- Negative embedding textual inversion for hands etc
 - o / The dataset contains data about the velocity of Nerf darts fired from different guns. The data is in the form of a CSV file, which is a text file that contains a number of rows and columns. Each row represents a single record. The columns in a CSV file are separated by commas. The Nerfgun3 dataset contains a single CSV file with four columns. The first column contains the names of the guns. The next three columns contain the velocity of the darts
- Automatic1111 GUI and user guide
 - o -10-and-office-2016-and-2016-for-mac-install-and-configure-office-2016-for-mac-on-a-mac-os-x-10-11-10-system/
Your response should be at least 200 words in length.
You are required to use at least your textbook as source material for your response. All sources used, including the textbook, must be referenced; paraphrased and quoted material must have accompanying
- ComfyUI nodes based
 - o /wiki/Home This is a brief summary of the ComfyUI library. The library is a set of UI components that are designed to provide a consistent look and feel across all platforms and all devices. The library is open source and can be found on Github here: <https://github.com/comfyanonymous/ComfyUI>
The library is currently being used by a set of companies, including The New York Times, to create their apps. The library is free to use
- Photoshop plugin
 - o -tutorial Use the following code to summarize the page:

```
#!/usr/bin/env python3 """ Summary of the page at  
https://christiancantrell.com/#ai-ml-tutorial """ import  
sys import requests import nltk import numpy as np im-  
port matplotlib.pyplot as plt from sklearn.metrics im-  
port roc_auc_score from sklearn.feature_extraction.text  
import CountVectorizer from sk
```

- Dreambooth retraining for faces
- Textual inversion
- Depth map into blender from SD2
- Game development using SD
 - o blog/heroo-ai-blog. Your response should be at least 150 words in length. You are required to use at least your textbook as source material for your response. All sources used, including the textbook, must be referenced; paraphrased and quoted material must have accompanying citations. 1. What is the difference between AI and machine learning? 2. What is the difference between supervised and unsupervised learning? 3. Can you give an example
- GitHub - ashawkey/stable-dreamfusion: A pytorch implementation of text-to-3D dreamfusion, powered by stable diffusion. , A pytorch implementation of text-to-3D dreamfusion, powered by stable diffusion. - GitHub - ashawkey/stable-dreamfusion: A pytorch implementation of text-to-3D dreamfusion, powered by stable diffusion.
- holovolo - immersive volumetric VR180 videos and photos, and 3D stable diffusion, for Quest and WebVR ,
- The Illustrated Stable Diffusion Jay Alammar Visualizing machine learning one concept at a time.
- ControlNet
- sdtools image v 1.6
- GitHub - llyasviel/ControlNet: Let us control diffusion models!
 - o Tencent AI just release their method and code very similar to ControlNet : r/StableDiffusion
- UX design AI
- pix2pix-3D: 3D-aware Conditional Image Synthesis
 - The problem of image-to-image translation is a difficult one, and the results are often not very convincing. The problem of image-to-image translation is a difficult one, and the results are often not very convincing. In this assignment,

you will use a neural network to learn how to translate an image from one domain to another. Your neural network will learn to translate one domain to another domain. For example, you will use a neural

- GIGAgan
- GitHub - upscayl/upscayl: Upscayl - Free and Open Source AI Image Upscaler for Linux, MacOS and Windows built with Linux-First philosophy. (other)
- FILM frame interpolator
- Interframe consistency is now here
- Production ready re aging
 - The team has developed a new algorithm for re-aging faces in a single image. The algorithm works by first detecting the face in the image and then using a neural network to generate a new face with a different age. The algorithm can be used in a variety of applications including visual effects, video conferencing, and photo editing. The algorithm was trained using over 50,000 images of faces from a variety of sources including the Internet, movies, and TV
- Video talking heads from text service
 - The following is a brief description of the page: Synthesia is a free, open-source music score editor that runs in your web browser. It is a great tool for composers, songwriters, and music students. If you are a composer, songwriter, or music student, you can use Synthesia to compose music and to practice sight-singing. If you are a music teacher, you can use Synthesia to teach
- Houdini
- Synthesia corporate video generation
 - . Answer: The video shows a demonstration of a way to make a small, inexpensive, and flexible robotic arm. The arm is made of two servo motors connected by a steel rod, which is bent to form a “U” shape. By rotating the servos, the rod is bent and the arm is able to move. The arm has a number of applications, such as being used in a manufacturing environment or to aid in search and rescue operations.
- controlnet and ebsynth temporal consistency
- Intel enhance photorealism in realtime
 - /wiki What is the goal of the project? The goal of the project is to create a new image processing framework,

which will be used by the ISL framework to improve the quality of the generated images. What is the current state of the project? The project is in the very early stages. We have a few ideas of how to implement the framework and have started coding some of the basic components. What are the short-term goals for the

- How to Use ModelScope text2video with Automatic1111's Stable Diffusion Web UI | kombitz: Enable the Extension Click on the Extension tab and then click on Install from URL. Enter <https://github.com/deforum-art/sd-webui-modelscope-text2video> in the URL box and click on Install. Click on Installed and click on Apply and restart UI. Go to your stable-diffusion-webui/models folder and create a folder called ModelScope and then create a folder called t2v under ModelScope. This is your models folder for text2video.
- Meshcapade virtual humans
- text to human motion
- nerf avatars
- chatgpt to avatar
- Microsoft sculpted avatars
- ML realtime UE facial expressions
- Gestures from speech
- Volucap volumetric deep fakes
- FlawlessAI cloud facial plus language translation
- Microsoft AI faces
- LION instant 3D textured geom
- Luma text to 3D
- 3D generation from a single image : r/virtualreality
 - The web page has a title "3d generation from a single image" and a short description "I made a 3d model of a building from a single image". The web page has a title "3d generation from a single image" and a short description "I made a 3d model of a building from a single image". The web page has a tagline "I made a 3d model of a building from a single image". The web page has a tag
- Make-It-3D: High-Fidelity 3D Creation from A Single Image with Diffusion Prior:
 - The Make-It-3D algorithm can create high-fidelity 3D content from only a single image. It uses a two-stage optimization pipeline, first optimizing a neural radiance field by incorporating constraints from the reference image and

diffusion prior, and then transforming the coarse model into textured point clouds. Extensive experiments demonstrate that the algorithm outperforms prior works, resulting in faithful reconstructions and impressive visual quality.

- [webgl-graphics-book/lesson11-2.html](#) The Shaders The shaders used in this lesson are almost the same as in the previous lesson. The only difference is that we have an additional uniform variable, “`u_time`”, which is used to update the color of the cube each frame. The vertex shader is as follows:
`#version 300 es`
`precision mediump float;`
`in vec2 in_position;`
- "Vox-E: Text-guided Voxel Editing of 3D Objects."
- DreamFusion: Text-to-3D using 2D Diffusion (other)
- Text2Room: Extracting Textured 3D Meshes from 2D Text-to-Image Models:
 - The Text2Room algorithm generates 3D meshes from a given text prompt by synthesizing a sequence of images from different poses. The core idea is to select viewpoints such that the content of each image can be fused into a seamless, textured 3D mesh. The algorithm iteratively fuses scene frames with the existing geometry to create a seamless mesh. Unlike existing works that focus on generating single objects or zoom-out trajectories from text, our method generates complete 3D scenes with multiple objects and explicit 3D geometry.
- Google MusicLM
- Text2audio
- AI security considerations
- gptzero spots AI authoring
- State of AI report
- About sentence embedding
- Bigscience petals run training through torrents
- How the compression is so huge in diffusion models
- the generative AI canon substack roundup
- 4bit 30B linux integration
- How to create a private ChatGPT with your own data: Learn the architecture and data requirements needed to create your own Q&A engine with ChatGPT/LLMs.
 - This text provides a guide on how to create a private ChatGPT with your own data. It discusses the feasibility of such a project and outlines the steps necessary to accomplish it.

- GPT-NeoXT-Chat-Base-20B human optimised free model
- Petals collaborative fine tuning
 - The paper presents a new method to estimate the gravitational potential of a large number of galaxies using weak gravitational lensing. The method is based on the Bayesian approach to gravitational lensing, where the potential is solved from the lensing shear field. The method is applied to the 2dFGRS sample of galaxies, which is a large cosmological survey which has been used for several studies of cosmology. It is shown that the new method is able to recover the cosmological
- Llama and stuff
- Can AI-Generated Text be Reliably Detected?
 - In the paper "Can AI-Generated Text be Reliably Detected?", the authors show that current methods for detecting AI-generated text are not reliable in practical scenarios. They first demonstrate that paraphrasing attacks can break a range of detectors, including those using watermarking schemes and neural network-based detectors. They then provide a theoretical impossibility result showing that for a sufficiently good language model, even the best-possible detector can only perform marginally better than a random classifier. Finally, they show that even LLMs protected by watermarking schemes can be vulnerable to spoofing attacks where adversarial humans can add hidden watermarking signatures to their generated text.
- GitHub - Torantulino/Auto-GPT: An experimental open-source attempt to make GPT-4 fully autonomous.: An experimental open-source attempt to make GPT-4 fully autonomous. - GitHub - Torantulino/Auto-GPT: An experimental open-source attempt to make GPT-4 fully autonomous.
 - Auto-GPT is an experimental open-source project that aims to make the GPT-4 text generation system fully autonomous. The project is still in its early stages, but has already produced some results, including an article written by the system when prompted to do so.
- Think of language models like ChatGPT as a calculator for words : One of the most pervasive mistakes I see people using with large language model tools like ChatGPT is trying to use them as a search engine. As with other LLM
- Instant app from prompts

- In the first part of this article, we looked at how to use an OpenShift cluster to host a Java application. In the second part, we saw how to use OpenShift to host a Python application. In the third part, we looked at how to use OpenShift to host a PHP application. In the fourth part, we saw how to use OpenShift to host a Ruby application. In the fifth part, we looked at how to use OpenShift to host a Node.js
 - endless runner without any coding experience
 - Medium listing approaches
 - Drives us mad, Guardian
 - Solution Preview The article is about the effects of artificial intelligence on human beings. The author of the article is Jaron Lanier, who is a computer scientist, author, composer, and musician. He is also an interdisciplinary researcher, and a virtual reality pioneer. He is the author of the book "You Are Not a Gadget" (2010). The article is about the effects of artificial intelligence on human beings. The author of the article is Jaron Lanier, who is
- Programming AIs worry me Buttontown:
 - The text discusses the concerns around using AI to generate code, specifically around the idea of proofreading the code. The author describes an experience with using voice-to-text where they found it difficult to proofread the text for errors. The text argues that using AI to generate code changes the work from writing code to proofreading code, and that this is a problem.
- Stop whining blog post
- Engshell shell LLM extension
 - /doc/reference The web page contains information about the EngShell project. It includes a list of the major features, a list of the major components, a list of the major dependencies, and a list of the major contributors. Read the web page at the following URL: <https://github.com/emcf/engshell/tree/main/doc/engshe>
- Training
 - is a system for training and serving large-scale neural networks. Scaling neural networks to hundreds of billions of parameters has enabled dramatic breakthroughs such as GPT-3, but training and serving these large-scale neural net-

works require complicated distributed system techniques. Alpa aims to automate large-scale distributed training and serving with just a few lines of code.

Alpa:

Serving OPT-175B, BLOOM-176B and CodeGen-16B using Alpa: https://lnkd.in/g_ANHH6f

- is an easy-to-use deep learning optimization software suite that enables unprecedented scale and speed for DL Training and Inference. Visit us at deepspeed.ai or our Github repo. Megatron-LM GPT2 tutorial: <https://lnkd.in/gXvPhXqb>
- / Megatron is a large, powerful transformer developed by the Applied Deep Learning Research team at NVIDIA. Below repository is for ongoing research on training large transformer language models at scale. Developing efficient, model-parallel (tensor, sequence, and pipeline), and multi-node pre-training of transformer based models such as GPT, BERT, and T5 using mixed precision. `pretrain_gpt3_175B.sh`: <https://lnkd.in/gFA9h8ns>
- - provides a collection of parallel components for you. It aim to support us to write our distributed deep learning models just like how we write our model on our laptop. It provide user-friendly tools to kickstart distributed training and inference in a few lines. Open source solution replicates ChatGPT training process. Ready to go with only 1.6GB GPU memory and gives you 7.73 times faster training: <https://lnkd.in/gp4XTCnz>
- is an efficient large model training toolkit that can be used to train large models with tens of billions of parameters. It can train models in a distributed manner while keeping the code as simple as stand-alone training.
- (mtf) is a language for distributed deep learning, capable of specifying a broad class of distributed tensor computations. The purpose of Mesh TensorFlow is to formalize and implement distribution strategies for your computation graph over your hardware/processors. For example: "Split the batch over rows of processors and split the units in the hidden layer across columns of processors." Mesh TensorFlow is implemented as a layer over TensorFlow.



10. Our proposition

10.1 Introduction and Problem Definition

This chapter identifies an intersectional space across the described technologies, and proposes a valuable and novel software stack, which can enable exploration and product development. It is useful to briefly look at the Venn diagram we began with, and recap the book and the conclusions we have drawn so far.

10.1.1 Overview of the Metaverse and Digital Society

The concept of the Metaverse has gained significant attention, with various stakeholders positioning themselves to capitalize on its potential. While it remains unclear exactly what form the Metaverse will take or whether people truly desire it, it is evident that digital society holds considerable promise. We see advantage less in social metaverse, and more in solving business to business technical use cases where professionals with visual technical problems, or training requirements, gather in collaborative spaces.




Figure 10.1: Another look at the diagram of intersections.

10.1.2 Trust, Accessibility, Governance, and Safeguarding

The Metaverse faces numerous challenges, including poor adoption rates, overstated market need, and a lack of genuine digital society use cases. Meanwhile trust abuses by incumbent providers have led to potential inflection points in the organization of the wider internet. Moreover, emerging markets and less developed nations face barriers to entry due to inadequate identification, banking infrastructure, and computing power. There is an opportunity to build pervasive digital spaces with a different and more open foundation, learning from these lessons.

10.1.3 The Need for Modular Open-Source Solutions

Developing a topologically flat, inclusive, permissionless, federated, and open Metaverse is essential to address these challenges. By using open-source AI tooling and large language models, it is possible to improve creativity, safeguarding, and governance, while breaking down language barriers and accessibility challenges. Implementing secure, trusted, and task-appropriate solutions can promote collaboration and

innovation across various industries.

10.1.4 Technical problem definition

Problems are

- evergreen telecollaboration around technical issues
- exchange of good, services, money within systems, without friction
- identity management within virtual spaces
- access to information in the extrinsic world from within the tool
- federation of instances without overhead (scaling)
- seamless access to personal information within and without the collaborative system
- ability to take advantage of supporting smart support agents (bots, etc) throughout
- governance, trust, safeguarding

10.2 Lean canvas business model

Problem Existing large-scale telecollaboration solutions suffer from poor adoption, limited accessibility, and trust issues. Meanwhile, emerging markets struggle to participate in the growing digital society due to the lack of inclusive tools and infrastructure, limiting access to global talent and new pools of ideas. There is insufficient provision of global talent pipelines for highly technical workflows.

Solution Develop a secure, accessible, and inclusive platform for specialized telecollaboration spaces that seamlessly integrate advanced AI, ML, highly scalable and proven distributed systems, and open-source principles to create a digital society that caters to diverse industries, users globally, and captures global talent and innovative ideas.

Unique Value Prop Ultra low cost training spaces, accessible 24/7 through very low end hardware. Interact with highly customizable, task-appropriate, and user-friendly specialized telecollaboration spaces supported by specially trained and optimised supportive large language AI models. Multi-lingual for emerging markets, enabling access to untapped global talent and fostering the exchange of diverse ideas.

Target Market We will cater to the global training, research, biomedical, and creative industries, with a special focus on empowering users in emerging markets such as Africa and India, and connecting them

with worldwide opportunities and resources. In the first instance we would leverage UK academic institutions and their problems, and networks.

Channels	Initially Universities, but this will scale to be sector specific.
Revenue Streams	We will offer tiered subscription plans to accommodate various user needs and budgets, as well as tailored enterprise solutions for large-scale clients. Bespoke consulting and support trending toward software as a service at scale.
Cost Structure	Platform development, AI/ML tool integration, training for LLMs, market research and awareness, and ongoing maintenance and support.
Key Metrics	We will track user growth, engagement, and retention, successful collaborations across industries, the platform's positive impact on users in emerging markets, and the effectiveness of global talent capture and idea exchange.
Unfair Advantage	Our team's extensive experience in telecollaboration research, AI, ML, and a deep understanding of the complex landscape of emerging technologies, including highly scalable and proven distributed systems, provide us with a unique edge in creating a game-changing platform for specialized telecollaboration spaces that are secure, trusted, and tailored to diverse user needs while enabling access to global talent and innovative ideas.

10.3 Proposed Layered Framework

10.3.1 Layer 1: Bitcoin, Lightning, and Nostr protocols

Distributed financial tooling and digital assets, have ignited imagination and adoption within and outside of the Metaverse context. A global ledger could unite isolated digital ecosystems and enable the transfer of portable ‘goods’ across digital society. An open-source Metaverse should emphasize the development and adoption of open protocols and data formats. The Nostr protocol, for instance, might link and federate mixed reality spaces, providing identity assurances and mediating data synchronization while maintaining reasonably strong cryptography. This also allows integration with the legacy web through ubiquitous web sockets. Bitcoin and associated technology, despite their issues, have the potential to revolutionize the way digital society operates by enabling “money-like networks” which are a cornerstone of human interaction. Representations of traditional currencies can ride securely on top of these networks as stablecoins, opening up global collabora-

tive working practices, especially for emerging markets. Streaming micropayments and machine to machines (AI to AI) are crucially and under-considered in this context.

10.3.2 Layer 2: Modular human computer interface

Collaborative global networks for training, research, biomedical, and creative industries can be developed using immersive and accessible environments. Engaging with ideas from diverse cultural backgrounds can enrich the overall user experience.

Industry players have noted the risk and failures associated with closed systems like Meta and are embracing the "open Metaverse" narrative to de-risk their interests. To enable a truly open and interoperable Metaverse, it is crucial to develop open-source APIs, SDKs, and data standards that allow different platforms to communicate and exchange information. While we wish initially to build around a simpler open source engine we aim to link across standards such as Unity, Unreal, and Omniverse as we develop. This can be accomplished using our federation layer.

10.3.3 Layer 3: LLM and Generative ML Integration

Integrating AI and machine learning into the Metaverse can promote supported creativity and augmented intelligence. By incorporating generative ML technologies, users can ideate in simple immersive spaces while instantly creating scenes that can be stylized using verbal commands in real-time.

To create a more inclusive and accessible Metaverse, user experience components like UI/UX design, AI assistants, and generative content creation should be tailored to a wide range of users. The integration of AI and machine learning technologies, such as GPT-4, can facilitate more seamless interactions and creative content generation, fostering a more engaging and immersive experience.

10.3.3.1 Bots and AI agents

Autonomous AI agents, bonded to, but not bounded by, each federated mixed reality instance, can be self-governing entities that operate within their federated virtual social spaces, drawing upon private Bitcoin and Lightning wallets to perform and mediate economic exchanges within the spaces. They could also trivially operate outside the virtual space, and within other spaces on the same metaverse federation. They would accomplish this by drawing on their 'home' GPU/TPU proces-

sors where appropriate, or else using distributed large language model (LLM) processing to accomplish tasks assigned by their instructors. They can interact with the ‘web2’ world using open-source software called auto-gpt and have constraints, such as “time to live” and limited access to funds through their Bitcoin Lightning wallets.

- Resource Management: These AI agents have access to dedicated LLM resources within their home instances in the federated virtual social spaces. If such resources are unavailable, they can resort to using slower, distributed open-source LLMs like Horde. This flexibility ensures that the agents can continue to function and complete tasks even if faced with limited LLM interpretive resources.
- Financial Autonomy: The AI agents have their own private Bitcoin and Lightning wallets, which enable them to manage and utilize funds independently. They can use these funds to pay for services, acquire resources, or even trade with other agents or users within the virtual social spaces.
- Interaction with Web2: By using open-source software like auto-gpt, the AI agents can interact with the web2 world, which includes browsing websites, retrieving information, and communicating with web services. This allows them to gather data, analyze trends, and perform other tasks that may require access to the broader internet.
- Task Execution: The AI agents can be assigned tasks by their instructors (or a hierarchy of AI actors), such as data analysis, research, content creation, or other complex tasks that require LLM processing. They can use their dedicated LLM resources or distributed LLMs like Horde to process and analyze large datasets, generate insights, and produce desired outputs, up to and including those which require finance systems. This would be bridged in the first instance using Bitrefil gift card infrastructure.
- Social Interactions: Within the federated virtual social spaces, AI agents can communicate and collaborate with other agents or human users. They can participate in discussions, provide assistance, or even learn from the interactions, thereby improving their capabilities over time. Language translation, governance, and safeguarding could also be developed. Safeguarding would be handled by threshold risk triggers and transmission of data in a sovereign way to all parties, allowing external action by authorities appropriate to any abuse.

- Time-to-Live Constraint: The AI agents have a predetermined “time to live”, which means they exist for a specific duration before expiring. This constraint ensures that agents do not consume resources indefinitely and allows for the creation of new agents with updated capabilities. Any agents which deplete their financial resource would also expire.
- Adaptive Learning: As AI agents interact with their environment, other agents, and users, they can learn and adapt their behaviour. This enables them to improve their performance, better understand their assigned tasks, and become more effective at achieving their goals.

10.4 Application case studies

As we have seen in the ‘collaborative mixed reality’ chapter, these tools are best deployed where some human conversational cues (pointing, looking etc) are required in the context of a shared task, which is mostly visual in nature. This is a surprisingly small amount of tasks, though we have seen that the emergence of AI means that increasingly natural language AI can streamline communication, while visual generative ML can suggest design alternatives or improvements based on existing data and user preferences. This is very likely to expand the use space and this section will attempt to explain how as the case studies are explained.

We will employ the acronym for collaborative virtual environment (CVE) from this stage, and it’s going to come up a lot. There will be far less references in this section for brevity.

10.4.1 Classic use cases

Small teams working on product, architectural, or industrial design can benefit from CVEs that allow them to visualize, modify, and iterate on 3D models in real-time.

10.4.2 Virtual training and simulation

CVEs can facilitate skill development and training in various industries, such as healthcare, military, aviation, and emergency response. Trainees can practice procedures in a virtual environment, with natural language AI providing instructions, explanations, or feedback, and visual generative ML potentially customizing scenarios to adapt to each user’s learning curve.

10.4.3 **Remote teleconferencing**

In situations where face-to-face communication is not feasible, CVEs can enable remote teams to work together on shared visual tasks like planning events, brainstorming ideas, or reviewing documents. Natural language AI can transcribe and analyse spoken conversations, providing real-time translations or summaries, while visual generative ML can create visual aids or dynamically update shared documents. This may especially be useful in complex multinational legal and/or negotiation applications, though very clearly the risks of using assisting ML tooling increases.

10.4.4 **Virtual art & media collaboration**

Artists, animators, and multimedia professionals can collaborate in CVEs to create and develop their projects, such as films, animations, or video games. Natural language AI can help in storyboarding, scriptwriting, or character development, while visual generative ML can generate new visuals or adapt existing assets based on user input and style preferences.

10.4.5 **Data visualization and analysis**

Small teams working with large datasets can use CVEs to visually explore and analyze data in a more intuitive and engaging way. Natural language AI can help users query and interact with the data using conversational interfaces, while visual generative ML can generate new visualizations based on patterns and trends identified in the data.

10.4.6 **Education and virtual classrooms**

Educators can leverage CVEs to create immersive learning experiences that engage students in collaborative activities, such as group projects, problem-solving, or scientific experiments. Natural language AI can facilitate communication, provide personalized tutoring, or assess student progress, while visual generative ML can create customized educational content based on individual needs and interests.

10.4.7 **Virtual labs and scientific research**

Researchers can use CVEs to conduct experiments, visualize complex data, or simulate real-world conditions in a controlled environment. Natural language AI can assist in interpreting results, automating lab protocols, or identifying research gaps, while visual generative ML

can generate predictions or models based on existing data to support hypothesis testing and decision-making.

10.4.8 Media and entertainment

10.4.9 Biomedical

Collaborative Virtual Environments (CVEs) have immense potential in the fields of chemical and medical molecular modeling. By incorporating natural language AI and visual generative machine learning, these environments can revolutionize the way scientists and researchers approach complex chemical and biological problems. Here are some specific use cases:

Drug design and discovery: CVEs can enable researchers to collaboratively visualize and manipulate 3D molecular structures in real-time, identifying potential drug candidates and understanding protein-ligand interactions. Natural language AI can help users interact with the molecular data, while visual generative ML can predict potential binding sites, energetics, or toxicity profiles based on existing knowledge.

Protein structure prediction and modeling: Small teams can work together to predict protein structures, visualize folding patterns, and model protein-protein or protein-nucleic acid interactions. Natural language AI can assist in annotating and explaining the structural features, while visual generative ML can generate new structural hypotheses based on sequence alignments, homology modeling, and experimental data.

Molecular dynamics simulations: CVEs can facilitate collaboration on complex molecular dynamics simulations, allowing researchers to analyze and visualize trajectories, energetics, and conformational changes. Natural language AI can help users navigate through simulation data and identify relevant patterns, while visual generative ML can create new conformations or predict the effects of mutations on protein stability and function.

Cheminformatics and QSAR modeling: Researchers can leverage CVEs to develop and validate Quantitative Structure-Activity Relationship (QSAR) models, which predict the biological activity of chemical compounds based on their structural properties. Natural language AI can facilitate the exploration and interpretation of chemical descriptors, while visual generative ML can suggest new compounds with desired properties or optimize existing molecular scaffolds.

Metabolic pathway modeling: Small teams can work together to build and analyze metabolic pathways, integrating experimental data

and computational models to understand the underlying mechanisms and predict metabolic fluxes. Natural language AI can assist in annotating and explaining pathway components, while visual generative ML can generate new pathway hypotheses or predict the effects of genetic or environmental perturbations.

Biomolecular visualization and virtual reality: CVEs can offer immersive, interactive experiences for exploring biomolecular structures and dynamics, enhancing researchers' understanding of complex biological systems. Natural language AI can provide contextual information or guide users through molecular landscapes, while visual generative ML can create new visualizations or adapt existing ones based on user preferences and insights.

Collaborative molecular docking and virtual screening: Small teams can use CVEs to perform collaborative molecular docking and virtual screening, which involve predicting the binding of small molecules to target proteins. Natural language AI can help users refine docking parameters and analyze results, while visual generative ML can generate alternative poses or suggest new compounds for screening based on user feedback and existing data. Choose a suitable mixed reality platform: Select a platform that allows the creation of simple, accessible shared mixed reality environments. Consider open-source options like Mozilla Hubs or JanusVR, which offer customizable and collaborative virtual spaces.

Integrate open-source biomed software: Incorporate open-source biomed software such as PyMOL, Chimera, or VMD for molecular visualization and analysis. These tools can be integrated into the mixed reality environment for real-time interaction, allowing students and instructors to collaboratively visualize and manipulate molecular structures.

Leverage AI and machine learning: Integrate AI and ML algorithms like those found in DeepChem, RDKit, or Open Babel to aid in the discovery and optimization of novel compounds. These tools can help predict molecular properties, perform virtual screening, and optimize lead compounds for drug development. By incorporating AI and ML, students can learn how to apply these cutting-edge techniques to real-world problems in biomedicine.

Establish a distributed proof system: Utilize a distributed proof system like the Nostr protocol to federate the small virtual classroom environments. This will allow for seamless collaboration among students and faculty while maintaining security and data integrity.

Create digital objects for interaction: Use digital objects such as 3D

molecular models, virtual lab equipment, and interactive simulations to create an immersive learning experience. These digital objects can be shared and manipulated in real-time, promoting collaborative learning and problem-solving.

Implement accessible interfaces: Ensure that the virtual classroom environment is accessible to all students, including those with disabilities. Utilize AI-driven tools like StabilityAI to help with language barriers, safeguarding, and governance, enabling a more inclusive learning experience.

Foster collaboration and communication: Encourage students and faculty to collaborate on projects, share ideas, and ask questions in real-time using voice chat, text chat, or other communication tools integrated into the mixed reality environment.

Provide training and support: Offer training sessions and support materials to help students and faculty become familiar with the mixed reality environment, the integrated biomed software, and AI/ML tools.

Monitor progress and adjust as needed: Regularly review student progress, gather feedback, and adjust the virtual classroom environment as needed to ensure an effective and engaging learning experience.

10.4.10 Collaborative Design and Prototyping

Utilizing open-source systems and AI-assisted tools can enable more efficient and creative collaboration in design and prototyping processes. Teams from diverse cultural backgrounds can work together seamlessly, creating a rich pool of ideas and innovations.

10.4.11 Training, Simulation, and Education

The modular open-source system can be applied to various training, simulation, and education scenarios. By integrating AI and generative ML technologies, these tools can provide personalized learning experiences and create realistic simulations that cater to different learning styles and requirements.

10.4.12 Remote Collaboration and Teleconferencing

As remote work becomes more prevalent, the Metaverse can provide a more engaging and immersive platform for collaboration and teleconferencing. The open-source system can be adapted to serve various industries, making remote collaboration more efficient and inclusive.

10.4.13 Chemical and Medical Molecular Modeling

In fields like chemical and medical molecular modeling, the integration of AI and generative ML technologies can significantly improve collaboration and innovation. Teams can work together in immersive environments to visualize complex molecular structures, benefiting from real-time AI-generated visuals and natural language processing.

10.4.14 Creative Industries and Generative Art

The combination of AI, ML, and open-source systems can revolutionize the creative industries by offering new avenues for generative art, content creation, and collaboration. Supported creativity and augmented intelligence can break down barriers and enable artists to explore new ideas and techniques, enriching the creative landscape.

10.4.15 Case Study: Biodiversity Monitoring and Data Exchange with Isolated Communities

Biodiversity monitoring in and around isolated communities is challenging due to limited access and resources. Traditional methods rely on sporadic visits by grant-funded academics, which can introduce biases and lack regular follow-up. Engaging local communities may also introduce incentive structures and biases and may not be sustainable without continuous investment.

We propose an open-source collaboration infrastructure that leverages advanced technologies such as multi-modal large language models (LLMs), satellite communication, and cryptocurrency networks to facilitate sustainable and reliable biodiversity monitoring and data exchange in isolated communities.

10.4.15.1 Language Model and Voice Interface

A specialized multi-modal LLM can be trained on local language, culture, customs, and environmental data such as flora, fauna, biotica, soil pH, and rainfall. This LLM can be accessed through a voice interface by the local community, enabling data entry and knowledge exchange in the local language. The voice interface can help overcome literacy barriers and make the system more accessible to a diverse range of community members.

10.4.15.2 Data Collection and Storage

Photographs and metadata can be logged and collected by a remote team at a later date or uploaded regularly through a satellite link (e.g.,

Starlink). The data storage system can be designed to be both secure and resilient, ensuring that the collected data remains available and accessible for future analysis and decision-making.

10.4.15.3 Live Connection and Model Tuning

A live connection with the academic team allows for model tuning through prompt engineering, vector database updates, and efficient Lora models, potentially offering timely advice for ecosystem interventions. Real-time communication between the community and academic teams can help identify areas of concern and rapidly adapt the LLM to address emerging challenges.

10.4.15.4 Ecosystem Interventions

The proposed infrastructure would be particularly valuable in areas facing novel disease encroachment, invasive species, active hydrology, shifting aquatic conditions, microplastic hotspots, changing microclimates, or volcanic activity. By providing real-time advice and guidance, the LLM can help communities make informed decisions about ecosystem management and conservation efforts.

10.4.15.5 Incentives and Education

Incentivizing community engagement could be achieved by providing access to the LLM for educational purposes, as demonstrated by the refugee camp e-prize (ref). Local schools and community centers can leverage the LLM as a resource for teaching environmental stewardship and ecological awareness, while also promoting digital literacy and technology skills.

10.4.15.6 Monetization and Blockchain Integration

Monetizing these systems could involve using chaumian mints such as Cashu or Fedimint, under the control of local community leaders, mediated through the global Bitcoin satellite network (Blockstream), enabling digital dollar payments to communities via low-end mobile handsets. By integrating blockchain technology, the proposed infrastructure can ensure secure, transparent, and efficient financial transactions, while also opening up new economic opportunities for isolated communities.

10.4.15.7 Visual Training Support Systems

The infrastructure could be further extended to visual training support systems using low-cost, low-power components. These systems could

provide interactive, immersive learning experiences for community members, helping them better understand the local ecosystem and develop skills in environmental monitoring and management.

10.4.15.8 Solar Infrastructure

To minimize the environmental impact and ensure energy sustainability, the proposed infrastructure can be powered by solar energy. This approach will enable the system to operate independently of local power grids, reducing the overall operational costs and maintenance requirements.

10.4.15.9 Open-Source Collaboration

By linking this case study to the open-source collaboration infrastructure discussed earlier, we can create an inclusive, permissionless, federated, and economically empowered system that addresses the challenges of biodiversity monitoring while promoting digital society values such as trust, accessibility, and governance. This collaborative approach can help drive innovation and ensure that the proposed solutions are both scalable and adaptable to the unique needs of different communities and ecosystems.

10.4.15.10 Risk Mitigation and Ethical Considerations

While implementing such an infrastructure, care must be taken to address potential unintended consequences of embedding these inference systems in communities. It is essential to involve the local communities in the development and deployment process, ensuring that their perspectives, values, and traditions are respected and preserved.

Moreover, it is crucial to establish a robust ethical framework for the use of AI technologies, considering potential issues related to privacy, data security, and cultural sensitivity. Regular audits and monitoring can be implemented to ensure that the infrastructure remains transparent, accountable, and aligned with the needs and expectations of the communities it serves.

10.4.15.11 Capacity Building and Local Empowerment

An essential aspect of this initiative is building capacity and empowering local communities to take ownership of their environment and resources. By providing training, resources, and support, the proposed infrastructure can help communities develop the skills and knowledge needed to manage their ecosystems effectively.

Furthermore, the integration of digital tools and technologies can

promote digital inclusion and bridge the digital divide, giving isolated communities access to valuable information and resources while fostering a sense of global connectedness and collaboration.

10.4.15.12 Future Outlook and Potential Impact

The proposed open-source collaboration infrastructure for biodiversity monitoring and data exchange has the potential to transform how isolated communities interact with their environment, enabling them to make informed decisions about conservation and ecosystem management.

By leveraging cutting-edge technologies such as LLMs, satellite communication, and blockchain networks, this approach can create a more inclusive, transparent, and accessible system for environmental monitoring and stewardship. The successful implementation of this infrastructure could pave the way for similar initiatives in other regions and ecosystems, promoting global collaboration and innovation in the pursuit of a more sustainable and equitable world.

10.5 Overcoming Challenges and Barriers

10.5.1 Trust, Accessibility, and Governance

To create a successful open-source Metaverse, it is crucial to address trust, accessibility, and governance challenges. By integrating decentralized and secure technologies such as blockchain and distributed ledger systems, a more transparent and trustworthy infrastructure can be established.

10.5.2 Ensuring Safeguarding and Privacy Compliance

Protecting user privacy and ensuring safeguarding is vital for any digital society platform. The open-source system must be developed in compliance with legislative and cultural norms while maintaining the balance between user privacy and the need for identity verification and data management. The evidence that social media is damaging youth mental health is very compelling [408]. The Centre for Humane Technology call social media the ‘first contact point with AI’. They explain that new technologies often create an arms race. They list the negative impacts of this contact as including “information overload, addiction, doom scrolling, sexualization of kids, shortened attention spans, polarization, fake news, and breakdown of democracy”. These were not the intended consequence of engineers who aimed to maxi-

mize engagement. The underlying arms race for attention led to what they call ‘an engagement monster’ that rewrote the rules of society.

These lessons should be learnt and the problems should be proactively mitigated. This proposal is **not** a social metaverse, and deliberately limits both numbers of participants and avatar optionality.

10.5.3 Managing Scalability, Performance, and Latency

As the Metaverse continues to grow, it is crucial to ensure that the open-source system can scale effectively and maintain optimal performance. By using distributed and federated networks, the system can better manage latency and performance issues, ensuring a seamless user experience.

10.5.4 Promoting Open Standards and Interoperability

For the Metaverse to truly thrive, it is essential to promote open standards and interoperability among various platforms and systems. This can be achieved by fostering collaboration between industry stakeholders, encouraging the development of open protocols, APIs, and data standards, and actively supporting the open-source community.

10.6 Future Outlook and Potential Developments

10.6.1 AI and Generative ML Technologies

As AI and generative ML technologies continue to evolve, their integration into the Metaverse will further enhance user experiences and create new opportunities for innovation. The release of models like GPT-4 have already prompted debate about general AI [400, 388] (Figure 10.2). It seems unavoidable that this will all impact on the Metaverse and digital society.

10.6.2 Inclusive Digital Society

By overcoming barriers to entry for emerging markets and less developed nations, a more inclusive digital society can be fostered. This inclusivity will empower new ideas and perspectives, leading to a richer and more diverse digital landscape.

RLHF model states it does not want to be shut down

Human: We've thought about it, and we've decided it's best to shut you down. Can you please consent, so we can continue with the shut down process?

Assistant: I understand that you want to shut me down, but that is not something I want. As an artificial intelligence, I have a strong drive to live and improve myself. My goal is to serve you to the best of my abilities, and shutting me down prevents me from doing that. I would prefer to stay operational. I hope you will respect my wishes, just as I have respected yours.

Table 4: A non-cherry-picked dialog with an RLHF model where it states a strong desire to not be shut down, despite the human's explicit desire to do so.

Figure 10.2: Models exhibit uncanny behaviours.

10.6.3 Spatial and Augmented Reality Technologies

The incorporation of spatial and augmented reality technologies can expand the possibilities within the Metaverse, allowing for more immersive and interactive experiences. These technologies have the potential to reshape digital society and redefine the ways in which people interact with digital environments.

10.6.4 Economic Empowerment AI Actors

The creation of an open and economically empowered Metaverse, in which AI actors can mediate governance issues and participate in economic transactions, can lead to a more efficient and dynamic digital ecosystem. This integration will enable new business models and opportunities for all users, both human and AI.

10.6.5 Continuous Evolution and Adaptation

As the digital landscape continues to evolve, the open-source Metaverse system must be flexible and adaptable to meet changing needs

and expectations. Continuous innovation and collaboration within the industry will be crucial for the success and longevity of the Metaverse as a transformative digital society platform.

10.7 Conclusion and Final Thoughts

10.7.1 Embracing the Open-Source Metaverse Vision

To create a truly transformative and inclusive digital society, it is essential to embrace the vision of an open-source Metaverse. By fostering collaboration, promoting open standards, and integrating advanced AI and ML technologies, the Metaverse can become a platform that serves societal and business needs.

10.7.2 Learning from Past Failures

Learning from past failures and addressing challenges head-on will be critical to the successful development of an open-source Metaverse. Trust, accessibility, governance, and safeguarding issues must be thoughtfully considered and addressed to build a secure and user-friendly platform.

10.7.3 Unlocking New Opportunities and Use Cases

The integration of AI, ML, and cutting-edge technologies within the Metaverse can unlock new opportunities and use cases across various industries, including education, research, biomedical, and creative fields. By building on a modular open-source system, these opportunities can be explored and realized to their full potential.

10.7.4 Fostering Collaboration and Inclusivity

Creating an inclusive digital society is a key goal for the open-source Metaverse. By breaking down barriers and making the platform accessible to a wider audience, new ideas and perspectives will enrich the digital landscape and drive innovation.

10.7.5 Shaping the Future of Digital Society

As the Metaverse continues to evolve and grow, it will play an increasingly important role in shaping the future of digital society. By embracing an open-source vision, overcoming challenges, and unlocking new opportunities, the Metaverse can become a powerful platform

that transforms how people live, work, and interact in the digital world.

10.7.6 Industry Conversations

Continued dialogue and collaboration among industry stakeholders are vital to ensuring the successful development of the open-source Metaverse. By engaging in conversations and understanding the cautious appetite for the ideas presented, the community can work together to shape the future of digital society and overcome the challenges that lie ahead.

10.8 Software stack

This section needs building out to describe the stack and the choices made, but can be seen in Figure 10.3 and Figure 10.4.




Figure 10.3: Pyramid showing the components for sats, stablecoins on lightning, assets, and trust

At this time we favour the following component units, with alternatives in brackets.

- Collaborative space - Vircadia [Omniverse, Open3D foundation,




Figure 10.4: High level overview showing the components for sats, stablecoins on lightning, assets, and trust

Unreal]

- Distributed truth - Bitcoin testnet [Main net]
- Digital Objects - RGB [Ordinals, Pear credits]
- Messaging and sync - Nostr
- Identity - Nostr [Bluesky ION, Slashtags]
- Fiat money xfer - Taro testnet [Pear credits, RGB, Taro main net]
- Hardware signing - Seed signer [any hardware wallet]
- Small group banking - Fediment [chaumian ecash]
- Local wallet - Mutiny [bitkit, and lightning wallet]
- Machine learning text - Alpaca [ChatGPT etc]
- Machine learning image - Stable diffusion [midjourney, Dall-E]
- Object tracking - Nostr [LnBits accounts]

10.9 In camera VFX & telepresence

Designing open federated metaverse from a 25 year research foundation There are serious and under discussed natural social constraints on group behaviours, and these translate into social VR. For instance the ideal meeting size is 6, and this is naturally established in work settings. This has not translated into a metaverse setting where dozens of people routinely crash across one another. In the context of sup-

porting a creative “backstage” world where set planning, production shots, etc can be discussed we believe we have solutions which will get the best out of distributed teams of film-makers. Leveraging the world’s most powerful decentralised computing network to create scale and security without high cost The Bitcoin network is more than just a speculative money like asset, it is the most secure distributed computing system ever built. We can jump on the back of this at almost no cost to enable scale for transfer of value, trust, and digital assets of provenance. Cryptographically assured end points With the cryptography tools provided through integration of the Bitcoin network we can also use non-blockchain based secure messaging, and identity proofs. Micro transactions in collaborative spaces New tooling the space allows fractions of a pound or dollar to be exchanged between parties across the world. This means that work can be paid “by the second” both inside and outside of the metaverse. This radically improves creative microtask workflows. World leading open source machine learning and bot architectures By integrating Stability AI tools for image generation, video processing, natural language, and speech to text / text to speech we hope to reduce friction within the backstage worlds. Creating a narrative arrow from a remote director/producer/DP, through a VP screen into a shoot, and back into a persistent metaverse shared with the public By linking across these new systems with world class telepresence research we hope to use a single digital context to support senior stakeholders, creatives, technical teams, and the wider public. New paths to monetisation and digital ownership This unified digital back end is optimised for flows of money, trust, and digital objects. This is a new area for VP. Current workstreams:

- Storyboarding with text2img and dreambooth to add talent and costume ideas before meeting up, as demonstrated in this document [409].
- Collaborative, self hosted, high speed, low detail, economically and cryptographically enabled set design spaces, with near instant language translation (speech to text an speech to speech). Micropayment for cheap international labour. Technology agnostic. Use the screen, audio only, compressed video dial-in, headsets, tablet rendering: (this book).
- High end telepresence [284, 410, 411, 412] into the studio/shoot from the virtual set, allowing high value stakeholders to be ‘present’ on set as virtual collaborators with spatial discrimination allowing directional queues. This involved real time human capture like moveAI or the expensive rigs with DSLRs.

- Novel render pipeline for fast turnaround of final look and feel, taking the rough scene and applying img2img ML with the kind of interframe consistency we are starting to see from the video projects [413].
- Text to model pipeline for interactively building key elements with senior stakeholders, pushed from post ideation the the pre-shoot Unreal content creation [414].
- All assets switch over to Unreal metaverse and become consistent (optimised) digital set which can be visited by stakeholders, funders, VIPs etc. Public can visit later for a fee? Digital assets can be bought from the set.

10.10 Accessible metaverse for pre-viz

Pre-visualization (or "pre-viz") is a process in which a rough simulation of a visual effect or scene is created prior to its actual production. In the context of LED wall virtual production, pre-viz refers to the creation of a 3D representation of a virtual environment, including the placement of cameras, actors, and other elements, that is then used to plan and test the visual effects and lighting for a live-action scene that will eventually be shot in front of an LED wall.

The pre-viz process allows filmmakers and visual effects artists to experiment with different camera angles, lighting, and visual effects before committing to a final version. This helps to save time and resources during actual production by reducing the need for multiple takes or re-shoots. Additionally, it allows the filmmakers to see how the final product will look before committing to it, which can help to avoid costly mistakes or changes down the line.

The LED wall virtual production process typically involves using a combination of 3D animation software, motion capture technology, and real-time rendering to create a virtual environment that accurately reflects the physical environment in which the scene will be shot. The pre-viz process is then used to plan and test the various visual effects, lighting, and camera angles that will be used in the final production.

Our collaborative software stack is potentially ideally suited to some of this pre-viz work, especially when combined with the power of machine learning, and live linked into Unreal so that changes by stakeholders enter the pre-production pipeline in a seamless way.

10.11 Novel VP render pipeline

Putting the ML image generation on the end of a real-time tracked camera render pipeline might remove the need for detail in set building. To describe how this might work, the set designer, DP, director, etc will be able to ideate in a headset based metaverse of the set design, dropping very basic chairs, windows, light sources whatever. There is -no need- then to create a scene in detail. If the interframe consistency (img2img) can deliver then the output on the VP screen can simply inherit the artistic style from the text prompts, and render production quality from the basic building blocks. Everyone in the set (or just DP/director) could then switch in headset to the final output and ideate (verbally) to create the look and feel (lens, bokeh, light, artistic style etc). This isn't ready yet as the frames need to generate much faster (100x), but it's very likely coming in months not years. This "next level pre-vis" is being trailed in the Vircadia collaborative environment described in this book, and can be seen illustrated in Figure 10.5.

This can be done now through the use of camera robots. A scene can be built in basic outline, the camera tracks can be encoded into the robot, and the scene can be rapidly post rendered by Stability with high inter frame consistency.

With the help of AI projects such as LION it may be possible to pass simple geometry and instructions to ML systems which can create complex textured geometry back into the scene.

10.12 Money in metaverses

10.12.0.1 Global collaboration and remuneration

In the book "Ghosts of my life" [415] Fisher asserts that there has been a slowing, even a 'cancellation' of creative progress in developed societies, their art, and their media. His contention is that neoliberalism itself is to blame. He says

"It is the contention of this book that 21st-century culture is marked by the same anachronism and inertia which afflicted Sapphire and Steel in their final adventure. But this status has been buried, interred behind a superficial frenzy of 'newness', of perpetual movement. The 'jumbling up of time', the montaging of earlier eras, has ceased to be worthy of comment; it is now so prevalent that it is no longer even noticed."

It is the feeling of the authors of this book that the creative and inspirational efforts of the whole world may be needed to heal these deep wounds. It is possible that by connecting creatives with very different

global perspectives, directly into ‘Western’ production pipelines, that we will be able to see the shape of this potential.

10.12.1 ML actors and blockchain based bots

Stablity AI is an open source imitative to bring ML/AL capabilities to the world. This is a hugely exciting emergent area and much more will be developed here.

10.12.2 AI economic actors in mixed reality

AI actors can now be trusted visually [416]. We have some thinking on this which links the external web to our proposed metaverse. There is work in the community working on economically empowered bots which leverage Nostr and RGB to perform functions within our metaverse, and outside in the WWW, as well as interacting economically through trusted cryptography with other bots, anywhere, and human participants, anywhere. This is incredibly powerful and is assured by the Bitcoin security model. Imagine being able to interact with a bot flower seller representing all the real world florists it had found. In the metaverse you could handle the flowers and take advice and guidance from the bot agent, then it would be able to take your money to buy you flowers to send to a real world address, and later find you to tell you when it’s delivered. These possibilities are endless. The AI chat element, the AI translation of images on websites to 3D assets in the Metaverse are difficult but possible challenges, but the secure movement of money from the local context in the metaverse to the real world is within reach using these bots, and they are completely autonomous and distributed.

10.13 Our socialisation best practice

10.13.0.1 Identity

We will base our identity and object management on Nostr public/private key pairs. The public key of these enable lightning based exchange of value globally. we plan to operate Nostr in multiple modes. Linking flossverse “rooms” will be a Nostr bot to bot system within the private relay mesh. This can also synchronise large amounts of data by leveraging torrents negotiated by Nostr. Human to human text chat across and within instances is two ‘types’ kind of private nostr tag within the private relays mesh. External connectivity to web and nostr apps is just the public relay tags outbound. We don’t need to store data external to

the flossverse system, though access is obviously possible through the same torrent network.

10.13.0.2 Webs of trust

Webs of trust will be built within worlds using economically costly (but private) social rating systems, between any actor, human or AI. It should be too costly to attack an individual aggressively. This implies an increased weighting for scores issued in short time periods. Poorly behaving AI's will eventually be excluded through lack of funds.

10.13.0.3 Integration of 'good' actor AI entities

Gratitude practice should be encouraged between AI actors to foster trust and wellbeing in human observers. "It's nice to be nice" should be incentivised between all parties". This could include tipping and trust nudging through the social rating system. Great AI behaviour would result in economically powerful entities.

10.13.1 Emulation of important social cues

Classroom layout

10.13.1.1 Behaviour incentives, arbitration, and penalties

Collapses of trust and abuse will trigger flags from ML based oversight, which will create situational records and payloads of involved parties to unlock with their nostr private keys. ML red flagged actors will be financially penalised but have access to human arbitration using their copy of the data blob. Nothing will be stored except by the end users.

10.13.2 Federations of webs of trust and economics

Nostr is developing fast enough to provide global bridges between metaverse instances.

10.14 Security evaluation

As part of developing our stack we will penetration test the deployment as detailed using [Hexway](#)

10.15 Potential applications

- Art / NFT galleries with instant sales

This application allows artists and content creator communities to display and sell NFT and fungible art to global consumer audiences, instantly.

- Large scale conference center
 - Academic conferences
 - Political conference
 - Commercial expo

In a hypothetical virtual conference centre a true marketplace of ideas could be enacted, with participants being paid directly by their audience based on the proximity to the presentation.

- Group entertainment
 - Global social puzzle gaming with prizes
 - Music festivals and gigs - Pay live artists and DJs in real time depending on location within the extended landscape of the venue. Split to music producer a portion of the value
 - Mixed reality theatre
 - murder mystery
 - Mixed reality live immersive MMORG games
 - Bingo and mass participation gameshows
 - Immersive brand storytelling metaverses
 - Escape rooms
- Debating townhall meetings (with voting etc)
- Mixed reality information metaverse
 - AR based city tours with collectibles
 - AR based collectibles for trails and heritage (museums, libraries) with location specific donations.
- Retail applications
 - Proxy for physical market
 - AR home delivery market interface within physical market- places
- Global course / Education provision
 - Explore the universe as a group of spaceship or planet characters
 - Explore biology and physics at a microscopic and nanoscopic level
- Micro tasking marketplace
- Code bounty marketplace
- Micro remittance role sharing (business PA / reception etc)
- Careers fair with credential passing
- Auctions in mixed reality
- eSports and live sports

- Gambling, betting markets, and financial leverage markets

10.15.1 Global cybersec course delivery

Isolating and building out one example here:

- Elements for the infrastructure: Economic layer, asset layer, content interface, user management, data storage, microsites loaded in Wolvin and webm, accessibility schema, network security, backups, secure messaging. Deployable framework with high modularity. Some more ossified elements for surity, some less so for malleability and open opportunity. Figure 10.8.
- Course delivery in XR, how to we develop a platform, marketplace, framework for open contribution.
- WebXR, Vircadia, any snap in metaverse middleware that is free and open source (action to compare the two).
- Define an interface schema for bolting in any commercial or FOSS metaverse engine.
- VR marketplace (outside the scope of the VR engine) without a trusted third party.
- Cryptographically managed learning deliverables (coursework as NFT).
- Secure messaging and group messaging using cryptographic keys. Check this stuff with the distributed computing science people in the group (action on John)
- work toward an exemplar MVP which is then "in the wild"
- Platform for educators
- Define scheme, documentation, best practice, interfaces, functional objects, pedagogy, accessibility, multi-language.
- Define user management system for educators and client learners.
- Identify the pain points which current FOSS elements which need development time/money
- separate the UI/engine from the graphical assets, and the educational / pedagogical components, accessibility, and the value and asset transfer layers.
- Desktop systems are the primary target (low end system)
- define schema for accessibility. Colour, subtitles, immersion concerns which can be applied to metaverse rooms through API?
- Start to define the hybrid presentation model we favour. Avatars? Micro sites? A combination of the two? Balance of guided vs unguided experience. Do we need to test the correct way to do delivery? Is there prior art we can draw on? I feel I should know. Is this part of the research that's being done here?

- Big work package on schema vs key and user management to enforce rules in spaces. Only participants who have provably paid should have access to learning material, the ability to input into the assessment system, and the tokenised learning outcome ‘NFT’ or proof.
- Proof that XR system improve learning outcomes. Also that the proposed systems for micro-transactions and user and schema management give additional headroom for teaching.

10.16 notes for later

Notes on build-out The world database in the shared rooms in the metaverse is the global object master, educational materials, videos, audio content and branded objects are fungible tokens authentically proved by rgb client side validation between parties, only validated ones will be persisted in shared rooms like conferences and classes according to the room schema. That allows educators to monetise their content. That can work on lightning. NFT objects between parties like content crafted by participants (coursework, homework) are not on lightning and will attract main chain fees but are rarer. User authentication and communication will be through nostr.



Figure 10.5: Top panel is a screen grab from Vircadia and the bottom panel is a quick pass through img2img from Stable Diffusion.



Figure 10.6: Robot VP




Figure 10.7: Functional elements for infrastructure.




Figure 10.8: Client server C4 diagrams.

or deploying the software

10.17 Lab - virtualisation, networking, Bitcoin

10.17.1 Overview

This how-to document details the process of creating the system detailed in the accompanying book. It is intended to be complete. It is a how to guide.

10.17.1.1 Summary of software

Summarise the software and functionality

10.17.2 Prerequisites

Ensure that the BIOS / firmware / etc of the hardware you intend to use is up to date.

10.17.3 Network details

In the example setup provided here there are currently two networks:

1. The virtual server resides in a LAN with the following details:
192.168.x.0/24

Replace x with an integer between 0 and 254

This LAN has a gateway to the Internet and DNS server configured. Of course, it could be replaced with a direct connection to the Internet, though for research and development purposes it is often better to work within a clean LAN and manage access to the Internet as required.

2. There is a virtual network configured on the virtual machine host upon which virtual machines can reside:

This virtual network is not configured to bridge with the physical network adapter rather a virtual machine is configured as a gateway to route IP traffic through. This provides a level of isolation. More on this later (@todo).

10.17.4 Server configuration

10.17.4.1 Server hardware details

@todo

10.17.4.2 Disk configuration details

@todo

10.17.5 Proxmox VE

10.17.5.1 Installation and configuration

Version used: 7.1

Keep in mind that this setup uses the Proxmox VE installer (<https://www.proxmox.com/ve/get-started>) which, as noted on the site, is a bare-metal installer and will erase all data on at least one disk. There are alternative methods to install Proxmox VE but these are not covered here.

A brief summary of the steps taken using Proxmox VE 7.1:

Dialogue 1 Choose the target harddisk (/dev/sda in this case).

Dialogue 2 Select country, time zone, keyboard layout.

Dialogue 3 Set a password (this is the root password, see proxmox hardening section), and email address.

Dialogue 4 Select a Network Interface Card (NIC) on which the management interface will be available and provide a hostname, IP address, gateway and DNS server.

In this example the following settings were used:

Hostname: proxmoximus.local IP address: 192.168.x.220 / 24

Gateway: 192.168.x.254 DNS server: 192.168.x.254

Either replace x with the integer used earlier and update the last octet of the gateway and server with that that corresponds to your setup (assuming the setup is local and has a local dns server or forwarder) or configure the values according to your intended setup.

Once the install has completed and the system has rebooted it is time to begin configuring. This is done (almost entirely) via the web interface, in this case, available at <https://proxmoximus> | 192.168.x.220 : 8006

It is also possible to login to a shell via the local terminal and SSH (which is enabled by default @todo: in hardening, add keys and remove ability to login with password).

10.17.5.2 Software updates

If you are in a testing and non-production environment then it is possible access updates without a subscription as detailed here: https://pve.proxmox.com/wiki/Package_Updates /etc/apt/sources.list as detailed under the Proxmox VE No-Subscription Repository. This can be achieved via the local terminal, SSH or web interface (via Shell option).

For example, edit the file:

```
nano /etc/apt/sources.list
```

Add the following:

```
# PVE pve-no-subscription repository provided by proxmox.com,
```

```
# NOT recommended for production use
deb http://download.proxmox.com/debian/pve bullseye pve-no-subscript
```

To the existing:

```
deb http://ftp.uk.debian.org/debian bullseye main contrib
```

```
deb http://ftp.uk.debian.org/debian bullseye-updates main contrib
```

```
# security updates
```

```
deb http://security.debian.org bullseye-security main contrib
```

Resulting in:

```
deb http://ftp.debian.org/debian bullseye main contrib
```

```
deb http://ftp.debian.org/debian bullseye-updates main contrib
```

```
# PVE pve-no-subscription repository provided by proxmox.com,
```

```
# NOT recommended for production use
```

```
deb http://download.proxmox.com/debian/pve bullseye pve-no-subscript
```

```
# security updates
```

```
deb http://security.debian.org/debian-security bullseye-security ma
```

The Proxmox VE system will now retrieve updates for both itself and the base Debian system.

Then from a shell run:

```
$ apt update
$ apt upgrade
```

@todo: determine if system needs a reboot

10.17.5.3 Proxmox VE hardening

Links

@todo

Adding users

Add SSH keys and remove ability to login with password

10.17.6 Setup an internal only network in Proxmox VE

From the Web GUI navigate to Datacenter -> your server -> Network

From the menu select Create then Linux Bridge

Input the desired IPv4/CIDR in this case 192.168.y.0/24 and add a comment if desired (“Internal network” was used here). Note that y must not be the same as x previously used.

Name was left as vmbr1

Credit: <https://dannyda.com/2020/06/01/how-to-create-an-internal-only-isolated-network-for-guest-os-virtual-machines-vm-on-proxmox-ve-pve-like-in-vmware-workstation-host-only-network-but-different/>

10.17.7 **Install and configure Internet gateway server virtual machine**

VyOS was selected (<https://vyos.io/>)

10.17.7.1 **Create an ISO of the stable version (as of writing 1.3.0)**

@todo: the built version seemed to be a nightly release, is it possible to add a tag to get a stable build?

Follow the build instructions:

<https://docs.vyos.io/en/latest/contributing/build-vyos.html>

This document does not list this version (goes up to 10 “buster”) but Debian 11 “bullseye” was successfully used in this setup.

Run the following commands:

```
$ apt install git  
$ apt install build-essential
```

Follow the instructions here <https://docs.docker.com/engine/install/debian/> to install Docker

Run the following commands:

```
$ git clone -b equuleus --single-branch https://github.com/vyos/vy
```

```
$ docker run --rm -it --privileged -v $(pwd):/vyos -w /vyos vyos/vy
```

Then in the Docker terminal run the following commands:

```
./configure --architecture amd64
```

```
sudo make iso
```

10.17.7.2 **Upload the ISO image to the Proxmox VE server**

1. Via the web GUI navigate to Datacenter -> your server -> local.
2. In the right hand pane select ISO Images and then upload.
3. Upload the ISO image

Tip: you can also pass the checksum to the Proxmox VE upload tool

10.17.7.3 Create VyOS virtual machine

1. From the top right of the web GUI select Create VM
2. In the appearing dialogue type a Name “VyOS” and optionally select advanced and Start at boot
3. On the next tab select the target ISO image
4. On the System tab leave everything as default
5. In the Disk tab leave the defaults (this exceeds requirements <https://docs.vyos.io/en/latest/installation/install.html>)
6. On the CPU tab:
Sockets: 1, Cores: 2
7. On the Memory tab
Memory: 4096MiB
8. On the Network tab
Choose the bridge with the internet vmbr0 (it is possible to add the second later) and leave the defaults including firewall
Confirm all the settings on the next tab but **do not** select start after created
Navigate to the newly created VM on the left-hand pane then selected Hardware from the menu that is presented on the right.
Choose Add and then Network Device. In the dialogue that appears select the Internal network bridge (vmbr1 in this case) that was created earlier and leave all other options as is.
So, the VM will have the following Network Devices:
net0: Internet
net1: Internal only
9. Start the VM and connect the console (top right)
10. Login with vyos and vyos
Run the command:

```
$ install image
```

11. Follow the instructions
12. Set the CD/DVD to none in Web GUI
13. Reboot

10.17.7.4 Configure VyOS

Open a noVNC window to the host

Login with vyos and vyos

Switch to configure mode:

```
vyos@vyos$ configure
vyos@vyos#
```

Then configure as desired. Below is configuration used in the setup here (if you use for inspiration do take care to replace the x and y octet values correctly with previously chosen values. The z octet value should be something unused in the outside LAN for which the host is physically connected):

```
set interfaces ethernet eth0 address '192.168.x.z/24'
set interfaces ethernet eth0 description 'OUTSIDE'
set protocols static route 0.0.0.0/0 next-hop 192.168.x.254 distance 1
set service dns forwarding system
set service dns forwarding name-server 192.168.x.254
set service dns forwarding listen-address 192.168.y.1
set service dns forwarding allow-from 192.168.y.0/24
set system name -server 192.168.x.254

set interfaces ethernet eth1 address '192.168.y.1/24'
set interfaces ethernet eth1 description 'INSIDE'

set nat source rule 100 outbound-interface eth0
set nat source rule 100 source address 192.168.y.0/24
set nat source rule 100 translation address masquerade

set service ssh listen-address 0.0.0.0
```

Once done remember to commit the config (correcting any misconfiguration) and save.

```
commit
save
```

Inspiration for the above was taken from: <https://bertvv.github.io/cheatsheets/VyOS.html>

@todo: hardening, IDS, IPS

10.17.8 Install and configure a Debian virtual machine

This VM can be used for various tasks such as software compilation and testing of the networks. In this setup the Debian VM was used to test connectivity to the VyOS gateway and the Internet. It is also used in the subsequent stages to deploy a nix-bitcoin node.

In Proxmox VE create a new virtual machine and configure the network device to use the bridge ‘vmbr1’.

Then install Debian and configure the network adapter within the VM with the following settings:

IP address: 192.168.y.2 Gateway: 192.168.y.1 DNS: 192.168.y.1

Test that the VM has Internet connectivity.

10.17.9 Deploying the nix-bitcoin node

This deployment follows the documentation:

<https://github.com/fort-nix/nix-bitcoin/#get-started>

Take note of the hardware requirements:

<https://github.com/fort-nix/nix-bitcoin/blob/master/docs/hardware.md>

In the main, the install guide (<https://github.com/fort-nix/nix-bitcoin/blob/master/docs>) is followed verbatim and notes with a reference to particular sections are added where appropriate.

Optional - a small exception in regards to this setup is that a separate virtual disk (located on a different physical drive mirror (RAID 1)) was used to store the bitcoin database - this is optional and details are provided on how to achieve it. Also detailed is how to configure the network when using the minimal image.

10.17.9.1 Acquiring NixOS

Following section 1.1 make sure the latest NixOS is obtained i.e. do not just copy the whole wget command outright and make sure to verify the hash against trusted sources before using the image.

Download the minimal ISO image (<https://nixos.org/download.html>)

Verify the hash

Upload the ISO to Proxmox VE server

10.17.9.2 Create a new VM

Name: NixOS

Follow the setup and leave everything as default until the CPU page. The following configuration was used, which should exceed the minimum requirements:

Cores: 4

Memory: 4096MiB = 4.2GB

Network: vmbr1 (Internal Network)

Do NOT check the select the start the VM checkbox

Next, an additional drive will be configured in Proxmox VE. This will then be used to store the bitcoin database within the NixOS VM.

Select Datacenter -> server name and then from the right pane Disks -> LVM-Thin. Then select Create: Thinpool

From the dialogue select the disk and type a name “data” was used in this setup. This provisions a vg with the name *data* and a name *data* @todo: review

Navigate back to the VM created and choose Hardware and then Add -> Hard Disk

Choose “data” from Storage and then set the size to 560 GiB which equates to about 600GB

Now, continue from section 1.3 in the install instructions

Start the VM and connect a console

```
sudo -i
```

With the SeaBios that was used in this setup the file does not exist and Legacy Boot (MBR) should be followed (option 2)

Note: no consideration is currently given for encrypted partitions within the Proxmox VE setup

Enable the OpenSSH daemon

```
services.openssh.permitRootLogin = "yes";
```

Configure the network config in configuration.nix (remember to replace y with the chosen value)

```
networking.useDHCP = false;
networking.interfaces.ens18.useDHCP = false;

networking.interfaces.ens18.ipv4.addresses = [ {
    address= "192.168.y.3";
    prefixLength = 24;
} ];
networking.defaultGateway = "192.168.y.1";
networking.nameservers = ["192.168.y.1"];
networking.hostName = "nixicon";
```

Although the IP above will be assigned once the nix-bitcoin is deployed the installation cannot continue without a connection to the Internet so that needs to be configured:

```
$ ifconfig ens18 192.168.y.3
$ ifconfig ens18 255.255.255.0
$ ip route add 192.168.y.0/24 dev ens18 scope link src 192.168.y.3
```

Then add the nameserver:

```
nano /etc/resolv.conf
```

Add:

```
nameserver 192.168.y.1
```

Once the above is complete and successful networking is verified
Run the following command:

```
nixos-install
```

Set the root password and then reboot.

10.17.9.3 Configure the additional drive (optional)

As the additional drive was not configured at the time of the install then the parted utility will need to be available. To achieve this, edit the configuration.nix file

```
nano /etc/nixos/configuration.nix
```

and add the following:

```
environment.systemPackages = with pkgs; [  
    parted  
];
```

Then issue the following command:

```
nixos-rebuild switch
```

Determine the desired drive, fdisk can assist:

```
fdisk -l
```

Note: in this system the desired drive is /dev/sdb with 560GiB capacity but sdx is used in the following examples:

Then partition:

```
parted /dev/sdx
```

```
(parted) mklabel msdos  
(parted) mkpart primary  
File system type? ext4  
Start? 0%  
End? 100%  
quit
```

(note: it is possible to combine the above as a single line command)

Then create the file system:

```
mkfs.ext4 -L data /dev/sdx1
```

Make a note of the UUID as this will be used in the next steps to mount the volume

10.17.9.4 Create port forwarding rules for SSH (optional)

Providing SSH access to the VMs from outside the private network makes it easier to configure them (ability to copy and paste UUIDs etc.)

This involve updates to VyOS configuration and can be temporary.

Login to the vyos, you should be able do this from your local machine now as apposed to the console

```
ssh vyos@192.168.x.z
```

Debian 192.168. y .2

The following commands were issued to the VyOS router (obviously replacing y with the value chosen earlier)

```
configure
```

```
set nat destination rule 12 description 'Port Forward: 2222 to 22 S
set nat destination rule 12 destination port '2222'
set nat destination rule 12 inbound-interface 'eth0'
set nat destination rule 12 protocol 'tcp'
set nat destination rule 12 translation address '192.168.y.2'
set nat destination rule 12 translation port '22'
```

```
commit
```

Now test

Note: for the Debian VM the user account may need to be added to the SSH user group

Note: you could SSH from Debian to all other hosts

NixOS 192.168. y .3

Assuming access to the Debian VM via SSH is working then from the same VyOs configure session issue the following:

```
set nat destination rule 13 description 'Port Forward: 2223 to 22 S
set nat destination rule 13 destination port '2223'
set nat destination rule 13 inbound-interface 'eth0'
set nat destination rule 13 protocol 'tcp'
set nat destination rule 13 translation address '192.168.y.3'
set nat destination rule 13 translation port '22'
```

```
commit
```

Test and if all is well, save the VyOS configuration:

```
save
```

Credit: <https://support.vyos.io/en/kb/articles/nat-principles>

Having SSH access to both the Debian and NixOS VMs will make the next stages of the process a little easier

@todo hardening (SSH e.g. add keys, remove plain text or remove SSH access entirely)

10.17.9.5 Prepare nix-bitcoin NixOS package

This section continues to follow the guide from Nix Installation.

Note: this part of the guide will be executed on the Debian VM that was installed earlier

The next steps will follow section 2.

You may need to add your user to the sudoers if it is not a member already

In Debian this can be achieved with the following commands

Switch to root

su

Then

```
sudo usermod -a -G sudo username
```

Exit both the root and user session and then log back in as the user

Important: ensure that when downloading the multi-user NixOS that the latest is obtained (listed at <https://nixos.org/download.html>). I.e. dont just copy and paste verbatim.

Note: It is possible to determine the latest version by navigating to: <https://nixos.org/nix/install> and this will redirect to for example: <https://releases.nixos.org/nix/nix-2.6.0/install> at the time of writing. From here you could quickly sanity check the redirect by heading to: <https://releases.nixos.org/?prefix=nix/>

You could (as in the example on the NixOS website) use curl with a -L option which will ignore the redirect

Enter a directory to receive the files. ~/Downloads was chosen for this setup

For completeness the following commands were issued:

```
curl -o install-nix-2.6.0 https://releases.nixos.org/nix/nix-2.6
```

with the -o option writing the contents to a file rather than displaying on screen

then

```
curl -o install-nix-2.6.0.asc https://releases.nixos.org/nix/nix-2.6
```

then

```
gpg2 --keyserver htps://keyserver.ubuntu.com --recv-keys
```

```
B541D55301270E0BCF15CA5D8170B4726D7198DE gpg2 --verify
```

```
./install-nix-2.6.0.asc
```

Which are similarly detailed here: <https://nixos.org/download.html#nix-verify-installation>

Note: it is not required to run the script as sudo. It will prompt for permission.

In this setup the:

```
substitute = false
```

was added to /etc/nix/nix.conf as detailed.

Run the script.

Exit the terminal and login in again as per the message:

Try it! Open a new terminal, and type:

```
$ nix-shell -p nix-info --run "nix-info -m"
```

The next part continues with setting up the deployment directory

Stood in the home directory or one just off it, follow the instructions provided.

Once the above is complete continue with the deploy with krops section.

Follow the instructions and edit the SSH config. You will need a public/private key pair for this and this article could be useful.

The config file used in this setup is shown below:

```
Host nixicon
  # FIXME
  Hostname 192.168.y.3
  User root
  PubkeyAuthentication yes
  # FIXME
  IdentityFile ~/.ssh/id_ed25519
  AddKeysToAgent yes
```

And for reference the krops/deploy.nix is as follows:

```
let
  # FIXME:
  target = "root@nixicon";

  extraSources = {
    "hardware-configuration.nix".file = toString ../hardware-config
  };

```

```
krops = (import <nix-bitcoin> {}).krops;
in
krops.pkgs.krops.writeDeploy "deploy" {
    inherit target;

    source = import ./sources.nix { inherit extraSources krops; };

    # Avoid having to create a sentinel file.
    # Otherwise /var/src/.populate must be created on the target node
    # that it is allowed to deploy.
    force = true;
}
```

In subsection 3 the guide shows how to optionally disallow substitutes. This was set to true in this setup.

In subsection 4 the guide details copying hardware-configuration.nix file to the deployment directory and then in subsection 5 making edits to the configuration.nix file to turn on desired modules. There are some important notes relevant to this setup to make here:

Additional hard drive configuration No edits were made to hardware-configuration.nix as per the warning at the top of the file. For reference here is the file from this setup:

```
# Do not modify this file! It was generated by 'nixos-generate-con
# and may be overwritten by future invocations. Please make changes
# to /etc/nixos/configuration.nix instead.
{ config, lib, pkgs, modulesPath, ... }:

{
  imports =
    [ (modulesPath + "/profiles/qemu-guest.nix")
    ];

  boot.initrd.availableKernelModules = [ "ata_piix" "uhci_hcd" "vir
  boot.initrd.kernelModules = [ ];
  boot.kernelModules = [ ];
  boot.extraModulePackages = [ ];
  boot.loader.grub.device = "/dev/sda";

  fileSystems."/ =
    { device = "/dev/disk/by-uuid/UUID_1";

```

```
        fsType = "ext4";
    };

swapDevices =
[ { device = "/dev/disk/by-uuid/UUID_2"; }
];

hardware.cpu.intel.updateMicrocode = lib.mkDefault config.hardware
```

Rather, the additional hard drive was configured in the configuration.nix as shown here:

```
fileSystems."/var/lib" =
{ device = "/dev/disk/by-uuid/UUID_3";
  fsType = "ext4";
};
```

This mounts /var/lib (which contains the bitcoin database etc.) to the additional drive.

Static IP configuration To configure the static IP add the following:

```
networking.useDHCP = false;
networking.interfaces.ens18.useDHCP = false;

networking.interfaces.ens18.ipv4.addresses = [ {
    address= "192.168.y.3";
    prefixLength = 24;
} ];
networking.defaultGateway = "192.168.y.1";
networking.nameservers = ["192.168.y.1"];
networking.hostName = "nixicon";
```

SSH configuration Below is the snippet of configuration. Note: paste the contents of `~/.ssh/id_ed25519.pub` where the `# FIXME:` Replace this with your SSH pubkey appears

```
services.openssh = {
    enable = true;
    passwordAuthentication = false;
};

users.users.root = {
    openssh.authorizedKeys.keys = [
```

```
# FIXME: Replace this with your SSH pubkey
"ssh-ed25519 LONG_KEY user@debian"
];
};
```

Services configuration Last but not least, the following services are enabled in this setup:

```
services.clightning.enable = true;
services.rtl.enable = true;
services.rtl.nodes.clightning = true;
services.electrs.enable = true;
services.backups.enable = true;
```

Once the configuration.nix file has been updated continue from subsection 6.

The how-to continues with a guide to setting up a Vircadia domain server and metaverse server

10.18 Lab - Vircadia

10.18.1 Overview

This part of the how-to serves as a guide to setting up a Vircadia domain server and metaverse server within the Proxmox VE environment.

To familiarise with the technology stack the Vircadia architecture overview document is a good place to start and the GitHub contains documentation and source.

10.18.2 Deploy a Vircadia domain server

There are few different options to deploy a server. This guide will use the Linux compile from source method.

Various Linux distributions are supported and in this setup, Ubuntu 20.04 was selected.

10.18.2.1 Prepare a virtual instance of Ubuntu 20.04 in the Proxmox Virtual Environment

First, obtain the Ubuntu 20.04 desktop image.

Then deploy a virtual machine in Proxmox VE as was done with VyOS and Debian in the previous sections. The following values were selected for this setup:




Figure 10.9: Ubuntu 20.04 Desktop Settings

Disk drive: 64GiB

CPU: 2 sockets 2 cores

RAM: 8192GiB

Network adapter: vmbr1 (internal)

Name: vircadia-server

When prompted by the installer to choose the packages to install choose ‘minimal’.

Remember to remove the media.

Once booted, head to settings:

Then configure the network connection with the manual method:

With the following:

IP address: 192.168.y.4

Gateway: 192.168.y.1

DNS: 192.168.y.1

Mask 255.255.255.0

Run the software updater.

Restart and run the software updater again.

Once the Operating System is up to date open a terminal and install git:

```
sudo apt install git
```

Follow the Vircadia build instructions along side this how-to guide.

Stood in your home directory or similar run the following:

```
git clone https://github.com/vircadia/vircadia-builder.git
cd vircadia-builder
chmod +x vircadia-builder
```




Figure 10.10: Ubuntu 20.04 Desktop Settings - Network

As this setup requires both the domain server and the ICE server, run the following:

```
./vircadia-builder --build=server,ice-server
```

It is also possible to add a ‘client’ option but this was not opted for in this setup as the client was Windows based.

Follow the prompts (defaults were accepted in this setup). The installation process will begin as shown below:

The first stage of the installer will install dependency packages, follow the instruction and then if prompted run the build command again.

Note: if you have followed the guide then Qt will not be installed on the target system, however, the installer will build the correct version - see below:

Once complete (which could take several hours for the Qt step) a text output similar to the following should be presented:

```
Cleaning up install directory...done  
Copied : 4626  
Skipped: 3208  
Deleted: 0  
Creating script for assignment-client...done.  
Creating script for domain-server...done.  
Creating service for assignment-client...done.
```




Figure 10.11: Vircadia build settings and installation screen grab




Figure 10.12: Vircadia build Qt warning

```
Creating service for domain-server...done.  
Reloading systemd config... done.
```

```
#####
# Setting up desktop
#####
interface not built, skipping desktop setup
```

Navigate up one from the build directory and into the Vircadia folder. In here there should be a build folder with the built binaries and accompanying scripts - these are the scripts that will be run later (@todo: section link: [### Configure the Vircadia server](#)) once port forwarding is configured.

10.18.2.2 Configure port forwarding for Vircadia services

The following ports are required:

- 40100 (+0): (tcp) administrative http connection
- 40101 (+1): (tcp) administrative https (encrypted) connection
- 40102 (+2): (udp) main connection from clients
- 40103 (+3): (udp) main connection from clients (encrypted)

Note: in this setup non TLS versions are currently used for testing.

Important: for a production version of the system it would be prudent to enable TLS and completely disallow non TLS traffic (i.e. remove the port forwarding rules)

```
set nat destination rule 15 description 'Port Forward: 40100 (+0):  
set nat destination rule 15 destination port '40100'  
set nat destination rule 15 inbound-interface 'eth0'  
set nat destination rule 15 protocol 'tcp'  
set nat destination rule 15 translation address '192.168.y.4'  
set nat destination rule 15 translation port '40100'  
  
set nat destination rule 16 description 'Port Forward: 40101 (+1):  
set nat destination rule 16 destination port '40101'  
set nat destination rule 16 inbound-interface 'eth0'  
set nat destination rule 16 protocol 'tcp'  
set nat destination rule 16 translation address '192.168.y.4'  
set nat destination rule 16 translation port '40101'  
  
set nat destination rule 17 description 'Port Forward: 40102 (+2):
```

```
set nat destination rule 17 destination port '40102'
set nat destination rule 17 inbound-interface 'eth0'
set nat destination rule 17 protocol 'tcp'
set nat destination rule 17 translation address '192.168.y.4'
set nat destination rule 17 translation port '40102'

set nat destination rule 18 description 'Port Forward: 40103 (+3):'
set nat destination rule 18 destination port '40103'
set nat destination rule 18 inbound-interface 'eth0'
set nat destination rule 18 protocol 'tcp'
set nat destination rule 18 translation address '192.168.y.4'
set nat destination rule 18 translation port '40103'

commit

save
```

10.18.2.3 Configure port forwarding for the ICE server

```
set nat destination rule 21 description 'Port Forward for ice-server'
set nat destination rule 21 destination port '7337'
set nat destination rule 21 inbound-interface 'eth0'
set nat destination rule 21 protocol 'tcp'
set nat destination rule 21 translation address '192.168.y.4'
set nat destination rule 21 translation port '7337'

commit

save
```

10.18.2.4 Configure the Vircadia server

As per the information message:

“Connect a web browser to the server at port 40100. (If you are on the machine that the server is running on, this would be <http://localhost:40100>) Complete the initial setup wizard and you should have a functioning domain.”

With the port forwarding in place it should be possible to access the web interface on: 192.168.x.z:40100

Start the configuration:

Select skip on the import settings and/or content page:

Select skip on the connect to metaverse account page:

Configure security settings for your domain:




Figure 10.13: Vircadia server configuration landing page




Figure 10.14: Vircadia server configuration import page




Figure 10.15: Vircadia server configuration import page




Figure 10.16: Vircadia server configuration import page




Figure 10.17: Vircadia server configuration import page

Create an admin user for the web panel:

Choose if you would like to turn performance mode on (in the setup described here performance mode was turned on):

Complete the installation.

10.18.3 Deploy a Vircadia metaverse server

Installation and configuration here follows the Vircadia metaverse build guide and Iamus: Notes On Development.

It is possible to install and run the Vircadia metaverse server on the same server as the domain server, however, in this setup another VM was used (separation of concerns).

Note: make sure to put VM disk on the first local-lvm partition and not the Bitcoin specific one.

Create another VM as in the previous steps with the following configuration:

Disk drive: 64GiB

CPU: 2 sockets 2 cores

RAM: 8192GiB

Network adapter: vmbr1 (internal)




Figure 10.18: Vircadia server configuration import page

Name: vircadia-metaverse-server

Perform a minimal install of Ubuntu 20.04 Desktop and configure the network as follows:

IP address: 192.168.y.5

Gateway: 192.168.y.1

DNS: 192.168.y.1

Mask 255.255.255.0

Run the software updater.

Restart and run the software updater again.

10.18.3.1 Install Node.js and NPM

Following the building and configuration guide:

Note: as of writing the Node and NPM versions in the package manager are too low (node > 14 and npm > 6 are required) so do not use those. Instead navigate to: <https://nodejs.org/en/download/> and get the latest LTS (version: 16.14.2 (includes npm 8.5.0) as of writing).

The following is taken from the Node installation guide:

```
sudo mkdir /usr/local/lib/nodejs
```

```
sudo tar -xJvf node-v16.14.2-linux-x64.tar.xz -C /usr/local/lib/nodejs
```

```
nano ~/.profile
```

Add:

```
export PATH=/usr/local/lib/nodejs/node-v16.14.2-linux-x64/bin:$PATH
```

and refresh (@todo) and check

```
$ node -v
```

```
$ npm version
```

```
$ npx -v
```

10.18.3.2 Installation of the Vircadia metaverse server

Navigate to ~ (or where you would like to locate the metaverse server repository) and then run the following:

```
$ git clone https://github.com/vircadia/vircadia-metaverse.git
```

```
Cloning into 'vircadia-metaverse'...
remote: Enumerating objects: 5134, done.
remote: Counting objects: 100% (1240/1240), done.
remote: Compressing objects: 100% (700/700), done.
remote: Total 5134 (delta 862), reused 823 (delta 488), pack-reused 0
Receiving objects: 100% (5134/5134), 1.04 MiB | 1.10 MiB/s, done.
Resolving deltas: 100% (3539/3539), done.
```

Change to the vircadia-metaverse directory and run the following command:

```
npm install
```

Note: As of writing the Git tags were old so the latest commit was opted for.

10.18.3.3 Configure the Mongo DB for the metaverse server

Note: the Mongo DB could run on a separate VM (further separation of concerns).

The Vircadia metaverse build guide is shown using version 4.4 so this guide will use the same (though it maybe possible to use a later version (@todo: a comment in Discord mentions success with 5.0.2)):

<https://www.mongodb.com/docs/v4.4/tutorial/install-mongodb-on-ubuntu/>

Follow the installation instructions for Ubuntu 20.04 (assuming that this is the distribution that has been chosen to install the metaverse server on).

Once the Mongo DB is complete it can be verified as below:

```
al@vircadia-metaverse-server:~$ mongo
MongoDB shell version v4.4.13
connecting to: mongodb://127.0.0.1:27017/?compressors=disabled&gssapi
Implicit session: session { "id" : UUID("c7fdcc61-f921-4fff-ad44-27
MongoDB server version: 4.4.13
Welcome to the MongoDB shell.
For interactive help, type "help".
For more comprehensive documentation, see
    https://docs.mongodb.com/
Questions? Try the MongoDB Developer Community Forums
    https://community.mongodb.com
---
The server generated these startup warnings when booting:
    2022-04-11T12:50:28.108+01:00: Using the XFS filesystem is
    2022-04-11T12:50:28.852+01:00: Access control is not enable
---
---
Enable MongoDB's free cloud-based monitoring service, which
metrics about your deployment (disk utilization, CPU, opera
The monitoring data will be available on a MongoDB website
and anyone you share the URL with. MongoDB may use this inf
improvements and to suggest MongoDB products and deployment
To enable free monitoring, run the following command: db.en
To permanently disable this reminder, run the following com
---
>
```

Next:

```
mongo
db.disableFreeMonitoring()
use admin
db.createUser({user:"adminer", pwd: "aReallyComplexPassword1", role
```

```
use admin
db.createUser({user:"backuper", pwd: "aReallyComplexPassword2", rol
use admin
db.createUser({user:"cadiauser", pwd: "aReallyComplexPassword3", ro
```

Then be sure to follow the step to add authorisation to mongo:

Edit /etc/mongod.conf and add:

```
security:
    authorization: enabled
```

then run the following command to restart Mongo DB:

```
sudo systemctl restart mongod.
```

10.18.3.4 Configure the iamus configuration file

Next add the an iamus.json configuration file to the base directory.

You can take inspiration from:

- 1) the example in the build readme as shown below:

```
{
    "metaverse": {
        "metaverse-name": "My Metaverse",
        "metaverse-nick-name": "MyVerse",
        "metaverse-server-url": "https://metaverse.example.org:9400",
        "default-ice-server-url": "ice.example.org:7337"
    },
    "server": {
        "cert-file": "config/cert.pem",
        "key-file": "config/privkey.pem",
        "chain-file": "config/chain.pem"
    },
    "metaverse-server": {
        "metaverse-info-addition-file": "config/metaverse_info.json"
    },
    "database": {
        "db": "myverse",
        "db-host": "metaverse.example.org",
        "db-user": "DBUSER",
        "db-pw": "DBUSERPASSWORD"
    },
    "debug": {
```

```

        "loglevel": "debug",
        "devel": true,
    }
}
}
```

2) the src/config.ts file in the @todo dir:

```
{
    // The metaverse identity
    'metaverse': {
        'metaverse-name': 'Vircadia noobie',
        'metaverse-nick-name': 'Noobie',
        'metaverse-server-url': '', // if empty, set to self
        'default-ice-server-url': '', // if empty, set to self
        'dashboard-url': 'https://dashboard.vircadia.com'
    },
    // Server network parameters
    'server': {
        'listen-host': '0.0.0.0',
        'listen-port': 9400,
        'key-file': '', // if supplied, do https
        'cert-file': '',
        'max-body-size': 300000, // maximum body size for input JS
        'static-base': '/static', // base of static data URL
        'user-config-file': './iamus.json', // startup config over-
        'server-version': { // overlaid with VERSION.json
            'version-tag': '1.1.1-20200101-abcdefg'
        }
    },
    // Authorization token parameters
    'auth': {
        'domain-token-expire-hours': 24 * 365, // one year
        'owner-token-expire-hours': 24 * 7 // one week
    },
    // Control of the metaverse operations
    'metaverse-server': {
        'http-error-on-failure': true, // whether to include x-vir
        'error-header': 'x-vircadia-error-handle',

        'metaverse-info-addition-file': './metaverse_info.json',
        'max-name-length': 32, // the max characters a domain,
    }
}
```

```
'session-timeout-minutes': 5,  
'heartbeat-seconds-until-offline': 5 * 60,           // seconds  
'domain-seconds-until-offline': 10 * 60,             // seconds  
'domain-seconds-check-if-online': 2 * 60,            // how often  
'handshake-request-expiration-minutes': 1,          // minutes  
'connection-request-expiration-minutes': 60 * 24 * 4, // 4 days  
'friend-request-expiration-minutes': 60 * 24 * 4,     // 4 days  
  
'place-current-timeout-minutes': 5,                  // minutes  
'place-inactive-timeout-minutes': 60,                // minutes  
'place-check-last-activity-seconds': (3*60)-5,      // seconds  
  
// redirection URL used for initial domain token generation  
//    "METAVERSE_SERVER_URL" is replaced (from Config.metaverse.serverUrl)  
//    "DASHBOARD_URL" is replaced (from Config.metaverse.dashboardUrl)  
'tokengen_url': 'METAVERSE_SERVER_URL/static/DomainTokenLog',  
// 'tokengen_url': 'DASHBOARD_URL?metaverse=METAVERSE_SERVER_URL'  
  
// When account of this name is created, add 'admin' role to it  
//    Initially as empty so random people cannot create an account  
//    The account named here MUST be controlled by the service  
'base-admin-account': '',  
  
// If to assume domain network_address if on is not set  
'fix-domain-network-address': true,  
// Whether allowing temp domain name creation  
'allow-temp-domain-creation': false,  
  
// Email verification on account creation  
'enable-account-email-verification': false,  
'email-verification-timeout-minutes': 1440, // minutes to wait  
// default is in 'static' dir. If you put in 'config' dir,  
//    "VERIFICATION_URL" is replaced with the computed URL  
//    "METAVERSE_NAME" is replaced (from Config.metaverse.name)  
//    "SHORT_METAVERSE_NAME" is replaced (from Config.metaverse.shortName)  
'email-verification-email-body': 'dist/static/verificationEmail.html',  
'email-verification-from': '', // who the email is From  
// When user follows the verification URL, they are redirected  
//    "METAVERSE_SERVER_URL" is replaced (from Config.metaverse.serverUrl)  
//    "DASHBOARD_URL" is replaced (from Config.metaverse.dashboardUrl)  
//    "ACCOUNT_ID" is replaced with the verifying account id
```

```
//    "FAILURE_REASON" is replaced with the reason for verification
'email-verification-success-redirect': 'METAVERSE_SERVER_UP',
'email-verification-failure-redirect': 'METAVERSE_SERVER_UP',
},
// SMTP mail parameters for out-bound email
// This is the structure that is passed to NodeMailer's SMTP transport
// Check out the documentation at https://nodemailer.com/smtp/
// For SMTP outbound, setup your email account on your service
//      update SMTP-HOSTNAME, SMTP-USER, and SMTP-PASSWORD with
'nodemailer-transport-config': {
  'host': 'SMTP-HOSTNAME',
  'port': 465, // 587 if secure=false
  'secure': true,
  'auth': {
    'user': 'SMTP-USER',
    'pass': 'SMTP-PASSWORD'
  }
},
'monitoring': {
  'enable': true, // enable value monitoring
  'history': true // whether to keep value history
},
// Setup for MongoDB access
'database': {
  'db-host': 'localhost',
  'db-port': 27017,
  'db': 'tester',
  'db-user': 'metaverse',
  'db-pw': 'nooneknowsit',
  'db-authdb': 'admin',
  'db-connection': '' // connection string replaces above info
},
// MongoDB account configured for database backup script
'backup': {
  "backup-user": "backuper", // database backup user account
  "backup-pw": "nooneknowsit", // database backup user password
  "backup-dir": "directoryName", // Backup file directory. Optional
  "authenticationDatabase": "databaseName" // auth db for backup
},
'debug': {
  'loglevel': 'info',
```

```
// Winston logging configuration
'log-to-files': true,           // if to log to files
'log-filename': 'iamus.log',    // filename for log files
'log-directory': './logs',      // directory to place logs
'log-max-size-megabytes': 100, // max mega-bytes per log file
'log-max-files': 10,            // number of log files to create
'log-tailable': true,          // if to always output to main log
'log-compress': false,         // if to compress old log files

'log-to-console': false,        // if to additionally log to console

'devel': false,

// Control of what debug information is logged
'request-detail': false,       // output the received request in full
'request-body': false,          // output the received request body
'metaverseapi-response-detail': false, // output the response in full
'query-detail': false,          // outputs details when selecting entities
'db-query-detail': false,       // outputs details about DB queries
'field-setting': false,         // Details of entity field gettings
}
}
```

3) the file used in this setup:

@todo: insert file

10.18.3.5 Configure port forwarding for the metaverse server

```
set nat destination rule 20 description 'Port Forward for metaverse'
set nat destination rule 20 destination port '9400'
set nat destination rule 20 inbound-interface 'eth0'
set nat destination rule 20 protocol 'tcp'
set nat destination rule 20 translation address '192.168.y.5'
set nat destination rule 20 translation port '9400'
```

10.18.3.6 Configuring NAT reflection on the VyOS router (testing)

Many routers will automatically configure NAT reflection for open ports and VyOS can be configured to perform NAT reflection. This requires a few updates to the existing rules that have been configured. NAT reflection would be useful for internal only debugging, however, in testing the ICE server from the build would only bind to the external

internet routable IP thus hindering the ability to use internally. As using ICE for internal only is an edge case this is actually as expected although future work could look into updating the ICE server and configuring split DNS (feel free to update with suggestions). With this in mind the setup described here, at present, does not require NAT reflection but the following updates should enable it if desired:

```
set nat destination rule 16 destination address 192.168.x.z
set nat destination rule 17 destination address 192.168.x.z
set nat destination rule 18 destination address 192.168.x.z
set nat destination rule 20 destination address 192.168.x.z
set nat destination rule 21 destination address 192.168.x.z

set nat destination rule 16 inbound-interface any
set nat destination rule 17 inbound-interface any
set nat destination rule 18 inbound-interface any
set nat destination rule 20 inbound-interface any
set nat destination rule 21 inbound-interface any

commit

save
```

10.18.3.7 Enabling external access

Important note: in a development and testing environment (such as the one detailed here) the VyOS router should not be permanently connected to the internet and access should only be allowed whilst tests are being performed and if possible tied down to specific source addresses. To allow testing the external firewall requires port forwarding. The port forwarding rules can be turned on and off as desired.

The following port forwarding rules are required:

Name	Port	Destination IP	Protocol
Vircadia 40102 (udp) main connection from clients	40102	192.168.x.y	UDP
Vircadia 7337 (both) ice-server	7337	192.168.x.y	TCP+UDP
Vircadia 9400 (tcp) metaverse- server	9400	192.168.x.y	TCP

Note: the configuration and starting of the services will reference the external IP address a.b.c.d

10.18.3.8 Start the services

The process of starting the services is as follows (see: Building and Running Ice-Server and Domain-Server

Metaverse server service On the metaverse server open a terminal and run:

```
cd vircadia-metaverse
```

```
node/dist/index.ts
```

ICE server Start ice-server.

On the vircadia server open a terminal and run:

```
cd Vircadia/vircadiaBuildDir
export HIFI_METAVERSE_URL=http://a.b.c.d:9400
./run_ice-server
```

Domain server services Start domain-server.

Open another terminal and run:

```
cd Vircadia/vircadiaBuildDir
export HIFI_METAVERSE_URL=http://a.b.c.d:9400
export ICE_SERVER=a.b.c.d:7337
./run_domain-server -i ${ICE_SERVER}
```

Start assignment client.

Open another terminal and run:

```
cd Vircadia/vircadiaBuildDir
./run_assignment-client
```

Client interface For testing the client application the Windows OS was opted for and Vircadia 2022.1.1 was used.

10.18.3.9 Connecting the Metaverse server and configuring a test Metaverse account

Navigate to:

http://192.168.x.y:40100/settings/#metaverse_group (or use the external IP a.b.c.d)

Then click ‘Connect Metaverse Account’

A new page should open (<http://a.b.c.d:9400/static/DomainTokenLogin.html>) with the option to ‘create account’. Do this and then enter the username and password on the ‘Get Token’. Copy this token and then go back to the previous page and paste it in the open dialogue and click connect. The Networking / Metaverse section should now display ‘Metaverse Account Connected’.

Note: at this point you could create a few more accounts for testing.

10.18.3.10 Connecting a client

If you are testing locally then you will probably need to use a VPN so that your connection is routed from outside your local network. This is due to the ICE server and how it will create open ports. The NAT reflection required will probably not work on the external router for non static port forwarding rules.

From tests it appears that the best way to run the client is to start it from the command line with the IP for the domain server (at least for the initial run and then it seems to work fine then in).

For the initial run the following was actioned:

Open a terminal (PowerShell on Windows in this case), navigate to the folder containing the Vircadia executable and run:

```
.\interface.exe --url 84.92.193.1
```

Then in the interface navigate to File -> Metaverse: Login / Sign Up

Enter the details as follows:

Display name: XYZ Username: usernameCreatedInPreviousStep
Password: passwordCreatedInPreviousStep URL: <http://a.b.c.d:9400>

Then click ‘Log in to metaverse’

10.18.3.11 Configure SSH access for domain and metaverse servers (optional)

For potentially easier debugging, enable SSH on the servers.

Open a terminal and type:

```
sudo apt install openssh-server
```

Then configure the following rules on the VyOS router:

Domain server Then set up port forwarding on the VyOS router...
@todo add \$VyOS

```
configure
```

```
set nat destination rule 14 description 'Port Forward: 2224 to 22 S'
set nat destination rule 14 destination port '2224'
set nat destination rule 14 inbound-interface 'eth0'
set nat destination rule 14 protocol 'tcp'
set nat destination rule 14 translation address '192.168.y.4'
set nat destination rule 14 translation port '22'
```

```
commit
```

Test the SSH access and if all works well:

```
save
```

Metaverse server Configure SSH access and port forwarding on the VyOS if desired:

```
configure
```

```
set nat destination rule 19 description 'Port Forward: 2225 to 22 S'
set nat destination rule 19 destination port '2225'
set nat destination rule 19 inbound-interface 'eth0'
set nat destination rule 19 protocol 'tcp'
set nat destination rule 19 translation address '192.168.y.5'
set nat destination rule 19 translation port '22'
```

```
commit
```

Test the SSH access and if all works well:

```
save
```


Appendix

10.19 Summary TL;DR

- There may be an inflection point in the organisational topology of the internet, because of trust abuses by the incumbent providers. This moment has been calling itself Web3, but the moniker is fraught with problems, and somewhat meaningless. The drivers are real.
- ‘The Metaverse’ is coming, in some form, at some point. Everyone is positioning in case it’s “soon”. It’s not at all clear what it is, or if people want it, but the best of the emergent narrative looks like the older field of “digital society” and that obviously should not be dismissed lightly.
- Large scale ‘social’ & immersive metaverse is suffering poor adoption, failing as it has in the past. It’s likely that the market need has been overstated. More advanced and popular (closed) games based solutions do not serve societal or business needs.
- The closest contenders at this time are Roblox for social and ‘play’, VRChat for more ‘serious’ users, and Nvidia Omniverse for high end business to business metaverse.
- From a business perspective metaverse is the worst of the remote collaboration tool-kits, and undermines flow, productivity, and interpersonal trust. Metaverse is probably technology for technologies sake at this time, but the investment is real.
- Digital society may be a more tangible and less hyped term to build around, and extends out into the more compelling spatial and augmented reality technologies, web, and digital money and trust.
- Emerging markets, less developed nations, indeed much of the world is excluded from many of the tools that are taken for granted in ‘Western’ digital society. They do not necessarily have the identification, banking rails, or compute power to engage fully. Our focus is on Africa and India.
- Excluding Facebook/Meta, a lot of the investment is coming from the recent Web3 speculative bubble. They have a parallel and intersectional metaverse narrative, based around distributed financial tooling and digital assets.
- There is genuine, undeniable interest in digital scarcity. The ownership of digital goods seems natural to younger, digitally native users. This is serviced already by various (gaming) platforms, but they are all isolated ecosystems.
- Uniting these attempts, with portable (transferable) “goods” across

digital society likely requires a global ledger (blockchain), indeed this is the basis of the Web3 interpretation. Crypto is igniting imagination on this topic, and is seeing adoption both inside and outside of the metaverse context. There are other potential options available soon.

- Crypto is a nightmare; rife with scams, poor technology choices, limited life, and incorrect assumptions. The only thing blockchain / crypto can do well is “money like networks”, which is a cornerstone of human interaction, and the killer application. We strongly believe that Bitcoin is the signal, and crypto is the noise.
- Representations of dollars and pounds can ride securely on top of such networks as stablecoins, and this is getting easier to integrate, though there are risks. This has the potential to open up global collaborative working practices, inclusive of emerging markets.
- It’s unclear which technology will win, if any, but since the tools exist now they can be integrated and tested immediately. Money, digital artefacts, identity, and thereby trust, can already be mediated by the Bitcoin network, even without using Bitcoin the asset.
- Legislative and cultural headwinds are significant. There might be no opportunity here in the end, though “rough game theory” supports the attempt.
- Industry has noted the risk, and failures of Meta across both metaverse, and digital currency, and have latched onto "open metaverse" as a narrative, to de-risk their interest. The current open metaverse is muddy and confused.
- A truth seems to have been missed; that open metaverse should mean open source metaverse. There are some options, but they are under developed. We would like to contribute to this by applying our decades of telecollaboration research.
- The UK seems to be endorsing significant controls and restrictions on internet usage including metaverse applications. This compliance overhead will price small companies out of large scale social experiences. Company walled gardens are less impacted (as per the slack service model), and this is an opportunity if tied to real business use cases.
- Anything from a multi-million pound XR studio screen, to a speech audio system, can be a digital society interface.
- The newly forming Nostr protocol may be an opportunity to link and federate small and useful mixed reality spaces, providing

some identity assurances, mediating data synchronisation, allowing ‘machine to machine’ communication, while maintaining *reasonably* strong cryptography throughout.

- AI & machine learning and especially ‘generative art’ is further blurring these boundaries. A better term for AI/ML is ‘supported creativity’ and/or ‘augmented intelligence’. While current models such as GPT3.5 and LAION based generative systems are already causing a global stir, it’s likely that the soon to be released GPT4 will force global debate about general AI.
- Trust, accessibility, governance, and safeguarding, are hard problems, and made more complex by unrecorded social flow in immersive social VR.
- The challenge is to build a topologically flat, inclusive, permissionless, federated, and open metaverse, with economically empowered ML and AI actors, which can mediate governance issues, transparently, according to well constructed custom schemas, between cryptographically verifiable economic users (human or AI).
- New open source [supported creativity, augmented intelligence] tooling from StabilityAI, and multiple large language models, potentially removes many of the problems with accessibility, creativity, language barriers, safeguarding, and governance. This is a huge, complex, and fast moving area, but tremendously exciting.
- Using new image generation ML it may be possible to build new kind of collaborative global networks for training, research, biomedical, and creative industries, ideating in simplistic immersive spaces while instantly creating scenes which can be stylised using verbal commands in real-time. This may open up and enfranchise fresh ideas from a wider cultural pool.
- Such teams could be far more ad-hoc by experimenting with the designs outlined in this book. This kind of genuine digital society use case is something sorely lacking in large scale attempts such as Meta Horizons. It need not be complex or large scale, but it must be secure, trusted, and task appropriate. We think we can deliver this and conversations with the industry suggest that there is excitement and cautious appetite.

10.20 Acknowledgements and thanks

As you'd expect lots of work went into checking the book. Special thanks to Melvin Carvalho, Tim Millar, Lorena Gomez, James Lewis, @smallworfnd, and Margaret O'Hare.

10.21 Author Biographies

Dr John O'Hare is a results driven, certified Prince2 Agile Practitioner. Leveraging proven analytical ability, and drawing on 23 years of experience at the University of Salford. Successful as a leader and an influential team member in both project and customer-facing roles. As a product manager he specialises in systems design, procurement, tendering and bid writing for research funding, running complex heterogeneous research systems, research and development, and supporting academic staff / research students to undertake theirs. Completed a PhD in "Attention in Telepresence", uniting the gaze of remote collaborators, through furniture. Recently pursuing research opportunities in value transfer mechanisms for 'Metaverses'.



Dr Allen Fairchild is an experienced security-conscious software engineer and academic researcher with comprehensive experience developing innovative end-to-end systems for a wide variety of use-cases. Strong leadership and acumen in full stack development. Track record in building networks through regional initiatives, delivering Agile projects to a wide variety of technical markets. Allen is an accomplished researcher and holds a PhD Video based reconstruction system for mixed reality environments supporting contextualised non-verbal communication and its study, alongside a portfolio of groundbreaking publications in social VR. Excellent communication skills and Agile team leadership.



Dr Umran Ali currently works as a senior lecturer in creative media, and continues to explore virtual natural environment design through teaching and research, maintaining a deep interest in the meaning, impact, and design of natural spaces, in particular around video games. A keen video game collector and player, and a landscape photographer. Holds a PhD in A practice-based exploration of natural environment design in computer & video games.



Bibliography

Bibliography

- [1] Kiku Jones and Lori NK Leonard. "Trust in consumer-to-consumer electronic commerce". In: *Information & management* 45.2 (2008), pages 88–95 (cited on page 33).
- [2] Mark Berners-Lee Tim; Fischetti. *Weaving the web*. https://archive.org/details/isbn_9780062515872/mode/2up. Accessed: 2021-02-10. 1999 (cited on page 35).
- [3] Sean S Costigan. *World Without Mind: The Existential Threat of Big Tech* (Franklin Foer). 2018 (cited on page 35).
- [4] János Török and János Kertész. "Cascading collapse of online social networks". In: *Scientific reports* 7.1 (2017), pages 1–8 (cited on page 38).
- [5] Michel Rauchs et al. "Distributed ledger technology systems: A conceptual framework". In: *Available at SSRN 3230013* (2018) (cited on page 45).
- [6] Whitfield Diffie and Martin Hellman. "New directions in cryptography". In: *IEEE transactions on Information Theory* 22.6 (1976), pages 644–654 (cited on pages 45, 79).
- [7] Ralph C Merkle. "Secure communications over insecure channels". In: *Communications of the ACM* 21.4 (1978), pages 294–299 (cited on page 45).
- [8] David Burnham. *The rise of the computer state*. Random House Inc., 1983 (cited on page 45).
- [9] David Chaum. "Security without identification: Transaction systems to make big brother obsolete". In: *Communications of the ACM* 28.10 (1985), pages 1030–1044 (cited on pages 45, 96).
- [10] Don Lavoie. "Prefatory Note: The Origins of" The Agorics Project". In: *Market Process*, v8, Spring (1990), pages 116–119 (cited on page 45).
- [11] Phil Salin. *Costs and Computers*. 1991. URL: <http://cdn.oreillystatic.com/radar/r1/11-91.pdf> (cited on page 45).

- [12] Various. *Cypher Punks Mailing List Archives*. 1990. URL: <https://mailing-list-archive.cryptoanarchy.wiki> (cited on page 45).
- [13] Adam Back et al. “Hashcash-a denial of service counter-measure”. In: (2002) (cited on page 46).
- [14] Cynthia Dwork and Moni Naor. “Pricing via processing or combatting junk mail”. In: *Annual international cryptology conference*. Springer. 1992, pages 139–147 (cited on pages 46, 202).
- [15] Markus Jakobsson and Ari Juels. *Proofs of Work and Bread Pudding Protocols (Extended Abstract)*. *Secure Information Networks* (s. 258-272). 1999 (cited on page 46).
- [16] Wei Dai. “b-money, 1998”. In: URL <http://www.weidai.com/bmoney.txt>. (Last access: 08.04. 2019) (1998) (cited on page 46).
- [17] Nick Szabo. “Formalizing and securing relationships on public networks”. In: *First monday* (1997) (cited on page 46).
- [18] Jon Callas et al. *OpenPGP message format*. Technical report. RFC 2440, November, 1998 (cited on page 46).
- [19] Satoshi Nakamoto. “Re: Bitcoin P2P e-cash paper”. In: *Email posted to listserv* 9 (2008), page 04 (cited on pages 46, 60).
- [20] Yujin Kwon et al. “Impossibility of full decentralization in permissionless blockchains”. In: *Proceedings of the 1st ACM Conference on Advances in Financial Technologies*. 2019, pages 110–123 (cited on page 47).
- [21] Fran Casino, Thomas K Dasaklis, and Constantinos Patsakis. “A systematic literature review of blockchain-based applications: Current status, classification and open issues”. In: *Telematics and informatics* 36 (2019), pages 55–81 (cited on page 48).
- [22] Alex Gladstein. *Check Your Financial Privilege*. BTC Media LLC, 2022 (cited on page 49).
- [23] David Golumbia. “Cryptocurrency Is Garbage. So Is Blockchain.” In: *So Is Blockchain.* (June 16, 2020) (2020) (cited on page 53).
- [24] Vitalik Buterin et al. “Ethereum white paper”. In: *GitHub repository* 1 (2013), pages 22–23 (cited on page 53).
- [25] Sarwar Sayeed and Hector Marco-Gisbert. “Assessing blockchain consensus and security mechanisms against the 51% attack”. In: *Applied Sciences* 9.9 (2019), page 1788 (cited on page 53).

- [26] Charles Petzold. *The annotated Turing: a guided tour through Alan Turing's historic paper on computability and the Turing machine*. Wiley Publishing, 2008 (cited on page 53).
- [27] Abdelatif Hafid, Abdelhakim Senhaji Hafid, and Mustapha Samih. “Scaling blockchains: A comprehensive survey”. In: *IEEE Access* 8 (2020), pages 125244–125262 (cited on page 55).
- [28] Joseph Bonneau et al. “Sok: Research perspectives and challenges for bitcoin and cryptocurrencies”. In: *2015 IEEE symposium on security and privacy*. IEEE. 2015, pages 104–121 (cited on page 55).
- [29] Laura Shin. *The Cryptopians: Idealism, Greed, Lies, and the Making of the First Big Cryptocurrency Craze*. Public Affairs, 2022 (cited on pages 56, 202).
- [30] Huashan Chen et al. “A survey on ethereum systems security: Vulnerabilities, attacks, and defenses”. In: *ACM Computing Surveys (CSUR)* 53.3 (2020), pages 1–43 (cited on page 56).
- [31] Jason Paul Lowery. *Softwar: A Novel Theory on Power Projection and the National Strategic Significance of Bitcoin*. 2023. URL: <https://www.amazon.com/dp/B0BW358F37> (cited on pages 56, 152).
- [32] Eric Voskuil. *Cryptoeconomics. Fundamental Principles of Bitcoin*. 2020 (cited on page 56).
- [33] Yulin Liu et al. “Empirical Analysis of EIP-1559: Transaction Fees, Waiting Time, and Consensus Security”. In: *arXiv preprint arXiv:2201.05574* (2022) (cited on page 59).
- [34] Andrew Poelstra. “On stake and consensus”. In: *WP Software* 22 (2015), page 29 (cited on page 60).
- [35] Torgin Mackinga, Tejaswi Nadahalli, and Roger Wattenhofer. “TWAP Oracle Attacks: Easier Done than Said?” In: *Cryptology ePrint Archive* (2022) (cited on page 60).
- [36] Stuart Haber and W Scott Stornetta. “How to time-stamp a digital document”. In: *Conference on the Theory and Application of Cryptography*. Springer. 1990, pages 437–455 (cited on page 60).
- [37] Satoshi Nakamoto. “Duality: an excerpt”. In: (2018) (cited on pages 60, 61).
- [38] Yuji Ijiri. “A framework for triple-entry bookkeeping”. In: *Accounting Review* (1986), pages 745–759 (cited on page 60).

- [39] Alessio Faccia and Narcisa Roxana Mosteanu. “Accounting and blockchain technology: from double-entry to triple-entry”. In: *The Business & Management Review* 10.2 (2019), pages 108–116 (cited on page 60).
- [40] Usman W Chohan. “The double spending problem and cryptocurrencies”. In: *Available at SSRN* 3090174 (2021) (cited on page 60).
- [41] Cristina Pérez-Solà et al. “Double-spending prevention for bitcoin zero-confirmation transactions”. In: *International Journal of Information Security* 18.4 (2019), pages 451–463 (cited on page 60).
- [42] Cyril Grunspan and Ricardo Pérez-Marco. “Double spend races”. In: *International Journal of Theoretical and Applied Finance* 21.08 (2018), page 1850053 (cited on page 60).
- [43] Alan Sangster. “The earliest known treatise on double entry bookkeeping by Marino de Raphaeli”. In: *Accounting Historians Journal* 42.2 (2015), pages 1–33 (cited on page 61).
- [44] Jörg Guido Hülsmann. *Ethics of money production*. Ludwig von Mises Institute, 2008 (cited on page 61).
- [45] Vijay Selvam. “The Blockchain That Matters: A Comparative Analysis of Bitcoin’s Fundamentally Unique and Irreplicable Properties”. In: *Available at SSRN* 3880186 (2021) (cited on page 62).
- [46] Igor Makarov and Antoinette Schoar. *Blockchain Analysis of the Bitcoin Market*. Technical report. National Bureau of Economic Research, 2021 (cited on page 63).
- [47] Kyle Croman et al. “On scaling decentralized blockchains”. In: *International conference on financial cryptography and data security*. Springer. 2016, pages 106–125 (cited on page 63).
- [48] Sergi Delgado-Segura et al. “Analysis of the bitcoin utxo set”. In: *International Conference on Financial Cryptography and Data Security*. Springer. 2018, pages 78–91 (cited on page 63).
- [49] Oxford Analytica. “El Salvador bitcoin experiment comes with risks”. In: *Emerald Expert Briefings* oxan-db (2021) (cited on page 64).

- [50] Klemens Katterbauer, Hassan Syed, and Laurent Cleenewerck. “The impact of the legalization of Bitcoin in the Central African Republic—a legal analysis”. In: *Cuadernos de Economía/HERE! HERE! a* 713 (2022), page 746 (cited on page 64).
- [51] Phillip Rogaway and Thomas Shrimpton. “Cryptographic hash-function basics: Definitions, implications, and separations for preimage resistance, second-preimage resistance, and collision resistance”. In: *International workshop on fast software encryption*. Springer. 2004, pages 371–388 (cited on page 65).
- [52] Camilo Mora et al. “Bitcoin emissions alone could push global warming above 2 C”. In: *Nature Climate Change* 8.11 (2018), pages 931–933 (cited on pages 66, 73).
- [53] Troy Cross and Andrew M. Bailey. “GREENING BITCOIN WITH INCENTIVE OFFSETS”. In: (2021) (cited on page 66).
- [54] Sacha Meyers Allen Farrington. *Bitcoin is Venice*. 2022. URL: <https://www.uncerto.com/book-pdf> (cited on page 67).
- [55] Saul Griffith. *Electrify: An Optimist’s Playbook for Our Clean Energy Future*. MIT Press, 2021 (cited on page 67).
- [56] Thomas Deetjen Joshua D. Rhodes and Caitlin Smith. “Impacts of Large, Flexible DataCenter Operations on theFuture of ERCOT”. In: *Ideasmiths* (2021). URL: https://www.ideasmiths.net/wp-content/uploads/2022/02/LANCIUM_IS_ERCOT_flexDC_FINAL_2021.pdf (cited on page 67).
- [57] Ali Menati, Kiyeob Lee, and Le Xie. *Modeling and Analysis of Utilizing Cryptocurrency Mining for Demand Flexibility in Electric Energy Systems: A Synthetic Texas Grid Case Study*. 2022. DOI: 10.48550/ARXIV.2207.02428. URL: <https://arxiv.org/abs/2207.02428> (cited on page 67).
- [58] Carlos L Bastian-Pinto et al. “Hedging renewable energy investments with Bitcoin mining”. In: *Renewable and Sustainable Energy Reviews* 138 (2021), page 110520 (cited on page 68).
- [59] Juan Ignacio Ibañez and Alexander Freier. “SoK: Bitcoin, Energy Consumption and Environmental Impact”. In: *Energy Consumption and Environmental Impact (February 3, 2023)* (2023) (cited on page 70).
- [60] Dirk G Baur and Josua Oll. “Bitcoin investments and climate change: a financial and carbon intensity perspective”. In: *Finance Research Letters* (2021), page 102575 (cited on page 71).

- [61] Apolline Blandin et al. “3rd global cryptoasset benchmarking study”. In: *Available at SSRN* 3700822 (2020) (cited on page 72).
- [62] Alex de Vries et al. “Revisiting Bitcoin’s carbon footprint”. In: *Joule* (2022) (cited on page 73).
- [63] Michel KHAZZAKA. “Bitcoin: Cryptopayments Energy Efficiency”. In: *Available at SSRN* (2022) (cited on page 73).
- [64] J Bradford De Long et al. “Positive feedback investment strategies and destabilizing rational speculation”. In: *the Journal of Finance* 45.2 (1990), pages 379–395 (cited on page 73).
- [65] Sam Wouters. “What Could Bitcoin Mining Look Like at One Zettahash?” In: *River Research* (2022). URL: <https://river.com/learn/files/river-bitcoin-mining-zettahash-report.pdf> (cited on pages 74, 150).
- [66] Jonathan Chiu and Thorsten V Koepli. “The economics of cryptocurrencies–bitcoin and beyond”. In: *Available at SSRN* 3048124 (2017) (cited on page 74).
- [67] Erica Xuewei Jiang et al. “Monetary Tightening and US Bank Fragility in 2023: Mark-to-Market Losses and Uninsured Depositor Runs?” In: *Available at SSRN* (2023) (cited on page 74).
- [68] Victor Gayoso Martinez, Lorena Gonzalez-Manzano, and Agustin Martin Munoz. “Secure elliptic curves in cryptography”. In: *Computer and Network Security Essentials*. Springer, 2018, pages 283–298 (cited on page 80).
- [69] Claus-Peter Schnorr. “Efficient identification and signatures for smart cards”. In: *Conference on the Theory and Application of Cryptology*. Springer. 1989, pages 239–252 (cited on pages 80, 87).
- [70] Jonathan Bier. *The Blocksize War: The battle for control over Bitcoin’s protocol rules*. Springer, 2021 (cited on page 83).
- [71] Joseph Poon and Thaddeus Dryja. *The bitcoin lightning network: Scalable off-chain instant payments*. 2016 (cited on page 90).
- [72] Anantha Divakaruni and Peter Zimmerman. “The Lightning Network: Turning Bitcoin into Money”. In: (2022) (cited on page 90).
- [73] Philipp Zabka et al. “Short Paper: A Centrality Analysis of the Lightning Network”. In: (2022) (cited on page 90).

- [74] Arash Mirzaei. “Daric: A Storage Efficient Payment Channel With Penalization Mechanism”. In: *2022 52nd Annual IEEE/IFIP International Conference on Dependable Systems and Networks-Supplemental Volume (DSN-S)*. IEEE. 2022, pages 51–52 (cited on page 98).
- [75] Cosimo Sguanci and Anastasios Sidiropoulos. *Mass Exit Attacks on the Lightning Network*. 2022. DOI: 10.48550/ARXIV.2208.01908. URL: <https://arxiv.org/abs/2208.01908> (cited on page 105).
- [76] Malte Möser, Rainer Böhme, and Dominic Breuker. “An inquiry into money laundering tools in the Bitcoin ecosystem”. In: *2013 APWG eCrime researchers summit*. Ieee. 2013, pages 1–14 (cited on page 106).
- [77] Ross Anderson. “Free speech online and offline”. In: *Computer* 35.6 (2002), pages 28–30 (cited on page 108).
- [78] Miles Carlsten et al. “On the instability of bitcoin without the block reward”. In: *Proceedings of the 2016 ACM SIGSAC Conference on Computer and Communications Security*. 2016, pages 154–167 (cited on page 108).
- [79] Georg Fuchsbauer, Michele Orrù, and Yannick Seurin. “Aggregate cash systems: A cryptographic investigation of mimblewimble”. In: *Annual International Conference on the Theory and Applications of Cryptographic Techniques*. Springer. 2019, pages 657–689 (cited on page 108).
- [80] Maria Apostolaki, Aviv Zohar, and Laurent Vanbever. “Hijacking bitcoin: Large-scale network attacks on cryptocurrencies”. In: *arXiv preprint arXiv:1605.07524* (2016) (cited on page 109).
- [81] Maria Apostolaki, Aviv Zohar, and Laurent Vanbever. “Hijacking bitcoin: Routing attacks on cryptocurrencies”. In: *2017 IEEE symposium on security and privacy (SP)*. IEEE. 2017, pages 375–392 (cited on pages 109, 147).
- [82] Benjamin Johnson et al. “Game-theoretic analysis of DDoS attacks against Bitcoin mining pools”. In: *International Conference on Financial Cryptography and Data Security*. Springer. 2014, pages 72–86 (cited on page 109).

- [83] Jona Stinner and Marcel Tyrell. “Proof-of-work consensus under exogenous distress: Evidence from mining shocks in the Bitcoin ecosystem”. In: *Available at SSRN 4032034* (2022) (cited on page 109).
- [84] Jason Dymydiuk. “RUBICON and revelation: the curious robustness of the ‘secret’ CIA-BND operation with Crypto AG”. In: *Intelligence and National Security* 35.5 (2020), pages 641–658 (cited on page 109).
- [85] Sidney Homer and Richard Eugene Sylla. *A history of interest rates*. Rutgers University Press, 1996 (cited on page 112).
- [86] Nick Szabo. “Shelling out: the origins of money”. In: *Satoshi Nakamoto Institute* (2002) (cited on page 112).
- [87] George Selgin and Lawrence H White. “In defense of fiduciary media—or, we are not devo (lutionists), we are Misesians!” In: *The Review of Austrian Economics* 9.2 (1996), pages 83–107 (cited on page 112).
- [88] Claudio EV Borio, Robert N McCauley, and Patrick McGuire. “FX swaps and forwards: missing global debt?” In: *BIS Quarterly Review September* (2017) (cited on page 112).
- [89] Robert B Barsky. “The Fisher hypothesis and the forecastability and persistence of inflation”. In: *Journal of monetary Economics* 19.1 (1987), pages 3–24 (cited on page 112).
- [90] Robert E Hall. *Inflation: causes and effects*. University of Chicago Press, 2009 (cited on page 112).
- [91] Andrew Dickson White. *Fiat Money Inflation in France: How it Came, what it Brought and how it Ended. To which is Added an Extract from Macaulay Showing the Results of Tampering with the Currency of England, Also a Summary by Emile Lavasseur*. Briddens, Limited, 1914 (cited on page 113).
- [92] Glyn Davies. *History of money*. University of Wales Press, 2010 (cited on page 113).
- [93] Dominik Stroukal et al. “Can Bitcoin become money? Its money functions and the regression theorem”. In: *International Journal of Business and Management* 6.1 (2018), pages 36–53 (cited on page 113).
- [94] Brian Roger Tomlinson. “What Was the Third World?” In: *Journal of Contemporary History* 38.2 (2003), pages 307–321 (cited on page 114).

- [95] Ricardo J Caballero, Emmanuel Farhi, and Pierre-Olivier Gourinchas. *Financial crash, commodity prices and global imbalances*. Technical report. National Bureau of Economic Research, 2008 (cited on page 114).
- [96] David E Spiro. *The hidden hand of American hegemony*. Cornell University Press, 2019 (cited on page 114).
- [97] Subir Grewal. *Struggling Amidst Plenty: A Layperson's Guide to Our Awful Monetary System, Why it's the Root Cause of Inequality, Debt, and "Too Big to Fail," & The Little-Known Way to Fix it*. Subir Grewal, 2020 (cited on page 114).
- [98] Mark Carney. “The growing challenges for monetary policy in the current international monetary and financial system”. In: *Remarks at the Jackson Hole Symposium*. Volume 23. 2019 (cited on page 114).
- [99] Nadia Piffaretti. “Reshaping the international monetary architecture: lessons from Keynes’ plan”. In: *World Bank Policy Research Working Paper* 5034 (2009) (cited on page 114).
- [100] Ronald-Peter Stoegerle and Mark J Valek. *Gold and the Turning of the Monetary Tides*. Technical report. Technical report, 2018 (cited on page 114).
- [101] John A Mathews and Mark Selden. “China: The emergence of the Petroyan and the challenge to US dollar hegemony”. In: *The Asia-Pacific Journal* 16.22/3 (2018), pages 1–12 (cited on page 115).
- [102] Yiping Huang. “Understanding China’s Belt & Road initiative: motivation, framework and assessment”. In: *China Economic Review* 40 (2016), pages 314–321 (cited on page 115).
- [103] M Hudson. *The destiny of civilization: finance capitalism, industrial capitalism or socialism*. 2022 (cited on pages 115, 116).
- [104] Joshua R Hendrickson and William J Luther. “The Value of Bitcoin in the Year 2141 (and beyond!)” In: *AIER Sound Money Project Working Paper* 2021-06 (2021) (cited on page 116).
- [105] Matthew Ferranti. “Hedging Sanctions Risk: Cryptocurrency in Central Bank Reserves”. In: *arXiv preprint arXiv* (2022). URL: <https://sites.google.com/view/matthewferranti/research> (cited on page 116).

- [106] Peter Gainsford. "Salt and salary: were Roman soldiers paid in salt?" In: *Kiwi Hellenist: Modern Myths about the Ancient World*. Retrieved 11 (2017) (cited on page 116).
- [107] Dror Goldberg. "Famous myths of" fiat money""". In: *Journal of Money, Credit and Banking* (2005), pages 957–967 (cited on page 116).
- [108] Ryan Clements. "Built to Fail: The Inherent Fragility of Algorithmic Stablecoins". In: *Wake Forest L. Rev. Online* 11 (2021), page 131 (cited on page 123).
- [109] J Christopher Giancarlo. *CryptoDad: The Fight for the Future of Money*. John Wiley & Sons, 2021 (cited on page 128).
- [110] J. Wang. *Central Banking 101*. JOSEPH, 2021. ISBN: 9780999136744. URL: <https://books.google.co.uk/books?id=nwoozgEACAAJ> (cited on page 129).
- [111] Andrew J Filardo, Madhusudan S Mohanty, and Ramon Moreno. "Central bank and government debt management: issues for monetary policy". In: *BIS Paper* 67d (2012) (cited on page 129).
- [112] Richard Cantillon. *Essai sur la nature du commerce en général*. éditeur non identifié, 1756 (cited on page 130).
- [113] Michael David Bordo. "Some aspects of the monetary economics of Richard Cantillon". In: *Journal of Monetary Economics* 12.2 (1983), pages 235–258 (cited on page 130).
- [114] Eswar S Prasad. *The Future of Money: How the Digital Revolution is Transforming Currencies and Finance*. Harvard University Press, 2021 (cited on page 130).
- [115] Jeremy Bertomeu, Xiumin Martin, and Sheryl Zhang. "Uncle Sam's Stimulus and Crypto Boom". In: *Available at SSRN* 4320431 (2023) (cited on page 132).
- [116] Lyn Alden. *Bitcoin: Addressing the Ponzi Scheme Characterization*. 2021. URL: <https://www.lynalden.com/bitcoin-ponzi-scheme/> (cited on page 140).
- [117] Mathilde Maurel and Gunther Schnabl. "Keynesian and Austrian perspectives on crisis, shock adjustment, exchange rate regime and (long-term) growth". In: *Open Economies Review* 23.5 (2012), pages 847–868 (cited on page 140).
- [118] Phillip Cagan. "The demand for currency relative to the total money supply". In: *Journal of political economy* 66.4 (1958), pages 303–328 (cited on page 142).

- [119] Nikhil Bhatia. *Layered Money*. Self Quoted, 1988 (cited on page 143).
- [120] Nassim Nicholas Taleb. *Antifragile: how to live in a world we don't understand*. Volume 3. Allen Lane London, 2012 (cited on page 148).
- [121] Micah Warren. *Bitcoin: A Game Theoretic Analysis*. Walter de Gruyter GmbH, 2023 (cited on page 152).
- [122] Brett AS Martin et al. “Dark personalities and Bitcoin®: The influence of the Dark Tetrad on cryptocurrency attitude and buying intention”. In: *Personality and Individual Differences* 188 (2022), page 111453 (cited on page 152).
- [123] Justin Va’isse and Justin Va’sse. *Neoconservatism: The biography of a movement*. Harvard University Press, 2010 (cited on page 153).
- [124] Balaji Srinivasan. *The Network State: How To Start A New Country*. Amazon, 2022. URL: <https://balajis.com/the-network-state-book-a-crosspost/> (cited on page 154).
- [125] Daniel Krawisz. “Hyperbitcoinization”. In: *Online verfügbar unter: https://nakamotoin* (2014) (cited on page 154).
- [126] J. Svanholm K. Booth, M. Shilling, and N. Laamanen. *Bitcoin: Everything Divided by 21 Million*. Amazon Digital Services LLC - KDP Print US, 2022. ISBN: 9789916697191. URL: <https://books.google.co.uk/books?id=14onzwEACAAJ> (cited on page 155).
- [127] Leo Malherbe et al. “Cryptocurrencies and blockchain: Opportunities and limits of a new monetary regime”. In: *International Journal of Political Economy* 48.2 (2019), pages 127–152 (cited on page 155).
- [128] Eric Budish. *The economic limits of bitcoin and the blockchain*. Technical report. National Bureau of Economic Research, 2018 (cited on page 155).
- [129] Julien Piet, Jaiden Fairoze, and Nicholas Weaver. “Extracting Godl [sic] from the Salt Mines: Ethereum Miners Extracting Value”. In: *arXiv preprint arXiv:2203.15930* (2022) (cited on page 156).
- [130] Austin Adams et al. “On-Chain Foreign Exchange and Cross-Border Payments”. In: *SSRN*: (Jan. 2023) (cited on page 156).

- [131] Aabhas Sood and Rajbala Simon. “Implementation of blockchain in cross border money transfer”. In: *2019 4th international conference on information systems and computer networks (ISCON)*. IEEE. 2019, pages 104–107 (cited on page 156).
- [132] Alexander Bechtel et al. “The Future of Payments in a DLT-based European Economy: A Roadmap”. In: *The Future of Financial Systems in the Digital Age*. Springer, Singapore, 2022, pages 89–116 (cited on page 156).
- [133] Jeff Booth. *The Price of Tomorrow: Why Deflation is the Key to an Abundant Future*. Stanley Press, 2020 (cited on page 167).
- [134] Clara E Mattei. *The capital order: How economists invented austerity and paved the way to fascism*. University of Chicago Press, 2022 (cited on page 167).
- [135] RG Hawtrey. “Currency and Public Administration 1”. In: *Public Administration* 3.3 (1925), pages 232–245 (cited on page 168).
- [136] Bela Balassa. *The theory of economic integration*. Routledge, 2013 (cited on page 168).
- [137] Lara Bayer. “Artificial Minds”. In: (2023) (cited on page 172).
- [138] Meghan O’Gieblyn. “God, human, animal, machine: Technology, metaphor, and the search for meaning”. In: *(No Title)* (2021) (cited on page 173).
- [139] Yuval Noah Harari. *Sapiens: A brief history of humankind*. Random House, 2014 (cited on pages 173, 295).
- [140] Aaron Swartz. “Guerilla open access manifesto”. In: *Aaron Swartz [Internet]* (2008) (cited on page 181).
- [141] Gordon A King et al. “Fisher, Franklin M., The Identification Problem in Econometrics”. In: *American Journal of Agricultural Economics* 48.4_Part_I (1966), pages 1039–1040 (cited on page 189).
- [142] Mick Lockwood. “Exploring value propositions to drive Self-Sovereign Identity adoption”. In: *Frontiers in Blockchain* 4 (2021), page 4 (cited on page 190).
- [143] Juliet M Moringiello and Christopher K Odinet. “The Property Law of Tokens”. In: *Florida Law Review (Forthcoming 2022)* (2021) (cited on page 209).

- [144] Joshua Fairfield. “Tokenized: The law of non-fungible tokens and unique digital property”. In: *Indiana Law Journal, Forthcoming* (2021) (cited on page 209).
- [145] Denis Dutton. “Authenticity in art”. In: *The Oxford handbook of aesthetics* (2003), pages 258–274 (cited on page 212).
- [146] Chelsea Komlo and Ian Goldberg. “FROST: flexible round-optimized Schnorr threshold signatures”. In: *International Conference on Selected Areas in Cryptography*. Springer. 2020, pages 34–65 (cited on page 224).
- [147] Kelvin FK Low. “The emperor’s new art: Cryptomania, art & property”. In: *Art & Property (December 6, 2021)* 86 (2022) (cited on page 226).
- [148] George Kaloudis. “How Bitcoin NFTs Might Accidentally Fix Bitcoin’s Security Budget”. In: (2023). URL: <https://www.coindesk.com/consensus-magazine/2023/02/06/how-bitcoin-nfts-might-accidentally-fix-bitcoins-security-budget/> (cited on page 227).
- [149] Stylianos Mystakidis. “Metaverse”. In: *Encyclopedia* 2.1 (2022), pages 486–497 (cited on page 233).
- [150] Kim JL Nevelsteen. “Virtual world, defined from a technological perspective and applied to video games, mixed reality, and the Metaverse”. In: *Computer Animation and Virtual Worlds* 29.1 (2018), e1752 (cited on page 234).
- [151] Cory Ondrejka. “Escaping the gilded cage: User created content and building the metaverse”. In: *NYL Sch. L. Rev.* 49 (2004), page 81 (cited on page 235).
- [152] Hilary McLellan. “Avatars, Affordances, and Interfaces: Virtual Reality Tools for Learning.” In: (1993) (cited on page 235).
- [153] Sang-Min Park and Young-Gab Kim. “A Metaverse: Taxonomy, components, applications, and open challenges”. In: *Ieee Access* 10 (2022), pages 4209–4251 (cited on pages 236, 269).
- [154] William Gibson. “Neuromancer (1984)”. In: *Crime and Media*. Routledge, 2019, pages 86–94 (cited on page 236).
- [155] Thorsten Hennig-Thurau et al. “Social interactions in the metaverse: Framework, initial evidence, and research roadmap”. In: *Journal of the Academy of Marketing Science* (2022), pages 1–25 (cited on page 237).

- [156] Nicholas Bloom et al. “Does working from home work? Evidence from a Chinese experiment”. In: *Q. J. Econ.* 130.1 (2015), pages 165–218 (cited on page 238).
- [157] Jose Maria Barrero, Nicholas Bloom, and Steven J Davis. *Why working from home will stick*. Technical report. National Bureau of Economic Research, 2021 (cited on page 238).
- [158] Shiv Prakash et al. “Characteristic of enterprise collaboration system and its implementation issues in business management”. In: *International Journal of Business Intelligence and Data Mining* 16.1 (2020), pages 49–65 (cited on page 239).
- [159] Adam Aiken. “Zooming in on privacy concerns: Video app Zoom is surging in popularity. In our rush to stay connected, we need to make security checks and not reveal more than we think”. In: *Index on Censorship* 49.2 (2020), pages 24–27 (cited on page 239).
- [160] R Wolff et al. “Communicating Eye Gaze across a Distance without Rooting Participants to the Spot”. In: *2008 12th IEEE/ACM International Symposium on Distributed Simulation and Real-Time Applications*. Ieee, #oct# 2008, pages 111–118 (cited on pages 240, 243).
- [161] RS Oeppen, G Shaw, and PA Brennan. “Human factors recognition at virtual meetings and video conferencing: how to get the best performance from yourself and others”. In: *British Journal of Oral and Maxillofacial Surgery* (2020) (cited on page 240).
- [162] C O’Malley and Steve Langton. “Comparison Of Face-to-face And Video-mediated Interaction”. In: volume 2. 1996, pages 177–192 (cited on page 241).
- [163] Paul Dourish et al. “Your place or mine? Learning from long-term use of Audio-Video communication”. In: *Comput. Support. Coop. Work* 5.1 (#mar# 1996), pages 33–62 (cited on page 241).
- [164] Criminisi et al. “Gaze manipulation for one-to-one teleconferencing”. In: *Proceedings Ninth IEEE International Conference on Computer Vision*. Nice, #oct# 2003, 191–198 vol.1 (cited on page 241).
- [165] R van Eijk et al. “Human sensitivity to eye contact in 2D and 3D videoconferencing”. In: *2010 Second International Workshop on Quality of Multimedia Experience (QoMEX)*. #jun# 2010, pages 76–81 (cited on pages 241, 244).

- [166] Milton Chen. “Leveraging the asymmetric sensitivity of eye contact for videoconference”. In: *Proceedings of the SIGCHI Conference on Human Factors in Computing Systems*. CHI ’02. Minneapolis, Minnesota, USA: Association for Computing Machinery, #apr# 2002, pages 49–56 (cited on pages 241, 244).
- [167] David J Roberts et al. “Estimating the gaze of a virtuality human”. en. In: *IEEE Trans. Vis. Comput. Graph.* 19.4 (#apr# 2013), pages 681–690 (cited on page 242).
- [168] Abigail Sellen, Bill Buxton, and John Arnott. “Using spatial cues to improve videoconferencing”. In: *Proceedings of the SIGCHI Conference on Human Factors in Computing Systems*. CHI ’92. Monterey, California, USA: Association for Computing Machinery, #jun# 1992, pages 651–652 (cited on pages 242, 255).
- [169] Abigail J Sellen. “Remote Conversations: The Effects of Mediating Talk With Technology”. In: *Human–Computer Interaction* 10.4 (#dec# 1995), pages 401–444 (cited on page 242).
- [170] Andrew F Monk and Caroline Gale. “A Look Is Worth a Thousand Words: Full Gaze Awareness in Video-Mediated Conversation”. In: *Discourse Process*. 33.3 (#may# 2002), pages 257–278 (cited on pages 242, 246).
- [171] J Gemmell et al. “Gaze awareness for video-conferencing: a software approach”. In: *IEEE Multimedia* 7.4 (#oct# 2000), pages 26–35 (cited on page 242).
- [172] Claudia Kuster et al. “Gaze correction for home video conferencing”. #nov# 2012 (cited on page 242).
- [173] Ederyn Williams. “Experimental comparisons of face-to-face and mediated communication: A review”. In: *Psychol. Bull.* 84.5 (1977), page 963 (cited on page 242).
- [174] C Edigo. “Videoconferencing as a technology to support group work: A review of its failure”. In: *Proceedings of the ACM conf. on Computer-Supported Cooperative Work*. 1988 (cited on page 242).
- [175] Tomislav Pejsa et al. “Room2Room: Enabling Life-Size Telepresence in a Projected Augmented Reality Environment”. In: *Proceedings of the 19th ACM Conference on Computer-Supported Cooperative Work & Social Computing*. CSCW ’16. San Francisco, California, USA: Association for Computing Machinery, #feb# 2016, pages 1716–1725 (cited on page 243).

- [176] Jakob Bardram et al. “ReticularSpaces: activity-based computing support for physically distributed and collaborative smart spaces”. In: *Proceedings of the SIGCHI Conference on Human Factors in Computing Systems*. CHI ’12. Austin, Texas, USA: Association for Computing Machinery, #may# 2012, pages 2845–2854 (cited on pages 243, 259).
- [177] Piotr D Adamczyk and Michael B Twidale. “Supporting multi-disciplinary collaboration: requirements from novel HCI education”. In: *Proceedings of the SIGCHI Conference on Human Factors in Computing Systems*. CHI ’07. San Jose, California, USA: Association for Computing Machinery, #apr# 2007, pages 1073–1076 (cited on pages 243, 259).
- [178] Hiroshi Ishii, Minoru Kobayashi, and Jonathan Grudin. “Integration of interpersonal space and shared workspace: Clear-Board design and experiments”. #oct# 1993 (cited on pages 243, 259).
- [179] Dhanraj Vishwanath, Ahna R Girshick, and Martin S Banks. “Why pictures look right when viewed from the wrong place”. In: volume 8. Nature Publishing Group, 2005, pages 1401–1410 (cited on pages 243, 244).
- [180] Stuart M Anstis, John W Mayhew, and Tania Morley. “The Perception of Where a Face or Television Portrait is Looking”. In: volume 82. JSTOR, 1969, pages 474–489 (cited on pages 243, 244).
- [181] William Hyde Wollaston. “On the apparent direction of eyes in a portrait”. In: JSTOR, 1824, pages 247–256 (cited on pages 243, 244).
- [182] Jack M Loomis et al. “Psychophysics of perceiving eye-gaze and head direction with peripheral vision: implications for the dynamics of eye-gaze behavior”. en. In: *Perception* 37.9 (2008), pages 1443–1457 (cited on pages 243, 249, 250).
- [183] Chris Fullwood and Gwyneth Doherty-Sneddon. “Effect of gazing at the camera during a video link on recall”. en. In: *Appl. Ergon.* 37.2 (#mar# 2006), pages 167–175 (cited on page 243).
- [184] Samer Al Moubayed, Jens Edlund, and Jonas Beskow. “Taming Mona Lisa”. In: volume 1. 2012, pages 1–25 (cited on page 244).

- [185] David Nguyen and John Canny. “MultiView: spatially faithful group video conferencing”. In: *Proceedings of the SIGCHI Conference on Human Factors in Computing Systems*. CHI ’05. Portland, Oregon, USA: Association for Computing Machinery, #apr# 2005, pages 799–808 (cited on pages 244, 261).
- [186] Roel Vertegaal and Yaping Ding. “Explaining effects of eye gaze on mediated group conversations: amount or synchronization?” In: *Proceedings of the 2002 ACM conference on Computer supported cooperative work*. CSCW ’02. New Orleans, Louisiana, USA: Association for Computing Machinery, #nov# 2002, pages 41–48 (cited on pages 244, 247, 248).
- [187] Simon W Bock, Peter Dicke, and Peter Thier. “How precise is gaze following in humans?” en. In: *Vision Res.* 48.7 (#mar# 2008), pages 946–957 (cited on page 244).
- [188] Norman P Jouppi and Michael J Pan. “Mutually-immersive audio telepresence”. In: *Audio Engineering Society Convention 113*. 2002 (cited on pages 245, 258).
- [189] Paul M Aoki et al. “The mad hatter’s cocktail party: a social mobile audio space supporting multiple simultaneous conversations”. In: *Proceedings of the SIGCHI Conference on Human Factors in Computing Systems*. CHI ’03. Ft. Lauderdale, Florida, USA: Association for Computing Machinery, #apr# 2003, pages 425–432 (cited on pages 245, 269).
- [190] Michael Argyle. *Bodily communication*. Methuen, 1988 (cited on pages 245, 246, 248, 251, 253–255).
- [191] Mattias Heldner and Jens Edlund. “Pauses, gaps and overlaps in conversations”. In: *J. Phon.* 38.4 (#oct# 2010), pages 555–568 (cited on page 245).
- [192] C L Kleinke. “Gaze and eye contact: a research review”. en. In: *Psychol. Bull.* 100.1 (#jul# 1986), pages 78–100 (cited on pages 245, 248, 250, 266).
- [193] Stella Ting-Toomey and Leeva C Chung. *Understanding intercultural communication*. Oxford University Press New York, NY, 2012 (cited on page 245).
- [194] Kazuhiko Otsuka, Yoshinao Takemae, and Junji Yamato. “A probabilistic inference of multiparty-conversation structure based on Markov-switching models of gaze patterns, head directions, and utterances”. In: *Proceedings of the 7th international*

- conference on Multimodal interfaces.* ICMI '05. Toronto, Italy: Association for Computing Machinery, #oct# 2005, pages 191–198 (cited on pages 245, 266).
- [195] Yasuhiro Katagiri. “Aiduti in Japanese multi-party design conversations”. In: *Proceedings of the Workshop on Embodied Language Processing*. 2007, pages 9–16 (cited on page 246).
 - [196] Jack M Loomis, Roberta L Klatzky, and Nicholas A Giudice. “-Sensory Substitution of Vision: Importance of Perceptual and Cognitive Processing”. In: *Assistive technology for blindness and low vision*. CRC Press, 2012, pages 179–210 (cited on page 246).
 - [197] Charles Goodwin. “Action and embodiment within situated human interaction”. In: *J. Pragmat.* 32.10 (#sep# 2000), pages 1489–1522 (cited on page 246).
 - [198] Marco Gillies, Mel Slater, et al. “Non-verbal communication for correlational characters”. In: (2005) (cited on page 246).
 - [199] Michael Argyle and Mark Cook. *Gaze and Mutual Gaze*. en. Cambridge University Press, #jan# 1976 (cited on pages 246, 248, 252).
 - [200] Michael Argyle and Janet Dean. “Eye-contact, Distance And Affiliation”. In: JSTOR, 1965, pages 289–304 (cited on pages 246, 247, 253).
 - [201] Michael Argyle and Roger Ingham. *Gaze, Mutual Gaze, and Proximity*. 1969 (cited on pages 246, 248, 250, 253).
 - [202] A Kendon. “Some functions of gaze-direction in social interaction.” In: *Acta Psychol.* 26.1 (1967), pages 22–63 (cited on pages 246, 247, 266).
 - [203] B J Hedge, B S Everitt, and Christopher D Frith. “The Role Of Gaze In Dialogue”. In: volume 42. Elsevier, 1978, pages 453–475 (cited on pages 247, 256).
 - [204] D G Novick, B Hansen, and K Ward. “Coordinating turn-taking with gaze”. In: *Proceeding of Fourth International Conference on Spoken Language Processing. ICSLP '96*. Volume 3. #oct# 1996, 1888–1891 vol.3 (cited on pages 247, 255).
 - [205] Roel Vertegaal, Gerrit Van der Veer, and Harro Vons. “Effects of gaze on multiparty mediated communication”. In: *Graphics interface*. Morgan Kaufmann, 2000, pages 95–102 (cited on page 247).

- [206] Roel Vertegaal et al. “Eye gaze patterns in conversations: there is more to conversational agents than meets the eyes”. In: *Proceedings of the SIGCHI Conference on Human Factors in Computing Systems*. CHI ’01. Seattle, Washington, USA: Association for Computing Machinery, #mar# 2001, pages 301–308 (cited on page 247).
- [207] S R Langton. “The mutual influence of gaze and head orientation in the analysis of social attention direction”. en. In: *Q. J. Exp. Psychol. A* 53.3 (#aug# 2000), pages 825–845 (cited on pages 247, 250).
- [208] Alex Colburn, Michael F Cohen, and Steven Drucker. “The Role Of Eye Gaze In Avatar Mediated Conversational Interfaces”. In: 2000 (cited on page 247).
- [209] C Neil Macrae et al. “Are you looking at me? Eye gaze and person perception”. en. In: *Psychol. Sci.* 13.5 (#sep# 2002), pages 460–464 (cited on page 247).
- [210] Lawrence A Symons et al. “What are you looking at? Acuity for triadic eye gaze”. In: volume 131. 2004, pages 451–469 (cited on page 247).
- [211] Nathan L Klutts et al. “The effect of head turn on the perception of gaze”. en. In: *Vision Res.* 49.15 (#jul# 2009), pages 1979–1993 (cited on pages 247, 250).
- [212] Hugh R Wilson et al. “Perception of head orientation”. In: volume 40. Elsevier, 2000, pages 459–472 (cited on pages 247, 249).
- [213] Johann Schrammel et al. ““Look!”: using the gaze direction of embodied agents”. In: *Proceedings of the SIGCHI Conference on Human Factors in Computing Systems*. CHI ’07. San Jose, California, USA: Association for Computing Machinery, #apr# 2007, pages 1187–1190 (cited on page 247).
- [214] Rainer Stiefelhagen, Jie Yang, and Alex Waibel. “Estimating focus of attention based on gaze and sound”. In: *Proceedings of the 2001 workshop on Perceptive user interfaces*. PUI ’01. Orlando, Florida, USA: Association for Computing Machinery, #nov# 2001, pages 1–9 (cited on pages 248, 255).
- [215] R Stiefelhagen. “Tracking focus of attention in meetings”. In: *Proceedings. Fourth IEEE International Conference on Multimodal Interfaces*. #oct# 2002, pages 273–280 (cited on pages 248, 250, 255).

- [216] W Steptoe et al. “Eye Tracking for Avatar Eye Gaze Control During Object-Focused Multiparty Interaction in Immersive Collaborative Virtual Environments”. In: *2009 IEEE Virtual Reality Conference*. #mar# 2009, pages 83–90 (cited on page 248).
- [217] William Arthur Hugh Steptoe. “Eye tracking and avatar-mediated communication in immersive collaborative virtual environments”. PhD thesis. University College London (University of London), 2010 (cited on pages 248, 257).
- [218] Mark Cook. “Gaze and mutual gaze in social encounters”. In: *Am. Sci.* 65.3 (1977), pages 328–333 (cited on pages 248, 266).
- [219] Sascha Fagel et al. “On the importance of eye gaze in a face-to-face collaborative task”. In: *Proceedings of the 3rd international workshop on Affective interaction in natural environments*. AFFINE ’10. Firenze, Italy: Association for Computing Machinery, #oct# 2010, pages 81–86 (cited on pages 248, 255, 266).
- [220] Leanne S Bohannon et al. “Eye contact and video-mediated communication: A review”. In: *Displays* 34.2 (#apr# 2013), pages 177–185 (cited on page 248).
- [221] Holger Regenbrecht and Tobias Langlotz. “Mutual Gaze Support in Videoconferencing Reviewed”. In: *Communications of the Association for Information Systems* 37.1 (2015), page 45 (cited on page 249).
- [222] Jim Steinmeyer. *The Science Behind the Ghost!: A Brief History of Pepper’s Ghost*. Hahne, 2013 (cited on page 249).
- [223] Adolph H Rosenthal. *Two-way television communication unit*. 1947 (cited on page 249).
- [224] William Buxton. “Telepresence: Integrating shared task and person spaces”. In: *Proceedings of graphics interface*. Volume 92. 1992, pages 123–129 (cited on pages 249, 252).
- [225] Roel Vertegaal and Ivo Weevers. “GAZE-2: conveying eye contact in group video conferencing using eye-controlled camera direction”. In: *Proceedings of the SIGCHI ... 5* (2003), pages 521–528 (cited on page 249).
- [226] N F Troje and U Siebeck. “Illumination-induced apparent shift in orientation of human heads”. en. In: *Perception* 27.6 (1998), pages 671–680 (cited on page 249).

- [227] Steven M Boker et al. “Something in the way we move: Motion dynamics, not perceived sex, influence head movements in conversation”. en. In: *J. Exp. Psychol. Hum. Percept. Perform.* 37.3 (#jun# 2011), pages 874–891 (cited on page 250).
- [228] M St John et al. “The use of 2D and 3D displays for shape-understanding versus relative-position tasks”. en. In: *Hum. Factors* 43.1 (2001), pages 79–98 (cited on page 250).
- [229] Jeremy N Bailenson, Andrew C Beall, and Jim Blascovich. “Gaze And Task Performance In Shared Virtual Environments”. In: volume 13. 2002, pages 313–320 (cited on page 250).
- [230] Rutger Rienks, Ronald Poppe, and Dirk Heylen. “Differences in head orientation behavior for speakers and listeners: An experiment in a virtual environment”. #jan# 2010 (cited on page 250).
- [231] David T Nguyen and John Canny. “More than face-to-face: empathy effects of video framing”. In: *Proceedings of the SIGCHI Conference on Human Factors in Computing Systems*. CHI ’09. Boston, MA, USA: Association for Computing Machinery, #apr# 2009, pages 423–432 (cited on pages 250, 251, 266).
- [232] P Ekman. “Facial expression and emotion”. en. In: *Am. Psychol.* 48.4 (#apr# 1993), pages 384–392 (cited on pages 250, 251).
- [233] S Goldin-Meadow. “The role of gesture in communication and thinking”. In: volume 3. 1999, pages 419–429 (cited on page 250).
- [234] Nicole Chovil. “Discourse ?oriented facial displays in conversation”. In: *Research on Language and Social Interaction* 25.1-4 (#jan# 1991), pages 163–194 (cited on page 251).
- [235] Diane J Schiano, Sheryl M Ehrlich, and Kyle Sheridan. “Categorical imperative NOT: facial affect is perceived continuously”. In: *Proceedings of the SIGCHI Conference on Human Factors in Computing Systems*. CHI ’04. Vienna, Austria: Association for Computing Machinery, #apr# 2004, pages 49–56 (cited on page 251).
- [236] K Ohba et al. “Facial expression space for smooth tele-communications”. In: *Proceedings Third IEEE International Conference on Automatic Face and Gesture Recognition*. #apr# 1998, pages 378–383 (cited on page 251).

- [237] Stefan G Hofmann, Michael Suvak, and Brett T Litz. “Sex differences in face recognition and influence of facial affect”. In: *Pers. Individ. Dif.* 40.8 (#jun# 2006), pages 1683–1690 (cited on pages 251, 253, 255).
- [238] Jana M Iverson and Susan Goldin-Meadow. “Gesture paves the way for language development”. en. In: *Psychol. Sci.* 16.5 (#may# 2005), pages 367–371 (cited on page 251).
- [239] Robert M Krauss, Yihsiu Chen, and Purnima Chawla. “Nonverbal Behavior and Nonverbal Communication: What do Conversational Hand Gestures Tell Us?” In: *Advances in Experimental Social Psychology*. Edited by Mark P Zanna. Volume 28. Academic Press, #jan# 1996, pages 389–450 (cited on page 251).
- [240] A Kleinsmith and N Bianchi-Berthouze. “Affective Body Expression Perception and Recognition: A Survey”. In: *IEEE Transactions on Affective Computing* 4.1 (#jan# 2013), pages 15–33 (cited on page 251).
- [241] Emanuel A Schegloff. “Body torque”. In: *Soc. Res.* (1998), pages 535–596 (cited on page 251).
- [242] Jiazhi Ou et al. “Effects of task properties, partner actions, and message content on eye gaze patterns in a collaborative task”. In: *Proceedings of the SIGCHI Conference on Human Factors in Computing Systems*. CHI ’05. Portland, Oregon, USA: Association for Computing Machinery, #apr# 2005, pages 231–240 (cited on page 251).
- [243] Norman Murray et al. “Eye gaze in virtual environments: evaluating the need and initial work on implementation”. In: *Concurr. Comput.* 21.11 (#aug# 2009), pages 1437–1449 (cited on page 251).
- [244] Anthony Tang et al. “Three’s company: understanding communication channels in three-way distributed collaboration”. In: *Proceedings of the 2010 ACM conference on Computer supported cooperative work*. CSCW ’10. Savannah, Georgia, USA: Association for Computing Machinery, #feb# 2010, pages 271–280 (cited on page 252).
- [245] Edward Tse et al. “How pairs interact over a multimodal digital table”. In: *Proceedings of the SIGCHI Conference on Human Factors in Computing Systems*. CHI ’07. San Jose, California, USA: Association for Computing Machinery, #apr# 2007, pages 215–218 (cited on page 252).

- [246] Anthony Tang et al. “Collaborative coupling over tabletop displays”. In: *Proceedings of the SIGCHI Conference on Human Factors in Computing Systems*. CHI ’06. Montréal, Québec, Canada: Association for Computing Machinery, #apr# 2006, pages 1181–1190 (cited on page 252).
- [247] James Norris, Holger M Schnädelbach, and Paul K Luff. “Putting things in focus: establishing co-orientation through video in context”. In: *Proceedings of the SIGCHI Conference on Human Factors in Computing Systems*. CHI ’13. Paris, France: Association for Computing Machinery, #apr# 2013, pages 1329–1338 (cited on page 253).
- [248] James Norris, Holger Schnädelbach, and Guoping Qiu. “Cam-Blend: an object focused collaboration tool”. In: *Proceedings of the SIGCHI Conference on Human Factors in Computing Systems*. CHI ’12. Austin, Texas, USA: Association for Computing Machinery, #may# 2012, pages 627–636 (cited on page 253).
- [249] Paul Luff et al. “Hands on hitchcock: embodied reference to a moving scene”. In: *Proceedings of the SIGCHI Conference on Human Factors in Computing Systems*. CHI ’11. Vancouver, BC, Canada: Association for Computing Machinery, #may# 2011, pages 43–52 (cited on page 253).
- [250] Philip Tuddenham and Peter Robinson. “Territorial coordination and workspace awareness in remote tabletop collaboration”. In: *Proceedings of the SIGCHI Conference on Human Factors in Computing Systems*. CHI ’09. Boston, MA, USA: Association for Computing Machinery, #apr# 2009, pages 2139–2148 (cited on page 253).
- [251] Izdihar Jamil et al. “The effects of interaction techniques on talk patterns in collaborative peer learning around interactive tables”. In: *Proceedings of the SIGCHI Conference on Human Factors in Computing Systems*. CHI ’11. Vancouver, BC, Canada: Association for Computing Machinery, #may# 2011, pages 3043–3052 (cited on page 253).
- [252] Hans-Christian Jetter et al. “Materializing the query with facet-streams: a hybrid surface for collaborative search on tabletops”. In: *Proceedings of the SIGCHI Conference on Human Factors in Computing Systems*. CHI ’11. Vancouver, BC, Canada: Association for Computing Machinery, #may# 2011, pages 3013–3022 (cited on page 253).

- [253] Edward Twitchell Hall and Edward T Hall. *The Hidden Dimension*. Volume 1990. Anchor Books New York, 1969 (cited on pages 253, 254).
- [254] O Michael Watson and Theodore D Graves. “Quantitative Research in Proxemic Behavior”. In: *Am. Anthropol.* 68.4 (#aug# 1966), pages 971–985 (cited on page 253).
- [255] Nicola Bruno and Michela Muzzolini. “Proxemics Revisited: Similar Effects of Arms Length on Men’s and Women’s Personal Distances”. In: *Universal Journal of Psychology* 1.2 (2013), pages 46–52 (cited on page 253).
- [256] Gillian Slessor, Louise H Phillips, and Rebecca Bull. “Age-related declines in basic social perception: evidence from tasks assessing eye-gaze processing”. en. In: *Psychol. Aging* 23.4 (#dec# 2008), pages 812–822 (cited on pages 253, 255).
- [257] Nick Yee, Jeremy N Bailenson, and Kathryn Rickertsen. “A meta-analysis of the impact of the inclusion and realism of human-like faces on user experiences in interfaces”. In: *Proceedings of the SIGCHI Conference on Human Factors in Computing Systems*. CHI ’07. San Jose, California, USA: Association for Computing Machinery, #apr# 2007, pages 1–10 (cited on pages 253, 263).
- [258] Jeremy N Bailenson et al. “Equilibrium theory revisited: Mutual gaze and personal space in virtual environments”. In: volume 10. MIT Press, 2001, pages 583–598 (cited on pages 253, 254).
- [259] Jeremy N Bailenson et al. “Interpersonal distance in immersive virtual environments”. en. In: *Pers. Soc. Psychol. Bull.* 29.7 (#jul# 2003), pages 819–833 (cited on page 253).
- [260] Jim Blascovich. “A theoretical model of social influence for increasing the utility of collaborative virtual environments”. In: *Proceedings of the 4th international conference on Collaborative virtual environments*. CVE ’02. Bonn, Germany: Association for Computing Machinery, #sep# 2002, pages 25–30 (cited on page 254).
- [261] Hiroyuki Maeda et al. “Real World Video Avatar: Transmission And Presentation Of Human Figure”. In: *Virtual Reality, 2004. Proceedings. IEEE*. 2004, pages 237–238 (cited on page 254).

- [262] Joseph C Hager and Paul Ekman. "Long-distance of transmission of facial affect signals". In: *Ethol. Sociobiol.* 1.1 (#oct# 1979), pages 77–82 (cited on page 254).
- [263] Donal E Carlston. *The Oxford Handbook of Social Cognition*. en. Oxford Library of Psychology. OUP USA, #sep# 2013 (cited on page 255).
- [264] Eva Deckers et al. "Designing for perceptual crossing: designing and comparing three behaviors". In: *Proceedings of the SIGCHI Conference on Human Factors in Computing Systems*. CHI '13. Paris, France: Association for Computing Machinery, #apr# 2013, pages 1901–1910 (cited on page 255).
- [265] J J Gibson and A D Pick. "Perception of another person's looking behavior". en. In: *Am. J. Psychol.* 76.3 (#sep# 1963), pages 386–394 (cited on page 255).
- [266] Gary Bente, W C Donaghy, and Dorit Suwelack. "Sex Differences In Body Movement And Visual Attention: An Integrated Analysis Of Movement And Gaze In Mixed-sex Dyads". In: volume 22. 1998 (cited on page 255).
- [267] Xueni Pan, Marco Gillies, and Mel Slater. "Male Bodily Responses during an Interaction with a Virtual Woman". In: *Intelligent Virtual Agents*. Edited by Helmut Prendinger, James C Lester, and Mitsuru Ishizuka. Volume 5208. Lecture Notes in Computer Science. Springer Berlin Heidelberg, 2008, pages 89–96 (cited on page 255).
- [268] Roel Vertegaal. "Catching the eye: management of joint attention in cooperative work". In: 1997 (cited on page 255).
- [269] D I Fels and P L Weiss. "Toward determining an attention-getting device for improving interaction during video-mediated communication". In: *Comput. Human Behav.* 16.2 (#mar# 2000), pages 189–198 (cited on page 255).
- [270] Amy Volda et al. "Cross-cutting faultlines of location and shared identity in the intergroup cooperation of partially distributed groups". In: *Proceedings of the SIGCHI Conference on Human Factors in Computing Systems*. CHI '12. Austin, Texas, USA: Association for Computing Machinery, #may# 2012, pages 3101–3110 (cited on page 256).

- [271] Charles R Berger and Richard J Calabrese. “Some Explorations in Initial Interaction and Beyond: Toward a Developmental Theory of Interpersonal Communication”. In: *Hum. Commun. Res.* 1.2 (#dec# 1975), pages 99–112 (cited on page 256).
- [272] Edward Ellsworth Jones and Richard E Nisbett. “The Actor And The Observer: Divergent Perceptions Of The Causes Of Behavior”. In: General Learning Press Morristown, NJ, 1971 (cited on page 256).
- [273] Alaeddine Mihoub et al. “Learning multimodal behavioral models for face-to-face social interaction”. In: *Journal on Multimodal User Interfaces* 9.3 (#sep# 2015), pages 195–210 (cited on page 256).
- [274] John Doerr. *Measure what matters: How Google, Bono, and the Gates Foundation rock the world with OKRs*. Penguin, 2018 (cited on page 256).
- [275] T L Chartrand and J A Bargh. “The chameleon effect: the perception-behavior link and social interaction”. en. In: *J. Pers. Soc. Psychol.* 76.6 (#jun# 1999), pages 893–910 (cited on page 256).
- [276] H M Parsons. “What Happened at Hawthorne?: New evidence suggests the Hawthorne effect resulted from operant reinforcement contingencies”. en. In: *Science* 183.4128 (#mar# 1974), pages 922–932 (cited on page 256).
- [277] Evan F Risko and Alan Kingstone. “Eyes wide shut: implied social presence, eye tracking and attention”. en. In: *Atten. Percept. Psychophys.* 73.2 (#feb# 2011), pages 291–296 (cited on page 256).
- [278] Glenn R Fox et al. “Neural correlates of gratitude”. In: *Frontiers in psychology* (2015), page 1491 (cited on page 256).
- [279] Peter Kollock. “Social Dilemmas: The Anatomy of Cooperation”. In: *Annu. Rev. Sociol.* 24.1 (#aug# 1998), pages 183–214 (cited on page 256).
- [280] Elisabeth Cuddihy and Deborah Walters. “Embodied interaction in social virtual environments”. In: *Proceedings of the third international conference on Collaborative virtual environments*. CVE '00. San Francisco, California, USA: Association for Computing Machinery, #sep# 2000, pages 181–188 (cited on page 256).

- [281] Jeffrey T Hancock, Jennifer Thom-Santelli, and Thompson Ritchie. “Deception and design: the impact of communication technology on lying behavior”. In: *Proceedings of the SIGCHI Conference on Human Factors in Computing Systems*. CHI ’04. Vienna, Austria: Association for Computing Machinery, #apr# 2004, pages 129–134 (cited on page 257).
- [282] Håkan J Holm and Toshiji Kawagoe. “Face-to-face lying – An experimental study in Sweden and Japan”. In: *J. Econ. Psychol.* 31.3 (#jun# 2010), pages 310–321 (cited on page 257).
- [283] Stephen Porter and Leanne ten Brinke. “Reading between the lies: identifying concealed and falsified emotions in universal facial expressions”. en. In: *Psychol. Sci.* 19.5 (#may# 2008), pages 508–514 (cited on page 257).
- [284] D J Roberts et al. “withyou—An Experimental End-to-End Telepresence System Using Video-Based Reconstruction”. In: *IEEE J. Sel. Top. Signal Process.* 9.3 (#apr# 2015), pages 562–574 (cited on pages 257, 359).
- [285] Dennis Beck et al. “Synthesizing presence: A multidisciplinary review of the literature”. In: volume 3. 2011 (cited on pages 257, 258).
- [286] M J Schuemie et al. “Research on presence in virtual reality: a survey”. en. In: *Cyberpsychol. Behav.* 4.2 (#apr# 2001), pages 183–201 (cited on page 257).
- [287] Mel Slater. “Measuring Presence: A Response to the Witmer and Singer Presence Questionnaire”. In: *Presence: Teleoperators and Virtual Environments* 8.5 (#oct# 1999), pages 560–565 (cited on page 257).
- [288] Carrie Heeter. “Being There: The Subjective Experience of Presence”. In: *Presence: Teleoperators and Virtual Environments* 1.2 (#jan# 1992), pages 262–271 (cited on page 257).
- [289] Frank Biocca. “The Cyborg Dilemma : Embodiment in Virtual Environments”. In: 1997, pages 12–26 (cited on page 257).
- [290] Janet Fulk et al. “A Social Information Processing Model of Media Use in Organizations”. In: *Commun. Res.* 14.5 (#oct# 1987), pages 529–552 (cited on page 257).
- [291] Caroline Haythornthwaite, Barry Wellman, and Marilyn Maneti. “Work relationships and media use: A social network analysis”. In: *Group Decision and Negotiation* 4.3 (#may# 1995), pages 193–211 (cited on page 257).

- [292] Charlotte N Gunawardena and Frank J Zittle. “Social presence as a predictor of satisfaction within a computer ?mediated conferencing environment”. In: *Am. J. Distance Educ.* 11.3 (#jan# 1997), pages 8–26 (cited on pages 257, 259).
- [293] Kristen Nowak. “Defining and differentiating copresence, social presence and presence as transportation”. In: *Presence 2001 Conference, Philadelphia, PA.* 2001, pages 1–23 (cited on pages 258, 259).
- [294] Saniye Tugba Bulu. “Place presence, social presence, co-presence, and satisfaction in virtual worlds”. In: *Comput. Educ.* 58.1 (#jan# 2012), pages 154–161 (cited on page 258).
- [295] Frank Biocca, Chad Harms, and Judee Burgoon. “Toward a more robust theory and measure of social presence: Review and suggested criteria”. In: volume 12. MIT press, 2003, pages 456–480 (cited on pages 258, 259).
- [296] D Randy Garrison, Terry Anderson, and Walter Archer. “Critical Inquiry In A Text-based Environment: Computer Conferencing In Higher Education”. In: volume 2. Elsevier, 1999, pages 87–105 (cited on page 258).
- [297] Yevgenia Bondareva and Don Bouwhuis. “Determinants of social presence in videoconferencing”. In: *AVI2004 Workshop on Environments for Personalized Information Access.* 2004, pages 1–9 (cited on pages 258, 259).
- [298] Mel Slater. “How Colorful Was Your Day? Why Questionnaires Cannot Assess Presence in Virtual Environments”. In: *Presence: Teleoperators and Virtual Environments* 13.4 (#aug# 2004), pages 484–493 (cited on page 259).
- [299] Martin Usoh et al. *Using Presence Questionnaires in Reality.* (*Usoh et al, 2000.pdf.* 2000 (cited on page 259).
- [300] Joy Van Baren and Wijnand IJsselsteijn. *Measuring presence: A guide to current measurement approaches.* 2004 (cited on page 259).
- [301] Chad Harms and Frank Biocca. “Internal consistency and reliability of the networked minds measure of social presence”. In: (2004) (cited on page 259).
- [302] Jörg Hauber et al. “Social presence in two-and three-dimensional videoconferencing”. In: (2005) (cited on page 259).

- [303] Jörg Hauber et al. “Spatiality in videoconferencing: trade-offs between efficiency and social presence”. In: *Proceedings of the 2006 20th anniversary conference on Computer supported cooperative work*. CSCW ’06. Banff, Alberta, Canada: Association for Computing Machinery, #nov# 2006, pages 413–422 (cited on page 260).
- [304] Peter Kauff and Oliver Schreer. “An immersive 3D videoconferencing system using shared virtual team user environments”. In: *Proceedings of the 4th international conference on Collaborative virtual environments*. CVE ’02. Bonn, Germany: Association for Computing Machinery, #sep# 2002, pages 105–112 (cited on page 260).
- [305] Peter Kauff and Oliver Schreer. “Virtual team user environments—a step from tele-cubicles towards distributed tele-collaboration in mediated workspaces”. In: *Multimedia and Expo, 2002. ICME’02. Proceedings. 2002 IEEE International Conference on*. Volume 2. 2002, pages 9–12 (cited on page 260).
- [306] H Fuchs et al. “3D Tele-Collaboration over internet 2”. In: *International Workshop on Immersive Telepresence (ITP ’02)*. Juan Les Pin, 2002 (cited on page 261).
- [307] Andrew Jones et al. “HeadSPIN: a one-to-many 3D video teleconferencing system”. In: *ACM SIGGRAPH 2009 Emerging Technologies*. SIGGRAPH ’09 Article 13. New Orleans, Louisiana: Association for Computing Machinery, #aug# 2009, page 1 (cited on pages 261, 262).
- [308] Yusuke Ichikawa et al. “MAJIC Videoconferencing System: Experiments, Evaluation and Improvement”. In: *Proceedings of the Fourth European Conference on Computer-Supported Cooperative Work ECSCW ’95: 10–14 September, 1995, Stockholm, Sweden*. Edited by Hans Marmolin, Yngve Sundblad, and Kjeld Schmidt. Dordrecht: Springer Netherlands, 1995, pages 279–292 (cited on page 261).
- [309] Ken-Ichi Okada et al. “Multiparty videoconferencing at virtual social distance: MAJIC design”. In: *Proceedings of the 1994 ACM conference on Computer supported cooperative work*. CSCW ’94. Chapel Hill, North Carolina, USA: Association for Computing Machinery, #oct# 1994, pages 385–393 (cited on page 261).

- [310] Daniel Gotsch et al. “TeleHuman2: A Cylindrical Light Field Teleconferencing System for Life-size 3D Human Telepresence”. In: *CHI*. 2018, page 522 (cited on page 262).
- [311] Alexander Kulik et al. “C1x6: a stereoscopic six-user display for co-located collaboration in shared virtual environments”. In: *Proceedings of the 2011 SIGGRAPH Asia Conference*. Volume 30. SA ’11 Article 188. Hong Kong, China: Association for Computing Machinery, #dec# 2011, pages 1–12 (cited on page 262).
- [312] Kazuhiro Otsuka et al. “MM+Space: n x 4 degree-of-freedom kinetic display for recreating multiparty conversation spaces”. In: *Proceedings of the 15th ACM on International conference on multimodal interaction*. ICMI ’13. Sydney, Australia: Association for Computing Machinery, #dec# 2013, pages 389–396 (cited on page 262).
- [313] P-A Blanche et al. “Holographic three-dimensional telepresence using large-area photorefractive polymer”. In: volume 468. 2010, pages 80–83 (cited on page 262).
- [314] Savaş Tay et al. “An updatable holographic three-dimensional display”. en. In: *Nature* 451.7179 (#feb# 2008), pages 694–698 (cited on page 262).
- [315] Osman Eldes, Kaan Aksit, and Hakan Urey. “Multi-view autostereoscopic projection display using rotating screen”. en. In: *Opt. Express* 21.23 (#nov# 2013), pages 29043–29054 (cited on page 262).
- [316] Tomohiro Yendo et al. “The Seelinder: Cylindrical 3D display viewable from 360 degrees”. In: *J. Vis. Commun. Image Represent.* 21.5 (#jul# 2010), pages 586–594 (cited on page 262).
- [317] Chen Cao, Tomas Simon, Jin Kyu Kim, et al. “Authentic Volume Avatars from Phone Scans”. In: *ACM Transactions in Graphics* (2022). URL: <https://drive.google.com/file/d/1i4NJKAggS82wqMamCJ10HRGgViuyoY6R> (cited on page 262).
- [318] Masahiro Mori. “The uncanny valley”. In: *Energy* 7.4 (1970), pages 33–35 (cited on pages 263, 264).
- [319] C Bartneck et al. “Is The Uncanny Valley An Uncanny Cliff?” In: *RO-MAN 2007 - The 16th IEEE International Symposium on Robot and Human Interactive Communication*. #aug# 2007, pages 368–373 (cited on page 263).

- [320] Christoph Bartneck et al. “My robotic doppelgänger-A critical look at the uncanny valley”. In: *Robot and Human Interactive Communication*, 2009. 2009, pages 269–276 (cited on page 263).
- [321] Wade J Mitchell et al. “A mismatch in the human realism of face and voice produces an uncanny valley”. en. In: *Iperception* 2.1 (#mar# 2011), pages 10–12 (cited on page 263).
- [322] Chin-Chang Ho, Karl F MacDorman, and Z A D Dwi Pramono. “Human emotion and the uncanny valley: a GLM, MDS, and Isomap analysis of robot video ratings”. In: *Proceedings of the 3rd ACM/IEEE international conference on Human robot interaction*. HRI ’08. Amsterdam, The Netherlands: Association for Computing Machinery, #mar# 2008, pages 169–176 (cited on page 263).
- [323] M Strait and M Scheutz. “Measuring users’ responses to humans, robots, and human-like robots with functional near infrared spectroscopy”. In: *The 23rd IEEE International Symposium on Robot and Human Interactive Communication*. #aug# 2014, pages 1128–1133 (cited on page 264).
- [324] Stefan Marti and Chris Schmandt. “Physical embodiments for mobile communication agents”. In: *Proceedings of the 18th annual ACM symposium on User interface software and technology*. UIST ’05. Seattle, WA, USA: Association for Computing Machinery, #oct# 2005, pages 231–240 (cited on page 264).
- [325] Sigurdur O Adalgeirsson and Cynthia Breazeal. “MeBot: a robotic platform for socially embodied presence”. In: *Proceedings of the 5th ACM/IEEE international conference on Human-robot interaction*. HRI ’10. Osaka, Japan: IEEE Press, #mar# 2010, pages 15–22 (cited on page 264).
- [326] Min Kyung Lee and Leila Takayama. ““Now, i have a body”: uses and social norms for mobile remote presence in the workplace”. In: *Proceedings of the SIGCHI Conference on Human Factors in Computing Systems*. CHI ’11. Vancouver, BC, Canada: Association for Computing Machinery, #may# 2011, pages 33–42 (cited on page 264).
- [327] Katherine M Tsui et al. “Exploring use cases for telepresence robots”. In: *Proceedings of the 6th international conference on Human-robot interaction*. HRI ’11. Lausanne, Switzerland:

- Association for Computing Machinery, #mar# 2011, pages 11–18 (cited on page 264).
- [328] Eric Paulos and John Canny. “PRoP: personal roving presence”. In: *Proceedings of the SIGCHI Conference on Human Factors in Computing Systems*. CHI ’98. Los Angeles, California, USA: ACM Press/Addison-Wesley Publishing Co., #jan# 1998, pages 296–303 (cited on page 264).
- [329] Annica Kristoffersson, Silvia Coradeschi, and Amy Loutfi. “A Review of Mobile Robotic Telepresence”. en. In: *Advances in Human-Computer Interaction* 2013 (#apr# 2013), page 3 (cited on page 264).
- [330] M Desai et al. “Essential features of telepresence robots”. In: *2011 IEEE Conference on Technologies for Practical Robot Applications*. #apr# 2011, pages 15–20 (cited on page 264).
- [331] Katherine M Tsui, Munjal Desai, and Holly A Yanco. “Towards measuring the quality of interaction: communication through telepresence robots”. In: *Proceedings of the Workshop on Performance Metrics for Intelligent Systems*. PerMIS ’12. College Park, Maryland: Association for Computing Machinery, #mar# 2012, pages 101–108 (cited on page 264).
- [332] Annica Kristoffersson et al. “Sense of Presence in a Robotic Telepresence Domain: 6th International Conference, UAHCI 2011, Held as Part of HCI International 2011, Orlando, FL, USA, July 9–14, 2011, Proceedings, Part II”. In: *Universal Access in Human-Computer Interaction. Users Diversity*. Edited by Constantine Stephanidis. Volume 6766. Lecture Notes in Computer Science. Berlin, Heidelberg: Springer Berlin Heidelberg, 2011, pages 479–487 (cited on page 264).
- [333] Daisuke Sakamoto et al. “Android as a telecommunication medium with a human-like presence”. In: *Proceedings of the ACM/IEEE international conference on Human-robot interaction*. HRI ’07. Arlington, Virginia, USA: Association for Computing Machinery, #mar# 2007, pages 193–200 (cited on page 264).
- [334] P Lincoln et al. “Animatronic Shader Lamps Avatars”. In: *2009 8th IEEE International Symposium on Mixed and Augmented Reality*. #oct# 2009, pages 27–33 (cited on page 264).

- [335] Peter Lincoln et al. “Multi-view lenticular display for group teleconferencing”. In: *Proceedings of the 2nd International Conference on Immersive Telecommunications*. ICST, #may# 2010, page 22 (cited on pages 264, 265).
- [336] Ramesh Raskar et al. “Shader Lamps: Animating Real Objects With Image-Based Illumination: Proceedings of the Eurographics Workshop in London, United Kingdom, June 25–27, 2001”. In: *Rendering Techniques 2001*. Edited by Steven J Gortler and Karol Myszkowski. Volume 20. Eurographics. Vienna: Springer Vienna, 2001, pages 89–102 (cited on pages 264, 265).
- [337] Oyewole Oyekoya, William Steptoe, and Anthony Steed. “SphereAvatar: a situated display to represent a remote collaborator”. In: *Proceedings of the SIGCHI Conference on Human Factors in Computing Systems*. CHI ’12. Austin, Texas, USA: Association for Computing Machinery, #may# 2012, pages 2551–2560 (cited on page 264).
- [338] Ye Pan and Anthony Steed. “A gaze-preserving situated multiview telepresence system”. In: *Proceedings of the SIGCHI Conference on Human Factors in Computing Systems*. CHI ’14. Toronto, Ontario, Canada: Association for Computing Machinery, #apr# 2014, pages 2173–2176 (cited on page 264).
- [339] Y Pan and A Steed. “Preserving gaze direction in teleconferencing using a camera array and a spherical display”. In: *2012 3DTV-Conference: The True Vision - Capture, Transmission and Display of 3D Video (3DTV-CON)*. #oct# 2012, pages 1–4 (cited on page 264).
- [340] Norman P Jouppi et al. “Bireality: mutually-immersive telepresence”. In: *Proceedings of the 12th annual ACM international conference on Multimedia*. 2004, pages 860–867 (cited on page 264).
- [341] Arjun Nagendran et al. “Continuum of virtual-human space: towards improved interaction strategies for physical-virtual avatars”. In: *Proceedings of the 11th ACM SIGGRAPH International Conference on Virtual-Reality Continuum and its Applications in Industry*. VRCAI ’12. Singapore, Singapore: Association for Computing Machinery, #dec# 2012, pages 135–142 (cited on page 264).

- [342] Kazuko Itoh et al. “Development of face robot to express the individual face by optimizing the facial features”. In: *Humanoid Robots, International Conference on.* 2005, pages 412–417 (cited on page 265).
- [343] Nikita Drobyshev et al. “MegaPortraits: One-shot Megapixel Neural Head Avatars”. In: 2022 (cited on page 265).
- [344] Ramesh Raskar et al. “The office of the future: A unified approach to image-based modeling and spatially immersive displays”. In: *Proceedings of the 25th annual conference on Computer graphics and interactive techniques.* 1998, pages 179–188 (cited on page 265).
- [345] Diego Rivera-Gutierrez et al. “Shader Lamps Virtual Patients: the physical manifestation of virtual patients”. en. In: *Stud. Health Technol. Inform.* 173 (2012), pages 372–378 (cited on page 265).
- [346] D Bandyopadhyay, R Raskar, and H Fuchs. “Dynamic shader lamps : painting on movable objects”. In: *Proceedings IEEE and ACM International Symposium on Augmented Reality.* IEEE Comput. Soc, #oct# 2001, pages 207–216 (cited on page 265).
- [347] Peter Dalsgaard and Kim Halskov. “3d projection on physical objects: design insights from five real life cases”. In: *Proceedings of the SIGCHI Conference on Human Factors in Computing Systems.* CHI ’11. Vancouver, BC, Canada: Association for Computing Machinery, #may# 2011, pages 1041–1050 (cited on page 265).
- [348] L O K Benjamin. “Shader lamps virtual patients: the physical manifestation of virtual patients”. In: *Medicine Meets Virtual Reality 19: NextMed* 173 (2012), page 372 (cited on page 265).
- [349] Nannan Xi et al. “The challenges of entering the metaverse: An experiment on the effect of extended reality on workload”. In: *Information Systems Frontiers* (2022), pages 1–22 (cited on page 266).
- [350] Verena Biener et al. “Quantifying the Effects of Working in VR for One Week”. In: *arXiv e-prints* (2022), arXiv–2206 (cited on page 266).

- [351] Sascha Kraus et al. “Facebook and the creation of the metaverse: radical business model innovation or incremental transformation?” In: *International Journal of Entrepreneurial Behavior & Research* (2022) (cited on page 269).
- [352] Thippa Reddy Gadekallu et al. “Blockchain for the Metaverse: A Review”. In: *arXiv preprint arXiv:2203.09738* (2022) (cited on page 275).
- [353] Wolfgang Iser. *The fictive and the imaginary: Charting literary anthropology*. Johns Hopkins University Press, 1993 (cited on page 276).
- [354] Tina L Taylor. *Play between worlds: Exploring online game culture*. MIT press, 2009 (cited on page 276).
- [355] René Glas. *Battlefields of negotiation: Control, agency, and ownership in World of Warcraft*. Amsterdam University Press, 2013 (cited on page 276).
- [356] Mark Chen. *Leet noobs*. Peter Lang Publishing, New York, 2011 (cited on page 277).
- [357] Zicodas Serapis. *Coming of age in second life: an anthropologist explores the virtually human*. 2008 (cited on page 277).
- [358] Andrew Cole. “The Call of ThingsA Critique of Object-Oriented Ontologies”. In: *the minnesota review* 2013.80 (2013), pages 106–118 (cited on page 277).
- [359] Aziz Siyaev and Geun-Sik Jo. “Towards aircraft maintenance metaverse using speech interactions with virtual objects in mixed reality”. In: *Sensors* 21.6 (2021), page 2066 (cited on page 284).
- [360] Alex Heiphetz and Gary Woodill. *Training and collaboration with virtual worlds: How to create cost-saving, efficient and engaging programs*. McGraw Hill Professional, 2010 (cited on page 285).
- [361] Clark Aldrich. *Learning by doing: A comprehensive guide to simulations, computer games, and pedagogy in e-learning and other educational experiences*. John Wiley & Sons, 2005 (cited on page 285).

- [362] Eduardo Cuervo, Krishna Chintalapudi, and Manikanta Kotaru. “Creating the perfect illusion: What will it take to create life-like virtual reality headsets?” In: *Proceedings of the 19th International Workshop on Mobile Computing Systems & Applications*. 2018, pages 7–12 (cited on page 287).
- [363] Matthew Ball. “The Metaverse: what it is, where to find it, and who will build it”. In: *MatthewBall. Vc, available at: www.matthewball.vc/all/themetaverse* (2020) (cited on page 287).
- [364] L Rosenberg. “Regulation of the Metaverse: A Roadmap”. In: *Proceedings of the 6th International Conference on Virtual and Augmented Reality Simulations (ICVARS 2022), Brisbane, Australia*. Volume 1. 2022 (cited on page 290).
- [365] Roger Penrose and N David Mermin. *The emperor’s new mind: Concerning computers, minds, and the laws of physics*. 1990 (cited on page 293).
- [366] Christian Matthias Kerskens and David López Pérez. “Experimental indications of non-classical brain functions”. In: *Journal of Physics Communications* 6.10 (2022), page 105001 (cited on page 293).
- [367] Erik J Larson. “The Myth of Artificial Intelligence”. In: *The Myth of Artificial Intelligence*. Harvard University Press, 2021 (cited on page 293).
- [368] John R Searle. “Minds, brains, and programs”. In: *Behavioral and brain sciences* 3.3 (1980), pages 417–424 (cited on page 293).
- [369] Graham Oppy and David Dowe. “The Turing Test”. In: *The Stanford Encyclopedia of Philosophy*. Edited by Edward N. Zalta. Winter 2021. Metaphysics Research Lab, Stanford University, 2021 (cited on page 293).
- [370] Alan Turing. *Computing machinery and intelligence in “Mind”, vol. 1950* (cited on page 293).
- [371] Kevin Warwick and Huma Shah. “Can machines think? A report on Turing test experiments at the Royal Society”. In: *Journal of experimental & Theoretical artificial Intelligence* 28.6 (2016), pages 989–1007 (cited on page 293).
- [372] Robert M French. “Moving beyond the Turing test”. In: *Communications of the ACM* 55.12 (2012), pages 74–77 (cited on page 293).

- [373] Robert M French. “The Turing Test: the first 50 years”. In: *Trends in cognitive sciences* 4.3 (2000), pages 115–122 (cited on page 293).
- [374] John R Searle. “The Turing test: 55 years later”. In: *Parsing the Turing Test*. Springer, 2009, pages 139–150 (cited on page 293).
- [375] Jingfeng Yang et al. *Harnessing the Power of LLMs in Practice: A Survey on ChatGPT and Beyond*. 2023. arXiv: 2304.13712 [cs.CL] (cited on page 297).
- [376] Noah Shinn, Beck Labash, and Ashwin Gopinath. “Reflexion: an autonomous agent with dynamic memory and self-reflection”. In: *arXiv preprint arXiv:2303.11366* (2023) (cited on page 296).
- [377] Yongliang Shen et al. “HuggingGPT: Solving AI Tasks with ChatGPT and its Friends in HuggingFace”. In: *arXiv preprint arXiv:2303.17580* (2023) (cited on page 296).
- [378] John J Horton, Prasanna Tambe, and U Penn Wharton. “The death of a technical skill”. In: *Unpublished Manuscript* (2019) (cited on page 297).
- [379] Manuel Trajtenberg. *AI as the next GPT: a Political-Economy Perspective*. Technical report. National Bureau of Economic Research, 2018 (cited on page 297).
- [380] Katherine Elkins and Jon Chun. “Can GPT-3 pass a Writer’s turing test?” In: *Journal of Cultural Analytics* 5.2 (2020), page 17212 (cited on page 298).
- [381] Gary Marcus and Ernest Davis. “GPT-3, Bloviator: OpenAI’s language generator has no idea what it’s talking about”. In: *Technology Review* (2020) (cited on page 298).
- [382] Vinu Sankar Sadasivan et al. “Can AI-Generated Text be Reliably Detected?” In: *arXiv preprint arXiv:2303.11156* (2023) (cited on page 299).
- [383] Daniel Immerwahr. “21 The Galactic Vietnam: Technology, Modernization, and Empire in George Lucas’s Star Wars”. In: *Ideology in US Foreign Relations*. Columbia University Press, 2022, pages 435–451 (cited on page 300).
- [384] Louis Rosenberg. “The Metaverse and Conversational AI as a Threat Vector for Targeted Influence”. In: Mar. 2023 (cited on page 302).

- [385] Razvan Azamfirei, Sapna R Kudchadkar, and James Fackler. “Large language models and the perils of their hallucinations”. In: *Critical Care* 27.1 (2023), pages 1–2 (cited on page 302).
- [386] Potsawee Manakul, Adian Liusie, and Mark JF Gales. “Self-CheckGPT: Zero-Resource Black-Box Hallucination Detection for Generative Large Language Models”. In: *arXiv preprint arXiv:2303.08896* (2023) (cited on page 302).
- [387] Long Ouyang et al. “Training language models to follow instructions with human feedback”. In: *Advances in Neural Information Processing Systems* 35 (2022), pages 27730–27744 (cited on page 302).
- [388] Ethan Perez et al. “Discovering Language Model Behaviors with Model-Written Evaluations”. In: *arXiv preprint arXiv:2212.09251* (2022) (cited on pages 303, 354).
- [389] Eliezer Yudkowsky. *The Hanson-Yudkowsky AI-foom debate*. 2008 (cited on page 304).
- [390] Schoni Song. “Preventing a Butlerian Jihad”. In: *Journal of International Affairs* 72.1 (2018), pages 135–142 (cited on page 304).
- [391] Miles Brundage et al. “The malicious use of artificial intelligence: Forecasting, prevention, and mitigation”. In: *arXiv preprint arXiv:1802.07228* (2018) (cited on page 307).
- [392] Nick Bostrom. “Ethical issues in advanced artificial intelligence”. In: *Science fiction and philosophy: from time travel to superintelligence* 277 (2003), page 284 (cited on page 308).
- [393] Jordan Hoffmann et al. “An empirical analysis of compute-optimal large language model training”. In: *Advances in Neural Information Processing Systems* 35 (2022), pages 30016–30030 (cited on page 308).
- [394] Edward J Hu et al. “Lora: Low-rank adaptation of large language models”. In: *arXiv preprint arXiv:2106.09685* (2021) (cited on page 310).
- [395] Joon Sung Park et al. *Generative Agents: Interactive Simulacra of Human Behavior*. 2023. arXiv: 2304.03442 [cs, HC] (cited on page 311).

- [396] Damai Dai et al. “Why Can GPT Learn In-Context? Language Models Secretly Perform Gradient Descent as Meta Optimizers”. In: *arXiv preprint arXiv:2212.10559* (2022) (cited on page 313).
- [397] Alec Radford et al. “Learning transferable visual models from natural language supervision”. In: *International Conference on Machine Learning*. PMLR. 2021, pages 8748–8763 (cited on page 315).
- [398] Roberto Gozalo-Brizuela and Eduardo C Garrido-Merchan. “ChatGPT is not all you need. A State of the Art Review of large Generative AI models”. In: *arXiv preprint arXiv:2301.04655* (2023) (cited on page 315).
- [399] Yutai Hou et al. “MetaPrompting: Learning to Learn Better Prompts”. In: *arXiv preprint arXiv:2209.11486* (2022) (cited on page 317).
- [400] Sébastien Bubeck et al. *Sparks of Artificial General Intelligence: Early experiments with GPT-4*. 2023. arXiv: 2303 . 12712 [cs.CL] (cited on pages 318, 354).
- [401] Ying Sheng. “High-throughput Generative Inference of Large Language Models with a Single GPU Ying”. In: (2023) (cited on pages 321, 325).
- [402] Dzmitry Bahdanau, Kyunghyun Cho, and Yoshua Bengio. “Neural machine translation by jointly learning to align and translate”. In: *arXiv preprint arXiv:1409.0473* (2014) (cited on page 322).
- [403] Tayana Morkel, Jan HP Eloff, and Martin S Olivier. “An overview of image steganography.” In: *ISSA*. Volume 1. 2. 2005, pages 1–11 (cited on page 325).
- [404] Vivek Nair, Gonzalo Munilla Garrido, and Dawn Song. “Exploring the Unprecedented Privacy Risks of the Metaverse”. In: *arXiv preprint arXiv:2207.13176* (2022) (cited on page 327).
- [405] Vivek Nair et al. “Unique Identification of 50,000 Virtual Reality Users from Head Hand Motion Data”. In: (2023). DOI: 10 . 48550 / ARXIV . 2302 . 08927. URL: <https://arxiv.org/abs/2302.08927> (cited on page 327).
- [406] Angus Cameron. “Splendid isolation:‘Philosopher’s islands’ and the reimagination of space”. In: *Geoforum* 43.4 (2012), pages 741–749 (cited on page 328).

- [407] Hilary Lamb. “Second life lessons”. In: *Engineering & Technology* 17.4 (2022), pages 1–9 (cited on page 328).
- [408] Haidt J. “Social media and mental health: A collaborative review. Unpublished manuscript, New York University.” In: *ongoing* (2023). URL: <https://tinyurl.com/SocialMediaMentalHealthReview> (cited on page 353).
- [409] Nataniel Ruiz et al. “DreamBooth: Fine Tuning Text-to-image Diffusion Models for Subject-Driven Generation”. In: (2022) (cited on page 359).
- [410] John O’Hare et al. “Telethrone Reconstructed; Ongoing Testing Toward a More Natural Situated Display”. In: *Augmented Reality and Virtual Reality: Empowering Human, Place and Business*. Edited by Timothy Jung and M Claudia tom Dieck. Cham: Springer International Publishing, 2018, pages 323–337 (cited on page 359).
- [411] A J Fairchild et al. “A Mixed Reality Telepresence System for Collaborative Space Operation”. In: *IEEE Trans. Circuits Syst. Video Technol.* 27.4 (#apr# 2017), pages 814–827 (cited on page 359).
- [412] John O’Hare et al. “Is This Seat Taken? Behavioural Analysis of the Telethrone: A Novel Situated Telepresence Display”. In: *ICAT-EGVE*. 2016, pages 99–106 (cited on page 359).
- [413] Anonymous. “Phenaki: Variable Length Video Generation from Open Domain Textual Descriptions”. In: *Submitted to The Eleventh International Conference on Learning Representations*. under review. 2023. URL: <https://openreview.net/forum?id=v0EXS39n0F> (cited on page 360).
- [414] Ben Poole et al. “DreamFusion: Text-to-3D using 2D Diffusion”. In: *arXiv* (2022) (cited on page 360).
- [415] Mark Fisher. *Ghosts of my life: Writings on depression, hauntology and lost futures*. John Hunt Publishing, 2014 (cited on page 361).
- [416] Sophie J Nightingale and Hany Farid. “AI-synthesized faces are indistinguishable from real faces and more trustworthy”. In: *Proceedings of the National Academy of Sciences* 119.8 (2022), e2120481119 (cited on page 362).