

Lead Response System — Phased Build + Business Checklist

Working Concept

Build a reusable, industry-agnostic lead capture and response system that can be quickly adapted for different businesses by swapping:

- Company name
- Industry/service category
- Primary call-to-action
- Service options
- Brand colors/logo later
- Notification recipients

The system should stay simple, modern, and easy to reason about.

Phase 0 — Business Model + Boundaries

Goal

Define what this business is and, just as importantly, what it is not.

ID	Checklist Item	Notes	Status
P0-B01	Define the core offer name	Example: "Lead Response System"	Not Started
P0-B02	Define the one-line promise	"Capture leads, respond instantly, and stop losing jobs."	Not Started
P0-B03	Decide initial target niche	Start with home services, but keep system industry-agnostic	Not Started
P0-B04	Define what V1 includes	Lead page, form, storage, email notification, customer confirmation	Not Started
P0-B05	Define what V1 excludes	Full CRM, SEO, custom branding package, complex automations, payment processing	Not Started
P0-B06	Define your ideal client profile	Small business, 3–20 employees, receives quote/service requests, poor follow-up process	Not Started

ID	Checklist Item	Notes	Status
P0-B07	Define your pricing hypothesis	Example: \$500 setup + \$100/month support/hosting	Not Started
P0-B08	Define maintenance boundaries	Business-hours response, no emergency support unless paid tier exists	Not Started
P0-B09	Define support terms	"Minor edits, uptime checks, form/notification fixes"	Not Started
P0-B10	Define handoff expectation	Client gets a working hosted system, not raw code	Not Started

Phase 1 — Demo Strategy

Goal

Build a simple demo that shows the outcome without overbuilding the real product.

ID	Checklist Item	Notes	Status
P1-D01	Choose demo business name	Example: "Summit Service Co." to stay industry-neutral	Not Started
P1-D02	Choose demo industry	Home services first; page can swap to roofing/HVAC/plumbing/etc.	Not Started
P1-D03	Write demo headline	"Get fast help from a trusted local service team."	Not Started
P1-D04	Write demo subheadline	"Tell us what you need and we'll respond shortly."	Not Started
P1-D05	Define service dropdown values	Example: Inspection, Repair, Installation, Maintenance, Other	Not Started
P1-D06	Define lead form fields	Name, phone, email, service, message	Not Started
P1-D07	Define success state copy	Customer confirmation + business alert preview	Not Started
P1-D08	Define demo notification preview	Show what the business would receive	Not Started
P1-D09	Define demo lead dashboard	Simple lead list with status	Not Started

ID	Checklist Item	Notes	Status
P1-D10	Decide whether demo is frontend-only	Recommended first: yes	Not Started
P1-D11	Record simple walkthrough script	60–90 seconds max	Not Started

Phase 2 — V1 Frontend Build

Goal

Create a clean, mobile-first, industry-agnostic lead page.

ID	Checklist Item	Notes	Status
P2-F01	Create React app or route	Keep separate from other projects	Not Started
P2-F02	Create simple folder structure	<code>src/features/lead-system/</code>	Not Started
P2-F03	Create <code>LeadPage.tsx</code>	Main page composition	Not Started
P2-F04	Create <code>LeadForm.tsx</code>	Form only; no business logic hidden in UI styling	Not Started
P2-F05	Create <code>LeadSuccess.tsx</code>	Displays customer and business confirmation previews	Not Started
P2-F06	Create <code>LeadDashboard.tsx</code>	Simple local-state lead list	Not Started
P2-F07	Create <code>leadTypes.ts</code>	Plain <code>Lead</code> , <code>LeadStatus</code> , <code>ServiceOption</code> types	Not Started
P2-F08	Create <code>leadConfig.ts</code>	Company/industry/service placeholders	Not Started
P2-F09	Create CSS Module files	Avoid Tailwind; use readable class names	Not Started
P2-F10	Add mobile-first layout	Single column on mobile, two-column on desktop	Not Started
P2-F11	Add form validation	Required name, phone or email, service	Not Started

ID	Checklist Item	Notes	Status
P2-F12	Add local state lead storage	Demo only; array stored in component state	Not Started
P2-F13	Add default status	New leads default to New	Not Started
P2-F14	Add status update action	Optional: New → Contacted	Not Started
P2-F15	Polish visual style	Modern, elegant, neutral, no industry-specific lock-in	Not Started
P2-F16	Test on mobile viewport	Make sure form is easy to use	Not Started
P2-F17	Test on desktop viewport	Make sure dashboard/preview look professional	Not Started

Phase 3 — Demo Deployment

Goal

Put the demo somewhere you can share.

ID	Checklist Item	Notes	Status
P3-H01	Push demo to GitHub	Private or public repo is fine	Not Started
P3-H02	Deploy to Vercel	Free tier is enough for demo	Not Started
P3-H03	Set demo environment variables	Only needed if backend is added	Not Started
P3-H04	Confirm public URL works	Test from phone and desktop	Not Started
P3-H05	Create short demo script	“Here’s what happens when a lead comes in...”	Not Started
P3-H06	Create reusable screenshots	Lead page, success message, dashboard	Not Started
P3-H07	Create one-page explanation	Problem → system → result	Not Started

Phase 4 — Real Client V1 Architecture

Goal

Upgrade from demo-only to a real working client system.

ID	Checklist Item	Notes	Status
P4-A01	Choose client deployment model	Recommended: you host/manage initially	Not Started
P4-A02	Create client config file	Company name, descriptor, services, contact info	Not Started
P4-A03	Add Supabase project	One project per client early, or one controlled project with client ID later	Not Started
P4-A04	Create <code>leads</code> table	Simple columns only	Not Started
P4-A05	Add insert lead function	Plain naming: <code>createLead</code>	Not Started
P4-A06	Add fetch leads function	Plain naming: <code>getLeads</code>	Not Started
P4-A07	Add update lead status function	Plain naming: <code>updateLeadStatus</code>	Not Started
P4-A08	Add basic API route	Example: <code>/api/leads/create</code>	Not Started
P4-A09	Add server-side validation	Never trust frontend only	Not Started
P4-A10	Add email notification	Start with email before SMS	Not Started
P4-A11	Add customer confirmation email	Optional for first paid version	Not Started
P4-A12	Add SMS notification	Later; use only if client pays for it	Not Started
P4-A13	Add simple dashboard auth	Can start with a private link or simple password before full auth	Not Started
P4-A14	Add audit timestamp fields	<code>createdAt</code> , <code>updatedAt</code>	Not Started

ID	Checklist Item	Notes	Status
P4-A15	Add source field	Example: Website, QR Code, Facebook, Google Ads	Not Started

Phase 5 — Client Onboarding Process

Goal

Make onboarding repeatable and low-effort.

ID	Checklist Item	Notes	Status
P5-O01	Create client intake form	Company name, services, phone, email, service area	Not Started
P5-O02	Collect logo if available	Optional; do not block launch	Not Started
P5-O03	Collect preferred notification recipients	Who gets lead alerts	Not Started
P5-O04	Collect customer auto-reply wording	Use default if they do not care	Not Started
P5-O05	Collect service list	Keep to 5–8 options max	Not Started
P5-O06	Collect domain preference	New lead page domain/subdomain/link	Not Started
P5-O07	Confirm business hours	Optional for later routing rules	Not Started
P5-O08	Configure client system	Update config file/env vars	Not Started
P5-O09	Run test submission	Confirm lead storage + notifications	Not Started
P5-O10	Send client launch link	Include simple instructions	Not Started
P5-O11	Provide 10-minute training	How to view leads and respond	Not Started

Phase 6 — Support + Maintenance

Goal

Keep maintenance predictable and avoid off-hours chaos.

ID	Checklist Item	Notes	Status
P6-M01	Define included monthly support	Example: uptime check, notification fixes, minor text edits	Not Started
P6-M02	Define excluded support	New pages, major redesigns, CRM migration, ad management	Not Started
P6-M03	Define response time	Example: within 1 business day	Not Started
P6-M04	Define emergency support policy	Either not offered or paid add-on	Not Started
P6-M05	Create issue intake form	Avoid random texts/calls	Not Started
P6-M06	Add error logging	Keep simple; enough to know if submissions fail	Not Started
P6-M07	Add monthly test routine	Submit test lead, verify notification, verify dashboard	Not Started
P6-M08	Maintain client config inventory	Track domain, repo, Supabase project, notification setup	Not Started
P6-M09	Create backup/export process	Basic CSV export from leads	Not Started
P6-M10	Create offboarding process	Export leads, disconnect services, transfer where needed	Not Started

Phase 7 — Client Acquisition System

Goal

Create a low-sales process where prospects are warmed up before talking to you.

ID	Checklist Item	Notes	Status
P7-C01	Define target prospect signals	Bad mobile site, weak contact form, slow/no response path, no quote CTA	Not Started
P7-C02	Build prospect list	Start manually before automating	Not Started
P7-C03	Create prospect scoring rubric	Score 1–5 for fit, urgency, website weakness, likely ability to pay	Not Started
P7-C04	Create outreach message template	Low-pressure, demo-first	Not Started
P7-C05	Create follow-up message template	One follow-up only at first	Not Started
P7-C06	Create demo booking link	Optional; only if you want calls scheduled	Not Started
P7-C07	Create mini-audit template	3 observations max; no long reports	Not Started
P7-C08	Track outreach in simple sheet	Prospect, date contacted, status, notes	Not Started
P7-C09	Test 10 prospects manually	Validate message before automation	Not Started
P7-C10	Refine based on replies	Adjust offer/message before scaling	Not Started

Phase 8 — Future AI-Assisted Acquisition

Goal

Reduce your direct sales burden over time without pretending sales disappears completely.

ID	Checklist Item	Notes	Status
P8-AI01	Define prospect research workflow	AI identifies likely fit from public websites/directories	Future
P8-AI02	Define website audit criteria	Missing CTA, poor mobile, no lead form, no auto-response, outdated design	Future
P8-AI03	Generate AI-assisted mini-audits	Human review before sending	Future

ID	Checklist Item	Notes	Status
P8-AI04	Generate personalized outreach drafts	AI writes; you approve	Future
P8-AI05	Automate CRM tracking	Store prospects and stages	Future
P8-AI06	Add calendar pre-qualification	Prospect answers questions before meeting you	Future
P8-AI07	Add lead magnet	"Free missed-lead checklist" or "lead response audit"	Future
P8-AI08	Create video demo funnel	Prospects watch before talking to you	Future
P8-AI09	Create qualification score	Only high-fit prospects reach you	Future
P8-AI10	Define final-call handoff	You only join once prospect understands offer and wants pricing	Future

Phase 9 — Productization

Goal

Turn repeated client work into a plug-and-play system.

ID	Checklist Item	Notes	Status
P9-P01	Create master template repo	Reuse for each client	Future
P9-P02	Create config-driven branding	Company name, descriptor, services, colors	Future
P9-P03	Create industry presets	Home service, appointment-based, professional services	Future
P9-P04	Create deployment checklist	Repeatable launch steps	Future
P9-P05	Create client admin screen	Edit services/copy without code	Future
P9-P06	Create export leads button	Reduce support requests	Future

ID	Checklist Item	Notes	Status
P9-P07	Create notification settings screen	Add/edit recipients	Future
P9-P08	Create reusable onboarding form	Feeds directly into config	Future
P9-P09	Decide multi-tenant vs per-client apps	Only after several clients	Future
P9-P10	Decide whether to become SaaS	Only after repeated demand	Future

Simple Technical Naming Standards

Plain Naming Rules

Use names that explain what they do. Avoid clever or obscure naming.

Purpose	Preferred Name	Avoid
Create a lead	<code>createLead</code>	<code>ingestProspect</code> , <code>submitPayload</code>
Get leads	<code>getLeads</code>	<code>hydratePipeline</code>
Update status	<code>updateLeadStatus</code>	<code>mutateStage</code>
Lead form	<code>LeadForm</code>	<code>ConversionCaptureUnit</code>
Dashboard	<code>LeadDashboard</code>	<code>OpsConsole</code>
Config	<code>leadConfig</code>	<code>tenantManifest</code>
API route	<code>/api/leads/create</code>	<code>/api/ingest</code>

Recommended V1 Folder Structure

```
src/
  features/
    lead-system/
      LeadPage.tsx
      LeadForm.tsx
      LeadSuccess.tsx
      LeadDashboard.tsx
```

```
leadTypes.ts
leadConfig.ts
leadUtils.ts
LeadPage.module.css
```

Recommended V1 Data Model

```
Lead
- id
- name
- phone
- email
- service
- message
- status
- source
- createdAt
```

Recommended V1 Statuses

```
New
Contacted
Scheduled
Closed
Lost
```

For the demo, only use:

```
New
Contacted
```

Design Direction

Frontend Lead Page

Modern, neutral, industry-agnostic:

- Clean hero section
- Clear headline
- Trust/benefit cards
- Quote request form
- Simple confirmation state
- No heavy animation
- No design framework dependency
- CSS Modules only

Backend/Dashboard

Common-sense and minimal:

- Leads table/list
- Status pill
- Lead detail card
- Mark contacted button
- No complex CRM language
- No hidden workflows

First Build Recommendation

Start with the demo only:

1. P1-D01 through P1-D11
2. P2-F01 through P2-F17
3. P3-H01 through P3-H07

Do not touch real Supabase, SMS, or multi-client setup until the demo works and feels compelling.