jazler

SOHO

Contents

1 Welcome to SOHO! 7

2 Pre-installation 8

2.1 Best practices we recommend for a radio station 8

2.2 Audio files stored in SOHO studio computer – Sharing the audio folder from SOHO studio computer to other computers in Local Area Network (LAN) 9

2.3 Audio files stored in network – using file and NAS server 10

2.4 SQL Server installed on computer that SOHO Studio is installed 10

2.5 SQL Server installed on different LAN computer than the SOHO Studio computer 10

3 Installation 10

3.1 First time install - Steps to install SOHO Studio, used for broadcasting 10

3.2 Importing your databases from Jazler RadioStar 11

3.3 Reinstallation of SOHO Studio - Microsoft SQL Server already installed on a computer and it has SOHO databases 11

3.4 Installing SOHO Studio with custom configured SQL server - Microsoft SQL Server already installed on a computer but does not have SOHO database 12

3.5 Installing SOHO workstation – Managing the SOHO databases from office computers 13

3.6 Installing another SOHO Studio using same database with main SOHO Studio – multiple SOHO studios connected and using common database 13

4 Studio User Interface – Your virtual broadcast room 14

4.1 A quick but essential tour to the Studio 15

4.2 Possible layouts 15

4.2.1 The classic Jazler layout 16

4.2.2 The classic layout with more screen at your right 16

4.2.3 The simple and clean layout 17

4.2.4 The layout to fit as much information as possible, 3 panels to select from ... 17

4.2.5 The layout with even more space for the panels 18

4.3 Useful actions and notes 18

5 Libraries 19

5.1 Songs 19

5.1.1 Creating categories 20

5.1.2 Importing songs 20

5.1.3 Checking your songs' broadcasts and analytics 22

5.1.4 Creating report of songs 24

5.1.5 Exporting songs' data in text file – Export to playlister 24
5.1.6 Mass change songs' fields 25
5.1.7 Scheduling category, song, artist to play 27
5.1.8 Setting separation time for songs (previous and next days) and artists 27
5.1.9 Setting separation time for a specific song 27
5.1.10 Setting rules (dynamic rules) for song selection 27
5.1.11 Integration with log, third party song scheduling software (playlister) 28
5.1.12 Images/album/cover art and songs 29
5.1.13 Normalize audio 30
5.2 Spots/Commercials 30
5.2.1 Setting broadcast/break time and properties of commercial breaks 31
5.2.2 Break Starts Immediately - Setting a break to start playing at exact time (fading playing track) 32
5.2.3 Adding and scheduling a spot/campaign in spots library 34
5.2.4 Programming spots/campaign using presets 37
5.2.5 Station ID broadcasting at exact time (fading playing track) 37
5.2.6 Report of the actual broadcasted times/plays for spots 38
5.2.7 Report of spot/campaign schedule 38
5.2.8 Report of spots/campaigns running between dates 38
5.2.9 Report of the daily spots' programming 39
5.2.10 Checking if breaks/commercials exceed time thresholds set for the break 39
5.2.11 Integration with traffic, third party commercials scheduling software 39
5.3 Jingles Library 44
5.3.1 Creating/editing jingle categories 44
5.3.2 Importing jingles in library 45
5.3.3 Setting the playlister code prefix for jingles 47
5.3.4 Exporting jingles data in text file – Export to playlister 47
5.3.5 Scheduling a jingle to play 48
5.4 Assets Audio 48
5.4.1 Creating/editing assets categories 49
5.4.2 Importing assets in library 50
5.4.3 Setting the playlister code prefix for assets 51
5.4.4 Exporting assets data in text file – Export to playlister 51
5.4.5 Scheduling a pre-recorded show to broadcast, repeated daily or weekly 52

5.5 Sweepers 53
5.5.1 Positions of a sweeper over the track 53
5.5.2 Creating/editing sweeper categories 54
5.5.3 Importing sweepers in library 55
5.5.4 Setting the playlister code prefix for sweepers 56
5.5.5 Exporting sweepers data in text file – Export to playlister 56
5.5.6 Scheduling a sweeper to play 57
5.6 Instant Jingles 58
5.6.1 Creating and editing pallets 58
5.6.2 Adding audio files as instant jingles to your pallets 60
5.6.3 Audio output of instant jingles 61
5.7 Voice tracks 61
5.7.1 Positions of a voice track over the track 61
5.7.2 Creating/editing voice tracks categories 62
5.7.3 Importing voice tracks in library 63
5.7.4 Recording a voice track 64
5.7.5 Setting the playlister code prefix for voice tracks 65
5.7.6 Exporting voice tracks data in text file – Export to playlister 65
5.7.7 Scheduling a voice track to play 66
5.8 Memos 67
5.8.1 Creating/editing memos categories 67
5.8.2 Creating a memo 69
5.8.3 Importing a file as memo 69
5.8.4 Setting the playlister code prefix for memos 70
5.9 The Stitcher 70
5.9.1 Next Songs Hooks 70
5.9.2 Real Time Announcement 72
5.9.3 News 73
6 Scheduling 74
6.1 Playlists 75
6.1.1 Creating and scheduling a playlist 76
6.1.2 Creating auto playlist 76
6.1.3 Previewing commercial breaks in the playlist/Setting commercial breaks in the playlist exactly when to play 77

6.1.4 Reviewing the scheduled playlist timetable 78
6.1.5 Importing playlists/text files 79
6.1.6 Automatically importing playlists/text files 84
6.1.7 Recording voice tracks instantly 85
6.1.8 Editing and monitoring how a playlist will be played/heard on-air 85
6.1.9 Visual Audio Editor - Recording voice tracks in a playlist 86
6.1.10 Adding break references in a playlist 87
6.1.11 Scheduling a playlist to broadcast at desired time starting IMMEDIATELY 87
6.1.12 Scheduling a pre-recorded show to broadcast, repeated daily or weekly..... 88
6.2 Main Auto Schedule 89
6.2.1 Auto modes explained 89
6.2.2 Understanding the clocks 91
6.2.3 Creating a clock 91
6.2.4 Setting a backup clock for compensation mechanism to select tracks..... 92
6.2.5 Assigning a clock to the Clocks Schedule/timetable 93
6.2.6 Editing song selection settings 93
6.2.7 Restrictive rules applied for the song selections 96
6.3 Force Clocks 97
6.3.1 Creating a force clock 98
6.3.2 Scheduling specific song to play at specific time and day 99
6.4 Rebroadcast Schedule 99
6.4.1 Adding rebroadcast sources 100
6.4.2 Scheduling a source to play at specific time 101
6.4.3 Setting backup rebroadcast source in case the primary source fails 102
6.4.4 Rebroadcast settings 103
6.4.5 Syncing commercial breaks with other SOHOs or RadioStars 105
6.5 RDS 109
6.5.1 Editing RDS settings 109
6.5.2 Adding new device to send the RDS data from SOHO 110
6.5.3 Selecting what tracks and audio files be announced on RDS 111
6.5.4 Setting multiple devices/receivers 112
6.5.5 Scheduling the RDS data 112
6.5.6 Sending instant RDS data overriding schedule 113
6.6 Final Log Creator 114

6.6.1 Creating the final log 114
6.6.2 Editing song selection settings and spot settings directly from final log creator 115
6.6.3 Final log and commercial breaks 115
6.6.4 Editing the final log - Created the final log but now I want to make changes 116
6.6.5 Final log is created but I do not want to be broadcasted 116
6.7 Log Viewer 117
6.7.1 Reviewing what got broadcasted 118
6.7.2 Checking why a track was selected and broadcasted by SOHO – I think it was not supposed to broadcast 118
7 Settings 119
7.1 General Settings 119
7.1.1 General 119
7.1.2 Soundcards and output 120
7.1.3 Studio settings 121
7.1.4 Logs and paths 123
7.1.5 Performance 126
7.1.6 Time Offset 127
7.1.7 Alerts 127
7.1.8 Miscellaneous 128
7.2 Users & Security 129
7.2.1 Enabling security system and adding users 130
7.2.2 The available permission a user can have 131
7.3 Audio Folder Mappings 132
7.3.1 Adding a folder mapping 133
7.3.2 Enabling SOHO Workstation to monitor the audio files 133
7.3.3 Permanent Change Of Filenames 134
7.4 SQL Server Settings 135
7.4.1 Editing the SQL server settings 136
7.4.2 Creating a new database on SQL server for a second radio station 137
7.4.3 Reconnecting to SQL server if it was not found on startup 138
7.4.4 Clean up and shrink database 138
7.5 Weather API 140
7.5.1 Setting up Weather API 140

7.5.2 Adding Locations for which to fetch data 141
7.5.3 Using the Weather API data in RDS 141
8 Utilities 142
8.1 Internet Updater 143
8.1.1 Basic knowledge for SOHO Internet Updater 143
8.1.2 Making the basic settings for the metadata 144
8.1.3 Updating radio station website with artist, title, album image and other metadata 145
8.1.4 Updating TuneIn metadata 145
8.1.5 Copying exported files to other folder or even to other computer 146
8.1.6 Updating metadata with HTTP GET and POST 147
8.1.7 Updating metadata with TCP/UDP 148
8.1.8 Metadata embedded in the radio station URL audio stream 149
8.1.9 Disabling Internet Updater 149
8.1.10 Disabling metadata update for spots and/or jingles etc. 149
8.1.11 Setting custom message to appear as metadata when playing spots and/or jingles etc. 149
8.1.12 Force updating the metadata 150
8.2 Streaming Encoders 150
8.2.1 Streaming SOHO audio output to streaming server – Adding encoders 151
8.2.2 Embedding metadata in the stream 152
8.2.3 Embedding station logo image in the stream 152
8.2.4 Setting encoders to start automatically 152
8.2.5 SOHO server – Using SOHO to broadcast online 153
8.3 Integrity Check 154
8.3.1 Checking which audio files can be accessed – Managing the inaccessible files 155
8.4 Reset Database 155
8.4.1 Resetting the database – Resetting the libraries 156
8.5 Import a RadioStar Database 156
8.5.1 Importing RadioStar databases in SOHO 157
8.6 Broadcasting Reports 157
8.6.1 Exporting the report for your copyright authority 158
8.6.2 Customizing a report 158

1 Welcome to SOHO!

Thank you for purchasing SOHO! We hope you will enjoy it!

2 Pre-installation

In this chapter we will check what you need to do and know about Jazler SOHO before the installation.

2.1 Best practices we recommend for a radio station

1. **Have ALL your audio files in one folder** e.g. AUDIO.
   Reason: This will help you organize your audio files properly and you will be able to easily transfer them to another computer if needed.
2. **Decide the categories** that your station will have
   Reason: This will make the management of your songs easier and effortless.
3. **Have your audio files in subfolders** named as your categories e.g. Pop folder contains all pop songs, Hot Current contains all hot current songs etc.
   Reason: This will make importing songs quite easy in SOHO.
4. SOHO **does not edit or alter your audio files** in any way. By importing audio files in SOHO you just tell SOHO where to find the audio files.
5. **Edit your audio files** in an audio editing software in order to be normalized and have normal db levels
   Reason: This will ensure that your audio files will be played at same levels and there will be no volume difference between them.
6. **Commercial break partitioning**, deciding the **broadcast time** of your commercial breaks and what their **sections (break priorities)** will be. For example, a common break has the sections:
   - station ID,
   - commercial break starting announcement,
   - time announcement,
   - commercials broadcasting
   - weather news,
   - news,
   - commercial break ending announcement

   Reason: This step will help you organize your commercial breaks and schedule your spots properly and with ease.
7. How **song selection** will be made
   a. **Main auto schedule/Clocks**: This is the main and default way of SOHO to make song selections. This method depends on the clocks the user creates.
   b. **Playlists programming:** This method will be used to schedule your playout by **creating playlists**. These playlists can be:
      - **user made**,
      - **automatically created by SOHO** or

- imported, using text files from **third party software** that makes the scheduling and export it to text files.

c. Using the **final log** (whole day scheduling): SOHO can **schedule a 24hour playlist**, the log, for a specific day. This will consider every scheduling you have made for this day such as:
   i. independent playlists,
   ii. rebroadcasts,
   iii. commercial breaks,
   iv. **force clocks** and
   v. in case there is **nothing scheduled** then the selections will be made based on the clocks of the **main auto** schedule.

   Once the log is approved and saved, SOHO will follow the log and will play it **exactly as saved**.

8. **Edit AutoCue sensitivity** or else setting the **db thresholds** that SOHO will use to **auto cue** the audio files. In SOHO you can set db levels **independently** for songs, jingles, instant jingles, spots, assets, direct files, sweepers and voice tracks.
   Reason: This will help SOHO find the **start** and **end mix times** for each different type of audio file based on your needs. For example, many radio stations need the spots to play from start to end of actual audio file without mixing the spots.
9. **Edit song selection settings:** you can change how SOHO makes the song selections and what rules should be applied for these selections.
   Reason: Editing the way SOHO selects songs will help you create and define the **soul and heart** of your radio station.

2.2 Audio files stored in SOHO studio computer – Sharing the audio folder from SOHO studio computer to other computers in Local Area Network (LAN)

Audio files can be stored in SOHO computer. Doing so, requires some actions to make the audio files available to the other LAN computers:

1. Have both computers at **same LAN network**.
2. **Enable** in both computers the **network discovery option** of Windows.
3. In SOHO studio computer, **share the folder of your audio files** and be sure to give read/write permissions when sharing the folder. Alternatively, you could share the hard disk that the audio files are stored (e.g. hard disk C).

For more information please consult your IT department.

2.3 Audio files stored in network – using file and NAS server

If your audio files are stored in network, then chances are all LAN computers can access the audio files. There is not something special you need to do. All your SOHO Studios and Workstations will have access to the audio files.

2.4 SQL Server installed on computer that SOHO Studio is installed

This will be the most common scenario for most users as you use 1 computer to have your databases and your SOHO Studio installed.

2.5 SQL Server installed on different LAN computer than the SOHO Studio computer

The SQL Server can also be installed on any computer in your local area network (LAN). The procedure is the same, just make sure you set SOHO Studio connect at the correct SQL server and with correct database name, username and password.

3 Installation

In this chapter we cover the most basic of all the installation of SOHO. We have added many scenarios with step by step guides and we think installing Jazler was never easier!

3.1 First time install - Steps to install SOHO Studio, used for broadcasting

SOHO Studio is the software which does all the magic, the software with which you broadcast and you have access to the Studio screen.

Please mind that SOHO Studio requires the USB HASP key to be plugged in the studio computer constantly.

If this is not the first time installation of SOHO Studio please refer to next chapters

First time installation of SOHO Studio - Microsoft SQL server **NOT** installed on a computer

1. Install the **USB HASP drivers**
2. Install the **SOHO SQL Server**
3. Install the **Jazler SOHO Suite** and **select Studio**
4. Plugin the **USB HASP key**
5. **Run** the Jazler SOHO
6. **SOHO Studio is ready**, you can now start managing your libraries and broadcast!

3.2 Importing your databases from Jazler RadioStar

Once you run the Jazler SOHO you will be prompted to run the Jazler RadioStar import utility.

1. Select your **RadioStar2 backup folder**
2. Select the **data to be imported**
3. After the import is made with success, **restart SOHO**

Alternatively, browse to SOHO control panel, Utilities, import a RadioStar Database and follow the steps above.

NOTE: SOHO imports the image files (cover album, art etc.) from your audio files. If you would like to extract the images, then the **audio files MUST be accessible** during the import procedure.

3.3 Reinstallation of SOHO Studio - Microsoft SQL Server already installed on a computer and it has SOHO databases

1. Install the **USB HASP drivers**
2. Install the **Jazler SOHO Suite** and **select Studio**
3. Plugin the **USB HASP key**
4. **Run** the Jazler SOHO
5. **Check the below about database name**, **username** and **password** of your radio station database hosted in SQL Server**:**
    a. ***Default values*** (SOHO, sa, jazler): **go to step 14**
    b. ***Custom values*** (e.g. database name has been changed): **go to step 6.**
6. Press **SQL server settings** (or browse for it, SOHO Control Panel, Settings, SQL Server Settings)
7. Press **search for servers** or **type** the **computer name** where the SQL server is installed
8. **Tip**: you might have to also add the SQL instance in the computer name if the instance is not default e.g. computer_name\SQLinstance

9. Type the **username**
10. Type the **password**
11. Press **see what databases are already installed** or **type** the **database name**
12. Press **test connection**
13. Press **ok**
14. **Restart SOHO Studio**
15. **SOHO Studio is ready**, has connected and opened your radio station database. You can now broadcast again

3.4 Installing SOHO Studio with custom configured SQL server - Microsoft SQL Server already installed on a computer but does not have SOHO database

The SOHO SQL server setup file installs automatically the Microsoft SQL Server 2014 32bit on your Windows using preconfigured settings for it.

However, since you already have installed the SQL server the steps are:

1. Install the **USB HASP drivers**
2. Create a database on your SQL server with database name **SOHO**, username **sa** and password **jazler**
3. Install the **Jazler SOHO Suite** and **select Studio**
4. Plugin the **USB HASP key**
5. **Run** the Jazler SOHO
6. **Check the below about database name**, **username** and **password** of your radio station database hosted in SQL Server**:**
    - ***Default values*** (SOHO, sa, jazler): **go to step 13**
    - ***Custom values*** (e.g. database name has been changed): **go to step 7**
7. Press the **SQL Server settings**
8. Press **search for servers** or **type** the **computer name** where the SQL server is installed
   Tip: you might have to also add the SQL instance in the computer name if the instance is not default e.g. computer_name\SQLinstance
9. Type the **username**, default: sa
10. Type the **password**, default: jazler
11. Press **see what databases are already installed** or **type** the **database name**, default: SOHO
12. Press **test connection**
13. Press **ok**
14. **Restart SOHO**
15. **SOHO Studio is ready**, you can now start managing your libraries

3.5 Installing SOHO workstation – Managing the SOHO databases from office computers

SOHO offers the option to install it on your office computers and manage the databases from there. To do so, you need the **SOHO Workstation** installed which **does not require the USB HASP key** to operate. However, SOHO Workstation cannot broadcast in any way and does not have the Studio screen.

For the SOHO Workstation **only the Jazler SOHO Suite setup file is needed**. The HASP drivers and the SQL server setup files are not needed.

Steps to install SOHO Workstation:

a. Install the Jazler SOHO Suite and select Workstation
b. Run the Jazler SOHO Workstation
c. The SOHO Workstation automatically finds a SOHO database and connect to it

In case the Workstation does not automatically connect then:

1. Use the **Add/Remove Stations** feature
2. Press **add station**
3. Select the computer hosting the SOHO SQL server
4. If the computer hosting SQL server does not appear use **advanced options**
5. Type the **computer name** that hosts the SOHO SQL server, the **username** and the **password**
6. Press the **refresh list** button
7. Select the SOHO database you wish to connect, press **approve** and then the **ok** button

You are now connected to your SOHO database!

3.6 Installing another SOHO Studio using same database with main SOHO Studio – multiple SOHO studios connected and using common database

SOHO offers the option to use multiple Studios connected at same database. The most intriguing part is that SOHO has an **offline mode** and when enabled nothing is logged as broadcasted or as successfully scheduled and loaded in Studio.

To install another SOHO Studio and connect it to main SOHO Studio database please follow the exact same procedure at **Reinstallation of SOHO Studio - Microsoft SQL Server already installed on a computer and it has SOHO databases**

After the installation is complete, we recommend setting this studio to start in offline mode. When SOHO Studio is in **offline mode** all actions and broadcasts are not logged and ignored. For example, even if you broadcast a commercial break in offline mode, the spots will not be logged that played. The same applies to the songs also. This way the song selection is not affected by secondary studio because it is offline.

1. Browse to SOHO **Control Panel**, **Settings**, **General Settings**
2. Press **Studio settings**
3. Set the **startup mode** to be **Offline**
4. Press **ok**

4 Studio User Interface – Your virtual broadcast room

The magic and the broadcasting happen at Studio Interface. The Studio is your virtual broadcast room.

The interface of SOHO remains simple and useful. You can now even customize the layout by selecting the one that fits best your needs. And this is not something permanent, at any time any producer that uses the Studio interface can change the layout in a matter of seconds making it unique for his needs.

They say 1 image is 1.000 words, so let us go, this is the Studio!



4.1 A quick but essential tour to the Studio

The control bar of SOHO at the very top. There you can find the modes button (auto mode, manual, rebroadcast and offline), the layout selection button, control panel button and of course minimize and maximize buttons.

At the top you can find the playing and broadcasting track, the buttons intervening and controlling the flow of broadcast next, loop, pause, stop-next, restart, microphone, the volume meters to quickly check the audio levels and the clock to watch the time and be accurate on your actions.

At the left you can see the decks containing what is scheduled to play next. Feel free to drag them and drop them to rearrange them.

At the center of the Studio you can find the panels. You can close and open the panels to show what exactly you need. The panels are:

- Broadcast History & Next Events
- Audio Libraries
- Instant Jingles
- Memos
- Clock
- Track Info Screen


You can choose the panels to show what you need to. Even if you want for truly short time to check on something, you can just close the panel and open the one you are interested into.

And last but at no way least, the Secondary Studio monitor as nowadays most broadcast computers have 2 monitors. SOHO now supports a secondary monitor with panels to choose from.

4.2 Possible layouts

You can have many layouts and without any other delay here they are!

4.2.1 The classic Jazler layout




4.2.2 The classic layout with more screen at your right



4.2.3 The simple and clean layout



4.2.4 The layout to fit as much information as possible, 3 panels to select from



4.2.5 The layout with even more space for the panels




4.3 Useful actions and notes

- **Right click at decks changes the view**. There are multiple views other containing as much information as possible but there also other views that make the decks simple and clean.
- **Right click at top player to change** how the player appears. There is even a view that lets you see the current track playing and the next track.
- **Drag & Drop on decks**, *from audio libraries on decks* and *from Windows file manager directly on decks*
- **Right click at volume meters** to change the audio output directly from studio screen
- **Separate commercials and playlists buttons** to see the contents and insert them in the decks. You can even select the commercial break of a previous or any other date you wish
- **Microphone button** integrated in SOHO. Just select the microphone input from the soundcards & outputs settings and enable the microphone input control from studio settings (enabled by default)
- **Close and open the panels** as you wish in just a mouse click. You can have instant access to everything and customize it the way you want
- **Right click at SOHO logo** at the top right to select custom resolution for the interface


5 Libraries

Your audio files in SOHO are organized in the libraries. Each library has its own usage and we will review them below.




5.1 Songs

The songs library is where you will import your audio files and more specifically your songs/tracks.



5.1.1 Creating categories

1. Browse to SOHO **control panel**, **Libraries**, **Songs**
2. Press **Edit Song Categories** (bottom left of window)



Here you can edit Category 1, Category 2, Category 3, Vocal and Properties in various ways:

1. Add a category
2. Remove a category
3. Rename a category
4. Choose color for specific category
5. Add comments for a category
6. Name your Category 1,2 and 3 as you wish to help you manage them throughout SOHO, what a category should be called and appear like that.

5.1.2 Importing songs

RECOMMENDED TO CHECK FIRST: 5.1.1Creating categories

You can import your songs in 2 ways one by one or using the mass import feature.

5.1.2.1 Mass import

1. Browse to SOHO **control panel**, **Libraries**, **Songs**

2. Press **mass import songs**
3. Choose folder to search for songs and enable desired options for the search in subfolders too
4. Do not include files with same filename e.g. audio_file.mp3 will be ignored if it is already imported in songs library even in a different folder
5. Mark new tracks as bookmarked, to help you edit and manage them right after the import
6. From the files SOHO found, select which will be imported
7. Fill in the details each song will have
8. Wait for the import to complete and press the **start again** or **finished** button

5.1.2.2 Add single file


1. Browse to SOHO **control panel**, **Libraries**, **Songs**
2. Press **Add new**
3. Select audio file
4. Select whether the metadata will be extracted from audio file, **read metadata tags** option
5. Select if you want the audio file to be auto cued
6. Edit the song record filling out the rest of fields like **artist**, **categories, announcement of metadata, specific song separation**



5.1.3 Checking your songs' broadcasts and analytics


5.1.3.1 Number of broadcasts of your songs

1. Browse to SOHO **control panel**, **Libraries**, **Songs**
2. Enter/select the filters of the songs you want the statistics
3. Press **Broadcast statistics**
4. Select the options for the statistics to be shown e.g. toady's, last month's or select specific dates for start and end time
5. Press **Calculate**
6. You can also export the result in text file or a report



5.1.3.2 Broadcasts date and times of an individual song


1. Browse to SOHO **control panel**, **Libraries**, **Songs**
2. Enable the **Broadcast Analytics** option
3. Select a song
4. Check the broadcasts of the selected song in the **Analytics window** on the right side



5.1.4 Creating report of songs

To create a report of songs:

1. Browse to SOHO **control panel**, **Libraries**, **Songs**
2. Enter/select desired filters for the songs
3. Press **Print This List** option
4. Select orientation of report portrait or landscape
5. Select which category of songs will be shown in report
6. Press **Export** button




5.1.5 Exporting songs' data in text file – Export to playlister

To export a text file with your songs' details:

1. Browse to SOHO **control panel**, **Libraries**, **Songs**
2. Press the **Export to Playlister** button
3. If this is the 1st time you use this feature press the **Customize Export**. If the customization has already been made proceed to step 6


4. At the top you can see each song's details that will be exported. Feel free to adjust the format by **typing** or by **pressing** the **keyword** button at the bottom. Going back to default format is made with **restore template** button
5. Press the **preview format** button to check and see how exactly each song's details/line will be written in text file. If you are satisfied press the **ok**
6. Select if either **all songs** will be included in text file or from a **specific date** and onwards and then press the **start export** button.
7. Select where the text file will be **saved** and the **name** of the file.



5.1.6 Mass change songs' fields

You can edit the fields (artist, album, file location categories, freezing them, disabling them etc.) of multiple songs at same time with truly little effort:

1. Browse to SOHO **control panel**, **Libraries**, **Songs**
2. Apply requested filters
3. Select multiple songs using
    a. **control + a** to select all filtered songs
    b. **control + mouse left click** to add clicked song in the selection
    c. selecting a song and then **shift + mouse left click** to select all songs between the first selection and the shift clicked song
4. Right click one of the selected songs
5. Select any of the available options or
6. Press the **mass change** option and select what should be changed for all the selected songs.



5.1.7 Scheduling category, song, artist to play

In SOHO you can schedule your songs, categories, artists to play with various ways. You can follow and select the way that fits you best using:

a. **Main auto scheduling**
b. **Playlists** and **playlister** method (playlists scheduled by importing playlists/text files from other software)
c. **Force Clock scheduling**
d. **Final log creator**

For each of the above way please follow the CORRESPONDING CHAPTER IN 6 Scheduling

5.1.8 Setting separation time for songs (previous and next days) and artists

The separation time is the time between consequent repeats. It is used either for songs or artists.

SOHO **does not have** a general rule for **song separation**. But there is rule for the song separation for previous and next days and for the artist.

1. Browse to SOHO **control panel**, **Scheduling**, **Main Auto Schedule**
2. Press **Edit Song Selection Settings**
3. Press the **Settings** tab
4. Edit the settings for the selection of songs and when ready press **OK** button

FOR MORE INFORMATION REFER CHAPTER 6.2 Main Auto Schedule

5.1.9 Setting separation time for a specific song

1. Browse to SOHO **control panel**, **Libraries**, **Songs**
2. Double click the song
3. At the bottom of the song record you can find the **Song Separation** option.

5.1.10 Setting rules (dynamic rules) for song selection

1. Browse to SOHO **control panel**, **Scheduling**, **Main Auto Schedule**
2. Press **Edit Song Selection Settings**
3. Press the **Rules** tab
4. Create your rules for the selections based on your needs

FOR MORE INFORMATION REFER CHAPTER 6.2 Main Auto Schedule

5.1.11 Integration with log, third party song scheduling software (playlister)

RECOMMENDED: EXPORTING SONGS' DETAILS IN TEXT FILE

SOHO can be used with third party software of song selection, scheduling.

5.1.11.1 Setting up

For the integration, you need to export the songs library of SOHO in a text file and then use this text file to import the songs' details in your log software.

Both software will have a **common reference number for each song**. This way when one software refers to a specific song, the other software can know which song it is referring to.

This common reference number can be either the **playlister code** (set manually for each song) or the **auto code** of SOHO (automatically incremented and set number for each song that is imported in SOHO)

To export the text file check **Exporting songs' details in text file**

5.1.11.2 Importing scheduling text files – Scheduling songs from log, third party software


SOHO supports importing playlists. The import procedure requires **text files** that refer to tracks that must be used in the playlist. There are 2 filters that can be used for the import:

- **Prodigy import filter**, text files that contain playlister codes or auto codes. This method is most common when scheduling your tracks using **traffic**, **third party scheduling** software
- **Filenames import filter**, text files that contain file paths.

For the prodigy import filter please check out the dedicated manual.

For the filenames import filter, please have on mind that the filenames that will be used in the text files, exist in the SOHO songs library as songs.

1. Browse to SOHO **Control Panel**, **Scheduling**, **Playlists**
2. Press **import playlists**
3. Use the **add** and **remove** file to select the text files you want to import
4. Select **filter**
5. Press **Start Import**
6. After the import is made press **finished**



5.1.12 Images/album/cover art and songs

SOHO can extract the art form the metadata of the song and use them throughout the interface. Common Benefits:

- Image displayed in Studio when song is broadcasted
- Image displayed when the track info is accessed
- Image can be uploaded to your server where your website is hosted and then you can show the image on your website (with the assistance of your web developer). For more information about uploading image follow the **Internet Updater** chapter

Furthermore, if image is not embedded in the metadata or you want to replace the image for certain songs, you can set your own images from each song record in the library.

To find available actions about linking an image to a song:

1. Browse to SOHO **control panel**, **Libraries**, **Songs**
2. **Double click** the song
3. In **Public Announcement Metadata**, use the actions provided
    1. Copy from library
    2. Import from file
    3. Import from tag
    4. Clear

4. Press **OK** to save changes

5.1.13 Normalize audio

SOHO supports normalizing audio of songs by setting the proper volume for them. Please mind that the actual audio file is not changed and only the volume with which the song will broadcast is changed.

The normalize is **based on the default volume** set for new audio files in settings.

To normalize your songs:


1. Browse to SOHO **control panel**, **Libraries**, **Songs**
2. **Select** the songs you want
3. **Right click** on them
4. Select **mass change**, **normalize audio**

5.2 Spots/Commercials

The commercial breaks are crucial for a radio station. This is why their management matters and needs to be easy for you to import, schedule and manage your spots. SOHO has a **dedicated library for the spots** with useful features and possible actions. This set of tools will increase your productivity dramatically.

The management of the spots library is made by creating **ad campaigns**. Each campaign has various properties and options such as start and end time, category and others.


You can add 1 or more spots in an ad campaign to manage them more efficiently.



5.2.1 Setting broadcast/break time and properties of commercial breaks

It is very important to decide and tell SOHO when your commercial breaks will broadcast, the **break times**. By default, SOHO has breaks for every top of the hour (XX:00) and every half hour (XX:30) which is the most common for a radio station. You can review or adjust those:

1. Browse to SOHO **control panel**, **Libraries**, **Spots/Commercials**
2. Press the **Spots Settings**, bottom left of window
3. Press the **Commercial Breaks** tab
4. Editing the breaks includes:
    a. **Create a break** at time set by user
    b. **Deleting a break**
    c. Setting **break position** for each commercial break, **starting** at said time, **ending** at said time, **time announcement** priority must play at said time
    d. Setting if the break will be visible during spot scheduling
    e. Setting if a break will **start immediately**, **independently** for each day of week. A break starting immediately means it will **fade the playing track** for the break to start at **exact time.**
5. Press **OK** button to save changes



5.2.2 Break Starts Immediately - Setting a break to start playing at exact time (fading playing track)

There are times that a **break must start at exact time** no matter what, even fading the currently playing track e.g. news at top of the hour.

This is achieved by using the start immediately option:

1. Browse to SOHO **control panel**, **Libraries**, **Spots/Commercials**
2. Press the **Spots Settings**, bottom left of window
3. Press the **Commercial Breaks** tab
4. Make sure the **Start Immediately option is checked** for the breaks you want to broadcast at exact time.
5. Press **OK** button

5.2.2.1 Setting the priorities of the breaks – how to partition your break

RECOMMENDED: SETTING BROADCAST TIME AND PROPERTIES OF COMMERCIAL BREAKS

Deciding what the break **priorities (sections)** will be. This gives your break a solid structure and after defining it and using it, scheduling is made by far easier. For example a common break has the priorities:

- station ID,
- commercial break starting announcement,
- time announcement,
- commercials broadcasting
- weather news,
- news,
- commercial break ending announcement

Each priority in SOHO has a unique number which defines **what will play first in a break**.


In short: A spot scheduled with **priority 3** will:

- Play **after** all spots scheduled with priority 1 and 2 and
- **Before** all spots scheduled with priority 4, 5, 6 and any other greater priority number.

There is no need to remember all those priority numbers! It is easier to identify a name than a number, so we recommend naming the priorities based on the content each will have.

In order to set the priorities of your breaks follow the steps:

1. Browse to SOHO **control panel**, **Libraries**, **Spots/Commercials**
2. Press the **spots settings**, bottom left of window
3. Press the **priorities** tab
4. **Rename, add, delete** or **insert** priorities as you wish. This helps you identify each priority during scheduling. Remember, the most important of all is the number of the priority, not the name of the priority.
5. Use the **special assignments**
    a. Set a priority to be the **time announcement priority**. This is used with the break position balance. If break position is set as time announcement, then all spots scheduled with the priority set as time announcement will play as close to break time as possible.
    b. Set a priority to be **playlist priority,** used to schedule spots through third party commercials scheduling, traffic software.
    c. Set **optional play priority**. When a priority is set as optional, each spot scheduled with this priority, will not broadcast unless there is already a **commercial** spot playing in the break.
6. Press **OK** button



5.2.2.2 *Optional play - Setting a spot/campaign to play only when a commercial spot/campaign will play in the break*

A spot announcing the start of commercial spots broadcast is not needed when there are no commercial spots to play because of e.g. late hour or legislation. You can make sure that if there are no commercial spots scheduled for a break, the spot announcing the start of commercials will also not broadcast. You can do so:

1. Browse to SOHO **control panel**, **Libraries**, **Spots/Commercials**
2. Press the **Spots Settings**, bottom left of window
3. Press the **priorities** tab
4. **Select the priority** you use for the announcement of commercial break starting
5. Press the set as **Optional Play Priority.** Selected priority will now be green to quickly identify it.
6. Press **OK** button


5.2.3 Adding and scheduling a spot/campaign in spots library

RECOMMENDED: SETTING BROADCAST TIME AND PROPERTIES OF COMMERCIAL BREAKS

SETTING THE PRIORITIES OF THE BREAKS – HOW TO PARTITION YOUR BREAK

The management of the spots in SOHO is made through the campaigns. To import and schedule a spot:

1. Browse to SOHO **control panel**, **Libraries**, **Spots/Commercials**
2. Press **Add New Campaign**
3. Select **expire date and time** for the campaign, when SOHO will automatically stop broadcasting all the spots in the campaign.
   Tip: select **never** if this about a permanent campaign containing spots such as station ID, announcement of time, trailers of shows etc.
4. Select the **spot file** this campaign will play
5. Select whether the file should be auto cued or not, finding start and end mix time of spot.
6. Fill in the details of the record
   Tip: it is good practice to set categories to your campaigns. If this is a campaign containing commercial spots of your clients you should choose commercials. If this is a campaign containing station IDs, then you should choose the proper category.
7. Optional, you can add more spot files for this campaign
8. Select **programming mode**
   a. **Weekly**, to program easily your campaign for each day of week
   b. **Detailed**, to program the campaign by hand for each day between start and end time date
   c. **Playlister**, used for integration with traffic software, programming spots with text files exported from third party software
9. Press the red **spot programming** button
10. Select the programming system
    a. In **specific order**, user programs which spot of the campaign will play when
    b. In **order**, SOHO will broadcast the spot files of the campaign in the order they were added/appear in the campaign's spot list
    c. At **random**, SOHO will select at random which spot file will play when the campaign is programmed for a break.
11. Select priority for the programmed campaign, **Setting the priorities of the breaks – how to partition your break**
12. Use either
    a. **Set mode** to program the campaign break by break or
    b. **Right click menu** on the cells to mark all days for right clicked break cell
    c. Using **presets,** if certain programmed times are being used very often you can save them as a preset and then you can program a campaign with those time using this preset.
13. Review what your breaks contain and look like by selecting a break and checking the **break preview** window
14. Press **OK** button


KISS FM - JAZLER SOHO BETA STUDIO
Spot General Title
CHEZ MOI
Current Status
Active
Ad Company
KISS FM
Starts
Thursday 23/01/2020 00:00
Programming Mode
Weekly
Media Shop
Expires
Wednesday 22/04/2020 23:59
Category
Commercial
Client
KISS FM
SPOT PROGRAMMING
Comments
Created by MARINA\Guest on 23/01/2020 11:21:20
Agreement Cost
0.0000
Activity
General
Audio Files
CHEZ MOI 1 06-1-2020 PL-6742 D:\AUDIO\Διαφημίσεις\1CURRENT ADV KISS\CHEZ MOI 1 06-1-2020.mp3
CHEZ MOI 2 06-1-2020 PL-6743 D:\AUDIO\Διαφημίσεις\1CURRENT ADV KISS\CHEZ MOI 2 06-1-2020.mp3
New
Replace
Delete
Edit
File Alias
CHEZ MOI 1 06-1-2020
Playlister Code
PL-6742
Start Point
Mix Point
Play
00:00.00/00:30.23
Fade In
0ms
START
00:00.04
MIX POINT
00:27.80
PREVIEW
PREVIEW
Fade Out
0ms
OFF
@start
@middle
@end
Run Time:27.7s
Variable Length
Reset
AutoCue
Volume:100%
Public Announcement Metadata
Do Not Update
Title Field
AUTO
Artist Field
AUTO
OK
Cancel



5.2.4 Programming spots/campaign using presets

Refer to IMPORTING AND SCHEDULING A SPOT IN SPOTS LIBRARY

5.2.5 Station ID broadcasting at exact time (fading playing track)

RECOMMENDED: BREAK STARTS IMMEDIATELY - SETTING A BREAK TO START PLAYING AT EXACT TIME (FADING PLAYING TRACK)

RECOMMENDED: SETTING BROADCAST TIME AND PROPERTIES OF COMMERCIAL BREAKS

RECOMMENDED: SETTING THE PRIORITIES OF THE BREAKS – HOW TO PARTITION YOUR BREAK

Radio stations in USA need to broadcast their unique station ID at top of the hour within some minutes.

To do so:

1. Make sure you have break times for top of the hour, **Setting broadcast time and properties of commercial breaks**
2. Make sure the top of the hour breaks that need to broadcast your station ID at exact time as set to start immediately, **Break Starts Immediately - Setting a break to start playing at exact time (fading playing track)**
3. Import your station ID in spots library
4. Schedule the station ID to play at top of the hour breaks with priority such that it plays first, **Scheduling a spot to play at certain times, Setting the priorities of the breaks – how to partition your break**

5.2.6 Report of the actual broadcasted times/plays for spots

Your clients require from you reports that their spot files broadcasted for the times you have agreed. It is totally understandable and you can easily have a report of the actual broadcasted times of the client's campaign:

1. Browse to SOHO **control panel**, **Libraries**, **Spots/Commercials**
2. **Right click** the campaign you want the report for
3. Press **print/export actual plays till now**

5.2.7 Report of spot/campaign schedule

The client will require a report with the programming/scheduling of their spots. You can do so in SOHO:

1. Browse to SOHO **control panel**, **Libraries**, **Spots/Commercials**
2. **Right click** the campaign you want the report for
3. Press **print/export spots schedule**

5.2.8 Report of spots/campaigns running between dates

You can get a list/report of every spot that is running between the selected dates. This is a report containing information on the campaigns and the spots they contain. It does not contain programming/scheduling data.

1. Browse to SOHO **control panel**, **Libraries**, **Spots/Commercials**
2. Press the **Print/export reports**
3. Select **start**, **end dates** and apply the **filters** for the spots you want in the report
4. Press **print spots list report**

5.2.9 Report of the daily spots' programming

This report shows for the specific day chosen, the spots playing arranged by break time.

You can get the report for the daily spots' programming:

1. Browse to SOHO **control panel**, **Libraries**, **Spots/Commercials**
2. Press the **Print/export reports**
3. Select **date** for the report
4. Press **Print Daily Report**

5.2.10 Checking if breaks/commercials exceed time thresholds set for the break

You can have an overall view of all the breaks and their run time:

1. Browse to SOHO **control panel**, **Libraries**, **Spots/Commercials**
2. Press the **breaks view**
3. Select date you are interested into and check the show only commercials if you want to see only the spots that are categorized as commercials

5.2.11 Integration with traffic, third party commercials scheduling software

Jazler SOHO supports importing scheduling from third party traffic/commercials scheduling software. This is possible by using the **Playlister ID** of the spot files. The first step is to add the spot in spots library, add the file and either assign the playlister ID or use the automatically assigned playlister ID from SOHO. You will also need to set the programming mode of the spots to playlister.


Then all you will need to do is add this spot file in the third party traffic software and make sure it is also assigned in it the same playlister ID.

5.2.11.1 Setting up integration – Setting Playlister Priority

You will need to make sure a playlister priority is set in the spots priorities of SOHO.

Please browse to:


1. SOHO **control panel**, **Libraries**, **Spots/Commercials**
2. **Spots settings**
3. **Priorities**
4. Select a priority and press the **Set as Breaks Playlister Priority**



5.2.11.2 Text file specifications for the import procedure

- The file must be in .txt format
- The filename must be representing the date of the commercial spots programming in the format of YYYYMMDD.txt or YYYYMMDD.asc
- You can also set the filename to whatever you want, and set the date in the Jazler import wizard, just before importing.


The format of the text file is very simple: This text file will program McDonalds Apple Pie at 9am, 5pm and 7:30pm of September 13 2012.



Jazler accepts three coma separated fields:

TIME,PLAYLISTER CODE,COMMERCIAL TITLE (optional) +(line break)

So let's make a couple of commercial breaks:



This text file will make two commercial breaks. At 12am and 1am, with three and four commercials respectfully. As you can see, you can put whatever Playlister Code you want. Please do not use characters though like asterisk (*) and percentage (%). It is also obvious that you cannot use the comma anywhere else except separating the fields. The commercials sequence will be programmed exactly as you have entered them. So it is in the responsibility of your commercial management system to decide the exact order of the commercials.


*****IMPORTANT: You must have stated in Jazler spots properties screen the commercial breaks time-slots. If you try to program a commercial into a timeslot that does not exist (like 00:05) Jazler will not accept it.**

5.2.11.3 Scheduling with playlister priority – Importing scheduling text files

Jazler SOHO has dedicated window for commercials scheduling and importing text files with playlister method.

You can open it from:

1. SOHO **Control Panel**, **Libraries**, **Spots/Commercials**
2. Press **Edit Breaks**




There are 2 ways to schedule your playlister spots:

a. Manually by **dragging the spots** from the right of the window to the desired break at the left of the window

b. **Importing text files** exported from third party traffic software

In order to import the text files please press the **import breaks playlist**




5.2.11.4 Automatically importing scheduling text files

SOHO supports automatically importing text files with the commercials scheduling. This is implemented by selecting the folder that the text files will be located and when SOHO detects a new file it automatically imports it.

In order to set the folder and enable this feature:

1. SOHO **Control Panel**, **Libraries**, **Spots/Commercials**

2. **Edit Breaks**
3. Press **Auto Import Breaks Playlist**



5.2.11.5 Exporting Breaks Playlist

In addition to importing text files, SOHO can export the scheduling in text file too.

In order to export the breaks playlist in text file please:

1. SOHO **Control Panel**, **Libraries**, **Spots/Commercials**
2. **Edit Breaks**
3. Press **Export Breaks Playlist**

5.2.11.6 Exporting Breaks Duration

SOHO also exports the duration of your commercial breaks. This is most usually used in order to import it in your traffic scheduling software and update it about the duration of the breaks.

In order to export the breaks duration in text file please:

1. SOHO **Control Panel**, **Libraries**, **Spots/Commercials**
2. **Edit Breaks**
3. Press **Export Breaks Duration**

5.2.11.7 Cleaning up old playlister spots

We have added the feature to massively disable old playlister spots that have not been scheduled for the last 2 months.

In order to clean up old spots please:

1. SOHO **Control Panel**, **Libraries**, **Spots/Commercials**
2. **Edit Breaks**
3. Press **Clean Up Old Spots**

5.2.11.8 Reviewing the scheduling of specific day

You can use the calendar at the top left of the window and select a specific day to check the spots scheduled.


5.2.11.9 Tips for scheduling with playlister method

- If you imported earlier for the same day, Jazler will automatically clear the previous import and freshly import the playlist again. (See the blue highlight)
- The “Verify content validity before import” check to see if there are any errors before importing. If there is at least one error, Jazler will abort import.
- You can also use the edit breaks window to change the schedule of your spots that are programmed with playlister priority but their programming mode is weekly or detailed and NOT playlister.

5.3 Jingles Library

The jingles are the audio files that define the radio station. These are the audio files that play the most from all your libraries if you think of it and it is those that distinguish the radio stations.


This is why importing and using jingles in SOHO is easy, to help you manage them.



5.3.1 Creating/editing jingle categories


You can create your jingles categories:

1. Browse to SOHO **control panel**, **Libraries**, **Jingles**
2. Press **Edit Categories**
3. **Add, delete, rename and add comments** to your categories
4. Press **OK**



5.3.2 Importing jingles in library

In SOHO you can import jingles rather easily. We have also added mass import of jingles to make it even easier.



5.3.2.1 *Import a single jingle*

1. Browse to SOHO **control panel**, **Libraries**, **Jingles**
2. Press **Add New**
3. Select **Audio File**
4. Edit the **fields** of the jingle
   Tip: use the **properties** and assign them to your jingles in order to categorize them and use different set of jingles under different circumstances.
5. Press **OK**

5.3.2.2 *Mass import jingles*

1. Browse to SOHO **control panel**, **Libraries**, **Jingles**
2. Press **mass import**

3. Choose **folder** that contains the **audio files** and use the options that you need
4. Press **next**
5. Wait for the search of the folder to finish, select which audio files will be added to your jingles library and press **next**
6. **Fill in** the fields of the jingles that will be added and press **next**
7. When the procedure is finished press **finished**

5.3.3 Setting the playlister code prefix for jingles

The playlister code is used to link 2 software and as a reference number for the audio files.


To change the prefix of the playlister code for the jingles:

1. Browse to SOHO **control panel**, **Libraries**, **Jingles**
2. Press **library settings**
3. Edit the **prefix**
4. Press **OK**

5.3.4 Exporting jingles data in text file – Export to playlister

To export a text file with your jingles details:

1. Browse to SOHO **control panel, Libraries, Jingles**
2. Press the **export to playlister** button
3. If this is the 1st time you use this feature press the **customize export**. If the customization has already been made proceed to step 6
4. At the top you can see the jingle's details that will be exported. Feel free to adjust the format by typing or by pressing the keyword button at the bottom. Going back to default format is made with **restore template** button
5. Press the **preview format** button to check and see how exactly each jingle's details/line will be written in text file. If you are satisfied press the ok
6. Select **where** the text file will be **saved** and the **name** of the file.



5.3.5 Scheduling a jingle to play


You can program your SOHO to play jingles automatically between songs using:

- SOHO **main auto scheduling**
- **Playlists** and **playlister** method (playlists scheduled by importing playlists/text files from other software)
- **Force clocks scheduling**
- **Final log creator**

For each of these refer to the corresponding **chapter in** SCHEDULING section.

5.4 Assets Audio


In the assets library you can import all the audio files that do not belong to other dedicated libraries. Examples are beds for producers, special jingles, large audio files, and pre-recorded shows.



5.4.1 Creating/editing assets categories


You can create your assets categories:

1. Browse to SOHO **control panel**, **Libraries**, **Assets**
2. Press **edit categories**
3. **Add, delete, rename and add comments** to your categories
4. Press **OK**



5.4.2 Importing assets in library

In SOHO you can import assets one by one or using mass import.



5.4.2.1 Import a single asset

1. Browse to SOHO **control panel**, **Libraries**, **Assets**
2. Press **Add New**
3. Select **Audio File**
4. Edit the **fields** of the asset
   Tip: use the **properties** and assign them to your jingles in order to categorize them and use different set of assets under different circumstances.
5. Press **OK**

5.4.2.2 Mass import assets

1. Browse to SOHO **control panel**, **Libraries**, **Assets**
2. Press **mass import**
3. Choose **folder** that contains the **audio files** and use the options that you need
4. Press **next**
5. Wait for the search of the folder to finish, select which audio files will be added to your assets library and press **next**
6. **Fill in** the fields of the assets that will be added and press **next**
7. When the procedure is finished press **finished**

5.4.3 Setting the playlister code prefix for assets

The playlister code is used to link 2 software and as a reference number for the audio files.


To change the prefix of the playlister code for the assets:

1. Browse to SOHO **control panel**, **Libraries**, **Assets**
2. Press **library settings**
3. Edit the **prefix**
4. Press **OK**

5.4.4 Exporting assets data in text file – Export to playlister

To export a text file with your assets details:

1. Browse to SOHO **control panel, Libraries, Assets**
2. Press the **export to playlister** button
3. If this is the 1st time you use this feature press the **customize export**. If the customization has already been made proceed to step 6
4. At the top you can see the asset's details that will be exported. Feel free to adjust the format by typing or by pressing the keyword button at the bottom. Going back to default format is made with **restore template** button
5. Press the **preview format** button to check and see how exactly each asset's details/line will be written in text file. If you are satisfied press the ok
6. Select **where** the text file will be **saved** and the **name** of the file.



5.4.5 Scheduling a pre-recorded show to broadcast, repeated daily or weekly

From our experience, the easiest and most effortless way to schedule your shows is:

1. Make sure the **show** is **split in parts**.
   Tip: Each part should have duration as the time between your breaks .e.g. if you have break at **16:00** and then next is at **16:30** you need the parts to be approximately and most usually **20-27** minutes. This estimation is also based on the break duration
2. Import each part in assets library
   Tip: If the show is repeated daily or weekly, then it is very convenient to use the **variable length** option in each asset. This way SOHO will know that the mix times and actual audio file to broadcast will be accessed by SOHO at very last moment by getting the file with the **filename** provided for the asset. For the


next repeat all you have to do is replace the audio file with **exact same filename**.

3. Create a playlist for each part of the show and **schedule** each playlist to play at proper time. Remember to choose repeated playlist
   E.g. 1st part will be scheduled at 16:00, 2nd part at 16:30, 3rd part at 17:00

After following the above, the next time you will have the new audio files for the show to play is **replace the audio files with the exact same filename**.

5.5 Sweepers

Sweepers play over another track. In SOHO there are predefined positions for a sweeper to play over at and also there is the option for user to set custom position. Custom position though is available where possible, such as in a playlist and in final log.




5.5.1 Positions of a sweeper over the track

- **Start of song**, the sweeper will start playing when the song starts
- **Before intro**, the sweeper will start playing in such position that it ends when the song intro ends
- **Before end**, sweeper will start playing in such position that it ends when the song ends
- **Bridge at end**, half part of sweeper will play over the song currently playing and the other half at the start of next song
- **Independent**, sweeper will play independently from the track
- **Custom position**, user can set the exact position the sweeper will start playing


5.5.2 Creating/editing sweeper categories

You can create your sweepers categories:

1. Browse to SOHO **control panel**, **Libraries**, **Sweepers**
2. Press **Edit Categories**
3. **Add, delete, rename and add comments** to your categories
4. Press **OK**



5.5.3 Importing sweepers in library



You can import your sweepers in their library in 2 ways:

5.5.3.1 Import a single sweeper:

1. Browse to SOHO **control panel**, **Libraries**, **Sweepers**
2. Press **add new**
3. Select **audio file**
4. Edit the **fields** of the sweeper
   Tip: use the **properties** and assign them to your sweepers in order to categorize them and use different set of sweepers under different circumstances.
5. Press **OK**

5.5.3.2 Mass import sweepers:

1. Browse to SOHO **control panel**, **Libraries**, **Sweepers**
2. Press **mass import**
3. Choose **folder** that contains the **audio files** and use the options that you need
4. Press **next**
5. Wait for the search of the folder to finish, select which audio files will be added to your sweepers library and press **next**
6. **Fill in** the fields of the sweepers that will be added and press **next**
7. When the procedure is finished press **finished**

5.5.4 Setting the playlister code prefix for sweepers

The playlister code is used to link 2 software and as a reference number for the audio files.


To change the prefix of the playlister code for the sweepers:

1. Browse to SOHO **control panel**, **Libraries**, **Sweepers**
2. Press **library settings**
3. Edit the **prefix**
4. Press **OK**

5.5.5 Exporting sweepers data in text file – Export to playlister

To export a text file with your sweepers:

1. Browse to SOHO **control panel, Libraries, Sweepers**
2. Press the **export to playlister** button
3. If this is the 1st time you use this feature press the **customize export**. If the customization has already been made proceed to step 6
4. At the top you can see the sweeper's details that will be exported. Feel free to adjust the format by typing or by pressing the keyword button at the bottom. Going back to default format is made with **restore template** button
5. Press the **preview format** button to check and see how exactly each sweeper's details/line will be written in text file. If you are satisfied press the ok
6. Select **where** the text file will be **saved** and the **name** of the file.



5.5.6 Scheduling a sweeper to play

You can program your SOHO to play sweepers automatically using:

- SOHO **main auto scheduling**
- **Playlists** and **playlister** method (playlists scheduled by importing playlists/text files from other software)
- **Force clocks scheduling**
- **Final log creator**

For each of these refer to the corresponding **chapter in** SCHEDULING section.


5.6 Instant Jingles

The instant jingles or else the jingles pallets are your place to manage what jingles will be included in each pallet. It is a good practice to create a pallet for each producer in order to have quick access to his jingles.




5.6.1 Creating and editing pallets

1. Browse to SOHO **control panel**, **Libraries**, **Instant Jingles**
2. Press the **search** button
3. Press **edit pallets** to create a new pallet
4. The pallet is created. Assign **name**, select number of **pages** it will have and the **number of buttons** by selecting number of rows and columns of the pallet



WHEN CREATED, REFER TO ADDING AUDIO FILES AS INSTANT JINGLES TO YOUR PALLETS

5.6.2 Adding audio files as instant jingles to your pallets



5.6.2.1 Edit the buttons of the pallets directly from Studio screen:

1. **Select the pallet** you want to edit
2. **Right click** at each button to assign audio file and change the color and other fields

5.6.2.2 Manage the pallets from the Libraries:

1. Browse to SOHO **control panel**, **Libraries**, **Instant Jingles**
2. Press the **search** button
3. Either **select** an **existing** pallet to edit or press **edit pallets** to create a new
4. **Right click** at each button and select the audio file to be assigned along with the other options


5.6.3 Audio output of instant jingles

Many radio stations need to assign different audio output for the jingles from the main playback output. You can do so:

1. Browse to SOHO **control panel**, **Settings**, **General Settings**
2. Select **Soundcards & output**
3. Find the **Instants, Output 3** and assign the audio output you want
4. Press **ok**

5.7 Voice tracks

Voice tracks, just like the sweepers, play over another track. The main difference between sweepers and voice tracks is that the latter can be also recorded in SOHO directly.



5.7.1 Positions of a voice track over the track


- **Start of song**, the voice track will start playing when the song starts
- **Before intro**, the voice track will start playing in such position that it ends when the song intro ends
- **Before end**, voice track will start playing in such position that it ends when the song ends

- **Bridge at end**, half part of voice track will play over the song currently playing and the other half at the start of next song
- **Independent**, voice track will play independently from the track
- **Custom position**, user can set the exact position the voice track will start playing


5.7.2 Creating/editing voice tracks categories

You can create your voice tracks categories:

1. Browse to SOHO **control panel**, **Libraries**, **Voice Tracks**
2. Press **edit categories**
3. **Add, delete, rename and add comments** to your categories
4. Press **ok**



5.7.3 Importing voice tracks in library



You can import your voice tracks in their library in 2 ways:

5.7.3.1 Import a single voice track:

1. Browse to SOHO **control panel**, **Libraries**, **Voice Tracks**
2. Press **Add New**
3. Select **audio file**
4. Edit the **fields** of the voice track
   Tip: use the **properties** and assign them to your voice tracks in order to categorize them and use different set of voice tracks under different circumstances.
5. Press **OK**

5.7.3.2 Mass import voice tracks:

1. Browse to SOHO **control panel**, **Libraries**, **Voice Tracks**

2. Press **mass import**
3. Choose **folder** that contains the **audio files** and use the options that you need
4. Press **next**
5. Wait for the search of the folder to finish, select which audio files will be added to your voice tracks library and press **next**
6. **Fill in** the fields of the voice tracks that will be added and press **next**
7. When the procedure is finished press **finished**

5.7.4 Recording a voice track

In addition to importing a voice track, you can also record your own directly from SOHO. Recording was never easier.

There are 2 ways to record your voicetracks:

a. Directly in voicetracks library

In order to record your voicetrack in library:


1. SOHO **Control Panel**, **Libraries**, **Voice tracks**
2. Press **Add New** and **close the file selector** window
3. Press **Rec** button

b. Using the visual audio editor in playlist editor

SOHO has advanced visual editor and you can use it to record your voice tracks over your songs in the playlist. The visual editor supports multi-tracking giving you many options to edit your songs mixing and also record with ease.

To use the Visual Audio Editor:

1. Browse to SOHO **Control Panel**, **Scheduling**, **Playlists**
2. **Double click** the playlist to open it
3. **Hover** over the track you want to monitor/edit and press the **monitor/edit track**
4. Monitor/Make the changes you want in the **visual editor** module.
5. **Click** on the position you want the voice track to start
6. Press **REC**
7. When ready, either press **next** for next song to start or press the **stop** button to stop recording
8. **Edit** the in and out **positions** of the tracks as you wish and **listen** to the result
9. Press **exit visual editor**
10. Press **Save & Exit**



5.7.5 Setting the playlister code prefix for voice tracks

The playlister code is used to link 2 software and as a reference number for the audio files.


To change the prefix of the playlister code for the voice tracks:

1. Browse to SOHO **control panel**, **Libraries**, **Voice Tracks**
2. Press **library settings**
3. Edit the **prefix**
4. Press **OK**

5.7.6 Exporting voice tracks data in text file – Export to playlister

To export a text file with your voice tracks:

1. Browse to SOHO **control panel, Libraries, Voice Tracks**
2. Press the **export to playlister** button
3. If this is the 1st time you use this feature press the **customize export**. If the customization has already been made proceed to step 6
4. At the top you can see the voice track's details that will be exported. Feel free to adjust the format by typing or by pressing the keyword button at the bottom. Going back to default format is made with **restore template** button
5. Press the **preview format** button to check and see how exactly each voice track's details/line will be written in text file. If you are satisfied press the ok
6. Select **where** the text file will be **saved** and the **name** of the file.



5.7.7 Scheduling a voice track to play

You can program your SOHO to play sweepers automatically using:


- SOHO **main auto scheduling**
- **Playlists** and **playlister** method (playlists scheduled by importing playlists/text files from other software)
- **Force clocks scheduling**
- **Final log creator**

FOR EACH OF THESE REFER TO THE CORRESPONDING CHAPTER IN SCHEDULING SECTION.

5.8 Memos

Memos can be used in SOHO to keep notes for producers, to inform them about news, attach them to tracks and generally help the producer with their work.


You can either add new memos creating them from scratch or you can also import files to be used as memos.




5.8.1 Creating/editing memos categories

You can create/edit your memos categories:

1. Browse to SOHO **control panel**, **Libraries**, **Memos**
2. Press **Edit Categories**
3. **Add, delete, rename and add comments** to your categories
4. Press **OK**


Categories for Memos
Memos
Name
Comments
Main
Add New
Delete
OK

5.8.2 Creating a memo



1. Browse to SOHO **control panel**, **Libraries**, **Memos**
2. Press **Add New**
3. **Type** the memo
4. Fill in the **fields**
5. Press **OK**

5.8.3 Importing a file as memo

Various file formats are supported but of course the most common that will be used are text files.

1. Browse to SOHO **control panel**, **Libraries**, **Memos**
2. Press **Import File**
3. **Select** the file
4. Fill in the **fields**
5. Press **OK**

5.8.4 Setting the playlister code prefix for memos

The playlister code is used to link 2 software and as a reference number for the memos.

To change the prefix of the playlister code for the memos:

1. Browse to SOHO **control panel**, **Libraries**, **Memos**
2. Press **Library Settings**
3. Edit the **prefix**
4. Press **OK**

5.9 The Stitcher


Jazler SOHO has the amazing feature that can merge independent audio files into 1 audio stream that broadcasts live on air.

Let's say it is like stitching various audio parts into 1 single audio stream that broadcasts and this is the reason it was named **The Stitcher**.

Currently SOHO has 3 stitcher types:

a. Next Songs Hooks
b. Real Time Announcement
c. News

5.9.1 Next Songs Hooks




The Next Songs Hooks is used to announce the next songs to play by using the hooks of the songs. It is a requirement to set to your songs the hook (mark hook in and hook out times).

What SOHO will do is:


a. play the opening audio,
b. play each hook separated by the songs separator effect and then
c. close the audio by playing the closing audio.

There is also the option to play a default audio file in case the next songs hooks cannot play for example because there are not enough hooks to broadcast in the next songs Studio list.

You can also preview the result by using a sample playlist like shown in screenshot.



5.9.2 Real Time Announcement




The real time announcement will broadcast the exact time by combining audio files at the time the time announcement is broadcasted.

For example if the audio is to be broadcasted at 16:04 then SOHO will:


a. Play the opening audio file and bed
b. Combine the hours and minutes prerecorded audio files
c. Play the closing audio file

There is also the option to play a default audio file in case stitcher fails to play, for example because the audio files cannot be found or deleted from hard disk.

You can also preview the result by using a sample playlist like shown in screenshot.



5.9.3 News




SOHO can compile the news by using only the audio file of your news voice-over file by:

a. Playing the opening audio and bed
b. Playing the news voice-over file
c. Playing the closing audio

The important part is that the bed for the news will play ONLY for the duration of your news voice-over file without playing unnecessary part of the bed/background audio file.

There is also the option to play a default audio file in case stitcher fails to play, for example because the audio files cannot be found or deleted from hard disk.

You can also preview the result by using a sample playlist like shown in screenshot.



6 Scheduling

In the Libraries all your audio files are organized. In this section of SOHO we will review the scheduling of those audio files and how you will schedule and program them to broadcast.

SOHO has many new features that will help you make the music rotation and music scheduling as unique as ever.


Without question, scheduling is the most important and crucial part the radio automaton as this is how you will make sure the song and generally track selections are made the way you want.

So, how **track selection and scheduling** is made:

a. **Main auto schedule/Clocks**: This is the main and default way of SOHO to make track selections. This method depends on the clocks the user creates.
b. **Playlists programming:** This method will be used to schedule your playout by **creating playlists**. These playlists can be:
    - **user made**,
    - **automatically created by SOHO** or
    - imported, using text files from **third party software** that makes the scheduling and export it to text files.
c. Using the **final log** (whole day scheduling): SOHO can **schedule a 24hour playlist**, the log, for a specific day. This will take into account every scheduling you have made for this day such as:
    i. independent playlists,
    ii. rebroadcasts,
    iii. commercial breaks,
    iv. force clocks and
    v. in case there is **nothing scheduled** then the selections will be made based on the clocks of the **main auto** schedule.


    Once the log is approved and saved, SOHO will follow the log and will play it **exactly as saved**.

And we will review each one extensively at following chapters.




6.1 Playlists

The playlists are predefined selected tracks and when scheduled, SOHO will play those tracks in the order they are selected.



6.1.1 Creating and scheduling a playlist

1. Browse to SOHO **Control Panel**, **Scheduling**, **Playlists**
1. Press **new playlist**
2. Type the **playlist name**, a way to distinguish the playlists
3. **Edit** the **playlist** using the libraries browser to select and add the tracks you want in using the **add**, **insert**, **replace**, **clear** buttons to select mode and then
    i. press the **arrow** after a track is selected or
    ii. **double click** the track or
    iii. **drag and drop** it in the place you want
4. Press **schedule and details**
5. Schedule the playlist:
    a. Just for once using the **Add**
    b. In weekly **repetition** using the **add repeated**
6. Enable the **random** option if you want the tracks to be **shuffled** when SOHO loads the playlist for broadcast
7. Enable the **overrides previous playlist** if you want this playlist to replace any other existing playlist already loaded in SOHO studio for playback.
   Tip: If NOT enabled, the playlist will be loaded but not for immediate playback, it will wait for any previous playlist to end
8. Press **Save & Exit**




6.1.2 Creating auto playlist

1. Browse to SOHO **Control Panel**, **Scheduling**, **Playlists**

2. Press **New Auto Playlist**
3. Select the **date and time** of playlist
4. Select the **clock that will be used** to make the playlist
5. Set **how many hours** the playlist will last
6. Enable or disable **including other events scheduled** for the date and time selected
7. Press **save and exit** to save the playlist **or cancel to abort** the whole operation.

Now the playlist is created and scheduled for the date and time you have selected.




6.1.3 Previewing commercial breaks in the playlist/Setting commercial breaks in the playlist exactly when to play

SOHO playlist editor offers the possibility to preview the breaks in the playlist you create based on the date and time you selected.

In order to use it:

1. Browse to SOHO **Control Panel**, **Scheduling**, **Playlists**
2. Open desired **playlist**

3. Press **Preview Breaks** button
4. You can **drag the breaks** at position you want. If you want them to be saved then press the preview breaks again and when prompted to **keep the breaks press yes**
5. If you want to clear the breaks from whole playlist then press the **clear breaks** button
6. Press **save and exit** to save any changes you have made




Important Note: When the breaks are saved in the playlist, the auto mode will load the playlist to play at scheduled time. In this case, the auto mode **will not automatically insert** the commercial breaks to play again from the moment they are already placed in studio decks.

6.1.4 Reviewing the scheduled playlist timetable

You can check which days and at what time your playlists are scheduled. This usually helps making sure every playlist is scheduled correctly and that there are no mistakes or omissions.

1. Browse to SOHO **Control Panel**, **Scheduling**, **Playlists**
2. Press the **scheduling timetable**
3. **Review** for desired days the scheduling of your playlists
4. **Close** the window



6.1.5 Importing playlists/text files


SOHO supports importing playlists. The import procedure requires **text files** that refer to tracks that must be used in the playlist. There are 2 filters that can be used for the import:

- **Prodigy import filter**, text files that contain playlister codes or auto codes. This method is most common when scheduling your tracks using **third party scheduling** software
- **Filenames import filter**, text files that contain file paths.

For the prodigy import filter please check out the next chapter.

For the filenames import filter, please have on mind that the filenames that will be used in the text files, exist in the SOHO songs library as songs.

1. Browse to SOHO **Control Panel**, **Scheduling**, **Playlists**
2. Press **import playlists**
3. Use the **add** and **remove** file to select the text files you want to import
4. Select **filter**
5. Press **Start Import**
6. After the import is made press **finished**



6.1.5.1 Importing playlist files from third party playlister software - The Prodigy Import Filter

The Prodigy Import Playlist Text filter is a filter implemented in order to be able to import playlists from an external playlisting program. All the text file content is based on playlister codes and is not recognized by either song titles, filenames etc.

What to do first:

To be able to run this filter, all tracks of Jazler (either songs, jingles, sweepers, events, spots) that are going to be used, must have their playlister code field filled with a desired code. It is recommended to use a code that starts with a letter and then a four digit number. Ex S0015 for a song, J0020 for a jingle, SS0004 for a sweeper etc. The same thing must be done on your playlister program.

Text file filename syntax:

The filename of the text file instructs Jazler and the user, the date of broadcast in the format of “MMDDYY.txt” Example: “110209.txt” is for November 02, 2009. The time of the playlist start is instructed in the contents of the text file.

Syntax of the playlist text file:

PLAYLIST START HOUR ANNOUNCEMENT

A playlist in a playlist file starts always with the hour announcement. (ex 00:00, 13:00, 22:30, 14:45). This is a 24h format hour that instructs Jazler when the playlist will be inserted into the program.

PLAYLIST BODY

In the very next line after the playlist hour announcement you start putting the playlister codes of the tracks you want to play. These can be codes by whatever database of Jazler. Example:

S0004

S3465

J0004

S6883

The special sweeper command

If you want to insert a sweeper on a song, (usually a dry jingle that is overlapping a song at a specific time) you have to put the command SW1, SW2, SW3, SW4 first, then leave a blank character and then write the playlister code of the sweeper. (ex. SW1 SS0045).

What do the SW1, SW2, SW3, SW4 commands do?

The SW commands instruct Jazler WHERE to overlap a sweeper on the song.

SW1 = Start of the song

SW2 = Just before the end of the INTRO of the song (if there is an intro)

SW3 = Just before the end of the song. (The sweeper ends simultaneously with the song)

SW4 = The sweeper works as a “bridge” between the current song and the next song. Half the sweeper is heard at the end of the current song and while the sweeper is playing, the next song starts.

Full example:

02:00

S0045

S0135

SW2 SS0043

S3487

END

In this example, we have a playlist that is programmed to play at 2:00am. The playlist consists of three songs (S0045, S0145 and S3487). The second song though has also a sweeper overlapping it before the intro (SS0043). The SW2 command in front of the sweeper playlister code instructs Jazler to put the sweeper before the intro.

END, END OF PLAYLIST, END OF HOUR PLAYLIST

All three commands do the same thing. Instruct Jazler to create the playlist and save it to the database. If this command is not at the end of the playlist, the playlist will be lost.

Ok, as we have all things explained, let's show you a playlist file that consists of two playlists programmed to play at 00:00 and 01:00 respectively that consists of songs, jingles, sweepers and commercials (spots). The text filename is 112609.txt (programmed for November 26, 2009)

00:00	Hour announcement (tells Jazler when to insert the playlist)
S1576	Song 1
S3474	Song2
J0005	Jingle
S4532	Song3
S6756	Song4
SW1 SS0004	Sweeper that overlaps Song4 at the start (They start together)
S3434	Song 5
P1212	Spot
END	End of playlist command. Saves the playlist into the database
01:00	Hour announcement (tells Jazler when to insert the playlist)
P0055	Playlist starts with a SPOT
P0254	Spot2
J0034	Jingle
S3454	Song1
S1414	Song2
S3344	Song3
SW4 SS4700	Sweeper that will bridge Song3 and Song4
S8765	Song4

END End of playlist command. Saves the playlist into the database

If the playlist duration of 00:00 is bigger than one hour, then the playlist of 01:00 will overlap and delete the tracks remaining after 01:00. The next thing that will be heard after 01:00 will be the first track of playlist scheduled for 01:00.

INGESTING COMMERCIAL BREAKS INTO THE PLAYLIST

The Prodigy Import Filter can also import commercial breaks into the playlist. The commercial breaks must already be present into the Jazler database, either programming them natively from the Jazler Spots/Commercials database, either from importing them from an external commercials playlister. You just need to insert the line **COMBREAK XX:XX** so the commercial break of **XX:XX** will be ingested into the playlist. Where **XX:XX** is the exact time of the declared commercial break set in Jazler.

00:00 Hour announcement (tells Jazler when to insert the playlist)

COMBREAK 00:00

S1576 Song 1

S3474 Song2

J0005 Jingle

S4532 Song3

COMBREAK 00:30

S6756 Song4

SW1 SS0004 Sweeper that overlaps Song4 at the start (They start together)

S3434 Song 5

P1212 Spot

END End of playlist command. Saves the playlist into the database

This will result with a playlist that will also contain two commercial breaks taken from the spots database. As you might notice, there is no date in the COMBREAK command, as the date is taken from the format of the filename of the playlist text file (MMDDYY.txt)

Things you need to know:

- If a line of the playlister text file contains a plain number, Jazler will interpret it as a JAZLER SONG ID CODE (not playlister code) and will search to find a SONG that has the same JAZLER ID code for it. This is why you also MUST have at least one LETTER in the playlister code.


- Playlister codes can also contain dashes or underscores (-,_)
- Playlister codes must not contain empty characters.
- Do not have playlister codes more than 20 characters; this will make the import process slower. Jazler can accept though a playlister code up to 49 characters.
- Do not use characters like asterisk, question mark, semicolons as they might result in weird behaviors.

6.1.6 Automatically importing playlists/text files

Now SOHO supports setting a folder to be monitored for any playlist text files and when a new file is detected it is automatically imported.

You can enable it from:

1. SOHO **Control Panel**, **Scheduling**, **Playlists**
2. Press **playlist auto import settings** at the bottom left
3. **Select the folder** that your playlist files are located and will be monitored
4. Select **type of playlist to import**
5. **Check the Enabled** to enable the folder monitoring
6. Press **Ok**



- The folder selected will be constantly monitored for new files. When a new file is detected, SOHO will automatically start importing the text file.
- Each file that is processed is placed in a separate folder named **Imported**.
- If there are errors during the import then a new file is created with same filename ending with _Errors.txt . When this happens, you will have to open the text file


review the errors reported and fix them. Once these are made then delete the _Errors.txt file in order for SOHO to try again the import of the playlist file.

6.1.7 Recording voice tracks instantly

In playlist editor you can record your voice tracks instantly by using the record button.

In order to do so:

1. Browse to SOHO **Control Panel**, **Scheduling**, **Playlists**
2. Open desired **playlist**
3. Select the **track right below** the one you want to record your voice track
4. Press the **record** button at the top
5. Press **approve and save** to save the voice track




6.1.8 Editing and monitoring how a playlist will be played/heard on-air

When you want to check the actual result of a playlist broadcasting you can do so by previewing and editing the tracks.

There are many advanced features especially for editing the position that a track will play before and after the previous and next track respectively.

1. Browse to SOHO **Control Panel**, **Scheduling**, **Playlists**
2. **Double click** the playlist
3. **Hover** over the track you want to monitor/edit and press the **monitor/edit track**
4. Monitor/Make the changes you want in the **visual editor** module
5. Press **exit visual editor**
6. Press **Save & Exit**




6.1.9 Visual Audio Editor - Recording voice tracks in a playlist

SOHO has advanced visual editor and you can use it to record your voice tracks over your songs in the playlist. The visual editor supports multi-tracking giving you many options to edit your songs mixing and also record with ease.

To use the Visual Audio Editor:

1. Browse to SOHO **Control Panel**, **Scheduling**, **Playlists**
2. **Double click** the playlist to open it
3. **Hover** over the track you want to monitor/edit and press the **monitor/edit track**
4. Monitor/Make the changes you want in the **visual editor** module.
5. **Click** on the position you want the voice track to start
6. Press **REC**
7. When ready, either press **next** for next song to start or press the **stop** button to stop recording
8. **Edit** the in and out **positions** of the tracks as you wish and **listen** to the result
9. Press **exit visual editor**
10. Press **Save & Exit**



6.1.10 Adding break references in a playlist

In SOHO there is no need to add in a playlist the actual spot/commercial files of a break. Instead you can use **break references**. As a break reference we mean playing the break of 14:30 and not the actual spot files that consist the 14:30 break at this moment.

This is useful when we schedule playlists days before their broadcast time and it is certain that the break will change until the actual broadcast.

This way you instruct the playlist to play the commercial break of referenced hour e.g. 14:30 at the exact place you inserted the reference.


1. Browse to SOHO **Control Panel**, **Scheduling**, **Playlists**
2. **Double click** the playlist
3. **Select position** in the playlist the break reference will be inserted
4. At bottom of the decks press the **dollar button** to check and insert desired break as a reference
5. Press **Save & Exit**

6.1.11 Scheduling a playlist to broadcast at desired time starting IMMEDIATELY

After creating the playlist with the tracks you want, you can then schedule it to play at desired day and time or on weekly basis. The start immediately option makes sure the currently playing track is cut in order for the playlist to start at exact scheduled time.

To do so:

1. Browse to SOHO **Control Panel**, **Scheduling**, **Playlists**
2. Press the **Schedule & Details** at top
3. Press **Add** or **Add Repeated**
4. Check the option S**tart Immediately** for desired schedule



6.1.12 Scheduling a pre-recorded show to broadcast, repeated daily or weekly

From our experience, the easiest and most effortless way to schedule your shows is:

1. Make sure the **show** is **split in parts**.
   Tip: Each part should have duration as the time between your breaks .e.g. if you have break at **16:00** and then next is at **16:30** you need the parts to be approximately and most usually **20-27** minutes. This estimation is also based on the break duration
   2. Import each part in assets library
   Tip: If the show is repeated daily or weekly, then it is very convenient to use the **variable length** option in each asset. This way SOHO will know that the mix times and actual audio file to broadcast will be accessed by SOHO at very last moment by getting the file with the **filename** provided for the asset. For the next repeat all you have to do is replace the audio file with **exact same filename**.
   3. Create a playlist for each part of the show and **schedule** each playlist to play at proper time. Remember to choose repeated playlist
   E.g. 1st part will be scheduled at 16:00, 2nd part at 16:30, 3rd part at 17:00

After following the above, the next time you will have the new audio files for the show to play is **replace the audio files with the exact same filename**.

6.2 Main Auto Schedule

The main auto in SOHO was reinvented and designed from scratch to ensure the music selection and rotation is as the user wants.



First of all, there are now 2 modes for the main auto:

a. Classic Auto (RadioStar)
b. New auto (SOHO)

6.2.1 Auto modes explained

In this section we will explain the exact differences of the 2 auto modes and their usage. Finally, we will have a point to point comparison between them.

6.2.1.1 Classic auto (RadioStar)

The classic auto is the way Jazler RadioStar selects songs and operates. More specifically, you set the number of decks to appear on Studio and then classic auto make sure there are always that many selected tracks. The track selections follow your scheduling and if you set

11 tracks to be always loaded on decks, then once 1 track broadcasts and there are 10 selections, classic auto will immediately make the next selection to fill the 11th deck.

6.2.1.2 New auto (SOHO)

The new auto, fetches by default the scheduling for the next 2 hours and loads them on the decks. Once the time comes SOHO auto will fetch the next hour.

The track selection is again made following your clocks. The difference and novelty in SOHO auto is that you have on your Studio decks what will be broadcasted the next 2 hours.

Please note that the number of hours can be changed by user.

6.2.1.3 Comparison - Clear understanding of the differences:

Schedules	Classic auto (RadioStar)	New auto (SOHO)
Track selection	Based on clocks	Based on clocks and the other scheduled items
How Studio decks are filled	Fills the predefined number X of the decks - There are always X decks filled to broadcast	Creating and loading on decks at once what will be broadcasted for the next X hours
Breaks/Commercials	Inserted on decks at time of break	Already taken into account and loaded on decks
Playlists	Inserted on decks at scheduled time	Already taken into account and loaded on decks
Force clocks	Inserted on decks at scheduled time	Already taken into account and loaded on decks
Rebroadcast	Inserted on decks at scheduled time	Already taken into account and loaded on decks
Emergency track selection	Fills the X predefined decks	Compensation tracks in order for next commercial break to play at programmed time
Exact broadcast time of scheduled items	Cannot know – The scheduled item will be	Knows exact broadcast time of scheduled items – They

inserted when schedule time comes and will wait for current playing track to end	are already ingested and loaded on the decks

As you can see from above, in SOHO auto, you will not be taken by surprise. The studio decks will be filled with the exact programming and what to be broadcasted for the next hours. The broadcast time is also there and you know when the scheduled item will start playing.

For RadioStar users, classic auto is the way they worked till now and you can continue working such way. Once you feel ready to proceed to SOHO auto you can change and of course the change can be reverted at any time.

6.2.2 Understanding the clocks

The music selection is made based on your clocks. In both auto modes, the songs are selected based on the clocks you created.

A clock, is the pattern with which the songs will be chosen. This is how you define what categories will be used and in what order.

As you can understand the clocks are the most important part of the selections.

6.2.3 Creating a clock

You can create a clock:

1. Browse to SOHO **Control Panel**, **Scheduling**, **Main Auto Schedule**
2. Press **create new clock**
3. **Set** the **name, comments, color and backup song filter** (compensation tracks) of the clock at the top
4. **Choose** the type of **library** you want the selection from by pressing one of the available clock elements
5. **Apply** the **filters** for the type of library for example category
6. Press **add** or **insert**
7. The selection with all the filters is now added at the clock editor as a row and can also be visualized in the hour-clock section
8. Go to step 4 and repeat procedure until the clock contains the desired rows and in the desired order

9. You can **review** the clock, the pattern, at the clock editor based on which main auto will make the selections. The hour-clock window represents a full hour of selections based on the clock editor and the rows you have used.
10. Press **OK**

Important Note: if main auto makes all the selections based on the clock editor rows and still a full hour is not filled, then main auto will fill the rest going back again at the start of the clock editor rows. This repeats until the clock changes and main auto will always choose tracks.


Important note 2: Even if the clock editor has only 1 row for track selection, main auto will keep selecting tracks based on the filters and this row until the clock changes.



6.2.4 Setting a backup clock for compensation mechanism to select tracks

For the new SOHO auto mode, the compensation mechanism is required in order to balance the studio decks/playlist in case it gets out of schedule. The compensation tracks are selected based on a category you can set or by setting a clock that the compensation tracks will be selected with.

You can set this in the clock at the top right of the window.



6.2.5 Assigning a clock to the Clocks Schedule/timetable

The clocks schedule of main auto is organized in weekdays and hours.

There are 24 cells, one for each hour, for each day of week.

You can assign a created clock on the clock schedule/timetable:


1. Browse to SOHO **Control Panel**, **Scheduling**, **Main Auto Schedule**
2. **Select** (highlight) the **clock** to be assigned from the **available clocks**
3. **Select** from **Clocks Schedule** the cell(s) representing desired hour or make an area selection by clicking and then dragging the mouse.
4. Press the **red Set>>** button
5. **Go to step 2 and repeat**, until the clocks schedule is filled
6. Press **OK**

6.2.6 Editing song selection settings

There are the clocks with which the songs are selected by main auto but SOHO has more advanced tools to customize the song selections:

1. Browse to SOHO **Control Panel**, **Scheduling**, **Main Auto Schedule**
2. Press **edit song selection settings**
3. Press **settings**
4. **Edit** the settings as you see fit

5. Press **OK**



6.2.6.1 Editing Selection Randomness – How SOHO will be selecting the songs

Selection randomness X means, each time main auto is about to select a song, X candidate songs will be at first chosen and at random one of the X songs will be finally selected.

RadioStar had the selection randomness activated by default and could not be changed. As a reference, RadioStar had **Selection randomness 8.**

If you want your selections to have the element of randomness, then have this value higher than 0.

If you want strict selections method then have **selection randomness 0,** which means all songs will play at least 1 time, before main auto chooses a song that already broadcasted. This is the default setting for SOHO.

You can find the selection randomness at:

1. Browse to SOHO **Control Panel**, **Scheduling**, **Main Auto Schedule**
2. Press **edit song selection settings**
3. Press **settings**

6.2.6.2 Artist separation

The artist separation is the time in minutes that must pass until the same artist becomes available again for selection.

1. Browse to SOHO **Control Panel**, **Scheduling**, **Main Auto Schedule**
2. Press **edit song selection settings**
3. Press **settings**

6.2.6.3 Song next day, same time separation

Song next day same time separation is:

a. The number of days to come and
b. The time window in minutes

in which the same song will not broadcast again in the next day(s).

1. Browse to SOHO **Control Panel**, **Scheduling**, **Main Auto Schedule**
2. Press **edit song selection settings**
3. Press **settings**

6.2.6.4 Reshuffle all media – Reorder the tracks for all categories

You can re-shuffle all your media in order to refresh the order with which the songs are selected. Especially useful when using selection randomness 0 and you are **not satisfied with the order of selected songs from the categories.**


1. Browse to SOHO **Control Panel**, **Scheduling**, **Main Auto Schedule**
2. Press **edit song selection settings**
3. Press **settings**

6.2.7 Restrictive rules applied for the song selections

With the rules you can restrict main auto from making selections of songs that do not fit and must not be made.


For example, you do not want a song from pop category to be followed by a ballad song.

1. Browse to SOHO **Control Panel**, **Scheduling**, **Main Auto Schedule**
2. Press **edit song selection settings**
3. Press **rules**
4. Set the fields as desired



6.3 Force Clocks

The main auto follows the clocks and repeats the same pattern. But what if you want to have the clock repeated only 1 time? Then you can use the force clocks.




6.3.1 Creating a force clock

First you need to create a clock. Please check the **Creating a clock** chapter.

Now it is time to schedule this clock to play **only 1 time**:

1. Browse to SOHO **Control Panel**, **Scheduling**, **Force Clocks Schedule**
2. Press **add new**
3. Fill in the **title**, **applied clock** (clock created before and based on which the selections will be made), **start date** and **time**, **end date** and **time**
4. **Type** the time of day you want the clock to broadcast and press **add**
5. Press **ok**

Now the force clock is scheduled and SOHO will make sure at day and time used the clock will be loaded on studio decks and play.




6.3.2 Scheduling specific song to play at specific time and day

You can accomplish this by using force clocks. First of all create a simple clock containing the specific song following the chapter CREATING A CLOCK.

Then follow the chapter CREATING A FORCE CLOCK selecting the clock you created earlier.

6.4 Rebroadcast Schedule


SOHO can rebroadcast another audio source to play on air. You can select line in sources, directly plugged in your computer or via audio over IP, or broadcast a URL source.



6.4.1 Adding rebroadcast sources

To add the source of the rebroadcast:

1. Browse to SOHO **Control Panel**, **Scheduling**, **Rebroadcast Schedule**
2. Press **rebroadcast sources**
3. Press **add**
4. **Type** the **title**
5. **Select** line in or network source
6. Either select **sound card input** for the line in or type the **URL** to be used as source
7. Press test/preview button and check for incoming audio
8. Edit the **other options** too and you might want to add a backup source too
9. Press **ok**




6.4.2 Scheduling a source to play at specific time

First step is to add the rebroadcast source following the chapter **Adding rebroadcast sources.**

The source can now be scheduled to play:

1. Browse to SOHO **Control Panel**, **Scheduling**, **Rebroadcast Schedule**
2. Press **add**
3. Select if the rebroadcast will be **recurring or** will be for one **specific** day
4. Type **start time** of rebroadcast
5. Set **duration**
6. Select the **source** that will be broadcasted
7. Set the **metadata** and additional **options**
8. Press **ok**



6.4.3 Setting backup rebroadcast source in case the primary source fails

SOHO can have backup rebroadcast sources. This is very useful when the primary URL source fails for example because the steaming server is down. You can set a backup source, either line in or another URL and if the primary fails SOHO will rebroadcast the backup source.

But there is more! You can set more than one backup sources. So if the primary fails, SOHO goes to backup1, if the backup1 also fails, SOHO goes to backup2 and goes on.

To add backup sources:

1. Browse to SOHO **Control Panel**, **Scheduling**, **Rebroadcast Schedule**
2. Press **rebroadcast sources**
3. Select **source** and press **edit**
4. In backup source press **select**
5. Fill in the **details** of the backup source
6. Press **ok** to save backup source
7. Press **ok** to save rebroadcast source

6.4.4 Rebroadcast settings

You can control the behavior of the rebroadcasts by editing the settings:

1. Browse to SOHO **Control Panel**, **Scheduling**, **Rebroadcast Schedule**
2. Press **rebroadcast settings**
3. Make the changes
4. Press **ok**


Rebroadcast Settings
500
Rebroadcast Fade Duration
Duration in ms (1000ms = 1 second) to fade-in and out rebroadcast sources when they are starting and stopping
Rebroadcast Failure
Turn to auto program when rebroadcast fails
5
Silence trigger to try alternatives
Duration in silent seconds that jazler will start searching for alternative sources or try to reconnect. This is independent of the next setting.
20
Rebroadcast Fail Wait
Duration in seconds that jazler will turn to auto if rebroadcast fails
Return back to rebroadcast immediately
Returns to rebroadcast immediately after rebroadcast (connection with the source) is re-established. Enable this setting if you want rebroadcast NOT to wait for the current song to finish and start again
Rebroadcast Sync Receiver
Enable Rebroadcast Sync Reception
Rebroadcast Sync Transmitter
Disabled
OK

6.4.5 Syncing commercial breaks with other SOHOs or RadioStars

The commercials break sync is used in order for main station to inform the rebroadcasters, the stations that rebroadcast the main station, that it started playing the commercials and that they can now start playing their commercials too. This is made so rebroadcaster/local commercials can overlap main station/national commercials as best as possible.

There are 2 ways that this can be achieved in SOHO:

a. Using the RadioStar method by sending UDP signals
b. Using the brand new SOHO in-streaming commands method. This is only available when SOHO streams the audio to the streaming server and if the rebroadcaster uses URL link for the rebroadcast

6.4.5.1 RadioStar method/UDP signals

This way of sync makes sure that each time the main station starts a commercial break a UDP signal is sent to all the receivers declared in receivers list.

When the receiver/rebroadcaster gets the signals, SOHO automatically inserts the corresponding commercial break, cuts the rebroadcast source and starts playing the commercials.

6.4.5.1.1 Settings up UDP method for main station

In order to setup the UDP method for main station:

1. Browse to **SOHO Control Panel**, **Scheduling**, **Rebroadcast**
2. **Rebroadcast Settings**
3. Set the **Rebroadcast Sync Transmitter** to **RadioStar UDP signals**
4. Press **UDP settings**
5. Press **add** and enter the details of the receiver, the **IP** that signals will be sent and the **Port**

6.4.5.1.2 Settings up UDP method for rebroadcasters

In order to setup the UDP method for the rebroadcasters:

1. Browse to **SOHO Control Panel**, **Scheduling**, **Rebroadcast**
2. **Rebroadcast Settings**
3. Enable the **Rebroadcast Sync Receiver**
4. Press **Sync settings** and change them based on your needs
5. Press **ok**
6. Press **Rebroadcast Sources**
7. Open desired **source** and at the very bottom set the **Commercial Breaks Sync** to **RadioStar UDP signals** and set the port you want to be used

8. If this is about a **scheduled rebroadcast,** then you will have to open the rebroadcast and at the very bottom select with **Commercial Breaks Sync**

6.4.5.1.3 Requirements for the commercials sync with UDP signals

a. Both main station and rebroadcaster must have the same break times for the sync to work. When the main station plays a break, SOHO sends a signal containing information about the break time and the duration of the commercials. If rebroadcaster does not have this break time then receiver SOHO will ignore it, will not play anything and will not sync, continuing the rebroadcast normally.
b. The external IP address of the receiver station must be either static or a domain service should be used that will make sure that the station can always be reached with this domain.
c. The port that will be used must be port forwarded in the receiver's router in order for the router to send the signal/packet to correct computer.
d. Commercials sync will be made whether you rebroadcast using a scheduled rebroadcast or rebroadcast mode in studio

6.4.5.2 SOHO in-streaming commands

In addition to the UDP signals method, SOHO has the mechanism with **in-streaming commands**. This new method embeds in the URL stream of the radio station the commands that will trigger the commercials sync.

6.4.5.2.1 Setting up SOHO in-streaming commands for main station

In order to setup the UDP method for main station:

1. Browse to **SOHO Control Panel**, **Scheduling**, **Rebroadcast**
2. **Rebroadcast Settings**
3. Set the **Rebroadcast Sync Transmitter** to **SOHO in-streaming commands**

6.4.5.2.2 Setting up SOHO in-streaming commands for rebroadcaster

In order to setup the UDP method for the rebroadcasters:

1. Browse to **SOHO Control Panel**, **Scheduling**, **Rebroadcast**
2. **Rebroadcast Settings**
3. Enable the **Rebroadcast Sync Receiver**
4. Press **Sync settings** and change them based on your needs
5. Press **ok**

6. Press **Rebroadcast Sources**
7. Open desired **source** and at the very bottom set the **Commercial Breaks Sync** to **SOHO in-streaming commands**
8. If this is about a **scheduled rebroadcast,** then you will have to open the rebroadcast and at the very bottom select **With Commercial Breaks Sync**

6.4.5.2.3 Requirements for the commercials sync with SOHO in-streaming commands

a. Both main station and rebroadcaster must have the same break times for the sync to work. When the main station plays a break, SOHO sends a signal containing information about the break time and the duration of the commercials. If rebroadcaster does not have this break time then receiver SOHO will ignore it, will not play anything and will not sync, continuing the rebroadcast normally.
b. The streaming to the streaming server must be made by SOHO directly in order for the commands to be embedded in the URL stream.
c. The rebroadcaster must use the URL to rebroadcast the main station. If line-in is used for it, then the commercials sync will not be able to be made.
d. Commercials sync will be made whether you rebroadcast using a scheduled rebroadcast or rebroadcast mode in studio

6.4.5.3 Commercials Sync Behavior

The total time of the commercial break of the main station in almost all cases will be different than the commercial break total time of the rebroadcaster.


There are 3 cases:

1. Commercial break times for both SOHOs are the **exact same**. This is very rare but in this case the rebroadcaster will overlap the commercials of the main station and will return to the rebroadcast just in time
2. Total commercial break time for rebroadcast **is larger** than the one of the main station. In this case the rebroadcaster will overlap the commercials and when they are over it will return to the rebroadcast but it will not be just in time and some part of the rebroadcast is lost
3. Total commercial break time for rebroadcast **is smaller** than the one of the main station. In this case the rebroadcaster will fill in with songs and jingles in order to avoid broadcasting main station's commercials. When the time comes to return to the rebroadcast if a song is playing it will be cut immediately.

6.4.5.4 Determining how the selections will be made for the fill of the remaining sync time

In order to select which categories will be used to fill the remaining sync time:

a. **Songs** will be selected based on the backup filter from the underlying clock of corresponding time
b. **Jingles** will be selected based on the jingles category you select at
    i. SOHO **Control Panel**, **Scheduling**, **Rebroadcast Schedule**
    ii. **Rebroadcast Settings**
    iii. **Sync Settings**



The **fill time threshold** is the option that will determine whether songs or jingles are selected to fill in the remaining sync time.


If **remaining sync time is smaller** than the threshold then jingles will be used for the fill in.

If **remaining sync time is larger** than the threshold then songs will be used for the fill in.

6.5 RDS

Many radio stations require their station name and other information to be transmitted though RDS protocol. This is achieved in SOHO by scheduling the RDS data, PS, RT or even RT+. The data can be sent either through serial, TCP or UDP communication.


SOHO supports many hardware RDS encoders but also software RDS encoders. There is even option to customize the options of RDS data sent to the encoder to add an encoder even if we have not yet added official support.



6.5.1 Editing RDS settings

You can edit the RDS settings:

1. Browse to SOHO **Control Panel**, **Scheduling**, **RDS**
2. Press **settings**
3. Make the **changes**
4. Press **ok**




6.5.2 Adding new device to send the RDS data from SOHO

You will now add your device in order for the communication to be established between your RDS encoder and SOHO.

1. Browse to SOHO **Control Panel**, **Scheduling**, **RDS**
2. Press **settings**
3. Press **add new device**
4. **Select** from the list your **encoder**
5. Select communication type from **COM(RS232), TCP, UDP** if available
6. For COM(RS232) select **COM port** or in case of TCP or UDP type the **IP address** and **port** of the encoder

7. Enable or disable the optional **RT** and **RT+,** if supported by encoder. By default SOHO sends **PS** data.
8. Press **ok**



6.5.3 Selecting what tracks and audio files be announced on RDS

SOHO supports announcing on RDS:

a. Songs
b. Commercials
c. Elements (Jingles, Sweepers, Voice tracks, Assets)
d. Direct audio files

Please check EDITING RDS SETTINGS to enable or disable announcing the above.

6.5.4 Setting multiple devices/receivers


SOHO supports sending RDS data to multiple receivers and even being different.


Please follow chapter ADDING NEW DEVICE TO SEND THE RDS DATA FROM SOHO to add all your encoders and SOHO will send the RDS data to all of them.

6.5.5 Scheduling the RDS data

RDS data in SOHO can be scheduled and there is no need to be static. You can create your schedule based on weekday and hour of day:

1. Browse to SOHO **Control Panel**, **Scheduling**, **RDS**
2. Press **edit schedule**
3. Select either
    a. **weekday** and **hour** or
    b. **Default**, which is used when nothing else is scheduled
4. **PS scheduling: type** the messages or press the **add PS keyword** button. Each PS message can be up to 8 characters
5. Press **+** button
6. RT scheduling: **type** the messages or press the **add RT keyword** button. Each RT message can be up to 64 characters
7. Press **+** button
8. **Go to step 3** and repeat for as many weekdays, hours and messages you want
9. **RT+ content**: press **add RT+ content** and then type the RT message to be used for RT+
10. TAG 1: Select the **type of TAG** and then select with mouse the **part of RT** message that corresponds to this tag.
11. Press **get TAG 1**
12. Go to step 10 and repeat for **TAG 2**
13. Press **ok**





6.5.6 Sending instant RDS data overriding schedule

The RDS schedule can be overridden. You can type any PS and RT message and send them to broadcast. The schedule will be ignored and once you disable the override, SOHO will return back to schedule.

You can override RDS data:


1. Browse to SOHO **Control Panel**, **Scheduling**, **RDS**
2. **Type** the message you want in **PS** and **RT** fields
3. Press **override current program**

6.6 Final Log Creator

The final log is very special. With it you can schedule whole day and know exactly what and when a track will be played.

It takes into account every scheduling you have made, playlists, force clocks, rebroadcast, commercial breaks and if there is not something from those, the track selections are made based on the main auto and your clocks.


Once created and scheduled, SOHO will load the final log at midnight of the scheduled date and will play the contents. Please mind that still the next X scheduled hours will be shown and loaded on studio decks.



6.6.1 Creating the final log

1. Browse to SOHO **Control Panel**, **Scheduling**, **Final Log Creator**
2. **Select date** for which you want to create and schedule the final log
3. Press **create log for this day**
4. Select what should be taken into account
    a. Playlists
    b. Force clocks
    c. Spots breaks
    d. Rebroadcast

5. **Select hours** you want to be included in the log. Most common is to select all hours for a 24 hour log
6. Press **create log**
7. **Review** the final log for the selected date and make any changes using the **make changes - edit**
   Important: remember this is exactly what will be broadcasted on scheduled date
8. Press **save & exit**



6.6.2 Editing song selection settings and spot settings directly from final log creator

You can edit the song selections settings and spot settings without the need to exit the final log creator and changing the main auto scheduling and the settings in spots library.

1. Browse to SOHO **Control Panel**, **Scheduling**, **Final Log Creator**
2. Press **create log schedule**
3. Press the **edit song selection settings** or **spots settings**

6.6.3 Final log and commercial breaks

In final log, the commercial breaks are inserted as **break references.** This means that the log knows at what time the break of 13:00 will play. The spot files that consist the break at the moment the final log is created are not taken into account.

This helps very much because **if you want a final log created 2 days ahead, the commercial break (spot files and order of spot files) is almost certain that will change**.

6.6.4 Editing the final log - Created the final log but now I want to make changes

You can edit a scheduled final log:

1. Browse to SOHO **Control Panel**, **Scheduling**, **Final Log Creator**
2. **Select date** for which you want to edit the final log
3. Press **edit**

6.6.5 Final log is created but I do not want to be broadcasted

If you created a final log but you do not want to broadcast there are 2 ways:

6.6.5.1 Un-schedule the final log for this specific day

1. Browse to SOHO **Control Panel**, **Scheduling**, **Final Log Creator**
2. **Select date** for which you want to unschedule the final log
3. Press **unschedule day**

6.6.5.2 In Studio

Enable auto mode disabling the log option.

6.6.5.3 Print report for the final log

You can use the **print report** button to have a pdf file of the final log that is scheduled.

To do so:

1. Browse to SOHO **Control Panel**, **Scheduling**, **Final Log Creator**
2. **Open** a day
3. Press at bottom the **Print Report** button

6.6.5.4 Exporting the final log in text file

You can export the final log created by SOHO by using the **export playlist** button. This will allow you to have the final log in text format and you could even use it in another software.

Important: You can only export the final log if the commercial breaks are added unpacked, as a list of commercial/spots that are scheduled to play.

To do so:

4. Browse to SOHO **Control Panel**, **Scheduling**, **Final Log Creator**
5. **Open** a day
6. Press at bottom the **Export Playlist** button

6.6.5.5 Customizing the export playlist of the final log

By using this feature you can customize the exported text file that SOHO will create.


To do so:

7. Browse to SOHO **Control Panel**, **Scheduling**, **Final Log Creator**
8. **Open** a day
9. Press at bottom the **Customize Export** button

6.7 Log Viewer

The log viewer is the place to check **what SOHO broadcasted**. There is no need to browse to find text log files to check what got broadcasted yesterday, previous month or even just 5 minutes earlier.

But the most advanced and useful feature is that **you can review all the information of the track and the reasons it got selected and broadcasted**. As a result there is no need to guess or make calculations why a track was selected.



6.7.1 Reviewing what got broadcasted


To review what got broadcasted:

1. Browse to SOHO **Control Panel**, **Scheduling**, **Log Viewer**
2. Select the track got broadcasted
3. Check all information about this specific selection at **scheduled log | track info**

6.7.2 Checking why a track was selected and broadcasted by SOHO – I think it was not supposed to broadcast

Now you can find quickly and with ease why a track was selected. You can also check all the restrictions that SOHO had for the track selection.

7 Settings




7.1 General Settings

In general settings you can make any changes you want for SOHO. More specifically:


7.1.1 General

a. the language of SOHO and
b. the format of hour (24h or 12h format)



7.1.2 Soundcards and output

In this section you find all settings regarding the **soundcards** used, **outputs**, audio **processing**, input used for your **microphone**. Also, there are available the audio settings for the **mixing**, **fade** and may others.



7.1.2.1 Setting the audio outputs/soundcards for main, monitor and instant jingle output of SOHO

1. Browse to SOHO **Control Panel**, **Settings**, **General Settings**
2. Press **Soundcards and output**
3. Assign the outputs

7.1.2.2 Setting SOHO to use interchange output – Using A-B output

1. Browse to SOHO **Control Panel**, **Settings**, **General Settings**
2. Press **Soundcards and output**
3. In **studio output system** select **A-B interchange output**

7.1.2.3 Setting SOHO to use 32 bit audio processing

1. Browse to SOHO **Control Panel**, **Settings**, **General Settings**
2. Press **Soundcards and output**
3. In **studio output system** select **32-but audio processing**

7.1.2.4 VST and DSP plugins - Setting the audio output to be processed

Place the plugin in corresponding folder of SOHO


a. C:\Jazler SOHO\PluginsVST_32bit , for **VST 32 bit plugin**
b. C:\Jazler SOHO\PluginsVST_64bit , for **VST 64 bit plugin**
c. C:\Jazler SOHO\ PluginsWinamp , for **DSP plugin**

After it is placed:

1. Browse to SOHO **Control Panel**, **Settings**, **General Settings**
2. Press **Soundcards and output**
3. In **DSP (Digital Signing Processing) position select**
    a. **Output of studio or**
    b. **Input of encoders**
4. Press **edit plugins**
5. Select the **plugin** you want enabled and press the **arrow**

7.1.3 Studio settings

You can make all the settings regarding the studio behavior.



7.1.3.1 Setting the radio station name

1. Browse to SOHO **Control Panel**, **Settings**, **General Settings**
2. Press **studio settings**
3. **Type** in the **station name** field

7.1.3.2 Setting SOHO to start with Windows

1. Browse to SOHO **Control Panel**, **Settings**, **General Settings**
2. Press **studio settings**
3. Enable **start with windows login**

7.1.3.3 Setting SOHO to start in auto mode

1. Browse to SOHO **Control Panel**, **Settings**, **General Settings**
2. Press **studio settings**
3. Select in **startup mode** the **AUTO**

7.1.3.4 Setting shortcuts keys for Studio functions

1. Browse to SOHO **Control Panel**, **Settings**, **General Settings**
2. Press **studio settings**
3. Press **edit shortcuts**

7.1.3.5 Enabling secondary studio screen

1. Browse to SOHO **Control Panel**, **Settings**, **General Settings**
2. Press **studio settings**
3. Enable **secondary studio screen**

7.1.3.6 Changing auto mode from classic to SOHO auto and back

1. Browse to SOHO **Control Panel**, **Settings**, **General Settings**
2. Press **studio settings**
3. **Enable/disable** classic auto

7.1.3.7 Assigning shortcut buttons for broadcast actions


1. Browse to SOHO **Control Panel**, **Settings**, **General Settings**
2. Press **studio settings**
3. Press **Edit Shortcuts**
4. **Assign** the shortcuts you want

You can also assign modifier keys **Alt** and **Control**.

Also, you can make the shortcuts work even if the Studio is minimized.

7.1.4 Logs and paths

Here you can set the paths that SOHO should use.



7.1.4.1 Setting path to for the recorded voice tracks

This is the path were your SOHO voice tracks will be recorded and saved:

1. Browse to SOHO **Control Panel**, **Settings**, **General Settings**
2. Press **logs & paths**
3. Set **voice tracks audio path**

7.1.4.2 Setting an external audio editor

SOHO does not support editing your audio files but you can assign an external software to open and use directly from SOHO:

1. Browse to SOHO **Control Panel**, **Settings**, **General Settings**
2. Press **logs & paths**
3. Set **external audio editor** path

7.1.4.3 Enabling custom logs

SOHO supports keeping custom text logs. You can find the custom log text files in **C:\Jazler SOHO\Logs\Custom Logs 1** and **C:\Jazler SOHO\Logs\Custom Logs 2.** To enable them:

1. Browse to SOHO **Control Panel**, **Settings**, **General Settings**
2. Press **logs & paths**
3. **Enable** custom logs 1 and/or custom logs 2

7.1.4.4 Editing the format of custom logs – format of each line logged in the text file

1. Browse to SOHO **Control Panel**, **Settings**, **General Settings**
2. Press **logs & paths**
3. Press **customize logs 1**
4. Edit the **format** of the log that will saved for each track broadcasted using the **keywords** from available keywords or by **typing**
5. Press preview format to check what exactly will be logged
6. **Enable/disable** the **type of audio files** for which custom logs will be kept

7.1.4.5 Reconciliation of SOHO logs with external third party/traffic software

You can set custom logs to export text files with what got broadcasted and then use them with your traffic software to reconcile.

IMPORTANT: At first, please consult your traffic software what requires for the log file to contain. It is very crucial to know what the text file must contain in order to change the format of SOHO custom logs accordingly.

A unique reference field between SOHO and traffic software will certainly be required. This usually is either auto code of SOHO or the playlister code. Use as a keyword the one that has been used as a reference in your traffic software too.

1. Browse to SOHO **Control Panel**, **Settings**, **General Settings**
2. Press **logs & paths**
3. Press **customize logs 1**
4. Edit the **format** of the log that will saved for each track broadcasted using the **keywords** from available keywords or by **typing.**
   IMPORTANT: in the format make sure there is at least
   c. the **keyword** that serves a **reference** between SOHO and your traffic software, usually playlister code
   d. the STARTTIME keyword that logs the time of broadcast
5. Press **preview format** to check what exactly will be logged
6. **Make sure ONLY the spots are enabled from the types of audio files**

7.1.4.6 Reconciliation of SOHO logs with external third party/scheduling/log/playlister software

You can set use custom logs to export text files with got broadcasted and then use them with your scheduling software to reconcile.

At first, please consult your external software what requires for the log file to contain. It is very crucial to know what the text file must contain in order to change the format of SOHO custom logs accordingly.

A unique reference field between SOHO and the external software will certainly be required. This usually is either auto code of SOHO or the playlister code. Use as a keyword the one that has been used as a reference in your external software too. It could also be the filename of the audio file but is not recommended and is not usually used.

1. Browse to SOHO **Control Panel**, **Settings**, **General Settings**
2. Press **logs & paths**
3. Press **customize logs 1**
4. Edit the **format** of the log that will saved for each track broadcasted using the **keywords** from available keywords or by **typing.**
   IMPORTANT: in the format make sure there is at least
   i. the **keyword** that serves a **reference** between SOHO and your external software, usually playlister code
   ii. the STARTTIME keyword that logs the time of broadcast
5. Press **preview format** to check what exactly will be logged
6. **Make sure that are enabled ONLY the types of audio files that are scheduled from external software and ALSO that there is reference/link between SOHO and external software.**

e.g. if only the songs are scheduled and have been linked, then enable **ONLY** the songs. If jingles are also scheduled from external software then enable jingles too

7.1.5 Performance

Here you can find settings regarding the performance of SOHO.

1. Browse to SOHO **Control Panel**, **Settings**, **General Settings**
2. Press **performance**



7.1.5.1 SOHO is very slow starting up after some changes I made

The option preload main library and editing screens on startup can make opening each screen very fast after the startup but it will take significantly more time for SOHO to open and start running. You can disable it:

1. Browse to SOHO **Control Panel**, **Settings**, **General Settings**
2. Press **performance**
3. Disable **preload main library and editing screens on startup**

7.1.6 Time Offset

If your radio station is broadcasting through the internet or your STL has delay, you might need to broadcast your content earlier than the standard time, so it can arrive on time to your listeners. Adjust here the time offset in seconds ahead of standard time that SOHO will be operating.


Important: Your computer time will **not** be altered.

7.1.7 Alerts

The alerts system makes sure that when there is a problem reported in SOHO problems section, they are sent with an email to the email addresses set here.

7.1.8 Miscellaneous

Here you can personalize SOHO with your radio station details and logo.



7.1.8.1 Displaying my radio station's logo in SOHO

You can do so:

1. Browse to SOHO **Control Panel**, **Settings**, **General Settings**
2. Press **misc**
3. Set the **logo** for **SOHO** interface
4. Set the **logo** for the **reports** exported

7.1.8.2 Reports containing my radio station's details

You can do so:

1. Browse to SOHO **Control Panel**, **Settings**, **General Settings**
2. Press **misc**

3. **Type** the details in the field **radio station details**

7.1.8.3 Setting SOHO to ask whether to extract metadata from audio files

You can have SOHO extract the metadata from audio files by default:

1. Browse to SOHO **Control Panel**, **Settings**, **General Settings**
2. Press **misc**
3. **Enable ask to extract song information (tags) on new files**

7.1.8.4 Setting the db thresholds that autocue uses – autocue sensitivity

1. Browse to SOHO **Control Panel**, **Settings**, **General Settings**
2. Press **misc**
3. Press **autocue sensitivity**
4. Select the **type of audio file**
5. Set the **db levels**


7.1.8.5 I do not want spots mixed when broadcasted– I want them to play from start to end of file and independently from next file

Many radio stations require the spots to broadcast without being mixed and most importantly form star tot end of file. In order to achieve that follow chapter **Setting the db thresholds that autocue uses – autocue sensitivity** and set the db thresholds for spots to be very low. This way SOHO will find as start and end mix times the start and end of audio file respectively.

In short, make sure that you set the db levels in the lowest possible value which is **search for the first non-zero sample**

7.2 Users & Security

SOHO supports security system and logging in with users. Each user has privileges which are set from the administrator.




7.2.1 Enabling security system and adding users

1. Browse to SOHO **Control Panel**, **Settings**, **Users and Security**
2. Check the **enable users permissions**
3. Press **add new user**
4. **Type** the **username** and **password** for the new user
5. Set **login timeout** in minutes, 0 means automatic logout is disabled
6. Set the permissions

a. Check the **administrator** to give **all permissions**
b. Or check only the **permissions allowed**

7. Press **ok**
8. **Go to step 3** and repeat until you have added all users
9. Press **ok**




7.2.2 The available permission a user can have

- Access to songs library
- Access to spots &commercials library
- Access to jingles library
- Access to assets library
- Access to sweepers library
- Access to voice tracks library
- Access to memos library
- Access to instants library
- Access to Auto schedule (clocks)
- Access to Playlists library
- Access to Log editor
- Access to Log viewer
- Access to Force clocks
- Access to Settings
- Access to Encoders
- Access to Rebroadcast
- Access to Folder mappings
- Access to RDS
- Access to Internet updater
- Access to Users security
- Access to Database reset
- Studio – delete tracks
- Studio – add/insert songs
- Studio – add/insert assets
- Studio – add/insert jingles
- Studio – add/insert spots or commercial breaks
- Studio – add/insert voice tracks
- Studio – add/insert voice tracks live
- Studio – add/insert direct audio file
- Studio – edit instant jingles
- Studio – edit memo
- Close down program

7.3 Audio Folder Mappings

This function translates the paths of your audio files. What it does exactly is that it replaces in the start of the path with the new path that is provided. For example if a song file in library has file path C:\AUDIO\SONGS\song.mp3 you can use the audio folder mappings to

translate this file path to D:\AUDIO\SONGS\song.mp3 or even \\studio_pc\AUDIO\SONGS\song.mp3 .



7.3.1 Adding a folder mapping

You can add the folder mapping:

1. Browse to SOHO **Control Panel**, **Settings**, **Audio Folder Mappings**
2. Press **add**
3. **Browse** for or **type** the **original path**, that you want substituted, that your audio files have in SOHO libraries
   Tip: if all your audio files are located in C:\AUDIO\... then use **C:\AUDIO**
4. **Browse** for or **type** the **replacement path**, the path that will substitute the original path
   Tip: if your audio files are now located in D:\AUDIO\... because you moved the folder then use **D:\AUDIO**
5. Press **ok**

7.3.2 Enabling SOHO Workstation to monitor the audio files

When SOHO Workstation is used, you can access the database and everything it contains from network. But the actual audio files are not stored in the database, only the paths to the actual audio files are stored.

In order to enable the SOHO workstation to monitor the audio files:

From Windows file manager of SOHO Studio computer, share (Windows share or else SMB share) the folder that are your audio files are stored.


In SOHO Workstation:

1. Browser to SOHO **Control Panel**, **Settings**, **Audio Folder Mappings**
2. Press **add**
3. **Browse** for or **type** the **original path**, path that audio files are store in SOHO Studio computer, e.g. C:\AUDIO
4. **Browse** for or **type** the **replacement path**, the path that SOHO Workstation computer should look for the audio files. E.g. \\studio_pc\AUDIO\ or \\studio_pc\C\AUDIO\
5. Press **ok**

7.3.3 Permanent Change Of Filenames

There are cases that your audio files or folder with audio files need to change location. A classic example is changing hard disk in Studio computer. Old disk could be D:\ and new disk letter could be F:\ . Then SOHO will not be able to access and broadcast the audio files.

For this case you can use the permanent change of filenames. This feature enables you to change massively the filepaths SOHO has saved for your audio files.



To do so:

1. Browse to SOHO **Control Panel**, **Settings**, **Audio Folder Mappings**
2. Press **Permanent Change Of Filenames**

You can select which libraries will be affected from the changes to the filenames. Please use the old starting path you want to replace in **Original Path** and the new starting path to the **Replacement Path**.

Then please press **Preview Changes** and the total number of affected files from changes will be shown. If you are ok with those changes then press the **Mass Change** button.

7.4 SQL Server Settings

From the SQL server settings you can manage the databases stored in the SQL server and select which database SOHO will use, with what username and what password.


The **default settings** for the connection of SOHO to the SQL server database are:

Database name: **SOHO**

Username: **sa**

Password: **jazler**

You can change any of the above for your database but then please make sure you make the appropriate changes in SOHO in SQL server settings. Otherwise, SOHO will not be able to connect to and open the database.



7.4.1 Editing the SQL server settings

You can edit the SQL server settings and database which SOHO uses:

1. Browser to SOHO **Control Panel**, **Settings**, **SQL Server Settings**
2. Press **search for servers** or **type** the **computer name** where the SQL server is installed
   Tip: you might have to also add the SQL instance in the computer name if the instance is not default e.g. computer_name\SQLinstance
3. Type the **username**, default: sa
4. Type the **password**, default: jazler
5. Press **see what databases are already installed** or **type** the **database name**, default: SOHO
6. Press **test connection**
7. Press **ok**


7.4.2 Creating a new database on SQL server for a second radio station

SQL server can host many databases. As a result if you have 2 or more radio stations on your facilities, you can create a database for each radio station on your installed SQL server.

To create a new database:

1. Browser to SOHO **Control Panel**, **Settings**, **SQL Server Settings**
2. Press **database utilities**
3. Press **create NEW database**
4. Type the **name** of the **NEW database,** e.g. the radio station name
5. Press **ok**

Now that you have the new database, you can install the SOHO Studio in any of your computers following the **Installation** chapter.



7.4.3 Reconnecting to SQL server if it was not found on startup

If the SQL server is hosted in another computer then it is likely that after a power failure the computer with SQL server does not startup as fast as the computer with SOHO studio. For these cases there is the option **Try to reconnect if the SQL server was not found in startup**.

This option will make sure that even if SOHO studio starts earlier and the SQL server computer has not opened yet, it will try to reconnect to the SQL server.

7.4.4 Clean up and shrink database


This utility cleans up the database and deletes all data that is no longer needed from specific time and back.

More specifically it cleans up broadcast metadata and not your actual records. It will NOT delete any songs, commercials etc. or any file. It will delete the metadata associated with them like date and time a file was broadcasted or scheduled.

This allows you to reduce the size of the database file and increase the efficiency of the database along with the speed in various operations.


To use the utility:

1. Browse to SOHO **Control Panel**, **Settings**, **SQL Server Settings**
2. Press **Clean Up** and **Shrink Database**



7.5 Weather API

SOHO fetches weather data from OpenWeather so it can be used in RDS. To start using this feature you will need to create an OpenWeather account and use the OpenWeather key in SOHO.



7.5.1 Setting up Weather API

In order to make the Weather API settings:

1. Browse to SOHO **Control Panel**, **Settings**, **Weather API**
2. Make the settings you want

More specifically you can

a. set the **Weather Request Rate** in minutes
b. select **metric system**
c. select **language**

7.5.2 Adding Locations for which to fetch data

In order to add a location:

1. Browse to SOHO **Control Panel**, **Settings**, **Weather API**
2. Press **Add**
3. Type the **name** of the location
4. Paste the **Latitude**, **Longitude** and **City ID**
5. Press **Test** button to fetch the weather data for your locations


If the settings were made properly then you will be able to see the temperatures for your locations.

7.5.3 Using the Weather API data in RDS


After setting up the Weather API and adding your locations you will be able to add the weather keywords in RDS.

More specifically:

1. Browse to SOHO **Control Panel**, **Scheduling**, **RDS**
2. Press the **Edit Schedule**
3. Press the add **PS keyword** if you want to use the weather data in PS text
4. Press the add **RT keyword** if you want to use the weather data in RT text


RDS/RBDS
R·D·S
Main Screen | Edit Schedule
Weekly Program
Broadcasted Text
Days
Times
Default
Monday
Tuesday
Wednesday
Thursday
Friday
Saturday
Sunday
[01:00]
[02:00]
[03:00]
[04:00]
[05:00]
[06:00]
[07:00]
[08:00]
Copy Hour
Paste Hour
Select Current
Delete Hour
Delete All
Table View
PS Text
RT Text
W_1_TN
Add PS Keyword
Add RT Keyword
Add RT+ Content
Edit Mode (for both PS and RT):
Add
Insert
OK


8 Utilities


Control Panel
Friday, 17 April 2020 | 16:09:28
Jump To Screen...
KISS FM
Libraries
Scheduling
Settings
Utilities
KISS FM
Internet Updater
All settings related to uploading metadata files to a serv...
Streaming Encoders
All encoder settings for streaming to the net
Integrity Check
Checks if all of your audio files are in place and takes pr...
Reset Database
Erases all data from your selected databases
Import a RadioStar Database
Imports the whole database of Jazler RadioStar into SO...
Everything running smoothly, no problems.
Program start up 16 Minutes ago
Studio
Now: Alan Walker - Faded
Jazler SOHO Studio | DEBUG INSTANCE | Compiled On Saturday, 18 April 2020 15:43:26 | BETA VERSION

8.1 Internet Updater

The SOHO Internet Updater is the utility of a modern radio station, the hub to your radio station in internet and to be more precise to the **metadata** of your radio station in **internet**.

SOHO has very advanced features and tools to embed the metadata in the most common services and even has functions to be used with custom services or not specified yet explicitly in SOHO.



8.1.1 Basic knowledge for SOHO Internet Updater

When each track starts playing, SOHO updates the corresponding files. This is of course if SOHO is allowed to and if the type of audio file allows the metadata to be updated form the settings.

- The exported files and folders are located in **C:\Jazler SOHO\Exports** folder
- **Files** that are **updated** are:
  - **NowOnAir.xml** , can be used for artist, title and further information about the track playing
  - **NowOnAir.txt** , can be used for artist and title metadata
  - **AirPlayHistory.xml** , can be used for history of broadcasted tracks
  - **AirPlayNext.xml** , can be used for the upcoming tracks
  - **Custom File Export** , can be used for solutions that are not offered with the rest files
  - **CurrentAlbumImage.jpg** , can be used for album image of current playing track
- If enabled, SOHO keeps **cache of exported album images** for the songs, the folder is **C:\Jazler SOHO\Exports\AlbumsCache**

8.1.2 Making the basic settings for the metadata

First step is to make the basic settings. For example, will all audio file types be announced? Or just the songs? Or songs and spot sonly?

You can start customizing:

1. Browse to SOHO **Control Panel**, **Utilities**, **Internet Updater**
2. **NowOnAir.xml and NowOnAir.txt – Choose what to show when Jazler is playing…** do one of the following for each library type:
   a. Set field **empty:** SOHO **updates** the NowOnAir.xml and NowOnAir.txt files with the **metadata assigned in corresponding library record** (e.g. updates song metadata with what is assigned in the song record in songs library).
   b. Set field with **NO-UPDATE**: SOHO **does not update** the NowOnAir.xml and NowOnAir.txt when playing this library type
   c. Set field with **custom message**: SOHO **updates** the NowOnAir.xml and NowOnAir.txt always with the custom message when file is playing form this library type
3. Enable/disable updating the **AirPlayNext.xml** file
4. Enable/disable updating the **AirPlayHistory.xml** file
5. Enable/disable updating the **Custom Export File**
6. Enable/disable updating the **CurrentAlbumImage.jpg**
7. If the language used for your metadata includes non-Latin characters, make sure in other settings the **encoding** is set to **Unicode**
8. In case you want **non-Latin** characters to be **translated to Latin** for better compatibility with certain services enable the Translate everything to Latin characters (via RDS letter replacement)
9. Press **ok** to save changes

8.1.3 Updating radio station website with artist, title, album image and other metadata

There are 2 ways to update metadata, embedding them in the URL stream or by uploading files on your server via FTP.


If you are interested in embedding the metadata in the URL stream please refer to STREAMING ENCODERS chapter.

To upload SOHO exported files on your server via FTP:

1. Browse to SOHO **Control Panel**, **Utilities**, **Internet Updater**
2. Press **edit updating services** at the bottom
3. Press **add** and select **FTP Upload**
4. Fill in the fields with your **FTP server details**
5. Press **test service**
6. If the test was successful, make sure you **check the Enabled** at the top to enable the service with each track change
7. If you want to use Album Cache option, enable **Upload Album Cache**
8. Press **ok** to save changes

Now, each time a new track starts playing, SOHO uploads the updated files with the new metadata of playing track.

Now that the exported files are uploaded to your server, your web developer needs to make the website “open” the files, extract the metadata and display them.




8.1.4 Updating TuneIn metadata

SOHO can update the TuneIn of your radio station with current playing metadata. Please mind that you might need to **contact TuneIn** first to get the **Partner Key**, **Partner ID** and **Station ID** of your radio station.

To enable updating TuneIn metadata:

1. Browse to SOHO **Control Panel**, **Utilities**, **Internet Updater**
2. Press **edit updating services** at the bottom
3. Press **add** and select **TuneIn**
4. Fill in the fields with the details of TuneIn service
5. Press **test service**
6. If the test was successful, make sure you **check the Enabled** at the top to enable the service with each track change
7. Press **ok** to save changes




8.1.5 Copying exported files to other folder or even to other computer

The copy files updating service, will copy the contents of the SOHO Exports folder to the destination folder selected with each track change.

To copy the contents of the Exports folder:

1. Browse to SOHO **Control Panel**, **Utilities**, **Internet Updater**
2. Press **edit updating services** at the bottom
3. Press **add** and select **Copy Files**
4. Fill in the fields with the details and set the path where the files will be copied
5. Press **test service**
6. If the test was successful, make sure you **check the Enabled** at the top to enable the service with each track change
7. Press **ok** to save changes




8.1.6 Updating metadata with HTTP GET and POST

There are certain services that require using HTTP GET and POST methods to update the metadata or even you could use it to trigger something.

To use HTTP GET and POST methods:

1. Browse to SOHO **Control Panel**, **Utilities**, **Internet Updater**
2. Press **edit updating services** at the bottom
3. Press **add** and select **HTTP**
4. Fill in the fields with the details, set the server address and select either POST or GET method
5. Use **add new keyword** and **delete keyword** buttons to add parameters on your requests. **Note**: The parameter can be changed accordingly with what each service expects and the keyword remains static for SOHO to use the value of the corresponding keyword for each track
6. Press **test service**
7. If the test was successful, make sure you **check the Enabled** at the top to enable the service with each track change
8. Press **ok** to save changes



8.1.7 Updating metadata with TCP/UDP

Using TCP and UDP connections are required from certain services in order to accept the metadata.

To use them:

1. Browse to SOHO **Control Panel**, **Utilities**, **Internet Updater**
2. Press **edit updating services** at the bottom
3. Press **add** and select **HTTP**
4. Fill in the fields with the details, set the server address and select either POST or GET method
5. Use **add new keyword** and **delete keyword** buttons to add parameters on your requests. **Note**: The parameter can be changed accordingly with what each service expects and the keyword remains static for SOHO to use the value of the corresponding keyword for each track
6. Press **test service**
7. If the test was successful, make sure you **check the Enabled** at the top to enable the service with each track change
8. Press **ok** to save changes

8.1.8 Metadata embedded in the radio station URL audio stream

Many services, modules and players support extracting the metadata directly from the URL stream of the radio station. This is a rather simple and easy way to update the metadata.

Please follow the **streaming encoders** chapter for embedding metadata in the stream.

8.1.9 Disabling Internet Updater

If for some reason you do not want the internet updater to be in use, you can disable all internet updater functions with a single click:

1. Browse to SOHO **Control Panel**, **Utilities**, **Internet Updater**
2. **Uncheck** the **Enable Updater** at the very top
3. Press **ok**

8.1.10 Disabling metadata update for spots and/or jingles etc.

It is common many radio stations require updating metadata only for the songs and not for the spots or for jingles.

In SOHO you can disable updating the metadata for the various library types that audio files are imported in.

To disable updating the metadata of a library type:

1. Browse to SOHO **Control Panel**, **Utilities**, **Internet Updater**
2. **In section NowOnAir.xml and NowOnAir.txt – Choose what to show when Jazler is playing…** find the library type you want not to update and then:
   Type in the field **NO-UPDATE**: SOHO **does not update** the NowOnAir.xml and NowOnAir.txt when playing a file from this library type
3. Press **ok** to save changes

8.1.11 Setting custom message to appear as metadata when playing spots and/or jingles etc.

You can set a custom message to appear as metadata when playing a file from certain library type. For instance, you can set “broadcasting commercials” when your commercial break is playing.

To set the custom message for the library type:

1. Browse to SOHO **Control Panel**, **Utilities**, **Internet Updater**
2. **In section NowOnAir.xml and NowOnAir.txt – Choose what to show when Jazler is playing…** find the library type you want the custom message for and then:

   Type in the field the custom message you want: SOHO **updates** the metadata of the NowOnAir.xml and NowOnAir.txt with the custom message typed, when playing a file from this library type
3. Press **ok** to save changes

8.1.12 Force updating the metadata

You can forcibly update the metadata for all created services. To do so:


1. Browse to SOHO **Control Panel**, **Utilities**, **Internet Updater**
2. Press the **Force Update Now** button

8.2 Streaming Encoders

The traditional radio station broadcasts in FM. But since the revolution of internet it is now not only recommended but might even be necessary to broadcast in internet too.

For this reason, SOHO comes with integrated streaming encoders which can:


- Stream your audio output **to your streaming server**, usually rented
- Stream your audio directly from SOHO, acting as streaming server, the **SOHO server**



8.2.1 Streaming SOHO audio output to streaming server – Adding encoders

To stream your audio output to your streaming server:

1. Browse to SOHO **Control Panel**, **Utilities**, **Streaming Encoders**
2. Select the **audio input/soundcard** that will be used
3. Press **add**
4. Type the **encoder name**
5. Select **streaming type**, the type of your server SHOUTcast, Icecast
6. Fill in the **fields**, the essential fields are marked with **red**
7. Press **ok**
8. Press **start** for the encoder to start streaming



8.2.2 Embedding metadata in the stream

To embed the artist and title in the stream:

1. Browse to SOHO **Control Panel**, **Utilities**, **Streaming Encoders**
2. Double click your already added **encoder**
3. Make sure the **send artist & title metadata** is checked
4. Press **ok**

8.2.3 Embedding station logo image in the stream

This option is only available for Shoutcast servers version 2 (Shoutcast v2)

1. Browse to SOHO **Control Panel**, **Utilities**, **Streaming Encoders**
2. Double click your already added **encoder**
3. Make sure the **send station logo image in stream** is checked
4. Press **ok**

8.2.4 Setting encoders to start automatically

1. Browse to SOHO **Control Panel**, **Utilities**, **Streaming Encoders**
2. Double click your already added **encoder**

3. Make sure the **start automatically** is checked
4. Press **ok**

8.2.5 SOHO server – Using SOHO to broadcast online

You can use SOHO as a streaming server. There are though some perquisites and some warnings you should be aware of.

8.2.5.1 Requirements

Using SOHO as a streaming server requires:

- **Static internet IP address** or **domain name** assigned to your internet IP address
- **LAN IP address** of SOHO Studio computer must be **manually assigned** in order not to change at any circumstances
- **Port forwarding**: The SOHO server port that will be used must be forwarded in your router settings. More specifically need to be forwarded to the LAN IP address of the SOHO Studio computer

For more information on these please consult your IT department.

8.2.5.2 Warnings

You should also be aware of some warnings about using the SOHO server and most specifically your internet connection to serve your listeners:

- Your internet connection must be stable and have high bandwidth. It is your internet connection and to be more precise your upload bandwidth that will be used to serve your listeners. If you do not have stable and good quality connection or the listeners are too many for your upload bandwidth you will have internet problems and your listeners will face problems like disconnections, audio stuttering and many others
- Embedding metadata with SOHO server is not supported

8.2.5.3 Enabling SOHO server

After checking the above, we can proceed to adding a SOHO server:

1. Browse to SOHO **Control Panel**, **Utilities**, **Streaming Encoders**

2. Select the **audio input/soundcard** that will be used
3. Press **add**
4. Type the **encoder name**
5. In **streaming type** select **SOHO server**
6. Type the **port** that will be used for the SOHO server
7. Press **ok**
8. Press **start** for the SOHO server to start and wait for incoming connections


8.2.5.4 Listening to radio station using SOHO server

After creating the SOHO server as mentioned in previous chapter:

- In your LAN network you can listen to the stream by using **http://local_ip_soho_studio_pc:port**
- Your listeners can listen to your radio by giving them the URL **http://static_ip_address_or_domain_name:port**

8.3 Integrity Check

This utility lets you quickly and easily find which library audio files can no longer be accessed and found.




8.3.1 Checking which audio files can be accessed – Managing the inaccessible files

1. Browse to SOHO **Control Panel**, **Utilities**, **Integrity Check**
2. Select the type of library files you want to be checked
3. In what files should be searched in each library select either **all files**, **enabled files**, **disabled files**
4. Press **start check**
5. Wait for the search to end and **review** the results
6. Once you are ready select how the inaccessible files **should be dealt** with
   a. Saving results in text file
   b. Disabling these files in their library
   c. Deleting these files from their library
7. Close the integrity check utility

8.4 Reset Database

The reset database utility offers the option to reset all or some selected libraries




8.4.1 Resetting the database – Resetting the libraries

1. Browse to SOHO **Control Panel**, **Utilities**, **Integrity Check**
2. Select the **libraries** you want reset
3. Press **next**
4. Wait for the reset to be completed and press **ok**

8.5 Import a RadioStar Database

Of course Jazler RadioStar users will have their databases imported in SOHO. There is no need to start fresh, unless of course you want it this way. You can also select what to be imported.



8.5.1 Importing RadioStar databases in SOHO

1. Browse to Soho **Control Panel**, **Utilities**, **Import a RadioStar Database**
2. Select your **RS2 backup folder**
3. Select the **data to be imported**
4. After the import is made with success, **restart SOHO**

NOTE: SOHO imports the image files (cover album, art etc.) from your audio files. If you would like to extract the images then the **audio files MUST be accessible** during the import procedure.

8.6 Broadcasting Reports

The broadcasting reports is used in order to export reports of your broadcasted audio files for copyright authorities or for your needs such as checking what got broadcasted.

We have created various reports for different copyright authorities in different countries based on their requirements.



8.6.1 Exporting the report for your copyright authority

In order to create the report:

1. Browse to SOHO **Control Panel**, **Utilities**, **Broadcasting Reports**
2. **Select the style** of your report. It can be one of the already added styles or customize your own
3. Define the **Dates for the report**. You can select specific month or set the start and end dates as you wish
4. Select **format of the exported file**. It can be .txt or .csv
5. Press **Export**

8.6.2 Customizing a report

With the custom style you can create a template for reports. Once you create it is saved and it will be used to create a report each time you export a custom report.

In order to create a template for custom report:

1. Browse to SOHO **Control Panel**, **Utilities**, **Broadcasting Reports**
2. Select **Custom** in the select **style** option
3. Press the **Customize Report** button
4. Make the settings you need and then press **OK**

